

# ArrangeByLogin

## Execution Environment

Host name	SunithaChenna - DESKTOP-GOGDOAO
Local OS	Windows 11 64bit
Katalon version	9.3.1.212
Browser	Chrome 122.0.0.0

## Summary

ID	Test Suites/ArrangeByLogin		
Description	first only not login test case will run after that 1 login is performed and next all remaining login test case will run		
Total	55		
Passed	43	Failed	11
Error	1	Incomplete	0
Skipped	0		
Start	07-03-2024 10:31:35	End	07-03-2024 11:54:13
Elapsed	1h - 22m - 38.530s		

#	ID	Description	Status
1	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_001	To Verify that user is able to access the site by typing Redesign URL in the browser.	PASSED
2	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_002	To verify that system displays the following link in the header 1. Departamentos 2. Marcas 3. Credito 4. Mesa de regalos 5. Search text box 6. Iniciar sesion 7. Ubica tu tienda 8. Mis pedidos 9. Ayuda	PASSED
3	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_003	To verify the display of L1 category flyout on mouse hover over the Departamentos link	PASSED
4	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_007	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link	PASSED
5	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_008	To verify that the user is navigated to "Tiendas" (Store locator) page by clicking on the "Ubica tu tienda" link on the header section.	PASSED
6	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_009	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.	FAILED
7	Test Cases/ArrangeByLogin/HomePage/TS_SMOKE_SUITE_013	To verify that the user is able to create account from Login overlay	ERROR
8	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039	To verify that the breadcrumbs are clickable when user has landed on L1 category page.	PASSED
9	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_047	To verify the display of facets on the item listing page	PASSED
10	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_048	To verify the display of price range on the item listing page for multi sku items.	PASSED
11	Test Cases/ArrangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049	To verify the display of list price & sale price on the item listing page for single sku items.	PASSED

# ArrangeByLogin

#	ID	Description	Status
12	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_055	To verify the display of product price range on PDP page for multi sku item.	PASSED
13	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_054	To verify the display of product price on PDP page for single sku item.	FAILED
14	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_056	To verify the display of PDP for single sku	PASSED
15	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_057	To verify the display of PDP for multi sku item	PASSED
16	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059	To verify the default display of the products per page in the search result page	PASSED
17	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_060	To verify the functionality of facet selection in search result page.	PASSED
18	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061	To verify the functionality of pagination in search result page.	PASSED
19	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_062	To verify display of price for the product in search result page.	PASSED
20	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_063	To verify the display of the color swatches in search result page	PASSED
21	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069	To verify the search result page when user selects the price as sorting option	PASSED
22	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_070	to verify the pagination in the search result page	FAILED
23	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_027	To verify that the user is able to create account from shopping cart page	PASSED
24	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_028	To verify that user is able to login from Shopping Cart page	PASSED
25	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.	PASSED
26	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.	PASSED
27	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011	To verify that the user is navigated to "Ayuda"( Help) page by clicking on the "Ayuda" link on the header section.	PASSED
28	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header	PASSED
29	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site	PASSED

# ArrangeByLogin

#	ID	Description	Status
30	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015	To verify the display of following links by mouse over on the "User name" link on the header section. - Mi cuenta - Mis pedidos - Mi tiempo Aire - Mis tarjetas - Cerrar sesion	PASSED
31	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page	PASSED
32	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page	FAILED
33	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_058	To verify the display of Description slot in PDP with following tabs.  Long Description Manual Delivery Details Size/Dimensions LP Card Promotion Other Card Promotion	PASSED
34	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016	To Verify logged in user is able to view the profile inforamtion from Actualizar datos personales link in my account page after Updating personal information	PASSED
35	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_017	Verify the user able to add new Personal shipping address	PASSED
36	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_018	Verify the user able to add new Click & Collect address address	PASSED
37	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_019	Verify the last added Store address is displayed in the top section as a priority	FAILED
38	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account	PASSED
39	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021	Verify the user is able to navigate to forma de pago page and view the payment methods	PASSED
40	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022	Verify the user able to update the payment methods as default in forma de pago page	PASSED
41	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_020	Verify if the user able to make C&C store address as default address	PASSED
42	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account	FAILED
43	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_025	To Verify Logged in user is able to change the password	PASSED

# ArrangeByLogin

#	ID	Description	Status
44	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_075	To Verify the user able to make the C&C collect address as default in OPC	PASSED
45	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user	PASSED
46	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user	FAILED
47	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_076	To verify the display of payment page for the for logged in user	PASSED
48	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_077	To verify the functionality of new adding card in checkout flow for logged in user	FAILED
49	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_078	To verify the display of Order confirmation page for logged in user	FAILED
50	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080	To verify that the display of the applied Coupon details in the order success page	PASSED
51	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082	To verify the functionality of editing the card in checkout flow for loggedin user	FAILED
52	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_083	To verify the display of Order confirmation page for loggedin user	PASSED
53	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods	PASSED
54	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods	PASSED
55	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_088	To verify Logged-in user is able to place Airtime Order	FAILED

# TS\_SMOKE\_SUITE\_001

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_001		
Description	To Verify that user is able to the access the site by typing Redesign URL in the browse.		
Tag			
Start	07-03-2024 10:31:59	End	07-03-2024 10:32:23
Elapsed	24.234s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)	0.620s	<b>PASSED</b>
<a href="#">Object 'Object Repository/HomePage/Logo_hp' is present</a>			

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
2	Start listener action : sampleAfterTestCase  com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536) at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111) at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95) at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88) at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85) at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed	23.460s	ERROR

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_001

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_002

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_002
Description	To verify that system display the following link in the header 1.Departamentos 2.Marcas 3.Credito 4.Mesa de regalosa
Tag	5.Search text box 6.Iniciar sesion 7.Ubica tu tienda 8.Mis pedidos 9.Ayuda
Start	
Elapsed	
Status	

07-03-2024 10:32:23

End

07-03-2024 10:32:50

26.599s

PASSED

## Details

#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/Logo_hp"), 0)  Object 'Object Repository/HomePage/Logo_hp' is present	0.382s	PASSED
2	verifyElementPresent(findTestObject("HomePage/Departamentos"), 0)  Object 'Object Repository/HomePage/Departamentos' is present	0.383s	PASSED
3	verifyElementPresent(findTestObject("HomePage/brand1_HP"), 0)  Object 'Object Repository/HomePage/brand1_HP' is present	0.317s	PASSED
4	verifyElementPresent(findTestObject("HomePage/brand2_HP"), 0)  Object 'Object Repository/HomePage/brand2_HP' is present	0.306s	PASSED
5	verifyElementPresent(findTestObject("HomePage/brand3_HP"), 0)  Object 'Object Repository/HomePage/brand3_HP' is present	0.311s	PASSED

## TS\_SMOKE\_SUITE\_002

---

#	Description	Elapsed	Status
6	verifyElementPresent(findTestObject("HomePage/brand4_HP"), 0)  Object 'Object Repository/HomePage/brand4_HP' is present	0.310s	PASSED
7	verifyElementPresent(findTestObject("HomePage/mesa_de_regalos_HP"), 0)  Object 'Object Repository/HomePage/mesa_de_regalos_HP' is present	0.299s	PASSED
8	verifyElementPresent(findTestObject("HomePage/credito_HP"), 0)  Object 'Object Repository/HomePage/credito_HP' is present	0.311s	PASSED
9	verifyElementPresent(findTestObject("HomePage/MainSearchbar_HP"), 0)  Object 'Object Repository/HomePage/MainSearchbar_HP' is present	0.305s	PASSED
10	verifyElementPresent(findTestObject("HomePage/Iniciar sesion"), 0)  Object 'Object Repository/HomePage/Iniciar sesion' is present	0.305s	PASSED
11	verifyElementPresent(findTestObject("HomePage/Tiendas_HP"), 0)  Object 'Object Repository/HomePage/Tiendas_HP' is present	0.339s	PASSED
12	verifyElementPresent(findTestObject("HomePage/Ayuda_HP"), 0)  Object 'Object Repository/HomePage/Ayuda_HP' is present	0.300s	PASSED

## TS\_SMOKE\_SUITE\_002

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.637s	ERROR

# TS\_SMOKE\_SUITE\_002

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		



# TS\_SMOKE\_SUITE\_002

#	Description	Elapsed	Status
---	-------------	---------	--------



# TS\_SMOKE\_SUITE\_003

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_003		
Description	To verify the display of L1 category flyout on mouse hover the Departamentos link		
Tag			
Start	07-03-2024 10:32:50	End	07-03-2024 10:33:31
Elapsed	41.555s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	13.213s	PASSED
2 mouseOver(findTestObject("HomePage/Departamentos"))  Object: 'Object Repository/HomePage/Departamentos' is hovered			
3	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))  Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.335s	PASSED
4 click(findTestObject("HomePage/L1_Category1_HP"))  Object: 'Object Repository/HomePage/L1_Category1_HP' is clicked on			
5	mouseOver(findTestObject("HomePage/L1_Category1_HP"))  Object: 'Object Repository/HomePage/L1_Category1_HP' is hovered	0.579s	PASSED
6 verifyElementClickable(findTestObject("HomePage/L2CategoryInFlyout_HP"))  Object 'Object Repository/HomePage/L2CategoryInFlyout_HP' is clickable			
7	verifyElementClickable(findTestObject("HomePage/L3CategoriesInFlyout_HP"))  Object 'Object Repository/HomePage/L3CategoriesInFlyout_HP' is clickable	0.313s	PASSED

# TS\_SMOKE\_SUITE\_003

---


#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_003

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.745s	ERROR

# TS\_SMOKE\_SUITE\_003

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_003

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_007

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_007		
Description	To verify the display of Login overlay when Anonymous user click on Iniciar sesion link		
Tag			
Start	07-03-2024 10:33:31	End	07-03-2024 10:34:13
Elapsed	41.761s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	waitForPageLoad(5)  Wait for page load successfully	0.039s	PASSED
2 click(findTestObject("HomePage/Iniciar sesion"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Iniciar sesion' is clicked on			
3	verifyElementPresent(findTestObject("HomePage/EnterUsername_LP"), 0)  Object 'Object Repository/HomePage/EnterUsername_LP' is present	7.273s	PASSED
4 verifyElementPresent(findTestObject("HomePage/EnterPassword_LP"), 0)  Object 'Object Repository/HomePage/EnterPassword_LP' is present			
5	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	10.880s	PASSED

## TS\_SMOKE\_SUITE\_007

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.586s	ERROR

# TS\_SMOKE\_SUITE\_007

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_007

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_008

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_008		
Description	To verify that the user is navigated to "Tiendas"( Store locator) page by clicking on the "Ubica tu tienda " link on the header section.		
Tag			
Start	07-03-2024 10:34:13	End	07-03-2024 10:34:58
Elapsed	45.118s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Tiendas_HP"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Tiendas_HP' is clicked on	0.354s	PASSED
2	verifyElementPresent(findTestObject("SLP/breadCrumb_SLP"), 0)  Object 'Object Repository/SLP/breadCrumb_SLP' is present	2.095s	PASSED
3	verifyElementPresent(findTestObject("SLP/Map_Verify_slp"), 0)  Object 'Object Repository/SLP/Map_Verify_slp' is present	8.213s	PASSED
4	verifyElementPresent(findTestObject("SLP/find_store_title_SLP"), 0)  Object 'Object Repository/SLP/find_store_title_SLP' is present	0.310s	PASSED
5	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	11.591s	PASSED

## TS\_SMOKE\_SUITE\_008


---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.471s	ERROR

# TS\_SMOKE\_SUITE\_008

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_008

#	Description	Elapsed	Status
 <p>A screenshot of a Liverpool website. At the top, there's a blue header bar with the word "LIVERPOOL" and a search bar containing "Buscar por producto, marca y más...". Below the header is a navigation menu with a "≡" icon and a "Selecciona tu tienda" dropdown. The main content area features a large image of a hand holding a Givenchy Irresistible perfume bottle. To the right of the bottle is a "BEAUTY DAY" promotional graphic with a flower icon, a sunburst graphic, and text "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A circular badge with "SÓLO HOY" is also visible. The background of the page has a soft, warm color gradient.</p>			

# TS\_SMOKE\_SUITE\_009

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_009		
Description	To verify that an Anonymous user is navigated to Login page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 10:34:58	End	07-03-2024 10:35:33
Elapsed	34.273s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------


# TS\_SMOKE\_SUITE\_009

---

#	Description	Elapsed	Status
1	<p>click(findTestObject("HomePage/Mis_comprar"), STOP_ON_FAILURE)</p> <p>Unable to click on object 'Object Repository/HomePage/Mis_comprar' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Mis_comprar'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_009.run(TS_SMOKE_SUITE_009:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Mis_comprar' located by '//a[contains(text(), 'Mis Compras')]' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	11.483s	FAILED

# TS\_SMOKE\_SUITE\_009



#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551045.run(Script1697733551045.groovy:20) ... 15 more )		




# TS\_SMOKE\_SUITE\_009

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.714s	ERROR

# TS\_SMOKE\_SUITE\_009

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>  		

# TS\_SMOKE\_SUITE\_009

#	Description	Elapsed	Status
	 A screenshot of a Liverpool website. At the top, there's a pink header bar with a search bar containing "Buscar por producto, marca y más...". Below the header, a navigation menu shows "COSMETICOS" and "SELECCIONA TU TIENDA". The main content area features a large image of a hand holding a Givenchy Irresistible perfume bottle. To the right of the bottle is a graphic for "BEAUTY DAY" featuring a flower and a sunburst. Below the graphic, text reads "Compra hoy y paga hasta mayo con Tarjetas Liverpool". A circular arrow at the bottom right contains the words "SOLÓ HOY".		

# TS\_SMOKE\_SUITE\_013

---

## Information

ID Test Cases/ArangeByLogin/HomePage/TS\_SMOKE\_SUITE\_013

Description To verify that the user is able to create account from Login overlay

Tag

Start 07-03-2024 10:35:33 End 07-03-2024 10:37:27

Elapsed 1m - 54.689s

Status **ERROR**

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.409s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	1m - 29.895s	PASSED

## TS\_SMOKE\_SUITE\_013

---


#	Description	Elapsed	Status
3	randomemail = a.GenerateRandomEmail.generateRandomEmail()  Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_013 FAILED. Reason: groovy.lang.MissingMethodException: No signature of method: static CustomKeywords.a.GenerateRandomEmail.generateRandomEmail() is applicable for argument types: () values: [] at TS_SMOKE_SUITE_013.run(TS_SMOKE_SUITE_013:24) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	0.036s	ERROR

# TS\_SMOKE\_SUITE\_013


---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.168s	ERROR

# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>   		

# TS\_SMOKE\_SUITE\_013

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_039

## Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_039		
Description	To verify that the breadcrumbs are clickable when user has landed on L1 category page.		
Tag			
Start	07-03-2024 10:37:27	End	07-03-2024 10:38:09
Elapsed	42.135s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Departamentos"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Departamentos' is clicked on	0.396s	PASSED
2	verifyElementClickable(findTestObject("HomePage/L1_Category1_HP"))  Object 'Object Repository/HomePage/L1_Category1_HP' is clickable	0.463s	PASSED
3	click(findTestObject("HomePage/L1_Category_HP"))  Object: 'Object Repository/HomePage/L1_Category_HP' is clicked on	0.369s	PASSED
4	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))  Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable	18.372s	PASSED

# TS\_SMOKE\_SUITE\_039

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.472s	ERROR

# TS\_SMOKE\_SUITE\_039

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		




Home > Belleza

## Belleza


Bath y Body  
Perfumería y Cosméticos  
Salud

## BELLEZA

No importa si eres beauty blogger, professional makeup artist, o si te preocupas por verte bien, tenemos todos los productos para un estilo perfecto de pies a cabeza, dale a tu cuidado personal un extra.



# TS\_SMOKE\_SUITE\_039

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_047

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_047

Description To verify the display of facets on the item listing page

Tag

Start 07-03-2024 10:38:09 End 07-03-2024 10:39:01

Elapsed 51.068s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"ropa"], STOP_ON_FAILURE)	11.634s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verifyElementClickable(findTestObject("CLPPage/breadCrumb_clp"))	14.047s	<b>PASSED</b>
Object 'Object Repository/CLPPage/breadCrumb_clp' is clickable			
3	verifyElementPresent(findTestObject("PLPPage/facetes/CategoríasTitleFacet_PLP"), 0)	0.300s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/CategoríasTitleFacet_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/facetes/DescontousTitleFacet_PLP"), 0)	0.527s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/DescontousTitleFacet_PLP' is present			
5	verifyElementPresent(findTestObject("PLPPage/facetes/TamanoTitleFacet_PLP"), 0)	0.322s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/TamanoTitleFacet_PLP' is present			
6	verifyElementPresent(findTestObject("PLPPage/facetes/MarcasTitleFacet_PLP"), 0, OPTIONAL)	0.665s	<b>PASSED</b>
Object 'Object Repository/PLPPage/facetes/MarcasTitleFacet_PLP' is present			

## TS\_SMOKE\_SUITE\_047

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("PLPPage/facetes/VendidoTitleFacet_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/VendidoTitleFacet_PLP' is present	0.310s	PASSED
8	verifyElementPresent(findTestObject("PLPPage/facetes/PreciosTitleFacet_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/PreciosTitleFacet_PLP' is present	0.730s	PASSED

# TS\_SMOKE\_SUITE\_047

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.420s	ERROR

TS\_SMOKE\_SUITE\_047



| X
[Mis Compras](#)
[Iniciar sesión](#)


[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼

[Tiendas](#)
[Ayuda](#)

 Selecciona tu tienda

[BYD](#)

[Home > ropa](#)

"ropa" (939 resultados)

Ordenar por:
▼

**Categorías**

- [Moda](#)
- [Ella](#)
- [Ropa Mujer](#)
- [Caballeros](#)
- [Niños](#)
- [Prueba BT](#)
- [Muebles](#)
- [Bebés](#)

Y/o recibe 20% en monedero






**MODERNOS A MANO**

Pantalón para Dama Rue de la Paix

624<sup>m</sup>

\$14<sup>40</sup>

 Entrar

¡Entérate antes que nadie! Regístrate y recibe las mejores promociones

[Suburbia](#)
[Pottery Barn](#)
[Pottery Barn Kids](#)
[Williams Sonoma](#)
[West Elm](#)
[GAP](#)
[Banana Republic](#)
[Toys R Us](#)



| X

[Mis Compras](#)
[Iniciar sesión](#)


[Categorías](#)
[Mesa de regalos](#)
[Mi crédito](#)
[Servicios](#)
▼


[Tiendas](#)
[Ayuda](#)

 Selecciona tu tienda

[BYD](#)



# TS\_SMOKE\_SUITE\_047

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_048

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_048

Description To verify the display of price range on the item listing page for multi sku items.

Tag

Start 07-03-2024 10:39:01 End 07-03-2024 10:40:01

Elapsed 1m - 0.914s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Multi_Sku_With_Range_PLP], STOP_ON_FAILURE)	10.799s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify price range	7.375s	PASSED
Text of object 'Object Repository/PLPPage/product2_cardPrice_PLP' is: '\$1,22900 - \$8,99500'			
3	verify price range	0.317s	PASSED
Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1,22900 - \$6,07163'			
4	a1 = a.contains("-")	0.002s	PASSED
5	b1 = b.contains("-")	0.001s	PASSED
6	out.println(a1)	0.020s	PASSED

## TS\_SMOKE\_SUITE\_048

---

#	Description	Elapsed	Status
7	out.println(b1)	0.001s	PASSED
8	if (a1 == true && b1 == true)	0.001s	PASSED

## TS\_SMOKE\_SUITE\_048

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	42.187s	ERROR

# TS\_SMOKE\_SUITE\_048

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows the Liverpool website's search results for the term "bermuda". The search bar at the top contains "bermuda". Below the search bar, there are navigation links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a link to "Selecciona tu tienda". The main content area displays 18 products related to bermudas. On the left, there is a sidebar with categories like Moda, Ella, Ropa Mujer, Caballeros, Prueba BT, Nautica, Belleza, and That's It. At the bottom of the page, there is a navigation bar with links to various brands: Superbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us.



# TS\_SMOKE\_SUITE\_048

#	Description	Elapsed	Status
	 <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are buttons for "Mis Compras", "Iniciar sesión", and a lock icon with a "0" notification. Underneath the search bar are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and a dropdown menu for "Selecciona tu tienda". A BYD (Beauty Day) banner is prominently displayed, featuring a pink flower icon, the text "BEAUTY DAY", and the slogan "Compra hoy y paga hasta mayo con Tarjetas Liverpool". The banner also includes icons for a credit card and a smartphone.</p>		

# TS\_SMOKE\_SUITE\_049

## Information

ID	Test Cases/ArangeByLogin/Browse and Shop/TS_SMOKE_SUITE_049		
Description	To verify the display of list price & sale price on the item listing page for single sku items.		
Tag			

Start	07-03-2024 10:40:01	End	07-03-2024 10:41:29
Elapsed	1m - 27.782s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":rate_CPandDP], STOP_ON_FAILURE)	56.088s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify selling price	5.942s	PASSED
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is visible			
3	verify listed price	2.021s	PASSED
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is visible			

# TS\_SMOKE\_SUITE\_049


---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	23.658s	ERROR

# TS\_SMOKE\_SUITE\_049

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

# TS\_SMOKE\_SUITE\_049

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_055

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_055

Description To verify the display of product price range on PDP page for multi sku item.

Tag

Start 07-03-2024 10:41:29 End 07-03-2024 10:44:05

Elapsed 2m - 35.804s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductRangeMultiSKU], STOP_ON_FAILURE)	9.887s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verify milti sku	2m - 9.303s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour2_PDP' is present			
3	verify price range	2.973s	<b>PASSED</b>
Object 'Object Repository/PDPPage/minus(-)(priceRange)_PDP' is present			

## TS\_SMOKE\_SUITE\_055

---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	13.556s	ERROR

# TS\_SMOKE\_SUITE\_055

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		


The screenshot shows a product page for men's Bermuda shorts. The product is labeled "Bermuda para Caballero Náutica". It has a price of \$309.00 - \$111,109.00 and a rating of 4 stars. A pink button labeled "Comprar ahora" is visible.

The screenshot shows a product page for men's Bermuda shorts. The product is labeled "Bermuda para Caballero Náutica". It has a price of \$309.00 - \$111,109.00 and a rating of 4 stars. A pink button labeled "Comprar ahora" is visible.

The screenshot shows a promotional banner for "BEAUTY DAY". It features a perfume bottle and text encouraging users to register and receive promotions. A pink button labeled "Comprar ahora" is visible.

The screenshot shows a promotional banner for "BEAUTY DAY". It features a perfume bottle and text encouraging users to register and receive promotions. A pink button labeled "Comprar ahora" is visible.

# TS\_SMOKE\_SUITE\_055

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_054

---

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_054

Description To verify the display of product price on PDP page for single sku item.

Tag

Start 07-03-2024 10:44:05 End 07-03-2024 10:50:57

Elapsed 6m - 52.238s

Status FAILED

## Details



#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	4m - 1.322s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"zap"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	19.134s	PASSED
3	click(findTestObject("PLPPage/product1_PLP"))  Object: 'Object Repository/PLPPage/product1_PLP' is clicked on	30.271s	PASSED

## TS\_SMOKE\_SUITE\_054

---

#	Description	Elapsed	Status
4	<pre>verifyElementPresent(findTestObject("PDPPage/Colour1_PDP"), 0)</pre> <p>Unable to verify object 'Object Repository/PDPPage/Colour1_PDP' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/PDPPage/Colour1_PDP' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503) at TS_SMOKE_SUITE_054.run(TS_SMOKE_SUITE_054:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PDPPage/Colour1_PDP' located by '//ul[@id='color-list-mobile']/li[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword </p>	30.474s	FAILED

# TS\_SMOKE\_SUITE\_054

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) ... 20 more )		
			
			

## TS\_SMOKE\_SUITE\_054

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	1m - 30.951s	ERROR

# TS\_SMOKE\_SUITE\_054

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a product page for men's Vans shoes. At the top, there's a navigation bar with links like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'BYD', 'Tiendas', 'Ayuda', and 'Selección tu tienda'. Below the navigation, the breadcrumb trail shows 'Home > Deportes > Zapatos > El > Casual'. The main content features a large image of a black and white checkered Vans shoe. To the right of the image, the product name 'Tenis para Caballero Vans' is displayed, along with its code '1010186167'. It has a rating of 4 stars and a price of \$451.98. Below the price, there's a link 'Ver más promociones' and a note about free shipping. A quantity selector shows 'Cantidad: 1'. The color 'Negro' is selected. On the right side, there are two boxes: one for 'Recoge en 2 Horas' (with a note about selecting a store) and another for 'Recibe a domicilio' (with a note about entering a delivery code). A prominent pink button at the bottom right says 'Comprar ahora'.



# TS\_SMOKE\_SUITE\_054

#	Description	Elapsed	Status
	 <p>The screenshot shows a Liverpool website interface. At the top, there's a navigation bar with links to various brands like Souris, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are buttons for "Mis Compras" (My Purchases), "Iniciar sesión" (Log In), and a lock icon. Underneath the search bar, there are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "BYD", "Tiendas", "Ayuda", and "Selecciona tu tienda". The main content area features a large image of a hand holding a Givenchy Irresistible perfume bottle against a sunset background. To the right of the bottle is a promotional banner for "BEAUTY DAY" featuring a flower icon, the text "Compra hoy y paga hasta mayo con Tarjetas Liverpool", and a circular logo with the text "SOLO HOY".</p>		

# TS\_SMOKE\_SUITE\_056

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_056

Description To verify the display of PDP for single sku

Tag

Start 07-03-2024 10:50:57 End 07-03-2024 10:53:52

Elapsed 2m - 55.108s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"pantalon"], STOP_ON_FAILURE)	39.837s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	12.190s	<b>PASSED</b>
Object: 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is clicked on			
3	verifyElementClickable(findTestObject("PDPPage/ProductName_PDP"))	30.080s	<b>PASSED</b>
Object 'Object Repository/PDPPage/ProductName_PDP' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/ProductID_pdp"))	30.083s	<b>PASSED</b>
Object 'Object Repository/PDPPage/ProductID_pdp' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	30.133s	<b>PASSED</b>
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	19.599s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))	0.307s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable			

## TS\_SMOKE\_SUITE\_056

---

#	Description	Elapsed	Status
8	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))  <a href="#">Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable</a>	0.314s	PASSED
9	verifyElementClickable(findTestObject("PDPPage/Detail_PDP"))  <a href="#">Object 'Object Repository/PDPPage/Detail_PDP' is clickable</a>	0.322s	PASSED
10	verifyElementClickable(findTestObject("PDPPage/breadCrumb_pdp"))  <a href="#">Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable</a>	0.309s	PASSED

## TS\_SMOKE\_SUITE\_056

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.836s	ERROR

# TS\_SMOKE\_SUITE\_056

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a product page for a "Pantalon Everlast". The product has a price of \$109.90 and a discounted price of \$132.30. It has a rating of 4 stars. The page includes options for delivery (Recoge en 2 Horas) and pickup (Envío gratis a todo el país). A "Comprar ahora" button is visible.

The screenshot shows a product page for a "Pantalon Everlast". The product has a price of \$109.90 and a discounted price of \$132.30. It has a rating of 4 stars. The page includes options for delivery (Recoge en 2 Horas) and pickup (Envío gratis a todo el país). A "Comprar ahora" button is visible.

The screenshot shows a promotional banner for "BEAUTY DAY". It features a perfume bottle and text encouraging users to buy now and pay until May with Liverpool cards. A "Te escuchamos" button is visible.



# TS\_SMOKE\_SUITE\_056

#	Description	Elapsed	Status
---	-------------	---------	--------



# TS\_SMOKE\_SUITE\_057

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_057

Description To verify the display of PDP for multi sku item

Tag

Start 07-03-2024 10:53:52 End 07-03-2024 10:54:38

Elapsed 45.550s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":ProductNoRangeMultiSKU], STOP_ON_FAILURE)	11.445s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	verifyElementClickable(findTestObject("PDPPage/discountPrice_PDP"))	19.830s	<b>PASSED</b>
Object 'Object Repository/PDPPage/discountPrice_PDP' is clickable			
3		0.287s	<b>PASSED</b>
Object 'Object Repository/PDPPage/breadCrumb_pdp' is clickable			
4	verifyElementClickable(findTestObject("PDPPage/Colour1_PDP"))	0.300s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour1_PDP' is clickable			
5	verifyElementClickable(findTestObject("PDPPage/Colour2_PDP"))	0.308s	<b>PASSED</b>
Object 'Object Repository/PDPPage/Colour2_PDP' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/AddToCart_PDP"))	0.293s	<b>PASSED</b>
Object 'Object Repository/PDPPage/AddToCart_PDP' is clickable			

## TS\_SMOKE\_SUITE\_057

---

#	Description	Elapsed	Status
7	verifyElementClickable(findTestObject("PDPPage/Alternate_Img_pdp"))  Object 'Object Repository/PDPPage/Alternate_Img_pdp' is clickable	0.320s	PASSED
8	  Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.310s	PASSED
9	verify pdp price  Object 'Object Repository/PDPPage/ProductName_PDP' is clickable	0.307s	PASSED
10	verify pdp price  Object 'Object Repository/PDPPage/ProductID_pdp' is clickable	0.293s	PASSED
11	verify pdp price  Object 'Object Repository/PDPPage/Detail_PDP' is clickable	0.312s	PASSED

## TS\_SMOKE\_SUITE\_057

---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	11.443s	ERROR

# TS\_SMOKE\_SUITE\_057

#	Description	Elapsed	Status
	<pre>(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more</pre>		

# TS\_SMOKE\_SUITE\_057

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_059

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_059		
Description	To verify the default display of the products per page in the search result page		
Tag	search		
Start	07-03-2024 10:54:38	End	07-03-2024 10:55:19
Elapsed	40.590s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	9.140s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	last product at a page not 45	8.883s	PASSED
Object 'Object Repository/PDPPage/product_56_PDP' is present			
3	verifyElementNotPresent(findTestObject("PDPPage/product_57_PDP"), 0)	0.301s	PASSED
Web element with id: 'Object Repository/PDPPage/product_57_PDP' located by 'By.xpath: //ul[@class="m-product__listingPlp"]//li[57]' is not present after '10' second(s)			

# TS\_SMOKE\_SUITE\_059

---

#	Description	Elapsed	Status
4	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed</pre>	22.191s	ERROR

# TS\_SMOKE\_SUITE\_059

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 24 more		

The screenshot shows a search results page for 'mac' on the Liverpool website. The top navigation bar includes links for 'Mis Compras', 'Iniciar sesión', and a lock icon. Below the navigation, there are links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and 'Selección tu tienda'. The main content area displays a search bar with 'mac' and a dropdown menu for 'Ordenar por'. A sidebar on the left lists categories such as MAC, Belleza, Prueba Ciclo 3 20 Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, Ropa Mujer, Artes y Manualidades, and Caballeros. The main grid shows four product items: M.A.C Pigment (Y/o recibe30% en monedero), M.A.C Studio Fix Powder Plus Foundation (Y/o recibe30% en monedero), M.A.C Studio Fix Fluid SPF 15 (Y/o recibe30% en monedero), and M.A.C In Extrem Dimen 3D Bl-Sh (Y/o recibe30% en monedero). Each item has a price tag and a 'Ver más' button.

The screenshot shows a promotional banner for 'BEAUTY DAY' on the Liverpool website. The banner features a large perfume bottle labeled 'IRRESISTIBLE GIVENCHY'. The text 'BEAUTY DAY' is prominently displayed in the center, along with 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right says 'Te escuchamos' with a speech bubble icon. The bottom of the banner also says 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. The navigation bar at the top is identical to the one in the previous screenshot.

This screenshot shows another instance of the 'BEAUTY DAY' promotional banner on the Liverpool website. It features the same perfume bottle and text as the previous banner. The vertical pink bar on the right says 'Te escuchamos' with a speech bubble icon. The bottom of the banner says 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. The navigation bar at the top is identical to the ones in the previous screenshots.

# TS\_SMOKE\_SUITE\_060

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_060

Description To verify the functionality of facet selection in search result page.

Tag

Start 07-03-2024 10:55:19 End 07-03-2024 10:58:56

Elapsed 3m - 37.631s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	2m - 38.059s	<b>PASSED</b>
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	10.646s	<b>PASSED</b>
3	waitForPageLoad(0)  Wait for page load successfully	0.015s	<b>PASSED</b>
4	verifyElementPresent(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), 0)  Object 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is present	14.911s	<b>PASSED</b>
5	a = getText(findTestObject("PLPPage/Facet_Seller_liverpool_title_PLP"), STOP_ON_FAILURE)  Text of object 'Object Repository/PLPPage/Facet_Seller_liverpool_title_PLP' is: 'liverpool (125)'	0.309s	<b>PASSED</b>
6	click(findTestObject("PLPPage/facetes/Facet_Seller_liverpool_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/facetes/Facet_Seller_liverpool_PLP' is clicked on	0.505s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_060

---

#	Description	Elapsed	Status
7	b = getText(findTestObject("PLPPage/facetes/selectedfacet1_PLP"))  Text of object 'Object Repository/PLPPage/facetes/selectedfacet1_PLP' is: "	10.134s	PASSED
8	out.println(a)	0.002s	PASSED
9	out.println(b)	0.001s	PASSED
10	if (a.contains(b))	0.013s	PASSED

## TS\_SMOKE\_SUITE\_060

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.921s	ERROR

# TS\_SMOKE\_SUITE\_060

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall		
	(VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin.		
	VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall		
	(VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:20)		
	... 23 more		

The screenshot shows a search results page for 'mac' on the Liverpool website. The top navigation bar includes links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Selección tu tienda. The search bar shows 'mac' and displays '125 resultados'. A sidebar on the left lists categories like MAC, Belleza, Prueba Ciclo 3 20 Julio Modificado, Ella, Prueba Multi Cocción, Bebés, and Moda. The main content area shows four product cards for M.A.C cosmetics: M.A.C Pigment, M.A.C Studio Fix Powder Plus Foundation, M.A.C Studio Fix Fluid SPF 15, and M.A.C In Extrem Dimension 3D Blush. Each card includes a small image, the product name, original price (\$395.00), discounted price (\$284.00), and a 'Y/o recibe 30% en monedero' badge.

The screenshot shows a promotional banner for 'BEAUTY DAY' on the Liverpool website. The banner features a large perfume bottle of Givenchy Irresistible fragrance. The text 'BEAUTY DAY' is prominently displayed in large, colorful letters, with 'Compra hoy y paga hasta mayo con Tarjetas Liverpool' below it. A vertical pink bar on the right says 'Te escuchamos' and 'OJO SOLO'. The top navigation bar and sidebar are identical to the previous screenshot.



# TS\_SMOKE\_SUITE\_061

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_061		
Description	To verify the functionality of pagination in search result page.		
Tag	search		
Start	07-03-2024 10:58:56	End	07-03-2024 11:00:04
Elapsed	1m - 7.630s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	16.852s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.011s	PASSED
Wait for page load successfully			
3	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)	7.324s	PASSED
Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully			
4	scrollToPosition(450, 0)	0.024s	PASSED
Browser is scrolled to position x = 450, y = 0			
5	click(findTestObject("PLPPage/pagenation_2_PLP"), STOP_ON_FAILURE)	0.428s	PASSED
Object: 'Object Repository/PLPPage/pagenation_2_PLP' is clicked on			
6	delay(10)	10.006s	PASSED
Delayed 10 second(s)			
7	a1 = getUrl()	0.026s	PASSED
Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'			

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
8	out.println(a1)	0.001s	PASSED
9	a = a1.contains("page-2")	0.001s	PASSED
10	out.println(a)	0.000s	PASSED
11	scrollToElement(findTestObject("PLPPage/pagenation_1_PLP"), 0)  Scroll to object 'Object Repository/PLPPage/pagenation_1_PLP' successfully	0.292s	PASSED
12	waitForPageLoad(0)  Wait for page load successfully	0.018s	PASSED
13	click(findTestObject("PLPPage/pagenation_1_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/pagenation_1_PLP' is clicked on	0.376s	PASSED
14	delay(10)  Delayed 10 second(s)	10.004s	PASSED
15	if (a == true)	0.003s	PASSED
16	b1 = getUrl()  Current window's url is: ' <a href="https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac">https://odtaqaa.liverpool.com.mx/tienda/page-1?s=mac</a> '	0.011s	PASSED
17	b = b1.contains("page-1")	0.001s	PASSED

## TS\_SMOKE\_SUITE\_061

---

#	Description	Elapsed	Status
18	out.println(b1)	0.001s	PASSED
19	if (b == true)	0.002s	PASSED

# TS\_SMOKE\_SUITE\_061

---

#	Description	Elapsed	Status
20	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.093s	ERROR

# TS\_SMOKE\_SUITE\_061

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website search results page for the term 'mac'. The search bar at the top contains 'mac'. Below it, there's a breadcrumb navigation 'Home > mac'. The main content area displays 126 products. On the left, there's a sidebar with a 'Categorías' section listing various product categories like MAC, Belleza, Prueba Ciclo 3 20 Julio Modificado, etc. The main grid shows four product items:

- M A C Pigment: \$284<sup>00</sup>
- M A C Studio Fix Powder Plus Foundation: \$425<sup>00</sup> - \$649<sup>00</sup> (\$340<sup>00</sup> - \$519<sup>00</sup>)
- M A C Studio Fix Fluid SPF 15: \$425<sup>00</sup> - \$649<sup>00</sup> (\$340<sup>00</sup> - \$519<sup>00</sup>)
- M.A.C. In Extrem Dímen 3D Bl-Sh: \$236<sup>00</sup>

Each product item includes a small image, the product name, and its price.

The screenshot shows a Liverpool website page featuring a large promotional banner for 'BEAUTY DAY'. The banner features a perfume bottle and the text 'BEAUTY DAY' in large letters. Below the banner, there's a message: 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. To the right of the banner, there's a vertical pink bar with the text 'Te escuchamos' and a small icon.

This screenshot shows another view of the Liverpool website with a similar 'BEAUTY DAY' promotional banner. It features a perfume bottle and the 'BEAUTY DAY' text. The banner also includes the message 'Compra hoy y paga hasta mayo con Tarjetas Liverpool'. A vertical pink bar on the right side says 'Te escuchamos'.

# TS\_SMOKE\_SUITE\_062

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_062

Description To verify display of price for the product in search result page.

Tag

Start 07-03-2024 11:00:04 End 07-03-2024 11:00:45

Elapsed 41.274s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"vaso"], STOP_ON_FAILURE)	9.993s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.012s	<b>PASSED</b>
Wait for page load successfully			
3	verifyElementPresent(findTestObject("PLPPage/product1_cardPrice_PLP"), 0)	7.800s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_cardPrice_PLP' is present			
4	verifyElementPresent(findTestObject("PLPPage/product1_discountPrice_PLP"), 0)	0.323s	<b>PASSED</b>
Object 'Object Repository/PLPPage/product1_discountPrice_PLP' is present			

## TS\_SMOKE\_SUITE\_062

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.071s	ERROR

# TS\_SMOKE\_SUITE\_062

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's search results for the term 'vaso'. The search bar at the top contains 'vaso'. Below it, there are two search results:

- Vaso Villeroy & Boch Humo Colour Concept** - \$328.30. It features a blue embossed glass.
- Vaso de cristal Love & Lemons Glance 355 Millilitros** - \$328.30. It features a small clear glass.

On the left, there is a sidebar with categories like HogarNew, Bebés, Hogar, Avent, Línea Blanca, Decoración e Iluminación, Deportes, Ella, Mesa y Bar, Muebles, and Móviles y Almohadas. On the right, there is a sidebar with links for Mis Compras, Iniciar sesión, and Selección tu tienda. The bottom of the page has a banner for '¡Entérate antes que nadie! Regístrate y recibe las mejores promociones'.

This screenshot shows the same Liverpool search results for 'vaso' as the previous one, but with a different visual layout. The products are displayed in a grid format. The first product is the same blue embossed glass, and the second is the small clear glass. The sidebar and banners are identical to the previous screenshot.

This screenshot shows a third variation of the Liverpool search results for 'vaso'. The layout is similar to the previous ones, featuring a grid of products. The first product is the blue embossed glass, and the second is the small clear glass. The sidebar and banners are consistent with the other screenshots.

# TS\_SMOKE\_SUITE\_063

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_063

Description To verify the display of the color swatches in search result page

Tag

Start 07-03-2024 11:00:45 End 07-03-2024 11:01:24

Elapsed 38.759s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":PLP_with_pagination], STOP_ON_FAILURE)	8.614s	<b>PASSED</b>
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.014s	<b>PASSED</b>
	Wait for page load successfully		
3	scrollToElement(findTestObject("PLPPage/facetes/ColorTitleFacet_PLP"), 0)	7.369s	<b>PASSED</b>
	Scroll to object 'Object Repository/PLPPage/facetes/ColorTitleFacet_PLP' successfully		
4	verifyElementPresent(findTestObject("PLPPage/facetes/Color_1_facet_PLP"), 0)	0.301s	<b>PASSED</b>
	Object 'Object Repository/PLPPage/facetes/Color_1_facet_PLP' is present		


# TS\_SMOKE\_SUITE\_063

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.357s	ERROR

# TS\_SMOKE\_SUITE\_063

#	Description	Elapsed	Status
	<p>at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall  (VerifyElementNotPresentKeyword.groovy:122)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall  (VerifyElementNotPresentKeyword.groovy)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:20)</p> <p>... 23 more</p>		



iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Susurro Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool Buscar por producto, marca y más...

Mis Compras Iniciar sesión

Categorías Mesa de regalos Mi crédito Servicios BYD Tiendas Ayuda Selecciona tu tienda

iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Susurro Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool Buscar por producto, marca y más...

Mis Compras Iniciar sesión

Categorías Mesa de regalos Mi crédito Servicios BYD Tiendas Ayuda Selecciona tu tienda

BEAUTY DAY

Compra hoy y paga hasta mayo con Tarjetas Liverpool

Te escuchamos ☺

iEntérate antes que nadie! Regístrate y recibe las mejores promociones

Susurro Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us

Liverpool Buscar por producto, marca y más...

Mis Compras Iniciar sesión

Categorías Mesa de regalos Mi crédito Servicios BYD Tiendas Ayuda Selecciona tu tienda

BEAUTY DAY

Compra hoy y paga hasta mayo con Tarjetas Liverpool

Te escuchamos ☺

# TS\_SMOKE\_SUITE\_069

## Information

ID	Test Cases/ArangeByLogin/Search/TS_SMOKE_SUITE_069
Description	To verify the search result page when user selects the price as sorting option

Tag

Start	07-03-2024 11:01:24	End	07-03-2024 11:02:41
Elapsed	1m - 16.640s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":SLSearchTerm], STOP_ON_FAILURE)	9.493s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	click(findTestObject("PLPPage/Sortby_PLP"))	5.009s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		
3	enhancedClick(findTestObject("PLPPage/LowPricetoHighSortBy_PLP"))	10.699s	PASSED
	Object: 'Object Repository/PLPPage/LowPricetoHighSortBy_PLP' is clicked on		
4	productcardprice3 = getText(findTestObject("PLPPage/product-2-DiscountPrice_PLP"))	6.004s	PASSED
	Text of object 'Object Repository/PLPPage/product-2-DiscountPrice_PLP' is: '\$1740'		
5	productcardprice4 = getText(findTestObject("PLPPage/Product3DiscountPrice_PLP"))	0.649s	PASSED
	Text of object 'Object Repository/PLPPage/Product3DiscountPrice_PLP' is: '\$2100'		
6	if (productcardprice3 <= productcardprice4)	0.003s	PASSED
7	click(findTestObject("PLPPage/Sortby_PLP"))	0.367s	PASSED
	Object: 'Object Repository/PLPPage/Sortby_PLP' is clicked on		

## TS\_SMOKE\_SUITE\_069

---

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("PLPPage/HighToLowPriceSortby_PLP"))  Object: 'Object Repository/PLPPage/HighToLowPriceSortby_PLP' is clicked on	10.602s	PASSED
9	delay(5)  Delayed 5 second(s)	5.017s	PASSED
10	productcardprice1 = getText(findTestObject("PLPPage/product-1-DiscountPrice_PLP"))  Text of object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' is: '\$7,48800'	5.973s	PASSED
11	productcardprice2 = getText(findTestObject("PLPPage/product-3-DiscountPrice_PLP"))  Text of object 'Object Repository/PLPPage/product-3-DiscountPrice_PLP' is: '\$4,16800'	0.701s	PASSED
12	if (productcardprice1 >= productcardprice2)	0.001s	PASSED

## TS\_SMOKE\_SUITE\_069

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	21.995s	ERROR

# TS\_SMOKE\_SUITE\_069

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a search results page for 'Vaso' on the Liverpool website. The search bar at the top contains 'Vaso'. Below the search bar, there are filters: 'Mayor precio' (Sort by price: highest) and 'Regalo con compra' (Gift with purchase). The results section displays 83 products. One product is highlighted: 'Set de Vasos para Whisky Christofle Transparente Albi' priced at \$6,240<sup>00</sup>, with a rating of ★★★★☆(1). Another product shown is 'Set de Vasos para Vodka Christofle Transparente Iriana' priced at \$4,168<sup>00</sup>, with a rating of ★★★★☆(2). A third product is 'Vaso Entrenador para Niña Disney' priced at \$1,619<sup>00</sup>. The page also features a banner for 'BEAUTY DAY' and a sidebar with a 'Te escuchamos' button.

This screenshot is identical to the one above, showing the Liverpool website search results for 'Vaso'. It displays the same products, filters, and promotional banners for 'BEAUTY DAY'.

This screenshot is identical to the previous ones, showing the Liverpool website search results for 'Vaso'. It displays the same products, filters, and promotional banners for 'BEAUTY DAY'.

# TS\_SMOKE\_SUITE\_070

## Information

ID Test Cases/ArangeByLogin/Search/TS\_SMOKE\_SUITE\_070

Description to verify the pagination in the search result page

Tag

Start 07-03-2024 11:02:41 End 07-03-2024 11:03:46

Elapsed 1m - 5.616s

Status FAILED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"mac"], STOP_ON_FAILURE)	8.895s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	scrollToElement(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), 0)	7.572s	PASSED
Scroll to object 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' successfully			
3	click(findTestObject("PLPPage/ForwardArrow_Pagenation_PLP"), STOP_ON_FAILURE)	0.410s	PASSED
Object: 'Object Repository/PLPPage/ForwardArrow_Pagenation_PLP' is clicked on			
4	delay(7)	7.013s	PASSED
Delayed 7 second(s)			
5	a1 = getUrl()	0.022s	PASSED
Current window's url is: ' <a href="https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac">https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac</a> '			
6	a = a1.contains("page-2")	0.001s	PASSED
7	if (a == true)	0.002s	PASSED

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
8	scrollToElement(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), 0)  Scroll to object 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' successfully	0.335s	PASSED
9	click(findTestObject("PLPPage/BackArrow_Pagenation_PLP"), STOP_ON_FAILURE)  Object: 'Object Repository/PLPPage/BackArrow_Pagenation_PLP' is clicked on	0.429s	PASSED
10	delay(7)  Delayed 7 second(s)	7.016s	PASSED
11	b1 = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/page-2?s=mac'	0.009s	PASSED
12	b = b1.contains("page-1")	0.001s	PASSED
13	if (b == true)	0.001s	PASSED
14	else  failed pagenation back arrow not clicked	0.010s	FAILED

# TS\_SMOKE\_SUITE\_070

---

#	Description	Elapsed	Status
15	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_070.run(TS_SMOKE_SUITE_070:55) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</p>	11.342s	PASSED

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		

The screenshot shows a web browser displaying the Liverpool website. The search bar at the top contains the term "mac". Below the search bar, there is a dropdown menu labeled "Ordenar por:" and a link to "126 Productos". On the left side, there is a sidebar titled "Categorías" with a list of categories including MAC, Belleza, Prueba Ciclo 3 20 Julio Modificado, Ella, Prueba Multi Cocción, Bebés, Moda, Ropa Mujer, Artes y Manualidades, Caballeros, and M. A. C. Studio Fix. The main content area displays four product cards for M.A.C cosmetics:

- M.A.C Pigment: \$284<sup>00</sup>
- M.A.C Studio Fix Powder Plus Foundation: \$340<sup>00</sup> - \$519<sup>00</sup>
- M.A.C Studio Fix Fluid SPF 15: \$425<sup>00</sup> - \$649<sup>00</sup>
- M.A.C In Extrem Dimension 3D Blush: \$236<sup>00</sup>

# TS\_SMOKE\_SUITE\_070

---


#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_070

---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.441s	ERROR

# TS\_SMOKE\_SUITE\_070

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more </pre>   		

# TS\_SMOKE\_SUITE\_027

---

## Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS\_SMOKE\_SUITE\_027

Description To verify that the user is able to create account from shopping cart page

Tag

Start 07-03-2024 11:03:46 End 07-03-2024 11:05:45

Elapsed 1m - 58.875s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	13.911s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/close any pop up"), [:], OPTIONAL)</p> <p>Unable to call Test Case 'Test Cases/CommonMethods/close any pop up' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/close any pop up' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310) at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</p>	11.583s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at close any pop up.run(close any pop up:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/OPCPage/close_popup_OP' located by '(//i [@class='icon-close close'])[1]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> <p>iEntérate antes que nadie! Regístrate y recibe las mejores promociones</p> 		

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
3	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)         at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:24)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)         at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.652s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		



## TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	9.013s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
5	click(findTestObject("PDPPage/Size1_PDP"), OPTIONAL)	24.837s	PASSED
	Object: 'Object Repository/PDPPage/Size1_PDP' is clicked on		

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
6	<p>click(findTestObject("OPCPage/close_popup_OP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/close_popup_OP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/close_popup_OP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_027.run(TS_SMOKE_SUITE_027:31)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: org.openqa.selenium.ElementNotInteractableException: element not  interactable  (Session info: chrome=122.0.6261.95)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver  Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_1500}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51916}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,}</p>	0.485s	PASSED

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ddd0d2723210396f2455694315e100d3     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)         at org.openqa.selenium.WebElement\$click.call(Unknown Source)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

# TS\_SMOKE\_SUITE\_027



#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at Script1697733551158.run(Script1697733551158.groovy:31) ... 15 more</pre> 		
7	click(findTestObject("PDPPage/AddToCart_pdp"))	0.366s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on		
8	click(findTestObject("HomePage/Cart_header"))	6.474s	PASSED
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
9	click(findTestObject("CartPage/Iniciar_Cart"))	1.869s	PASSED
	Object: 'Object Repository/CartPage/Iniciar_Cart' is clicked on		
10	verifyElementPresent(findTestObject("HomePage/LoginPage_hp"), 0)	6.756s	PASSED
	Object 'Object Repository/HomePage/LoginPage_hp' is present		
11	verifyElementPresent(findTestObject("AccountManagement/CreateNewAccount_Login"), 0)	0.336s	PASSED
	Object 'Object Repository/AccountManagement/CreateNewAccount_Login' is present		

# TS\_SMOKE\_SUITE\_027

---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	31.501s	ERROR

# TS\_SMOKE\_SUITE\_027

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>   		

# TS\_SMOKE\_SUITE\_028

## Information

ID Test Cases/ArangeByLogin/ShoppingCart/TS\_SMOKE\_SUITE\_028

Description To verify that user is able to login from Shopping Cart page

Tag

Start 07-03-2024 11:05:45 End 07-03-2024 11:07:02

Elapsed 1m - 16.464s

Status **PASSED**


## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	7.736s	<b>PASSED</b>
	Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully		
2	waitForPageLoad(0)	0.014s	<b>PASSED</b>
	Wait for page load successfully		
3	click(findTestObject("PDPPage/AddToCart_pdp"))	12.589s	<b>PASSED</b>
	Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on		
4	click(findTestObject("HomePage/Cart_header"))	3.197s	<b>PASSED</b>
	Object: 'Object Repository/HomePage/Cart_header' is clicked on		
5	click(findTestObject("CartPage/BuyButton_Cart"))	4.078s	<b>PASSED</b>
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
6	<p>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:310)         at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:31)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)         at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/Iniciar sesion'         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	11.478s	PASSED

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows a web browser window with a pink header bar containing the Liverpool logo. Below the header, there is a message in Spanish: "Recuerda que con una sola cuenta puedes ingresar a todas nuestras tiendas." Underneath this message are several small icons representing different store locations. A modal dialog box titled "Inicia sesión" (Log in) is displayed in the center of the screen. It contains two input fields: "Correo electrónico" (Email address) and "Contraseña" (Password), with a "Forgot password?" link below the password field. At the bottom of the dialog is a large pink "Iniciar sesión" (Log in) button. At the very bottom of the page, there is a small link: "¿No tienes cuenta? Crea cuenta".</p>		

# TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
---	-------------	---------	--------


# TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
7	<p>callTestCase(findTestCase("CommonMethods/logout"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/logout' failed         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)         at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at TS_SMOKE_SUITE_028.run(TS_SMOKE_SUITE_028:33)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)         at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to move mouse over object 'Object Repository/AccountManagement/span_Hola header_HP'         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)         at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.mouseOver</pre>	11.399s	PASSED

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	(MouseOverKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.MouseOverKeyword.execute (MouseOverKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.mouseOver (WebUiBuiltInKeywords.groovy:845) at logout.run(logout:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/span_Hola header_HP' located by '(.//*[normalize-space(text()) and normalize-space(.)='Mi Cuenta'])[1]/preceding::span[1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.doCall(MouseOverKeyword.groovy:54) at com.kms.katalon.core.webui.keyword.builtin. MouseOverKeyword\$._mouseOver_closure1.call(MouseOverKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )		



## TS\_SMOKE\_SUITE\_028

---


#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_028

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.899s	ERROR

# TS\_SMOKE\_SUITE\_028

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  		

# TS\_SMOKE\_SUITE\_006

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_006		
Description	To verify that the user is navigated to "Mesa de Regalos" page by clicking on the "Mesa de Regalos" link on the header section.		
Tag			
Start	07-03-2024 11:07:02	End	07-03-2024 11:08:14
Elapsed	1m - 12.299s		
Status	PASSED		

## Details



#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	10.330s	PASSED
2	verifyElementClickable(findTestObject("HomePage/Mesa de regalos_HP"))  Object 'Object Repository/HomePage/Mesa de regalos_HP' is clickable	10.274s	PASSED
3	click(findTestObject("HomePage/Mesa de regalos_HP"))  Object: 'Object Repository/HomePage/Mesa de regalos_HP' is clicked on	13.823s	PASSED
4	verifyElementPresent(findTestObject("HomePage/gr/Find_gift_table_GR"), 0)  Object 'Object Repository/HomePage/gr/Find_gift_table_GR' is present	0.492s	PASSED
5	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	14.353s	PASSED

# TS\_SMOKE\_SUITE\_006

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.922s	ERROR

# TS\_SMOKE\_SUITE\_006

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			
			

# TS\_SMOKE\_SUITE\_010

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_010		
Description	To verify that the logged in user is navigated to "Mis pedidos" page by clicking on the "Mis pedidos" link on the header section.		
Tag			
Start	07-03-2024 11:08:14	End	07-03-2024 11:09:12
Elapsed	57.720s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	navigateToUrl(URL)	12.075s	PASSED
Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully			

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_010.run(TS_SMOKE_SUITE_010:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.788s	PASSED

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



## TS\_SMOKE\_SUITE\_010

---

#	Description	Elapsed	Status
3	click(findTestObject("HomePage/Mis_comprar"))  Object: 'Object Repository/HomePage/Mis_comprar' is clicked on	0.368s	PASSED
4	verifyElementPresent(findTestObject("MyOrdersPage/aside_leftNavigation_misCompras"), 0)  Object 'Object Repository/MyOrdersPage/aside_leftNavigation_misCompras' is present	2.288s	PASSED
5	verifyElementPresent(findTestObject("MyOrdersPage/breadCrumb_misCompras"), 0)  Object 'Object Repository/MyOrdersPage/breadCrumb_misCompras' is present	7.998s	PASSED

# TS\_SMOKE\_SUITE\_010

---

#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.087s	ERROR

# TS\_SMOKE\_SUITE\_010

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's navigation bar with links for Liverpool, Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and Mis Compras. Below the navigation is a search bar and a 'Mis Compras' button with a notification icon. The main content area features a sidebar with 'Mis Compras', 'Wishlist', and 'Cupones' buttons. A search bar for purchases is followed by a link to find order numbers. Below is a section titled 'Compras en internet de los últimos 6 meses' showing a purchase for 'ZAP CASUAL CLASSIC SLIP-ON, 27, VARIOS'.

The screenshot shows a promotional banner for women's fashion. It features a woman in a beige blazer and pants sitting on a chair. The text 'MODA MUJER' and 'Hasta 50% de descuento' is displayed, along with a 'Compra ahora' button. A vertical pink bar on the right says 'Te escuchamos'.

This screenshot is identical to the one above, showing the same promotional banner for women's fashion featuring a woman in a beige suit.

# TS\_SMOKE\_SUITE\_011

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_011		
Description	To verify that the user is navigated to "Ayuda"( Help) page by clicking on the "Ayuda" link on the header section.		
Tag			
Start	07-03-2024 11:09:12	End	07-03-2024 11:10:00
Elapsed	48.293s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/Ayuda_HP"))	2.917s	<b>PASSED</b>
Object: 'Object Repository/HomePage/Ayuda_HP' is clicked on			
2	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda"), 0)	4.001s	<b>PASSED</b>
Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda' is present			
3	verifyElementPresent(findTestObject("HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage"), 0)	0.298s	<b>PASSED</b>
Object 'Object Repository/HomePage/img_Cmo podemos ayudarte_logoAyuda_helpPage' is present			
4	navigateToUrl(URL)	17.703s	<b>PASSED</b>
Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully			

# TS\_SMOKE\_SUITE\_011

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.282s	ERROR

# TS\_SMOKE\_SUITE\_011


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, and GAP. The main header features the Liverpool logo and a search bar. Below the header, there is a large promotional banner for women's fashion. The banner features a woman in a beige double-breasted blazer and matching trousers, sitting on a chair. The text on the banner reads "MODA MUJER", "Hasta 50% de descuento", and "Adiós al invierno con un nuevo look". There is also a "Compra ahora" button. The footer of the page includes links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a login section.



This screenshot is identical to the one above, showing the Liverpool homepage with the same promotional banner for women's fashion featuring a woman in a beige suit.



This screenshot is identical to the ones above, showing the Liverpool homepage with the same promotional banner for women's fashion featuring a woman in a beige suit.



This screenshot is identical to the ones above, showing the Liverpool homepage with the same promotional banner for women's fashion featuring a woman in a beige suit.

# TS\_SMOKE\_SUITE\_012

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_012		
Description	to verify that user is able to login by giving the valid credentials in the login overlay by clicking on the Inicar session link in the header		
Tag			
Start	07-03-2024 11:10:00	End	07-03-2024 11:10:23
Elapsed	23.498s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	verifyElementPresent(findTestObject("HomePage/span_HolaUser_hp"), 0)  Object 'Object Repository/HomePage/span_HolaUser_hp' is present	0.352s	PASSED

## TS\_SMOKE\_SUITE\_012

---

#	Description	Elapsed	Status
2	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.091s	ERROR

# TS\_SMOKE\_SUITE\_012

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>    		

# TS\_SMOKE\_SUITE\_014

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_014		
Description	To verify the display of user first name (as "Hola abc! ") in the header when logged in user successfully logged in to the site		
Tag			
Start	07-03-2024 11:10:23	End	07-03-2024 11:11:30
Elapsed	1m - 6.781s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	refresh()  Refresh successfully	12.781s	PASSED
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	1.247s	PASSED
3	click(findTestObject("AccountManagement/UpdatePeronalData_Account"))  Object: 'Object Repository/AccountManagement/UpdatePeronalData_Account' is clicked on	7.420s	PASSED
4	verifyElementPresent(findTestObject("AccountManagement/firstName_update_accountManagement"), 0)  Object 'Object Repository/AccountManagement/firstName_update_accountManagement' is present	6.003s	PASSED
5	waitForPageLoad(0)  Wait for page load successfully	0.016s	PASSED
6	Name = "harish"	0.000s	PASSED

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement/firstName_update_accountManagement"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/firstName_update_accountManagement' is clicked on	0.345s	PASSED
8	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.550s	PASSED
9	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(CLEAR))  Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.346s	PASSED
10	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(BACK_SPACE), STOP_ON_FAILURE)  Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.322s	PASSED
11	clearText(findTestObject("AccountManagement/firstName_update_accountManagement"), OPTIONAL)  Text of object 'Object Repository/AccountManagement/firstName_update_accountManagement' is cleared	0.341s	PASSED
12	delay(10)  Delayed 10 second(s)	10.005s	PASSED
13	setText(findTestObject("AccountManagement/firstName_update_accountManagement"), "")  Text " is set on object 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.664s	PASSED

## TS\_SMOKE\_SUITE\_014

---

#	Description	Elapsed	Status
14	sendKeys(findTestObject("AccountManagement/firstName_update_accountManagement"), Keys.chord(Name))  Keys 'harish' sent to object: 'Object Repository/AccountManagement/firstName_update_accountManagement'	0.351s	PASSED
15	out.println(Name)	0.000s	PASSED
16	click(findTestObject("AccountManagement/UpdateButton_Account"))  Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.363s	PASSED
17	waitForPageLoad(0)  Wait for page load successfully	0.018s	PASSED
18	verifyElementText(findTestObject("HomePage/header_Hola_text_HP"), "Hola " + Name)  Actual text and expected text of test object 'Object Repository/HomePage/header_Hola_text_HP' are matched.	3.010s	PASSED

## TS\_SMOKE\_SUITE\_014

---

#	Description	Elapsed	Status
19	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.807s	ERROR

# TS\_SMOKE\_SUITE\_014

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

Mi Cuenta

Datos Personales

Correo electrónico:  
imathpati@kognivera.com

Nombre  
harish qa

Fecha de nacimiento  
19/12/2005

Sexo  
Hombre

MODA MUJER

Hasta 50% de descuento

Adiós al invierno con un nuevo look

Compra ahora

MODA MUJER

Hasta 50% de descuento

Adiós al invierno con un nuevo look

Compra ahora

# TS\_SMOKE\_SUITE\_015

---

## Information

ID	Test Cases/ArangeByLogin/HomePage/TS_SMOKE_SUITE_015		
Description	To verify the display of following links by mouse over on the "User name" link on the header section. <ul style="list-style-type: none"><li>- Mi cuenta</li><li>- Mis pedidos</li><li>- Mi tiempo Aire</li><li>- Mis tarjetas</li><li>- Cerrar sesion</li></ul>		
Tag			
Start			
Elapsed			
Status	07-03-2024 11:11:30	End	07-03-2024 11:12:07
	36.546s		
	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	mouseOver(findTestObject("HomePage/header_Hola_text_HP"), STOP_ON_FAILURE)	0.450s	<b>PASSED</b>
Object: 'Object Repository/HomePage/header_Hola_text_HP' is hovered			


# TS\_SMOKE\_SUITE\_015

---

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_015.run(TS_SMOKE_SUITE_015:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.514s	PASSED

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



# TS\_SMOKE\_SUITE\_015

---



#	Description	Elapsed	Status
3	verifyElementPresent(findTestObject("HomePage/Mis_comprar"), 0)  Object 'Object Repository/HomePage/Mis_comprar' is present	0.296s	PASSED
4	verifyElementPresent(findTestObject("HomePage/a_Mi Cuenta"), 0)  Object 'Object Repository/HomePage/a_Mi Cuenta' is present	0.315s	PASSED
5	verifyElementPresent(findTestObject("HomePage/a_Mi tiempo aire"), 0)  Object 'Object Repository/HomePage/a_Mi tiempo aire' is present	0.302s	PASSED
6	verifyElementPresent(findTestObject("HomePage/a_Mis tarjetas"), 0)  Object 'Object Repository/HomePage/a_Mis tarjetas' is present	0.292s	PASSED
7	verifyElementPresent(findTestObject("HomePage/a_Cerrar sesin_hp"), 0)  Object 'Object Repository/HomePage/a_Cerrar sesin_hp' is present	0.377s	PASSED

# TS\_SMOKE\_SUITE\_015

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.919s	ERROR

# TS\_SMOKE\_SUITE\_015

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			
			

# TS\_SMOKE\_SUITE\_029

## Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_029		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar" button in the shopping cart page		
Tag			
Start	07-03-2024 11:12:07	End	07-03-2024 11:13:00
Elapsed	53.097s		
Status	PASSED		

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.231s	PASSED
<a href="#">Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully</a>			
2	waitForPageLoad(0)	0.015s	PASSED
<a href="#">Wait for page load successfully</a>			
3	click(findTestObject("PDPPage/AddToCart_pdp"))	14.167s	PASSED
<a href="#">Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on</a>			

# TS\_SMOKE\_SUITE\_029

---

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/ProtectYourPurchase_plp"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/ProtectYourPurchase_plp'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at TS_SMOKE_SUITE_029.run(TS_SMOKE_SUITE_029:27)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/ProtectYourPurchase_plp' located by '//button [contains(text(), 'Agregar garantía')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement (WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	11.462s	PASSED

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733551191.run(Script1697733551191.groovy:27) ... 15 more ) 		
5	click(findTestObject("HomePage/Cart_header"))  Object: 'Object Repository/HomePage/Cart_header' is clicked on	0.373s	PASSED
6	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	3.211s	PASSED
7	CheckoutURL = getUrl()  Current window's url is: 'https://odtaqaa.liverpool.com.mx/tienda/cart'	0.013s	PASSED
8	if (CheckoutURL == CheckoutLink)	0.001s	PASSED

## TS\_SMOKE\_SUITE\_029

---

#	Description	Elapsed	Status
9	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	15.495s	ERROR

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's shopping cart page. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'BVD', 'Tiendas', 'Ayuda', and a user account section. Below the navigation is a search bar and a 'Mis Compras' link. The main content area is titled 'Mi Bolsa' and displays a single item: 'ZAP CASUAL CLASSIC SLIP-ON, 27, VARIOS'. The item has a price of \$669.00, a discount of -\$451.00, and a total of \$1,354.72. There are quantity buttons (minus, plus) next to the price. To the right of the item details is a summary table:

Subtotal (3 productos):	\$2,007.00
Descuento:	\$652.28
Cupones:	\$0.00
Costo de envío:	Gratis
Total (IVA Incluido):	\$1,354.72

A note at the bottom states: "Los precios aplican de acuerdo a forma de pago." A pink 'Comprar' button is at the bottom right. Below the cart, there's a 'Seguir Comprando' button.

This screenshot shows the 'Confirma tu compra' (Confirm your purchase) step. It includes three sections: '1. Entrega' (Delivery), '2. Forma de Pago' (Payment Method), and '3. Artículos y promociones' (Articles and promotions). The delivery section shows an address: 'AUTOMATIONxzBPBKxM' and 'Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san francisco, BAJA CALIFORNIA'. The payment method section shows a card ending in \*3065 and a CVV field. The article section shows a single item: 'Tenis para Caballero Vans' with a price of \$669.00 and a quantity of 1. On the right, there's a 'Resumen de compra' (Purchase summary) table and a note about accepting terms and conditions. A yellow warning box at the top says: '⚠ Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas'.

This screenshot shows the final confirmation step. It has the same three sections: '1. Entrega', '2. Forma de Pago', and '3. Artículos y promociones'. The delivery and payment sections are identical to the previous screenshot. The article section shows the same item. On the right, there's a 'Resumen de compra' table and a note about having a coupon available. A yellow warning box at the top says: '⚠ Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas'. A pink 'Ayuda' button is visible on the right side.

# TS\_SMOKE\_SUITE\_029

#	Description	Elapsed	Status
	<p>The screenshot shows a Liverpool checkout interface. At the top, there's a message: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, the delivery address is listed: "AUTOMATIONxzBPBKxM" and "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san francisco, BAJA CALIFORNIA". The payment section shows a VISA card ending in "3065" with fields for expiration date ("MM/AA") and CVV. The cart summary on the right lists a single item: "Tenis para Caballero Vans" at \$669.00, with a total of \$1,354.72. It also mentions a coupon available.</p>		

# TS\_SMOKE\_SUITE\_030

---

## Information

ID	Test Cases/ArangeByLogin/ShoppingCart/TS_SMOKE_SUITE_030		
Description	To verify that the logged in user is navigated to "One page Checkout" by clicking on the "Comprar Ahor" button displayed for individual items in the shopping cart page		
Tag			
Start	07-03-2024 11:13:00	End	07-03-2024 11:13:29
Elapsed	28.782s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	waitForPageLoad(15)  Wait for page load successfully	0.012s	PASSED


# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_030.run(TS_SMOKE_SUITE_030:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Buscar1'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26) </p>	0.554s	FAILED

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647)                 at SearchForAProduct_search.run(SearchForAProduct_search:20)                     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)                         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)                             at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)                                 at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)                                     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137)   at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...}, userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32084_14400, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:51916}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: ddd0d2723210396f2455694315e100d3     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)             at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)                 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)                     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)                         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)                             at org.openqa.selenium.remote.HttpCommandExecutor.execute</pre>		

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement\$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 38 more )  <p>The screenshot shows the Liverpool checkout process. It includes fields for delivery address (Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san francisco, BAJA CALIFORNIA), payment method (VISA visitest *3065), and a cart summary with 3 products totaling \$2,007.00, a discount of \$652.28, and a total of \$1,354.72.</p>		

# TS\_SMOKE\_SUITE\_030

---

#	Description	Elapsed	Status
3	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	28.098s	ERROR

# TS\_SMOKE\_SUITE\_030

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more </pre>		

Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas

Confirma tu compra

1. Entrega

AUTOMATIONxzBPBKxM

Regina Street, 123123242, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA

Cambiar

2. Forma de Pago

visa visitest \*3065

Fecha de vencimiento: Código de seguridad: MM/AA\* CVV\*

3. Artículos y promociones

Nombre	Precio	Cantidad	Total
Tenis para Caballero Vans	\$ 669 <sup>00</sup>	1	\$ 1,354 <sup>72</sup>

Subtotal (3 productos): \$2,007.00  
Descuento: \$652.28  
Cupones: \$0.00  
Costo de envío: Gratis

Total (IVA incluido): \$1,354.72

Liverpool Buscar por producto, marca y más...

Mis Compras Hola harish ▾

Categorías Mesa de regalos Mi crédito Servicios BYD

Tiendas Ayuda Mi tienda - Liverpool La Paz

MODA HOMBRE

Hasta 50% de descuento

Adiós al invierno con un nuevo look

Compra ahora

Liverpool Buscar por producto, marca y más...

Mis Compras Hola harish ▾

Categorías Mesa de regalos Mi crédito Servicios BYD

Tiendas Ayuda Mi tienda - Liverpool La Paz



# TS\_SMOKE\_SUITE\_058

---

## Information

ID Test Cases/ArangeByLogin/Browse and Shop/TS\_SMOKE\_SUITE\_058

Description To verify the display of Description slot in PDP with following tabs.

Tag Long Description

Manual

Delivery Details

Start Size/Dimensions

LP Card Promotion

Elapsed Other Card Promotion

Status

07-03-2024 11:13:29

End

07-03-2024 11:14:53

1m - 24.192s

PASSED

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)	33.720s	PASSED

Navigate to '<https://odtaqaa.liverpool.com.mx/tienda/home>' successfully


## TS\_SMOKE\_SUITE\_058

---

#	Description	Elapsed	Status
2	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_058.run(TS_SMOKE_SUITE_058:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	12.501s	PASSED

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"1016537468"], STOP_ON_FAILURE)	9.580s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	waitForPageLoad(5)	0.020s	PASSED
Wait for page load successfully			
5	verifyElementClickable(findTestObject("PDPPage/mas detalis(more detail)"))	13.760s	PASSED
Object 'Object Repository/PDPPage/mas detalis(more detail)' is clickable			
6	verifyElementClickable(findTestObject("PDPPage/EDD_pdp"))	1.008s	PASSED
Object 'Object Repository/PDPPage/EDD_pdp' is clickable			
7	verifyElementClickable(findTestObject("PDPPage/viewMorePromotion_pdp"))	0.324s	PASSED
Object 'Object Repository/PDPPage/viewMorePromotion_pdp' is clickable			
8	verifyElementClickable(findTestObject("PDPPage/Size1_PDP"))	0.324s	PASSED
Object 'Object Repository/PDPPage/Size1_PDP' is clickable			
9	verifyElementClickable(findTestObject("PDPPage/liverpoolCard_promotion_1_PDP"))	0.304s	PASSED
Object 'Object Repository/PDPPage/liverpoolCard_promotion_1_PDP' is clickable			
10	verifyElementClickable(findTestObject("PDPPage/Card_promotion_1_PDP"))	0.333s	PASSED
Object 'Object Repository/PDPPage/Card_promotion_1_PDP' is clickable			

## TS\_SMOKE\_SUITE\_058

---

#	Description	Elapsed	Status
11	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.176s	ERROR

# TS\_SMOKE\_SUITE\_058

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a product page for a pair of jeans from Aeropostale. The jeans are displayed in a large image. The product title is "Jeans Aéropostale para Dama". The price is listed as \$479.00, with a discount of \$335.30. The quantity is set to 1. The delivery options section includes "Click & Collect: Liverpool La Paz" and "Enviar gratis a: AUTOMATIONx2BPBKxM". Both sections have a "Comprar" button.

The screenshot shows a promotional banner for men's fashion. It features a man with a beard in a light blue suit and a striped shirt. The text "MODA HOMBRE" is prominently displayed, along with "Hasta 50% de descuento" and "Adiós al invierno con un nuevo look". There is a "Compra ahora" button and a "Te escuchamos" icon.

This screenshot is identical to the one above, showing the same promotional banner for men's fashion featuring a man in a light blue suit and a striped shirt. The text "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", "Compra ahora", and "Te escuchamos" are all present.

# TS\_SMOKE\_SUITE\_016

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_016		
Description	To Verify logged in user is able to view the profile information from Actualizar datos personales link in my account page after Updating personal information		
Tag			
Start	07-03-2024 11:14:53	End	07-03-2024 11:15:32
Elapsed	38.864s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.422s	PASSED
2	click(findTestObject("AccountManagement/UpdatePersonalData_Account"))  Object: 'Object Repository/AccountManagement/UpdatePersonalData_Account' is clicked on	8.853s	PASSED
3	verifyElementPresent(findTestObject("AccountManagement/updatePage_Account"), 0)  Object 'Object Repository/AccountManagement/updatePage_Account' is present	1.841s	PASSED
4	name = RandomStringUtils.randomAlphabetic(8)	0.011s	PASSED
5	clearText(findTestObject("AccountManagement/FirstNameProfile_Account"), STOP_ON_FAILURE)  Text of object 'Object Repository/AccountManagement/FirstNameProfile_Account' is cleared	0.802s	PASSED
6	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.630s	PASSED

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
7	sendKeys(findTestObject("AccountManagement/FirstNameProfile_Account"), name)  Keys 'pSQkXjuq' sent to object: 'Object Repository/AccountManagement/FirstNameProfile_Account'	0.361s	PASSED
8	lastname =getAttribute(findTestObject("AccountManagement/LastName_Account"), "value")  Attribute 'value' of object 'Object Repository/AccountManagement/LastName_Account' is: 'qa'	0.327s	PASSED
9	println(lastname)	0.001s	PASSED
10	accountname = name + " " + lastname	0.000s	PASSED
11	println(accountname)	0.000s	PASSED
12	click(findTestObject("AccountManagement/UpdateButton_Account"))  Object: 'Object Repository/AccountManagement/UpdateButton_Account' is clicked on	0.382s	PASSED
13	fnamelname = getText(findTestObject("AccountManagement/PersonalDataName_Account"))  Text of object 'Object Repository/AccountManagement/PersonalDataName_Account' is: 'pSQkXjuq qa'	2.474s	PASSED
14	println(fnamelname)	0.000s	PASSED
15	if (fnamelname == accountname)	0.001s	PASSED

# TS\_SMOKE\_SUITE\_016

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_016

---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.597s	ERROR

# TS\_SMOKE\_SUITE\_016

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

Mi Cuenta

Datos Personales

Correo electrónico:  
imathpati@kognivera.com

Nombre  
pSQkXjuq qa

Fecha de nacimiento  
19/12/2005

Sexo  
Hombre

MODA MUJER

Hasta 50% de descuento

Adiós al invierno con un nuevo look

Compra ahora

Te escuchamos

MODA MUJER

Hasta 50% de descuento

Adiós al invierno con un nuevo look

Compra ahora

Te escuchamos

# TS\_SMOKE\_SUITE\_017

---

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_017

Description Verify the user able to add new Personal shipping address

Tag

Start 07-03-2024 11:15:32 End 07-03-2024 11:16:37

Elapsed 1m - 4.967s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola pSQkXjuq'	0.302s	<b>PASSED</b>
2	out.println(a)	0.000s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
3	<pre>if (a == true)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:25)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.492s	PASSED

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



## TS\_SMOKE\_SUITE\_017

---


#	Description	Elapsed	Status
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.338s	PASSED
5	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	5.252s	PASSED

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
6	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)  com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)     at TS_SMOKE_SUITE_017.run(TS_SMOKE_SUITE_017:32)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) )</pre>	11.365s	PASSED

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
7	 <pre>if (add == true)</pre>	0.000s	PASSED
8	<pre>click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)</pre> <p>Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on</p>	0.394s	PASSED
9	<pre>callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)</pre> <p>Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully</p>	17.146s	PASSED
10	<pre>click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))</pre> <p>Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on</p>	0.584s	PASSED
11	<pre>address = getText(findTestObject("AccountManagement/NOTselected_personal_ShippingAddress1_AM"), STOP_ON_FAILURE)</pre> <p>Text of object 'Object Repository/AccountManagement/NOTselected_personal_ShippingAddress1_AM' is: 'TestQA'</p>	5.385s	PASSED
12	<pre>out.println(address)</pre>	0.001s	PASSED

## TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
13	out.println(TempAddress)	0.000s	PASSED
14	if (TempAddress == address)	0.001s	PASSED

# TS\_SMOKE\_SUITE\_017

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.584s	ERROR

# TS\_SMOKE\_SUITE\_017

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)		
	... 23 more		

MODA HOMBRE  
Hasta 50% de descuento  
Adiós al invierno con un nuevo look  
Compra ahora

# TS\_SMOKE\_SUITE\_018

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_018

Description Verify the user able to add new Click & Collect address address

Tag

Start 07-03-2024 11:16:37 End 07-03-2024 11:17:20

Elapsed 42.774s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.433s	<b>PASSED</b>
2	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	6.758s	<b>PASSED</b>
3	enhancedClick(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	4.087s	<b>PASSED</b>
4	click(findTestObject("AccountManagement/AddClickNCollectionAddress_Account"))  Object: 'Object Repository/AccountManagement/AddClickNCollectionAddress_Account' is clicked on	1.974s	<b>PASSED</b>
5	click(findTestObject("AccountManagement>SelectStateClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/SelectStateClickNCollection_Account' is clicked on	7.862s	<b>PASSED</b>
6	click(findTestObject("AccountManagement/StateOptionClickNCollection_Account"))  Object: 'Object Repository/AccountManagement/StateOptionClickNCollection_Account' is clicked on	0.354s	<b>PASSED</b>

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
7	click(findTestObject("AccountManagement>SelectAddressRadioButton_Account"))  Object: 'Object Repository/AccountManagement>SelectAddressRadioButton_Account' is clicked on	1.217s	PASSED
8	scrollToElement(findTestObject("AccountManagement>KeepButtonClickNCollection_Account"), 0)  Scroll to object 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' successfully	0.353s	PASSED
9	click(findTestObject("AccountManagement>KeepButtonClickNCollection_Account"))  Object: 'Object Repository/AccountManagement>KeepButtonClickNCollection_Account' is clicked on	0.350s	PASSED
10	click(findTestObject("AccountManagement>ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement>ClickAndCollectStores_accounts' is clicked on	2.771s	PASSED
11	verifyElementPresent(findTestObject("AccountManagement>ClickNCollectionFirstAddress_Account"), 0)  Object 'Object Repository/AccountManagement>ClickNCollectionFirstAddress_Account' is present	1.589s	PASSED
12	verifyElementPresent(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"), 0)  Object 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is present	0.311s	PASSED
13	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_address"))  Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_address' is clicked on	0.336s	PASSED

## TS\_SMOKE\_SUITE\_018

---




#	Description	Elapsed	Status
14	click(findTestObject("AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM"))  Object: 'Object Repository/AccountManagement/liverpoolSatellite_clickAndCollect_eliminar_AM' is clicked on	0.364s	PASSED
15	click(findTestObject("AccountManagement/aceptar_RemoveAdress_AM"))  Object: 'Object Repository/AccountManagement/aceptar_RemoveAdress_AM' is clicked on	0.603s	PASSED

# TS\_SMOKE\_SUITE\_018

---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	13.325s	ERROR

# TS\_SMOKE\_SUITE\_018

#	Description	Elapsed	Status
	<p>at com.kms.katalon.core.webui.keyword.builtin.  <b>VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall</b>  (VerifyElementNotPresentKeyword.groovy:122)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.  <b>VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall</b>  (VerifyElementNotPresentKeyword.groovy)</p> <p>at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:20)</p> <p>... 23 more</p>		
	 <p>The screenshot shows the Liverpool website's delivery address section. It features a sidebar with links like 'Mis Compras', 'Wishlist', 'Cupones', 'Crédito y Pagos', and 'Monedero digital'. The main area displays three delivery options: Liverpool Andares (with a note about Click &amp; Collect), Liverpool Cuautla (with a note about Click &amp; Collect), and Liverpool Tecámac (with a note about Click &amp; Collect). Each listing includes a 'Ver más' link.</p>		
	 <p>The screenshot shows a promotional banner for women's fashion. It features a woman in a beige blazer and pants sitting on a chair. The text 'MODA MUJER' is at the top, followed by 'Hasta 50% de descuento' and 'Adiós al invierno con un nuevo look'. A 'Compra ahora' button is present. A vertical pink bar on the right says 'Te escuchamos'.</p>		
	 <p>This is a duplicate screenshot of the previous promotional banner, showing the same woman in a beige suit and the same promotional text.</p>		

# TS\_SMOKE\_SUITE\_019

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_019

Description Verify the last added Store address is displayed in the top section as a priority

Tag

Start 07-03-2024 11:17:20 End 07-03-2024 11:18:50

Elapsed 1m - 30.219s

Status FAILED

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)	0.333s	PASSED
	Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola pSQkXjuq'		
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.001s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.386s	PASSED
	Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on		
5	click(findTestObject("AccountManagement/DeliveryAddress_Account"))	15.705s	PASSED
	Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on		

# TS\_SMOKE\_SUITE\_019

---

#	Description	Elapsed	Status
6	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)  com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)     at TS_SMOKE_SUITE_019.run(TS_SMOKE_SUITE_019:32)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) )</pre>	11.357s	PASSED

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
7		0.000s	PASSED
8	<p>click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)</p> <p>Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on</p>	0.428s	PASSED
9	<p>callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)</p> <p>Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully</p>	16.921s	PASSED
10	<p>delay(10, STOP_ON_FAILURE)</p> <p>Delayed 10 second(s)</p>	10.019s	PASSED
11	<p>enhancedClick(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))</p> <p>Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on</p>	0.369s	PASSED

# TS\_SMOKE\_SUITE\_019

---

#	Description	Elapsed	Status
12	<pre>verifyElementPresent(findTestObject ("AccountManagement/FirstPersonalShippingAddress_Account"), 0)  Unable to verify object 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' is present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)     at TS_SMOKE_SUITE_019.run(TS_SMOKE_SUITE_019:50)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core. webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/FirstPersonalShippingAddress_Account' located by '(//h1 [@class='a-cards__titleCard'])[1]' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$__verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin.</pre>	11.522s	FAILED

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
	VerifyElementPresentKeyword\$._verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	A screenshot of the Liverpool website's address entry page. The URL is 'https://www.liverpool.com.mx/mi-cuenta/direcciones'. The page shows a sidebar with links like 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The main form has fields for 'Nombre' (psQkXjuq), 'Segundo nombre' (qa), 'Apellido paterno' (qa), 'Apellido materno' (qa), 'Alias de la dirección' (TestQA), 'Código Postal' (21200), 'Estado' (BAJA CALIFORNIA), and 'Colonia'. A red box highlights the error message 'El nombre corto ingresado ya está siendo usado.' at the top of the form.		



# TS\_SMOKE\_SUITE\_019

---

#	Description	Elapsed	Status
13	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.016s	ERROR

# TS\_SMOKE\_SUITE\_019

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		



# TS\_SMOKE\_SUITE\_023

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_023		
Description	To Verify Logged in user is able to Add ,Edit and remove credit card from my account from my account		
Tag			
Start	07-03-2024 11:18:50	End	07-03-2024 11:20:14
Elapsed	1m - 24.031s		
Status	<b>PASSED</b>		


## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.392s	<b>PASSED</b>
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/Mi Cartera_HP"))	13.405s	<b>PASSED</b>
Object: 'Object Repository/AccountManagement/Mi Cartera_HP' is clicked on			
3	click(findTestObject("AccountManagement/MyCardButton_Account"))	5.430s	<b>PASSED</b>
Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on			

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
4	<p>add = verifyElementPresent(findTestObject("AccountManagement/QAtesting_card_AM"), 0, OPTIONAL)</p> <pre>com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text() ='QATESTING']' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QAtesting_card_AM' located by '//p[text()='QATESTING']' not found         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)         at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall(VerifyElementPresentKeyword.groovy:85)         at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call(VerifyElementPresentKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92)         at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)         at TS_SMOKE_SUITE_023.run(TS_SMOKE_SUITE_023:28)         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)         at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)         at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)         at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)         at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)         at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)         at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)         )</pre>	11.248s	PASSED

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
			
5	if (add == true)	0.000s	PASSED
6	click(findTestObject("AccountManagement/AddCardButton_Account"), STOP_ON_FAILURE)	0.384s	PASSED
	Object: 'Object Repository/AccountManagement/AddCardButton_Account' is clicked on		
7	Cardname = "QATESTING"	0.016s	PASSED
8	setText(findTestObject("AccountManagement/CardName_Account"), Cardname)  Text 'QATESTING' is set on object 'Object Repository/AccountManagement/CardName_Account'	6.345s	PASSED
9	callTestCase(findTestCase("CommonMethods/AddCard_Account"), [:], STOP_ON_FAILURE)	2.911s	PASSED
	Call Test Case 'Test Cases/CommonMethods/AddCard_Account' successfully		
10	waitForPageLoad(0)  Wait for page load successfully	0.000s	PASSED

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
11	CardName = getText(findTestObject("AccountManagement/CardNameGrid_Account"))  Text of object 'Object Repository/AccountManagement/CardNameGrid_Account' is: 'QATESTING'	2.931s	PASSED
12	if (Cardname == CardName)	0.000s	PASSED
13	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"))  Object: 'Object Repository/AccountManagement/Select3dot_qatestingCard_AM' is clicked on	0.403s	PASSED
14	click(findTestObject("AccountManagement/EditCardDetails_Account"), STOP_ON_FAILURE)  Object: 'Object Repository/AccountManagement/EditCardDetails_Account' is clicked on	7.361s	PASSED
15	Name = RandomStringUtils.randomAlphabetic(8)	0.000s	PASSED
16	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CONTROL, "a"))  Keys 'CONTROL + a' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.657s	PASSED
17	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(CLEAR))  Keys 'CLEAR + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.486s	PASSED
18	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(BACK_SPACE))  Keys 'BACK_SPACE + ' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'	0.384s	PASSED

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
19	clearText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), STOP_ON_FAILURE)	0.364s	PASSED
	Text of object 'Object Repository/AccountManagement/FullName_Card_Edit_AM' is cleared		
20	delay(10)	10.017s	PASSED
	Delayed 10 second(s)		
21	setText(findTestObject("AccountManagement/FullName_Card_Edit_AM"), "")	0.687s	PASSED
	Text " is set on object 'Object Repository/AccountManagement/FullName_Card_Edit_AM'		
22	sendKeys(findTestObject("AccountManagement/FullName_Card_Edit_AM"), Keys.chord(Name))	0.390s	PASSED
	Keys 'neujcJpo' sent to object: 'Object Repository/AccountManagement/FullName_Card_Edit_AM'		
23	click(findTestObject("AccountManagement/AcceptButton_AccountM"))	0.369s	PASSED
	Object: 'Object Repository/AccountManagement/AcceptButton_AccountM' is clicked on		
24	click(findTestObject("AccountManagement>Select3dot_qatestingCard_AM"))	3.803s	PASSED
	Object: 'Object Repository/AccountManagement>Select3dot_qatestingCard_AM' is clicked on		
25	click(findTestObject("AccountManagement/qatesting_eliminar_car_AM"), STOP_ON_FAILURE)	0.377s	PASSED
	Object: 'Object Repository/AccountManagement/qatesting_eliminar_car_AM' is clicked on		
26	click(findTestObject("OPCPage/accept_deletion_card_OPCC"))	0.578s	PASSED
	Object: 'Object Repository/OPCPage/accept_deletion_card_OPCC' is clicked on		
27	if (verifyElementNotPresent(findTestObject("AccountManagement>Select3dot_qatestingCard_ AM"), 0) == true)	2.718s	PASSED

# TS\_SMOKE\_SUITE\_023

---

#	Description	Elapsed	Status
---	-------------	---------	--------

## TS\_SMOKE\_SUITE\_023

---

#	Description	Elapsed	Status
28	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	12.157s	ERROR

# TS\_SMOKE\_SUITE\_023

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, and BYD. Below the navigation is a search bar and a user account dropdown. The main content area displays a grid of 12 credit/debit card icons, each with a Visa logo and a unique card number. On the left, there are sidebar sections for 'Mis Compras', 'Wishlist', and 'Cupones'. Under 'Crédito y Pagos', there are links for 'Mi crédito', 'Facturación Electrónica', and 'Monedero digital'. At the bottom of the page, there is a footer with links to various brands like Pottery Barn, Williams Sonoma, and Gap.

The screenshot shows the Liverpool website's homepage. It features a large banner with a male model in a light blue suit and striped shirt, set against a background of tropical leaves. The banner text reads 'MODA HOMBRE', 'Hasta 50% de descuento', and 'Adiós al invierno con un nuevo look'. A 'Compra ahora' button is also visible. To the right of the banner is a pink vertical bar with the text 'Te escuchamos' and a speaker icon. The navigation bar and footer are identical to the previous screenshot.

This screenshot is identical to the one above it, showing the Liverpool homepage with the same banner, navigation bar, and footer.

# TS\_SMOKE\_SUITE\_021

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_021		
Description	Verify the user is able to navigate to forma de pago page and view the payment methods		
Tag			
Start	07-03-2024 11:20:14	End	07-03-2024 11:20:34
Elapsed	20.632s		
Status	<b>PASSED</b>		

## Details

#	Description	Elapsed	Status
1	a = getText(findTestObject("HomePage/span_HolaUser_hp"), OPTIONAL)  Text of object 'Object Repository/HomePage/span_HolaUser_hp' is: 'Hola pSQkXjuq'	0.327s	PASSED
2	out.println(a)	0.000s	PASSED
3	if (a == false)	0.000s	PASSED
4	mouseOver(findTestObject("HomePage/AfterLogin_Homepage"))  Object: 'Object Repository/HomePage/AfterLogin_Homepage' is hovered	0.492s	PASSED
5	click(findTestObject("AccountManagement/MyAccountButton_Account"))  Object: 'Object Repository/AccountManagement/MyAccountButton_Account' is clicked on	0.524s	PASSED
6	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	3.912s	PASSED

## TS\_SMOKE\_SUITE\_021

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/PaymentMethodsSection_Account"), 0)  Object 'Object Repository/AccountManagement/PaymentMethodsSection_Account' is present	1.493s	PASSED

# TS\_SMOKE\_SUITE\_021

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	13.804s	ERROR

# TS\_SMOKE\_SUITE\_021

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's payment method section. On the left, there's a sidebar with links like 'Mis Compras', 'Wishlist', 'Cupones', 'Crédito y Pagos' (which is expanded), 'Mi crédito', 'Facturación Electrónica', and 'Monedero digital'. The main content area shows a list of payment methods under 'Otros métodos de pago': 'Puntos BBVA', 'Paypal', 'Efectivo', and 'Transferencia (SPEI)'. At the top right, there's a search bar, a 'Mis Compras' button, a greeting 'Hola pSQkXjuq', and a lock icon.

The screenshot shows a promotional banner for women's fashion. It features a woman in a beige outfit sitting on a chair. The text on the banner reads 'MODA MUJER' and 'Hasta 50% de descuento'. Below the banner, the Liverpool website navigation bar is visible.

The screenshot shows another promotional banner for women's fashion, identical to the one above it. It features a woman in a beige outfit sitting on a chair. The text on the banner reads 'MODA MUJER' and 'Hasta 50% de descuento'. Below the banner, the Liverpool website navigation bar is visible.

The screenshot shows a third promotional banner for women's fashion, identical to the previous ones. It features a woman in a beige outfit sitting on a chair. The text on the banner reads 'MODA MUJER' and 'Hasta 50% de descuento'. Below the banner, the Liverpool website navigation bar is visible.

# TS\_SMOKE\_SUITE\_022

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_022		
Description	Verify the user able to update the payment methods as default in forma de pago page		
Tag			
Start	07-03-2024 11:20:34	End	07-03-2024 11:22:10
Elapsed	1m - 35.682s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.355s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	21.076s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	17.024s	PASSED
4	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	20.667s	PASSED
5	click(findTestObject("AccountManagement/MyPaymentMethod_Account"))  Object: 'Object Repository/AccountManagement/MyPaymentMethod_Account' is clicked on	15.282s	PASSED
6	click(findTestObject("AccountManagement/MyCardButton_Account"))  Object: 'Object Repository/AccountManagement/MyCardButton_Account' is clicked on	3.913s	PASSED
7	enhancedClick(findTestObject("AccountManagement>Select3DotAddress2Nd_Account"))  Object: 'Object Repository/AccountManagement/Select3DotAddress2Nd_Account' is clicked on	3.030s	PASSED

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
8	enhancedClick(findTestObject("AccountManagement/MakeCardAsDefault_Account"))  Object: 'Object Repository/AccountManagement/MakeCardAsDefault_Account' is clicked on	0.400s	PASSED
9	verifyElementPresent(findTestObject("AccountManagement/DefaultCard_Account"), 0)  Object 'Object Repository/AccountManagement/DefaultCard_Account' is present	1.339s	PASSED

## TS\_SMOKE\_SUITE\_022

---

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.501s	ERROR

# TS\_SMOKE\_SUITE\_022


#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and 'Mi tienda - Liverpool...'. Below the navigation, there are links for 'Home', 'Mi Cuenta', and 'Tarjetas de Crédito / Débito'. The main content area displays a grid of credit card icons with placeholder numbers like 'tryssddsg \* 2569', 'JHWfMlaB \* 8604', and 'IMtgDTHx \* 3618'. On the left, there are four buttons: 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. At the bottom, there are links for 'Suburbia', 'Pottery Barn', 'Pottery Barn Kids', 'Williams Sonoma', 'West Elm', 'GAP', 'Banana Republic', and 'Toys R Us'.

This screenshot is identical to the one above, showing the Liverpool website's 'Tarjetas de Crédito / Débito' section with the same layout and data.

The screenshot shows a large advertisement for men's fashion. It features a man with a beard wearing a light-colored suit and a striped shirt. The background has a dark, textured pattern with green plants. The text 'MODA HOMBRE' is prominently displayed in white, along with 'Hasta 50% de descuento' and 'Adiós al Invierno con un nuevo look'. A 'Compra ahora' button is also visible. To the right of the main image, there is a vertical text 'Te escuchamos' with a small speaker icon. At the bottom, a cookie consent message reads 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button 'X'.

# TS\_SMOKE\_SUITE\_022

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" (My Purchases), a greeting "Hola pSQkXjuq", and a notification icon with the number "3". Below the search bar are links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a link to "Mi tienda - Liverpool ...". A large banner in the center features a man with a beard wearing a light blue blazer over a striped shirt. The banner text includes "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A vertical pink sidebar on the right says "Te escuchamos" with a speech bubble icon. At the bottom of the page, a cookie consent message reads "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_020

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_020

Description Verify if the user able to make C&C store address as default address

Tag

Start 07-03-2024 11:22:10 End 07-03-2024 11:22:56

Elapsed 45.985s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	refresh()  Refresh successfully	12.574s	<b>PASSED</b>
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.718s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	4.977s	<b>PASSED</b>
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	6.529s	<b>PASSED</b>
5	click(findTestObject("AccountManagement/ClickNCollection1stAddress_Account"))  Object: 'Object Repository/AccountManagement/ClickNCollection1stAddress_Account' is clicked on	3.584s	<b>PASSED</b>
6	click(findTestObject("AccountManagement/SetDefaultAddressClickNCollection"))  Object: 'Object Repository/AccountManagement/SetDefaultAddressClickNCollection' is clicked on	0.383s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_020

---

#	Description	Elapsed	Status
7	verifyElementPresent(findTestObject("AccountManagement/VerifyDefaultPresent_Account"), 0)	5.693s	PASSED

Object 'Object Repository/AccountManagement/VerifyDefaultPresent\_Account' is present

# TS\_SMOKE\_SUITE\_020

---

#	Description	Elapsed	Status
8	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	11.459s	ERROR

# TS\_SMOKE\_SUITE\_020

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website's delivery address management interface. At the top, there's a navigation bar with links for 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', 'Ayuda', and a user account section. Below the navigation, a breadcrumb trail shows 'Home > Mi Cuenta > Direcciones de entrega'. The main content area is titled 'Direcciones de entrega' and contains three tabs: 'Mis direcciones' (selected), 'Tiendas Click & Collect', and 'Agregar tienda'. On the left, a sidebar lists 'Mis Compras', 'Wishlist', 'Cupones', and 'Crédito y Pagos'. The central area displays three delivery address entries:

Tienda	Dirección	Opciones
Liverpool Andares	Predeterminada Ver mapa Click & Collect Sótano 2, en las escaleras ele ctricas	...
Liverpool Cuautla	Ver mapa Click & Collect Departamento de Línea Blanca	...
Liverpool Tecámac	Ver mapa Click & Collect PB a un costado del departa mento de trajes de caballero	...

At the bottom of the page, there's a footer with links for 'Suburba', 'Pottery Barn', 'Pottery Barn Kids', 'Williams Sonoma', 'West Elm', 'GAP', 'Banana Republic', and 'Toys R Us'. A cookie consent banner is also visible.

The screenshot shows a promotional banner for women's fashion. It features a woman sitting on a chair, smiling, wearing a light-colored blazer and pants. The banner has a pink header and footer. The text 'MODA MUJER' is prominently displayed, along with 'Hasta 50% de descuento' and 'Adiós al Invierno con un nuevo look'. A 'Compra ahora' button is present. A vertical pink bar on the right says 'Te escuchamos' with a small speaker icon. At the bottom, a cookie consent message reads 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)' with a close button.

# TS\_SMOKE\_SUITE\_020

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_024

---

## Information

ID	Test Cases/ArangeByLogin/AccountManagement/TS_SMOKE_SUITE_024		
Description	To Verify Logged in user is able to add, Edit and Remove the delivery address from my account		
Tag			
Start	07-03-2024 11:22:56	End	07-03-2024 11:24:16
Elapsed	1m - 20.332s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))	0.356s	PASSED
Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on			
2	click(findTestObject("AccountManagement/DeliveryAddress_Account"))	5.283s	PASSED
Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on			

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
3	<pre>add = verifyElementPresent(findTestObject ("AccountManagement/QATESTING_address_AM"), 0, OPTIONAL)  com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1 [text()='QATESTING]' not found (Root cause: com.kms.katalon.core.exception. StepFailedException: com.kms.katalon.core.webui.exception. WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/QATESTING_address_AM' located by '//h1[text() ='QATESTING]' not found     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. verifyElementPresent(VerifyElementPresentKeyword.groovy:92)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword. execute(VerifyElementPresentKeyword.groovy:68)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementPresent(WebUiBuiltInKeywords.groovy:1487)     at TS_SMOKE_SUITE_024.run(TS_SMOKE_SUITE_024:26)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) )</pre>	11.190s	PASSED

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
4	if (add == true)	0.000s	PASSED
5	click(findTestObject("AccountManagement/AddAdressPersonal_Account"), STOP_ON_FAILURE)	0.357s	PASSED
	Object: 'Object Repository/AccountManagement/AddAdressPersonal_Account' is clicked on		
6	callTestCase(findTestCase("CommonMethods/SaveAddress_AccountManagement"), [:], STOP_ON_FAILURE)	18.605s	PASSED
	Call Test Case 'Test Cases/CommonMethods/SaveAddress_AccountManagement' successfully		
7	delay(10)	10.007s	PASSED
	Delayed 10 second(s)		
8	click(findTestObject("AccountManagement/KeepButtonClickNCollection_Account"))	0.404s	PASSED
	Object: 'Object Repository/AccountManagement/KeepButtonClickNCollection_Account' is clicked on		

## TS\_SMOKE\_SUITE\_024

---

#	Description	Elapsed	Status
9	<pre>Address1 = getText(findTestObject("AccountManagement/TestQA_Add_AM"))  Unable to get text of object 'Object Repository/AccountManagement/TestQA_Add_AM' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/AccountManagement/TestQA_Add_AM'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88)     at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:957)     at TS_SMOKE_SUITE_024.run(TS_SMOKE_SUITE_024:44)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/AccountManagement/TestQA_Add_AM' located by '//h1 [text()='TestQA']' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78)     at com.kms.katalon.core.webui.keyword.builtin.</pre>	11.331s	FAILED

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
	<pre>GetTextKeyword\$._getText_closure1.call(GetTextKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88)         at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67)         at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:957)         at Script1697733550844.run(Script1697733550844.groovy:44)         ... 15 more )</pre>		

The screenshot shows a web browser displaying the Liverpool website. The URL is <https://www.liverpool.com.mx/mi-cuenta/direcciones-de-envio/agregar-direccion>. The page title is "Agregar dirección". The left sidebar has links for "Mis Compras", "Wishlist", "Cupones", "Crédito y Pagos", and "Mi crédito". The main content area has sections for "Datos del destinatario" (Recipient Data) and "Dirección de envío" (Shipping Address). In the "Datos del destinatario" section, there are fields for "Nombre" (Name) containing "pS0kXjuq", "Segundo nombre" (Second Name) containing "qa", and "Apellido paterno" (Last Name) containing "qa". There is also an "Apellido materno" (Last Name) field containing "qa" with the note "Opcional". In the "Dirección de envío" section, there are fields for "Alias de la dirección" (Address Alias), "Código Postal" (Postal Code), and "Estado" (State). A note at the top right of the recipient data section says "\*Campos Obligatorios" (Required Fields).

## TS\_SMOKE\_SUITE\_024

---

#	Description	Elapsed	Status
10	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.607s	ERROR

# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with placeholder text "Buscar por producto, marca y más...", and a user account dropdown showing "Hola pSQkXjuq". Other menu items include "Mis Compras", "Tiendas", "Ayuda", and a "Mi tienda - Liverpool..." link.

Home > Mi Cuenta > Direcciones de entrega > Agregar dirección

### Agregar dirección

Mis Compras >

Wishlist >

Cupones >

Crédito y Pagos

- MI crédito

Datos del destinatario

\*Campos Obligatorios

Nombre*	pSQkXjuq	Segundo nombre	Apellido paterno*
Opcional		Apellido materno:	
Opcional		qa	

Dirección de envío

Alias de la dirección\*

Código Postal\*

Estado\*

The screenshot shows the Liverpool website's header, identical to the one above. It includes the Liverpool logo, search bar, user account dropdown, and navigation links like "Mis Compras", "Tiendas", and "Ayuda".



# TS\_SMOKE\_SUITE\_024

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are links for "Mis Compras" (My Purchases), a user greeting "Hola pSQkXjuq", and a notification badge with the number "3". The main content area features a large image of a woman in a beige blazer and pants, smiling. Overlaid on the image is promotional text: "MODA MUJER", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A vertical pink banner on the right says "Te escuchamos". At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_025

## Information

ID Test Cases/ArangeByLogin/AccountManagement/TS\_SMOKE\_SUITE\_025

Description To Verify Logged in user is able to change the password

Tag

Start 07-03-2024 11:24:17 End 07-03-2024 11:25:04

Elapsed 47.067s

Status **PASSED**

## Details

#	Description	Elapsed	Status
1	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.376s	<b>PASSED</b>
2	click(findTestObject("AccountManagement/ChangePassword_Account"))  Object: 'Object Repository/AccountManagement/ChangePassword_Account' is clicked on	9.252s	<b>PASSED</b>
3	click(findTestObject("AccountManagement/ContinueButton_Account"))  Object: 'Object Repository/AccountManagement/ContinueButton_Account' is clicked on	2.944s	<b>PASSED</b>
4	verifyElementPresent(findTestObject("AccountManagement/MailConfirmation_Account"), 0)  Object 'Object Repository/AccountManagement/MailConfirmation_Account' is present	12.090s	<b>PASSED</b>

## TS\_SMOKE\_SUITE\_025

---

#	Description	Elapsed	Status
5	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	22.361s	ERROR

# TS\_SMOKE\_SUITE\_025

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a pink header with the Liverpool logo. Below it, a white box contains a green circular icon with an envelope symbol and the text "Correo electrónico enviado". Below this, a smaller text says "Revisa todas las bandejas, incluyendo la de spam." At the bottom of the white box, there's a navigation bar with links like "Suburbia", "Pottery Barn", "Pottery Barn Kids", "Williams Sonoma", "West Elm", "GAP", "Banana Republic", and "Toys R Us". The main content area features a woman in a light-colored suit. To the right, there's a vertical sidebar with the text "MODA MUJER", "Hasta 50% de descuento", "Adiós al Invierno con un nuevo look", and a "Compra ahora" button. A pink vertical bar on the right says "Te escuchamos". At the very bottom, a cookie consent banner says "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

# TS\_SMOKE\_SUITE\_025

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website's main page. At the top, there's a navigation bar with links to various brands like Suburbia, Pottery Barn, and GAP. A search bar is prominently displayed. The main content features a large image of a woman in a beige outfit. Text overlays on the image promote women's fashion (MODA MUJER), discounts (Hasta 50% de descuento), and a new look for spring (Adiós al invierno con un nuevo look). A call-to-action button says 'Compra ahora'. A vertical pink sidebar on the right says 'Te escuchamos' with a speech bubble icon. At the bottom of the page, there's a cookie consent message: 'Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>'.</p>		

# TS\_SMOKE\_SUITE\_075

---

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_075

Description To Verify the user able to make the C&C collect address as default in OPC

Tag

Start 07-03-2024 11:25:04 End 07-03-2024 11:27:19

Elapsed 2m - 15.028s

Status **PASSED**

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------


# TS\_SMOKE\_SUITE\_075

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.595s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



# TS\_SMOKE\_SUITE\_075


#	Description	Elapsed	Status
2	click(findTestObject("HomePage/MIsCompras_loginUser_HP"))  Object: 'Object Repository/HomePage/MIsCompras_loginUser_HP' is clicked on	0.376s	PASSED
3	click(findTestObject("AccountManagement/DeliveryAddress_Account"))  Object: 'Object Repository/AccountManagement/DeliveryAddress_Account' is clicked on	16.021s	PASSED
4	click(findTestObject("AccountManagement/ClickAndCollectStores_accounts"))  Object: 'Object Repository/AccountManagement/ClickAndCollectStores_accounts' is clicked on	3.534s	PASSED
5	click(findTestObject("OPCPage/3DotButton_Checkout"))  Object: 'Object Repository/OPCPage/3DotButton_Checkout' is clicked on	1.371s	PASSED
6	click(findTestObject("AccountManagement/ClickNCollectionDefault_Account"))  Object: 'Object Repository/AccountManagement/ClickNCollectionDefault_Account' is clicked on	0.350s	PASSED
7	TitleAddress = getText(findTestObject("AccountManagement/ClickNCollectionAddressTitle_Account"))  Text of object 'Object Repository/AccountManagement/ClickNCollectionAddressTitle_Account' is: 'Liverpool Cuautla'	1.671s	PASSED
8	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.361s	PASSED
9	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	13.799s	PASSED

# TS\_SMOKE\_SUITE\_075

---

#	Description	Elapsed	Status
10	<p>click(findTestObject("PLPPage/product-1-DiscountPrice_PLP"), OPTIONAL)</p> <pre>Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product-1-DiscountPrice_PLP'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at TS_SMOKE_SUITE_075.run(TS_SMOKE_SUITE_075:39)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product-1-DiscountPrice_PLP' located by '//ul[@class='m-product__listingPlp']/li[1]/p[@class='a-card-discount']' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	20.499s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550948.run(Script1697733550948.groovy:39) ... 15 more )		
			
11	click(findTestObject("PDPPage/AddToCart_PDP"))	0.392s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
12	click(findTestObject("HomePage/bag_header_HP"))	1.927s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
13	click(findTestObject("CartPage/BuyButton_Cart"))	6.218s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
14	DefaultAddress = getText(findTestObject("OPCPage/DefaultAddress_Checkout"))  Text of object 'Object Repository/OPCPage/DefaultAddress_Checkout' is: 'Liverpool Cuautla Click & Collect Recoge en módulo Cambiar'	12.902s	PASSED

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
15	if (TitleAddress == DefaultAddress)	0.000s	PASSED
16	click(findTestObject("OPCPage/ChangeAddress_Checkout"))  Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	0.761s	PASSED
17	click(findTestObject("OPCPage/AddressPopupCLickNCollect_Checkout"), STOP_ON_FAILURE)  Object: 'Object Repository/OPCPage/AddressPopupCLickNCollect_Checkout' is clicked on	2.804s	PASSED
18	verifyElementPresent(findTestObject("OPCPage/CheckAddressDefault_Checkout"), 0)  Object 'Object Repository/OPCPage/CheckAddressDefault_Checkout' is present	0.443s	PASSED
19	verifyElementPresent(findTestObject("OPCPage/ClickNCollectionRadioButton_Checkout"), 0)  Object 'Object Repository/OPCPage/ClickNCollectionRadioButton_Checkout' is present	0.319s	PASSED
20	click(findTestObject("OPCPage/Address_PopUP_option1_opc"))  Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	0.562s	PASSED
21	click(findTestObject("OPCPage/radiobtn1_addressPopup_OPc"))  Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OPc' is clicked on	0.557s	PASSED
22	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.547s	PASSED

## TS\_SMOKE\_SUITE\_075

---

#	Description	Elapsed	Status
23	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	37.910s	ERROR

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays the following information:

- Utilizar datos de entrega como predeterminado
- 1. Entrega**: NOMBRE: 123, 123, SAN MATEO TLALTEANGO, 05600, santa fe, DISTRITO FEDERAL. Cambiar
- 2. Forma de Pago**: VISA tryssdsg \*2569. Cambiar. Fecha de vencimiento: MM/AA\*. Código de seguridad: CVV\*.
- Resumen de compra**:
  - Tienes un cupón disponible en tu bolsa [Ver cupones](#)
  - Cupones (1 disponible) >
  - Subtotal (4 productos): \$2,676.00
  - Descuento: \$869.70
  - Cupones: \$0.00

At the bottom, there are navigation links like Suburba, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, Toys R Us, Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a sign-in message "Hola pSQkXjuq".

The screenshot shows a promotional banner for men's fashion. It features a man with a beard in a light-colored suit and a striped shirt. The text on the banner reads:

**MODA HOMBRE**  
Hasta 50% de descuento  
Adiós al invierno con un nuevo look  
[Compra ahora](#)

At the bottom of the banner, there's a cookie consent message: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

# TS\_SMOKE\_SUITE\_075

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" (My Purchases), a user greeting "Hola pSQkXjuq", and a notification badge with the number "4". The main content area features a large image of a smiling man with a beard wearing a light blue blazer over a white and blue striped shirt. The background has a dark, textured pattern. Text overlays include "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A cookie consent message at the bottom left states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_072

---

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_072		
Description	To verify the functionality of adding a new Personal shipping address in OPC flow for logged in user		
Tag			
Start	07-03-2024 11:27:19	End	07-03-2024 11:29:25
Elapsed	2m - 6.396s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------


## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:22)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.383s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>		



## TS\_SMOKE\_SUITE\_072


---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
2	<p>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</p> <pre>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:310)     at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at TS_SMOKE_SUITE_072.run(TS_SMOKE_SUITE_072:24)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/CartPage/Product1_remove_cart'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.</pre>	22.361s	PASSED

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>The screenshot shows a Liverpool website page. At the top, there's a navigation bar with links for Categorías, Mesa de regalos, Mi crédito, Servicios, Tiendas, Ayuda, and a user account section. A search bar is also present. Below the navigation, a green notification bar says "Se eliminaron artículos de tu bolsa." (Articles removed from your bag.). The main content area displays a message "No hay artículos en tu bolsa" (There are no articles in your bag) with a "Continuar comprando" (Continue shopping) button. At the bottom, there's a footer with links for Soporte al cliente, Servicios Liverpool, Ventas Corporativas, Sostenibilidad, Facturación, Crédito, Acerca de Liverpool, Promociones, Ayuda, Tiempo aire, Bolsa de trabajo, Venta Nocturna, Mis compras, Concursos y promociones, ¿Quiénes somos?, Buen fin, Garantías Liverpool, Diseño de Interiores, Relación con inversionistas, Venta Nocturna, and a newsletter sign-up section.</p>		

## TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	9.002s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
4	click(findTestObject("PDPPage/AddToCart_pdp"))	16.578s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_pdp' is clicked on			
5	click(findTestObject("HomePage/Cart_header"))	4.996s	PASSED
Object: 'Object Repository/HomePage/Cart_header' is clicked on			
6	click(findTestObject("CartPage/BuyButton_Cart"))	5.550s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
7	click(findTestObject("OPCPage/ChangeAddress_Checkout"))	5.186s	PASSED
Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on			
8	click(findTestObject("OPCPage/AddAddressButtonPopup_checkout"))	3.266s	PASSED
Object: 'Object Repository/OPCPage/AddAddressButtonPopup_checkout' is clicked on			
9	StoreValue = "AUTOMATION" + RandomStringUtils.randomAlphabetic(8)	0.000s	PASSED
10	out.println(StoreValue)	0.000s	PASSED
11	Name = "TestQA"	0.000s	PASSED

## TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
12	TempAddress = Name	0.000s	PASSED
13	setText(findTestObject("OPCPage/name_addaddress_opc"), Name)  Text 'TestQA' is set on object 'Object Repository/OPCPage/name_addaddress_opc'	2.486s	PASSED
14	setText(findTestObject("OPCPage/shortName_addAddress_opc"), StoreValue)  Text 'AUTOMATIONNPtsoeAO' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	0.858s	PASSED
15	setText(findTestObject("OPCPage/mothersLastName_addAddress_opc"), MotherName)  Text 'Test ' is set on object 'Object Repository/OPCPage/mothersLastName_addAddress_opc'	0.972s	PASSED
16	setText(findTestObject("OPCPage/Lastname_Address_OPc"), MotherName)  Text 'Test ' is set on object 'Object Repository/OPCPage/Lastname_Address_OPc'	1.129s	PASSED
17	callTestCase(findTestCase("CommonMethods/SaveAddressOPC"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SaveAddressOPC' successfully	10.687s	PASSED
18	click(findTestObject("OPCPage/ContinueButtonAddcard_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddcard_Checkout' is clicked on	0.596s	PASSED
19	waitForPageLoad(0)  Wait for page load successfully	0.015s	PASSED
20	ShortName = getText(findTestObject("OPCPage/currentDeliveryAddress_OPc"), STOP_ON_FAILURE)  Text of object 'Object Repository/OPCPage/currentDeliveryAddress_OPc' is: 'AUTOMATIONNPtsoeAO'	5.606s	PASSED

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
21	if (StoreValue == ShortName)	0.000s	PASSED

## TS\_SMOKE\_SUITE\_072

---

#	Description	Elapsed	Status
22	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.409s	ERROR

# TS\_SMOKE\_SUITE\_072


#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows a Liverpool website page. At the top, there's a yellow banner with a warning icon and the text: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, a modal window titled "Confirma tu compra" displays a summary of the purchase. It includes a checkbox for "Utilizar datos de entrega como predeterminado", a section for "1. Entrega" with a recipient name and address, and a section for "2. Forma de Pago" with payment method details. To the right, a "Resumen de compra" box shows the subtotal (\$669.00), discount (\$217.43), and coupons (\$0.00). A link to "Ver cupones" is also present.

The screenshot shows the Liverpool website's header. It features the Liverpool logo, a search bar with the placeholder "Buscar por producto, marca y más...", and a user profile section with the message "Hola pSQkXjuq". Navigation links include "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", and "Ayuda". A "BYD" link is also visible.

The screenshot shows a promotional banner for women's fashion. It features a woman in a light-colored suit sitting on a chair, with the text "MODA MUJER" and "Hasta 50% de descuento". Below this, it says "Adiós al Invierno con un nuevo look" and "Compra ahora". A small "BB" logo is in the bottom right corner. At the bottom of the page, a cookie consent message reads: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#)".

# TS\_SMOKE\_SUITE\_072

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below the navigation bar is a search bar with the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" (My Purchases), a user greeting "Hola pSQkXjuq", and a shopping cart icon with the number "1". The main content area features a large image of a woman in a beige blazer and pants, smiling. To her left is a potted plant and a floor lamp. To her right is a lamp on a stand. A promotional banner overlay on the right side of the image reads "MODA MUJER" (Women's Fashion) in large letters, followed by "Hasta 50% de descuento" (Up to 50% discount) and "Adiós al invierno con un nuevo look" (Say goodbye to winter with a new look). Below this text is a "Compra ahora" (Buy now) button. At the bottom of the page, a cookie consent message states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" (By navigating on this site, you accept the use of cookies, which help us improve your browsing experience. <a href="#">More information</a>) with a close button "X" to its right.</p>		

# TS\_SMOKE\_SUITE\_073

---

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_073		
Description	To verify the functionality of editing the Personal shipping address in checkout flow for logged in user		
Tag			
Start	07-03-2024 11:29:25	End	07-03-2024 11:31:25
Elapsed	2m - 0.441s		
Status	FAILED		

## Details


#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_073

---

#	Description	Elapsed	Status
1	<pre>callTestCase(findTestCase("CommonMethods/login_odtaqab"), [], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/login_odtaqab' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/login_odtaqab' failed  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:20)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/HomePage/Iniciar sesion'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	11.335s	PASSED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)     at login_odtaqab.run(login_odtaqab:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/Iniciar sesion' located by '//span[contains (text(),'Iniciar sesión')]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre> 		

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
2	waitForPageLoad(0)  Wait for page load successfully	0.016s	PASSED
3	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.392s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	9.966s	PASSED
5	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	16.481s	PASSED
6	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	5.184s	PASSED
7	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	2.538s	PASSED
8	click(findTestObject("OPCPage/ChangeAddress_Checkout"))  Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	5.463s	PASSED
9	click(findTestObject("OPCPage/3DotButton2_Checkout"))  Object: 'Object Repository/OPCPage/3DotButton2_Checkout' is clicked on	1.526s	PASSED
10	click(findTestObject("OPCPage/EditAddress_Checkout"))  Object: 'Object Repository/OPCPage/EditAddress_Checkout' is clicked on	0.466s	PASSED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
11	setText(findTestObject("OPCPage/shortName_addAddress_opc"), ShortName)  Text 'NewTest12345' is set on object 'Object Repository/OPCPage/shortName_addAddress_opc'	3.329s	PASSED
12	waitForPageLoad(0)  Wait for page load successfully	0.016s	PASSED
13	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.438s	PASSED
14	enhancedClick(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"), OPTIONAL)  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	2.549s	PASSED
15	delay(5)  Delayed 5 second(s)	5.013s	PASSED
16	click(findTestObject("HomePage/Logo_hp"), STOP_ON_FAILURE)  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	14.441s	PASSED
17	mouseOver(findTestObject("HomePage/span_HolaUser_hp"))  Object: 'Object Repository/HomePage/span_HolaUser_hp' is hovered	2.725s	PASSED

## TS\_SMOKE\_SUITE\_073


---

#	Description	Elapsed	Status
18	<pre>click(findTestObject("HomePage/myAccount_hp"))  Unable to click on object 'Object Repository/HomePage/myAccount_hp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/myAccount_hp'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659)     at TS_SMOKE_SUITE_073.run(TS_SMOKE_SUITE_073:59)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/HomePage/myAccount_hp' located by ' //div[2]/div/ul//a[.= 'Mi Cuenta']' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	12.901s	FAILED

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
)	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659) at Script1697733550942.run(Script1697733550942.groovy:59) ... 15 more		

Suburbia Pottery Barn Pottery Barn Kids Williams Sonoma West Elm GAP Banana Republic Toys R Us



Buscar por producto, marca y más... Mis Compras Hola pS0kXjuq 2

Categorías Mesa de regalos Mi crédito Servicios Tiendas Ayuda BYD

Mi tienda - Liverpool ...

Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. [Más información](#) X

# TS\_SMOKE\_SUITE\_073


---

#	Description	Elapsed	Status
19	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	25.547s	ERROR

# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to various brands like Suburbia, Pottery Barn, Williams Sonoma, etc. Below the navigation is a search bar with placeholder text "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" and a user profile icon. Further right is a notification badge with the number "2". The main banner features a woman in a beige suit sitting on a chair, with promotional text "MODA MUJER", "Hasta 50% de descuento", and "Adiós al Invierno con un nuevo look". A "Compra ahora" button is also visible.



# TS\_SMOKE\_SUITE\_073

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_076

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_076

Description To verify the display of payment page for the for logged in user

Tag

Start 07-03-2024 11:31:25 End 07-03-2024 11:34:37

Elapsed 3m - 11.047s

Status PASSED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.230s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PDPPage/AddToCart_PDP"))	17.430s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
3	click(findTestObject("HomePage/bag_header_HP"))	3.970s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
4	click(findTestObject("CartPage/BuyButton_Cart"))	3.024s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
5	callTestCase(findTestCase("CommonMethods/assert_OPCTestCase"), [], STOP_ON_FAILURE)	5.116s	PASSED
Call Test Case 'Test Cases/CommonMethods/assert_OPCTestCase' successfully			

# TS\_SMOKE\_SUITE\_076


#	Description	Elapsed	Status
6	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	2m - 33.153s	ERROR

# TS\_SMOKE\_SUITE\_076

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 23 more</pre>		

The screenshot shows the Liverpool website interface. At the top, there is a navigation bar with the Liverpool logo and a search bar. Below the navigation, a yellow banner displays a message: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". The main content area is titled "Confirma tu compra". It includes three sections: "1. Entrega" (Delivery) showing a placeholder address; "2. Forma de Pago" (Payment Method) showing a VISA card with number \*3065; and "3. Artículos y promociones" (Articles and promotions) showing a table with columns: Nombre (Name), Precio (Price), Cantidad (Quantity), and Total. To the right of these sections is a "Resumen de compra" (Purchase Summary) box. This summary box contains a promotional message: "Tienes un cupón disponible en tu bolsa" (You have a coupon available in your bag) with a "Ver cupones" (View coupons) link. Below this is a "Cupones" (Coupons) section with "(1 disponible)" (1 available). The summary also lists the subtotal (\$2,007.00), discount (\$652.28), and total (\$0.00). At the bottom of the page, there is a large promotional banner for "MODA MUJER" (Women's Fashion) featuring a woman in a beige outfit. The banner includes text: "Hasta 50% de descuento" (Up to 50% discount), "Adiós al invierno con un nuevo look" (Goodbye winter with a new look), and a "Compra ahora" (Buy now) button. Below the banner, there are two financing options: "6 MESES SIN INTERESES" (6 months interest-free) and "3 MESES SIN INTERESES" (3 months interest-free).

# TS\_SMOKE\_SUITE\_076

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_077

---

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_077

Description To verify the functionality of new adding card in checkout flow for logged in user

Tag

Start 07-03-2024 11:34:37 End 07-03-2024 11:36:23

Elapsed 1m - 45.984s

Status FAILED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	20.294s	PASSED

[Call Test Case 'Test Cases/CommonMethods/SearchForAProduct\\_search' successfully](#)


## TS\_SMOKE\_SUITE\_077

---

#	Description	Elapsed	Status
2	<p>click(findTestObject("PDPPage/AddToCart_PDP"))</p> <pre>Unable to click on object 'Object Repository/PDPPage/AddToCart_PDP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PDPPage/AddToCart_PDP'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:659)     at TS_SMOKE_SUITE_077.run(TS_SMOKE_SUITE_077:23)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PDPPage/AddToCart_PDP' located by '//*[@contains(text(), "Agregar a mi bolsa"))][3]' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	30.429s	FAILED

# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
)	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1697733550959.run(Script1697733550959.groovy:23) ... 15 more		



# TS\_SMOKE\_SUITE\_077

---

#	Description	Elapsed	Status
3	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	55.177s	ERROR


# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a product page for men's Vans sneakers. At the top, there's a navigation bar with categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas' (selected), 'Ayuda', and a user profile 'Hola pSQkXjuq'. Below the navigation is a breadcrumb trail: 'Home > Deportes > Zapatos > Él > Casual'. The main content features a large image of the shoes, the product name 'Tenis para Caballero Vans', and a price of '\$669.00 \$451.58'. A 'Comprar' button is visible on the right. The page also includes a sidebar for delivery options and a 'Guardar en Wishlist' button.



# TS\_SMOKE\_SUITE\_077

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_078

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_078

Description To verify the display of Order confirmation page for logged in user

Tag

Start 07-03-2024 11:36:23 End 07-03-2024 11:39:02

Elapsed 2m - 39.341s

Status FAILED

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":"collec"], STOP_ON_FAILURE)	27.069s	PASSED
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	click(findTestObject("PLPPage/product1_cardPrice_PLP"))	11.761s	PASSED
Object: 'Object Repository/PLPPage/product1_cardPrice_PLP' is clicked on			
3	click(findTestObject("PDPPage/AddToCart_PDP"))	24.042s	PASSED
Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on			
4	click(findTestObject("HomePage/bag_header_HP"))	9.094s	PASSED
Object: 'Object Repository/HomePage/bag_header_HP' is clicked on			
5	click(findTestObject("CartPage/BuyButton_Cart"))	6.054s	PASSED
Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on			
6	click(findTestObject("OPCPage/paymentMethod_change_OPCC"))	6.986s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_change_OPCC' is clicked on			
7	click(findTestObject("OPCPage/paymentMethod_button3_OPCC"))	9.645s	PASSED
Object: 'Object Repository/OPCPage/paymentMethod_button3_OPCC' is clicked on			

## TS\_SMOKE\_SUITE\_078

---

#	Description	Elapsed	Status
8	click(findTestObject("OPCPage/Continue_payment_3rdmethod_OP"))  Object: 'Object Repository/OPCPage/Continue_payment_3rdmethod_OP' is clicked on	3.331s	PASSED
9	delay(5)  Delayed 5 second(s)	5.013s	PASSED
10	click(findTestObject("OPCPage/Final_comparar_OP"))  Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	19.467s	PASSED

# TS\_SMOKE\_SUITE\_078

---


#	Description	Elapsed	Status
11	<p>click(findTestObject("HomePage/logo_confirmPage"))</p> <pre>Unable to click on object 'Object Repository/HomePage/logo_confirmPage' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/HomePage/logo_confirmPage'     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at TS_SMOKE_SUITE_078.run(TS_SMOKE_SUITE_078:40)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;img class="a-header__logo" id="promotions__banner" alt="Liverpool Logo" title="Liverpool Logo" src="https://assetsdtaqa.liverpool.com. mx/assets/images/logos/liverpool-logo.svg"&gt; is not clickable at point (102, 20). Other element would receive the click: &lt;div class=" m-mdc__snackBarLabel mdc-snackbar__label" id="" role="status" aria-live="polite"&gt;...&lt;/div&gt; (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:</pre>	13.536s	FAILED

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
1	<pre>122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir31084_1100, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:53249}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 8716eab2688980c60a893cdcc1030b0e     at jdk.internal.reflect.GeneratedConstructorAccessor46.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.WebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.WebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)         at org.openqa.selenium.WebElement\$click.call(Unknown Source)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute</pre>		

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
)	(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659) at Script1697733550965.run(Script1697733550965.groovy:40) ... 15 more		



The screenshot shows a confirmation page for a purchase. At the top, there is a message: "Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas". Below this, the page title is "Confirma tu compra". There are two main sections: "1. Entrega" and "2. Forma de Pago". Under "1. Entrega", the delivery address is listed as "Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA". Under "2. Forma de Pago", the payment method is "Efectivo". A note at the bottom of this section states: "IMPORTANTE: Esta solicitud de pedido es válida únicamente antes del 07 Mar 2024/23:59:59 el establecimiento puede cobrar comisión por realizar tu pago. El establecimiento puede cobrar comisión por realizar tu pago." To the right, there is a "Resumen de compra" (Purchase Summary) table:



Resumen de compra	
-	
Tienes un cupón disponible en tu bolsa	
<a href="#">Ver cupones</a>	
Cupones (1 disponible)	
Subtotal (4 productos):	\$3,516.00
Descuento:	\$1,200.00
Cupones:	9
Costo de envío:	Gratis

## TS\_SMOKE\_SUITE\_078

---

#	Description	Elapsed	Status
12	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.263s	ERROR

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more</pre>  <p>Confirma tu compra</p> <p>1. Entrega</p> <p>AUTOMATIONBTmkqYse <a href="#">Cambiar</a> Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>Efectivo <a href="#">Cambiar</a></p> <p><b>IMPORTANTE:</b> Esta solicitud de pedido es válida únicamente antes del 07 Mar 2024/23:59:59 el establecimiento puede cobrar comisión por realizar tu pago. El establecimiento puede cobrar comisión por realizar tu pago.</p>  <p>Confirma tu compra</p> <p>1. Entrega</p> <p>AUTOMATIONBTmkqYse <a href="#">Cambiar</a> Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p>2. Forma de Pago</p> <p>Efectivo <a href="#">Cambiar</a></p> <p><b>IMPORTANTE:</b> Esta solicitud de pedido es válida únicamente antes del 07 Mar 2024/23:59:59 el establecimiento puede cobrar comisión por realizar tu pago. El establecimiento puede cobrar comisión por realizar tu pago.</p>		

# TS\_SMOKE\_SUITE\_078

#	Description	Elapsed	Status
	<p> <b>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</b></p> <p><b>Confirma tu compra</b></p> <p><input type="checkbox"/> Utilizar datos de forma de pago como predeterminado</p> <p><b>1. Entrega</b></p> <p><b>AUTOMATIONBTmkqYse</b> <a href="#">Cambiar</a></p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p><b>2. Forma de Pago</b></p> <p>Efectivo <a href="#">Cambiar</a></p> <p><b>IMPORTANTE:</b> Esta solicitud de pedido es válida únicamente antes del 07 Mar 2024/23:59:59 el establecimiento puede cobrar comisión por realizar tu pago.</p> <p>El establecimiento puede cobrar comisión por realizar tu pago.</p> <p> <b>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</b></p> <p><b>Resumen de compra</b></p> <p></p> <p>Tienes un cupón disponible en tu bolsa <a href="#">Ver cupones</a></p> <p><b>Cupones (1 disponible)</b> <a href="#">&gt;</a></p> <p>Subtotal (4 productos): \$3,516.00 Descuento: \$1.20 Cupones: \$0.00 Costo de envío: Gratis</p>		
	<p> <b>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</b></p> <p><b>Confirma tu compra</b></p> <p><input type="checkbox"/> Utilizar datos de forma de pago como predeterminado</p> <p><b>1. Entrega</b></p> <p><b>AUTOMATIONBTmkqYse</b> <a href="#">Cambiar</a></p> <p>Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA</p> <p><b>2. Forma de Pago</b></p> <p>Efectivo <a href="#">Cambiar</a></p> <p><b>IMPORTANTE:</b> Esta solicitud de pedido es válida únicamente antes del 07 Mar 2024/23:59:59 el establecimiento puede cobrar comisión por realizar tu pago.</p> <p>El establecimiento puede cobrar comisión por realizar tu pago.</p> <p> <b>Dirección no registrada en tu mesa de regalos, las compras que realices no serán asociadas</b></p> <p><b>Resumen de compra</b></p> <p></p> <p>Tienes un cupón disponible en tu bolsa <a href="#">Ver cupones</a></p> <p><b>Cupones (1 disponible)</b> <a href="#">&gt;</a></p> <p>Subtotal (4 productos): \$3,516.00 Descuento: \$1.20 Cupones: \$0.00 Costo de envío: Gratis</p>		

# TS\_SMOKE\_SUITE\_080

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_080
Description	To verify that the display of the applied Coupon details in the order success page

Tag

Start	07-03-2024 11:39:02	End	07-03-2024 11:44:15
Elapsed	5m - 13.488s		
Status	PASSED		


## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.558s	PASSED
2	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	1m - 30.001s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], OPTIONAL)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	30.744s	PASSED
4	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), [{"searchTerm":Single_SKU_PDP}], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	1m - 16.441s	PASSED
5	waitForPageLoad(0)  Wait for page load successfully	0.012s	PASSED

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
6	<p>click(findTestObject("PLPPage/product1_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_PLP'</p> <pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at TS_SMOKE_SUITE_080.run(TS_SMOKE_SUITE_080:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_PLP' located by '//li[@class='m-product__card card-masonry a'][1]' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement(WebUiCommonHelper.java:1426) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call(ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</pre>	21.173s	PASSED

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550970.run(Script1697733550970.groovy:32) ... 15 more )		
7		0.014s	PASSED
7	waitForPageLoad(0)	0.014s	PASSED
	Wait for page load successfully		
8	click(findTestObject("PDPPage/AddToCart_PDP"))	3.066s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
9	click(findTestObject("HomePage/bag_header_HP"))	5.413s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
10	click(findTestObject("CartPage/BuyButton_Cart"))	17.586s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
11	click(findTestObject("OPCPage/paymentMethod_change_OPB"), OPTIONAL)	5.895s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OPB' is clicked on		

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
12	click(findTestObject("OPCPage/paymentMethod_button1_OPC"), OPTIONAL)  Object: 'Object Repository/OPCPage/paymentMethod_button1_OPC' is clicked on	1.563s	PASSED
13	setText(findTestObject("OPCPage/enterCardCVV_OPC"), "413", OPTIONAL)  Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPC'	0.865s	PASSED
14	setText(findTestObject("OPCPage/enterCardExpire_OPC"), "1225", OPTIONAL)  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPC'	1.044s	PASSED
15	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL)  Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.757s	PASSED
16	j = getText(findTestObject("OPCPage/Page_/TotalPrice_opc"))  Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$2,711.70'	3.112s	PASSED
17	j1 = replace("\$", "").replace(",", "")	0.003s	PASSED
18	a = getText(findTestObject("OPCPage/coupon_pricevalue_OPC"))  Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$0.00'	0.343s	PASSED
19	a1 = replace("\$", "").replace(",", "")	0.001s	PASSED
20	click(findTestObject("OPCPage/coupon_button_OPC"))  Object: 'Object Repository/OPCPage/coupon_button_OPC' is clicked on	0.392s	PASSED
21	click(findTestObject("OPCPage/couon1_utilize_OPC"))  Object: 'Object Repository/OPCPage/couon1_utilize_OPC' is clicked on	0.714s	PASSED

## TS\_SMOKE\_SUITE\_080

---

#	Description	Elapsed	Status
22	b = getText(findTestObject("OPCPage/coupon_pricevalue_OPC"))  Text of object 'Object Repository/OPCPage/coupon_pricevalue_OPC' is: '\$135.58'	3.097s	PASSED
23	b1 = replace("\$", "").replace(",", "")	0.001s	PASSED
24	out.println(a1)	0.001s	PASSED
25	out.println(b1)	0.000s	PASSED
26	if (a1 != b1)	0.001s	PASSED
27	k = getText(findTestObject("OPCPage/Page_/TotalPrice_opc"))  Text of object 'Object Repository/OPCPage/Page_/TotalPrice_opc' is: '\$2,576.12'	0.302s	PASSED
28	k1 = replace("\$", "").replace(",", "")	0.001s	PASSED
29	out.println(j1)	0.000s	PASSED
30	out.println(k1)	0.001s	PASSED
31	if (j1 >= k1)	0.000s	PASSED

## TS\_SMOKE\_SUITE\_080

---

#	Description	Elapsed	Status
32	click(findTestObject("OPCPage/Final_comparar_OP"))  Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	0.356s	PASSED
33	delay(15)  Delayed 15 second(s)	15.012s	PASSED
34	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	1.845s	PASSED

## TS\_SMOKE\_SUITE\_080


---

#	Description	Elapsed	Status
35	Start listener action : sampleAfterTestCase	31.943s	ERROR
	<pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>		
95			
106			
180			

# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It features a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The Liverpool logo is prominently displayed. A search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" and a user profile icon. Below the header, there's a promotional banner for men's fashion (MODA HOMBRE) featuring a man in a light blue suit and striped shirt, with text about discounts and a call-to-action button.



# TS\_SMOKE\_SUITE\_080

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_082

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_082
Description	To verify the functionality of editing the card in checkout flow for loggedin user

Tag

Start	07-03-2024 11:44:15	End	07-03-2024 11:46:53
Elapsed	2m - 37.418s		
Status	FAILED		

## Details


#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.031s	PASSED
2	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	21.740s	PASSED
3	callTestCase(findTestCase("CommonMethods/login_odtaqab"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/login_odtaqab' successfully	16.721s	PASSED

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
4	<pre>callTestCase(findTestCase("CommonMethods/EmptyCart_RunAt_HP"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/EmptyCart_RunAt_HP' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:26)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object  'Object Repository/CartPage/Product1_remove_cart'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. </p>	31.102s	PASSED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	<pre>groovy:74)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)     at EmptyCart_RunAt_HP.run(EmptyCart_RunAt_HP:47)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 137)     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_.callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)     ... 24 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/CartPage/Product1_remove_cart' located by '//*[@button [contains(text(), 'Eliminar')]]/1' not found     at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElement (WebUiCommonHelper.java:1426)     at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1. doCall(ClickKeyword.groovy:65)     at com.kms.katalon.core.keyword.builtin.ClickKeyword\$_.click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 38 more )</pre>  <p>Mi Bolsa</p> <p>No hay artículos en tu bolsa</p> <p>Continuar comprando</p> <p>Soporte al cliente</p> <p>Servicios Liverpool</p> <p>Ventas Corporativas</p> <p>Sostenibilidad</p> <p>Facturación</p> <p>Crédito</p> <p>Acerca de Liverpool</p> <p>Promociones</p> <p>Ayuda</p> <p>Tiempo aire</p> <p>Bolsa de trabajo</p> <p>Venta Nocturna</p> <p>Mis compras</p> <p>Concursos y promociones</p> <p>¿Quiénes somos?</p> <p>Buen fin</p> <p>Garantías Liverpool</p> <p>Diseño de Interiores</p> <p>Relación con inversionistas</p> <p>Venta Nocturna</p> <p>Suscríbete a nuestro Newsletter</p> <p>Ventas por teléfono 55 5262-9999</p> <p>Desde tu celular *7171</p> <p>Contactanos vía WhatsApp o por Teléfono al 5552629999</p>		

## TS\_SMOKE\_SUITE\_082

---


#	Description	Elapsed	Status
5	click(findTestObject("HomePage/Logo_hp"))  Object: 'Object Repository/HomePage/Logo_hp' is clicked on	0.366s	PASSED
6	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	13.541s	PASSED

# TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
7	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:33)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	20.450s	PASSED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550977.run(Script1697733550977.groovy:33) ... 15 more )		
8	 click(findTestObject("PDPPage/AddToCart_PDP"))	3.141s	PASSED
9	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on  click(findTestObject("HomePage/bag_header_HP"))	4.084s	PASSED
10	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on  click(findTestObject("CartPage/BuyButton_Cart"))	2.098s	PASSED
11	Object: 'Object Repository/OPCPage/paymentMethod_change_OPC' is clicked on  click(findTestObject("OPCPage/paymentMethod_change_OPC"))	7.508s	PASSED
12	Scroll to object 'Object Repository/OPCPage/card3_Option_OPC' successfully  scrollToElement(findTestObject("OPCPage/card3_Option_OPC"), 0)	2.342s	PASSED

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
13	click(findTestObject("OPCPage/card3_Option_OPc"))  Object: 'Object Repository/OPCPage/card3_Option_OPc' is clicked on	0.367s	PASSED
14	waitForElementPresent(findTestObject("OPCPage/option2DropDown_editos_card_OPc"), 0)  Object 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is present	0.461s	PASSED
15	click(findTestObject("OPCPage/option2DropDown_editos_card_OPc"))  Object: 'Object Repository/OPCPage/option2DropDown_editos_card_OPc' is clicked on	0.385s	PASSED

## TS\_SMOKE\_SUITE\_082


---

#	Description	Elapsed	Status
16	<p>sendKeys(findTestObject("OPCPage/AddressSection_card_popup_enterPINCODE_OP"), Keys.chord(CONTROL, "a"))</p> <p><b>Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP'</b> (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to send keys 'a' to object 'Object Repository/OPCPage/AddressSection_card_popup_enterPINCODE_OP')</p> <pre> at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60) at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903) at TS_SMOKE_SUITE_082.run(TS_SMOKE_SUITE_082:52) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=122.0.6261.95) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700..., user DataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_15400}, fedcm:accounts: true, goog: </pre>	5.697s	FAILED

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:55052}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 88f3de56c563106e39926a31479962f0     at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.sendKeys (RemoteWebElement.java:106)         at jdk.internal.reflect.GeneratedMethodAccessor34.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)             at jdk.proxy2/jdk.proxy2.\$Proxy26.sendKeys(Unknown Source)             at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429)             at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.doCall(SendKeysKeyword.groovy:53)             at com.kms.katalon.core.webui.keyword.builtin. SendKeysKeyword\$_sendKeys_closure1.call(SendKeysKeyword.groovy)             at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)             at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.sendKeys (SendKeysKeyword.groovy:60)             at com.kms.katalon.core.webui.keyword.builtin.SendKeysKeyword.execute (SendKeysKeyword.groovy:38)             at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)             at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.sendKeys (WebUiBuiltInKeywords.groovy:903)             at Script1697733550977.run(Script1697733550977.groovy:52)             ... 15 more )</pre>		

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	 <p>The screenshot shows a payment selection interface for Liverpool. The main title is "Selecciona una forma de pago". A sub-section titled "Datos del tarjetahabiente" contains a field for "Nombre completo" with the value "vedant". There is also a checkbox for "Establecer tarjeta como predeterminada". Below this is a section for "Dirección asociada a la tarjeta". At the bottom right are "Regresar" and "Continuar" buttons.</p>		

## TS\_SMOKE\_SUITE\_082

---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	26.215s	ERROR

# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows a Liverpool website page. At the top, there's a pink header with the Liverpool logo and a help icon. Below it, a modal window titled 'Resumen de compra' displays a shopping cart icon, a message about a coupon, and a link to 'Ver cupones'. To the left of the modal, there are sections for delivery address (Regina Street, 1231232342, CUAUHTEMOC NORTE, 21200, san fransisco, BAJA CALIFORNIA) and payment method (Visa card ending in \*3065). Further down, there's a section for 'Artículos y promociones' with a grid of brand names: Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. A search bar at the bottom left contains the placeholder 'Buscar por producto, marca y más...'.



# TS\_SMOKE\_SUITE\_082

#	Description	Elapsed	Status
	 <p>The screenshot shows the Liverpool website homepage. At the top, there is a navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. The main search bar contains the placeholder "Buscar por producto, marca y más...". To the right of the search bar are "Mis Compras" (My Purchases), a user greeting "Hola pSQkXjuq", and a shopping cart icon with the number "1". Below the search bar, there are links for "Categorías", "Mesa de regalos", "Mi crédito", "Servicios", "Tiendas", "Ayuda", and "Mi tienda - Liverpool ...". A banner at the bottom of the page features a male model with a beard wearing a light blue blazer over a striped shirt. The banner text includes "MODA HOMBRE", "Hasta 50% de descuento", "Adiós al invierno con un nuevo look", and a "Compra ahora" button. A cookie consent message at the bottom left states: "Al navegar en este sitio aceptas el uso de cookies, las cuales nos ayudan a mejorar tu experiencia de navegación. <a href="#">Más información</a>" with a close button "X".</p>		

# TS\_SMOKE\_SUITE\_083

---

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_083

Description To verify the display of Order confirmation page for loggedin user

Tag

Start 07-03-2024 11:46:53 End 07-03-2024 11:48:58

Elapsed 2m - 5.647s

Status **PASSED**

## Details


#	Description	Elapsed	Status
1	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)	8.366s	<b>PASSED</b>
Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully			
2	waitForPageLoad(0)	0.015s	<b>PASSED</b>
Wait for page load successfully			

# TS\_SMOKE\_SUITE\_083

---

#	Description	Elapsed	Status
3	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_083.run(TS_SMOKE_SUITE_083:25)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement (WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	13.387s	PASSED

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550984.run(Script1697733550984.groovy:25) ... 15 more )		
4		2.429s	PASSED
4	click(findTestObject("PDPPage/AddToCart_PDP"))  Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on	2.429s	PASSED
5	click(findTestObject("HomePage/bag_header_HP"))  Object: 'Object Repository/HomePage/bag_header_HP' is clicked on	3.856s	PASSED
6	click(findTestObject("CartPage/BuyButton_Cart"))  Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on	5.401s	PASSED
7	click(findTestObject("OPCPage/ChangeAddress_Checkout"))  Object: 'Object Repository/OPCPage/ChangeAddress_Checkout' is clicked on	7.132s	PASSED
8	click(findTestObject("OPCPage/Address_PopUP_option1_opc"))  Object: 'Object Repository/OPCPage/Address_PopUP_option1_opc' is clicked on	1.600s	PASSED

# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
9	click(findTestObject("OPCPage/radiobtn1_addressPopup_OP"))  Object: 'Object Repository/OPCPage/radiobtn1_addressPopup_OP' is clicked on	0.384s	PASSED
10	click(findTestObject("OPCPage/ContinueButtonAddAddress_Checkout"))  Object: 'Object Repository/OPCPage/ContinueButtonAddAddress_Checkout' is clicked on	0.400s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OP"), "1225")  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OP'	4.802s	PASSED
12	setText(findTestObject("OPCPage/enterCardCVV_OP"), "805")  Text '805' is set on object 'Object Repository/OPCPage/enterCardCVV_OP'	1.043s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OP"))  Object: 'Object Repository/OPCPage/Final_comparar_OP' is clicked on	2.748s	PASSED
14	delay(10)  Delayed 10 second(s)	10.007s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)  Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	29.732s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.729s	PASSED

## TS\_SMOKE\_SUITE\_083


---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	33.489s	ERROR


# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		

The screenshot shows the Liverpool website's header. It features a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with a Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and user account links for 'Mis Compras' and 'Hola pSQkXjuq'. A notification icon with the number '6' is also present. The main content area features a large banner for 'MODA HOMBRE' with a man in a suit, a discount offer of 'Hasta 50% de descuento', and a 'Compra ahora' button.



# TS\_SMOKE\_SUITE\_083

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_086

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_086		
Description	To verify logged in user is able to place order for Softline item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 11:48:58	End	07-03-2024 11:51:10
Elapsed	2m - 11.706s		
Status	PASSED		



## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	11.937s	PASSED
2	waitForPageLoad(0)  Wait for page load successfully	0.034s	PASSED
3	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	9.737s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:27)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	17.025s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:27) ... 15 more )		
5		3.043s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		4.673s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.535s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		3.588s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.595s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button2_OP' is clicked on		

## TS\_SMOKE\_SUITE\_086

---

#	Description	Elapsed	Status
---	-------------	---------	--------

# TS\_SMOKE\_SUITE\_086

---


#	Description	Elapsed	Status
10	<p>click(findTestObject("OPCPage/label_Cambiar_payment_opc"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/OPCPage/label_Cambiar_payment_opc'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.  groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute  (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click  (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:39)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: org.openqa.selenium.ElementClickInterceptedException: element click  intercepted: Element &lt;div class="a-box__accordionIcon float-right"&gt;...&lt;/div&gt; is not clickable  at point (632, 364). Other element would receive the click: &lt;div class="col-12 a-icon-options"  &gt;...&lt;/div&gt;  (Session info: chrome=122.0.6261.95)  Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'  System info: host: 'DESKTOP-GOGDOAO', ip: '172.22.45.157', os.name: 'Windows 11', os.  arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com.kms.katalon.selenium.driver.CChromeDriver  Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:  122.0.6261.95, chrome: {chromedriverVersion: 122.0.6261.57 (87957e464700...,  userDataDir: C:\Users\SUNITH~1\AppData\Local\Temp\scoped_dir32044_11045}</p>	13.425s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>chromeOptions: {debuggerAddress: localhost:55052}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 88f3de56c563106e39926a31479962f0     at jdk.internal.reflect.GeneratedConstructorAccessor46.newInstance(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)         at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)         at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)         at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)         at jdk.internal.reflect.GeneratedMethodAccessor22.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)         at jdk.proxy2/jdk.proxy2.\$Proxy26.click(Unknown Source)         at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)         at org.openqa.selenium.WebElement\$click.call(Unknown Source)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy)         at jdk.internal.reflect.GeneratedMethodAccessor20.invoke(Unknown Source)         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:67)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)         at com.kms.katalon.core.keyword.internal.KeywordExecutor.</pre>		

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
)	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647) at Script1697733550990.run(Script1697733550990.groovy:39) ... 15 more		




The screenshot shows a payment selection dialog box from Liverpool. The dialog title is "Selecciona una forma de pago". It has three options: "Tarjetas / Monedero" (selected), "PayPal" (highlighted with a black background), and "Efectivo y Transferencias". Below the options, it says "Paga a meses sin intereses con PayPal". A list of instructions follows: "Utiliza tu cuenta PayPal para realizar pagos con tarjetas de débito/crédito VISA, MasterCard y American Express nacionales e internacionales." and "El cobro de la tarjeta se realiza después de confirmar tu pedido en el último paso del proceso. Mientras tanto no se realiza ningún cargo.". A pink "Continuar" button is at the bottom right.

# TS\_SMOKE\_SUITE\_086


---

#	Description	Elapsed	Status
11	<pre>callTestCase(findTestCase("CommonMethods/paypal(changepaymentmethod)pay"), [:], OPTIONAL)</pre> <p>Unable to call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay'  (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/CommonMethods/paypal(changepaymentmethod)pay' failed  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)  at com.kms.katalon.core.keyword.builtin.  CallTestCaseKeyword\$._callTestCase_closure1.call(CallTestCaseKeyword.groovy)  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:75)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase  (CallTestCaseKeyword.groovy:81)  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute  (CallTestCaseKeyword.groovy:44)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.  groovy:310)  at jdk.internal.reflect.GeneratedMethodAccessor26.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  at TS_SMOKE_SUITE_086.run(TS_SMOKE_SUITE_086:41)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to  window with title: 'Log in to your PayPal account'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26) </p>	11.649s	PASSED

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.switchToWindowTitle(SwitchToWindowTitleKeyword.groovy:84) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword.execute(SwitchToWindowTitleKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.switchToWindowTitle(WebUiBuiltInKeywords.groovy:1822) at paypal(changepaymentmethod)pay.run(paypal(changepaymentmethod)pay:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:137) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 24 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with title: 'Log in to your PayPal account' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.doCall(SwitchToWindowTitleKeyword.groovy:82) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowTitleKeyword\$_switchToWindowTitle_closure1.call(SwitchToWindowTitleKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20) ... 38 more )</pre> 		

# TS\_SMOKE\_SUITE\_086


#	Description	Elapsed	Status
			
12	click(findTestObject("OPCPage/button_Continuar_payment_opc"))  Object: 'Object Repository/OPCPage/button_Continuar_payment_opc' is clicked on	0.370s	PASSED
13	click(findTestObject("OPCPage/Final_paypal_final(terminar)_OPC"))  Object: 'Object Repository/OPCPage/Final_paypal_final(terminar)_OPC' is clicked on	5.798s	PASSED
14	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0, OPTIONAL)  Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	22.767s	PASSED
15	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.380s	PASSED

## TS\_SMOKE\_SUITE\_086

---

#	Description	Elapsed	Status
16	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.014s	ERROR

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		
			
			
			

# TS\_SMOKE\_SUITE\_086

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_087

## Information

ID	Test Cases/ArangeByLogin/Checkout/TS_SMOKE_SUITE_087		
Description	To verify logged in user is able to place combination order for Softline and Bigticket item using Credit Card ,CIE and Paypal payment methods		
Tag			
Start	07-03-2024 11:51:10	End	07-03-2024 11:52:52
Elapsed	1m - 41.373s		
Status	PASSED		




## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to ' <a href="https://odtaqaa.liverpool.com.mx/tienda/home">https://odtaqaa.liverpool.com.mx/tienda/home</a> ' successfully	13.629s	PASSED
2	callTestCase(findTestCase("CommonMethods/SearchForAProduct_search"), ["searchTerm":Single_SKU_PDP], STOP_ON_FAILURE)  Call Test Case 'Test Cases/CommonMethods/SearchForAProduct_search' successfully	8.631s	PASSED
3	waitForPageLoad(0)  Wait for page load successfully	0.017s	PASSED

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
4	<p>click(findTestObject("PLPPage/product1_discountPrice_PLP"), OPTIONAL)</p> <p>Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/PLPPage/product1_discountPrice_PLP'  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:647)  at TS_SMOKE_SUITE_087.run(TS_SMOKE_SUITE_087:27)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/PLPPage/product1_discountPrice_PLP' located by '//li[@class='m-product__card card-masonry a'][1]/p[@class='a-card-discount']' not found  at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)  at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.doCall(ClickKeyword.groovy:65)  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$._click_closure1.call (ClickKeyword.groovy)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword</p>	13.340s	PASSED

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
	(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute(ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click(WebUiBuiltInKeywords.groovy:647) at Script1697733550996.run(Script1697733550996.groovy:27) ... 15 more )		
5		2.465s	PASSED
	Object: 'Object Repository/PDPPage/AddToCart_PDP' is clicked on		
6		4.472s	PASSED
	Object: 'Object Repository/HomePage/bag_header_HP' is clicked on		
7		2.210s	PASSED
	Object: 'Object Repository/CartPage/BuyButton_Cart' is clicked on		
8		4.841s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_change_OP' is clicked on		
9		1.530s	PASSED
	Object: 'Object Repository/OPCPage/paymentMethod_button1_OP' is clicked on		

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
10	setText(findTestObject("OPCPage/enterCardCVV_OPCText"), "413", OPTIONAL)  Text '413' is set on object 'Object Repository/OPCPage/enterCardCVV_OPCText'	1.012s	PASSED
11	setText(findTestObject("OPCPage/enterCardExpire_OPCText"), "1225", OPTIONAL)  Text '1225' is set on object 'Object Repository/OPCPage/enterCardExpire_OPCText'	0.925s	PASSED
12	click(findTestObject("OPCPage/cardContinue_checkout_popUP"), OPTIONAL)  Object: 'Object Repository/OPCPage/cardContinue_checkout_popUP' is clicked on	0.618s	PASSED
13	click(findTestObject("OPCPage/Final_comparar_OPCText"))  Object: 'Object Repository/OPCPage/Final_comparar_OPCText' is clicked on	5.170s	PASSED
14	delay(15)  Delayed 15 second(s)	15.015s	PASSED
15	verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)  Object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present	3.998s	PASSED
16	click(findTestObject("HomePage/logo_confirmPage"))  Object: 'Object Repository/HomePage/logo_confirmPage' is clicked on	0.348s	PASSED

# TS\_SMOKE\_SUITE\_087

---

#	Description	Elapsed	Status
17	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	23.028s	ERROR

# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy:122) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementNotPresentKeyword\$._verifyElementNotPresent_closure1.doCall (VerifyElementNotPresentKeyword.groovy) at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more		


The screenshot shows the Liverpool website's header. It features a top navigation bar with links to Suburbia, Pottery Barn, Pottery Barn Kids, Williams Sonoma, West Elm, GAP, Banana Republic, and Toys R Us. Below this is a main navigation bar with a Liverpool logo, a search bar containing 'Buscar por producto, marca y más...', and user account links for 'Mis Compras' and 'Hola pSQkXjuq'. A notification icon with the number '0' is also present. The main content area has a pink banner at the top.



This screenshot shows another view of the Liverpool website's homepage. It has a similar structure to the first one, with a top navigation bar and a main navigation bar. The main content area features a large image of a male model in a suit, identical to the one in the previous screenshot, and a pink banner at the top.



# TS\_SMOKE\_SUITE\_087

#	Description	Elapsed	Status
			

# TS\_SMOKE\_SUITE\_088

## Information

ID Test Cases/ArangeByLogin/Checkout/TS\_SMOKE\_SUITE\_088

Description To verify Logged-in user is able to place Airtime Order

Tag

Start 07-03-2024 11:52:52 End 07-03-2024 11:54:13

Elapsed 1m - 21.559s

Status FAILED

## Details

#	Description	Elapsed	Status
1	navigateToUrl(URL)  Navigate to 'https://odtaqaa.liverpool.com.mx/tienda/home' successfully	13.597s	PASSED
2	click(findTestObject("HomePage/header_Hola_text_HP"))  Object: 'Object Repository/HomePage/header_Hola_text_HP' is clicked on	2.074s	PASSED
3	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0)  Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.541s	PASSED
4	scrollToElement(findTestObject("AccountManagement/Tiempo_aire_MyAccount"), 0)  Scroll to object 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' successfully	0.566s	PASSED
5	click(findTestObject("AccountManagement/Tiempo_aire_MyAccount"))  Object: 'Object Repository/AccountManagement/Tiempo_aire_MyAccount' is clicked on	6.703s	PASSED
6	enhancedClick(findTestObject("AccountManagement/ATT/checkbox1_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/checkbox1_MyAccount' is clicked on	3.413s	PASSED

# TS\_SMOKE\_SUITE\_088



#	Description	Elapsed	Status
7	enhancedClick(findTestObject("AccountManagement/ATT/paymentOption1_ATT_card_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/paymentOption1_ATT_card_MyAccount' is clicked on	2.907s	PASSED
8	click(findTestObject("AccountManagement/select_month_AM"))  Object: 'Object Repository/AccountManagement/select_month_AM' is clicked on	0.439s	PASSED
9	click(findTestObject("AccountManagement/ATT>SelectMonth_ATT_AM"))  Object: 'Object Repository/AccountManagement/ATT>SelectMonth_ATT_AM' is clicked on	0.378s	PASSED
10	click(findTestObject("AccountManagement/select_year_AM"))  Object: 'Object Repository/AccountManagement/select_year_AM' is clicked on	0.518s	PASSED
11	click(findTestObject("AccountManagement/ATT/selectYear_ATT_option2025_AM"))  Object: 'Object Repository/AccountManagement/ATT/selectYear_ATT_option2025_AM' is clicked on	0.336s	PASSED
12	setText(findTestObject("AccountManagement/ATT/card_cvv_ATT_MyAccount"), "805")  Text '805' is set on object 'Object Repository/AccountManagement/ATT/card_cvv_ATT_MyAccount'	1.049s	PASSED
13	click(findTestObject("AccountManagement/ATT/finalize_recharge_MyAccount"))  Object: 'Object Repository/AccountManagement/ATT/finalize_recharge_MyAccount' is clicked on	0.506s	PASSED

# TS\_SMOKE\_SUITE\_088

---

#	Description	Elapsed	Status
14	<pre>verifyElementPresent(findTestObject("OPCPage/ConfirmOrder_Checkout"), 0)</pre> <p>Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/OPCPage/ConfirmOrder_Checkout' is present  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword  (WebUIKeywordMain.groovy:26)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  verifyElementPresent(VerifyElementPresentKeyword.groovy:92)  at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.  execute(VerifyElementPresentKeyword.groovy:68)  at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:74)  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  verifyElementPresent(WebUiBuiltInKeywords.groovy:1503)  at TS_SMOKE_SUITE_088.run(TS_SMOKE_SUITE_088:46)  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  java:119)  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.  java:448)  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.  java:439)  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase  (TestCaseExecutor.java:418)  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase  (TestCaseExecutor.java:410)  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.  java:285)  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase  (CommonExecutor.java:65)  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase  (TestSuiteExecutor.java:148)  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  106)  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:  180)  at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native  Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke  (NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke  (DelegatingMethodAccessorImpl.java:43)  Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.  webui.exception.WebElementNotFoundException: Web element with id: 'Object  Repository/OPCPage/ConfirmOrder_Checkout' located by '//div[@class='confirmation-  section__gratitude']' not found  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  (WebUIKeywordMain.groovy:64)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall  (VerifyElementPresentKeyword.groovy:85)  at com.kms.katalon.core.webui.keyword.builtin.  VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call  (VerifyElementPresentKeyword.groovy) </p>	30.250s	FAILED

# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 20 more )		
	 <p>The screenshot shows the Liverpool website's recharge interface. It consists of three main sections: 1. Selection of numbers to recharge (checkbox for mobile number 5542140023, dropdown for recharge type 'Tiempo Aire', dropdown for amount 'TELCEL 30 Pesos'). 2. Selection of payment method (radio button for Visa card ending in *3065, dropdown for expiration date '03 2026', dropdown for CVV '...'). 3. Summary of the recharge (Subtotal \$30.00, Total \$30.00). A 'Finalizar recarga' (Finish recharge) button is at the bottom.</p>  <p>This screenshot is identical to the one above, showing the Liverpool website's recharge interface for 'Tiempo Aire'.</p>		

## TS\_SMOKE\_SUITE\_088

---

#	Description	Elapsed	Status
15	<p>Start listener action : sampleAfterTestCase</p> <pre>com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/HomePage/Logo_hp' is not present     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. verifyElementNotPresent(VerifyElementNotPresentKeyword.groovy:131)     at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword. execute(VerifyElementNotPresentKeyword.groovy:69)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementNotPresent(WebUiBuiltInKeywords.groovy:1536)     at NewTestListener.sampleAfterTestCase(NewTestListener.groovy:29)     at jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)     at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. java:111)     at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: 95)     at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods (TestHooker.java:94)     at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 (TestListenerCollector.java:88)     at com.kms.katalon.core.context.internal.TestListenerCollector. handleListenerEvent(TestListenerCollector.java:85)     at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent (ExecutionEventManager.java:36)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:315)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1709787686220.run(TempTestSuite1709787686220.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Web element with id: 'Object Repository/HomePage/Logo_hp' located by 'By.xpath: //a/img' is present after '10' second(s)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$stepFailed\$0.call(Unknown Source)</pre>	18.186s	ERROR

# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy:122)		
	at com.kms.katalon.core.webui.keyword.builtin.VerifyElementNotPresentKeyword\$\$_verifyElementNotPresent_closure1.doCall(VerifyElementNotPresentKeyword.groovy)		
	at jdk.internal.reflect.GeneratedMethodAccessor35.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)		
	... 23 more		

The screenshot shows a Liverpool website page for mobile recharge. The top navigation bar includes categories like 'Categorías', 'Mesa de regalos', 'Mi crédito', 'Servicios', 'Tiendas', and 'Ayuda'. A search bar and a user profile 'Hola pSQkXjuq' are also present. A prominent red error message box states: 'La transacción no fue autorizada por el banco emisor.' Below this, the main content area is divided into three sections: '1. Selecciona tus números a recargar' (with a dropdown for 'mobile' number 5542140023 and 'Telcel'), '2. Selecciona tu forma de pago' (with a selected VISA card ending in \*3065), and a summary box 'Resumen de mi recarga' showing a subtotal of \$30.00 and a total of \$30.00. A 'Finalizar recarga' button is at the bottom right.

This screenshot shows a Liverpool website page for a BYD product. The top navigation bar is identical to the previous one. The main content area features a large image of a BYD car, with text overlaying it: 'MODA HOMBRE', 'Hasta 50% de descuento', 'Adiós al invierno con un nuevo look', and a 'Compra ahora' button. A vertical sidebar on the right says 'Te escuchamos' with a small icon.



# TS\_SMOKE\_SUITE\_088

#	Description	Elapsed	Status
	