2] Design a landing page for a fictional product or service using HTML, CSS, and Bootstrap. Include a hero section, product descriptions, pricing plans, and a contact form. Make it mobile friendly with Bootstrap grid system.

PROGRAM :

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>QuickBite | Food Delivery</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">

    <style>
        .hero {
            background: url('https://images.unsplash.com/photo-1600891964599-f61ba0e24092')
center/cover no-repeat;
            height: 90vh;
            color: white;
        }
        .overlay {
            background-color: rgba(0,0,0,0.6);
            height: 100%;
        }
        .feature-box {
            border-radius: 12px;
            padding: 25px;
            background: #f8f9fa;
        }
        .price-card {
```

```
      border: 1px solid #ddd;

      padding: 30px;

      border-radius: 10px;

    }
    footer {

      background: #212529;

      color: white;

    }
  </style>
</head>


<body>


<!-- Navbar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top">
  <div class="container">
    <a class="navbar-brand" href="#">QuickBite</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navMenu">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navMenu">
      <ul class="navbar-nav ms-auto">
        <li class="nav-item"><a class="nav-link" href="#services">Services</a></li>
        <li class="nav-item"><a class="nav-link" href="#pricing">Pricing</a></li>
        <li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>
      </ul>
    </div>
  </div>
</nav>


<!-- Hero Section -->
<section class="hero">
```

```html
    <div class="overlay d-flex align-items-center">
      <div class="container text-center">
        <h1 class="display-4">Food Delivered Fast</h1>
        <p class="lead">Order from your favorite restaurants anytime</p>
        <a href="#pricing" class="btn btn-warning btn-lg mt-3">Order Now</a>
      </div>
    </div>
</section>

<!-- Services -->
<section id="services" class="py-5">
  <div class="container">
    <h2 class="text-center mb-5">Our Services</h2>
    <div class="row text-center">
      <div class="col-md-4 mb-4">
        <div class="feature-box">
          <h4>🍔 Wide Choices</h4>
          <p>Order from hundreds of restaurants.</p>
        </div>
      </div>
      <div class="col-md-4 mb-4">
        <div class="feature-box">
          <h4>🚀 Fast Delivery</h4>
          <p>Hot and fresh food at your doorstep.</p>
        </div>
      </div>
      <div class="col-md-4 mb-4">
        <div class="feature-box">
          <h4>💳 Easy Payment</h4>
          <p>UPI, cards and cash on delivery.</p>
        </div>
      </div>
```

```html
        </div>
    </div>
</section>


<!-- Pricing -->
<section id="pricing" class="bg-light py-5">
    <div class="container">
        <h2 class="text-center mb-5">Delivery Plans</h2>
        <div class="row text-center">
            <div class="col-md-4 mb-4">
                <div class="price-card">
                    <h4>Basic</h4>
                    <h2>₹49</h2>
                    <p>Standard delivery</p>
                </div>
            </div>
            <div class="col-md-4 mb-4">
                <div class="price-card">
                    <h4>Pro</h4>
                    <h2>₹99</h2>
                    <p>Fast delivery</p>
                </div>
            </div>
            <div class="col-md-4 mb-4">
                <div class="price-card">
                    <h4>Premium</h4>
                    <h2>₹149</h2>
                    <p>Free delivery + offers</p>
                </div>
            </div>
        </div>
    </div>
```

```html
    </section>


    <!-- Contact -->
    <section id="contact" class="py-5">
        <div class="container">
            <h2 class="text-center mb-4">Contact Us</h2>
            <div class="row justify-content-center">
                <div class="col-md-6">
                    <form>
                        <input type="text" class="form-control mb-3" placeholder="Name">
                        <input type="email" class="form-control mb-3" placeholder="Email">
                        <textarea class="form-control mb-3" rows="4"
placeholder="Message"></textarea>
                        <button class="btn btn-success w-100">Send</button>
                    </form>
                </div>
            </div>
        </div>
    </section>


    <!-- Footer -->
    <footer class="text-center py-3">
        <p class="mb-0">© 2026 QuickBite. All Rights Reserved.</p>
    </footer>


    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></script>


</body>
</html>
```

OUTPUT :