

SQA-iO AUTOMATED SEMEN ANALYSIS RESULTS

SQA-iO MES - Signal Processing Technology

PATIENT INFORMATION:

FIRST NAME:	SATISH
PATIENT ID:	240726
REFERRING DOCTOR:	DR TINA

LAST NAME:	TULE
AGE:	37
PHONE NUMBER:	N/A

SAMPLE INFORMATION:

SAMPLE ID:	SEMENANALYSISREPORT
TEST TYPE:	FRESH
COLLECTED DATE TIME:	27-07-2026 18:24
RECEIVED DATE TIME:	27-07-2026 18:24
TEST DATE TIME:	27-07-2026 18:29
CRITERIA:	WHO 6th
VOLUME (ml):	4
WBC CONC. (M/ml):	<1
pH:	7.8

DEBRIS:	None/Few < 10%
APPEARANCE:	Clear/White/Grey
VISCOSITY:	Normal
LIQUEFACTION:	0-30 Minutes
ABSTINENCE (days):	3
SAMPLE TESTED:	FULL VOLUME
COLLECTED AT :	LAB
OPTIONAL 2:	N/A

PARAMETER	RESULT	UNITS	REF. VALUE		MOTILITY GRAPH Rapidly Progressive (%) Slowly Progressive (%) Non-Progressive (%) Immotile (%)
CONCENTRATION	55.0	M/ml	>=16		
MOTILITY	51	%	>=42		
PROGRESSIVE	28	%	>=30	↓	
RAPIDLY PROGRESSIVE	2	%			
SLOWLY PROGRESSIVE	26	%			
NON-PROGRESSIVE	23	%	<=1	↑	
IMMOTILE	49	%	<=20	↑	
NORMAL FORMS	N/A	%	>=4		
MOTILE SPERM CONC.*	28.1	M/ml	>=6		
PROG. MOTILE SPERM CONC.*	15.4	M/ml	>=5		
RAPID PR. MOTILE SPERM CONC.*	1.1	M/ml			
SLOW PR. MOTILE SPERM CONC.*	14.3	M/ml			
FUNCTIONAL SPERM CONC.*	N/A	M/ml	>=0.2		
VELOCITY (VCL)*	N/A	mic/sec	>=5		
SPERM MOTILITY INDEX*	0	---	>=80	↓	

*MES parameters are indicated by an asterisk

REPORT CONTINUED | PATIENT ID: 240726 | TEST DATE / TIME: 27-07-2026 | 18:29

TOTALS PER EJACULATE	RESULT	UNITS	REF. VALUE	
SPERM #	220.0	M/ejac	>=39	
MOTILE SPERM*	112.4	M/ejac	>=16	
PROG. MOTILE SPERM*	61.6	M/ejac	>=12	
FUNCTIONAL SPERM*	N/A	M/ejac	>=0.6	
MORPH. NORMAL SPERM*	N/A	M/ejac	>=2	

COMMENTS: NORMOZOOSPERMIC SAMPLE

SMI (Sperm Motility Index) A CONTRIBUTING PREDICTOR OF MALE FERTILITY

What is SMI?

- Sperm Motility Index (SMI) is an MES SQA automatically generated index integrating motile sperm concentration and curvilinear velocity (VCL) into one value. It is reported in whole numbers without units.
- The positive correlation of SMI to male fertility was established and described in a number of publications

SMI Grading and Male Fertility Potential:

- Studies have shown the correlation of SMI to male fertility potential as follows: 'LOW' (SMI < 80), 'MODERATE' (SMI = 80-160) and 'HIGH' (SMI > 160) with an SMI reference value (cut-off) of 80.
- Conclusions: In conjunction with other semen parameters, SMI can be utilized to assess/grade male fertility potential.

Signature: _____ Tester Name: _____ Title (Designation): _____