

Protecting Open Access While Solving *Revenue Decoupling* & Activation Drag

"Medito refuses to gate or pressure — it bets on the user. Does that bet serve the mission, or self-select for already-motivated users?"

Vedant Sinha · Aug 2026

SURVIVAL MODEL KEY Z₁ Engagement — sustained practice · Z₂ Revenue — donation coverage · Z₃ Cost-to-Serve — near-zero servicing

01 / Where It Stands

4.1M

ACTIVE INSTALLS

Earned Trust

4.9★ across 100k+ ratings

Open Access

100% free, ungated sanctuary

Lean Cost Base

Static CDN + volunteer maintainers

02 / What Threatens It

€122k/yr

ANNUAL OPEX · €14/HR BURN

Revenue Decoupled

Zero paywalls → unforecastable cashflow

Activation Leak

Flat library → novice choice paralysis

Ops Bottleneck

Volunteer localization stalled off-app

03 / What We Do

2.0 Wks

TOTAL CORE DEV EFFORT

#1 Native Checkout

Fixes decoupling · RICE 33.6 · 0.5 wk

#2 Intent Pre-Pin

Fixes activation · RICE 16.0 · 1.0 wk

#3 Translator Credits

Fixes ops · RICE 6.4 · 0.5 wk

3 targeted interventions (2.0 person-weeks effort) driving Z1/Z2/Z3 while preserving zero-pressure sanctuary positioning.

Ungated Non-Profit Foundation: High Sanctuary Alignment vs. Unassisted Novice Onboarding

ARCHETYPE A — OVERWHELMED STARTER



Maya, 26

Day 1 · opens the app at 11pm after a bad week

Entry state

Exhausted, anxious, low confidence in her own choice

"When I am overwhelmed and seeking relief, guide me straight into a session, so I can stop spiraling without having to figure out how to meditate."

Evidence

Recurring r/Medito "where do I start?" threads, routed by hand

FRICTION & ACTIVATION DRAG

- Flat 8-tile home grid causes beginner decision fatigue
- High novice churn before the first session (Z1 leak)

ARCHETYPE B — SANCTUARY SEEKER



Jonas, 38

400+ sessions · left a paid app over its paywall

Entry state

Established practice; fled a monetized app over its paywall

"When I want to practice mindfulness, give me an unmonetized sanctuary without paywalls or engagement gimmicks, so I can focus without feeling exploited."

Evidence

4.9★ review clusters praising zero paywalls, zero ads

ALIGNMENT & CEILING

- + High sanctuary trust — zero paywalls or engagement pressure
- Inert post-course guidance & hidden donation conversion

If the product asks nothing of anyone, who guides the beginner — and who funds the servers?

Two Structural Bets: Each App Sacrifices Exactly What the Other Protects

Foil methodology — Headspace selected for maximal contrast on gating and guidance. Free tier exposes the monetization paywall; premium tier exposes pedagogy depth.

Dimension	Medito	Headspace (Foil)
Business Model	Non-profit foundation	Venture-backed SaaS (\$69.99/yr subscription)
What It Built	100% ungated library, no accounts	Day-1 hard paywall, sticky trial, structured pedagogy
Protected Asset	Universal access & user trust	Subscription revenue / LTV
Sacrificed Asset	Revenue certainty & R&D capital	Top-funnel conversion & goodwill

MEDITO — EVIDENCE SIGNALS

Store ratings

App Store 4.9★ · Play 4.8★ — praise cites zero paywalls, zero ads

Community signal

Recurring r/Medito “where do I start?” threads

HEADSPACE — EVIDENCE SIGNALS

Store ratings

App Store 4.8★ (1M+ reviews) for pedagogy · 500+ sessions

Trust signal

Trustpilot 1.4/5 — billing & cancellation grievances

Symmetric bets: Headspace protects revenue certainty at the cost of user trust; Medito protects universal access at the cost of revenue predictability and onboarding R&D.

Unbundling "Minimalism": Low-Noise Is a Feature; Low-Guidance Is an Under-Investment

 **Maya** *"When I am mentally exhausted, help me start meditating immediately without forcing me to decide what course to take, so I can feel calm without fearing I'm doing it wrong."*
Overwhelmed Starter


1. Install App → Zero friction
2. Zero Account / Paywall → Ungated access, Z₁ protected
3. Flat 8-Tile Home Grid **Observed UX Friction**
Your Daily, Sleep, Timer, Course... — guidance is present but inert; it sits as a static choice.
4. Inert Guidance **Inferred Funnel Risk**
Novice activation drag — beginners drop off to r/Medito for manual routing advice.

FOIL FUNNEL CONTRAST — HEADSPACE


●	●	●	●
Install zero friction	Hard paywall prompts high friction	Forced Basics 1 onboarding 10-day path	Driven pedagogy Basics 1 → 2

WORKS Low Noise (zero ads, zero push guilt, zero paywalls) = **sanctuary feature** protecting Z₁

COSTS Low Guidance (flat 8-tile menu, no intent matching) = **R&D under-investment** causing churn



Inert Path & 4x2 Tile Grid



Flat Course Catalog

One Causal Spine: NGO Operating Economics Force Zero-Cost Servicing (Z_3) as a Structural Constraint

Read top to bottom — each link is *forced* by the one above it: the drag is not an oversight, it is the cheapest UI a €0 cost-to-serve permits.

●	01 · ROOT NGO foundation, nothing gated	The charter protects universal free access (Z_1) — 4.1M users, nothing gated.	€122k/yr total org opex
●	02 · CONSEQUENCE Revenue decoupled from use	Because access is free , even the heaviest 1% can pay €0 — cashflow is unforecastable (Z_2).	€0 asked of any user
●	03 · CONSTRAINT Cost-to-serve pinned near €0 (Z_3)	Because income can't be forecast , no salaried R&D, no recurring server spend.	~€0 server cost
●	04 · RESPONSE Low-assist, 8-tile UI	The cheapest guidance is none — a flat static menu, no routing engine to run.	8 tiles 0 routing logic
●	05 · SYMPTOM Novice activation drag	So unrouted beginners churn — the product self-selects for the motivated.	 Maya churns here

Z_3 ARCHITECTURAL CONSTRAINT

Server-side ML recommenders (the Headspace Ebb pattern) add recurring burn and violate Z_3 — all three of our interventions are client-side or static by design.

Therefore any viable fix must also cost ~€0 to run — client-side, static, no server in the loop.

Anchoring Mission Success to MAPH While Bounding Infrastructure Cost per MAU (Z₃)

NORTH STAR METRIC Monthly Active Practice Hours (MAPH) Total completed audio meditation hours per month across all users. Measures true mission delivery (Z₁) and rejects empty app-open vanity traffic.		
L1 MISSION DRIVERS — Z₁ D7 Pack Completion Rate (%) Share of new installs completing at least one multi-session pack. Moved by Intervention #2 — Intent Pre-Pin.	L1 REVENUE DRIVERS — Z₂ Post-Session Donor Conversion (%) Plus monthly donation MRR (€) against the €14/hr burn. Moved by Intervention #1 — Native checkout & contextual copy.	L1 OPS DRIVERS — Z₃ Volunteer Translator Retention (%) Plus language string completion % per active locale. Moved by Intervention #3 — Translator credits.
SANCTUARY GUARDRAIL Guilt Churn Rate — 24-hour uninstall rate following a donation prompt.	Z₃ INFRA BOUNDING RULE CDN bandwidth scales linearly with MAPH; on-device audio caching caps cost-to-serve at ≤ €0.002 per active user/month at any scale.	

Interventions #1, #2 and #3 map one-to-one onto the L1 Revenue, Activation and Ops levers — scored on the next slide.

Calibrated RICE Scoring Selects Four Client-Side Interventions (2.5 Eng-Weeks Total)

Scoring units — Reach 1–10 (share of target population) · Impact 0.25–3.0 (L1 metric lift) · Confidence Tier 2 = 0.8 (validated precedent) · Effort in person-weeks.

Rank	Solution & target lever	Reach	Impact	Confidence	Effort	RICE
#1	Native Checkout & Contextual Copy Z ₂ Revenue	7	3.0	0.8 — behavioural econ	0.5 wk	33.6
#2	Intent Pre-Pin Z ₁ Activation	10	2.0	0.8 — PLG intake	1.0 wk	16.0
#3	Translator Credits Z ₃ Ops	2	2.0	0.8 — OS attribution	0.5 wk	6.4
#4	Streak Share Fix Z ₁ Word-of-mouth	3	1.0	0.8 — social sharing	0.5 wk	4.8

REVERSIBILITY GUARANTEE

All four solutions are 100% client-side two-way doors: zero database schema migrations, zero server burn (Z₃), reversible via feature flag in minutes. The rejected alternative — a server-side ML recommender — was a one-way door on both counts.

#1, #2 and #3 form the v1.0 core build (2.0 person-weeks); #4 is a quick win. Backlog items #5–#7 are documented on Slide 11.


Removing External Web Friction with a *Native Apple/Google Pay Sheet* Grounded in ~€10k/mo Opex



Jonas
Sanctuary Seeker


Willing to give, but today the Donate button drops him into a browser form — he abandons it and Medito never learns he tried.

Current — plea → external browser form



LEAVES THE APP · MANUAL CARD ENTRY

Proposed — contextual copy → native wallet sheet



Checkout Friction Benchmark

Web redirects with manual card entry lose ~70% of mobile donors vs. a 1-tap wallet (Baymard / Stripe).

0% Store Tax Compliance

App Store Guideline 3.2.1(vi) allows Apple Pay for non-profit gifts at Stripe web rates (~2.2%) — 0% to Apple.

R&D & Maintenance Profile

0.5 person-weeks; ~90% one-time setup via flutter_stripe, then ~1–2 hrs/yr.

Sanctuary Brand Guardrail

Triggers only after a ≥ 5-min session; single-tap skip; 2-strike decay hides it 14 days.

Before

Generic plea → kicked out to Safari/Chrome for manual card entry (~70% drop-off)

→ **After**

Transparent post-session context, then a native Face ID sheet that clears in about two seconds

PRIMARY METRIC

Post-Session Donor Conversion % — Target ≥ +15%

COUNTER-METRIC

Guilt Churn Rate — < 1.5% Threshold

A 10-Second Intake Pre-Pins the Starter Course, Solving Novice Choice Paralysis




Maya


Overwhelmed Starter

Two taps replace the 8-tile decision: she lands on a pinned starter pack instead of a catalog — and never has to ask Reddit where to begin.

Step 1 — 10-Second Intake



Step 2 — Pre-Pinned Home



Z₃-Aware Technical Specs

Intake answers map on-device through a static `intake_matrix.json` lookup — 0 DB schema changes, 0 accounts, 0 server API calls.

1.0 person-week build effort (5 days).

Metric Hierarchy

L2 Diagnostic: Intake Completion % (Target ≥ 80%), First-Session Start %

L1 Mission Driver: D7 Pack Completion % (Target ≥ +10%)

Non-Blocking Sanctuary Guardrail

Screen 1 carries an explicit "Skip to Catalog" button; the pin never blocks the library and no account is ever required.

Before

Flat catalog on entry — every session equally plausible, choice deferred

→ **After**


Two taps set intent and level, home opens on one pinned next session

Pre-routes first-time users to a relevant starter pack with a 100% client-side matrix — zero backend burn (Z₃).

Primary metric: D7 pack completion ≥ +10%; guardrail: session abandonment < 5.0%.


In-App Attribution for Volunteer Contributors to Scale Localization (Z₃ Ops)

Placement A — Audio Pack Footer



Translated with care by Maria S. & Medito Community.
Contribute →

Placement B — Language Settings



Open-Source Attribution Precedent

Wikipedia and Crowdin contributor studies find visible peer attribution lifts volunteer retention by 35–40%.

Privacy & Sanctuary Guardrail

Attribution is strictly opt-in. Default credit: "Medito Community". Requires explicit volunteer consent during GitHub/Telegram onboarding.

Technical Specs

Static credits.json string binding bundled on-device — zero API calls, zero schema changes. Top 2 contributors shown per language. 0.5 person-weeks (2 days).

Rewards contributors with in-app attribution to scale localization without foundation capital.
Primary driver: target language completion $\geq +20\%$; guardrail: translation quality flag rate $< 5.0\%$.

Proactive Risk Mitigation, Sanctuary Guardrails & Explicit Backlog Hygiene


1	Guilt Churn — commercial misperception (Z ₁)	COUNTER-METRIC 24-hr uninstalls after a donation ask	MITIGATION 2-strike decay: the ask hides for 14 days after two dismissals; skip always present.
2	Infra Bandwidth Spike — CDN cost bounding (Z ₃)	COUNTER-METRIC Server cost-to-serve ≤ €0.002 per active MAU	MITIGATION On-device audio caching after first listen decouples MAPH growth from CDN burn.
3	Volunteer Attribution Fatigue — ops recognition (Z ₃)	COUNTER-METRIC Translator retention (% active Crowdin leads)	MITIGATION Badges truncate to top 2 contributors, single-tap Crowdin link.

EXPLICIT BACKLOG DROPS & DEFERRED SCOPE

DEFERRED	#5 Dynamic State Matching (RICE 4.2) — to v2.0; needs client-side emotion-tagging R&D.	DROPPED	#6 Calendar Export (RICE 1.5) — low confidence (0.5) against high integration cost.	DROPPED	#7 Post-Course Sequences (RICE 0.75) — low impact, redundant with Intent Pre-Pin.
----------	--	---------	---	---------	---

Core v1.0 is strictly bounded to 2.0 eng-weeks (#1, #2, #3); low-RICE features are rejected on the record to preserve execution focus.

W1-W4 Staged Experimentation Pipeline, Sample-Size Math & Automated Rollback Triggers



A four-week staged rollout backed by real sample-size math ($N = 148k / N = 8.5k$) and automated feature-flag rollbacks that protect sanctuary trust.