

NAME:	Vedanti Anil Wadatkar
UID:	2021700071
SUBJECT	Design and Analysis of Algorithm
EXPERIMENT NO :	06
AIM:	To find shortest path using Dijkstra's Algorithm.
PROBLEM STATEMENT 1:	shortest path using Dijkstra's Algorithm and prim's algorithm.
ALGORITHM and THEORY:	<pre> function Dijkstra(<i>Graph</i>, <i>source</i>): 2 3 for each vertex <i>v</i> in <i>Graph.Vertices</i>: 4 <i>dist</i>[<i>v</i>] ← INFINITY 5 <i>prev</i>[<i>v</i>] ← UNDEFINED 6 add <i>v</i> to <i>Q</i> 7 <i>dist</i>[<i>source</i>] ← 0 8 9 while <i>Q</i> is not empty: 10 <i>u</i> ← vertex in <i>Q</i> with min <i>dist</i>[<i>u</i>] 11 remove <i>u</i> from <i>Q</i> 12 13 for each neighbor <i>v</i> of <i>u</i> still in <i>Q</i>: 14 <i>alt</i> ← <i>dist</i>[<i>u</i>] + <i>Graph.Edges</i>(<i>u</i>, <i>v</i>) 15 if <i>alt</i> < <i>dist</i>[<i>v</i>]: 16 <i>dist</i>[<i>v</i>] ← <i>alt</i> </pre>
	<pre> 17 <i>prev</i>[<i>v</i>] ← <i>u</i> 18 19 return <i>dist</i>[], <i>prev</i>[] </pre>
PROGRAM:	<pre> #include <limits.h> #include <stdbool.h> </pre>

```
#include <stdio.h>
int V;
int minDistance(int dist[], bool sptSet[])
{
    int min = INT_MAX, min_index;
    for (int v = 0; v < V; v++)
        if (sptSet[v] == false && dist[v] <= min)
            min = dist[v], min_index = v;
    return min_index;
}

void printSolution(int dist[])
{
    printf("Vertex \t\t Distance from Source\n");
    for (int i = 0; i < V; i++)
        printf("%d \t\t\t %d\n", i, dist[i]);
}

void dijkstra(int graph[V][V], int src)
{
    int dist[V];
    bool sptSet[V];

    for (int i = 0; i < V; i++)
        dist[i] = INT_MAX, sptSet[i] = false;

    dist[src] = 0;
```

```

for (int count = 0; count < V - 1; count++)
{ int u = minDistance(dist, sptSet);

sptSet[u] = true;

for (int v = 0; v < V; v++)

    if (!sptSet[v] && graph[u]
        [v] && dist[u] !=
        INT_MAX
        && dist[u] + graph[u][v] <
        dist[v]) dist[v] = dist[u] + graph[u]
        [v];
}
printSolution(dist);
}

int main()
{
printf("Enter the
order:");
scanf("%d",&V);
int graph[V][V];
for(int i=0;i<V;i+
+)
{
printf("Elememts of row number %d:",
(i+1)); for(int j=0;j<V;j++)
{
scanf("%d",&graph[i][j]);
}
}
dijkstra(graph, 0);
return 0;
}

```

OUTPUT:

```
students@students-HP-280-G3-MT:~$ gcc Dijsktra.c
students@students-HP-280-G3-MT:~$ ./a.out
Enter the order:9
Elements of row number 1:0 4 0 0 0 0 0 8 0
Elements of row number 2:4 0 8 0 0 0 0 11 0
Elements of row number 3:0 8 0 7 0 4 0 0 2
Elements of row number 4:0 0 7 0 9 14 0 0 0
Elements of row number 5:0 0 0 9 0 10 0 0 0
Elements of row number 6:0 0 4 14 10 0 2 0 0
Elements of row number 7:0 0 0 0 0 2 0 1 6
Elements of row number 8:8 11 0 0 0 0 1 0 7
Elements of row number 9:0 0 2 0 0 0 6 7 0
Vertex          Distance from Source
0                0
1                4
2               12
3               19
4               21
5               11
6                9
7                8
8               14
students@students-HP-280-G3-MT:~$
```

```
students@students-HP-280-G3-MT:~$ gcc Dijsktra.c
students@students-HP-280-G3-MT:~$ ./a.out
Enter the order:4
Elements of row number 1:2 3 5 1
Elements of row number 2:5 2 3 7
Elements of row number 3:2 9 3 5
Elements of row number 4:1 4 6 9
Vertex          Distance from Source
0                0
1                3
2                5
3                1
students@students-HP-280-G3-MT:~$
```

CONCLUSION:

By performing the above experiment i have successfully found the shortest path of different vertices from a single source using Dijkstra's algorithm.