9/10/2026

Practical 13

Implement your own ping program.

Aim:

To implement a ping program.

Program:

```
import os
import platform
import subprocess
def ping(host="google.com", count=4):
    param = "-n" if platform.system().lower()
                    == "windows" else "-c"

    command = ["ping", param, str(count), host]
    try:
        output = subprocess.check_output(command,
                                universal_newlines=True)

        print(output)
    except Exception as e:
        print(f"Ping failed: {e}")
if __name__ == "__main__":
    ping("8.8.8.8")
```

Output:

```
C:\Users\Vedhasree S\Desktop\12 13 14 Experiments>python ping_program.py

Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=7ms TTL=111
Reply from 8.8.8.8: bytes=32 time=8ms TTL=111
Reply from 8.8.8.8: bytes=32 time=7ms TTL=111
Reply from 8.8.8.8: bytes=32 time=15ms TTL=111

Ping statistics for 8.8.8.8:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 7ms, Maximum = 15ms, Average = 9ms
```

Result:

Thus, a ping program was successfully implemented to check the connectivity and response of a host.