




Entity Relationship Diagram (ER Diagram)

The **DarshanEase – Temple Darshan Ticket Booking System** uses an Entity Relationship (ER) model to organize and manage data efficiently. The system consists of four major entities: **User**, **Temple**, **Darshan Slot**, and **Booking**. These entities are connected through relationships that ensure proper storage and retrieval of booking information.

Entities

1. User

The **User** entity stores the details of devotees who register and use the DarshanEase application to book temple darshan tickets.

Attributes:

- UserID (Primary Key)
- Name
- Email
- Phone
- Address

2. Temple

The **Temple** entity stores information about all temples available in the application.

Attributes:

- TempleID (Primary Key)
 - TempleName
 - Location
 - DarshanStartTime
 - DarshanEndTime
-

3. Darshan Slot

The **Darshan Slot** entity stores the available darshan timings for each temple.

Attributes:

- SlotID (Primary Key)
 - TempleID (Foreign Key)
 - Date
 - StartTime
 - EndTime
 - AvailableSeats
 - Price
-

4. Booking

The **Booking** entity stores all booking records created by devotees.

Attributes:

- BookingID (Primary Key)
 - UserID (Foreign Key)
 - SlotID (Foreign Key)
 - BookingDate
 - TotalAmount
-

Relationships

User – Booking Relationship

A **One-to-Many (1:M)** relationship exists between **User** and **Booking**. A single user can book multiple darshan tickets, while each booking belongs to only one user.

Foreign Key: UserID in Booking

Temple – Darshan Slot Relationship

A **One-to-Many (1:M)** relationship exists between **Temple** and **Darshan Slot**. One temple can have multiple darshan slots on different dates and timings.

Foreign Key: **TempleID** in **Darshan Slot**

Darshan Slot – Booking Relationship

A **One-to-Many (1:M)** relationship exists between **Darshan Slot** and **Booking**. Each darshan slot can be booked by multiple devotees until the available seats are filled.

Foreign Key: **SlotID** in **Booking**

Database Relationships

The foreign key relationships are established using the primary keys of their respective entities to maintain data consistency and referential integrity.

- **UserID** in the **Booking** table references **User(UserID)**.
- **TempleID** in the **Darshan Slot** table references **Temple(TempleID)**.
- **SlotID** in the **Booking** table references **Darshan Slot(SlotID)**.

These relationships ensure that each booking is linked to a valid user, a valid temple, and an available darshan slot.