CAUVERY GLOBAL SENIOR SECONDARY SCHOOL
AISSC PRACTICAL EXAMINATION
COMPUTER SCIENCE-083-Reference Material

1. TEXT FILE READING (COUNT 'AND')

AIM:

Write a function COUNT_AND( ) in Python to read the text file "STORY.TXT" and count the number of times "AND" occurs in the file. (include AND/and/And in the counting)

Solution:

```
def writing():
   f=open('STORY.TXT','w')
   f.write('Baa, baa, black sheep\n')
   f.write('One for the master,\n')
   f.write('And one for the dame,\n')
   f.write('And one for the little boy\n')
   f.write('Who lives down the lane.\n')
   f.close()

writing()
def COUNTAND( ):
   count=0
   file=open('STORY.TXT','r')
   line = file.read()
   word = line.split()
   for w in word:
      if w in ['AND','and','And']:
         count=count+1
   file.close()
   print('Number of AND present in text file : ',count)
COUNTAND()Result:
```

The required output is achieved.

OUTPUT

```
Number of AND present in text file : 2
```

2.TEXT FILE READING – COUNT NUMBER OF CHARACTERS

Aim:

Write a function COUNTA() in Python to read the text file “Rhymes.txt” and count the number of times the character “A” occurs in the text file.

CODING:

```
def writing():
   f=open(“Rhymes.txt”,'w')
   f.write('Baa, baa, black sheep\n')
   f.write('One for the master,\n')
   f.write('And one for the dame,\n')
   f.write('And one for the little boy\n')
   f.write('Who lives down the lane.\n')

writing()
def COUNTA ():
   count=0
   file=open(“Rhymes.txt”,'r')
   s = file.read()
   for i in s:
      if i=='a' or i=='A':
         count=count+1
   file.close()
   print('Number of A or a in the text file : ',count)
COUNTA()
```

OUTPUT

```
Number of A or a in the text file :  10
```

3. TEXT FILE READING –WRITING INTO ANOTHER FILE

AIM:

To Write a program to read file ‘data.txt’ and copy only those lines to ‘story.txt’ which are starting from alphabets ‘A’ or ‘T’

CODING:

```
def writing():
   f=open(“data.txt”,'w')
   f.write('An engine, an engine\n')
   f.write(‘Chuffing me off like a Jew,\n')
   f.write(‘A Jew to Dachau, Auschwitz, Belsen,\n')
   f.write(‘I began to talk like a Jew \n')
   f.write(‘I think I may well be a Jew..\n')
writing()
```

def reading():

```
f = open("data.txt", "r")
f1 = open("story.txt", "w")
d = f.readlines()
for i in d:
   if  i[0] == "A" or i[0] == "T":
      f1.write(i)
f.close()
f1.close()
```

reading()

Result:

The required output is achieved.

OUTPUT

Contents of ‘story.txt’

An engine, an engine

A Jew to Dachau, Auschwitz, Belsen.

I began to talk like a Jew.

I think I may well be a Jew

4.CREATING AND READING BINARY FILE

Aim:

To write a program to get student data(rno, name and marks) from user and write onto a binary file , read the student data written on it and display them.

CODING:

```
#Binary file operations
# creating, inserting/writing into a binary file using dictionary
import pickle # dump and load  function
fr=open('Sambinary.dat','wb')
record={ }
while True:
   rno=input('enter the roll number :')
   name=input('enter the name of the student :')
   marks=int(input('enter the average mark :'))
   record['roll no']=rno
   record['Name']=name
   record['Marks']=marks
#dumping into the file
   pickle.dump(record,fr)
   ch=input('do you want to continue (y/n):')
   if ch=='n':
      break
print('Binary record added')
fr.close()

#reading from a binary file(using dictionary)
import pickle # load function
fr=open('sambinary.dat','rb')
trdata={}
while True:
   try:
      trdata=pickle.load(fr)
      print(trdata)
   except:
      break
fr.close()
```

Result:

The required output is achieved.

OUTPUT

```
enter the roll number :1001
enter the name of the student :CHARLES
enter the average mark :78
do you want to continue (y/n):Y
enter the roll number :1002
enter the name of the student :RAJA
enter the average mark :98
do you want to continue (y/n):Y
enter the roll number :1003
enter the name of the student :AHAMED
enter the average mark :65
do you want to continue (y/n):n
Binary record added
{'roll no': '1001', 'Name': 'CHARLES', 'Marks': 78}
{'roll no': '1002', 'Name': 'RAJA', 'Marks': 98}
{'roll no': '1003', 'Name': 'AHAMED', 'Marks': 65}
```

5.BINARY FILE SEARCHING

AIM

A program in Python using Pickle library and create a binary file with following structure

* DVD ID * DVD Name * QTY *PRICE

Search and display the dvd details whose price is greater than 250 rupees.

CODING:

```
def createdvd():

    import pickle
    f=open("pl.dat","Wb")
    ch="Y"
    l=[]
    while ch=="Y":

        pi=int(input("enter dvd id "))
        pnm=input("enter dvd name ")
        sp=int(input("enter qty "))
        p=int(input("enter price(in rupees) "))
        l=[pi,pnm,sp,p]
        pickle.dump(l,f)
        ch=input("do you want to enter more rec(Y/N): ").upper()
        if ch=="Y":
            continue
        else:
            break
    f.close()

def dispdvd():
    import pickle
    f=open("pl.dat","rb")
    while True:
        try:
            l=pickle.load(f)
            if l[3]>250:
                print(l)
```

```
        except EOFError:
            break
    f.close()

createdvd()
dispdvd()
```

Result:

The required output is achieved.

OUTPUT

```
enter dvd id 1001
enter dvd name oracle
enter qty 4
enter price(in rupees) 300
do you want to enter more rec(Y/N): y
enter dvd id 1002
enter dvd name sql
enter qty 3
enter price(in rupees) 200
do you want to enter more rec(Y/N): y
enter dvd id 1003
enter dvd name prolog
enter qty 4
enter price(in rupees) 600
do you want to enter more rec(Y/N): N

[1001, 'oracle', 4, 300]
[1003, 'prolog', 4, 600]
```

6. BINARY FILE UPDATING

Aim:
Aman is a Python programmer. He has written a code and created a binary file record.dat. For this, he wants the following information of each candidate to be stored:
Name – String
Rno – Integer
Mark - Integer
You, as a programmer, have been assigned to do this job for Aman.
(I) Write a function to input the data of a student and append it in a binary file.
(II) Write a function to update the data of students whose marks is less than 60 marks and add their marks to 5
(III) Write a function to read the data from the binary file and display the data of all those students.

Coding :

```
#writing into binary(using list)
def wrbin():
   import pickle
   fo = open("binary_file1.dat","wb")
   for i in range(5):
      name=input('enter name')
      rno=int(input('enter rno'))
      mark=int(input('enter mark'))
      l=[name,rno,mark]
      pickle.dump(l,fo)
   fo.close()

def rebin():
   import pickle
   fbin = open("binary_file1.dat","rb")
   while True:
         try:
            x=pickle.load(fbin)
            print(x)
         except:
            break
   fbin.close()


def updatebin():
   import pickle
   fbin = open("binary_file1.dat","rb+")
   while True:
         pos=fbin.tell()
         try:
            s=pickle.load(fbin)
```

```
            if s[2]<=60:
                s[2]=s[2]+5
                fbin.seek(pos)
                pickle.dump(s,fbin)
        except:
            break
    fbin.close()
wrbin()
rebin()
updatebin()
print('updated list')
rebin()
```

Output

```
enter nameVetri
enter rno1001
enter mark99
enter nameJai
enter rno1002
enter mark56
enter nameGanesh
enter rno1003
enter mark87
enter nameRaj
enter rno1004
enter mark45
enter nameHaran
enter rno1005
enter mark65

['Vetri', 1001, 99]
['Jai', 1002, 61]
['Ganesh', 1003, 87]
['Raj', 1004, 50]
['Haran', 1005, 65]

updated list
['Vetri', 1001, 99]
['Jai', 1002, 61]
['Ganesh', 1003, 87]
['Raj', 1004, 55]
['Haran', 1005, 65]
```

Result:

Thus, the above Python program is executed successfully and the output is verified

7.CREATING CSV FILE

Aim:

To write a program to create CSV file to store Employee data (eno, ename, designation and salary) . Obtain data from user and write 3 records into the file.

CODING

```
def createcsv():
    import csv
    fh=open('employee.csv','w',newline="")
    ewriter=csv.writer(fh)
    ewriter.writerow(['Eno','Ename','Designation','Salary'])
    for i in range(3):
        eno=int(input('Empno :'))
        ename=(input('Name :'))
        desig=input('Designation :')
        salary=float(input('Salary :'))
        rec=[eno,ename,desig,salary]
        ewriter.writerow(rec)
    print('CSV file created by suppressing the EOL translation')
    fh.close()
createcsv()

def displaycsv():
    import csv
    with open('employee.csv','r',newline='\n') as fh:
          eread=csv.reader(fh)
          print('File Employee contains :')
          for rec in eread:
              print(rec)
displaycsv()
```

Result:

The required output is achieved.

CONTENTS OF THE CSV FILE (INPUT and OUTPUT)

```
Empno :1001
Name :Rajan
Designation :Manager
Salary :75000
Empno :1002
Name :Aishwarya
Designation :Clerk
Salary :40000
Empno :1003
Name :Senthil
Designation :Supervisor
Salary :50000
CSV file created by suppressing the EOL translation
File Employee contains :
['Eno', 'Ename', 'Designation', 'Salary']
['1001', 'Rajan', 'Manager', '75000.0']
['1002', 'Aishwarya', 'Clerk', '40000.0']
['1003', 'Senthil', 'Supervisor', '50000.0']
```

8. CREATE AND SEARCH STUDENTS' RECORD IN CSV FILE.

AIM:

To write a Python program Create a CSV file to store Rollno, Name, Age and search any Rollno and display Name, Age and if not found display appropriate message.

SOURCE CODE:

```
import csv
def Create():
    F=open("Stu.csv",'a',newline='')
    W=csv.writer(F)
    opt='y'
    while opt=='y':
          No=int(input("Enter the Studnet Roll Number:"))
          Name=input("Enter the Student name:")
          Age=int(input("Enter the Student Age:"))
          L=[No,Name,Age]
          W.writerow(L)
          opt=input("Do you want to add another student details?(y/n):")
    F.close()

def Read():
    F=open("Stu.csv",'r',newline='\r\n')
    no=int(input("Enter Student Roll number to be search:"))
    found=0
    row=csv.reader(F)
    for data in row:
        if data[0]==str(no):
            print("Stuent Details are:")
            print("======================")
            print("Name:",data[1])
            print("Age:",data[2])
            print("======================")
            found=1
            break
    if found==0:
        print("The student roll number is not found")

    F.close()
```

Create( )

Read()

Result:

Thus, the above Python program is executed successfully and the output is verified

SAMPLE OUTPUT:

```
Enter the Studnet Roll Number:1
Enter the Student name:Arun
Enter the Student Age:23
Do you want to add another student details?(y/n):y
Enter the Studnet Roll Number:2
Enter the Student name:Bala
Enter the Student Age:34
Do you want to add another student details?(y/n):n
Enter Student Roll number to be search:2
Stuent Details are:
======================
Name: Bala
Age: 34
======================
```

9 . STACK OPERATIONS USING LIST

Aim:

Write a menu driven Python program to implement a stack operations push(),pop() and display() using a list. BOOKNO, BOOKNAME, PRICE CODING

CODING:

```
book=[]
def PUSH():
    bn=input("enter book name..")
    bno=input("enter book no..")
    bp=input("enter book price..")
    temp=[bn,bno,bp]
    book.append(temp)
    print("book details added..")

def  POP():
    if book==[]:
        print("no record")
    else:
        print("deleted record is..",book.pop())

def DISPLAY():
    length=len(book)
    if book==[]:
        print("no record")
    else:
        for i in range(length-1,-1,-1):
            print(book[i])

while True:
    print("1 ADD book\n2 DELETE book\n3 DISPLAY book\n4 EXIT\n")
    ch=int(input("enter your choice...."))
    if ch==1:
        PUSH()
    elif ch==2:
        POP()
    elif ch==3:
        DISPLAY()
    else:
        break
```

Result:

The required output is achieved.

OUTPUT:

```
1 ADD book
2 DELETE book
3 DISPLAY book
4 EXIT

enter your choice....1
enter book name..Oracle
enter book no..202
enter book price..1200
book details added..
1 ADD book
2 DELETE book
3 DISPLAY book
4 EXIT

enter your choice....1
enter book name..Data Science
enter book no..202
enter book price..800
book details added..
1 ADD book
2 DELETE book
3 DISPLAY book
4 EXIT

enter your choice....1
enter book name..AI
enter book no..203
enter book price..900
book details added..
```

```
1 ADD book
2 DELETE book
3 DISPLAY book
4 EXIT

enter your choice....3
['AI', '203', '900']
['Data Science', '202', '800']
['Oracle', '202', '1200']
1 ADD book
2 DELETE book
3 DISPLAY book
4 EXIT

enter your choice....2
deleted record is.. ['AI', '203', '900']
1 ADD book
2 DELETE book
3 DISPLAY book
4 EXIT

enter your choice....4
```

10. STACK OPERATIONS USING DICTIONARY

AIM:

Write a menu driven program to create a dictionary containing names and marks as key value pairs {SNAME:MARKS} of some students and separate user defined functions to perform the following operations:

- Push the keys (name of the student) of the dictionary into a stack, where the corresponding value (marks) is greater than 75.
- Pop an element of the stack.
- display the content of the stack.

CODING

```
stack=[]
def PUSH(st):
    for k in st:
        if st[k]>=75:
            stack.append(k)
    print(" records added...")
def  POP():
    if stack=={}:
        print("no record")
    else:
        print("deleted record is..",stack.pop())
def DISPLAY():
        if stack==[]:
            print("no record")
        else:
            for i in range(len(stack)-1,-1,-1):
                print("name...",stack[i])
dic={}
print("enter names and marks for some  students...")
while True:
        sname=input("enter student name..")
        mark=int(input("enter marks."))
        dic[sname]=mark
        ch=input("do you want to continue  y  or n ..")
        if ch=="n":
           break
while True:
    print("1 PUSH\n2 POP\n3 DISPLAY \n4 EXIT\n")
    ch=int(input("enter your choice from the above menu...."))
    if ch==1:
        PUSH(dic)
    elif ch==2:
        POP()
    elif ch==3:
        DISPLAY()
    else:
        break
```

Result:

The required output is achieved.

Output.

```
enter names and marks for some  students...
enter student name..Raji
enter marks.78
do you want to continue  y  or n ..y
enter student name..Sanjay
enter marks.98
do you want to continue  y  or n ..y
enter student name..Mikul
enter marks.40
do you want to continue  y  or n ..n
1 PUSH
2 POP
3 DISPLAY
4 EXIT

enter your choice from the above menu....1
 records added...
1 PUSH
2 POP
3 DISPLAY
4 EXIT

enter your choice from the above menu....3
name... Sanjay
name... Raji
1 PUSH
2 POP
3 DISPLAY
4 EXIT
```

```
enter your choice from the above menu....2
deleted record is.. Sanjay
1 PUSH
2 POP
3 DISPLAY
4 EXIT

enter your choice from the above menu....4
```

11- SQL QUERIES -1

1. **AIM:**

Consider the following tables **GAMES** and **PLAYER** and write SQL statements for questions **(i) to (iii)**. Find the output of the SQL queries for questions **(iv) and (v)**.

TABLE: **GAMES**

GCode	GameName	Number	PrizeMoney
101	Kabaddi	2	5000
102	Badminton	2	12000
103	Chess	4	8000
104	Cricket	2	9000

TABLE:**PLAYER**

PCode	Name	GCode
1	Ravi	101
2	Amir	103
3	Jatin	102
4	Peter	101

1. Write a DDL statement to create the above tables.
   Create table games(GCode integer,gamename varchar(15),number integer, prizemoney integer);
   Create table player(pcode integer,name char(10),gcode integer);

2. Write a DML statement to insert any two record in the above tables.
   Insert into games values(101,'kabaddi',2,5000);
   Insert into player values(1,'ravi',101);

3. Write a query to display GameName, PrizeMoney from GAMES and Name from PLAYER where their corresponding PrizeMoney is above 6000.
   Select GameName,PrizeMoney,Name from games g,player p where g.GCode=p.Gcode and PrizeMoney>6000;

4. SELECT SUM(Number) from GAMES WHERE PrizeMoney<11000;

   Sum (number)

   8

5. SELECT Name from PLAYER WHERE GCode=101;

   Name

   Ravi

   Peter

Result:

Thus, the SQL queries were executed successfully and the required output was obtained.

4

2.

12- SQL QUERIES -2

Aim:

Consider the following tables STUDENT& DETAILS and write SQL statements for questions **(i) to (iii)**. Find the output of the SQL queries for questions **(iv) and (v)**.

STUDENT

ROLL_NO	STUDENT_NAME	SEX	FEES
S1	MEENA SAHANI	F	2400
S2	ROHIT OJHA	M	3200
S3	B KANNAN	M	2700
S4	ARUNA SEN	F	2300
S5	AYUSH SINHA	M	3600

DETAILS

A_NO	ROLL_NO	CLASS	STREAM	GRADE
1001	S1	XII A	SCIENCE	A
1002	S2	XII B	COMMERCE	A
1003	S3	XII A	SCIENCE	C
1004	S4	XII C	HUMANITIES	D
1005	S5	XII B	COMMERCE	B

1. Write a DDL statement to create the above tables.
   Create table student(roll_no varchar(3),student_name varchar (20),sex char(1),fees integer);
   Create table details(a_no integer,roll_no varchar(3),class varchar(6), stream varchar(15),grade char(2));

2. Write a DML statement to insert any two records in the above tables.
   Insert into student values('s1','meena sahani','f',2400);
   Insert into details values(1001,'s1','XII A','SCIENCE','A');

3. Write query to display STUDENT_NAME, SEX, CLASS from STUDENT and DETAILS where they belong to Science stream.
   Select student_name,sex,class from student s,details d where s.roll_no=d.roll_no and stream='science';

4. SELECT SEX, AVG(FEES), COUNT(*) FROM STUDENT GROUP BY SEX ;

Sex	avg(fees)	count(*)
F	2350	2
M	3166.67	3

5. SELECT STUDENT_NAME, FEES, GRADE FROM STUDENT, DETAILS WHERE STUDENT.ROLL_NO = DETAILS.ROLL_NO AND FEES>3000;

Student_name	fees	grade
Rohit ojha	3200	A
Ayush sinha	3600	B

Result:

Thus, the SQL queries were executed successfully and the required output was obtained.

13. Consider the following tables STUDENT& DETAILS and write SQL statements for the following questions (i) to (iii) and find output for the queries (iv) and (v):

STUDENT

ROLL_NO	STUDENT_NAME	SEX	FEES
S1	MEENA SAHANI	F	2400
S2	ROHIT OJHA	M	3200
S3	B KANNAN	M	2700
S4	ARUNA SEN	F	2300
S5	AYUSH SINHA	M	3600

DETAILS

A_NO	ROLL_NO	CLASS	STREAM	GRADE
1001	S1	XII A	SCIENCE	A
1002	S2	XII B	COMMERCE	A
1003	S3	XII A	SCIENCE	C
1004	S4	XII C	HUMANITIES	D
1005	S5	XII B	COMMERCE	B

1.

1. Write a DDL statement to create the above tables.

Create table student(roll_no varchar(3),student_name varchar (20),sex char(1),fees integer);
Create table details(a_no integer,roll_no varchar(3),class varchar(6), stream varchar(15),grade char(2));

2. Write a DML statement to insert any two records in the above tables.

Insert into student values('s1','meena sahani','f',2400);
Insert into details values(1001,'s1','XII A','SCIENCE','A');

3.Write query to display STUDENT_NAME, SEX, CLASS from STUDENT and DETAILS where they belong to Science stream.

Select student_name,sex,class from student s,details d where s.roll_no=d.roll_no and stream='science';

4.SELECT SEX, AVG(FEES), COUNT(*) FROM STUDENT GROUP BY SEX ;

Sex avg(fees) count(*)
F 2350 2
M 3166.67 3

5.SELECT STUDENT_NAME, FEES, GRADE FROM STUDENT, DETAILS WHERE STUDENT.ROLL_NO = DETAILS.ROLL_NO AND FEES>3000;
Student_name fees grade
Rohit ojha 3200 A
Ayush sinha 3600 B

14. Consider the following tables PRODUCT and CLIENT and write SQL statements for the following questions (i) to (iii) and find output for the queries (iv) and (v):

TABLE: PRODUCT

P_ID	PRODUCTNAME	MANUFACTURER	PRICE
TP01	MATCH BOXES	LAK	40
FW05	SUGAR PACKETS	ABC	45
BS01	PALM OIL	ABC	55
SH06	NOODLES	XYZ	120
FW12	SUGAR PACKETS	XYZ	95

TABLE: CLIENT

C_ID	CLIENTNAME	CITY	P_ID
01	RAVI GROCERY	DELHI	FW05
06	GOPI GROCERY	MUMBAI	BS01
12	KRISHNA STORES	DELHI	SH06
15	DMART	DELHI	FW12
16	SPENCERS MINI	BANGALORE	TP01

1. Write a DDL statement to create the above tables.

   Create table PRODUCT(P_ID varchar(5),PRODUCTNAME varchar(20), MANUFACTURER varchar(4),PRICE integer);
   Create table client(C_ID integer,CLIENTNAME char (20),CITY char(15),P_ID varchar(4));

2. Write a DML statement to insert any two records in the above tables. 4

   Insert into PRODUCT values('tp01,'match boxes','lak' ,40);
   Insert into CLIENT values(01,'ravi grocery','delhi','fw05');

3. Write a query to display the ClientName, from Table client, and Productname from table product where their corresponding price is above 40.

   Select CLIENTNAME,PRODUCTNAME from CLIENT C,PRODUCT P where P.P_ID=C.P_ID and PRICE>40;

4. SELECT COUNT(DISTINCT MANUFACTURER) FROM PRODUCT;
   Count(distinct manufacturer)
   3

5. SELECT * FROM CLIENT WHERE CITY = 'DELHI';

C_id	clientname	city	P_id
01	RAVI GROCERIES	DELHI	FW05
12	KRISHNA STORES	DELHI	SH06
15	DMART	DELHI	FW12

15 Consider the following tables Employees & EmpSalary and write SQL statements for the following questions (i) to (iii) and find output for the queries (iv) and (v):

Employees

Emp ID	Firstname	Lastname	Address	City
10	Ravi	Kumar	Raj nagar	GZB
105	Harry	Waltor	Plaza st.,	GZB
152	Sam	Tones	33 Elm St.	Paris
215	Sarah	Ackerman	440 U.S.	Upton

EmpSalary

Emp ID	Salary	Benefits	Designation
10	75000	15000	Manager
105	65000	15000	Manager
152	80000	25000	Director
215	75000	12500	Manager

1. Write a DDL statement to create the above tables.

   Create table Employees(empID integer,firstname varchar(20),lastname varchar(10),address varchar(20),city varchar(10));

   Create table EmpSalary(empid integer,salary integer,benefits integer,designation varchar(10));

2. Write a DML statement to insert any two records in the above tables.

   Insert into employees values(10,'ravi','kumar','raj nagar', 'gzb');
   Insert into empsalary values(10,75000,15000,'manager');

3. Write query to display Firstname, Lastname and salary of all managers from the tables Employees and EmpSalary.

   Select firstname,lastname,salary from employees e,empsalary m where e.empid=m.empid and designation='Manager';

4. SELECT Firstname, Salary from Employees, EmpSalary
   WHERE Designation = 'Manager' AND Employees.EmpID = EmpSalary.EmpID;

   First name salary
   Ravi 75000
   Harry 65000
   Sarah 75000

5. SELECT Designation, SUM(Salary) from EmpSalary
   Group BY Designation HAVING COUNT(*) > 2;
   Designation sum(salary)
   Manager 215000

16 Consider the following tables Books & Issued and write SQL statements for the following questions (i) to (iii) and find output for the queries (iv) and (v):

BOOKS

BookId	BookName	AuthorName	Price	Qty
C0001	Fast Cook	Lata kapoo	355	5
F0001	The Tears	William	650	20
T0001	My Python	Brain & Brooke	350	10
T0002	Python Brainy	Rossaine	350	15
F0002	Thunderbolts	Anil Kapoor	750	50

ISSUED

BookId	QuantityIssued
T0001	NULL
C0001	5
F0001	2
F0001	2

1. Write DDL statement to create the above tables.
   Create table BOOKS(BookId varchar(5),BookName varchar (20), AuthorName varchar(10),Price Integer, Qty integer);
   Create table ISSUED(BookId varchar(5),QuantityIssued integer);

2. Write a DML statement to insert any one record in the above tables.
   Insert into BOOKS values('C0001','Fast Cook','Lata Kapoo',355,5);
   Insert into ISSUED values('C0001','5')

3. Write a query to display the BookName and QuantityIssued for all books which have been issued. (The Query will require contents from both the tables.)

   Select BookName,QuantityIssued from BOOKS B,ISSUED I
   Where B.BookId=I.BookId;

4. SELECT SUM(Qty) FROM BOOKS WHERE Price>=450;

   SUM(Qty)
   70

5. SELECT BookName, AuthorName FROM BOOKS order by AuthorName;

BookName	AuthorName
Anil Kapoor	ThunderBolts
Brain & Brooke	My Python
Lata Kapoo	Fast Cook
Rossaine	Python Brainy
William	The Tears