

Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example,

If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,

If the five input parameters are 15, 0, -12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

```
9     int count =0;
10    if (input1%2!=0)
11    {
12        count+=1;
13    }
14    if (input2%2!=0)
15    {
16        count+=1;
17    }
18    if (input3%2!=0)
19    {
20        count+=1;
21    }
22    if (input4%2!=0)
23    {
24        count+=1;
25    }
26    if (input5%2!=0)
27    {
28        count+=1;
29    }
30    {
31        return count;
```

☐ Use Custom Input



Compile and Test

Submit Code



1. Program

1

Attempt

Question 1

Revisit Later

Code Executi

How to Attempt?

Of the given 5 numbers, How many are odd?

Write a function that accepts 5 input parameters and returns the count of how many of those 5 are odd.

For example,

If the five input parameters are 12, 17, 19, 14, and 115, there are three odd numbers 17, 19 and 115. So, the function must return 3.

Similarly,

If the five input parameters are 15, 0, 12, 19, and 28, there are two odd numbers 15 and 19. So, the function must return 2.

Observe that zero is considered an even number.

0/8 - Graded

✓ Corner

✓ Corner

✓ Neces

✓ Neces

✓ Basic 4


✓ Basic 3

✓ Basic 2

✓ Basic 1

⚠ Finish Test

⌚ Remaining Time: 00:57:50



Your Test Summary

1 Total
Questions

- Attempted: 1/1
- Marked for Revisit: 0/1
- Unattempted: 0/1

Section Summary

#	SECTION NAME	STATUS
1.	Program Untimed Section	<div><div>1</div><div>0</div></div> <div>Total: 1 Questions</div>

Yes, End Test!

No, Back to Test