

```
MINGW64/c/Users/veena/test
veena@veena-vivobook MINGW64 ~
$ git --version
git version 2.42.0.windows.2
veena@veena-vivobook MINGW64 ~
$ git help config
git
veena@veena-vivobook MINGW64 ~
$ git config --help
veena@veena-vivobook MINGW64 ~
$ mkdir test
veena@veena-vivobook MINGW64 ~
$ cd test
veena@veena-vivobook MINGW64 ~/test
$ git init
Initialized empty Git repository in C:/Users/veena/test/.git/
veena@veena-vivobook MINGW64 ~/test (master)
$ git status
on branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  demo.txt
nothing added to commit but untracked files present (use "git add" to track)
veena@veena-vivobook MINGW64 ~/test (master)
$ git add demo.txt
veena@veena-vivobook MINGW64 ~/test (master)
$ git commit -m "committing a text file"
[master (root-commit) 75ee850] committing a text file
1 file changed, 1 insertion(+)
create mode 100644 demo.txt
veena@veena-vivobook MINGW64 ~/test (master)
$ clear

MINGW64/c/Users/veena/test
veena@veena-vivobook MINGW64 ~/test (master)
$ git config --global user.username VeenaSundari
veena@veena-vivobook MINGW64 ~/test (master)
$ git remote add origin https://github.com/VeenaSundari/demo_test.git
error: remote origin already exists.
veena@veena-vivobook MINGW64 ~/test (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 231 bytes | 115.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
to https://github.com/VeenaSundari/test_demo.git
* [new branch] master -> master
veena@veena-vivobook MINGW64 ~/test (master)
$ |
```

