

Scan Report

March 25, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Asia/Kolkata”, which is abbreviated “IST”. The task was “Week 1 Nmap Sweep”. The scan started at Wed Mar 25 05:16:33 2026 IST and ended at Wed Mar 25 07:59:53 2026 IST. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
1.1	Host Authentications	2
2	Results per Host	2
2.1	192.168.56.6	2
2.1.1	Low general/icmp	3
2.1.2	Log 3389/tcp	4
2.1.3	Log 21/tcp	9
2.1.4	Log 47001/tcp	11
2.1.5	Log 49255/tcp	12
2.1.6	Log 9200/tcp	14
2.1.7	Log 3920/tcp	15
2.1.8	Log 1617/tcp	21
2.1.9	Log 49238/tcp	21
2.1.10	Log 8282/tcp	22
2.1.11	Log 3820/tcp	25
2.1.12	Log 8383/tcp	31
2.1.13	Log 49178/tcp	39
2.1.14	Log 3306/tcp	39
2.1.15	Log 135/tcp	40
2.1.16	Log 49256/tcp	41
2.1.17	Log 49176/tcp	42

2.1.18	Log general/tcp	43
2.1.19	Log 49347/tcp	51
2.1.20	Log 8585/tcp	52
2.1.21	Log 139/tcp	56
2.1.22	Log 49175/tcp	56
2.1.23	Log 8686/tcp	57
2.1.24	Log 8020/tcp	58
2.1.25	Log 3700/tcp	59
2.1.26	Log 8009/tcp	60
2.1.27	Log 49177/tcp	61
2.1.28	Log 8181/tcp	61
2.1.29	Log 22/tcp	69
2.1.30	Log 161/udp	72
2.1.31	Log 49346/tcp	73
2.1.32	Log 80/tcp	74
2.1.33	Log 5985/tcp	75
2.1.34	Log 445/tcp	77
2.1.35	Log 137/udp	79
2.1.36	Log 8484/tcp	79
2.1.37	Log 4848/tcp	81
2.1.38	Log 7676/tcp	88
2.2	192.168.56.15	89
2.2.1	Low general/icmp	90
2.2.2	Log 445/tcp	91
2.2.3	Log 5900/tcp	94
2.2.4	Log 53/tcp	95
2.2.5	Log 6697/tcp	96
2.2.6	Log 1099/tcp	97
2.2.7	Log 25/tcp	97
2.2.8	Log 8009/tcp	105
2.2.9	Log 80/tcp	106
2.2.10	Log 512/tcp	108
2.2.11	Log 69/udp	109
2.2.12	Log 8180/tcp	110
2.2.13	Log 22/tcp	111
2.2.14	Log 3306/tcp	114
2.2.15	Log 111/tcp	115
2.2.16	Log 6000/tcp	117
2.2.17	Log 2121/tcp	118
2.2.18	Log 23/tcp	119

2.2.19	Log 6667/tcp	121
2.2.20	Log 53/udp	121
2.2.21	Log 21/tcp	122
2.2.22	Log 139/tcp	124
2.2.23	Log 514/tcp	125
2.2.24	Log 58521/tcp	126
2.2.25	Log 137/udp	126
2.2.26	Log 513/tcp	127
2.2.27	Log 111/udp	128
2.2.28	Log 5432/tcp	129
2.2.29	Log 8787/tcp	135
2.2.30	Log 3632/tcp	136
2.2.31	Log general/tcp	136
2.2.32	Log 1524/tcp	146

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.168.56.6 METASPLOITABLE3	0	0	0	1	115	0
192.168.56.15 METASPLOITABLE	0	0	0	1	80	0
Total: 2	0	0	0	2	195	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Critical” are not shown.

Issues with the threat level “High” are not shown.

Issues with the threat level “Medium” are not shown.

Issues with the threat level “Low” are not shown.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 197 results selected by the filtering described above. Before filtering there were 197 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
192.168.56.15 - METASPLOITABLE	SMB	Success	Protocol SMB, Port 445, User

2 Results per Host

2.1 192.168.56.6

Host scan start Wed Mar 25 05:16:35 2026 IST

Host scan end Wed Mar 25 07:59:48 2026 IST

Service (Port)	Threat Level
general/icmp	Low
3389/tcp	Log
21/tcp	Log

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
47001/tcp	Log
49255/tcp	Log
9200/tcp	Log
3920/tcp	Log
1617/tcp	Log
49238/tcp	Log
8282/tcp	Log
3820/tcp	Log
8383/tcp	Log
49178/tcp	Log
3306/tcp	Log
135/tcp	Log
49256/tcp	Log
49176/tcp	Log
general/tcp	Log
49347/tcp	Log
8585/tcp	Log
139/tcp	Log
49175/tcp	Log
8686/tcp	Log
8020/tcp	Log
3700/tcp	Log
8009/tcp	Log
49177/tcp	Log
8181/tcp	Log
22/tcp	Log
161/udp	Log
49346/tcp	Log
80/tcp	Log
5985/tcp	Log
445/tcp	Log
137/udp	Log
8484/tcp	Log
4848/tcp	Log
7676/tcp	Log

2.1.1.1 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure
Summary
... continues on next page ...

...continued from previous page...
The remote host responded to an ICMP timestamp request.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following response / ICMP packet has been received: - ICMP Type: 14 - ICMP Code: 0
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.
Vulnerability Detection Method Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received. Details: ICMP Timestamp Reply Information Disclosure OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-1999-0524 url: https://datatracker.ietf.org/doc/html/rfc792 url: https://datatracker.ietf.org/doc/html/rfc2780 cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.56.6 \]](#)

2.1.2 Log 3389/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Microsoft Remote Desktop Protocol (RDP) Detection
Summary A service supporting the Microsoft Remote Desktop Protocol (RDP) is running at this host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Solution:
Vulnerability Insight Remote Desktop Services, formerly known as Terminal Services, is one of the components of Microsoft Windows (both server and client versions) that allows a user to access applications and data on a remote computer over a network.
Log Method ... continues on next page ...

...continued from previous page ...
Details: Microsoft Remote Desktop Protocol (RDP) Detection OID:1.3.6.1.4.1.25623.1.0.100062 Version used: 2021-04-16T13:38:22+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 3F55CBA53C83C24E921496DC72269B1E504EC80C fingerprint (SHA-256) D45D70EAC51AB03D26C0A28B3F899AD6EC42B4095B780F
... continues on next page ...

...continued from previous page...	
↪3B9F9EC2125808139B	
issued by	CN=metasploitable3-win2k8
public key algorithm	RSA
public key size (bits)	2048
serial	757792EA564BA5B84886807274D11CC3
signature algorithm	sha1WithRSAEncryption
subject	CN=metasploitable3-win2k8
subject alternative names (SAN)	None
valid from	2026-02-12 04:35:16 UTC
valid until	2026-08-14 04:35:16 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 3F55CBA53C83C24E921496DC72269B1E504EC80C fingerprint (SHA-256) D45D70EAC51AB03D26C0A28B3F899AD6EC42B4095B780F ↪3B9F9EC2125808139B issued by CN=metasploitable3-win2k8 public key algorithm RSA public key size (bits) 2048 serial 757792EA564BA5B84886807274D11CC3 signature algorithm sha1WithRSAEncryption subject CN=metasploitable3-win2k8
... continues on next page ...

...continued from previous page...	
subject alternative names (SAN)	None
valid from	2026-02-12 04:35:16 UTC
valid until	2026-08-14 04:35:16 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID: 1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Vulnerability Insight
... continues on next page ...

...continued from previous page ...
Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

[\[return to 192.168.56.6 \]](#)

2.1.3 Log 21/tcp

Log (CVSS: 0.0)
NVT: Services
... continues on next page ...

...continued from previous page ...
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 Microsoft FTP Service
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 Microsoft FTP Service This is probably (a): - Microsoft IIS FTP Server Server operating system information collected via "SYST" command: 215 Windows_NT
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092
... continues on next page ...

...continued from previous page ...

Version used: 2026-02-18T11:27:21+05:30

Log (CVSS: 0.0)

NVT: Microsoft IIS FTP Server Version Detection

Summary

Detection of Microsoft IIS FTP Server.

The script sends a connection request to the server and attempts to extract the version number from the reply.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Microsoft IIS FTP Server

Version: unknown

Location: 21/tcp

CPE: cpe:/a:microsoft:ftp_service

Solution:**Log Method**

Details: Microsoft IIS FTP Server Version Detection

OID:1.3.6.1.4.1.25623.1.0.900875

Version used: 2021-09-01T19:34:04+05:30

[\[return to 192.168.56.6 \]](#)**2.1.4 Log 47001/tcp**

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A web server is running on this port

... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-HTTPAPI/2.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.1.5 Log 49255/tcp

Log (CVSS: 0.0)
NVT: Services
... continues on next page ...

...continued from previous page ...
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An ssh server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-SSHD-CORE-0.8.0 Remote SSH supported authentication: none,password,publickey,hostbased,keyboard-↔interactive Remote SSH text/login banner: (not available) Concluded from remote connection attempt with credentials: Login: OpenVASVT Password: OpenVASVT
Solution:
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.
Log Method Details: SSH Server type and version OID:1.3.6.1.4.1.25623.1.0.10267 Version used: 2026-02-13T21:19:08+05:30

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.6 Log 9200/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.7 Log 3920/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A service responding with an SSL/TLS alert seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA ... continues on next page ...

...continued from previous page ...	
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation ↔,L=Santa Clara,ST=California,C=US
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security
... continues on next page ...

...continued from previous page ...
Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution:
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
... continues on next page ...

...continued from previous page ...
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Log (CVSS: 0.0) NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

[\[return to 192.168.56.6 \]](#)

2.1.8 Log 1617/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port. The following remote registry objects have been extracted: rmi://192.168.56.6:49175/jmxrmi
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.9 Log 49238/tcp

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.10 Log 8282/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
...
... continues on next page ...

...continued from previous page ...
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30
Log (CVSS: 0.0) NVT: Apache Axis2 Detection (HTTP)
Summary HTTP based detection of Apache Axis2, a Web Services / SOAP / WSDL engine, the successor to the widely used Apache Axis SOAP stack.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Axis2 Version: 1.6.0 Location: /axis2 CPE: cpe:/a:apache:axis2:1.6.0 Concluded from version/product identification result: version is 1.6.0 Concluded from version/product identification location: http://192.168.56.6:8282/axis2/services/Version/getVersion http://192.168.56.6:8282/axis2/axis2-admin/ http://192.168.56.6:8282/axis2/axis2-web/index.jsp http://192.168.56.6:8282/axis2/services/version/getVersion http://192.168.56.6:8282/axis2/axis2-web/HappyAxis.jsp http://192.168.56.6:8282/axis2/axis2-admin/welcome http://192.168.56.6:8282/axis2/
Solution:
Log Method Details: Apache Axis2 Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100813 Version used: 2024-12-06T21:11:14+05:30
References url: https://axis.apache.org/axis2/java/core/ url: https://axis.apache.org/axis2/c/core/

Log (CVSS: 0.0)
NVT: Apache Axis2 Web Services Detection (HTTP)
Summary HTTP based detection of Apache Axis2 Web Services.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following services were detected at 'http://192.168.56.6:8282/axis2/services↵/listServices': - Version (URL: /axis2/services/Version?wsdl)
Solution:
Log Method Details: Apache Axis2 Web Services Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.111008 Version used: 2023-10-09T10:35:36+05:30
References url: https://axis.apache.org/axis2/java/core/ url: https://axis.apache.org/axis2/c/core/

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache-Coyote/1.1
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 ... continues on next page ...

...continued from previous page ...
Version used: 2023-08-01T18:59:10+05:30

[[return to 192.168.56.6](#)]

2.1.11 Log 3820/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A GIOP-enabled service is running on this port through SSL/TLS
... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
... continues on next page ...

...continued from previous page ...	
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: Check open ports	
Summary This plugin checks if the port scanners did not kill a service.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin	
Solution:	
... continues on next page ...	

...continued from previous page ...

Log Method

Details: Check open ports

OID:1.3.6.1.4.1.25623.1.0.10919

Version used: 2023-08-03T10:35:16+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1) | 4A5758F59279E82F2A913C83CA658D6964575A72

fingerprint (SHA-256) | AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD

↪5B23381002A885F556

issued by | CN=localhost,OU=GlassFish,O=Oracle Corporation

↪,L=Santa Clara,ST=California,C=US

public key algorithm | RSA

public key size (bits) | 2048

serial | 04A9972F

signature algorithm | sha256WithRSAEncryption

subject | CN=localhost,OU=GlassFish,O=Oracle Corporation

↪,L=Santa Clara,ST=California,C=US

subject alternative names (SAN) | None

valid from | 2013-05-15 05:33:38 UTC

valid until | 2023-05-13 05:33:38 UTC

Solution:**Log Method**

Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.

... continues on next page ...

...continued from previous page ...
Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

[\[return to 192.168.56.6 \]](#)

2.1.12 Log 8383/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
... continues on next page ...

...continued from previous page ...
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
... continues on next page ...

...continued from previous page ...	
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315 fingerprint (SHA-256) C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E ↪B135AD83CD7B01A5A5 issued by 1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US public key algorithm RSA public key size (bits) 1024 serial 00F59CEF71E6DB72A5 signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US subject alternative names (SAN) None valid from 2010-09-08 12:24:44 UTC valid until 2020-09-05 12:24:44 UTC	
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Non Weak Cipher Suites

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**
'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA

... continues on next page ...

...continued from previous page ...

```

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256

```

...continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315 fingerprint (SHA-256) C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E ↪B135AD83CD7B01A5A5 issued by 1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US public key algorithm RSA public key size (bits) 1024 serial 00F59CEF71E6DB72A5 signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US subject alternative names (SAN) None
... continues on next page ...

...continued from previous page ...	
valid from	2010-09-08 12:24:44 UTC
valid until	2020-09-05 12:24:44 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Medium Cipher Suites

Summary

This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

... continues on next page ...

...continued from previous page... 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: <pre> TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA </pre> 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: <pre> TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA </pre>
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites
...continues on next page...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.902816
Version used: 2024-09-27T10:35:23+05:30

[\[return to 192.168.56.6 \]](#)

2.1.13 Log 49178/tcp

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.14 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A MySQL/MariaDB server is running on this port
... continues on next page ...

...continued from previous page ...

Solution:**Vulnerability Insight**

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

Details: Services

OID:1.3.6.1.4.1.25623.1.0.10330

Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)

Summary

MySQL protocol-based detection of MariaDB / Oracle MySQL.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Oracle MySQL

Version: 5.5.20-log

Location: 3306/tcp

CPE: cpe:/a:oracle:mysql:5.5.20

Concluded from version/product identification result:

5.5.20-log

Solution:**Log Method**

Details: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID:1.3.6.1.4.1.25623.1.0.100152

Version used: 2025-09-09T11:08:49+05:30

[\[return to 192.168.56.6 \]](#)**2.1.15 Log 135/tcp**

Log (CVSS: 0.0)
NVT: DCE/RPC and MSRPC Services Enumeration
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A DCE endpoint resolution service seems to be running on this port.
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this port.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries. The actual reporting takes place in the VT 'DCE/RPC and MSRPC Services Enumeration Reporting' (OID: 1.3.6.1.4.1.25623.1.0.10736)
Log Method Sends multiple crafted DCE/RPC requests and checks the responses. Details: DCE/RPC and MSRPC Services Enumeration OID:1.3.6.1.4.1.25623.1.0.108044 Version used: 2025-11-25T11:10:35+05:30

[\[return to 192.168.56.6 \]](#)

2.1.16 Log 49256/tcp

Log (CVSS: 0.0)
NVT: Check open ports
... continues on next page ...

...continued from previous page ...
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.17 Log 49176/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The service closed the connection after 0 seconds without sending any data It might be protected by some TCP wrapper
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330
... continues on next page ...

...continued from previous page ...

Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: Check open ports

Summary

This plugin checks if the port scanners did not kill a service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

This port was detected as being open by a port scanner but is now closed.
 This service might have been crashed by a port scanner or by a plugin

Solution:**Log Method**

Details: Check open ports

OID:1.3.6.1.4.1.25623.1.0.10919

Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)**2.1.18 Log general/tcp**

Log (CVSS: 0.0)

NVT: PHP Detection Consolidation

Summary

Consolidation of PHP detections.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected PHP

Version: 5.3.10

Location: 8585/tcp

CPE: cpe:/a:php:php:5.3.10

Concluded from version/product identification result:

Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2

... continues on next page ...

...continued from previous page ...
Concluded from version/product identification location: <code>http://192.168.56.6:8585/</code>
Solution:
Log Method Details: PHP Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.171722 Version used: 2025-09-24T11:09:03+05:30
References url: <code>https://www.php.net/</code>

Log (CVSS: 0.0)
NVT: Traceroute
Summary Collect information about the network route and network distance between the scanner host and the target host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Network route from scanner (192.168.56.1) to target (192.168.56.6): 192.168.56.1 192.168.56.6 Network distance between scanner and target: 2
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T16:43:19+05:30

Log (CVSS: 0.0)
NVT: Jenkins Detection Consolidation
Summary Consolidation of Jenkins automation server detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Jenkins Version: 1.637 Location: / CPE: cpe:/a:jenkins:jenkins:1.637 Concluded from version/product identification result: Jenkins ver. 1.637 Extra information: - Detected on HTTP(s) port 8484/tcp - The "Who am I" page which might provide additional information about the Jenkins installation is available at: http://192.168.56.6:8484/whoAmI/ Detected Jenkins Version: 1.637 Location: / CPE: cpe:/a:jenkins:jenkins Concluded from version/product identification result: X-Jenkins-CLI-Port: 49256 Extra information: - Detected on Jenkins CLI subsystem port 49256/tcp
Solution:
Log Method Details: Jenkins Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.142665 Version used: 2024-12-06T10:35:38+05:30
References url: https://www.jenkins.io/

Log (CVSS: 0.0)
NVT: OpenSSH Detection Consolidation
Summary Consolidation of OpenSSH detections.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected OpenSSH Server Version: 7.1 Location: 22/tcp CPE: cpe:/a:openbsd:openssh:7.1 Concluded from version/product identification result: SSH-2.0-OpenSSH_7.1
Solution:
Log Method Details: OpenSSH Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.108577 Version used: 2024-12-13T10:35:32+05:30
References url: https://www.openssh.com/

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting
Summary This script consolidates the OS information detected by several VTs and tries to find the best matching OS. Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Best matching OS: OS: Microsoft Windows Server 2008 R2 or Microsoft Windows 7 CPE: cpe:/o:microsoft:windows Found by VT: 1.3.6.1.4.1.25623.1.0.103429 (Operating System (OS) Detection (SNM ↪P)) Concluded from SNMP sysDescr on port 161/udp: Hardware: AMD64 Family 25 Model 80 ↪ Stepping 0 AT/AT COMPATIBLE - Software: Windows Version 6.1 (Build 7601 Multi ↪processor Free) Setting key "Host/runs_windows" based on this information
... continues on next page ...

...continued from previous page...

Other OS detections (in order of reliability):

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP ↔))

Concluded from FTP banner on port 21/tcp: 220 Microsoft FTP Service

OS: Windows Server 2008 R2 Standard 7601 Service Pack 1

CPE: cpe:/o:microsoft:windows_server_2008:r2:sp1

Found by VT: 1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)

Concluded from SMB/Samba banner on port 445/tcp:

OS String: Windows Server 2008 R2 Standard 7601 Service Pack 1

SMB String: Windows Server 2008 R2 Standard 6.1

OS: Microsoft Windows Server 2008 R2

CPE: cpe:/o:microsoft:windows_server_2008:r2

Found by VT: 1.3.6.1.4.1.25623.1.0.900710 (Microsoft Internet Information Servi ↔ces (IIS) Detection (HTTP))

Concluded from Microsoft IIS HTTP Server banner on port 80/tcp: Server: Microsof ↔t-IIS/7.5

OS: Microsoft Windows 7

CPE: cpe:/o:microsoft:windows_7

Found by VT: 1.3.6.1.4.1.25623.1.0.900710 (Microsoft Internet Information Servi ↔ces (IIS) Detection (HTTP))

Concluded from Microsoft IIS HTTP Server banner on port 80/tcp: Server: Microsof ↔t-IIS/7.5

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↔P))

Concluded from HTTP Server banner on port 5985/tcp: Server: Microsoft-HTTPAPI/2. ↔0

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↔P))

Concluded from HTTP Server banner on port 47001/tcp: Server: Microsoft-HTTPAPI/2 ↔.0

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↔P))

Concluded from HTTP Server banner on port 80/tcp: Server: Microsoft-IIS/7.5

OS: Microsoft Windows

CPE: cpe:/o:microsoft:windows

Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↔P))

Concluded from HTTP Server banner on port 8585/tcp: Server: Apache/2.2.21 (Win64 ↔) PHP/5.3.10 DAV/2

...continues on next page...

...continued from previous page...	
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows
Found by VT:	1.3.6.1.4.1.25623.1.0.100062 (Microsoft Remote Desktop Protocol (RDP) Detection)
Concluded from Microsoft Remote Desktop Protocol (RDP) on port 3389/tcp: Windows ↩, possible Windows 7 or Server 2008 based on binary response fingerprinting: 0 ↩30000130ed000001234000201080002000000	
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows
Found by VT:	1.3.6.1.4.1.25623.1.0.108044 (DCE/RPC and MSRPC Services Enumeration ↩on)
Concluded from DCE/RPC and MSRPC Services Enumeration on port 135/tcp	
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows:6.1.45341
Found by VT:	1.3.6.1.4.1.25623.1.0.103923 (Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection (HTTP))
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows
Found by VT:	1.3.6.1.4.1.25623.1.0.10150 (Using NetBIOS to retrieve information ↩ from a SMB host)
Concluded from NetBIOS information on port 137/udp	
Solution:	
Log Method	
Details: OS Detection Consolidation and Reporting	
OID:1.3.6.1.4.1.25623.1.0.105937	
Version used: 2026-03-20T22:03:06+05:30	
References	
url: https://forum.greenbone.net/c/vulnerability-tests/7	

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation
Summary
Consolidation of Apache HTTP Server detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
Detected Apache HTTP Server
Version: unknown
Location: 8383/tcp
...continues on next page...

...continued from previous page ...
CPE: cpe:/a:apache:http_server Concluded from version/product identification result: Server: Apache Detected Apache HTTP Server Version: 2.2.21 Location: 8585/tcp CPE: cpe:/a:apache:http_server:2.2.21 Concluded from version/product identification result: Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2
Solution:
Log Method Details: Apache HTTP Server Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.117232 Version used: 2024-03-08T21:07:10+05:30
References url: https://httpd.apache.org

Log (CVSS: 0.0)
NVT: Apache Tomcat Detection Consolidation
Summary Consolidation of Apache Tomcat detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Tomcat Version: 8.0.33 Location: 8282/tcp CPE: cpe:/a:apache:tomcat:8.0.33 Concluded from version/product identification result: Apache Tomcat Version 8.0.33 Concluded from version/product identification location: http://192.168.56.6:8282/RELEASE-NOTES.txt http://192.168.56.6:8282/host-manager/html http://192.168.56.6:8282/manager/html http://192.168.56.6:8282/manager/status
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: Apache Tomcat Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.107652 Version used: 2021-02-17T18:01:13+05:30
References url: http://tomcat.apache.org/

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate
Summary It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following additional but not resolvable hostnames were detected: metasploitable3-win2k8
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T21:02:39+05:30

Log (CVSS: 0.0)
NVT: Elastic Elasticsearch Detection Consolidation
Summary Consolidation of Elastic Elasticsearch detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Elastic Elasticsearch Version: 1.1.1 Location: / CPE: cpe:/a:elastic:elasticsearch:1.1.1
... continues on next page ...

...continued from previous page...	
Concluded from version/product identification result: number" : "1.1.1", Extra information: Collected information (truncated) from http://192.168.56.6:9200/_cat/indices?v : health index pri rep docs.count docs.deleted store.size pri.store.size ↩ yellow metasplitable3 5 1 1 0 3kb 3kb	
Solution:	
Log Method Details: Elastic Elasticsearch Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.125293 Version used: 2025-09-05T21:10:40+05:30	
References url: https://www.elastic.co/	

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting
Summary The script reports information on how the hostname of the target was determined.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Hostname determination for IP 192.168.56.6: Hostname Source 192.168.56.6 IP-address
Solution:
Log Method Details: Hostname Determination Reporting OID:1.3.6.1.4.1.25623.1.0.108449 Version used: 2022-07-27T15:41:28+05:30

[\[return to 192.168.56.6 \]](#)

2.1.19 Log 49347/tcp

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.20 Log 8585/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
...
... continues on next page ...

...continued from previous page ...

Log Method

Details: Services

OID:1.3.6.1.4.1.25623.1.0.10330

Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote HTTP Server banner is:

Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2

Solution:**Log Method**

Details: HTTP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10107

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: WampServer Version Detection

Summary

This script finds the installed WampServer version.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected WampServer

Version: 2.2

Location: /

CPE: cpe:/a:wampserver:wampserver:2.2

Concluded from version/product identification result:

>Version 2.2

Concluded from version/product identification location:

... continues on next page ...

...continued from previous page ...
/index.php
Solution:
Log Method Details: WampServer Version Detection OID:1.3.6.1.4.1.25623.1.0.800297 Version used: 2023-12-13T10:35:23+05:30

Log (CVSS: 0.0)
NVT: WordPress Detection (HTTP)
Summary HTTP based detection of WordPress.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected WordPress Version: 4.6.1 Location: /wordpress CPE: cpe:/a:wordpress:wordpress:4.6.1 Concluded from version/product identification result: WordPress 4.6.1 <script src="http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/js/html5.js"></script> <link rel='stylesheet' id='genericons-css' href='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/genericons/genericons.css?ver=3.0' type='text/css'></link> <link rel='stylesheet' id='twentyfourteen-style-css' href='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/style.css?ver=4.6.1' type='text/css'></link> <link rel='stylesheet' id='twentyfourteen-ie-css' href='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/css/ie.css?ver=20131205' type='text/css'></link> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-includes/js/jquery/jquery.js?ver=1.12.4'></script> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1'></script> <link rel="wlwmanifest" type="application/wlwmanifest+xml" href="http://192.168.56.6:8585/wordpress/wp-includes/wlwmanifest.xml" /> <meta name="generator" content="WordPress 4.6.1" />
...continues on next page ...

...continued from previous page ...
<pre> ncated) <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-cont ent/themes/twentyfourteen/js/functions.js?ver=20150315'></script> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-incl udes/js/wp-embed.min.js?ver=4.6.1'></script> Concluded from version/product identification location: http://192.168.56.6:8585/wordpress/ </pre>
Solution:
Log Method Details: WordPress Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.900182 Version used: 2023-12-13T10:35:23+05:30
References url: https://wordpress.com/

Log (CVSS: 0.0)
NVT: WordPress Plugins Detection (HTTP)
Summary HTTP based detection of WordPress plugins.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected WordPress Plugin 'Ninja Forms' Version: 2.9.42 Location: /wordpress/wp-content/plugins/ninja-forms CPE: cpe:/a:ninjaforms:contact_form:2.9.42 Concluded from version/product identification result: === Ninja Forms === Stable tag: 2.9.42 Concluded from version/product identification location: http://192.168.56.6:8585/wordpress/wp-content/plugins/ninja-forms/readme.txt Extra information: Plugin Page: https://wordpress.org/plugins/ninja-forms/
Solution:
Log Method Details: WordPress Plugins Detection (HTTP)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.113634 Version used: 2025-03-04T11:08:25+05:30
References url: https://wordpress.org/plugins/

[\[return to 192.168.56.6 \]](#)

2.1.21 Log 139/tcp

Log (CVSS: 0.0) NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A SMB server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.1.22 Log 49175/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result A RMI registry service is running at this port.
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

Log (CVSS: 0.0) NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.23 Log 8686/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port. The following remote registry objects have been extracted: rmi://192.168.56.6:49342/metasploitable3-win2k8/7676/jmxrmi rmi://192.168.56.6:8686/jmxrmi
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.24 Log 8020/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check
Summary This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is very slow - it took 262 seconds (Maximum response time ↪configured in 'Response Time / No 404 Error Code Check' (OID: 1.3.6.1.4.1.2562 ↪3.1.0.10386) preferences: 60 seconds) to execute the plugin no404.nasl (it usu ↪ally only takes a few seconds). In order to keep the scan total time to a reasonable amount, the remote web serv ↪er has not been tested. If the remote server should be tested it has to be fixed to have it reply to the ↪scanners requests in a reasonable amount of time. Alternatively the 'Maximum ↪response time (in seconds)' preference could be raised to a higher value if lo ↪nger scan times are accepted.
Solution:
Vulnerability Insight This web server might show the following issues: - it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead. The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate. - it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.
Log Method Details: Response Time / No 404 Error Code Check OID:1.3.6.1.4.1.25623.1.0.10386 Version used: 2025-04-11T21:15:04+05:30

[\[return to 192.168.56.6 \]](#)

2.1.25 Log 3700/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A GIOP-enabled service is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.26 Log 8009/tcp

Log (CVSS: 0.0)
NVT: Apache JServ Protocol (AJP) v1.3 Detection (TCP)
Summary TCP based detection of services supporting the Apache JServ Protocol (AJP) in version 1.3.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A service supporting the Apache JServ Protocol (AJP) v1.3 seems to be running on ↪ this port.
Solution:
... continues on next page ...

...continued from previous page ...
Vulnerability Insight The AJP protocol is used in various products like e.g. Apache Tomcat, JBoss or Wildfly.
Log Method Details: Apache JServ Protocol (AJP) v1.3 Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.108082 Version used: 2025-07-11T11:12:17+05:30
References url: https://tomcat.apache.org/connectors-doc/ajp/ajpv13a.html

[[return to 192.168.56.6](#)]

2.1.27 Log 49177/tcp

Log (CVSS: 0.0) NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[[return to 192.168.56.6](#)]

2.1.28 Log 8181/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method ... continues on next page ...

...continued from previous page ...

Details: **Services**
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Version Detection

Summary

Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote SSL/TLS service supports the following SSL/TLS protocol version(s):

TLSv1.0

TLSv1.1

TLSv1.2

Solution:**Log Method**

Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.

Details: **SSL/TLS: Version Detection**

OID:1.3.6.1.4.1.25623.1.0.105782

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The following certificate details of the remote service were collected.

Certificate details:

... continues on next page ...

...continued from previous page...	
fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↔5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↔,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation
↔,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: Eclipse GlassFish Detection (HTTP)
Summary HTTP based detection of Eclipse GlassFish.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Eclipse GlassFish Version: 4.0 Location: / CPE: cpe:/a:eclipse:glassfish:4.0 Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: https://192.168.56.6:8181/index.html
Solution:
Log Method ... continues on next page ...

...continued from previous page ...
Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: GlassFish Server Open Source Edition 4.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC

Solution:**Log Method**

Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.

Details: SSL/TLS: Certificate - Self-Signed Certificate Detection

OID:1.3.6.1.4.1.25623.1.0.103140

Version used: 2026-03-13T11:24:58+05:30

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

References

url: http://en.wikipedia.org/wiki/Self-signed_certificate

url: <https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1>

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Medium Cipher Suites

Summary

This routine reports all Medium SSL/TLS cipher suites accepted by a service.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Non Weak Cipher Suites

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA256
 TLS_RSA_WITH_AES_128_GCM_SHA256
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA256
 TLS_RSA_WITH_AES_256_GCM_SHA384

Solution:

... continues on next page ...

...continued from previous page ...
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

[\[return to 192.168.56.6 \]](#)

2.1.29 Log 22/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An ssh server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-OpenSSH_7.1 Remote SSH supported authentication: password,publickey,keyboard-interactive Remote SSH text/login banner: (not available) This is probably (a): - OpenSSH Concluded from remote connection attempt with credentials: Login: OpenVASVT Password: OpenVASVT
Solution:
Vulnerability Insight This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.
Log Method Details: SSH Server type and version OID:1.3.6.1.4.1.25623.1.0.10267 Version used: 2026-02-13T21:19:08+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported
Summary This script detects which algorithms are supported by the remote SSH service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following options are supported by the remote SSH service: kex_algorithms: curve25519-sha256@libssh.org,ecdh-sha2-nistp256,ecdh-sha2-nistp384,ecdh-sha2-nis ↪tp521,diffie-hellman-group-exchange-sha256,diffie-hellman-group14-sha1 server_host_key_algorithms: ssh-rsa,ecdsa-sha2-nistp521 encryption_algorithms_client_to_server: chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr,aes128-gcm@openss ↪h.com,aes256-gcm@openssh.com encryption_algorithms_server_to_client: chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr,aes128-gcm@openss ↪h.com,aes256-gcm@openssh.com mac_algorithms_client_to_server:
... continues on next page ...

...continued from previous page ... umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,umac-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1 mac_algorithms_server_to_client: umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,hmac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,umac-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1 compression_algorithms_client_to_server: none,zlib@openssh.com compression_algorithms_server_to_client: none,zlib@openssh.com
Solution:
Log Method Details: SSH Protocol Algorithms Supported OID:1.3.6.1.4.1.25623.1.0.105565 Version used: 2026-01-21T11:20:46+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported
Summary Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote SSH Server supports the following SSH Protocol Versions: 1.99 2.0 SSHv2 Fingerprint(s): ecdsa-sha2-nistp521: 82:4e:9a:a4:e0:2a:6e:8b:d1:b1:a7:98:83:27:ce:5b ssh-rsa: 2e:63:30:a5:4c:84:64:97:05:b4:42:fb:e0:fa:9b:6a
Solution:
Log Method The following versions are tried: 1.33, 1.5, 1.99 and 2.0. Details: SSH Protocol Versions Supported OID:1.3.6.1.4.1.25623.1.0.100259 Version used: 2024-06-17T14:01:37+05:30

[\[return to 192.168.56.6 \]](#)

2.1.30 Log 161/udp

Log (CVSS: 0.0)
NVT: An SNMP Agent is running
Summary This script detects if SNMP is open and if it is possible to connect with the given credentials / community string from one of the following resources: - SNMPv1/2 community string provided via the target configuration or via 'SNMP Authorization (OID: 1.3.6.1.4.1.25623.1.0.105076).' - SNMPv1/2 community string detected by 'Check default community names of the SNMP Agent (OID: 1.3.6.1.4.1.25623.1.0.103914).' - SNMPv3 credentials provided via the target configuration or via 'SNMP Authorization (OID: 1.3.6.1.4.1.25623.1.0.105076).'
Quality of Detection (QoD): 80%
Vulnerability Detection Result An SNMP server is running on this host. The following SNMP versions are supported: - SNMPv1 - SNMPv2c Additional info: - SNMPv1: It was possible to log in using the community string 'public' detected ↪ by "Check default community names of the SNMP Agent (OID: 1.3.6.1.4.1.25623.1.0.103914)". - SNMPv2c: It was possible to log in using the community string 'public' detecte ↪d by "Check default community names of the SNMP Agent (OID: 1.3.6.1.4.1.25623.1.0.103914)".
Solution:
Log Method Details: An SNMP Agent is running OID:1.3.6.1.4.1.25623.1.0.10265 Version used: 2023-08-10T10:35:53+05:30

Log (CVSS: 0.0)
NVT: SNMP Information Detection and Reporting
...
... continues on next page ...

...continued from previous page ...
Summary SNMP based detection and reporting of generic information like e.g. the System Description/sysDescr (OID: 1.3.6.1.2.1.1.1.0) gathered from the remote device.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following SNMP information was extracted from the remote device: System Description (OID: 1.3.6.1.2.1.1.1.0) : Hardware: AMD64 Famil ↪y 25 Model 80 Stepping 0 AT/AT COMPATIBLE - Software: Windows Version 6.1 (Bui ↪ld 7601 Multiprocessor Free) System Name (OID: 1.3.6.1.2.1.1.5.0) : metasploitable3-win2k ↪8 System ObjectID (OID: 1.3.6.1.2.1.1.2.0) : iso.3.6.1.4.1.311.1.1 ↪.3.1.2 Model Description (OID: 1.3.6.1.2.1.25.3.2.1.3.1) : Unknown Processor Typ ↪e
Solution:
Log Method Details: SNMP Information Detection and Reporting OID:1.3.6.1.4.1.25623.1.0.103416 Version used: 2025-06-27T11:11:33+05:30

[\[return to 192.168.56.6 \]](#)

2.1.31 Log 49346/tcp

Log (CVSS: 0.0) NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.1.32 Log 80/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-IIS/7.5
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Microsoft Internet Information Services (IIS) Detection (HTTP)
Summary HTTP based detection of Microsoft Internet Information Services (IIS) and the underlying Microsoft Windows operating system version.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Microsoft Internet Information Services (IIS) Version: 7.5 Location: 80/tcp CPE: cpe:/a:microsoft:internet_information_services:7.5 Concluded from version/product identification result: Server: Microsoft-IIS/7.5
Solution:
Log Method Details: Microsoft Internet Information Services (IIS) Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.900710 Version used: 2026-03-10T15:45:11+05:30

[\[return to 192.168.56.6 \]](#)

2.1.33 Log 5985/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection (HTTP)
Summary HTTP based detection of Web Services Management (WS-Man) / Windows Remote Management (WinRM).
Quality of Detection (QoD): 80%
Vulnerability Detection Result A WS-Man service is running at this port. The service supports Windows Remote Management (WinRM). The following information was extracted: Product Vendor: Microsoft Corporation Product Version: OS: 0.0.0 SP: 0.0 Stack: 3.0 The following information was extracted from the NTLM challenge: OS Version: 6.1.45341 Concluded from version/product identification location: http://192.168.56.6:5985 ↔/wsman
... continues on next page ...

...continued from previous page ...
Solution:
Log Method Details: Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection . ↔.. OID:1.3.6.1.4.1.25623.1.0.103923 Version used: 2023-10-11T10:35:54+05:30
References url: https://www.dmtf.org/standards/ws-man url: https://learn.microsoft.com/en-us/windows/win32/winrm/portal

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-HTTPAPI/2.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

[[return to 192.168.56.6](#)]

2.1.34 Log 445/tcp

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A CIFS server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: SMB NativeLanMan
Summary It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Detected SMB workgroup: WORKGROUP Detected SMB server: Windows Server 2008 R2 Standard 6.1 Detected OS: Windows Server 2008 R2 Standard 7601 Service Pack 1
Solution:
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

2.1.35 Log 137/udp

Log (CVSS: 0.0)
NVT: Using NetBIOS to retrieve information from a SMB host
Summary This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following 3 NetBIOS names have been gathered : METASPLOITABLE3 = Computer name METASPLOITABLE3 = This is the computer name registered for workstation services ↪ by a WINS client. WORKGROUP = Workgroup / Domain name The remote host has the following MAC address on its adapter : 08:00:27:ad:e1:14 If you do not want to allow everyone to find the NetBIOS name of your computer, ↪you should filter incoming traffic to this port.
Solution:
Log Method Details: Using NetBIOS to retrieve information from a SMB host OID:1.3.6.1.4.1.25623.1.0.10150 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.1.36 Log 8484/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port ... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: <code>Services</code> OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Jetty(winstone-2.8)
Solution:
Log Method Details: <code>HTTP Server type and version</code> OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Mort Bay / Eclipse Jetty Detection (HTTP)
Summary HTTP based detection of Mort Bay / Eclipse Jetty.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Detected Mort Bay / Eclipse Jetty Version: unknown Location: 8484/tcp CPE: cpe:/a:eclipse:jetty Concluded from version/product identification result: Server: Jetty(winstone-2.8)
Solution:
Log Method Details: Mort Bay / Eclipse Jetty Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.800953 Version used: 2026-03-10T15:45:11+05:30
References url: https://www.eclipse.org/jetty/

[[return to 192.168.56.6](#)]

2.1.37 Log 4848/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method
... continues on next page ...

...continued from previous page ...

Details: **Services**
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: **Services****Summary**

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A web server is running on this port through SSL/TLS

Solution:**Vulnerability Insight**

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

Details: **Services**
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: **HTTP Server type and version****Summary**

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote HTTP Server banner is:
Server: GlassFish Server Open Source Edition 4.0

Solution:

... continues on next page ...

...continued from previous page ...

Log Method

Details: HTTP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10107

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Version Detection

Summary

Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote SSL/TLS service supports the following SSL/TLS protocol version(s):

TLSv1.0

TLSv1.1

TLSv1.2

Solution:**Log Method**

Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.

Details: SSL/TLS: Version Detection

OID:1.3.6.1.4.1.25623.1.0.105782

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

The following certificate details of the remote service were collected.

Certificate details:

```
fingerprint (SHA-1)           | 4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)        | AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556
issued by                    | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US
public key algorithm          | RSA
public key size (bits)        | 2048
serial                        | 04A9972F
signature algorithm           | sha256WithRSAEncryption
subject                       | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US
subject alternative names (SAN) | None
valid from                    | 2013-05-15 05:33:38 UTC
valid until                    | 2023-05-13 05:33:38 UTC
```

Solution:**Log Method**

Details: SSL/TLS: Collect and Report Certificate Details

OID:1.3.6.1.4.1.25623.1.0.103692

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: Eclipse GlassFish Detection (HTTP)

Summary

HTTP based detection of Eclipse GlassFish.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Detected Eclipse GlassFish

Version: 4.0

Location: /

CPE: cpe:/a:eclipse:glassfish:4.0

Concluded from version/product identification result:

GlassFish Server Open Source Edition 4.0

Concluded from version/product identification location:

<https://192.168.56.6:4848/index.html>

Extra information:

... continues on next page ...

...continued from previous page ...
The GlassFish Administration Console is running at this port.
Solution:
Log Method Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
... continues on next page ...

...continued from previous page ...
Solution:
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

[\[return to 192.168.56.6 \]](#)

2.1.38 Log 7676/tcp

Log (CVSS: 0.0)
NVT: Service Detection (3 ASCII digit codes like FTP, SMTP, NNTP...)
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result A Message Queue broker is running at this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It attempts to identify services that return 3 ASCII digit codes (ie: FTP, SMTP, NNTP, ...).
Log Method Details: Service Detection (3 ASCII digit codes like FTP, SMTP, NNTP...) OID:1.3.6.1.4.1.25623.1.0.14773 Version used: 2023-06-14T10:35:19+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 192.168.56.6 \]](#)

2.2 192.168.56.15

Host scan start Wed Mar 25 05:16:35 2026 IST

Host scan end Wed Mar 25 05:37:09 2026 IST

Service (Port)	Threat Level
general/icmp	Low
445/tcp	Log
5900/tcp	Log
53/tcp	Log
6697/tcp	Log
1099/tcp	Log
25/tcp	Log
8009/tcp	Log
80/tcp	Log
512/tcp	Log
69/udp	Log
8180/tcp	Log
22/tcp	Log
3306/tcp	Log
111/tcp	Log
6000/tcp	Log
2121/tcp	Log
23/tcp	Log
6667/tcp	Log

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
53/udp	Log
21/tcp	Log
139/tcp	Log
514/tcp	Log
58521/tcp	Log
137/udp	Log
513/tcp	Log
111/udp	Log
5432/tcp	Log
8787/tcp	Log
3632/tcp	Log
general/tcp	Log
1524/tcp	Log

2.2.1 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure
Summary The remote host responded to an ICMP timestamp request.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following response / ICMP packet has been received: - ICMP Type: 14 - ICMP Code: 0
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight ... continues on next page ...

...continued from previous page ...

The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.

Vulnerability Detection Method

Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received.

Details: ICMP Timestamp Reply Information Disclosure

OID:1.3.6.1.4.1.25623.1.0.103190

Version used: 2025-01-21T11:07:33+05:30

References

cve: CVE-1999-0524

url: <https://datatracker.ietf.org/doc/html/rfc792>

url: <https://datatracker.ietf.org/doc/html/rfc2780>

cert-bund: CB-K15/1514

cert-bund: CB-K14/0632

dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.56.15 \]](#)

2.2.2 Log 445/tcp

Log (CVSS: 0.0)

NVT: SMB/CIFS Server Detection

Summary

This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

A CIFS server is running on this port

Solution:

Log Method

Details: SMB/CIFS Server Detection

OID:1.3.6.1.4.1.25623.1.0.11011

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: SMB NativeLanMan
Summary It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Detected Samba Version: 3.0.20 Location: 445/tcp CPE: cpe:/a:samba:samba:3.0.20 Concluded from version/product identification result: Samba 3.0.20-Debian Extra information: Detected SMB workgroup: WORKGROUP Detected SMB server: Samba 3.0.20-Debian
Solution:
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

Log (CVSS: 0.0)
NVT: SMB NativeLanMan
Summary It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Detected SMB workgroup: WORKGROUP Detected SMB server: Samba 3.0.20-Debian Detected OS: Debian GNU/Linux
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

Log (CVSS: 0.0) NVT: SMB log in
Summary This script attempts to logon into the remote host using login/password credentials.
Quality of Detection (QoD): 97%
Vulnerability Detection Result It was possible to log into the remote host using the SMB protocol.
Solution:
Log Method Details: SMB log in OID:1.3.6.1.4.1.25623.1.0.10394 Version used: 2025-09-25T11:09:09+05:30

Log (CVSS: 0.0) NVT: Microsoft Windows SMB Accessible Shares
Summary The script detects the Windows SMB Accessible Shares and sets the result into KB.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following shares were found IPC\$
Solution:
Log Method Details: Microsoft Windows SMB Accessible Shares
... continues on next page ...

...continued from previous page ...

OID:1.3.6.1.4.1.25623.1.0.902425
 Version used: 2026-03-18T11:29:10+05:30

Log (CVSS: 0.0)

NVT: Microsoft SMB Signing Disabled

Summary

Checks if SMB Signing is disabled at the remote SMB server.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

SMB Signing is disabled at the server.

Solution:**Log Method**

Details: Microsoft SMB Signing Disabled
 OID:1.3.6.1.4.1.25623.1.0.802726
 Version used: 2023-07-25T10:35:58+05:30

[\[return to 192.168.56.15 \]](#)**2.2.3 Log 5900/tcp**

Log (CVSS: 0.0)

NVT: VNC Server and Protocol Version Detection (TCP)

Summary

TCP based detection of Virtual Network Computing (VNC) services and the underlying Remote Framebuffer Protocol (RFB) version.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A VNC server seems to be running on this port.
 The version of the VNC protocol is : RFB 003.003

Solution:

... continues on next page ...

...continued from previous page ...
Make sure the use of this software is done in accordance with your corporate security policy, filter incoming traffic to this port.
Vulnerability Insight The remote host is running a remote display software (VNC) which permits a console to be displayed remotely. This allows authenticated users of the remote host to take its control remotely.
Log Method Details: VNC Server and Protocol Version Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.10342 Version used: 2025-03-19T11:08:35+05:30
References url: https://datatracker.ietf.org/doc/html/rfc6143 url: https://datatracker.ietf.org/doc/html/rfc7869

Log (CVSS: 0.0)
NVT: VNC Supported 'security types' Detection (TCP)
Summary TCP based detection of the available remote Virtual Network Computing (VNC) 'security types'.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote VNC server chose security type #2 (VNC authentication)
Solution:
Log Method Details: VNC Supported 'security types' Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.19288 Version used: 2025-03-19T11:08:35+05:30
References url: https://datatracker.ietf.org/doc/html/rfc6143 url: https://datatracker.ietf.org/doc/html/rfc7869

[\[return to 192.168.56.15 \]](#)

2.2.4 Log 53/tcp

Log (CVSS: 0.0)
NVT: DNS Server Detection (TCP)
Summary TCP based detection of a DNS server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote DNS server banner is: 9.4.2
Solution:
Log Method Details: DNS Server Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.108018 Version used: 2025-12-12T21:11:28+05:30

[\[return to 192.168.56.15 \]](#)

2.2.5 Log 6697/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An IRC server seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method ... continues on next page ...

...continued from previous page ...
Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[[return to 192.168.56.15](#)]

2.2.6 Log 1099/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port.
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[[return to 192.168.56.15](#)]

2.2.7 Log 25/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An SMTP server is running on this port
... continues on next page ...

...continued from previous page ...
Here is its banner : 220 metasploitable.localdomain ESMTP Postfix (Ubuntu)
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SMTP Server type and version
Summary This detects the SMTP Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SMTP server banner: 220 metasploitable.localdomain ESMTP Postfix (Ubuntu) The remote SMTP server is announcing the following available ESMTP commands (EHL ↪ response) via an unencrypted connection: 8BITMIME, DSN, ENHANCEDSTATUSCODES, ETRN, PIPELINING, SIZE 10240000, STARTTLS, V ↪ RFY
Solution:
Log Method Details: SMTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10263 Version used: 2026-01-07T11:17:44+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: SMTP 'STARTTLS' Command Detection
Summary Checks if the remote SMTP server supports SSL/TLS with the 'STARTTLS' command.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SMTP server supports SSL/TLS with the 'STARTTLS' command. The remote SMTP server is announcing the following available ESMTP commands (EHL ⇨ response) before sending the 'STARTTLS' command: 8BITMIME, DSN, ENHANCEDSTATUSCODES, ETRN, PIPELINING, SIZE 10240000, STARTTLS, V ⇨ RFY The remote SMTP server is announcing the following available ESMTP commands (EHL ⇨ response) after sending the 'STARTTLS' command: 8BITMIME, DSN, ENHANCEDSTATUSCODES, ETRN, PIPELINING, SIZE 10240000, VRFY
Solution:
Log Method Details: SSL/TLS: SMTP 'STARTTLS' Command Detection OID: 1.3.6.1.4.1.25623.1.0.103118 Version used: 2023-10-31T10:36:37+05:30
References url: https://tools.ietf.org/html/rfc3207

Log (CVSS: 0.0)
NVT: Postfix SMTP Server Detection (SMTP)
Summary SMTP based detection of Postfix.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Postfix Version: unknown Location: 25/tcp CPE: cpe:/a:postfix:postfix Concluded from version/product identification result: 220 metasploitable.localdomain ESMTP Postfix (Ubuntu)
... continues on next page ...

...continued from previous page ...
Solution:
Log Method Details: Postfix SMTP Server Detection (SMTP) OID:1.3.6.1.4.1.25623.1.0.111086 Version used: 2024-01-12T10:35:56+05:30
References url: https://www.postfix.org/

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): SSLv2 SSLv3 TLSv1.0
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary ... continues on next page ...

...continued from previous page ...
This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_DES_CBC_SHA TLS_DH_anon_WITH_3DES_EDE_CBC_SHA TLS_DH_anon_WITH_AES_128_CBC_SHA TLS_DH_anon_WITH_DES_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_DES_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_DES_CBC_SHA TLS_DH_anon_WITH_3DES_EDE_CBC_SHA TLS_DH_anon_WITH_AES_128_CBC_SHA TLS_DH_anon_WITH_DES_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_DES_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
... continues on next page ...

...continued from previous page ...

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Weak' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
 TLS_DH_anon_WITH_RC4_128_MD5
 TLS_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5
 TLS_RSA_EXPORT_WITH_RC4_40_MD5
 TLS_RSA_WITH_RC4_128_MD5
 TLS_RSA_WITH_RC4_128_SHA

'Non Weak' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_DES_CBC_SHA
 TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
 TLS_DH_anon_WITH_AES_128_CBC_SHA
 TLS_DH_anon_WITH_AES_256_CBC_SHA
 TLS_DH_anon_WITH_DES_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_DES_CBC_SHA

'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
 TLS_DH_anon_WITH_RC4_128_MD5
 TLS_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5
 TLS_RSA_EXPORT_WITH_RC4_40_MD5
 TLS_RSA_WITH_RC4_128_MD5
 TLS_RSA_WITH_RC4_128_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_DES_CBC_SHA
 TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
 TLS_DH_anon_WITH_AES_128_CBC_SHA
 TLS_DH_anon_WITH_AES_256_CBC_SHA
 TLS_DH_anon_WITH_DES_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA

...continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_DES_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX subject alternative names (SAN) None valid from 2010-03-17 14:07:45 UTC valid until 2010-04-16 14:07:45 UTC
Solution:
...continues on next page ...

...continued from previous page ...

Log Method

Details: SSL/TLS: Collect and Report Certificate Details

OID:1.3.6.1.4.1.25623.1.0.103692

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1) | ED093088706603BFD5DC237399B498DA2D4D31C6

fingerprint (SHA-256) | E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A
↪F1E32DEE436DE813CCissued by | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX

public key algorithm | RSA

public key size (bits) | 1024

serial | 00FAF93A4C7FB6B9CC

signature algorithm | sha1WithRSAEncryption

subject | 1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office
↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is
↪ no such thing outside US,C=XX

subject alternative names (SAN) | None

valid from | 2010-03-17 14:07:45 UTC

valid until | 2010-04-16 14:07:45 UTC

Solution:**Log Method**

...continues on next page ...

...continued from previous page ...
Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID: 1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

[[return to 192.168.56.15](#)]

2.2.8 Log 8009/tcp

Log (CVSS: 0.0) NVT: Apache JServ Protocol (AJP) v1.3 Detection (TCP)
Summary TCP based detection of services supporting the Apache JServ Protocol (AJP) in version 1.3.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A service supporting the Apache JServ Protocol (AJP) v1.3 seems to be running on ↪ this port.
Solution:
Vulnerability Insight The AJP protocol is used in various products like e.g. Apache Tomcat, JBoss or Wildfly.
Log Method Details: Apache JServ Protocol (AJP) v1.3 Detection (TCP) OID: 1.3.6.1.4.1.25623.1.0.108082 Version used: 2025-07-11T11:12:17+05:30
References
... continues on next page ...

...continued from previous page ...
url: https://tomcat.apache.org/connectors-doc/ajp/ajpv13a.html

[[return to 192.168.56.15](#)]

2.2.9 Log 80/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: phpMyAdmin Detection (HTTP)
Summary HTTP based detection of phpMyAdmin.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected phpMyAdmin Version: 3.1.1
... continues on next page ...

...continued from previous page...	
Location:	/phpMyAdmin
CPE:	cpe:/a:phpmyadmin:phpmyadmin:3.1.1
Concluded from version/product identification result: Version 3.1.1	
Concluded from version/product identification location: http://192.168.56.15/phpMyAdmin/index.php http://192.168.56.15/phpMyAdmin/README	
Extra information: - Protected by Username/Password	
Solution:	
Log Method Details: phpMyAdmin Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.900129 Version used: 2024-02-19T20:07:31+05:30	

Log (CVSS: 0.0)	
NVT: TWiki Version Detection	
Summary Detection of TWiki. The script sends a HTTP connection request to the server and attempts to detect the presence of TWiki and to extract its version.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Detected TWiki Version: 01.Feb.2003 Location: /twiki/bin CPE: cpe:/a:twiki:twiki:01.Feb.2003 Concluded from version/product identification result: This site is running TWiki version 01 Feb 2003	
Solution:	
Log Method Details: TWiki Version Detection OID:1.3.6.1.4.1.25623.1.0.800399 Version used: 2023-07-25T10:35:58+05:30	

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache/2.2.8 (Ubuntu) DAV/2
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.2.10 Log 512/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'BINARY' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A rexec service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a 'BINARY' request to the remaining unknown services and tries to identify them.
... continues on next page ...

...continued from previous page ...

Log Method

Details: Service Detection with 'BINARY' Request

OID:1.3.6.1.4.1.25623.1.0.108204

Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: rexec Detection

Summary

This remote host is running a rexec service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The rexec service is not allowing connections from this host.

Solution:**Log Method**

Details: rexec Detection

OID:1.3.6.1.4.1.25623.1.0.113763

Version used: 2023-07-28T21:39:07+05:30

[\[return to 192.168.56.15 \]](#)**2.2.11 Log 69/udp**

Log (CVSS: 0.0)

NVT: TFTP Detection

Summary

The remote host has a TFTP server running. TFTP stands for Trivial File Transfer Protocol.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Solution:

Disable TFTP server if not used.

... continues on next page ...

...continued from previous page ...
Log Method Details: TFTP Detection OID:1.3.6.1.4.1.25623.1.0.80100 Version used: 2023-08-01T18:59:10+05:30

[[return to 192.168.56.15](#)]

2.2.12 Log 8180/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache-Coyote/1.1
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.2.13 Log 22/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An ssh server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 Remote SSH supported authentication: none,password,publickey,hostbased,keyboard-↵interactive Remote SSH text/login banner: (not available) This is probably (a): - OpenSSH Concluded from remote connection attempt with credentials: Login: OpenVASVT Password: OpenVASVT
Solution:
Vulnerability Insight This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.
Log Method Details: SSH Server type and version OID:1.3.6.1.4.1.25623.1.0.10267 Version used: 2026-02-13T21:19:08+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported
Summary This script detects which algorithms are supported by the remote SSH service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following options are supported by the remote SSH service: kex_algorithms: diffie-hellman-group-exchange-sha256,diffie-hellman-group-exchange-sha1,diffie-h
... continues on next page ...

...continued from previous page ...
<pre> ↪ellman-group14-sha1,diffie-hellman-group1-sha1 server_host_key_algorithms: ssh-rsa,ssh-dss encryption_algorithms_client_to_server: aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour128,arcfour256,arcfour,aes19 ↪2-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr encryption_algorithms_server_to_client: aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour128,arcfour256,arcfour,aes19 ↪2-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr mac_algorithms_client_to_server: hmac-md5,hmac-sha1,umac-64@openssh.com,hmac-ripemd160,hmac-ripemd160@openssh.com ↪,hmac-sha1-96,hmac-md5-96 mac_algorithms_server_to_client: hmac-md5,hmac-sha1,umac-64@openssh.com,hmac-ripemd160,hmac-ripemd160@openssh.com ↪,hmac-sha1-96,hmac-md5-96 compression_algorithms_client_to_server: none,zlib@openssh.com compression_algorithms_server_to_client: none,zlib@openssh.com </pre>
Solution:
Log Method Details: SSH Protocol Algorithms Supported OID:1.3.6.1.4.1.25623.1.0.105565 Version used: 2026-01-21T11:20:46+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported
Summary Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote SSH Server supports the following SSH Protocol Versions: 1.99 2.0
Solution:
... continues on next page ...

...continued from previous page ...
Log Method The following versions are tried: 1.33, 1.5, 1.99 and 2.0. Details: SSH Protocol Versions Supported OID:1.3.6.1.4.1.25623.1.0.100259 Version used: 2024-06-17T14:01:37+05:30

[\[return to 192.168.56.15 \]](#)

2.2.14 Log 3306/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An unknown service is running on this port. It is usually reserved for MySQL/MariaDB
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)
Summary MySQL protocol-based detection of MariaDB / Oracle MySQL.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Oracle MySQL Version: 5.0.51a-3ubuntu5 Location: 3306/tcp CPE: cpe:/a:oracle:mysql:5.0.51a Concluded from version/product identification result: 5.0.51a-3ubuntu5
Solution:
Log Method Details: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID:1.3.6.1.4.1.25623.1.0.100152 Version used: 2025-09-09T11:08:49+05:30

[\[return to 192.168.56.15 \]](#)

2.2.15 Log 111/tcp

Log (CVSS: 0.0)
NVT: RPC Portmapper Service Detection (TCP)
Summary TCP based detection of a RPC portmapper service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected RPC Portmapper Location: 111/tcp CPE: cpe:/a:portmap:portmap Extra information: Possible known aliases / names for this product are 'port mapper', 'rpc.portmap' ↔, 'portmap' or 'rpcbind'
Solution:
Vulnerability Insight
... continues on next page ...

...continued from previous page ...
The RPC portmapper service is an unsecured protocol for Internet facing systems and should only be used on a trusted network segment, otherwise disabled. The software should be patched and configured properly.
Log Method Details: RPC Portmapper Service Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.108090 Version used: 2023-09-12T10:35:19+05:30
References cve: CVE-1999-0632 url: https://en.wikipedia.org/wiki/Portmap url: https://datatracker.ietf.org/doc/html/rfc1833

Log (CVSS: 0.0)
NVT: Obtain list of all port mapper registered programs via RPC
Summary This script calls the DUMP RPC on the port mapper, to obtain the list of all registered programs.
Quality of Detection (QoD): 80%
Vulnerability Detection Result These are the registered RPC programs: RPC program #100000 version 2 'portmapper' (portmap sunrpc rpcbind) on port 111/ ↪TCP RPC program #100003 version 2 'nfs' (nfsprog) on port 2049/TCP RPC program #100003 version 3 'nfs' (nfsprog) on port 2049/TCP RPC program #100003 version 4 'nfs' (nfsprog) on port 2049/TCP RPC program #100024 version 1 'status' on port 50334/TCP RPC program #100005 version 1 'mountd' (mount showmount) on port 57021/TCP RPC program #100005 version 2 'mountd' (mount showmount) on port 57021/TCP RPC program #100005 version 3 'mountd' (mount showmount) on port 57021/TCP RPC program #100021 version 1 'nlockmgr' on port 58424/TCP RPC program #100021 version 3 'nlockmgr' on port 58424/TCP RPC program #100021 version 4 'nlockmgr' on port 58424/TCP RPC program #100000 version 2 'portmapper' (portmap sunrpc rpcbind) on port 111/ ↪UDP RPC program #100003 version 2 'nfs' (nfsprog) on port 2049/UDP RPC program #100003 version 3 'nfs' (nfsprog) on port 2049/UDP RPC program #100003 version 4 'nfs' (nfsprog) on port 2049/UDP RPC program #100005 version 1 'mountd' (mount showmount) on port 32874/UDP RPC program #100005 version 2 'mountd' (mount showmount) on port 32874/UDP RPC program #100005 version 3 'mountd' (mount showmount) on port 32874/UDP RPC program #100024 version 1 'status' on port 39533/UDP
... continues on next page ...

...continued from previous page ...
RPC program #100021 version 1 'nlockmgr' on port 49125/UDP RPC program #100021 version 3 'nlockmgr' on port 49125/UDP RPC program #100021 version 4 'nlockmgr' on port 49125/UDP
Solution:
Log Method Details: Obtain list of all port mapper registered programs via RPC OID:1.3.6.1.4.1.25623.1.0.11111 Version used: 2023-09-08T10:36:21+05:30

[\[return to 192.168.56.15 \]](#)

2.2.16 Log 6000/tcp

Log (CVSS: 0.0)
NVT: X Server Detection
Summary This plugin detects X Window servers. X11 is a client - server protocol. Basically, the server is in charge of the screen, and the clients connect to it and send several requests like drawing a window or a menu, and the server sends events back to the clients, such as mouse clicks, key strokes, and so on... An improperly configured X server will accept connections from clients from anywhere. This allows an attacker to make a client connect to the X server to record the keystrokes of the user, which may contain sensitive information, such as account passwords. This can be prevented by using xauth, MIT cookies, or preventing the X server from listening on TCP (a Unix sock is used for local connections)
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected X Windows Server Version: 11.0 Location: 6000/tcp CPE: cpe:/a:x.org:x11:11.0 Concluded from version/product identification result: 11.0 Extra information: Server answered with: Client is not authorized
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: X Server Detection OID:1.3.6.1.4.1.25623.1.0.10407 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.2.17 Log 2121/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 ProFTPD 1.3.1 Server (Debian) [::ffff:192.168.56.15]
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 ProFTPD 1.3.1 Server (Debian) [::ffff:192.168.56.15] This is probably (a): - ProFTPD Server operating system information collected via "SYST" command: 215 UNIX Type: L8
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092 Version used: 2026-02-18T11:27:21+05:30

[\[return to 192.168.56.15 \]](#)

2.2.18 Log 23/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A telnet server seems to be running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services
... continues on next page ...

...continued from previous page ...
Contact: msfdev[at]metasploit.com Login with msfadmin/msfadmin to get started metasploitable login:
Solution:
Log Method Details: Telnet Banner Reporting OID:1.3.6.1.4.1.25623.1.0.10281 Version used: 2026-02-17T11:27:50+05:30

[\[return to 192.168.56.15 \]](#)

2.2.19 Log 6667/tcp

Log (CVSS: 0.0) NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An IRC server seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

2.2.20 Log 53/udp

Log (CVSS: 0.0)
NVT: DNS Server Detection (UDP)
Summary UDP based detection of a DNS server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote DNS server banner is: 9.4.2
Solution:
Log Method Details: DNS Server Detection (UDP) OID:1.3.6.1.4.1.25623.1.0.100069 Version used: 2025-11-26T11:10:08+05:30

[\[return to 192.168.56.15 \]](#)

2.2.21 Log 21/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 (vsFTPd 2.3.4)
Solution:
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 (vsFTPd 2.3.4) This is probably (a): - vsftpd Server operating system information collected via "SYST" command: 215 UNIX Type: L8 Server status information collected via "STAT" command: 211-FTP server status: Connected to 192.168.56.1 Logged in as ftp TYPE: ASCII No session bandwidth limit Session timeout in seconds is 300 Control connection is plain text Data connections will be plain text vsFTPd 2.3.4 - secure, fast, stable 211 End of status
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092 Version used: 2026-02-18T11:27:21+05:30

Log (CVSS: 0.0)
NVT: vsftpd FTP Server Detection (FTP)
Summary FTP based detection of vsftpd.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected vsftpd Version: 2.3.4 Location: / CPE: cpe:/a:vsftpd_project:vsftpd:2.3.4 Concluded from version/product identification result: 220 (vsFTPd 2.3.4)
Solution:
Log Method Details: vsftpd FTP Server Detection (FTP) OID:1.3.6.1.4.1.25623.1.0.111050 Version used: 2026-02-19T11:26:52+05:30
References url: https://security.appspot.com/vsftpd.html

[\[return to 192.168.56.15 \]](#)

2.2.22 Log 139/tcp

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A SMB server is running on this port
...
... continues on next page ...

...continued from previous page ...
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.2.23 Log 514/tcp

Log (CVSS: 0.0) NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A rsh service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

Log (CVSS: 0.0) NVT: rsh Service Detection
Summary Checks if the remote host is running a rsh service.
... continues on next page ...

...continued from previous page ...
Note: The reporting takes place in a separate VT 'rsh Unencrypted Cleartext Login' (OID: 1.3.6.1.4.1.25623.1.0.100080).
Quality of Detection (QoD): 80%
Vulnerability Detection Result A rsh service is running at this port.
Solution:
Log Method Details: rsh Service Detection OID:1.3.6.1.4.1.25623.1.0.108478 Version used: 2024-06-26T10:35:39+05:30

[\[return to 192.168.56.15 \]](#)

2.2.24 Log 58521/tcp

Log (CVSS: 0.0)
NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port.
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.15 \]](#)

2.2.25 Log 137/udp

Log (CVSS: 0.0)
NVT: Using NetBIOS to retrieve information from a SMB host
Summary This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following 7 NetBIOS names have been gathered : METASPLOITABLE = Computer name METASPLOITABLE = This is the computer name registered for workstation services ↪ by a WINS client. METASPLOITABLE = This is the current logged in user registered for this workst ↪ation. WORKGROUP = Workgroup / Domain name WORKGROUP = Workgroup / Domain name (part of the Browser elections) This SMB server seems to be a SAMBA server (this is not a security risk, this is ↪ for your information). This can be told because this server claims to have a ↪null MAC address. If you do not want to allow everyone to find the NetBIOS name of your computer, ↪you should filter incoming traffic to this port.
Solution:
Log Method Details: Using NetBIOS to retrieve information from a SMB host OID:1.3.6.1.4.1.25623.1.0.10150 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.2.26 Log 513/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'BINARY' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
...
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result A rlogin service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a 'BINARY' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'BINARY' Request OID:1.3.6.1.4.1.25623.1.0.108204 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.15 \]](#)

2.2.27 Log 111/udp

Log (CVSS: 0.0)
NVT: RPC Portmapper Service Detection (UDP)
Summary UDP based detection of a RPC portmapper service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected RPC Portmapper Location: 111/udp CPE: cpe:/a:portmap:portmap Extra information: Possible known aliases / names for this product are 'port mapper', 'rpc.portmap' ↔, 'portmap' or 'rpcbind'
Solution:
Vulnerability Insight The RPC portmapper service is an unsecured protocol for Internet facing systems and should only be used on a trusted network segment, otherwise disabled. The software should be patched and configured properly.
Log Method
... continues on next page ...

...continued from previous page ...
Details: RPC Portmapper Service Detection (UDP) OID:1.3.6.1.4.1.25623.1.0.900602 Version used: 2023-09-12T10:35:19+05:30
References cve: CVE-1999-0632 url: https://en.wikipedia.org/wiki/Portmap url: https://datatracker.ietf.org/doc/html/rfc1833

[\[return to 192.168.56.15 \]](#)

2.2.28 Log 5432/tcp

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An unknown service is running on this port. It is usually reserved for PostgreSQL
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: PostgreSQL Detection (TCP)
... continues on next page ...

...continued from previous page ...
Summary TCP based detection of PostgreSQL.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A PostgreSQL service has been identified on this port.
Solution:
Log Method The script sends a connection request to the server (user:postgres, DB:postgres) and attempts to extract the version number from the reply. Details: PostgreSQL Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.100151 Version used: 2024-07-22T10:35:40+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: PostgreSQL SSL/TLS Support Detection (PostgreSQL Protocol)
Product detection result cpe:/a:postgresql:postgresql:8.3.1 Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802 ↪5)
Summary Checks if the remote PostgreSQL server supports SSL/TLS.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote PostgreSQL server supports SSL/TLS.
Solution:
Log Method Details: SSL/TLS: PostgreSQL SSL/TLS Support Detection (PostgreSQL Protocol) OID:1.3.6.1.4.1.25623.1.0.105013 Version used: 2024-07-24T10:36:37+05:30
Product Detection Result ... continues on next page ...

...continued from previous page ...
Product: cpe:/a:postgresql:postgresql:8.3.1 Method: PostgreSQL Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.128025)
References url: https://www.postgresql.org/docs/current/static/ssl-tcp.html

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): SSLv3 TLSv1.0
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
'Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪ F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OC0SA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OC0SA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX subject alternative names (SAN) None valid from 2010-03-17 14:07:45 UTC
...continues on next page ...

...continued from previous page ...	
valid until	2010-04-16 14:07:45 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection	
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)	
Summary The SSL/TLS certificate on this port is self-signed.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪ F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OC0SA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OC0SA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX subject alternative names (SAN) None valid from 2010-03-17 14:07:45 UTC	
... continues on next page ...	

...continued from previous page ...	
valid until	2010-04-16 14:07:45 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

[\[return to 192.168.56.15 \]](#)

2.2.29 Log 8787/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A Distributed Ruby (dRuby/DRb) service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
... continues on next page ...

...continued from previous page ...

Log Method

Details: Service Detection with 'GET' Request

OID:1.3.6.1.4.1.25623.1.0.17975

Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)**2.2.30 Log 3632/tcp**

Log (CVSS: 0.0)

NVT: DistCC Detection

Summary

Tries to detect if the remote host is running a DistCC service.

Quality of Detection (QoD): 95%**Vulnerability Detection Result**

A DistCC service is running at this port.

Solution:**Log Method**

Details: DistCC Detection

OID:1.3.6.1.4.1.25623.1.0.12638

Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)**2.2.31 Log general/tcp**

Log (CVSS: 0.0)

NVT: Traceroute

Summary

Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Network route from scanner (192.168.56.1) to target (192.168.56.15): 192.168.56.1 192.168.56.15 Network distance between scanner and target: 2
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T16:43:19+05:30

Log (CVSS: 0.0)
NVT: Apache Tomcat Detection Consolidation
Summary Consolidation of Apache Tomcat detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Tomcat Version: 5.5.25 Location: 8180/tcp CPE: cpe:/a:apache:tomcat:5.5.25 Concluded from version/product identification result: Tomcat Manager Application" <title>Tomcat Server Administration</title> Concluded from version/product identification location: http://192.168.56.15:8180/tomcat-docs/changelog.html http://192.168.56.15:8180/host-manager/html http://192.168.56.15:8180/manager/html http://192.168.56.15:8180/manager/status
... continues on next page ...

...continued from previous page ...
http://192.168.56.15:8180/admin/
Solution:
Log Method Details: Apache Tomcat Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.107652 Version used: 2021-02-17T18:01:13+05:30
References url: http://tomcat.apache.org/

Log (CVSS: 0.0)
NVT: PostgreSQL Detection Consolidation
Summary Consolidation of PostgreSQL detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected PostgreSQL Version: 8.3.1 Location: 5432/tcp CPE: cpe:/a:postgresql:postgresql:8.3.1 Concluded from version/product identification result: select version(); query result: T versionDg]PostgreSQL 8.3.1 on i486-pc-linux-gn ↪u, compiled by GCC cc (GCC) 4.2.3 (Ubuntu 4.2.3-2ubuntu4)CSELECTZI
Solution:
Log Method Details: PostgreSQL Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.128025 Version used: 2024-07-19T10:35:32+05:30
References url: https://www.postgresql.org/

Log (CVSS: 0.0)
NVT: ISC BIND Detection Consolidation
Summary Consolidation of ISC BIND detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected ISC BIND Version: 9.4.2 Location: 53/tcp CPE: cpe:/a:isc:bind:9.4.2 Concluded from version/product identification result: 9.4.2 Detected ISC BIND Version: 9.4.2 Location: 53/udp CPE: cpe:/a:isc:bind:9.4.2 Concluded from version/product identification result: 9.4.2
Solution:
Log Method Details: ISC BIND Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.145294 Version used: 2025-10-31T11:10:56+05:30
References url: https://www.isc.org/bind/

Log (CVSS: 0.0)
NVT: OpenSSH Detection Consolidation
Summary Consolidation of OpenSSH detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected OpenSSH Server Version: 4.7p1 ... continues on next page ...

...continued from previous page ...
Location: 22/tcp CPE: cpe:/a:openbsd:openssh:4.7p1 Concluded from version/product identification result: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
Solution:
Log Method Details: OpenSSH Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.108577 Version used: 2024-12-13T10:35:32+05:30
References url: https://www.openssh.com/

Log (CVSS: 0.0)
NVT: ProFTPD Detection Consolidation
Summary Consolidation of ProFTPD detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected ProFTPD Version: 1.3.1 Location: / CPE: cpe:/a:proftpd:proftpd:1.3.1 Detection methods: FTP on port 2121/tcp FTP Banner: 220 ProFTPD 1.3.1 Server (Debian) [::ffff:192.168.56.15]
Solution:
Log Method Details: ProFTPD Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.155379 Version used: 2025-09-24T11:09:03+05:30
References url: http://www.proftpd.org/

Log (CVSS: 0.0)

NVT: OS Detection Consolidation and Reporting

Summary

This script consolidates the OS information detected by several VTs and tries to find the best matching OS.

Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection.

If any of this information is wrong or could be improved please consider to report these to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Best matching OS:

OS: Ubuntu 8.04

Version: 8.04

CPE: cpe:/o:canonical:ubuntu_linux:8.04

Found by VT: 1.3.6.1.4.1.25623.1.0.105586 (Operating System (OS) Detection (SSH ↪ Banner))

Concluded from SSH banner on port 22/tcp: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
Setting key "Host/runs_unixoid" based on this information

Other OS detections (in order of reliability):

OS: Linux/Unix

CPE: cpe:/o:linux:kernel

Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP ↪))

Concluded from FTP banner on port 21/tcp: 220 (vsFTPD 2.3.4)

OS: Debian GNU/Linux

CPE: cpe:/o:debian:debian_linux

Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP ↪))

Concluded from FTP banner on port 2121/tcp: 220 ProFTPD 1.3.1 Server (Debian) [↪:ffff:192.168.56.15]

OS: Debian GNU/Linux

CPE: cpe:/o:debian:debian_linux

Found by VT: 1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)

Concluded from SMB/Samba banner on port 445/tcp:

OS String: Unix

SMB String: Samba 3.0.20-Debian

OS: Ubuntu 8.04

Version: 8.04

CPE: cpe:/o:canonical:ubuntu_linux:8.04

Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↪P))

Concluded from PHP Server banner on port 80/tcp: X-Powered-By: PHP/5.2.4-2ubuntu ↪5.10

... continues on next page ...

...continued from previous page ...

Log Method

Details: OS Detection Consolidation and Reporting

OID:1.3.6.1.4.1.25623.1.0.105937

Version used: 2026-03-20T22:03:06+05:30

Referencesurl: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)

NVT: Apache Struts Detection Consolidation

Summary

Consolidation of Apache Struts detections.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Apache Struts

Version: unknown

Location: /admin

CPE: cpe:/a:apache:struts

Concluded from version/product identification location:

<http://192.168.56.15:8180/admin/docs/index.html>**Solution:****Log Method**

Details: Apache Struts Detection Consolidation

OID:1.3.6.1.4.1.25623.1.0.117280

Version used: 2022-01-21T16:11:17+05:30

Referencesurl: <https://struts.apache.org>

Log (CVSS: 0.0)

NVT: jQuery Detection Consolidation

Summary

Consolidation of jQuery detections.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

Detected jQuery

Version: 1.3.2

Location: /mutillidae/javascript/ddsmoothmenu/jquery.min.js

CPE: cpe:/a:jquery:jquery:1.3.2

Concluded from version/product identification result:

src="/javascript/ddsmoothmenu/jquery.min.js

jQuery JavaScript Library v1.3.2

Concluded from version/product identification location:

- Identified file: http://192.168.56.15/mutillidae/javascript/ddsmoothmenu/jquer
↪y.min.js

- Referenced at: http://192.168.56.15/mutillidae/

Solution:**Log Method**

Details: jQuery Detection Consolidation

OID:1.3.6.1.4.1.25623.1.0.150658

Version used: 2023-07-14T10:36:08+05:30

References

url: https://jquery.com/

Log (CVSS: 0.0)

NVT: PHP Detection Consolidation

Summary

Consolidation of PHP detections.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected PHP

Version: 5.2.4

Location: 80/tcp

CPE: cpe:/a:php:php:5.2.4

Concluded from version/product identification result:

X-Powered-By: PHP/5.2.4-2ubuntu5.10

Concluded from version/product identification location:

http://192.168.56.15/

Solution:

... continues on next page ...

...continued from previous page ...
Log Method Details: PHP Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.171722 Version used: 2025-09-24T11:09:03+05:30
References url: https://www.php.net/

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate
Summary It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following additional but not resolvable hostnames were detected: ubuntu804-base.localdomain
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T21:02:39+05:30

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation
Summary Consolidation of Apache HTTP Server detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache HTTP Server Version: 2.2.8
... continues on next page ...

...continued from previous page...	
Location:	80/tcp
CPE:	cpe:/a:apache:http_server:2.2.8
Concluded from version/product identification result:	
Server: Apache/2.2.8 (Ubuntu) DAV/2	
Solution:	
Log Method	
Details: Apache HTTP Server Detection Consolidation	
OID:1.3.6.1.4.1.25623.1.0.117232	
Version used: 2024-03-08T21:07:10+05:30	
References	
url: https://httpd.apache.org	

Log (CVSS: 0.0)	
NVT: Hostname Determination Reporting	
Summary	
The script reports information on how the hostname of the target was determined.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
Hostname determination for IP 192.168.56.15:	
Hostname Source	
192.168.56.15 IP-address	
Solution:	
Log Method	
Details: Hostname Determination Reporting	
OID:1.3.6.1.4.1.25623.1.0.108449	
Version used: 2022-07-27T15:41:28+05:30	

[\[return to 192.168.56.15 \]](#)

2.2.32 Log 1524/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A root shell of Metasploitable seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

This file was automatically generated.