

Scan Report

March 25, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Asia/Kolkata”, which is abbreviated “IST”. The task was “Week 2 - Unauthenticated Scan”. The scan started at Wed Mar 25 11:19:40 2026 IST and ended at Wed Mar 25 13:49:16 2026 IST. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
1.1	Host Authentications	2
2	Results per Host	2
2.1	192.168.56.15	2
2.1.1	Critical general/tcp	4
2.1.2	Critical 6200/tcp	5
2.1.3	Critical 1524/tcp	6
2.1.4	Critical 3632/tcp	7
2.1.5	Critical 80/tcp	8
2.1.6	Critical 5900/tcp	11
2.1.7	Critical 512/tcp	12
2.1.8	Critical 513/tcp	13
2.1.9	Critical 3306/tcp	13
2.1.10	Critical 5432/tcp	15
2.1.11	Critical 8787/tcp	16
2.1.12	Critical 21/tcp	17
2.1.13	High 58521/tcp	18
2.1.14	High 80/tcp	20
2.1.15	High 2121/tcp	22
2.1.16	High 513/tcp	24
2.1.17	High 1099/tcp	24

2.1.18	High 5432/tcp	26
2.1.19	High 514/tcp	28
2.1.20	High 21/tcp	29
2.1.21	Medium 80/tcp	31
2.1.22	Medium 445/tcp	44
2.1.23	Medium 5900/tcp	46
2.1.24	Medium 2121/tcp	46
2.1.25	Medium 25/tcp	47
2.1.26	Medium 23/tcp	67
2.1.27	Medium 5432/tcp	67
2.1.28	Medium 21/tcp	85
2.1.29	Medium 22/tcp	87
2.1.30	Low general/tcp	91
2.1.31	Low 25/tcp	92
2.1.32	Low general/icmp	98
2.1.33	Low 5432/tcp	100
2.1.34	Low 22/tcp	102
2.1.35	Log 139/tcp	104
2.1.36	Log 53/udp	104
2.1.37	Log 6697/tcp	106
2.1.38	Log general/tcp	106
2.1.39	Log 6000/tcp	115
2.1.40	Log 1524/tcp	116
2.1.41	Log 3632/tcp	116
2.1.42	Log 58521/tcp	117
2.1.43	Log 80/tcp	117
2.1.44	Log 445/tcp	128
2.1.45	Log 5900/tcp	133
2.1.46	Log 512/tcp	135
2.1.47	Log 2121/tcp	136
2.1.48	Log 25/tcp	137
2.1.49	Log general/CPE-T	154
2.1.50	Log 111/udp	155
2.1.51	Log 53/tcp	156
2.1.52	Log 23/tcp	157
2.1.53	Log 513/tcp	159
2.1.54	Log 3306/tcp	159
2.1.55	Log 1099/tcp	162
2.1.56	Log 5432/tcp	162
2.1.57	Log 514/tcp	172

2.1.58	Log 8787/tcp	174
2.1.59	Log 111/tcp	174
2.1.60	Log 137/udp	176
2.1.61	Log 6667/tcp	177
2.1.62	Log 21/tcp	177
2.1.63	Log 22/tcp	180
2.2	192.168.56.6	184
2.2.1	Critical 8080/tcp	187
2.2.2	Critical 8484/tcp	188
2.2.3	Critical 9200/tcp	202
2.2.4	Critical 8181/tcp	205
2.2.5	Critical 47001/tcp	207
2.2.6	Critical 8020/tcp	209
2.2.7	Critical 8585/tcp	211
2.2.8	Critical 4848/tcp	310
2.2.9	Critical 3306/tcp	312
2.2.10	Critical 22/tcp	329
2.2.11	Critical 8282/tcp	333
2.2.12	Critical 80/tcp	344
2.2.13	Critical 5985/tcp	348
2.2.14	Critical 3389/tcp	349
2.2.15	High 445/tcp	351
2.2.16	High 8484/tcp	353
2.2.17	High 9200/tcp	380
2.2.18	High 8383/tcp	381
2.2.19	High 8020/tcp	385
2.2.20	High 161/udp	388
2.2.21	High 8585/tcp	390
2.2.22	High 21/tcp	464
2.2.23	High 4848/tcp	465
2.2.24	High 3306/tcp	466
2.2.25	High 22/tcp	514
2.2.26	High 8282/tcp	519
2.2.27	High 1617/tcp	546
2.2.28	Medium 8484/tcp	547
2.2.29	Medium 9200/tcp	559
2.2.30	Medium 3820/tcp	566
2.2.31	Medium 8181/tcp	578
2.2.32	Medium 3920/tcp	587
2.2.33	Medium 8383/tcp	594

2.2.34	Medium 49261/tcp	600
2.2.35	Medium 8020/tcp	603
2.2.36	Medium 8585/tcp	607
2.2.37	Medium 21/tcp	686
2.2.38	Medium 135/tcp	687
2.2.39	Medium 4848/tcp	689
2.2.40	Medium 3306/tcp	698
2.2.41	Medium 22/tcp	824
2.2.42	Medium 8282/tcp	829
2.2.43	Medium 3389/tcp	844
2.2.44	Low general/icmp	852
2.2.45	Low 9200/tcp	853
2.2.46	Low general/tcp	854
2.2.47	Low 49261/tcp	856
2.2.48	Low 8585/tcp	857
2.2.49	Low 3306/tcp	860
2.2.50	Low 22/tcp	872
2.2.51	Log 445/tcp	873
2.2.52	Log 8080/tcp	875
2.2.53	Log 49152/tcp	881
2.2.54	Log 7676/tcp	882
2.2.55	Log 8484/tcp	883
2.2.56	Log 9200/tcp	894
2.2.57	Log general/tcp	898
2.2.58	Log 49154/tcp	908
2.2.59	Log 139/tcp	909
2.2.60	Log 3820/tcp	909
2.2.61	Log 49505/tcp	920
2.2.62	Log 49506/tcp	920
2.2.63	Log 8181/tcp	921
2.2.64	Log 3920/tcp	939
2.2.65	Log 8383/tcp	949
2.2.66	Log 3700/tcp	963
2.2.67	Log 47001/tcp	964
2.2.68	Log 49205/tcp	968
2.2.69	Log 49156/tcp	970
2.2.70	Log general/CPE-T	971
2.2.71	Log 49261/tcp	972
2.2.72	Log 49501/tcp	977
2.2.73	Log 8020/tcp	977

2.2.74	Log 161/udp	982
2.2.75	Log 8585/tcp	983
2.2.76	Log 21/tcp	990
2.2.77	Log 135/tcp	993
2.2.78	Log 8686/tcp	994
2.2.79	Log 49153/tcp	994
2.2.80	Log 4848/tcp	995
2.2.81	Log 137/udp	1015
2.2.82	Log 3306/tcp	1015
2.2.83	Log 22/tcp	1018
2.2.84	Log 49179/tcp	1022
2.2.85	Log 8282/tcp	1024
2.2.86	Log 80/tcp	1032
2.2.87	Log 49504/tcp	1038
2.2.88	Log 5985/tcp	1039
2.2.89	Log 1617/tcp	1044
2.2.90	Log 49246/tcp	1045
2.2.91	Log 3389/tcp	1046
2.2.92	Log 49262/tcp	1054

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.168.56.15 METASPLOITABLE	13	9	40	6	96	0
192.168.56.6 METASPLOITABLE3	99	126	213	17	195	0
Total: 2	112	135	253	23	291	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Critical” are not shown.

Issues with the threat level “High” are not shown.

Issues with the threat level “Medium” are not shown.

Issues with the threat level “Low” are not shown.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 814 results selected by the filtering described above. Before filtering there were 1388 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
192.168.56.15 - METASPLOITABLE	SMB	Success	Protocol SMB, Port 445, User

2 Results per Host

2.1 192.168.56.15

Host scan start Wed Mar 25 11:20:04 2026 IST

Host scan end Wed Mar 25 12:02:45 2026 IST

Service (Port)	Threat Level
general/tcp	Critical
6200/tcp	Critical
1524/tcp	Critical

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
3632/tcp	Critical
80/tcp	Critical
5900/tcp	Critical
512/tcp	Critical
513/tcp	Critical
3306/tcp	Critical
5432/tcp	Critical
8787/tcp	Critical
21/tcp	Critical
58521/tcp	High
80/tcp	High
2121/tcp	High
513/tcp	High
1099/tcp	High
5432/tcp	High
514/tcp	High
21/tcp	High
80/tcp	Medium
445/tcp	Medium
5900/tcp	Medium
2121/tcp	Medium
25/tcp	Medium
23/tcp	Medium
5432/tcp	Medium
21/tcp	Medium
22/tcp	Medium
general/tcp	Low
25/tcp	Low
general/icmp	Low
5432/tcp	Low
22/tcp	Low
139/tcp	Log
53/udp	Log
6697/tcp	Log
general/tcp	Log
6000/tcp	Log
1524/tcp	Log
3632/tcp	Log
58521/tcp	Log
80/tcp	Log
445/tcp	Log
5900/tcp	Log
512/tcp	Log
2121/tcp	Log

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
25/tcp	Log
general/CPE-T	Log
111/udp	Log
53/tcp	Log
23/tcp	Log
513/tcp	Log
3306/tcp	Log
1099/tcp	Log
5432/tcp	Log
514/tcp	Log
8787/tcp	Log
111/tcp	Log
137/udp	Log
6667/tcp	Log
21/tcp	Log
22/tcp	Log

2.1.1 Critical general/tcp

Critical (CVSS: 10.0)

NVT: Operating System (OS) End of Life (EOL) Detection

Product detection result

cpe:/o:canonical:ubuntu_linux:8.04

Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0
↪.105937)

Summary

The Operating System (OS) on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The "Ubuntu" Operating System on the remote host has reached the end of life.

CPE: cpe:/o:canonical:ubuntu_linux:8.04

Installed version,

build or SP: 8.04

EOL date: 2013-05-09

EOL info: <https://documentation.ubuntu.com/project/release-team/list-of-releases/>

... continues on next page ...

...continued from previous page ...
Impact An EOL version of an OS is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: Mitigation Update the OS on the remote host to a version which is still supported and receiving security updates by the vendor. Note / Important: Please create an override for this result if the target host is a: - Windows system with Extended Security Updates (ESU) - System with additional 3rd-party / non-vendor security updates like e.g. from 'TuxCare', 'Freexian Extended LTS' or similar
Vulnerability Detection Method Checks if an EOL version of an OS is present on the target host. Details: Operating System (OS) End of Life (EOL) Detection OID:1.3.6.1.4.1.25623.1.0.103674 Version used: 2025-05-21T11:10:19+05:30
Product Detection Result Product: cpe:/o:canonical:ubuntu_linux:8.04 Method: OS Detection Consolidation and Reporting OID: 1.3.6.1.4.1.25623.1.0.105937)

[\[return to 192.168.56.15 \]](#)

2.1.2 Critical 6200/tcp

Critical (CVSS: 9.8) NVT: vsftpd Compromised Source Packages Backdoor Vulnerability - Active Check
Summary vsftpd is prone to a backdoor vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Attackers can exploit this issue to execute arbitrary commands in the context of the application. Successful attacks will compromise the affected application.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The repaired package can be downloaded from the referenced vendor homepage. Please validate the package with its signature.
Affected Software/OS vsftpd 2.3.4 source packages downloaded between 20110630 and 20110703 are affected.
Vulnerability Insight The tainted source package contains a backdoor which opens a shell on port 6200/tcp.
Vulnerability Detection Method Details: vsftpd Compromised Source Packages Backdoor Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.103185 Version used: 2026-02-18T11:27:21+05:30
References cve: CVE-2011-2523 url: https://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backdoor.html url: https://web.archive.org/web/20210127090551/https://www.securityfocus.com/bid/48539/

[\[return to 192.168.56.15 \]](#)

2.1.3 Critical 1524/tcp

Critical (CVSS: 10.0) NVT: Possible Backdoor: Ingreslock
Summary A backdoor is installed on the remote host.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The service is answering to an 'id;' command with the following response: uid=0(↪root) gid=0(root)
Impact Attackers can exploit this issue to execute arbitrary commands in the context of the application. Successful attacks will compromise the affected isystem.
... continues on next page ...

...continued from previous page ...

Solution:**Solution type:** Workaround

A whole cleanup of the infected system is recommended.

Vulnerability Detection Method

Details: Possible Backdoor: Ingreslock

OID:1.3.6.1.4.1.25623.1.0.103549

Version used: 2023-07-25T10:35:58+05:30

[\[return to 192.168.56.15 \]](#)**2.1.4 Critical 3632/tcp**

Critical (CVSS: 9.3)

NVT: DistCC RCE Vulnerability (CVE-2004-2687)

Summary

DistCC is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 99%**Vulnerability Detection Result**

It was possible to execute the "id" command.

Result: uid=1(daemon) gid=1(daemon)

Impact

DistCC by default trusts its clients completely that in turn could allow a malicious client to execute arbitrary commands on the server.

Solution:**Solution type:** VendorFix

Vendor updates are available. Please see the references for more information.

For more information about DistCC's security see the references.

Vulnerability Insight

DistCC 2.x, as used in XCode 1.5 and others, when not configured to restrict access to the server port, allows remote attackers to execute arbitrary commands via compilation jobs, which are executed by the server without authorization checks.

Vulnerability Detection Method

Details: DistCC RCE Vulnerability (CVE-2004-2687)

OID:1.3.6.1.4.1.25623.1.0.103553

... continues on next page ...

...continued from previous page ...
Version used: 2022-07-07T15:46:06+05:30
References cve: CVE-2004-2687 url: https://distcc.github.io/security.html url: https://web.archive.org/web/20150511045306/http://archives.neohapsis.com:80 ↪ archives/bugtraq/2005-03/0183.html dfn-cert: DFN-CERT-2019-0381

[\[return to 192.168.56.15 \]](#)

2.1.5 Critical 80/tcp

Critical (CVSS: 10.0) NVT: TWiki < 4.2.4 Multiple XSS / Command Execution Vulnerabilities
Summary TWiki is prone to multiple cross-site scripting (XSS) and command execution vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 01.Feb.2003 Fixed version: 4.2.4
Impact Successful exploitation could allow execution of arbitrary script code or commands. This could let attackers steal cookie-based authentication credentials or compromise the affected application.
Solution: Solution type: VendorFix Update to version 4.2.4 or later.
Affected Software/OS TWiki versions prior to 4.2.4.
Vulnerability Insight The flaws are due to: - %URLPARAM}% variable is not properly sanitized which lets attackers conduct cross-site scripting attack. - %SEARCH}% variable is not properly sanitised before being used in an eval() call which lets the attackers execute perl code through eval injection attack.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Details: TWiki < 4.2.4 Multiple XSS / Command Execution Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.800320 Version used: 2025-12-11T11:16:19+05:30
References cve: CVE-2008-5304 cve: CVE-2008-5305 url: http://twiki.org/cgi-bin/view/Codev.SecurityAlert-CVE-2008-5304 url: http://www.securityfocus.com/bid/32668 url: http://www.securityfocus.com/bid/32669 url: http://twiki.org/cgi-bin/view/Codev.SecurityAlert-CVE-2008-5305
Critical (CVSS: 9.8) NVT: PHP < 5.3.13, 5.4.x < 5.4.3 Multiple Vulnerabilities - Active Check
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 95%
Vulnerability Detection Result By doing the following HTTP POST request: "HTTP POST" body : <?php phpinfo();?> URL : http://192.168.56.15/cgi-bin/php?%2D%64+%61%6C%6C%6F%77%5F%75%72%6C%5F%69%6E%63%6C%75%64%65%3D%6F%6E+%2D%64+%73%61%66%65%5F%6D%6F%64%65%3D%6F%66%66+%2D%64+%73%75%68%6F%73%69%6E%2E%73%69%6D%75%6C%61%74%69%6F%6E%3D%6F%6E+%2D%64+%64%69%73%61%62%6C%65%5F%66%75%6E%63%74%69%6F%6E%73%3D%22%22+%2D%64+%6F%70%65%6E%5F%62%61%73%65%64%69%72%3D%6E%6F%6E%65+%2D%64+%61%75%74%6F%5F%70%72%65%70%65%6E%64%5F%66%69%6C%65%3D%70%68%70%3A%2F%2F%69%6E%70%75%74+%2D%64+%63%67%69%2E%66%6F%72%63%65%5F%72%65%64%69%72%65%63%74%3D%30+%2D%64+%63%67%69%2E%72%65%64%69%72%65%63%74%5F%73%74%61%74%75%73%5F%65%6E%76%3D%30+%2D%6E it was possible to execute the "<?php phpinfo();?>" command. Result: <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV ↵E" /></head> <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph ↵p5/cgi </td></tr> PHP Core PHP Variables
Impact ... continues on next page ...

...continued from previous page ...
Exploiting this issue allows remote attackers to view the source code of files in the context of the server process. This may allow the attacker to obtain sensitive information and to run arbitrary PHP code on the affected computer. Other attacks are also possible.
Solution: Solution type: VendorFix PHP: Update to version 5.3.13, 5.4.3 or later - Other products / applications: Please contact the vendor for a solution
Affected Software/OS PHP versions prior to 5.3.13 and 5.4.x prior to 5.4.3. Other products / applications might be affected by the tested CVE-2012-1823 as well.
Vulnerability Insight When PHP is used in a CGI-based setup (such as Apache's mod_cgid), the php-cgi receives a processed query string parameter as command line arguments which allows command-line switches, such as -s, -d or -c to be passed to the php-cgi binary, which can be exploited to disclose source code and obtain arbitrary code execution. An example of the -s command, allowing an attacker to view the source code of index.php is below: http://example.com/index.php?-s
Vulnerability Detection Method Send multiple a crafted HTTP POST requests and checks the responses. Notes: - This script checks for the presence of CVE-2012-1823 which indicates that the system is also affected by the other included CVEs. - It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided. Details: PHP < 5.3.13, 5.4.x < 5.4.3 Multiple Vulnerabilities - Active Check OID:1.3.6.1.4.1.25623.1.0.103482 Version used: 2025-11-11T11:10:18+05:30
References cve: CVE-2012-1823 cve: CVE-2012-2311 cve: CVE-2012-2336 cve: CVE-2012-2335 url: https://web.archive.org/web/20190212080415/http://eindbazen.net/2012/05/php-cgi-advisory-cve-2012-1823/ url: https://www.kb.cert.org/vuls/id/520827 url: https://bugs.php.net/bug.php?id=61910 url: https://www.php.net/manual/en/security.cgi-bin.php url: https://web.archive.org/web/20210121223743/http://www.securityfocus.com/bid
...continues on next page ...

...continued from previous page ...
↔/53388
url: https://web.archive.org/web/20120709064615/http://www.h-online.com/open/new
↔s/item/Critical-open-hole-in-PHP-creates-risks-Update-2-1567532.html
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
dfn-cert: DFN-CERT-2013-1494
dfn-cert: DFN-CERT-2012-1316
dfn-cert: DFN-CERT-2012-1276
dfn-cert: DFN-CERT-2012-1268
dfn-cert: DFN-CERT-2012-1267
dfn-cert: DFN-CERT-2012-1266
dfn-cert: DFN-CERT-2012-1173
dfn-cert: DFN-CERT-2012-1101
dfn-cert: DFN-CERT-2012-0994
dfn-cert: DFN-CERT-2012-0993
dfn-cert: DFN-CERT-2012-0992
dfn-cert: DFN-CERT-2012-0920
dfn-cert: DFN-CERT-2012-0915
dfn-cert: DFN-CERT-2012-0914
dfn-cert: DFN-CERT-2012-0913
dfn-cert: DFN-CERT-2012-0907
dfn-cert: DFN-CERT-2012-0906
dfn-cert: DFN-CERT-2012-0900
dfn-cert: DFN-CERT-2012-0880
dfn-cert: DFN-CERT-2012-0878

[\[return to 192.168.56.15 \]](#)

2.1.6 Critical 5900/tcp

Critical (CVSS: 9.0)
NVT: VNC Brute Force Login
Summary Try to log in with given passwords via VNC protocol.
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to connect to the VNC server with the password: password
Solution: Solution type: Mitigation Change the password to something hard to guess or enable password protection at all.
... continues on next page ...

...continued from previous page ...

Vulnerability Insight

This script tries to authenticate to a VNC server with the passwords set in the password preference. It will also test and report if no authentication / password is required at all.

Note: Some VNC servers have a blacklisting scheme that blocks IP addresses after five unsuccessful connection attempts for a period of time. The script will abort the brute force attack if it encounters that it gets blocked.

Note as well that passwords can be max. 8 characters long.

Vulnerability Detection Method

Details: VNC Brute Force Login

OID:1.3.6.1.4.1.25623.1.0.106056

Version used: 2021-07-23T13:26:26+05:30

[\[return to 192.168.56.15 \]](#)

2.1.7 Critical 512/tcp

Critical (CVSS: 10.0)

NVT: The rexec service is running

Summary

This remote host is running a rexec service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The rexec service was detected on the target system.

Solution:

Solution type: Mitigation

Disable the rexec service and use alternatives like SSH instead.

Vulnerability Insight

rexec (remote execution client for an exec server) has the same kind of functionality that rsh has: you can execute shell commands on a remote computer.

The main difference is that rexec authenticates by reading the username and password *unencrypted* from the socket.

Vulnerability Detection Method

Checks whether an rexec service is exposed on the target host.

Details: **The rexec service is running**

... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.100111 Version used: 2023-09-12T10:35:19+05:30
References cve: CVE-1999-0618

[\[return to 192.168.56.15 \]](#)

2.1.8 Critical 513/tcp

Critical (CVSS: 10.0) NVT: rlogin Passwordless Login
Summary The rlogin service allows root access without a password.
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to gain root access without a password.
Impact This vulnerability allows an attacker to gain complete control over the target system.
Solution: Solution type: Mitigation Disable the rlogin service and use alternatives like SSH instead.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: rlogin Passwordless Login OID:1.3.6.1.4.1.25623.1.0.113766 Version used: 2020-09-30T15:00:12+05:30

[\[return to 192.168.56.15 \]](#)

2.1.9 Critical 3306/tcp

Critical (CVSS: 9.8) NVT: MySQL / MariaDB Default Credentials (MySQL Protocol)
Product detection result cpe:/a:mysql:mysql:5.0.51a Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary It was possible to login into the remote MySQL using default credentials.
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to login as user "root" with an empty password.
Solution: Solution type: Mitigation - Change the password as soon as possible - Contact the vendor for other possible fixes / updates
Affected Software/OS The following products are know to use such weak credentials: - CVE-2001-0645: Symantec/AXENT NetProwler 3.5.x - CVE-2002-1809: Windows binary release of MySQL 3.23.2 through 3.23.52 - CVE-2004-1532: AppServ 2.5.x and earlier - CVE-2004-2357: Proofpoint Protection Server - CVE-2006-1451: MySQL Manager in Apple Mac OS X 10.3.9 and 10.4.6 - CVE-2007-2554: Associated Press (AP) Newspower 4.0.1 and earlier - CVE-2007-6081: AdventNet EventLog Analyzer build 4030 - CVE-2009-0919: XAMPP - CVE-2014-3419: Infoblox NetMRI before 6.8.5 - CVE-2015-4669: Xsuite 2.x - CVE-2016-6531, CVE-2018-15719: Open Dental before version 18.4 - CVE-2024-22901: Vinchin Backup & Recovery 7.2 and prior Other products might be affected as well.
Vulnerability Detection Method Details: MySQL / MariaDB Default Credentials (MySQL Protocol) OID:1.3.6.1.4.1.25623.1.0.103551 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.0.51a ... continues on next page ...

...continued from previous page ...
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2001-0645 cve: CVE-2002-1809 cve: CVE-2004-1532 cve: CVE-2004-2357 cve: CVE-2006-1451 cve: CVE-2007-2554 cve: CVE-2007-6081 cve: CVE-2009-0919 cve: CVE-2014-3419 cve: CVE-2015-4669 cve: CVE-2016-6531 cve: CVE-2018-15719 cve: CVE-2024-22901

[\[return to 192.168.56.15 \]](#)

2.1.10 Critical 5432/tcp

Critical (CVSS: 9.0)
NVT: PostgreSQL Default Credentials (PostgreSQL Protocol)
Product detection result cpe:/a:postgresql:postgresql:8.3.1 Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802 ↪5)
Summary It was possible to login into the remote PostgreSQL as user postgres using weak credentials.
Quality of Detection (QoD): 99%
Vulnerability Detection Result It was possible to login as user postgres with password "postgres".
Solution: Solution type: Mitigation Change the password as soon as possible.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Details: PostgreSQL Default Credentials (PostgreSQL Protocol) OID:1.3.6.1.4.1.25623.1.0.103552 Version used: 2024-07-19T21:09:06+05:30
Product Detection Result Product: cpe:/a:postgresql:postgresql:8.3.1 Method: PostgreSQL Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.128025)

[\[return to 192.168.56.15 \]](#)

2.1.11 Critical 8787/tcp

Critical (CVSS: 10.0)
NVT: Distributed Ruby (dRuby/DRb) Multiple RCE Vulnerabilities
Summary Systems using Distributed Ruby (dRuby/DRb), which is available in Ruby versions 1.6 and later, may permit unauthorized systems to execute distributed commands.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The service is running in \$SAFE >= 1 mode. However it is still possible to run a ↵rbbitrary syscall commands on the remote host. Sending an invalid syscall the s ↵ervice returned the following response: Flo:Errno::ENOSYS:bt["3/usr/lib/ruby/1.8/drb/drb.rb:1555:in 'syscall'"0/usr/lib/ ↵ruby/1.8/drb/drb.rb:1555:in 'send'"4/usr/lib/ruby/1.8/drb/drb.rb:1555:in '__se ↵nd__'"A/usr/lib/ruby/1.8/drb/drb.rb:1555:in 'perform_without_block'"3/usr/lib/ ↵ruby/1.8/drb/drb.rb:1515:in 'perform'"5/usr/lib/ruby/1.8/drb/drb.rb:1589:in 'm ↵ain_loop'"0/usr/lib/ruby/1.8/drb/drb.rb:1585:in 'loop'"5/usr/lib/ruby/1.8/drb/ ↵drb.rb:1585:in 'main_loop'"1/usr/lib/ruby/1.8/drb/drb.rb:1581:in 'start'"5/usr ↵/lib/ruby/1.8/drb/drb.rb:1581:in 'main_loop'"/usr/lib/ruby/1.8/drb/drb.rb:143 ↵0:in 'run'"1/usr/lib/ruby/1.8/drb/drb.rb:1427:in 'start'"/usr/lib/ruby/1.8/dr ↵b/drb.rb:1427:in 'run'"6/usr/lib/ruby/1.8/drb/drb.rb:1347:in 'initialize'"/us ↵r/lib/ruby/1.8/drb/drb.rb:1627:in 'new'"9/usr/lib/ruby/1.8/drb/drb.rb:1627:in ↵'start_service'"/usr/sbin/druby_timeserver.rb:12:errnoi+:mesg"Function not im ↵plemented
Impact
... continues on next page ...

...continued from previous page ...
By default, Distributed Ruby does not impose restrictions on allowed hosts or set the \$SAFE environment variable to prevent privileged activities. If other controls are not in place, especially if the Distributed Ruby process runs with elevated privileges, an attacker could execute arbitrary system commands or Ruby scripts on the Distributed Ruby server. An attacker may need to know only the URI of the listening Distributed Ruby server to submit Ruby commands.
Solution: Solution type: Mitigation Administrators of environments that rely on Distributed Ruby should ensure that appropriate controls are in place. Code-level controls may include: - Implementing taint on untrusted input - Setting \$SAFE levels appropriately (≥ 2 is recommended if untrusted hosts are allowed to submit Ruby commands, and ≥ 3 may be appropriate) - Including drb/acl.rb to set ACLEntry to restrict access to trusted hosts
Vulnerability Detection Method Send a crafted command to the service and check for a remote command execution via the instance_eval or syscall requests. Details: Distributed Ruby (dRuby/DRb) Multiple RCE Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.108010 Version used: 2024-06-28T10:35:33+05:30
References url: https://tools.cisco.com/security/center/viewAlert.x?alertId=22750 url: http://www.securityfocus.com/bid/47071 url: http://blog.recurity-labs.com/archives/2011/05/12/druby_for_penetration_testing/ url: http://www.ruby-doc.org/stdlib-1.9.3/libdoc/drb/rdoc/DRb.html

[\[return to 192.168.56.15 \]](#)

2.1.12 Critical 21/tcp

Critical (CVSS: 9.8)
NVT: vsftpd Compromised Source Packages Backdoor Vulnerability - Active Check
Summary vsftpd is prone to a backdoor vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
... continues on next page ...

...continued from previous page ...
Impact Attackers can exploit this issue to execute arbitrary commands in the context of the application. Successful attacks will compromise the affected application.
Solution: Solution type: VendorFix The repaired package can be downloaded from the referenced vendor homepage. Please validate the package with its signature.
Affected Software/OS vsftpd 2.3.4 source packages downloaded between 20110630 and 20110703 are affected.
Vulnerability Insight The tainted source package contains a backdoor which opens a shell on port 6200/tcp.
Vulnerability Detection Method Details: vsftpd Compromised Source Packages Backdoor Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.103185 Version used: 2026-02-18T11:27:21+05:30
References cve: CVE-2011-2523 url: https://scarybeastsecurity.blogspot.com/2011/07/alert-vsftpd-download-backdoor.html url: https://web.archive.org/web/20210127090551/https://www.securityfocus.com/bid/48539/

[\[return to 192.168.56.15 \]](#)

2.1.13 High 58521/tcp

High (CVSS: 7.5)
NVT: Java RMI Server Insecure Default Configuration RCE Vulnerability - Active Check
Summary Multiple Java products that implement the RMI Server contain a vulnerability that could allow an unauthenticated, remote attacker to execute arbitrary code (remote code execution/RCE) on a targeted system with elevated privileges.
Quality of Detection (QoD): 95%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page...	
By doing an RMI request it was possible to trigger the vulnerability and make the remote host sending a request back to the scanner host (Details on the received packet follows). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Destination port: 21587/tcp (receiving port on scanner host side) Originating IP: 192.168.56.15 (originating IP from target host side)	
Impact An unauthenticated, remote attacker could exploit the vulnerability by transmitting crafted packets to the affected software. When the packets are processed, the attacker could execute arbitrary code on the system with elevated privileges.	
Solution: Solution type: Workaround Disable class-loading. Please contact the vendor of the affected system for additional guidance.	
Vulnerability Insight The vulnerability exists because of an incorrect default configuration of the Remote Method Invocation (RMI) Server in the affected software.	
Vulnerability Detection Method Sends a crafted JRMI request and checks if the target is connecting back to the scanner host. Note: For a successful detection of this flaw the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). Details: Java RMI Server Insecure Default Configuration RCE Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.140051 Version used: 2025-04-11T21:15:04+05:30	
References cve: CVE-2011-3556 url: https://web.archive.org/web/20211208040855/http://www.securitytracker.com/id?1026215 url: https://web.archive.org/web/20110824060234/http://download.oracle.com/javase/1.3/docs/guide/rmi/spec/rmi-protocol.html url: https://tools.cisco.com/security/center/viewAlert.x?alertId=23665 dfn-cert: DFN-CERT-2012-1829 dfn-cert: DFN-CERT-2012-1380 dfn-cert: DFN-CERT-2012-1377 dfn-cert: DFN-CERT-2012-1156 dfn-cert: DFN-CERT-2012-1155 dfn-cert: DFN-CERT-2012-0956 dfn-cert: DFN-CERT-2012-0828 dfn-cert: DFN-CERT-2012-0815 dfn-cert: DFN-CERT-2012-0638 dfn-cert: DFN-CERT-2012-0451	
... continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1804
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
```

[\[return to 192.168.56.15 \]](#)**2.1.14 High 80/tcp**

High (CVSS: 7.5)

NVT: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check

Summary

EasyPHP Webserver is prone to multiple vulnerabilities.

Quality of Detection (QoD): 99%**Vulnerability Detection Result**Vulnerable URL: <http://192.168.56.15/phpinfo.php>

Concluded from:

```
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
↵E" /></head>
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
↵p5/cgi </td></tr>
<h2>PHP Core</h2>
<h2>PHP Variables</h2>
```

Impact

Successful exploitation will allow attackers to gain administrative access, disclose the information, inject PHP code/shell and execute a remote PHP Code.

Solution:

... continues on next page ...

...continued from previous page ...
Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS EasyPHP version 12.1 and prior.
Vulnerability Insight The bug in EasyPHP WebServer Manager, its skipping authentication for certain requests. Which allows to bypass the authentication, disclose the information or execute a remote PHP code.
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response. Note: It is currently expected that a result of this VT is reported if the system is generally exposing a phpinfo() output on the relevant URL / endpoint (independent from the running product). Exposing such sensitive information is generally seen as a security misconfiguration and should be avoided. Details: EasyPHP Webserver <= 12.1 Multiple Vulnerabilities - Active Check OID:1.3.6.1.4.1.25623.1.0.803189 Version used: 2025-11-11T11:10:18+05:30
References url: https://cxsecurity.com/issue/WLB-2013040069

High (CVSS: 7.5) NVT: Test HTTP dangerous methods
Summary Misconfigured web servers allows remote clients to perform dangerous HTTP methods such as PUT and DELETE.
Quality of Detection (QoD): 99%
Vulnerability Detection Result We could upload the following files via the PUT method at this web server: http://192.168.56.15/dav/puttest1682916488.html We could delete the following files via the DELETE method at this web server: http://192.168.56.15/dav/puttest1682916488.html
Impact - Enabled PUT method: This might allow an attacker to upload and run arbitrary code on this web server.
... continues on next page ...

...continued from previous page ...
- Enabled DELETE method: This might allow an attacker to delete additional files on this web server.
Solution: Solution type: Mitigation Use access restrictions to these dangerous HTTP methods or disable them completely.
Affected Software/OS Web servers with enabled PUT and/or DELETE methods.
Vulnerability Detection Method Checks if dangerous HTTP methods such as PUT and DELETE are enabled and can be misused to upload or delete files. Details: Test HTTP dangerous methods OID:1.3.6.1.4.1.25623.1.0.10498 Version used: 2023-08-01T18:59:10+05:30
References url: http://www.securityfocus.com/bid/12141 owasp: OWASP-CM-001

[\[return to 192.168.56.15 \]](#)

2.1.15 High 2121/tcp

High (CVSS: 7.5)
NVT: FTP Brute Force Logins With Default Credentials Reporting
Summary It was possible to login into the remote FTP server using weak/known credentials.
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to login with the following credentials <User>:<Password> msfadmin:msfadmin postgres:postgres service:service user:user
Impact This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.
... continues on next page ...

...continued from previous page...

Solution:**Solution type:** Mitigation

Change the password as soon as possible.

Vulnerability Insight

The following devices are / software is known to be affected:

- CVE-2001-1594: Codonics printer FTP service as used in GE Healthcare eNTEGRA P&R
- CVE-2013-7404: GE Healthcare Discovery NM 750b
- CVE-2014-9198: Schneider Electric ETG3000 FactoryCast HMI gateways
- CVE-2015-7261: QNAP iArtist Lite distributed with QNAP Signage Station
- CVE-2016-8731: Foscam C1 devices
- CVE-2017-8218: vsftpd on TP-Link C2 and C20i devices
- CVE-2018-9068: IMM2 for IBM and Lenovo System x
- CVE-2018-17771: Ingenico Telium 2 PoS terminals
- CVE-2018-19063, CVE-2018-19064: Foscam C2 and Opticam i5 devices
- CVE-2018-25147: Microhard Systems IPn4G
- CVE-2020-36915: Adtec Digital SignEdge Digital Signage Player

Note: As the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.

Vulnerability Detection Method

Reports weak/known credentials detected by the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717).

Details: FTP Brute Force Logins With Default Credentials Reporting

OID:1.3.6.1.4.1.25623.1.0.108718

Version used: 2026-01-16T21:12:49+05:30

References

- cve: CVE-1999-0501
- cve: CVE-1999-0502
- cve: CVE-1999-0507
- cve: CVE-1999-0508
- cve: CVE-2001-1594
- cve: CVE-2013-7404
- cve: CVE-2014-9198
- cve: CVE-2015-7261
- cve: CVE-2016-8731
- cve: CVE-2017-8218
- cve: CVE-2018-9068
- cve: CVE-2018-17771
- cve: CVE-2018-19063
- cve: CVE-2018-19064
- cve: CVE-2018-25147
- cve: CVE-2020-36915

[\[return to 192.168.56.15 \]](#)**2.1.16 High 513/tcp**

High (CVSS: 7.5) NVT: The rlogin service is running
Summary This remote host is running a rlogin service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The rlogin service is running on the target system.
Solution: Solution type: Mitigation Disable the rlogin service and use alternatives like SSH instead.
Vulnerability Insight rlogin has several serious security problems, - all information, including passwords, is transmitted unencrypted. - .rlogin (or .rhosts) file is easy to misuse (potentially allowing anyone to login without a password)
Vulnerability Detection Method Details: The rlogin service is running OID:1.3.6.1.4.1.25623.1.0.901202 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-1999-0651

[\[return to 192.168.56.15 \]](#)**2.1.17 High 1099/tcp**

High (CVSS: 7.5) NVT: Java RMI Server Insecure Default Configuration RCE Vulnerability - Active Check
Summary ... continues on next page ...

...continued from previous page ...	
Multiple Java products that implement the RMI Server contain a vulnerability that could allow an unauthenticated, remote attacker to execute arbitrary code (remote code execution/RCE) on a targeted system with elevated privileges.	
Quality of Detection (QoD): 95%	
Vulnerability Detection Result By doing an RMI request it was possible to trigger the vulnerability and make the remote host send a request back to the scanner host (Details on the received packet follows). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Destination port: 26269/tcp (receiving port on scanner host side) Originating IP: 192.168.56.15 (originating IP from target host side)	
Impact An unauthenticated, remote attacker could exploit the vulnerability by transmitting crafted packets to the affected software. When the packets are processed, the attacker could execute arbitrary code on the system with elevated privileges.	
Solution: Solution type: Workaround Disable class-loading. Please contact the vendor of the affected system for additional guidance.	
Vulnerability Insight The vulnerability exists because of an incorrect default configuration of the Remote Method Invocation (RMI) Server in the affected software.	
Vulnerability Detection Method Sends a crafted JRMI request and checks if the target is connecting back to the scanner host. Note: For a successful detection of this flaw the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). Details: Java RMI Server Insecure Default Configuration RCE Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.140051 Version used: 2025-04-11T21:15:04+05:30	
References cve: CVE-2011-3556 url: https://web.archive.org/web/20211208040855/http://www.securitytracker.com/id?1026215 url: https://web.archive.org/web/20110824060234/http://download.oracle.com/javase/1.3/docs/guide/rmi/spec/rmi-protocol.html url: https://tools.cisco.com/security/center/viewAlert.x?alertId=23665 dfn-cert: DFN-CERT-2012-1829 dfn-cert: DFN-CERT-2012-1380 dfn-cert: DFN-CERT-2012-1377	
... continues on next page ...	

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0828
dfn-cert: DFN-CERT-2012-0815
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1804
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619

```

[\[return to 192.168.56.15 \]](#)

2.1.18 High 5432/tcp

High (CVSS: 7.4)

NVT: SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability

Summary

OpenSSL is prone to a security bypass vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successfully exploiting this issue may allow attackers to obtain sensitive information by conducting a man-in-the-middle attack. This may lead to other attacks.

Solution:

... continues on next page ...

...continued from previous page ...	
Solution type: VendorFix	Updates are available. Please see the references for more information.
Affected Software/OS	OpenSSL before 0.9.8za, 1.0.0 before 1.0.0m and 1.0.1 before 1.0.1h.
Vulnerability Insight	OpenSSL does not properly restrict processing of ChangeCipherSpec messages, which allows man-in-the-middle attackers to trigger use of a zero-length master key in certain OpenSSL-to-OpenSSL communications, and consequently hijack sessions or obtain sensitive information, via a crafted TLS handshake, aka the 'CCS Injection' vulnerability.
Vulnerability Detection Method	Send two SSL ChangeCipherSpec request and check the response. Details: SSL/TLS: OpenSSL CCS Man in the Middle Security Bypass Vulnerability OID:1.3.6.1.4.1.25623.1.0.105042 Version used: 2025-01-17T21:09:18+05:30
References	cve: CVE-2014-0224 url: https://www.openssl.org/news/secadv/20140605.txt url: http://www.securityfocus.com/bid/67899 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-0500 cert-bund: CB-K15/0567 cert-bund: CB-K15/0415 cert-bund: CB-K15/0384 cert-bund: CB-K15/0080 cert-bund: CB-K15/0079 cert-bund: CB-K15/0074 cert-bund: CB-K14/1617 cert-bund: CB-K14/1537 cert-bund: CB-K14/1299 cert-bund: CB-K14/1297 cert-bund: CB-K14/1294 cert-bund: CB-K14/1202 cert-bund: CB-K14/1174 cert-bund: CB-K14/1153 cert-bund: CB-K14/0876 cert-bund: CB-K14/0756 cert-bund: CB-K14/0746 cert-bund: CB-K14/0736 cert-bund: CB-K14/0722 cert-bund: CB-K14/0716 cert-bund: CB-K14/0708 cert-bund: CB-K14/0684
... continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K14/0683
cert-bund: CB-K14/0680
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0078
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1364
dfn-cert: DFN-CERT-2014-1357
dfn-cert: DFN-CERT-2014-1350
dfn-cert: DFN-CERT-2014-1265
dfn-cert: DFN-CERT-2014-1209
dfn-cert: DFN-CERT-2014-0917
dfn-cert: DFN-CERT-2014-0789
dfn-cert: DFN-CERT-2014-0778
dfn-cert: DFN-CERT-2014-0768
dfn-cert: DFN-CERT-2014-0752
dfn-cert: DFN-CERT-2014-0747
dfn-cert: DFN-CERT-2014-0738
dfn-cert: DFN-CERT-2014-0715
dfn-cert: DFN-CERT-2014-0714
dfn-cert: DFN-CERT-2014-0709

```

[\[return to 192.168.56.15 \]](#)**2.1.19 High 514/tcp****High (CVSS: 7.5)****NVT: rsh Unencrypted Cleartext Login****Summary**

This remote host is running a rsh service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The rsh service currently has issues with name resolution and is not allowing connections from this host.

Solution:

... continues on next page ...

...continued from previous page ...
Solution type: Mitigation Disable the rsh service and use alternatives like SSH instead.
Vulnerability Insight rsh (remote shell) is a command line computer program which can execute shell commands as another user, and on another computer across a computer network. Remark: NIST don't see 'configuration issues' as software flaws so the referenced CVE has a severity of 0.0. The severity of this VT has been raised by Greenbone to still report a configuration issue on the target.
Vulnerability Detection Method Details: rsh Unencrypted Cleartext Login OID:1.3.6.1.4.1.25623.1.0.100080 Version used: 2021-10-20T14:33:29+05:30
References cve: CVE-1999-0651

[\[return to 192.168.56.15 \]](#)

2.1.20 High 21/tcp

High (CVSS: 7.5) NVT: FTP Brute Force Logins With Default Credentials Reporting
Summary It was possible to login into the remote FTP server using weak/known credentials.
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to login with the following credentials <User>:<Password> msfadmin:msfadmin postgres:postgres service:service user:user
Impact This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.
Solution: Solution type: Mitigation
... continues on next page ...

...continued from previous page ...

Change the password as soon as possible.

Vulnerability Insight

The following devices are / software is known to be affected:

- CVE-2001-1594: Codonics printer FTP service as used in GE Healthcare eNTEGRA P&R
- CVE-2013-7404: GE Healthcare Discovery NM 750b
- CVE-2014-9198: Schneider Electric ETG3000 FactoryCast HMI gateways
- CVE-2015-7261: QNAP iArtist Lite distributed with QNAP Signage Station
- CVE-2016-8731: Foscam C1 devices
- CVE-2017-8218: vsftpd on TP-Link C2 and C20i devices
- CVE-2018-9068: IMM2 for IBM and Lenovo System x
- CVE-2018-17771: Ingenico Telium 2 PoS terminals
- CVE-2018-19063, CVE-2018-19064: Foscam C2 and Opticam i5 devices
- CVE-2018-25147: Microhard Systems IPn4G
- CVE-2020-36915: Adtec Digital SignEdge Digital Signage Player

Note: As the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.

Vulnerability Detection Method

Reports weak/known credentials detected by the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717).

Details: FTP Brute Force Logins With Default Credentials Reporting

OID:1.3.6.1.4.1.25623.1.0.108718

Version used: 2026-01-16T21:12:49+05:30

References

cve: CVE-1999-0501
 cve: CVE-1999-0502
 cve: CVE-1999-0507
 cve: CVE-1999-0508
 cve: CVE-2001-1594
 cve: CVE-2013-7404
 cve: CVE-2014-9198
 cve: CVE-2015-7261
 cve: CVE-2016-8731
 cve: CVE-2017-8218
 cve: CVE-2018-9068
 cve: CVE-2018-17771
 cve: CVE-2018-19063
 cve: CVE-2018-19064
 cve: CVE-2018-25147
 cve: CVE-2020-36915

[\[return to 192.168.56.15 \]](#)

2.1.21 Medium 80/tcp

Medium (CVSS: 6.8)
NVT: TWiki Cross-Site Request Forgery Vulnerability (Sep 2010)
Summary TWiki is prone to a cross-site request forgery (CSRF) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 01.Feb.2003 Fixed version: 4.3.2
Impact Successful exploitation will allow attacker to gain administrative privileges on the target application and can cause CSRF attack.
Solution: Solution type: VendorFix Upgrade to TWiki version 4.3.2 or later.
Affected Software/OS TWiki version prior to 4.3.2
Vulnerability Insight Attack can be done by tricking an authenticated TWiki user into visiting a static HTML page on another side, where a Javascript enabled browser will send an HTTP POST request to TWiki, which in turn will process the request as the TWiki user.
Vulnerability Detection Method Details: TWiki Cross-Site Request Forgery Vulnerability (Sep 2010) OID:1.3.6.1.4.1.25623.1.0.801281 Version used: 2024-03-01T20:07:10+05:30
References cve: CVE-2009-4898 url: http://www.openwall.com/lists/oss-security/2010/08/03/8 url: http://www.openwall.com/lists/oss-security/2010/08/02/17 url: http://twiki.org/cgi-bin/view/Codev/SecurityAuditTokenBasedCsrfFix url: http://twiki.org/cgi-bin/view/Codev/DownloadTWiki

Medium (CVSS: 6.1)
NVT: jQuery < 1.9.0 XSS Vulnerability
Summary jQuery is prone to a cross-site scripting (XSS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.3.2 Fixed version: 1.9.0 Installation path / port: /mutillidae/javascript/ddsmoothmenu/jquery.min.js Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info): - Identified file: http://192.168.56.15/mutillidae/javascript/ddsmoothmenu/jquer ↳y.min.js - Referenced at: http://192.168.56.15/mutillidae/
Solution: Solution type: VendorFix Update to version 1.9.0 or later.
Affected Software/OS jQuery prior to version 1.9.0.
Vulnerability Insight The jQuery(strInput) function does not differentiate selectors from HTML in a reliable fashion. In vulnerable versions, jQuery determined whether the input was HTML by looking for the '<' character anywhere in the string, giving attackers more flexibility when attempting to construct a malicious payload. In fixed versions, jQuery only deems the input to be HTML if it explicitly starts with the '<' character, limiting exploitability only to attackers who can control the beginning of a string, which is far less common.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: jQuery < 1.9.0 XSS Vulnerability OID:1.3.6.1.4.1.25623.1.0.141636 Version used: 2023-07-14T10:36:08+05:30
References cve: CVE-2012-6708 url: https://bugs.jquery.com/ticket/11290 cert-bund: WID-SEC-2022-0673 cert-bund: CB-K22/0045 cert-bund: CB-K18/1131
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2025-1803
 dfn-cert: DFN-CERT-2023-1197
 dfn-cert: DFN-CERT-2020-0590

Medium (CVSS: 6.1)

NVT: TWiki < 6.1.0 XSS Vulnerability

Summary

bin/statistics in TWiki 6.0.2 allows XSS via the webs parameter.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 01.Feb.2003

Fixed version: 6.1.0

Solution:**Solution type:** VendorFix

Update to version 6.1.0 or later.

Affected Software/OS

TWiki version 6.0.2 and probably prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: TWiki < 6.1.0 XSS Vulnerability

OID:1.3.6.1.4.1.25623.1.0.141830

Version used: 2023-07-14T21:39:27+05:30

References

cve: CVE-2018-20212

url: <https://seclists.org/fulldisclosure/2019/Jan/7>url: <http://twiki.org/cgi-bin/view/Codev/DownloadTWiki>

Medium (CVSS: 6.0)

NVT: TWiki CSRF Vulnerability

Summary

TWiki is prone to a cross-site request forgery (CSRF) vulnerability.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 01.Feb.2003 Fixed version: 4.3.1
Impact Successful exploitation will allow attacker to gain administrative privileges on the target application and can cause CSRF attack.
Solution: Solution type: VendorFix Upgrade to version 4.3.1 or later.
Affected Software/OS TWiki version prior to 4.3.1
Vulnerability Insight Remote authenticated user can create a specially crafted image tag that, when viewed by the target user, will update pages on the target system with the privileges of the target user via HTTP requests.
Vulnerability Detection Method Details: TWiki CSRF Vulnerability OID:1.3.6.1.4.1.25623.1.0.800400 Version used: 2024-06-28T10:35:33+05:30
References cve: CVE-2009-1339 url: http://secunia.com/advisories/34880 url: http://bugs.debian.org/cgi-bin/bugreport.cgi?bug=526258 url: http://twiki.org/p/pub/Codev/SecurityAlert-CVE-2009-1339/TWiki-4.3.0-c-diff↵-cve-2009-1339.txt
Medium (CVSS: 5.8)
NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled
Summary The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.
Quality of Detection (QoD): 99%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
The web server has the following HTTP methods enabled: TRACE
Impact An attacker may use this flaw to trick your legitimate web users to give him their credentials.
Solution: Solution type: Mitigation Disable the TRACE and TRACK methods in your web server configuration. Please see the manual of your web server or the references for more information.
Affected Software/OS Web servers with enabled TRACE and/or TRACK methods.
Vulnerability Insight It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.
Vulnerability Detection Method Checks if HTTP methods such as TRACE and TRACK are enabled and can be used. Details: HTTP Debugging Methods (TRACE/TRACK) Enabled OID:1.3.6.1.4.1.25623.1.0.11213 Version used: 2023-08-01T18:59:10+05:30
References cve: CVE-2003-1567 cve: CVE-2004-2320 cve: CVE-2004-2763 cve: CVE-2005-3398 cve: CVE-2006-4683 cve: CVE-2007-3008 cve: CVE-2008-7253 cve: CVE-2009-2823 cve: CVE-2010-0386 cve: CVE-2012-2223 cve: CVE-2014-7883 url: http://www.kb.cert.org/vuls/id/288308 url: http://www.securityfocus.com/bid/11604 url: http://www.securityfocus.com/bid/15222 url: http://www.securityfocus.com/bid/19915 url: http://www.securityfocus.com/bid/24456 url: http://www.securityfocus.com/bid/33374 url: http://www.securityfocus.com/bid/36956 url: http://www.securityfocus.com/bid/36990 url: http://www.securityfocus.com/bid/37995 url: http://www.securityfocus.com/bid/9506
... continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/9561>
 url: <http://www.kb.cert.org/vuls/id/867593>
 url: <https://httpd.apache.org/docs/current/en/mod/core.html#traceenable>
 url: <https://techcommunity.microsoft.com/t5/iis-support-blog/http-track-and-trac↵e-verbs/ba-p/784482>
 url: https://owasp.org/www-community/attacks/Cross_Site_Tracing
 cert-bund: CB-K14/0981
 dfn-cert: DFN-CERT-2021-1825
 dfn-cert: DFN-CERT-2014-1018
 dfn-cert: DFN-CERT-2010-0020

Medium (CVSS: 5.3)

NVT: phpinfo() Output Reporting (HTTP)

Summary

Reporting of files containing the output of the phpinfo() PHP function previously detected via HTTP.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following files are calling the function phpinfo() which disclose potentiall↵y sensitive information:

<http://192.168.56.15/mutillidae/phpinfo.php>

Concluded from:

```
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV↵E" /></head>
```

```
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph↵p5/cgi </td></tr>
```

```
<h2>PHP Core</h2>
```

```
<h2>PHP Variables</h2>
```

<http://192.168.56.15/phpinfo.php>

Concluded from:

```
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV↵E" /></head>
```

```
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph↵p5/cgi </td></tr>
```

```
<h2>PHP Core</h2>
```

```
<h2>PHP Variables</h2>
```

Impact

Some of the information that can be gathered from this file includes:

... continues on next page ...

...continued from previous page ...
The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.
Solution: Solution type: Workaround Delete the listed files or restrict access to them.
Affected Software/OS All systems exposing a file containing the output of the phpinfo() PHP function. This VT is also reporting if an affected endpoint for the following products have been identified: - CVE-2008-0149: TUTOS - CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK - CVE-2024-10486: Google for WooCommerce plugin for WordPress
Vulnerability Insight Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.
Vulnerability Detection Method This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474). Details: phpinfo() Output Reporting (HTTP) OID:1.3.6.1.4.1.25623.1.0.11229 Version used: 2025-07-09T11:13:50+05:30
References cve: CVE-2008-0149 cve: CVE-2023-49282 cve: CVE-2023-49283 cve: CVE-2024-10486 url: https://www.php.net/manual/en/function.phpinfo.php url: https://beaglesecurity.com/blog/vulnerability/revealing-phpinfo.html
Medium (CVSS: 5.0)
NVT: QWikiwiki directory traversal vulnerability
Summary The remote host is running QWikiwiki, a Wiki application written in PHP. The remote version of this software contains a validation input flaw which may allow an attacker to use it to read arbitrary files on the remote host with the privileges of the web server.
Quality of Detection (QoD): 99%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Vulnerable URL: http://192.168.56.15/mutillidae/index.php?page=../../../../../../../../etc/passwd%00
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Vulnerability Detection Method Details: QWikiwiki directory traversal vulnerability OID:1.3.6.1.4.1.25623.1.0.16100 Version used: 2025-04-15T11:24:49+05:30
References cve: CVE-2005-0283 url: http://www.securityfocus.com/bid/12163

Medium (CVSS: 5.0)
NVT: /doc directory browsable
Summary The /doc directory is browsable. /doc shows the content of the /usr/doc directory and therefore it shows which programs and - important! - the version of the installed programs.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.15/doc/
Solution: Solution type: Mitigation Use access restrictions for the /doc directory. If you use Apache you might use this in your access.conf: <Directory /usr/doc> AllowOverride None order deny, allow deny from all allow from localhost </Directory>
Vulnerability Detection Method Details: /doc directory browsable OID:1.3.6.1.4.1.25623.1.0.10056 Version used: 2023-08-01T18:59:10+05:30
... continues on next page ...

...continued from previous page...

References

cve: CVE-1999-0678

url: <http://www.securityfocus.com/bid/318>

Medium (CVSS: 5.0)

NVT: awiki <= 20100125 Multiple LFI Vulnerabilities - Active Check

Summary

awiki is prone to multiple local file include (LFI) vulnerabilities because it fails to properly sanitize user-supplied input.

Quality of Detection (QoD): 99%**Vulnerability Detection Result**Vulnerable URL: <http://192.168.56.15/mutillidae/index.php?page=/etc/passwd>**Impact**

An attacker can exploit this vulnerability to obtain potentially sensitive information and execute arbitrary local scripts in the context of the webserver process. This may allow the attacker to compromise the application and the host.

Solution:**Solution type:** WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

awiki version 20100125 and prior.

Vulnerability Detection Method

Sends a crafted HTTP GET request and checks the response.

Details: awiki <= 20100125 Multiple LFI Vulnerabilities - Active Check

OID:1.3.6.1.4.1.25623.1.0.103210

Version used: 2025-04-15T11:24:49+05:30

Referencesurl: <https://www.exploit-db.com/exploits/36047/>url: <http://www.securityfocus.com/bid/49187>

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following input fields were identified (URL:input name): http://192.168.56.15/dvwa/login.php:password http://192.168.56.15/phpMyAdmin/:pma_password http://192.168.56.15/phpMyAdmin/?D=A:pma_password http://192.168.56.15/tikiwiki/tiki-install.php:pass http://192.168.56.15/twiki/bin/view/TWiki/TWikiUserAuthentication:oldpassword
Impact An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth) - HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T10:35:21+05:30
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management ↪ssion_Management
... continues on next page ...

...continued from previous page ...
url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html
Medium (CVSS: 4.3)
NVT: phpMyAdmin 'error.php' Cross Site Scripting Vulnerability
Summary phpMyAdmin is prone to a cross-site scripting (XSS) vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to inject arbitrary HTML code within the error page and conduct phishing attacks.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS phpMyAdmin version 3.3.8.1 and prior.
Vulnerability Insight The flaw is caused by input validation errors in the 'error.php' script when processing crafted BBcode tags containing '@' characters, which could allow attackers to inject arbitrary HTML code within the error page and conduct phishing attacks.
Vulnerability Detection Method Details: phpMyAdmin 'error.php' Cross Site Scripting Vulnerability OID:1.3.6.1.4.1.25623.1.0.801660 Version used: 2023-10-17T10:35:34+05:30
References cve: CVE-2010-4480 url: http://www.exploit-db.com/exploits/15699/ url: http://www.vupen.com/english/advisories/2010/3133 dfn-cert: DFN-CERT-2011-0467 dfn-cert: DFN-CERT-2011-0451 dfn-cert: DFN-CERT-2011-0016
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2011-0002

Medium (CVSS: 4.3)

NVT: Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability

Product detection result

cpe:/a:apache:http_server:2.2.8

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)**Summary**

Apache HTTP Server is prone to a cookie information disclosure vulnerability.

Quality of Detection (QoD): 99%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow attackers to obtain sensitive information that may aid in further attacks.

Solution:**Solution type:** VendorFix

Update to Apache HTTP Server version 2.2.22 or later.

Affected Software/OS

Apache HTTP Server versions 2.2.0 through 2.2.21.

Vulnerability Insight

The flaw is due to an error within the default error response for status code 400 when no custom ErrorDocument is configured, which can be exploited to expose 'httpOnly' cookies.

Vulnerability Detection MethodDetails: Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability
OID:1.3.6.1.4.1.25623.1.0.902830

Version used: 2026-02-24T11:27:09+05:30

Product Detection Result

Product: cpe:/a:apache:http_server:2.2.8

Method: Apache HTTP Server Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.117232)

... continues on next page ...

...continued from previous page ...

References

cve: CVE-2012-0053
 url: <http://secunia.com/advisories/47779>
 url: <http://www.securityfocus.com/bid/51706>
 url: <http://www.exploit-db.com/exploits/18442>
 url: <http://rhn.redhat.com/errata/RHSA-2012-0128.html>
 url: http://httpd.apache.org/security/vulnerabilities_22.html
 url: <http://svn.apache.org/viewvc?view=revision&revision=1235454>
 url: <http://lists.opensuse.org/opensuse-security-announce/2012-02/msg00026.html>
 cert-bund: CB-K15/0080
 cert-bund: CB-K14/1505
 cert-bund: CB-K14/0608
 dfn-cert: DFN-CERT-2015-0082
 dfn-cert: DFN-CERT-2014-1592
 dfn-cert: DFN-CERT-2014-0635
 dfn-cert: DFN-CERT-2013-1307
 dfn-cert: DFN-CERT-2012-1276
 dfn-cert: DFN-CERT-2012-1112
 dfn-cert: DFN-CERT-2012-0928
 dfn-cert: DFN-CERT-2012-0758
 dfn-cert: DFN-CERT-2012-0744
 dfn-cert: DFN-CERT-2012-0568
 dfn-cert: DFN-CERT-2012-0425
 dfn-cert: DFN-CERT-2012-0424
 dfn-cert: DFN-CERT-2012-0387
 dfn-cert: DFN-CERT-2012-0343
 dfn-cert: DFN-CERT-2012-0332
 dfn-cert: DFN-CERT-2012-0306
 dfn-cert: DFN-CERT-2012-0264
 dfn-cert: DFN-CERT-2012-0203
 dfn-cert: DFN-CERT-2012-0188

Medium (CVSS: 4.3)

NVT: jQuery < 1.6.3 XSS Vulnerability

Summary

jQuery is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.3.2

Fixed version: 1.6.3

Installation

...continues on next page ...

...continued from previous page ...
path / port: /mutillidae/javascript/ddsmoothmenu/jquery.min.js Detection info (see OID: 1.3.6.1.4.1.25623.1.0.150658 for more info): - Identified file: http://192.168.56.15/mutillidae/javascript/ddsmoothmenu/jquer ↪y.min.js - Referenced at: http://192.168.56.15/mutillidae/
Solution: Solution type: VendorFix Update to version 1.6.3 or later.
Affected Software/OS jQuery prior to version 1.6.3.
Vulnerability Insight Cross-site scripting (XSS) vulnerability in jQuery before 1.6.3, when using location.hash to select elements, allows remote attackers to inject arbitrary web script or HTML via a crafted tag.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: jQuery < 1.6.3 XSS Vulnerability OID:1.3.6.1.4.1.25623.1.0.141637 Version used: 2023-07-14T10:36:08+05:30
References cve: CVE-2011-4969 url: https://blog.jquery.com/2011/09/01/jquery-1-6-3-released/ cert-bund: CB-K17/0195 dfn-cert: DFN-CERT-2017-0199 dfn-cert: DFN-CERT-2016-0890

[[return to 192.168.56.15](#)]

2.1.22 Medium 445/tcp

Medium (CVSS: 6.0) NVT: Samba 3.0.0 <= 3.0.25rc3 MS-RPC Remote Shell Command Execution Vulnerability - Active Check
Product detection result cpe:/a:samba:samba:3.0.20 Detected by SMB NativeLanMan (OID: 1.3.6.1.4.1.25623.1.0.102011)
... continues on next page ...

...continued from previous page...	
Summary	Samba is prone to a vulnerability that allows attackers to execute arbitrary shell commands because the software fails to sanitize user-supplied input.
Quality of Detection (QoD): 99%	
Vulnerability Detection Result	By sending a special crafted SMB request it was possible to execute ‘ping -p 5f ↵4f70656e564153565432393933375f -c50 192.168.56.1‘ on the remote host. Received answer (ICMP "Data" field): <pre> 0x00: 2C 57 C3 69 72 EF 04 00 56 54 32 39 39 33 37 5F ,W.ir...VT29937_ 0x10: 5F 4F 70 65 6E 56 41 53 56 54 32 39 39 33 37 5F _OpenVASVT29937_ 0x20: 5F 4F 70 65 6E 56 41 53 56 54 32 39 39 33 37 5F _OpenVASVT29937_ 0x30: 5F 4F 70 65 6E 56 41 53 _OpenVAS </pre>
Impact	An attacker may leverage this issue to execute arbitrary shell commands on an affected system with the privileges of the application.
Solution:	
Solution type: VendorFix	Updates are available. Please see the referenced vendor advisory.
Affected Software/OS	Samba versions 3.0.0 through 3.0.25rc3.
Vulnerability Detection Method	Sends a crafted SMB request and checks if the target is sending an ICMP Echo Request back to the scanner host. Note: For a successful detection of this flaw the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. Details: Samba 3.0.0 <= 3.0.25rc3 MS-RPC Remote Shell Command Execution Vulnerability - . ↵.. OID:1.3.6.1.4.1.25623.1.0.108011 Version used: 2026-03-12T11:26:11+05:30
Product Detection Result	Product: cpe:/a:samba:samba:3.0.20 Method: SMB NativeLanMan OID: 1.3.6.1.4.1.25623.1.0.102011)
References	cve: CVE-2007-2447 url: https://www.samba.org/samba/security/CVE-2007-2447.html url: https://web.archive.org/web/20210121173708/http://www.securityfocus.com/bid
... continues on next page ...	

↔/23972	...continued from previous page ...
---------	-------------------------------------

[\[return to 192.168.56.15 \]](#)

2.1.23 Medium 5900/tcp

Medium (CVSS: 4.8)
NVT: VNC Server Unencrypted Data Transmission
Summary The remote host is running a VNC server providing one or more insecure or cryptographically weak Security Type(s) not intended for use on untrusted networks.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The VNC server provides the following insecure or cryptographically weak Security Type(s): 2 (VNC authentication)
Impact An attacker can uncover sensitive data by sniffing traffic to the VNC server.
Solution: Solution type: Mitigation Run the session over an encrypted channel provided by IPsec [RFC4301] or SSH [RFC4254]. Some VNC server vendors are also providing more secure Security Types within their products.
Vulnerability Detection Method Details: VNC Server Unencrypted Data Transmission OID:1.3.6.1.4.1.25623.1.0.108529 Version used: 2023-07-12T10:35:04+05:30
References url: https://tools.ietf.org/html/rfc6143#page-10

[\[return to 192.168.56.15 \]](#)

2.1.24 Medium 2121/tcp

Medium (CVSS: 4.8)
NVT: FTP Unencrypted Cleartext Login
Summary The remote host is running a FTP service that allows cleartext logins over unencrypted connections.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The remote FTP service accepts logins without a previous sent 'AUTH TLS' command ↩. Response(s): Non-anonymous sessions: 331 Password required for openvasvt Anonymous sessions: 331 Password required for anonymous
Impact An attacker can uncover login names and passwords by sniffing traffic to the FTP service.
Solution: Solution type: Mitigation Enable FTPS or enforce the connection via the 'AUTH TLS' command. Please see the manual of the FTP service for more information.
Vulnerability Detection Method Tries to login to a non FTPS enabled FTP service without sending a 'AUTH TLS' command first and checks if the service is accepting the login without enforcing the use of the 'AUTH TLS' command. Details: FTP Unencrypted Cleartext Login OID:1.3.6.1.4.1.25623.1.0.108528 Version used: 2023-12-20T10:35:58+05:30

[\[return to 192.168.56.15 \]](#)

2.1.25 Medium 25/tcp

Medium (CVSS: 6.8)
NVT: Multiple Vendors STARTTLS Implementation Plaintext Arbitrary Command Injection Vulnerability
Summary Multiple vendors' implementations of 'STARTTLS' are prone to a vulnerability that lets attackers inject arbitrary commands.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact An attacker can exploit this issue to execute arbitrary commands in the context of the user running the application. Successful exploits can allow attackers to obtain email usernames and passwords.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS The following vendors are known to be affected: Ipswitch Kerio Postfix Qmail-TLS Oracle SCO Group spamdyke ISC
Vulnerability Detection Method Send a special crafted 'STARTTLS' request and check the response. Details: Multiple Vendors STARTTLS Implementation Plaintext Arbitrary Command Injection . ↔.. OID:1.3.6.1.4.1.25623.1.0.103935 Version used: 2023-10-31T10:36:37+05:30
References cve: CVE-2011-0411 cve: CVE-2011-1430 cve: CVE-2011-1431 cve: CVE-2011-1432 cve: CVE-2011-1506 cve: CVE-2011-1575 cve: CVE-2011-1926 cve: CVE-2011-2165 url: http://www.securityfocus.com/bid/46767 url: http://kolab.org/pipermail/kolab-announce/2011/000101.html url: http://bugzilla.cyrusimap.org/show_bug.cgi?id=3424 url: http://cyrusimap.org/mediawiki/index.php/Bugs_Resolved_in_2.4.7
... continues on next page ...

...continued from previous page...

```

url: http://www.kb.cert.org/vuls/id/MAPG-8D9M4P
url: http://files.kolab.org/server/release/kolab-server-2.3.2/sources/release-no
↪tes.txt
url: http://www.postfix.org/CVE-2011-0411.html
url: http://www.pureftpd.org/project/pure-ftpd/news
url: http://www.watchguard.com/support/release-notes/xcs/9/en-US/EN_ReleaseNotes
↪_XCS_9_1_1/EN_ReleaseNotes_WG_XCS_9_1_TLS_Hotfix.pdf
url: http://www.spamdyke.org/documentation/Changelog.txt
url: http://datatracker.ietf.org/doc/draft-josefsson-kerberos5-starttls/?include
↪_text=1
url: http://www.securityfocus.com/archive/1/516901
url: http://support.avaya.com/css/P8/documents/100134676
url: http://support.avaya.com/css/P8/documents/100141041
url: http://www.oracle.com/technetwork/topics/security/cpuapr2011-301950.html
url: http://inoa.net/qmail-tls/vu555316.patch
url: http://www.kb.cert.org/vuls/id/555316
cert-bund: CB-K15/1514
dfn-cert: DFN-CERT-2011-0917
dfn-cert: DFN-CERT-2011-0912
dfn-cert: DFN-CERT-2011-0897
dfn-cert: DFN-CERT-2011-0844
dfn-cert: DFN-CERT-2011-0818
dfn-cert: DFN-CERT-2011-0808
dfn-cert: DFN-CERT-2011-0771
dfn-cert: DFN-CERT-2011-0741
dfn-cert: DFN-CERT-2011-0712
dfn-cert: DFN-CERT-2011-0673
dfn-cert: DFN-CERT-2011-0597
dfn-cert: DFN-CERT-2011-0596
dfn-cert: DFN-CERT-2011-0519
dfn-cert: DFN-CERT-2011-0516
dfn-cert: DFN-CERT-2011-0483
dfn-cert: DFN-CERT-2011-0434
dfn-cert: DFN-CERT-2011-0393
dfn-cert: DFN-CERT-2011-0381

```

Medium (CVSS: 5.9)

NVT: SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection

Product detection result

cpe:/a:ietf:transport_layer_security:1.0

Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)

Summary

... continues on next page ...

...continued from previous page ...
It was possible to detect the usage of the deprecated SSLv2 and/or SSLv3 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.0+ the service is also providing the deprecated SSLv2 and SSLv3 protocols and supports one or more ciphers. Those supported ciphers can be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.256.23.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated SSLv2 and/or SSLv3 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS All services providing an encrypted communication using the SSLv2 and/or SSLv3 protocols.
Vulnerability Insight The SSLv2 and SSLv3 protocols contain known cryptographic flaws like: - CVE-2014-3566: Padding Oracle On Downgraded Legacy Encryption (POODLE) - CVE-2016-0800: Decrypting RSA with Obsolete and Weakened eNcryption (DROWN)
Vulnerability Detection Method Checks the used SSL protocols of the services provided by this system. Details: SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.111012 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2016-0800
... continues on next page ...

...continued from previous page...

```

cve: CVE-2014-3566
url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://drownattack.com
url: https://www.imperialviolet.org/2014/10/14/poodle.html
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-1658
cert-bund: WID-SEC-2023-0431
cert-bund: WID-SEC-2023-0427
cert-bund: CB-K18/0094
cert-bund: CB-K17/1198
cert-bund: CB-K17/1196
cert-bund: CB-K16/1828
cert-bund: CB-K16/1438
cert-bund: CB-K16/1384
cert-bund: CB-K16/1141
cert-bund: CB-K16/1107
cert-bund: CB-K16/1102
cert-bund: CB-K16/0792
cert-bund: CB-K16/0599
cert-bund: CB-K16/0597
cert-bund: CB-K16/0459
cert-bund: CB-K16/0456
cert-bund: CB-K16/0433
cert-bund: CB-K16/0424
cert-bund: CB-K16/0415
cert-bund: CB-K16/0413
cert-bund: CB-K16/0374
cert-bund: CB-K16/0367
cert-bund: CB-K16/0331
cert-bund: CB-K16/0329
cert-bund: CB-K16/0328
cert-bund: CB-K16/0156
cert-bund: CB-K15/1514
cert-bund: CB-K15/1358
cert-bund: CB-K15/1021
cert-bund: CB-K15/0972

```

...continues on next page...

...continued from previous page ...

cert-bund: CB-K15/0637
 cert-bund: CB-K15/0590
 cert-bund: CB-K15/0525
 cert-bund: CB-K15/0393
 cert-bund: CB-K15/0384
 cert-bund: CB-K15/0287
 cert-bund: CB-K15/0252
 cert-bund: CB-K15/0246
 cert-bund: CB-K15/0237
 cert-bund: CB-K15/0118
 cert-bund: CB-K15/0110
 cert-bund: CB-K15/0108
 cert-bund: CB-K15/0080
 cert-bund: CB-K15/0078
 cert-bund: CB-K15/0077
 cert-bund: CB-K15/0075
 cert-bund: CB-K14/1617
 cert-bund: CB-K14/1581
 cert-bund: CB-K14/1537
 cert-bund: CB-K14/1479
 cert-bund: CB-K14/1458
 cert-bund: CB-K14/1342
 cert-bund: CB-K14/1314
 cert-bund: CB-K14/1313
 cert-bund: CB-K14/1311
 cert-bund: CB-K14/1304
 cert-bund: CB-K14/1296
 dfn-cert: DFN-CERT-2018-0096
 dfn-cert: DFN-CERT-2017-1238
 dfn-cert: DFN-CERT-2017-1236
 dfn-cert: DFN-CERT-2016-1929
 dfn-cert: DFN-CERT-2016-1527
 dfn-cert: DFN-CERT-2016-1468
 dfn-cert: DFN-CERT-2016-1216
 dfn-cert: DFN-CERT-2016-1174
 dfn-cert: DFN-CERT-2016-1168
 dfn-cert: DFN-CERT-2016-0884
 dfn-cert: DFN-CERT-2016-0841
 dfn-cert: DFN-CERT-2016-0644
 dfn-cert: DFN-CERT-2016-0642
 dfn-cert: DFN-CERT-2016-0496
 dfn-cert: DFN-CERT-2016-0495
 dfn-cert: DFN-CERT-2016-0465
 dfn-cert: DFN-CERT-2016-0459
 dfn-cert: DFN-CERT-2016-0453
 dfn-cert: DFN-CERT-2016-0451
 dfn-cert: DFN-CERT-2016-0415

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2016-0403
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2016-0360
dfn-cert: DFN-CERT-2016-0359
dfn-cert: DFN-CERT-2016-0357
dfn-cert: DFN-CERT-2016-0171
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1075
dfn-cert: DFN-CERT-2015-1026
dfn-cert: DFN-CERT-2015-0664
dfn-cert: DFN-CERT-2015-0548
dfn-cert: DFN-CERT-2015-0404
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0259
dfn-cert: DFN-CERT-2015-0254
dfn-cert: DFN-CERT-2015-0245
dfn-cert: DFN-CERT-2015-0118
dfn-cert: DFN-CERT-2015-0114
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0081
dfn-cert: DFN-CERT-2015-0076
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1680
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1564
dfn-cert: DFN-CERT-2014-1542
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2014-1366
dfn-cert: DFN-CERT-2014-1354

```

Medium (CVSS: 5.3)

NVT: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048 bits

Summary

The remote SSL/TLS server certificate and/or any of the certificates in the certificate chain is using a RSA key with less than 2048 bits.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote SSL/TLS server is using the following certificate(s) with a RSA key with less than 2048 bits (public-key-size:public-key-algorithm:serial:issuer):
 1024:RSA:00FAF93A4C7FB6B9CC:1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D
 626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for C
 ... continues on next page ...

...continued from previous page ...
<pre> ↪omplication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no su ↪ch thing outside US,C=XX (Server certificate) </pre>
Impact Using certificates with weak RSA key size can lead to unauthorized exposure of sensitive information.
Solution: Solution type: Mitigation Replace the certificate with a stronger key and reissue the certificates it signed.
Vulnerability Insight SSL/TLS certificates using RSA keys with less than 2048 bits are considered unsafe.
Vulnerability Detection Method Checks the RSA keys size of the server certificate and all certificates in chain for a size < 2048 bit. Details: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048. ↪.. OID:1.3.6.1.4.1.25623.1.0.150710 Version used: 2021-12-10T18:18:00+05:30
References url: https://www.cabforum.org/wp-content/uploads/Baseline_Requirements_V1.pdf

Medium (CVSS: 5.0)
NVT: Check if Mailserver answer to VRFY and EXPN requests
Summary The Mailserver on this host answers to VRFY and/or EXPN requests.
Quality of Detection (QoD): 99%
Vulnerability Detection Result 'VRFY root' produces the following answer: 252 2.0.0 root
Solution: Solution type: Workaround Disable VRFY and/or EXPN on your Mailserver. For postfix add 'disable_vrfy_command=yes' in 'main.cf'. For Sendmail add the option 'O PrivacyOptions=goaway'. It is suggested that, if you really want to publish this type of information, you use a mechanism that legitimate users actually know about, such as Finger or HTTP.
... continues on next page ...

...continued from previous page ...
Vulnerability Insight VRFY and EXPN ask the server for information about an address. They are inherently unusable through firewalls, gateways, mail exchangers for part-time hosts, etc.
Vulnerability Detection Method Details: Check if Mailserver answer to VRFY and EXPN requests OID:1.3.6.1.4.1.25623.1.0.100072 Version used: 2023-10-31T10:36:37+05:30
References url: http://cr.yp.to/smtp/vrfy.html

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service expired on 2010-04-16 14:07:45. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪ F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ... continues on next page ...

...continued from previous page ...	
↔ no such thing outside US,C=XX	
subject alternative names (SAN)	None
valid from	2010-03-17 14:07:45 UTC
valid until	2010-04-16 14:07:45 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.	
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.	
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 5.0)	
NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)	
Summary The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 70%	
Vulnerability Detection Result The following indicates that the remote SSL/TLS service is affected: Protocol Version Successful re-done SSL/TLS handshakes (Renegotiation) over an ↔ existing / already established SSL/TLS connection ----- ↔----- TLSv1.0 10	
Impact The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.	
Solution: ... continues on next page ...	

...continued from previous page ...	
Solution type: VendorFix	
Users should contact their vendors for specific patch information. A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.	
Affected Software/OS	
Every SSL/TLS service which does not properly restrict client-initiated renegotiation.	
Vulnerability Insight	
The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols. Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale: > It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment. Both CVEs are still kept in this VT as a reference to the origin of this flaw.	
Vulnerability Detection Method	
Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094) OID:1.3.6.1.4.1.25623.1.0.117761 Version used: 2026-03-13T11:24:58+05:30	
References	
cve: CVE-2011-1473 cve: CVE-2011-5094 url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/ url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/ url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation url: https://www.openwall.com/lists/oss-security/2011/07/08/2 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0796 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K17/0980 cert-bund: CB-K17/0979 cert-bund: CB-K14/0772 cert-bund: CB-K13/0915 cert-bund: CB-K13/0462 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2017-1013 dfn-cert: DFN-CERT-2017-1012 dfn-cert: DFN-CERT-2014-0809 dfn-cert: DFN-CERT-2013-1928	
... continues on next page ...	

...continued from previous page ...

dfn-cert: DFN-CERT-2012-1112

Medium (CVSS: 4.3)

NVT: SSL/TLS: RSA Temporary Key Handling 'RSA_EXPORT' Downgrade Issue (FREAK)

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)

Summary

This host is accepting 'RSA_EXPORT' cipher suites and is prone to a man-in-the-middle (MITM) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

'RSA_EXPORT' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA

TLS_RSA_EXPORT_WITH_DES40_CBC_SHA

TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5

TLS_RSA_EXPORT_WITH_RC4_40_MD5

'RSA_EXPORT' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA

TLS_RSA_EXPORT_WITH_DES40_CBC_SHA

TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5

TLS_RSA_EXPORT_WITH_RC4_40_MD5

Impact

Successful exploitation will allow remote attacker to downgrade the security of a session to use 'RSA_EXPORT' cipher suites, which are significantly weaker than non-export cipher suites. This may allow a man-in-the-middle attacker to more easily break the encryption and monitor or tamper with the encrypted stream.

Solution:**Solution type:** VendorFix

- Remove support for 'RSA_EXPORT' cipher suites from the service. Please see the references for more resources supporting you with this task.
- If the service is using OpenSSL: Update to version 0.9.8zd, 1.0.0p, 1.0.1k or later.

Affected Software/OS

- Hosts accepting 'RSA_EXPORT' cipher suites.

... continues on next page ...

...continued from previous page ...
- OpenSSL versions prior to 0.9.8zd, 1.0.0 prior to 1.0.0p and 1.0.1 prior to 1.0.1k.
Vulnerability Insight Flaw is due to improper handling RSA temporary keys in a non-export RSA key exchange cipher suite.
Vulnerability Detection Method Checks previous collected cipher suites. Details: SSL/TLS: RSA Temporary Key Handling 'RSA_EXPORT' Downgrade Issue (FREAK) OID: 1.3.6.1.4.1.25623.1.0.805142 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2015-0204 url: https://freakattack.com url: https://openssl-library.org/news/secadv/20150108.txt url: https://web.archive.org/web/20210122095002/http://www.securityfocus.com/bid/71936 url: https://www.secpod.com/blog/freak-attack url: https://blog.cryptographyengineering.com/2015/03/03/attack-of-week-freak-or-factoring-nsa url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014 cert-bund: WID-SEC-2026-0180 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751 cert-bund: CB-K15/1266 cert-bund: CB-K15/0850 cert-bund: CB-K15/0764
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0016
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0021

```

Medium (CVSS: 4.3)

NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection

Product detection result

cpe:/a:ietf:transport_layer_security:1.0

Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)

Summary

It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

... continues on next page ...

...continued from previous page ...
The service is only providing the deprecated TLSv1.0 protocol and supports one or more ciphers. Those supported ciphers can be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2025-3200
url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
... continues on next page ...

```

...continued from previous page ...	
dfn-cert:	DFN-CERT-2019-0068
dfn-cert:	DFN-CERT-2018-1441
dfn-cert:	DFN-CERT-2018-1408
dfn-cert:	DFN-CERT-2016-1372
dfn-cert:	DFN-CERT-2016-1164
dfn-cert:	DFN-CERT-2016-0388
dfn-cert:	DFN-CERT-2015-1853
dfn-cert:	DFN-CERT-2015-1332
dfn-cert:	DFN-CERT-2015-0884
dfn-cert:	DFN-CERT-2015-0800
dfn-cert:	DFN-CERT-2015-0758
dfn-cert:	DFN-CERT-2015-0567
dfn-cert:	DFN-CERT-2015-0544
dfn-cert:	DFN-CERT-2015-0530
dfn-cert:	DFN-CERT-2015-0396
dfn-cert:	DFN-CERT-2015-0375
dfn-cert:	DFN-CERT-2015-0374
dfn-cert:	DFN-CERT-2015-0305
dfn-cert:	DFN-CERT-2015-0199
dfn-cert:	DFN-CERT-2015-0079
dfn-cert:	DFN-CERT-2015-0021
dfn-cert:	DFN-CERT-2014-1414
dfn-cert:	DFN-CERT-2013-1847
dfn-cert:	DFN-CERT-2013-1792
dfn-cert:	DFN-CERT-2012-1979
dfn-cert:	DFN-CERT-2012-1829
dfn-cert:	DFN-CERT-2012-1530
dfn-cert:	DFN-CERT-2012-1380
dfn-cert:	DFN-CERT-2012-1377
dfn-cert:	DFN-CERT-2012-1292
dfn-cert:	DFN-CERT-2012-1214
dfn-cert:	DFN-CERT-2012-1213
dfn-cert:	DFN-CERT-2012-1180
dfn-cert:	DFN-CERT-2012-1156
dfn-cert:	DFN-CERT-2012-1155
dfn-cert:	DFN-CERT-2012-1039
dfn-cert:	DFN-CERT-2012-0956
dfn-cert:	DFN-CERT-2012-0908
dfn-cert:	DFN-CERT-2012-0868
dfn-cert:	DFN-CERT-2012-0867
dfn-cert:	DFN-CERT-2012-0848
dfn-cert:	DFN-CERT-2012-0838
dfn-cert:	DFN-CERT-2012-0776
dfn-cert:	DFN-CERT-2012-0722
dfn-cert:	DFN-CERT-2012-0638
dfn-cert:	DFN-CERT-2012-0627
dfn-cert:	DFN-CERT-2012-0451
...continues on next page ...	

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary

The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Server Temporary Key Size: 1024 bits

Impact

An attacker might be able to decrypt the SSL/TLS communication offline.

Solution:**Solution type:** Workaround

- Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task.

... continues on next page ...

...continued from previous page ...
- For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
Vulnerability Insight The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile
Medium (CVSS: 4.0)
NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm
Summary The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.
... continues on next page ...

...continued from previous page...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The following certificates are part of the certificate chain but using insecure ↪signature algorithms: Subject: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173 ↪652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complic ↪ation of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thi ↪ng outside US,C=XX Signature Algorithm: sha1WithRSAEncryption	
Solution: Solution type: Mitigation Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.	
Vulnerability Insight The following hashing algorithms used for signing SSL/TLS certificates are considered crypto- graphically weak and not secure enough for ongoing use: - Secure Hash Algorithm 1 (SHA-1) - Message Digest 5 (MD5) - Message Digest 4 (MD4) - Message Digest 2 (MD2) Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates. NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certifi- cates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive: Fingerprint1 or fingerprint1, Fingerprint2	
Vulnerability Detection Method Check which hashing algorithm was used to sign the remote SSL/TLS certificate. Details: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm OID:1.3.6.1.4.1.25623.1.0.105880 Version used: 2021-10-15T16:43:32+05:30	
References url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with- ↪sha-1-based-signature-algorithms/	

[[return to 192.168.56.15](#)]

2.1.26 Medium 23/tcp

Medium (CVSS: 4.8)
NVT: Telnet Unencrypted Cleartext Login
Summary The remote host is running a Telnet service that allows cleartext logins over unencrypted connections.
Quality of Detection (QoD): 70%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact An attacker can uncover login names and passwords by sniffing traffic to the Telnet service.
Solution: Solution type: Mitigation Replace Telnet with a protocol like SSH which supports encrypted connections.
Vulnerability Detection Method Details: Telnet Unencrypted Cleartext Login OID:1.3.6.1.4.1.25623.1.0.108522 Version used: 2023-10-13T10:36:09+05:30

[\[return to 192.168.56.15 \]](#)

2.1.27 Medium 5432/tcp

Medium (CVSS: 5.9)
NVT: SSL/TLS: Report Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↔802067)
Summary This routine reports all weak SSL/TLS cipher suites accepted by a service. ... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_RSA_WITH_RC4_128_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_SHA
Impact This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed weak cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services providing an encrypted communication using weak SSL/TLS cipher suites.
Vulnerability Insight These rules are applied for the evaluation of the cryptographic strength: - RC4 is considered to be weak (CVE-2013-2566, CVE-2015-2808) - Ciphers using 64 bit or less are considered to be vulnerable to brute force methods and therefore considered as weak (CVE-2015-4000) - 1024 bit RSA authentication is considered to be insecure and therefore as weak - Any cipher considered to be secure for only the next 10 years is considered as medium - Any other cipher is considered as strong
Vulnerability Detection Method Checks previous collected cipher suites. NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher suites on port 25/tcp is reported. If too strong cipher suites are configured for this service the alternative would be to fall back to an even more insecure cleartext communication. Details: SSL/TLS: Report Weak Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.103440 Version used: 2025-03-27T11:08:50+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2013-2566
 cve: CVE-2015-2808
 cve: CVE-2015-4000
 url: <https://ssl-config.mozilla.org>
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
 ↪ines/TG02102/BSI-TR-02102-1.html](https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html)
 url: [https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
 ↪TLS-Protokoll/TLS-Protokoll_node.html](https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html)
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
 ↪eRichtlinien/TR03116/BSI-TR-03116-4.html](https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html)
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mind
 ↪eststandard_BSI_TLS_Version_2_4.html](https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html)
 url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>
 url: [https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
 ↪-report-2014](https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters0-report-2014)
 cert-bund: WID-SEC-2026-0180
 cert-bund: CB-K21/0067
 cert-bund: CB-K19/0812
 cert-bund: CB-K17/1750
 cert-bund: CB-K16/1593
 cert-bund: CB-K16/1552
 cert-bund: CB-K16/1102
 cert-bund: CB-K16/0617
 cert-bund: CB-K16/0599
 cert-bund: CB-K16/0168
 cert-bund: CB-K16/0121
 cert-bund: CB-K16/0090
 cert-bund: CB-K16/0030
 cert-bund: CB-K15/1751
 cert-bund: CB-K15/1591
 cert-bund: CB-K15/1550
 cert-bund: CB-K15/1517
 cert-bund: CB-K15/1514
 cert-bund: CB-K15/1464
 cert-bund: CB-K15/1442
 cert-bund: CB-K15/1334
 cert-bund: CB-K15/1269
 cert-bund: CB-K15/1136
 cert-bund: CB-K15/1090
 cert-bund: CB-K15/1059
 cert-bund: CB-K15/1022
 cert-bund: CB-K15/1015
 cert-bund: CB-K15/0986
 cert-bund: CB-K15/0964
 cert-bund: CB-K15/0962
 cert-bund: CB-K15/0932

... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0927
cert-bund: CB-K15/0926
cert-bund: CB-K15/0907
cert-bund: CB-K15/0901
cert-bund: CB-K15/0896
cert-bund: CB-K15/0889
cert-bund: CB-K15/0877
cert-bund: CB-K15/0850
cert-bund: CB-K15/0849
cert-bund: CB-K15/0834
cert-bund: CB-K15/0827
cert-bund: CB-K15/0802
cert-bund: CB-K15/0764
cert-bund: CB-K15/0733
cert-bund: CB-K15/0667
cert-bund: CB-K14/0935
cert-bund: CB-K13/0942
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2020-1561
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1648
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0665
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0184
dfn-cert: DFN-CERT-2016-0135
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1632
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1518
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1341
dfn-cert: DFN-CERT-2015-1194
dfn-cert: DFN-CERT-2015-1144
dfn-cert: DFN-CERT-2015-1113
dfn-cert: DFN-CERT-2015-1078
dfn-cert: DFN-CERT-2015-1067
dfn-cert: DFN-CERT-2015-1038
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-1012

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2015-0980
dfn-cert: DFN-CERT-2015-0977
dfn-cert: DFN-CERT-2015-0976
dfn-cert: DFN-CERT-2015-0960
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0944
dfn-cert: DFN-CERT-2015-0937
dfn-cert: DFN-CERT-2015-0925
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0881
dfn-cert: DFN-CERT-2015-0879
dfn-cert: DFN-CERT-2015-0866
dfn-cert: DFN-CERT-2015-0844
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0737
dfn-cert: DFN-CERT-2015-0696
dfn-cert: DFN-CERT-2014-0977

Medium (CVSS: 5.9)
NVT: SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated SSLv2 and/or SSLv3 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.0+ the service is also providing the deprecated SSLv3 proto ↪col and supports one or more ciphers. Those supported ciphers can be found in ↪the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.8020 ↪67) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
... continues on next page ...

...continued from previous page...	
Solution:	
Solution type: Mitigation	
It is recommended to disable the deprecated SSLv2 and/or SSLv3 protocols in favor of the TLSv1.2+ protocols.	
Please see the references for more resources supporting you with this task.	
Affected Software/OS	
All services providing an encrypted communication using the SSLv2 and/or SSLv3 protocols.	
Vulnerability Insight	
The SSLv2 and SSLv3 protocols contain known cryptographic flaws like:	
- CVE-2014-3566: Padding Oracle On Downgraded Legacy Encryption (POODLE)	
- CVE-2016-0800: Decrypting RSA with Obsolete and Weakened eNcryption (DROWN)	
Vulnerability Detection Method	
Checks the used SSL protocols of the services provided by this system.	
Details: SSL/TLS: Deprecated SSLv2 and SSLv3 Protocol Detection	
OID:1.3.6.1.4.1.25623.1.0.111012	
Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result	
Product: cpe:/a:ietf:transport_layer_security:1.0	
Method: SSL/TLS: Version Detection	
OID: 1.3.6.1.4.1.25623.1.0.105782)	
References	
cve: CVE-2016-0800	
cve: CVE-2014-3566	
url: https://ssl-config.mozilla.org	
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel	
↪ines/TG02102/BSI-TR-02102-1.html	
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/	
↪TLS-Protokoll/TLS-Protokoll_node.html	
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch	
↪eRichtlinien/TR03116/BSI-TR-03116-4.html	
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes	
↪tstandard_BSI_TLS_Version_2_4.html	
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org	
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters	
↪-report-2014	
url: https://drownattack.com	
url: https://www.imperialviolet.org/2014/10/14/poodle.html	
cert-bund: WID-SEC-2026-0180	
cert-bund: WID-SEC-2025-1658	
cert-bund: WID-SEC-2023-0431	
...continues on next page...	

...continued from previous page ...

cert-bund: WID-SEC-2023-0427
cert-bund: CB-K18/0094
cert-bund: CB-K17/1198
cert-bund: CB-K17/1196
cert-bund: CB-K16/1828
cert-bund: CB-K16/1438
cert-bund: CB-K16/1384
cert-bund: CB-K16/1141
cert-bund: CB-K16/1107
cert-bund: CB-K16/1102
cert-bund: CB-K16/0792
cert-bund: CB-K16/0599
cert-bund: CB-K16/0597
cert-bund: CB-K16/0459
cert-bund: CB-K16/0456
cert-bund: CB-K16/0433
cert-bund: CB-K16/0424
cert-bund: CB-K16/0415
cert-bund: CB-K16/0413
cert-bund: CB-K16/0374
cert-bund: CB-K16/0367
cert-bund: CB-K16/0331
cert-bund: CB-K16/0329
cert-bund: CB-K16/0328
cert-bund: CB-K16/0156
cert-bund: CB-K15/1514
cert-bund: CB-K15/1358
cert-bund: CB-K15/1021
cert-bund: CB-K15/0972
cert-bund: CB-K15/0637
cert-bund: CB-K15/0590
cert-bund: CB-K15/0525
cert-bund: CB-K15/0393
cert-bund: CB-K15/0384
cert-bund: CB-K15/0287
cert-bund: CB-K15/0252
cert-bund: CB-K15/0246
cert-bund: CB-K15/0237
cert-bund: CB-K15/0118
cert-bund: CB-K15/0110
cert-bund: CB-K15/0108
cert-bund: CB-K15/0080
cert-bund: CB-K15/0078
cert-bund: CB-K15/0077
cert-bund: CB-K15/0075
cert-bund: CB-K14/1617
cert-bund: CB-K14/1581

... continues on next page ...

...continued from previous page ...

cert-bund: CB-K14/1537
 cert-bund: CB-K14/1479
 cert-bund: CB-K14/1458
 cert-bund: CB-K14/1342
 cert-bund: CB-K14/1314
 cert-bund: CB-K14/1313
 cert-bund: CB-K14/1311
 cert-bund: CB-K14/1304
 cert-bund: CB-K14/1296
 dfn-cert: DFN-CERT-2018-0096
 dfn-cert: DFN-CERT-2017-1238
 dfn-cert: DFN-CERT-2017-1236
 dfn-cert: DFN-CERT-2016-1929
 dfn-cert: DFN-CERT-2016-1527
 dfn-cert: DFN-CERT-2016-1468
 dfn-cert: DFN-CERT-2016-1216
 dfn-cert: DFN-CERT-2016-1174
 dfn-cert: DFN-CERT-2016-1168
 dfn-cert: DFN-CERT-2016-0884
 dfn-cert: DFN-CERT-2016-0841
 dfn-cert: DFN-CERT-2016-0644
 dfn-cert: DFN-CERT-2016-0642
 dfn-cert: DFN-CERT-2016-0496
 dfn-cert: DFN-CERT-2016-0495
 dfn-cert: DFN-CERT-2016-0465
 dfn-cert: DFN-CERT-2016-0459
 dfn-cert: DFN-CERT-2016-0453
 dfn-cert: DFN-CERT-2016-0451
 dfn-cert: DFN-CERT-2016-0415
 dfn-cert: DFN-CERT-2016-0403
 dfn-cert: DFN-CERT-2016-0388
 dfn-cert: DFN-CERT-2016-0360
 dfn-cert: DFN-CERT-2016-0359
 dfn-cert: DFN-CERT-2016-0357
 dfn-cert: DFN-CERT-2016-0171
 dfn-cert: DFN-CERT-2015-1431
 dfn-cert: DFN-CERT-2015-1075
 dfn-cert: DFN-CERT-2015-1026
 dfn-cert: DFN-CERT-2015-0664
 dfn-cert: DFN-CERT-2015-0548
 dfn-cert: DFN-CERT-2015-0404
 dfn-cert: DFN-CERT-2015-0396
 dfn-cert: DFN-CERT-2015-0259
 dfn-cert: DFN-CERT-2015-0254
 dfn-cert: DFN-CERT-2015-0245
 dfn-cert: DFN-CERT-2015-0118
 dfn-cert: DFN-CERT-2015-0114

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0081
dfn-cert: DFN-CERT-2015-0076
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1680
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1564
dfn-cert: DFN-CERT-2014-1542
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2014-1366
dfn-cert: DFN-CERT-2014-1354

Medium (CVSS: 5.3)

NVT: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048 bits

Summary

The remote SSL/TLS server certificate and/or any of the certificates in the certificate chain is using a RSA key with less than 2048 bits.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The remote SSL/TLS server is using the following certificate(s) with a RSA key with less than 2048 bits (public-key-size:public-key-algorithm:serial:issuer):
 1024:RSA:00FAF93A4C7FB6B9CC:1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D
 626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for C
 omplication of Otherwise Simple Affairs,O=OCUSA,L=Everywhere,ST=There is no su
 ch thing outside US,C=XX (Server certificate)

Impact

Using certificates with weak RSA key size can lead to unauthorized exposure of sensitive information.

Solution:

Solution type: Mitigation

Replace the certificate with a stronger key and reissue the certificates it signed.

Vulnerability Insight

SSL/TLS certificates using RSA keys with less than 2048 bits are considered unsafe.

Vulnerability Detection Method

Checks the RSA keys size of the server certificate and all certificates in chain for a size < 2048 bit.

...continues on next page ...

...continued from previous page ... Details: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048. ↪.. OID:1.3.6.1.4.1.25623.1.0.150710 Version used: 2021-12-10T18:18:00+05:30	
References url: https://www.cabforum.org/wp-content/uploads/Baseline_Requirements_V1.pdf	

Medium (CVSS: 5.0) NVT: SSL/TLS: Certificate Expired	
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)	
Summary The remote server's SSL/TLS certificate has already expired.	
Quality of Detection (QoD): 99%	
Vulnerability Detection Result The certificate of the remote service expired on 2010-04-16 14:07:45. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX subject alternative names (SAN) None valid from 2010-03-17 14:07:45 UTC valid until 2010-04-16 14:07:45 UTC	
Solution: ... continues on next page ...	

...continued from previous page ...
Solution type: Mitigation Replace the SSL/TLS certificate by a new one.
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)
NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)
Summary The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following indicates that the remote SSL/TLS service is affected: Protocol Version Successful re-done SSL/TLS handshakes (Renegotiation) over an ↪ existing / already established SSL/TLS connection ----- ↪----- TLSv1.0 10
Impact The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.
Solution: Solution type: VendorFix Users should contact their vendors for specific patch information. A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.
... continues on next page ...

...continued from previous page ...

Affected Software/OS

Every SSL/TLS service which does not properly restrict client-initiated renegotiation.

Vulnerability Insight

The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols.

Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale:

> It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment.

Both CVEs are still kept in this VT as a reference to the origin of this flaw.

Vulnerability Detection Method

Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection.

Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)

OID:1.3.6.1.4.1.25623.1.0.117761

Version used: 2026-03-13T11:24:58+05:30

References

cve: CVE-2011-1473

cve: CVE-2011-5094

url: <https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/>

url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/

url: <https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation>

url: <https://www.openwall.com/lists/oss-security/2011/07/08/2>

cert-bund: WID-SEC-2026-0180

cert-bund: WID-SEC-2024-1591

cert-bund: WID-SEC-2024-0796

cert-bund: WID-SEC-2023-1435

cert-bund: CB-K17/0980

cert-bund: CB-K17/0979

cert-bund: CB-K14/0772

cert-bund: CB-K13/0915

cert-bund: CB-K13/0462

dfn-cert: DFN-CERT-2025-0933

dfn-cert: DFN-CERT-2017-1013

dfn-cert: DFN-CERT-2017-1012

dfn-cert: DFN-CERT-2014-0809

dfn-cert: DFN-CERT-2013-1928

dfn-cert: DFN-CERT-2012-1112

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The service is only providing the deprecated TLSv1.0 protocol and supports one or more ciphers. Those supported ciphers can be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/ ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://datatracker.ietf.org/doc/rfc8996/ url: https://vnhacker.blogspot.com/2011/09/beast.html url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak url: https://certvde.com/en/advisories/VDE-2025-031/ url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751 cert-bund: CB-K15/1266 cert-bund: CB-K15/0850 cert-bund: CB-K15/0764 cert-bund: CB-K15/0720 cert-bund: CB-K15/0548 cert-bund: CB-K15/0526
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0509
 cert-bund: CB-K15/0493
 cert-bund: CB-K15/0384
 cert-bund: CB-K15/0365
 cert-bund: CB-K15/0364
 cert-bund: CB-K15/0302
 cert-bund: CB-K15/0192
 cert-bund: CB-K15/0079
 cert-bund: CB-K15/0016
 cert-bund: CB-K14/1342
 cert-bund: CB-K14/0231
 cert-bund: CB-K13/0845
 cert-bund: CB-K13/0796
 cert-bund: CB-K13/0790
 dfn-cert: DFN-CERT-2020-0177
 dfn-cert: DFN-CERT-2020-0111
 dfn-cert: DFN-CERT-2019-0068
 dfn-cert: DFN-CERT-2018-1441
 dfn-cert: DFN-CERT-2018-1408
 dfn-cert: DFN-CERT-2016-1372
 dfn-cert: DFN-CERT-2016-1164
 dfn-cert: DFN-CERT-2016-0388
 dfn-cert: DFN-CERT-2015-1853
 dfn-cert: DFN-CERT-2015-1332
 dfn-cert: DFN-CERT-2015-0884
 dfn-cert: DFN-CERT-2015-0800
 dfn-cert: DFN-CERT-2015-0758
 dfn-cert: DFN-CERT-2015-0567
 dfn-cert: DFN-CERT-2015-0544
 dfn-cert: DFN-CERT-2015-0530
 dfn-cert: DFN-CERT-2015-0396
 dfn-cert: DFN-CERT-2015-0375
 dfn-cert: DFN-CERT-2015-0374
 dfn-cert: DFN-CERT-2015-0305
 dfn-cert: DFN-CERT-2015-0199
 dfn-cert: DFN-CERT-2015-0079
 dfn-cert: DFN-CERT-2015-0021
 dfn-cert: DFN-CERT-2014-1414
 dfn-cert: DFN-CERT-2013-1847
 dfn-cert: DFN-CERT-2013-1792
 dfn-cert: DFN-CERT-2012-1979
 dfn-cert: DFN-CERT-2012-1829
 dfn-cert: DFN-CERT-2012-1530
 dfn-cert: DFN-CERT-2012-1380
 dfn-cert: DFN-CERT-2012-1377
 dfn-cert: DFN-CERT-2012-1292
 dfn-cert: DFN-CERT-2012-1214

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability
Summary The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).
Quality of Detection (QoD): 80%
Vulnerability Detection Result Server Temporary Key Size: 1024 bits
Impact An attacker might be able to decrypt the SSL/TLS communication offline.
Solution: Solution type: Workaround - Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task. - For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
Vulnerability Insight The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability. ↪... OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/ ... continues on next page ...

...continued from previous page ...
↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

Medium (CVSS: 4.0)

NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

Summary

The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The following certificates are part of the certificate chain but using insecure
↪signature algorithms:

Subject: 1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173
↪652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complic
↪ation of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thi
↪ng outside US,C=XX
Signature Algorithm: sha1WithRSAEncryption

Solution:

Solution type: Mitigation

Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.

Vulnerability Insight

The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use:

- Secure Hash Algorithm 1 (SHA-1)
- Message Digest 5 (MD5)
- Message Digest 4 (MD4)
- Message Digest 2 (MD2)

Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates.

... continues on next page ...

...continued from previous page ...
NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive: Fingerprint1 or fingerprint1, Fingerprint2
Vulnerability Detection Method Check which hashing algorithm was used to sign the remote SSL/TLS certificate. Details: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm OID:1.3.6.1.4.1.25623.1.0.105880 Version used: 2021-10-15T16:43:32+05:30
References url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-sha-1-based-signature-algorithms/

[[return to 192.168.56.15](#)]

2.1.28 Medium 21/tcp

Medium (CVSS: 6.4)
NVT: Anonymous FTP Login Reporting
Summary Reports if the remote FTP Server allows anonymous logins.
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to login to the remote FTP service with the following anonymous ↪account(s): anonymous:anonymous@example.com ftp:anonymous@example.com
Impact Based on the files accessible via this anonymous FTP login and the permissions of this account an attacker might be able to: - gain access to sensitive files - upload or delete files.
Solution: Solution type: Mitigation If you do not want to share files, you should disable anonymous logins.
... continues on next page ...

...continued from previous page ...
Vulnerability Insight A host that provides an FTP service may additionally provide Anonymous FTP access as well. Under this arrangement, users do not strictly need an account on the host. Instead the user typically enters 'anonymous' or 'ftp' when prompted for username. Although users are commonly asked to send their email address as their password, little to no verification is actually performed on the supplied data. Remark: NIST don't see 'configuration issues' as software flaws so the referenced CVE has a severity of 0.0. The severity of this VT has been raised by Greenbone to still report a configuration issue on the target.
Vulnerability Detection Method Details: Anonymous FTP Login Reporting OID:1.3.6.1.4.1.25623.1.0.900600 Version used: 2021-10-20T14:33:29+05:30
References cve: CVE-1999-0497

Medium (CVSS: 4.8)
NVT: FTP Unencrypted Cleartext Login
Summary The remote host is running a FTP service that allows cleartext logins over unencrypted connections.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The remote FTP service accepts logins without a previous sent 'AUTH TLS' command ↔. Response(s): Non-anonymous sessions: 331 Please specify the password. Anonymous sessions: 331 Please specify the password.
Impact An attacker can uncover login names and passwords by sniffing traffic to the FTP service.
Solution: Solution type: Mitigation Enable FTPS or enforce the connection via the 'AUTH TLS' command. Please see the manual of the FTP service for more information.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...

Tries to login to a non FTPS enabled FTP service without sending a 'AUTH TLS' command first and checks if the service is accepting the login without enforcing the use of the 'AUTH TLS' command.

Details: **FTP Unencrypted Cleartext Login**

OID:1.3.6.1.4.1.25623.1.0.108528

Version used: 2023-12-20T10:35:58+05:30

[\[return to 192.168.56.15 \]](#)

2.1.29 Medium 22/tcp

Medium (CVSS: 5.3)

NVT: Weak Key Exchange (KEX) Algorithm(s) Supported (SSH)

Product detection result

cpe:/a:ietf:secure_shell_protocol

Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↪)

Summary

The remote SSH server is configured to allow / support weak key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The remote SSH server supports the following weak KEX algorithm(s):

KEX algorithm	Reason

↪-----	
diffie-hellman-group-exchange-sha1	Using SHA-1
diffie-hellman-group1-sha1	Using Oakley Group 2 (a 1024-bit MODP group ↪) and SHA-1

Impact

An attacker can quickly break individual connections.

Solution:

Solution type: Mitigation

Disable the reported weak KEX algorithm(s)

- 1024-bit MODP group / prime KEX algorithms:

Alternatively use elliptic-curve Diffie-Hellmann in general, e.g. Curve 25519.

... continues on next page ...

...continued from previous page ...
Vulnerability Insight - 1024-bit MODP group / prime KEX algorithms: Millions of HTTPS, SSH, and VPN servers all use the same prime numbers for Diffie-Hellman key exchange. Practitioners believed this was safe as long as new key exchange messages were generated for every connection. However, the first step in the number field sieve-the most efficient algorithm for breaking a Diffie-Hellman connection-is dependent only on this prime. A nation-state can break a 1024-bit prime.
Vulnerability Detection Method Checks the supported KEX algorithms of the remote SSH server. Currently weak KEX algorithms are defined as the following: - non-elliptic-curve Diffie-Hellmann (DH) KEX algorithms with 1024-bit MODP group / prime - ephemeraly generated key exchange groups uses SHA-1 - using RSA 1024-bit modulus key Details: Weak Key Exchange (KEX) Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.150713 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://weakdh.org/sysadmin.html url: https://www.rfc-editor.org/rfc/rfc9142 url: https://www.rfc-editor.org/rfc/rfc9142#name-summary-guidance-for-implem url: https://www.rfc-editor.org/rfc/rfc6194 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.5
Medium (CVSS: 5.3) NVT: Weak Host Key Algorithm(s) (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↔)
Summary The remote SSH server is configured to allow / support weak host key algorithm(s).
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result The remote SSH server supports the following weak host key algorithm(s): host key algorithm Description ----- ↪----- ssh-dss Digital Signature Algorithm (DSA) / Digital Signature Stand ↪ard (DSS)	
Solution: Solution type: Mitigation Disable the reported weak host key algorithm(s).	
Vulnerability Detection Method Checks the supported host key algorithms of the remote SSH server. Currently weak host key algorithms are defined as the following: - ssh-dss: Digital Signature Algorithm (DSA) / Digital Signature Standard (DSS) Details: Weak Host Key Algorithm(s) (SSH) OID:1.3.6.1.4.1.25623.1.0.117687 Version used: 2024-06-14T10:35:48+05:30	
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)	
References url: https://www.rfc-editor.org/rfc/rfc8332 url: https://www.rfc-editor.org/rfc/rfc8709 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.6	
Medium (CVSS: 4.3)	
NVT: Weak Encryption Algorithm(s) Supported (SSH)	
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)	
Summary The remote SSH server is configured to allow / support weak encryption algorithm(s).	
... continues on next page ...	

...continued from previous page...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server encryption al $\hookrightarrow$gorithm(s): <pre>3des-cbc aes128-cbc aes192-cbc aes256-cbc arcfour arcfour128 arcfour256 blowfish-cbc cast128-cbc rijndael-cbc@lysator.liu.se</pre> The remote SSH server supports the following weak server-to-client encryption al $\hookrightarrow$gorithm(s): <pre>3des-cbc aes128-cbc aes192-cbc aes256-cbc arcfour arcfour128 arcfour256 blowfish-cbc cast128-cbc rijndael-cbc@lysator.liu.se</pre>	
Solution: Solution type: Mitigation Disable the reported weak encryption algorithm(s).	
Vulnerability Insight - The 'arcfour' cipher is the Arcfour stream cipher with 128-bit keys. The Arcfour cipher is believed to be compatible with the RC4 cipher [SCHNEIER]. Arcfour (and RC4) has problems with weak keys, and should not be used anymore. - The 'none' algorithm specifies that no encryption is to be done. Note that this method provides no confidentiality protection, and it is NOT RECOMMENDED to use it. - A vulnerability exists in SSH messages that employ CBC mode that may allow an attacker to recover plaintext from a block of ciphertext.	
Vulnerability Detection Method Checks the supported encryption algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak encryption algorithms are defined as the following: - Arcfour (RC4) cipher based algorithms	
...continues on next page...	

...continued from previous page ...
- 'none' algorithm - CBC mode cipher based algorithms Details: Weak Encryption Algorithm(s) Supported (SSH) OID: 1.3.6.1.4.1.25623.1.0.105611 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc8758 url: https://www.kb.cert.org/vuls/id/958563 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.3

[\[return to 192.168.56.15 \]](#)

2.1.30 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure
Summary The remote host implements TCP timestamps and therefore allows to compute the uptime.
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was detected that the host implements RFC1323/RFC7323. The following timestamps were retrieved with a delay of 1 seconds in-between: Packet 1: 1321871 Packet 2: 1321980
Impact A side effect of this feature is that the uptime of the remote host can sometimes be computed.
Solution: Solution type: Mitigation To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime. To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled.
... continues on next page ...

...continued from previous page ...
The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment. See the references for more information.
Affected Software/OS TCP implementations that implement RFC1323/RFC7323.
Vulnerability Insight The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.
Vulnerability Detection Method Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported. Details: TCP Timestamps Information Disclosure OID:1.3.6.1.4.1.25623.1.0.80091 Version used: 2023-12-15T21:40:08+05:30
References url: https://datatracker.ietf.org/doc/html/rfc1323 url: https://datatracker.ietf.org/doc/html/rfc7323 url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/download/details.aspx?id=9152 url: https://www.fortiguard.com/psirt/FG-IR-16-090

[\[return to 192.168.56.15 \]](#)

2.1.31 Low 25/tcp

Low (CVSS: 3.7)
NVT: SSL/TLS: 'DHE_EXPORT' MITM Security Bypass Vulnerability (LogJam)
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This host is accepting 'DHE_EXPORT' cipher suites and is prone to a man-in-the-middle (MITM) vulnerability.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

'DHE_EXPORT' cipher suites accepted by this service via the SSLv3 protocol:
 TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
 'DHE_EXPORT' cipher suites accepted by this service via the TLSv1.0 protocol:
 TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_RC4_40_MD5

Impact

Successful exploitation will allow a man-in-the-middle attacker to downgrade the security of a TLS session to 512-bit export-grade cryptography, which is significantly weaker, allowing the attacker to more easily break the encryption and monitor or tamper with the encrypted stream.

Solution:

Solution type: VendorFix

- Remove support for 'DHE_EXPORT' cipher suites from the service. Please see the references for more resources supporting you with this task.
- If the service is using OpenSSL: Update to version 1.0.1n, 1.0.2b or later.

Affected Software/OS

- Hosts accepting 'DHE_EXPORT' cipher suites.
- OpenSSL versions prior to 1.0.1n and 1.0.2 prior to 1.0.2b.

Vulnerability Insight

Flaw is triggered when handling Diffie-Hellman key exchanges defined in the 'DHE_EXPORT' cipher suites.

Vulnerability Detection Method

Checks previous collected cipher suites.

Details: SSL/TLS: 'DHE_EXPORT' MITM Security Bypass Vulnerability (LogJam)

OID:1.3.6.1.4.1.25623.1.0.805188

Version used: 2026-03-13T11:24:58+05:30

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security
 Method: SSL/TLS: Report Supported Cipher Suites
 OID: 1.3.6.1.4.1.25623.1.0.802067)

References

cve: CVE-2015-4000

url: <https://weakdh.org>

url: <https://weakdh.org/sysadmin.html>

... continues on next page ...

...continued from previous page ...
url: https://web.archive.org/web/20210122160144/http://www.securityfocus.com/bid/74733
url: https://weakdh.org/imperfect-forward-secrecy.pdf
url: https://openwall.com/lists/oss-security/2015/05/20/8
url: https://blog.cloudflare.com/logjam-the-latest-tls-vulnerability-explained
url: https://openssl-library.org/post/2015-05-20-logjam-freak-upcoming-changes/index.html
url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014
cert-bund: WID-SEC-2026-0180
cert-bund: CB-K21/0067
cert-bund: CB-K19/0812
cert-bund: CB-K16/1593
cert-bund: CB-K16/1552
cert-bund: CB-K16/0617
cert-bund: CB-K16/0599
cert-bund: CB-K16/0168
cert-bund: CB-K16/0121
cert-bund: CB-K16/0090
cert-bund: CB-K16/0030
cert-bund: CB-K15/1591
cert-bund: CB-K15/1550
cert-bund: CB-K15/1517
cert-bund: CB-K15/1464
cert-bund: CB-K15/1442
cert-bund: CB-K15/1334
cert-bund: CB-K15/1269
cert-bund: CB-K15/1136
cert-bund: CB-K15/1090
cert-bund: CB-K15/1059
cert-bund: CB-K15/1022
cert-bund: CB-K15/1015
cert-bund: CB-K15/0964
cert-bund: CB-K15/0932
cert-bund: CB-K15/0927
cert-bund: CB-K15/0926
cert-bund: CB-K15/0907
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0901
cert-bund: CB-K15/0896
cert-bund: CB-K15/0877
cert-bund: CB-K15/0834
cert-bund: CB-K15/0802
cert-bund: CB-K15/0733
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2020-1561
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1648
dfn-cert: DFN-CERT-2016-0665
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0184
dfn-cert: DFN-CERT-2016-0135
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1632
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1518
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1341
dfn-cert: DFN-CERT-2015-1194
dfn-cert: DFN-CERT-2015-1144
dfn-cert: DFN-CERT-2015-1113
dfn-cert: DFN-CERT-2015-1078
dfn-cert: DFN-CERT-2015-1067
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0980
dfn-cert: DFN-CERT-2015-0977
dfn-cert: DFN-CERT-2015-0976
dfn-cert: DFN-CERT-2015-0960
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0944
dfn-cert: DFN-CERT-2015-0925
dfn-cert: DFN-CERT-2015-0879
dfn-cert: DFN-CERT-2015-0844
dfn-cert: DFN-CERT-2015-0737

Low (CVSS: 3.4)
NVT: SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability (POODLE)
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This host is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow a man-in-the-middle attackers gain access to the plain text data stream.
Solution: Solution type: Mitigation Possible Mitigations are: - Disable SSLv3 - Disable cipher suites supporting CBC cipher modes - Enable TLS_FALLBACK_SCSV if the service is providing TLSv1.0+
Vulnerability Insight The flaw is due to the block cipher padding not being deterministic and not covered by the Message Authentication Code
Vulnerability Detection Method Evaluate previous collected information about this service. Details: SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability . ↪.. OID:1.3.6.1.4.1.25623.1.0.802087 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2014-3566

url: <https://www.openssl.org/~bodo/ssl-poodle.pdf>url: <http://www.securityfocus.com/bid/70574>url: <https://www.imperialviolet.org/2014/10/14/poodle.html>url: <https://www.dfranke.us/posts/2014-10-14-how-poodle-happened.html>url: <http://googleonlinesecurity.blogspot.in/2014/10/this-poodle-bites-exploitin-↪g-ssl-30.html>

cert-bund: WID-SEC-2026-0180

cert-bund: WID-SEC-2025-1658

cert-bund: WID-SEC-2023-0431

cert-bund: CB-K17/1198

cert-bund: CB-K17/1196

cert-bund: CB-K16/1828

cert-bund: CB-K16/1438

cert-bund: CB-K16/1384

cert-bund: CB-K16/1102

cert-bund: CB-K16/0599

cert-bund: CB-K16/0156

cert-bund: CB-K15/1514

cert-bund: CB-K15/1358

cert-bund: CB-K15/1021

cert-bund: CB-K15/0972

cert-bund: CB-K15/0637

cert-bund: CB-K15/0590

cert-bund: CB-K15/0525

cert-bund: CB-K15/0393

cert-bund: CB-K15/0384

cert-bund: CB-K15/0287

cert-bund: CB-K15/0252

cert-bund: CB-K15/0246

cert-bund: CB-K15/0237

cert-bund: CB-K15/0118

cert-bund: CB-K15/0110

cert-bund: CB-K15/0108

cert-bund: CB-K15/0080

cert-bund: CB-K15/0078

cert-bund: CB-K15/0077

cert-bund: CB-K15/0075

cert-bund: CB-K14/1617

cert-bund: CB-K14/1581

cert-bund: CB-K14/1537

cert-bund: CB-K14/1479

cert-bund: CB-K14/1458

cert-bund: CB-K14/1342

cert-bund: CB-K14/1314

... continues on next page ...

...continued from previous page ...

```
cert-bund: CB-K14/1313
cert-bund: CB-K14/1311
cert-bund: CB-K14/1304
cert-bund: CB-K14/1296
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2016-1929
dfn-cert: DFN-CERT-2016-1527
dfn-cert: DFN-CERT-2016-1468
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0884
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2016-0171
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1075
dfn-cert: DFN-CERT-2015-1026
dfn-cert: DFN-CERT-2015-0664
dfn-cert: DFN-CERT-2015-0548
dfn-cert: DFN-CERT-2015-0404
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0259
dfn-cert: DFN-CERT-2015-0254
dfn-cert: DFN-CERT-2015-0245
dfn-cert: DFN-CERT-2015-0118
dfn-cert: DFN-CERT-2015-0114
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0081
dfn-cert: DFN-CERT-2015-0076
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1680
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1564
dfn-cert: DFN-CERT-2014-1542
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2014-1366
dfn-cert: DFN-CERT-2014-1354
```

[\[return to 192.168.56.15 \]](#)

2.1.32 Low general/icmp

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure
Summary The remote host responded to an ICMP timestamp request.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following response / ICMP packet has been received: - ICMP Type: 14 - ICMP Code: 0
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.
Vulnerability Detection Method Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received. Details: ICMP Timestamp Reply Information Disclosure OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-1999-0524 url: https://datatracker.ietf.org/doc/html/rfc792 url: https://datatracker.ietf.org/doc/html/rfc2780 cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.56.15 \]](#)

2.1.33 Low 5432/tcp

Low (CVSS: 3.4)
NVT: SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability (POODLE)
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This host is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow a man-in-the-middle attackers gain access to the plain text data stream.
Solution: Solution type: Mitigation Possible Mitigations are: - Disable SSLv3 - Disable cipher suites supporting CBC cipher modes - Enable TLS_FALLBACK_SCSV if the service is providing TLSv1.0+
Vulnerability Insight The flaw is due to the block cipher padding not being deterministic and not covered by the Message Authentication Code
Vulnerability Detection Method Evaluate previous collected information about this service. Details: SSL/TLS: SSLv3 Protocol CBC Cipher Suites Information Disclosure Vulnerability .↪.. OID:1.3.6.1.4.1.25623.1.0.802087 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites ... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2014-3566 url: https://www.openssl.org/~bodo/ssl-poodle.pdf url: http://www.securityfocus.com/bid/70574 url: https://www.imperialviolet.org/2014/10/14/poodle.html url: https://www.dfranke.us/posts/2014-10-14-how-poodle-happened.html url: http://googleonlinesecurity.blogspot.in/2014/10/this-poodle-bites-exploitin-ssl-30.html cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-1658 cert-bund: WID-SEC-2023-0431 cert-bund: CB-K17/1198 cert-bund: CB-K17/1196 cert-bund: CB-K16/1828 cert-bund: CB-K16/1438 cert-bund: CB-K16/1384 cert-bund: CB-K16/1102 cert-bund: CB-K16/0599 cert-bund: CB-K16/0156 cert-bund: CB-K15/1514 cert-bund: CB-K15/1358 cert-bund: CB-K15/1021 cert-bund: CB-K15/0972 cert-bund: CB-K15/0637 cert-bund: CB-K15/0590 cert-bund: CB-K15/0525 cert-bund: CB-K15/0393 cert-bund: CB-K15/0384 cert-bund: CB-K15/0287 cert-bund: CB-K15/0252 cert-bund: CB-K15/0246 cert-bund: CB-K15/0237 cert-bund: CB-K15/0118 cert-bund: CB-K15/0110 cert-bund: CB-K15/0108 cert-bund: CB-K15/0080 cert-bund: CB-K15/0078 cert-bund: CB-K15/0077 cert-bund: CB-K15/0075 cert-bund: CB-K14/1617 cert-bund: CB-K14/1581 cert-bund: CB-K14/1537 cert-bund: CB-K14/1479 cert-bund: CB-K14/1458
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K14/1342
cert-bund: CB-K14/1314
cert-bund: CB-K14/1313
cert-bund: CB-K14/1311
cert-bund: CB-K14/1304
cert-bund: CB-K14/1296
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2016-1929
dfn-cert: DFN-CERT-2016-1527
dfn-cert: DFN-CERT-2016-1468
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0884
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2016-0171
dfn-cert: DFN-CERT-2015-1431
dfn-cert: DFN-CERT-2015-1075
dfn-cert: DFN-CERT-2015-1026
dfn-cert: DFN-CERT-2015-0664
dfn-cert: DFN-CERT-2015-0548
dfn-cert: DFN-CERT-2015-0404
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0259
dfn-cert: DFN-CERT-2015-0254
dfn-cert: DFN-CERT-2015-0245
dfn-cert: DFN-CERT-2015-0118
dfn-cert: DFN-CERT-2015-0114
dfn-cert: DFN-CERT-2015-0083
dfn-cert: DFN-CERT-2015-0082
dfn-cert: DFN-CERT-2015-0081
dfn-cert: DFN-CERT-2015-0076
dfn-cert: DFN-CERT-2014-1717
dfn-cert: DFN-CERT-2014-1680
dfn-cert: DFN-CERT-2014-1632
dfn-cert: DFN-CERT-2014-1564
dfn-cert: DFN-CERT-2014-1542
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2014-1366
dfn-cert: DFN-CERT-2014-1354

```

[\[return to 192.168.56.15 \]](#)

2.1.34 Low 22/tcp

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to allow / support weak MAC algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server MAC algorithm ↪(s): hmac-md5 hmac-md5-96 hmac-sha1-96 umac-64@openssh.com The remote SSH server supports the following weak server-to-client MAC algorithm ↪(s): hmac-md5 hmac-md5-96 hmac-sha1-96 umac-64@openssh.com
Solution: Solution type: Mitigation Disable the reported weak MAC algorithm(s).
Vulnerability Detection Method Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak MAC algorithms are defined as the following: - MD5 based algorithms - 96-bit based algorithms - 64-bit based algorithms - 'none' algorithm Details: Weak MAC Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105610 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result ... continues on next page ...

...continued from previous page ...
Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc6668 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4

[\[return to 192.168.56.15 \]](#)

2.1.35 Log 139/tcp

Log (CVSS: 0.0) NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A SMB server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.1.36 Log 53/udp

Log (CVSS: 0.0) NVT: DNS Recursion Enabled (UDP) - Active Check
Summary
... continues on next page ...

...continued from previous page...
The DNS server has recursion enabled.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The DNS server replied to a DNS query to 'example.com' with the recursion flag <code>s↵et</code> in the response.
Solution:
Vulnerability Insight Recursion refers to the process of having the DNS server itself to make queries to other DNS servers on behalf of the client who made the original request.
Log Method Sends a crafted DNS query via UDP and checks the response. Details: DNS Recursion Enabled (UDP) - Active Check OID:1.3.6.1.4.1.25623.1.0.147232 Version used: 2022-07-18T15:41:09+05:30
References url: https://en.wikipedia.org/wiki/Domain_Name_System#Recursive_and_caching_name↵_server

Log (CVSS: 0.0)
NVT: DNS Server Detection (UDP)
Summary UDP based detection of a DNS server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote DNS server banner is: 9.4.2
Solution:
Log Method Details: DNS Server Detection (UDP) OID:1.3.6.1.4.1.25623.1.0.100069 Version used: 2025-11-26T11:10:08+05:30

[\[return to 192.168.56.15 \]](#)

2.1.37 Log 6697/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An IRC server seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.38 Log general/tcp

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting
Summary The script reports information on how the hostname of the target was determined.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Hostname determination for IP 192.168.56.15: Hostname Source 192.168.56.15 IP-address
Solution:
... continues on next page ...

...continued from previous page ...

Log Method

Details: Hostname Determination Reporting

OID:1.3.6.1.4.1.25623.1.0.108449

Version used: 2022-07-27T15:41:28+05:30

Log (CVSS: 0.0)

NVT: Traceroute

Summary

Collect information about the network route and network distance between the scanner host and the target host.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Network route from scanner (192.168.56.1) to target (192.168.56.15):

192.168.56.1

192.168.56.15

Network distance between scanner and target: 2

Solution:**Vulnerability Insight**

For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.

Log Method

A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'.

Details: Traceroute

OID:1.3.6.1.4.1.25623.1.0.51662

Version used: 2022-10-17T16:43:19+05:30

Log (CVSS: 0.0)

NVT: jQuery Detection Consolidation

Summary

Consolidation of jQuery detections.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected jQuery Version: 1.3.2 Location: /mutillidae/javascript/ddsmoothmenu/jquery.min.js CPE: cpe:/a:jquery:jquery:1.3.2 Concluded from version/product identification result: src="./javascript/ddsmoothmenu/jquery.min.js jQuery JavaScript Library v1.3.2 Concluded from version/product identification location: - Identified file: http://192.168.56.15/mutillidae/javascript/ddsmoothmenu/jquer ↳ y.min.js - Referenced at: http://192.168.56.15/mutillidae/
Solution:
Log Method Details: jQuery Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.150658 Version used: 2023-07-14T10:36:08+05:30
References url: https://jquery.com/

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting
Summary This script consolidates the OS information detected by several VTs and tries to find the best matching OS. Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Best matching OS: OS: Ubuntu 8.04 Version: 8.04 CPE: cpe:/o:canonical:ubuntu_linux:8.04 Found by VT: 1.3.6.1.4.1.25623.1.0.105586 (Operating System (OS) Detection (SSH
... continues on next page ...

...continued from previous page...

```

↔ Banner))
Concluded from SSH banner on port 22/tcp: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
Setting key "Host/runs_unixoide" based on this information
Other OS detections (in order of reliability):
OS:          Linux/Unix
CPE:         cpe:/o:linux:kernel
Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP
↔))
Concluded from FTP banner on port 21/tcp: 220 (vsFTPd 2.3.4)
OS:          Debian GNU/Linux
CPE:         cpe:/o:debian:debian_linux
Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP
↔))
Concluded from FTP banner on port 2121/tcp: 220 ProFTPD 1.3.1 Server (Debian) [:
↔:ffff:192.168.56.15]
OS:          Debian GNU/Linux
CPE:         cpe:/o:debian:debian_linux
Found by VT: 1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)
Concluded from SMB/Samba banner on port 445/tcp:
OS String:   Unix
SMB String:  Samba 3.0.20-Debian
OS:          Ubuntu 8.04
Version:     8.04
CPE:         cpe:/o:canonical:ubuntu_linux:8.04
Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↔P))
Concluded from PHP Server banner on port 80/tcp: X-Powered-By: PHP/5.2.4-2ubuntu
↔5.10
OS:          Ubuntu 8.04
Version:     8.04
CPE:         cpe:/o:canonical:ubuntu_linux:8.04
Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↔P))
Concluded from HTTP Server banner on port 80/tcp: Server: Apache/2.2.8 (Ubuntu)
↔DAV/2
OS:          Ubuntu
CPE:         cpe:/o:canonical:ubuntu_linux
Found by VT: 1.3.6.1.4.1.25623.1.0.111068 (Operating System (OS) Detection (SMT
↔P/POP3/IMAP))
Concluded from SMTP banner on port 25/tcp: 220 metasploitable.localdomain ESMTP
↔Postfix (Ubuntu)
OS:          Ubuntu 8.04
Version:     8.04
CPE:         cpe:/o:canonical:ubuntu_linux:8.04
Found by VT: 1.3.6.1.4.1.25623.1.0.111069 (Operating System (OS) Detection (Tel
↔net))
Concluded from Telnet banner on port 23/tcp: -

```

...continues on next page ...

...continued from previous page...

```
Warning: Never expose this VM to an untrusted network!
Contact: msfdev[at]metasploit.com
Login with msfadmin/msfadmin to get started
metasploitable login:
OS: Ubuntu
CPE: cpe:/o:canonical:ubuntu_linux
Found by VT: 1.3.6.1.4.1.25623.1.0.108192 (Operating System (OS) Detection (MySQL/MariaDB))
Concluded from MySQL/MariaDB server banner on port 3306/tcp: 5.0.51a-3ubuntu5
OS: Linux/Unix
CPE: cpe:/o:linux:kernel
Found by VT: 1.3.6.1.4.1.25623.1.0.111050 (vsftpd FTP Server Detection (FTP))
OS: Linux/Unix
CPE: cpe:/o:linux:kernel
Found by VT: 1.3.6.1.4.1.25623.1.0.10150 (Using NetBIOS to retrieve information
from a SMB host)
Concluded from NetBIOS information on port 137/udp: null MAC address of a Samba
server
```

Solution:

Log Method

Details: OS Detection Consolidation and Reporting
OID:1.3.6.1.4.1.25623.1.0.105937
Version used: 2026-03-20T22:03:06+05:30

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)

NVT: PHP Detection Consolidation

Summary

Consolidation of PHP detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...
Detected PHP Version: 5.2.4 Location: 80/tcp CPE: cpe:/a:php:php:5.2.4 Concluded from version/product identification result: X-Powered-By: PHP/5.2.4-2ubuntu5.10 Concluded from version/product identification location: http://192.168.56.15/
Solution:
Log Method Details: PHP Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.171722 Version used: 2025-09-24T11:09:03+05:30
References url: https://www.php.net/

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation
Summary Consolidation of Apache HTTP Server detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache HTTP Server Version: 2.2.8 Location: 80/tcp CPE: cpe:/a:apache:http_server:2.2.8 Concluded from version/product identification result: Server: Apache/2.2.8 (Ubuntu) DAV/2
Solution:
Log Method Details: Apache HTTP Server Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.117232 Version used: 2024-03-08T21:07:10+05:30
References ... continues on next page ...

...continued from previous page ...

url: https://httpd.apache.org

Log (CVSS: 0.0)

NVT: SSL/TLS: Hostname discovery from server certificate

Summary

It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The following additional but not resolvable hostnames were detected:
ubuntu804-base.localdomain

Solution:**Log Method**

Details: SSL/TLS: Hostname discovery from server certificate

OID:1.3.6.1.4.1.25623.1.0.111010

Version used: 2021-11-22T21:02:39+05:30

Log (CVSS: 0.0)

NVT: ProFTPD Detection Consolidation

Summary

Consolidation of ProFTPD detections.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected ProFTPD

Version: 1.3.1

Location: /

CPE: cpe:/a:proftpd:proftpd:1.3.1

Detection methods:

FTP on port 2121/tcp

FTP Banner: 220 ProFTPD 1.3.1 Server (Debian) [::ffff:192.168.56.15]

Solution:

... continues on next page ...

...continued from previous page ...
Log Method Details: ProFTPD Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.155379 Version used: 2025-09-24T11:09:03+05:30
References url: http://www.proftpd.org/

Log (CVSS: 0.0) NVT: OpenSSH Detection Consolidation
Summary Consolidation of OpenSSH detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected OpenSSH Server Version: 4.7p1 Location: 22/tcp CPE: cpe:/a:openbsd:openssh:4.7p1 Concluded from version/product identification result: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1
Solution:
Log Method Details: OpenSSH Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.108577 Version used: 2024-12-13T10:35:32+05:30
References url: https://www.openssh.com/

Log (CVSS: 0.0) NVT: ISC BIND Detection Consolidation
Summary Consolidation of ISC BIND detections.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected ISC BIND Version: 9.4.2 Location: 53/tcp CPE: cpe:/a:isc:bind:9.4.2 Concluded from version/product identification result: 9.4.2 Detected ISC BIND Version: 9.4.2 Location: 53/udp CPE: cpe:/a:isc:bind:9.4.2 Concluded from version/product identification result: 9.4.2
Solution:
Log Method Details: ISC BIND Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.145294 Version used: 2025-10-31T11:10:56+05:30
References url: https://www.isc.org/bind/

Log (CVSS: 0.0)
NVT: PostgreSQL Detection Consolidation
Summary Consolidation of PostgreSQL detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected PostgreSQL Version: 8.3.1 Location: 5432/tcp CPE: cpe:/a:postgresql:postgresql:8.3.1 Concluded from version/product identification result: select version(); query result: T versionDg]PostgreSQL 8.3.1 on i486-pc-linux-gn ↪u, compiled by GCC cc (GCC) 4.2.3 (Ubuntu 4.2.3-2ubuntu4)CSELECTZI
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: PostgreSQL Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.128025 Version used: 2024-07-19T10:35:32+05:30
References url: https://www.postgresql.org/

[\[return to 192.168.56.15 \]](#)

2.1.39 Log 6000/tcp

Log (CVSS: 0.0) NVT: X Server Detection
Summary This plugin detects X Window servers. X11 is a client - server protocol. Basically, the server is in charge of the screen, and the clients connect to it and send several requests like drawing a window or a menu, and the server sends events back to the clients, such as mouse clicks, key strokes, and so on.. An improperly configured X server will accept connections from clients from anywhere. This allows an attacker to make a client connect to the X server to record the keystrokes of the user, which may contain sensitive information, such as account passwords. This can be prevented by using xauth, MIT cookies, or preventing the X server from listening on TCP (a Unix sock is used for local connections)
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected X Windows Server Version: 11.0 Location: 6000/tcp CPE: cpe:/a:x.org:x11:11.0 Concluded from version/product identification result: 11.0 Extra information: Server answered with: Client is not authorized
Solution:
Log Method ... continues on next page ...

...continued from previous page ...
Details: X Server Detection OID:1.3.6.1.4.1.25623.1.0.10407 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.1.40 Log 1524/tcp

Log (CVSS: 0.0) NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A root shell of Metasploitable seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.41 Log 3632/tcp

Log (CVSS: 0.0) NVT: DistCC Detection
Summary Tries to detect if the remote host is running a DistCC service.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 95%
Vulnerability Detection Result A DistCC service is running at this port.
Solution:
Log Method Details: DistCC Detection OID:1.3.6.1.4.1.25623.1.0.12638 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.1.42 Log 58521/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port.
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.43 Log 80/tcp

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.15" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

A possible recursion was detected during web application scanning:

The service is using a relative URL in one or more HTML references where e.g. /file1.html contains and a subsequent request for subdir/file2.html is linking to subdir/file2.html. This would resolve to subdir/subdir/file2.html causing a recursion. To work around this counter-measures have been enabled but the service should be fixed as well to not use problematic links. Below an excerpt of URLs is shown to help identify those issues.

Syntax : URL (HTML link)

http://192.168.56.15/mutillidae/index.php (index.php?page=documentation/how-to-access-Mutillidae-over-Virtual-Box-network.php)

http://192.168.56.15/mutillidae/index.php (index.php?page=documentation/vulnerabilities.php)

The following directories were used for web application scanning:

... continues on next page ...

...continued from previous page...

```

http://192.168.56.15/
http://192.168.56.15/cgi-bin
http://192.168.56.15/dav
http://192.168.56.15/doc
http://192.168.56.15/dvwa
http://192.168.56.15/index
http://192.168.56.15/index/ajax
http://192.168.56.15/index/download
http://192.168.56.15/mutillidae
http://192.168.56.15/mutillidae/documentation
http://192.168.56.15/oops/TWiki
http://192.168.56.15/phpMyAdmin
http://192.168.56.15/rdiff/TWiki
http://192.168.56.15/test
http://192.168.56.15/test/testoutput
http://192.168.56.15/tikiwiki
http://192.168.56.15/tikiwiki/lib
http://192.168.56.15/twiki
http://192.168.56.15/twiki/pub
http://192.168.56.15/twiki/pub/TWiki/FileAttachment
http://192.168.56.15/twiki/pub/TWiki/TWikiDocGraphics
http://192.168.56.15/twiki/pub/TWiki/TWikiLogos
http://192.168.56.15/twiki/pub/TWiki/TWikiPreferences
http://192.168.56.15/twiki/pub/TWiki/TWikiTemplates
http://192.168.56.15/twiki/pub/icn
http://192.168.56.15/view/TWiki

```

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

The following directories were excluded from web application scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was: `"/((index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graphic|grafik|picture|bilder|thumbnail|media/|skins?/))"`

```

http://192.168.56.15/dvwa/dvwa/css
http://192.168.56.15/dvwa/dvwa/images
http://192.168.56.15/icons
http://192.168.56.15/index.php/Home
http://192.168.56.15/index.php/Home/login
http://192.168.56.15/index.php/installer
http://192.168.56.15/index.php/s
http://192.168.56.15/index.php/wp-json
http://192.168.56.15/mutillidae/images
http://192.168.56.15/mutillidae/javascript
http://192.168.56.15/mutillidae/javascript/ddsmoothmenu
http://192.168.56.15/mutillidae/styles
http://192.168.56.15/mutillidae/styles/ddsmoothmenu

```

...continues on next page...

...continued from previous page ...

```

http://192.168.56.15/phpMyAdmin/themes/original/img
http://192.168.56.15/tikiwiki/img/icons
http://192.168.56.15/tikiwiki/styles
http://192.168.56.15/tikiwiki/styles/transitions
Directory listing/indexing found at:
http://192.168.56.15/dav/
http://192.168.56.15/mutillidae/documentation/
http://192.168.56.15/test/
http://192.168.56.15/test/testoutput/
http://192.168.56.15/twiki/TWikiDocumentation.html
http://192.168.56.15/twiki/bin/view/TWiki/TWikiDocumentation
http://192.168.56.15/twiki/bin/view/TWiki/TWikiInstallationGuide
Extraneous phpinfo() output found at:
http://192.168.56.15/mutillidae/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
  ↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
  ↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>
http://192.168.56.15/phpinfo.php
Concluded from:
  <title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIV
  ↪E" /></head>
  <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">/etc/ph
  ↪p5/cgi </td></tr>
  <h2>PHP Core</h2>
  <h2>PHP Variables</h2>PHP script discloses physical path at:
http://192.168.56.15/mutillidae/documentation/vulnerabilities.php (/var/www/muti
  ↪llidae/documentation/vulnerabilities.php)
http://192.168.56.15/tikiwiki/tiki-install.php (/var/www/tikiwiki/lib/adodb/driv
  ↪ers/adodb-mysql.inc.php)
The "Number of pages to mirror" setting (Current: 200) of the VT "Web mirroring"
  ↪ (OID: 1.3.6.1.4.1.25623.1.0.10662) was reached. Raising this limit allows to
  ↪mirror this host more thoroughly but might increase the scanning time.
NOTE: The 'Maximum number of items shown for each list' setting has been reached
  ↪. There are 355 additional entries available for the following truncated list.
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://192.168.56.15/dav/ (C=S;0 [A] C=N;0 [D] C=M;0 [A] C=D;0 [A] )
http://192.168.56.15/dvwa/login.php (username [] password [] Login [Login] )
http://192.168.56.15/mutillidae/ (page [add-to-your-blog.php] )
http://192.168.56.15/mutillidae/documentation/ (C=S;0 [A] C=N;0 [D] C=M;0 [A] C=
  ↪D;0 [A] )
http://192.168.56.15/mutillidae/index.php (username [anonymous] do [toggle-hints
  ↪] page [home.php] )
... continues on next page ...

```

...continued from previous page...

```

http://192.168.56.15/oops/TWiki/TWikiHistory (template [oopsrev] param1 [1.10] )
http://192.168.56.15/phpMyAdmin/index.php (phpMyAdmin [82b85d3e7d764409c9431343f
↪8e5de1aad6a6aa3] token [***replaced***] pma_username [] table [] lang [] serve
↪r [1] db [] convcharset [utf-8] pma_password [] )
http://192.168.56.15/phpMyAdmin/phpmyadmin.css.php (token [***replaced***] js_fr
↪ame [right] lang [en-utf-8] nocache [2457687151] convcharset [utf-8] )
http://192.168.56.15/rdiff/TWiki/TWikiHistory (rev1 [1.10] rev2 [1.9] )
http://192.168.56.15/test/ (C=S;0 [A] C=N;0 [D] C=M;0 [A] C=D;0 [A] )
http://192.168.56.15/test/testoutput/ (C=S;0 [A] C=N;0 [D] C=M;0 [A] C=D;0 [A] )
http://192.168.56.15/tikiwiki/tiki-install.php (host [localhost] dbinfo [] pass
↪[] name [] db [] restart [1] resetdb [] user [] )
http://192.168.56.15/twiki/bin/attach/TWiki/FileAttachment (filename [Sample.txt
↪] revInfo [1] )
http://192.168.56.15/twiki/bin/edit/Know/ReadmeFirst (t [1774409144] )
http://192.168.56.15/twiki/bin/edit/Know/WebChanges (t [1774408962] )
http://192.168.56.15/twiki/bin/edit/Know/WebHome (t [1774408920] )
http://192.168.56.15/twiki/bin/edit/Know/WebIndex (t [1774409145] )
http://192.168.56.15/twiki/bin/edit/Know/WebNotify (t [1774409146] )
http://192.168.56.15/twiki/bin/edit/Know/WebPreferences (t [1774408969] )
http://192.168.56.15/twiki/bin/edit/Know/WebSearch (t [1774408968] )
http://192.168.56.15/twiki/bin/edit/Know/WebStatistics (t [1774409147] )
http://192.168.56.15/twiki/bin/edit/Know/WebTopicList (t [1774409146] )
http://192.168.56.15/twiki/bin/edit/Main/BillClinton (topicparent [Main.TWikiUse
↪rs] )
http://192.168.56.15/twiki/bin/edit/Main/CharleytheHorse (t [1774409160] )
http://192.168.56.15/twiki/bin/edit/Main/ChristopheVermeulen (topicparent [Main.
↪TWikiUsers] )
http://192.168.56.15/twiki/bin/edit/Main/DavidWarman (topicparent [Main.TWikiUse
↪rs] )
http://192.168.56.15/twiki/bin/edit/Main/EngineeringGroup (topicparent [Main.Twi
↪kiGroups] )
http://192.168.56.15/twiki/bin/edit/Main/GoodStyle (topicparent [Main.WebHome] )
http://192.168.56.15/twiki/bin/edit/Main/JohnAltstadt (topicparent [Main.TWikiUs
↪ers] )
http://192.168.56.15/twiki/bin/edit/Main/JohnTalintyre (t [1774409161] )
http://192.168.56.15/twiki/bin/edit/Main/MartinRaabe (topicparent [TWiki.TWikiUp
↪gradeGuide] )
http://192.168.56.15/twiki/bin/edit/Main/NicholasLee (t [1774409162] )
http://192.168.56.15/twiki/bin/edit/Main/OfficeLocations (t [1774408931] )
http://192.168.56.15/twiki/bin/edit/Main/PeterFokkinga (topicparent [Main.TWikiU
↪sers] )
http://192.168.56.15/twiki/bin/edit/Main/PeterThoeny (t [1774409043] )
http://192.168.56.15/twiki/bin/edit/Main/SupportGroup (topicparent [Main.TWikiGr
↪oups] )
http://192.168.56.15/twiki/bin/edit/Main/TWikiAdminGroup (t [1774409167] )
http://192.168.56.15/twiki/bin/edit/Main/TWikiGroups (t [1774408929] )
http://192.168.56.15/twiki/bin/edit/Main/TWikiGuest (t [1774409163] )

```

...continues on next page...

...continued from previous page...
http://192.168.56.15/twiki/bin/edit/Main/TWikiPreferences (topicparent [Main.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Main/TWikiRegistration (topicparent [Main.TW ↗ikiUsers])
http://192.168.56.15/twiki/bin/edit/Main/TWikiUsers (t [1774408927])
http://192.168.56.15/twiki/bin/edit/Main/TWikiWeb (topicparent [Main.WebHome])
http://192.168.56.15/twiki/bin/edit/Main/TestArea (topicparent [Main.WebHome])
http://192.168.56.15/twiki/bin/edit/Main/TextFormattingFAQ (topicparent [Main.We ↗bHome])
http://192.168.56.15/twiki/bin/edit/Main/TextFormattingRules (topicparent [Main. ↗WebHome])
http://192.168.56.15/twiki/bin/edit/Main/WebChanges (t [1774408932])
http://192.168.56.15/twiki/bin/edit/Main/WebHome (t [1774408906])
http://192.168.56.15/twiki/bin/edit/Main/WebIndex (t [1774408938])
http://192.168.56.15/twiki/bin/edit/Main/WebNotify (t [1774408975])
http://192.168.56.15/twiki/bin/edit/Main/WebPreferences (t [1774408941])
http://192.168.56.15/twiki/bin/edit/Main/WebSearch (t [1774408939])
http://192.168.56.15/twiki/bin/edit/Main/WebStatistics (t [1774408976])
http://192.168.56.15/twiki/bin/edit/Main/WebTopicEditTemplate (topicparent [Main ↗.WebPreferences])
http://192.168.56.15/twiki/bin/edit/Main/WebTopicList (t [1774408974])
http://192.168.56.15/twiki/bin/edit/Main/WelcomeGuest (topicparent [Main.WebHome ↗])
http://192.168.56.15/twiki/bin/edit/Main/WikiName (topicparent [Main.TWikiUsers] ↗)
http://192.168.56.15/twiki/bin/edit/Main/WikiNotation (topicparent [Main.TWikiUs ↗ers])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic1 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic2 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic3 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic4 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic5 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic6 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic7 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/TestTopic8 (topicparent [Sandbox.Web ↗Home])
http://192.168.56.15/twiki/bin/edit/Sandbox/WebChanges (t [1774408970])
http://192.168.56.15/twiki/bin/edit/Sandbox/WebHome (t [1774408923])
http://192.168.56.15/twiki/bin/edit/Sandbox/WebIndex (t [1774409150])
http://192.168.56.15/twiki/bin/edit/Sandbox/WebNotify (t [1774409157])
...continues on next page...

...continued from previous page... http://192.168.56.15/twiki/bin/edit/Sandbox/WebPreferences (t [1774408973]) http://192.168.56.15/twiki/bin/edit/Sandbox/WebSearch (t [1774408972]) http://192.168.56.15/twiki/bin/edit/Sandbox/WebStatistics (t [1774409157]) http://192.168.56.15/twiki/bin/edit/Sandbox/WebTopicEditTemplate (topicparent [S ↪andbox.WebPreferences]) http://192.168.56.15/twiki/bin/edit/Sandbox/WebTopicList (t [1774409156]) http://192.168.56.15/twiki/bin/edit/TWiki/ (topic [] topicparent [TWikiFAQ] only ↪wikiname [on] templatetopic [TWikiFaqTemplate]) http://192.168.56.15/twiki/bin/edit/TWiki/AppendixFileSystem (t [1774409132]) http://192.168.56.15/twiki/bin/edit/TWiki/BumpyWord (t [1774409171]) http://192.168.56.15/twiki/bin/edit/TWiki/DefaultPlugin (t [1774409074]) http://192.168.56.15/twiki/bin/edit/TWiki/FileAttachment (t [1774409068]) http://192.168.56.15/twiki/bin/edit/TWiki/FormattedSearch (t [1774409111]) http://192.168.56.15/twiki/bin/edit/TWiki/GnuGeneralPublicLicense (t [1774409139 ↪]) http://192.168.56.15/twiki/bin/edit/TWiki/GoodStyle (t [1774409031]) http://192.168.56.15/twiki/bin/edit/TWiki/InstalledPlugins (t [1774409136]) http://192.168.56.15/twiki/bin/edit/TWiki/InstantEnhancements (t [1774409081]) http://192.168.56.15/twiki/bin/edit/TWiki/InterWikis (t [1774409076]) http://192.168.56.15/twiki/bin/edit/TWiki/InterwikiPlugin (t [1774409075]) http://192.168.56.15/twiki/bin/edit/TWiki/ManagingTopics (t [1774409129]) http://192.168.56.15/twiki/bin/edit/TWiki/ManagingWebs (t [1774409131]) http://192.168.56.15/twiki/bin/edit/TWiki/MeaningfulTitle (topicparent [TWiki.Te ↪xtFormattingFAQ]) http://192.168.56.15/twiki/bin/edit/TWiki/NewTopic (topicparent [TWiki.TWikiShor ↪thand]) http://192.168.56.15/twiki/bin/edit/TWiki/NotExistingYet (topicparent [TWiki.Tex ↪tFormattingRules]) http://192.168.56.15/twiki/bin/edit/TWiki/PeterThoeny (t [1774409138]) http://192.168.56.15/twiki/bin/edit/TWiki/SiteMap (t [1774409137]) http://192.168.56.15/twiki/bin/edit/TWiki/StartingPoints (t [1774408944]) http://192.168.56.15/twiki/bin/edit/TWiki/TWikiAccessControl (t [1774409100]) http://192.168.56.15/twiki/bin/edit/TWiki/TWikiAdminCookBook (t [1774409077]) http://192.168.56.15/twiki/bin/edit/TWiki/TWikiCourseOutlineExample (topicparent ↪ [TWiki.WebHome]) http://192.168.56.15/twiki/bin/edit/TWiki/TWikiFAQ (t [1774408981])
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Missing Headers	More Information
-----	-----
↪-----	-----
↪-----	-----
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↪ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↪/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers

... continues on next page ...

...continued from previous page...
<pre> ↪/#x-frame-options X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers ↪/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support ↪t for this header in 2020. </pre>
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: TWiki Version Detection
Summary Detection of TWiki. The script sends a HTTP connection request to the server and attempts to detect the presence of TWiki and to extract its version.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected TWiki Version: 01.Feb.2003 Location: /twiki/bin CPE: cpe:/a:twiki:twiki:01.Feb.2003 Concluded from version/product identification result: This site is running TWiki version 01 Feb 2003
Solution:
Log Method Details: TWiki Version Detection OID:1.3.6.1.4.1.25623.1.0.800399 Version used: 2023-07-25T10:35:58+05:30

Log (CVSS: 0.0)
NVT: 'favicon.ico' Based Fingerprinting (HTTP)
Summary HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following apps/services were identified: "phpmyadmin (2.11.8.1 - 4.2.x)" fingerprinted by the file: "http://192.168.56.15 ↪/phpMyAdmin/favicon.ico"
Solution:
Log Method Details: 'favicon.ico' Based Fingerprinting (HTTP) OID:1.3.6.1.4.1.25623.1.0.20108 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: phpMyAdmin Detection (HTTP)
Summary HTTP based detection of phpMyAdmin.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected phpMyAdmin Version: 3.1.1 Location: /phpMyAdmin CPE: cpe:/a:phpmyadmin:phpmyadmin:3.1.1 Concluded from version/product identification result: Version 3.1.1 Concluded from version/product identification location: http://192.168.56.15/phpMyAdmin/index.php http://192.168.56.15/phpMyAdmin/README Extra information: - Protected by Username/Password
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: phpMyAdmin Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.900129 Version used: 2024-02-19T20:07:31+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Apache/2.2.8 (Ubuntu) DAV/2 Invalid HTTP 00.5 GET request (non-existen ↪t HTTP version) to '/' X-Powered-By: PHP/5.2.4-2ubuntu5.10 Invalid HTTP 00.5 GET request (non-existen ↪t HTTP version) to '/'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache/2.2.8 (Ubuntu) DAV/2
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.1.44 Log 445/tcp

Log (CVSS: 0.0)
NVT: SMB Remote Version Detection
Summary Detection of Server Message Block(SMB). This script sends SMB Negotiation request and try to get the version from the response.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Only SMBv1 is enabled on remote target
Solution:
Log Method Details: SMB Remote Version Detection OID:1.3.6.1.4.1.25623.1.0.807830 Version used: 2023-07-26T10:35:09+05:30

Log (CVSS: 0.0)
NVT: Microsoft Windows SMB Accessible Shares
Summary The script detects the Windows SMB Accessible Shares and sets the result into KB.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following shares were found IPC\$
Solution:
Log Method Details: Microsoft Windows SMB Accessible Shares OID:1.3.6.1.4.1.25623.1.0.902425 Version used: 2026-03-18T11:29:10+05:30

Log (CVSS: 0.0)
NVT: SMB Login Successful For Authenticated Checks
Summary It was possible to login using the provided SMB credentials. Hence authenticated checks are enabled.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Solution:
Log Method Details: SMB Login Successful For Authenticated Checks OID:1.3.6.1.4.1.25623.1.0.108539 Version used: 2023-07-28T21:39:07+05:30

Log (CVSS: 0.0)
NVT: Microsoft SMB Signing Disabled
Summary Checks if SMB Signing is disabled at the remote SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result SMB Signing is disabled at the server.
Solution:
Log Method Details: Microsoft SMB Signing Disabled OID:1.3.6.1.4.1.25623.1.0.802726 Version used: 2023-07-25T10:35:58+05:30

Log (CVSS: 0.0)
NVT: SMBv1 Enabled - Active Check
Summary The host has enabled SMBv1 for the SMB Server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result SMBv1 is enabled for the SMB Server
Solution:
Log Method Checks if SMBv1 is enabled for the SMB Server based on the information provided by the following VT: - SMB Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.807830). Details: SMBv1 Enabled - Active Check OID:1.3.6.1.4.1.25623.1.0.140151 Version used: 2024-01-09T10:36:46+05:30
References url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-Practices url: https://support.microsoft.com/en-us/kb/2696547 url: https://support.microsoft.com/en-us/kb/204279

Log (CVSS: 0.0)
NVT: SMB log in
Summary This script attempts to logon into the remote host using login/password credentials.
Quality of Detection (QoD): 97%
Vulnerability Detection Result It was possible to log into the remote host using the SMB protocol.
Solution:
Log Method Details: SMB log in
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.10394
Version used: 2025-09-25T11:09:09+05:30

Log (CVSS: 0.0)
NVT: SMB NativeLanMan
Summary It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Detected SMB workgroup: WORKGROUP Detected SMB server: Samba 3.0.20-Debian Detected OS: Debian GNU/Linux
Solution:
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

Log (CVSS: 0.0)
NVT: SMB NativeLanMan
Summary It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Detected Samba Version: 3.0.20 Location: 445/tcp CPE: cpe:/a:samba:samba:3.0.20 Concluded from version/product identification result: Samba 3.0.20-Debian Extra information:
... continues on next page ...

...continued from previous page ...
Detected SMB workgroup: WORKGROUP Detected SMB server: Samba 3.0.20-Debian
Solution:
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

Log (CVSS: 0.0) NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A CIFS server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.1.45 Log 5900/tcp

Log (CVSS: 0.0) NVT: VNC Supported 'security types' Detection (TCP)
Summary TCP based detection of the available remote Virtual Network Computing (VNC) 'security types'.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote VNC server chose security type #2 (VNC authentication)
Solution:
Log Method Details: VNC Supported 'security types' Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.19288 Version used: 2025-03-19T11:08:35+05:30
References url: https://datatracker.ietf.org/doc/html/rfc6143 url: https://datatracker.ietf.org/doc/html/rfc7869

Log (CVSS: 0.0)
NVT: VNC Server and Protocol Version Detection (TCP)
Summary TCP based detection of Virtual Network Computing (VNC) services and the underlying Remote Framebuffer Protocol (RFB) version.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A VNC server seems to be running on this port. The version of the VNC protocol is : RFB 003.003
Solution: Make sure the use of this software is done in accordance with your corporate security policy, filter incoming traffic to this port.
Vulnerability Insight The remote host is running a remote display software (VNC) which permits a console to be displayed remotely. This allows authenticated users of the remote host to take its control remotely.
Log Method Details: VNC Server and Protocol Version Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.10342 Version used: 2025-03-19T11:08:35+05:30
... continues on next page ...

...continued from previous page ...

References

url: <https://datatracker.ietf.org/doc/html/rfc6143>

url: <https://datatracker.ietf.org/doc/html/rfc7869>

[\[return to 192.168.56.15 \]](#)

2.1.46 Log 512/tcp

Log (CVSS: 0.0)

NVT: rexec Detection

Summary

This remote host is running a rexec service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The rexec service is not allowing connections from this host.

Solution:**Log Method**

Details: rexec Detection

OID:1.3.6.1.4.1.25623.1.0.113763

Version used: 2023-07-28T21:39:07+05:30

Log (CVSS: 0.0)

NVT: Service Detection with 'BINARY' Request

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

A rexec service seems to be running on this port.

Solution:

... continues on next page ...

...continued from previous page ...

Vulnerability Insight

This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a 'BINARY' request to the remaining unknown services and tries to identify them.

Log Method

Details: Service Detection with 'BINARY' Request

OID:1.3.6.1.4.1.25623.1.0.108204

Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.47 Log 2121/tcp

Log (CVSS: 0.0)

NVT: SSL/TLS: FTP Missing Support For AUTH TLS

Summary

The remote FTP server does not support the 'AUTH TLS' command.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The remote FTP server does not support the 'AUTH TLS' command.

Solution:**Log Method**

Details: SSL/TLS: FTP Missing Support For AUTH TLS

OID:1.3.6.1.4.1.25623.1.0.108553

Version used: 2021-03-19T13:43:38+05:30

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 ProFTPD 1.3.1 Server (Debian) [::ffff:192.168.56.15]
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 ProFTPD 1.3.1 Server (Debian) [::ffff:192.168.56.15] This is probably (a): - ProFTPD Server operating system information collected via "SYST" command: 215 UNIX Type: L8
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092 Version used: 2026-02-18T11:27:21+05:30

[\[return to 192.168.56.15 \]](#)

2.1.48 Log 25/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLSv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.1 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLSv1.2 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLSv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↪ verification against the system wide trust store (serial:issuer): 00FAF93A4C7FB6B9CC:1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652 ↪E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complicati ↪on of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing ↪outside US,C=XX (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 5.9)
NVT: SSL/TLS: Report Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0. ↪802067)
Summary This routine reports all weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher sui ↪tes on port 25/tcp is reported. If too strong cipher suites are configured for ↪ this service the alternative would be to fall back to an even more insecure c ↪leartext communication.
... continues on next page ...

...continued from previous page... 'Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA TLS_DH_anon_EXPORT_WITH_RC4_40_MD5 TLS_DH_anon_WITH_RC4_128_MD5 TLS_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5 TLS_RSA_EXPORT_WITH_RC4_40_MD5 TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA TLS_DH_anon_EXPORT_WITH_RC4_40_MD5 TLS_DH_anon_WITH_RC4_128_MD5 TLS_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5 TLS_RSA_EXPORT_WITH_RC4_40_MD5 TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA
Impact This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed weak cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services providing an encrypted communication using weak SSL/TLS cipher suites.
Vulnerability Insight These rules are applied for the evaluation of the cryptographic strength: - RC4 is considered to be weak (CVE-2013-2566, CVE-2015-2808) - Ciphers using 64 bit or less are considered to be vulnerable to brute force methods and therefore considered as weak (CVE-2015-4000) - 1024 bit RSA authentication is considered to be insecure and therefore as weak - Any cipher considered to be secure for only the next 10 years is considered as medium - Any other cipher is considered as strong
Vulnerability Detection Method Checks previous collected cipher suites.
...continues on next page...

...continued from previous page ...
NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher suites on port 25/tcp is reported. If too strong cipher suites are configured for this service the alternative would be to fall back to an even more insecure cleartext communication. Details: SSL/TLS: Report Weak Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.103440 Version used: 2025-03-27T11:08:50+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2013-2566 cve: CVE-2015-2808 cve: CVE-2015-4000 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/ ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 cert-bund: WID-SEC-2026-0180 cert-bund: CB-K21/0067 cert-bund: CB-K19/0812 cert-bund: CB-K17/1750 cert-bund: CB-K16/1593 cert-bund: CB-K16/1552 cert-bund: CB-K16/1102 cert-bund: CB-K16/0617 cert-bund: CB-K16/0599 cert-bund: CB-K16/0168 cert-bund: CB-K16/0121 cert-bund: CB-K16/0090 cert-bund: CB-K16/0030 cert-bund: CB-K15/1751 cert-bund: CB-K15/1591 cert-bund: CB-K15/1550 cert-bund: CB-K15/1517 cert-bund: CB-K15/1514
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/1464
cert-bund: CB-K15/1442
cert-bund: CB-K15/1334
cert-bund: CB-K15/1269
cert-bund: CB-K15/1136
cert-bund: CB-K15/1090
cert-bund: CB-K15/1059
cert-bund: CB-K15/1022
cert-bund: CB-K15/1015
cert-bund: CB-K15/0986
cert-bund: CB-K15/0964
cert-bund: CB-K15/0962
cert-bund: CB-K15/0932
cert-bund: CB-K15/0927
cert-bund: CB-K15/0926
cert-bund: CB-K15/0907
cert-bund: CB-K15/0901
cert-bund: CB-K15/0896
cert-bund: CB-K15/0889
cert-bund: CB-K15/0877
cert-bund: CB-K15/0850
cert-bund: CB-K15/0849
cert-bund: CB-K15/0834
cert-bund: CB-K15/0827
cert-bund: CB-K15/0802
cert-bund: CB-K15/0764
cert-bund: CB-K15/0733
cert-bund: CB-K15/0667
cert-bund: CB-K14/0935
cert-bund: CB-K13/0942
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2020-1561
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1648
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0665
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0184
dfn-cert: DFN-CERT-2016-0135
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1632

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1518
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1341
dfn-cert: DFN-CERT-2015-1194
dfn-cert: DFN-CERT-2015-1144
dfn-cert: DFN-CERT-2015-1113
dfn-cert: DFN-CERT-2015-1078
dfn-cert: DFN-CERT-2015-1067
dfn-cert: DFN-CERT-2015-1038
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-1012
dfn-cert: DFN-CERT-2015-0980
dfn-cert: DFN-CERT-2015-0977
dfn-cert: DFN-CERT-2015-0976
dfn-cert: DFN-CERT-2015-0960
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0944
dfn-cert: DFN-CERT-2015-0937
dfn-cert: DFN-CERT-2015-0925
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0881
dfn-cert: DFN-CERT-2015-0879
dfn-cert: DFN-CERT-2015-0866
dfn-cert: DFN-CERT-2015-0844
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0737
dfn-cert: DFN-CERT-2015-0696
dfn-cert: DFN-CERT-2014-0977

```

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Supported Cipher Suites

Summary

This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Strong' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

TLS_DH_anon_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA

... continues on next page ...

...continued from previous page ...

```

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_DES_CBC_SHA
TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
TLS_DH_anon_WITH_AES_128_CBC_SHA
TLS_DH_anon_WITH_DES_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_DES_CBC_SHA
'Weak' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
TLS_DH_anon_WITH_RC4_128_MD5
TLS_RSA_EXPORT_WITH_DES40_CBC_SHA
TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5
TLS_RSA_EXPORT_WITH_RC4_40_MD5
TLS_RSA_WITH_RC4_128_MD5
TLS_RSA_WITH_RC4_128_SHA
No 'Null' cipher suites accepted by this service via the SSLv3 protocol.
'Anonymous' cipher suites accepted by this service via the SSLv3 protocol:
TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
TLS_DH_anon_WITH_AES_128_CBC_SHA
TLS_DH_anon_WITH_AES_256_CBC_SHA
TLS_DH_anon_WITH_DES_CBC_SHA
TLS_DH_anon_WITH_RC4_128_MD5
'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_DH_anon_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_DES_CBC_SHA
TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
TLS_DH_anon_WITH_AES_128_CBC_SHA
TLS_DH_anon_WITH_DES_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_DES_CBC_SHA
'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
TLS_DH_anon_WITH_RC4_128_MD5

```

...continues on next page ...

...continued from previous page ...
<pre> TLS_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5 TLS_RSA_EXPORT_WITH_RC4_40_MD5 TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA TLS_DH_anon_EXPORT_WITH_RC4_40_MD5 TLS_DH_anon_WITH_3DES_EDE_CBC_SHA TLS_DH_anon_WITH_AES_128_CBC_SHA TLS_DH_anon_WITH_AES_256_CBC_SHA TLS_DH_anon_WITH_DES_CBC_SHA TLS_DH_anon_WITH_RC4_128_MD5 </pre>
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
... continues on next page ...

...continued from previous page...

Vulnerability Detection Result

'Weak' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
 TLS_DH_anon_WITH_RC4_128_MD5
 TLS_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5
 TLS_RSA_EXPORT_WITH_RC4_40_MD5
 TLS_RSA_WITH_RC4_128_MD5
 TLS_RSA_WITH_RC4_128_SHA

'Non Weak' cipher suites accepted by this service via the SSLv3 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_DES_CBC_SHA
 TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
 TLS_DH_anon_WITH_AES_128_CBC_SHA
 TLS_DH_anon_WITH_AES_256_CBC_SHA
 TLS_DH_anon_WITH_DES_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_DES_CBC_SHA

'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_DES40_CBC_SHA
 TLS_DH_anon_EXPORT_WITH_RC4_40_MD5
 TLS_DH_anon_WITH_RC4_128_MD5
 TLS_RSA_EXPORT_WITH_DES40_CBC_SHA
 TLS_RSA_EXPORT_WITH_RC2_CBC_40_MD5
 TLS_RSA_EXPORT_WITH_RC4_40_MD5
 TLS_RSA_WITH_RC4_128_MD5
 TLS_RSA_WITH_RC4_128_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_DES_CBC_SHA
 TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
 TLS_DH_anon_WITH_AES_128_CBC_SHA
 TLS_DH_anon_WITH_AES_256_CBC_SHA
 TLS_DH_anon_WITH_DES_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_DES_CBC_SHA

...continues on next page...

...continued from previous page ...
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_DES_CBC_SHA TLS_DH_anon_WITH_3DES_EDE_CBC_SHA TLS_DH_anon_WITH_AES_128_CBC_SHA TLS_DH_anon_WITH_DES_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_DES_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_DES_CBC_SHA TLS_DH_anon_WITH_3DES_EDE_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_DH_anon_WITH_AES_128_CBC_SHA TLS_DH_anon_WITH_DES_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_DES_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv↵ice via the SSLv3 protocol: TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_DES_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this server via the TLSv1.0 protocol: TLS_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_DES_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1)

ED093088706603BFD5DC237399B498DA2D4D31C6

fingerprint (SHA-256)

E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A

↪F1E32DEE436DE813CC

issued by

1.2.840.113549.1.9.1=#726F6F74407562756E747538

↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office

↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is

... continues on next page ...

...continued from previous page...	
↪ no such thing outside US,C=XX	
public key algorithm	RSA
public key size (bits)	1024
serial	00FAF93A4C7FB6B9CC
signature algorithm	sha1WithRSAEncryption
subject	1.2.840.113549.1.9.1=#726F6F74407562756E747538
↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office	
↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is	
↪ no such thing outside US,C=XX	
subject alternative names (SAN)	None
valid from	2010-03-17 14:07:45 UTC
valid until	2010-04-16 14:07:45 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)

NVT: Postfix SMTP Server Detection (SMTP)

Summary

SMTP based detection of Postfix.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Postfix

Version: unknown

Location: 25/tcp

...continues on next page ...

...continued from previous page...	
CPE:	cpe:/a:postfix:postfix
Concluded from version/product identification result: 220 metasploitable.localdomain ESMTP Postfix (Ubuntu)	
Solution:	
Log Method Details: Postfix SMTP Server Detection (SMTP) OID:1.3.6.1.4.1.25623.1.0.111086 Version used: 2024-01-12T10:35:56+05:30	
References url: https://www.postfix.org/	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Version Detection	
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): SSLv2 SSLv3 TLSv1.0	
Solution:	
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Collect and Report Certificate Details	
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪ F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪ 30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX subject alternative names (SAN) None valid from 2010-03-17 14:07:45 UTC valid until 2010-04-16 14:07:45 UTC	
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: Services	
Summary This plugin performs service detection.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result An SMTP server is running on this port Here is its banner : 220 metasploitable.localdomain ESMTP Postfix (Ubuntu)
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: SMTP 'STARTTLS' Command Detection
Summary Checks if the remote SMTP server supports SSL/TLS with the 'STARTTLS' command.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SMTP server supports SSL/TLS with the 'STARTTLS' command. The remote SMTP server is announcing the following available ESMTP commands (EHL ⇨ response) before sending the 'STARTTLS' command: 8BITMIME, DSN, ENHANCEDSTATUSCODES, ETRN, PIPELINING, SIZE 10240000, STARTTLS, V ⇨ RFY The remote SMTP server is announcing the following available ESMTP commands (EHL ⇨ response) after sending the 'STARTTLS' command: 8BITMIME, DSN, ENHANCEDSTATUSCODES, ETRN, PIPELINING, SIZE 10240000, VRFY
Solution:
Log Method Details: SSL/TLS: SMTP 'STARTTLS' Command Detection OID:1.3.6.1.4.1.25623.1.0.103118
... continues on next page ...

...continued from previous page ...
Version used: 2023-10-31T10:36:37+05:30
References url: https://tools.ietf.org/html/rfc3207

Log (CVSS: 0.0)
NVT: SMTP Server type and version
Summary This detects the SMTP Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SMTP server banner: 220 metasploitable.localdomain ESMTP Postfix (Ubuntu) The remote SMTP server is announcing the following available ESMTP commands (EHL ↪ response) via an unencrypted connection: 8BITMIME, DSN, ENHANCEDSTATUSCODES, ETRN, PIPELINING, SIZE 10240000, STARTTLS, V ↪ RFY
Solution:
Log Method Details: SMTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10263 Version used: 2026-01-07T11:17:44+05:30

[\[return to 192.168.56.15 \]](#)

2.1.49 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory
Summary This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan. Note: Some CPEs for specific products might show up twice or more in the output. Background: ... continues on next page ...

...continued from previous page...	
After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result 192.168.56.15 cpe:/a:apache:http_server:2.2.8 192.168.56.15 cpe:/a:ietf:secure_shell_protocol:2.0 192.168.56.15 cpe:/a:ietf:secure_sockets_layer:2.0 192.168.56.15 cpe:/a:ietf:secure_sockets_layer:3.0 192.168.56.15 cpe:/a:ietf:transport_layer_security:1.0 192.168.56.15 cpe:/a:isc:bind:9.4.2 192.168.56.15 cpe:/a:jquery:jquery:1.3.2 192.168.56.15 cpe:/a:mysql:mysql:5.0.51a 192.168.56.15 cpe:/a:openbsd:openssh:4.7p1 192.168.56.15 cpe:/a:oracle:mysql:5.0.51a 192.168.56.15 cpe:/a:php:php:5.2.4 192.168.56.15 cpe:/a:phpmyadmin:phpmyadmin:3.1.1 192.168.56.15 cpe:/a:portmap:portmap 192.168.56.15 cpe:/a:postfix:postfix 192.168.56.15 cpe:/a:postgresql:postgresql:8.3.1 192.168.56.15 cpe:/a:proftpd:proftpd:1.3.1 192.168.56.15 cpe:/a:samba:samba:3.0.20 192.168.56.15 cpe:/a:twiki:twiki:01.Feb.2003 192.168.56.15 cpe:/a:vsftpd_project:vsftpd:2.3.4 192.168.56.15 cpe:/a:x.org:x11:11.0 192.168.56.15 cpe:/o:canonical:ubuntu_linux:8.04	
Solution:	
Log Method Details: CPE Inventory OID:1.3.6.1.4.1.25623.1.0.810002 Version used: 2022-07-27T15:41:28+05:30	
References url: https://nvd.nist.gov/products/cpe	

[[return to 192.168.56.15](#)]

2.1.50 Log 111/udp

Log (CVSS: 0.0)
NVT: RPC Portmapper Service Detection (UDP)
Summary UDP based detection of a RPC portmapper service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected RPC Portmapper Location: 111/udp CPE: cpe:/a:portmap:portmap Extra information: Possible known aliases / names for this product are 'port mapper', 'rpc.portmap' ↔, 'portmap' or 'rpcbind'
Solution:
Vulnerability Insight The RPC portmapper service is an unsecured protocol for Internet facing systems and should only be used on a trusted network segment, otherwise disabled. The software should be patched and configured properly.
Log Method Details: RPC Portmapper Service Detection (UDP) OID:1.3.6.1.4.1.25623.1.0.900602 Version used: 2023-09-12T10:35:19+05:30
References cve: CVE-1999-0632 url: https://en.wikipedia.org/wiki/Portmap url: https://datatracker.ietf.org/doc/html/rfc1833

[\[return to 192.168.56.15 \]](#)

2.1.51 Log 53/tcp

Log (CVSS: 0.0)
NVT: DNS Server Detection (TCP)
Summary TCP based detection of a DNS server.
... continues on next page ...

... continued from previous page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote DNS server banner is: 9.4.2
Solution:
Log Method Details: DNS Server Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.108018 Version used: 2025-12-12T21:11:28+05:30

```
[ return to 192.168.56.15 ]
```

2.1.52 Log 23/tcp

Log (CVSS: 0.0)
NVT: Telnet Banner Reporting
Summary This scripts reports the received banner of a Telnet service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote Telnet banner: <pre> - _ - _ - _ - _ - _ - _ - _ - _ - _ - _ - (_) _ - _ - _ - _ - _ - _ - _ - \ , _ ' _ ' \ / _ \ _ / _ ' / _ \ , _ \ / _ \ _ / _ ' , _ \ / _ \ _) _ / (_ \ _ \ _) (_) (_ _) _ // _ / _ _ _ \ _ \ \ _ \ , _ _ / . _ / _ \ _ \ / _ \ _ \ _ \ , _ . _ / _ \ _ \ _ _ _ _ </pre> Warning: Never expose this VM to an untrusted network! Contact: msfdev[at]metasploit.com Login with msfadmin/msfadmin to get started metasploitable login:
Solution:
Log Method
... continues on next page ...

...continued from previous page ...
Details: Telnet Banner Reporting OID:1.3.6.1.4.1.25623.1.0.10281 Version used: 2026-02-17T11:27:50+05:30

Log (CVSS: 0.0) NVT: Telnet Service Detection
Summary This scripts tries to detect a Telnet service running at the remote host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A Telnet server seems to be running on this port
Solution:
Log Method Details: Telnet Service Detection OID:1.3.6.1.4.1.25623.1.0.100074 Version used: 2023-07-28T21:39:08+05:30
References url: https://tools.ietf.org/html/rfc854

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A telnet server seems to be running on this port
Solution:
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.53 Log 513/tcp

Log (CVSS: 0.0) NVT: Service Detection with 'BINARY' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A rlogin service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a 'BINARY' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'BINARY' Request OID:1.3.6.1.4.1.25623.1.0.108204 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.54 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An unknown service is running on this port. It is usually reserved for MySQL/MariaDB
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)
Summary MySQL protocol-based detection of MariaDB / Oracle MySQL.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Oracle MySQL Version: 5.0.51a-3ubuntu5 Location: 3306/tcp CPE: cpe:/a:oracle:mysql:5.0.51a Concluded from version/product identification result: 5.0.51a-3ubuntu5
Solution:
...
... continues on next page ...

...continued from previous page ...

Log Method

Details: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID:1.3.6.1.4.1.25623.1.0.100152

Version used: 2025-09-09T11:08:49+05:30

Log (CVSS: 0.0)

NVT: Database Open Access Information Disclosure Vulnerability

Summary

Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Oracle MySQL can be accessed by remote attackers

Impact

Successful exploitation could allow an attacker to obtain sensitive information from the database.

Solution:**Solution type:** Workaround

Restrict database access to remote systems. Please see the manual of the affected database server for more information.

Affected Software/OS

- Oracle MySQL
- MariaDB
- IBM DB2
- PostgreSQL
- IBM solidDB
- Oracle Database
- Microsoft SQL Server

Vulnerability Insight

The remote database server is not restricting direct access from remote systems.

Log Method

Checks the result of various database server detections and evaluates their results.

Details: Database Open Access Information Disclosure Vulnerability

OID:1.3.6.1.4.1.25623.1.0.902799

Version used: 2025-09-09T11:08:49+05:30

References

... continues on next page ...

...continued from previous page ...
url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds↔s_v1-2.pdf

[[return to 192.168.56.15](#)]

2.1.55 Log 1099/tcp

Log (CVSS: 0.0)
NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port.
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[[return to 192.168.56.15](#)]

2.1.56 Log 5432/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status -----
... continues on next page ...

...continued from previous page ...	
SSLv3	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
TLSv1.0	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.1	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
TLSv1.2	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
TLSv1.3	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:	
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30	
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746	

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the verification against the system wide trust store (serial:issuer): 00FAF93A4C7FB6B9CC:1.2.840.113549.1.9.1=#726F6F74407562756E74753830342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office for Complicati
... continues on next page ...

...continued from previous page ...
↪on of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is no such thing ↪outside US,C=XX (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_RSA_WITH_RC4_128_SHA No 'Null' cipher suites accepted by this service via the SSLv3 protocol. No 'Anonymous' cipher suites accepted by this service via the SSLv3 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_SHA No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA ... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv↵ice via the SSLv3 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv↵ice via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024 serial 00FAF93A4C7FB6B9CC signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX
... continues on next page ...

...continued from previous page...	
subject alternative names (SAN)	None
valid from	2010-03-17 14:07:45 UTC
valid until	2010-04-16 14:07:45 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Collect and Report Certificate Details	
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) ED093088706603BFD5DC237399B498DA2D4D31C6 fingerprint (SHA-256) E7A7FA0D63E457C7C4A59B38B70849C6A70BDA6F830C7A ↪F1E32DEE436DE813CC issued by 1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,O=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX public key algorithm RSA public key size (bits) 1024	
...continues on next page...	

...continued from previous page...	
serial	00FAF93A4C7FB6B9CC
signature algorithm	sha1WithRSAEncryption
subject	1.2.840.113549.1.9.1=#726F6F74407562756E747538 ↪30342D626173652E6C6F63616C646F6D61696E,CN=ubuntu804-base.localdomain,OU=Office ↪ for Complication of Otherwise Simple Affairs,0=OCOSA,L=Everywhere,ST=There is ↪ no such thing outside US,C=XX
subject alternative names (SAN)	None
valid from	2010-03-17 14:07:45 UTC
valid until	2010-04-16 14:07:45 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: SSL/TLS: PostgreSQL SSL/TLS Support Detection (PostgreSQL Protocol)	
Product detection result cpe:/a:postgresql:postgresql:8.3.1 Detected by PostgreSQL Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.12802 ↪5)	
Summary Checks if the remote PostgreSQL server supports SSL/TLS.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote PostgreSQL server supports SSL/TLS.	
Solution:	
Log Method Details: SSL/TLS: PostgreSQL SSL/TLS Support Detection (PostgreSQL Protocol) OID:1.3.6.1.4.1.25623.1.0.105013 Version used: 2024-07-24T10:36:37+05:30	
Product Detection Result Product: cpe:/a:postgresql:postgresql:8.3.1	
... continues on next page ...	

...continued from previous page ...
Method: PostgreSQL Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.128025)
References url: https://www.postgresql.org/docs/current/static/ssl-tcp.html

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An unknown service is running on this port. It is usually reserved for PostgreSQL
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): ... continues on next page ...

...continued from previous page ...
SSLv3 TLSv1.0
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0) NVT: PostgreSQL Detection (TCP)
Summary TCP based detection of PostgreSQL.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A PostgreSQL service has been identified on this port.
Solution:
Log Method The script sends a connection request to the server (user:postgres, DB:postgres) and attempts to extract the version number from the reply. Details: PostgreSQL Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.100151 Version used: 2024-07-22T10:35:40+05:30

[\[return to 192.168.56.15 \]](#)

2.1.57 Log 514/tcp

Log (CVSS: 0.0)
NVT: rsh Service Detection
Summary Checks if the remote host is running a rsh service. Note: The reporting takes place in a separate VT 'rsh Unencrypted Cleartext Login' (OID: 1.3.6.1.4.1.25623.1.0.100080).
Quality of Detection (QoD): 80%
Vulnerability Detection Result A rsh service is running at this port.
Solution:
Log Method Details: rsh Service Detection OID:1.3.6.1.4.1.25623.1.0.108478 Version used: 2024-06-26T10:35:39+05:30

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A rsh service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.58 Log 8787/tcp

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A Distributed Ruby (dRuby/DRb) service seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.59 Log 111/tcp

Log (CVSS: 0.0)
NVT: Obtain list of all port mapper registered programs via RPC
Summary This script calls the DUMP RPC on the port mapper, to obtain the list of all registered programs.
Quality of Detection (QoD): 80%
Vulnerability Detection Result These are the registered RPC programs: RPC program #100000 version 2 'portmapper' (portmap sunrpc rpcbind) on port 111/ ↔TCP RPC program #100003 version 2 'nfs' (nfsprog) on port 2049/TCP RPC program #100003 version 3 'nfs' (nfsprog) on port 2049/TCP ... continues on next page ...

...continued from previous page ...
RPC program #100003 version 4 'nfs' (nfsprog) on port 2049/TCP
RPC program #100024 version 1 'status' on port 50334/TCP
RPC program #100005 version 1 'mountd' (mount showmount) on port 57021/TCP
RPC program #100005 version 2 'mountd' (mount showmount) on port 57021/TCP
RPC program #100005 version 3 'mountd' (mount showmount) on port 57021/TCP
RPC program #100021 version 1 'nlockmgr' on port 58424/TCP
RPC program #100021 version 3 'nlockmgr' on port 58424/TCP
RPC program #100021 version 4 'nlockmgr' on port 58424/TCP
RPC program #100000 version 2 'portmapper' (portmap sunrpc rpcbind) on port 111/ ↔UDP
RPC program #100003 version 2 'nfs' (nfsprog) on port 2049/UDP
RPC program #100003 version 3 'nfs' (nfsprog) on port 2049/UDP
RPC program #100003 version 4 'nfs' (nfsprog) on port 2049/UDP
RPC program #100005 version 1 'mountd' (mount showmount) on port 32874/UDP
RPC program #100005 version 2 'mountd' (mount showmount) on port 32874/UDP
RPC program #100005 version 3 'mountd' (mount showmount) on port 32874/UDP
RPC program #100024 version 1 'status' on port 39533/UDP
RPC program #100021 version 1 'nlockmgr' on port 49125/UDP
RPC program #100021 version 3 'nlockmgr' on port 49125/UDP
RPC program #100021 version 4 'nlockmgr' on port 49125/UDP
Solution:
Log Method Details: Obtain list of all port mapper registered programs via RPC OID:1.3.6.1.4.1.25623.1.0.11111 Version used: 2023-09-08T10:36:21+05:30

Log (CVSS: 0.0)
NVT: RPC Portmapper Service Detection (TCP)
Summary TCP based detection of a RPC portmapper service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected RPC Portmapper Location: 111/tcp CPE: cpe:/a:portmap:portmap Extra information: Possible known aliases / names for this product are 'port mapper', 'rpc.portmap', ↔, 'portmap' or 'rpcbind'
...continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight The RPC portmapper service is an unsecured protocol for Internet facing systems and should only be used on a trusted network segment, otherwise disabled. The software should be patched and configured properly.
Log Method Details: RPC Portmapper Service Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.108090 Version used: 2023-09-12T10:35:19+05:30
References cve: CVE-1999-0632 url: https://en.wikipedia.org/wiki/Portmap url: https://datatracker.ietf.org/doc/html/rfc1833

[[return to 192.168.56.15](#)]

2.1.60 Log 137/udp

Log (CVSS: 0.0)
NVT: Using NetBIOS to retrieve information from a SMB host
Summary This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following 7 NetBIOS names have been gathered : METASPLOITABLE = Computer name METASPLOITABLE = This is the computer name registered for workstation services ↪ by a WINS client. METASPLOITABLE = This is the current logged in user registered for this workst ↪ation. WORKGROUP = Workgroup / Domain name WORKGROUP = Workgroup / Domain name (part of the Browser elections) This SMB server seems to be a SAMBA server (this is not a security risk, this is ↪ for your information). This can be told because this server claims to have a ↪null MAC address. If you do not want to allow everyone to find the NetBIOS name of your computer, ↪you should filter incoming traffic to this port.
... continues on next page ...

...continued from previous page ...

Solution:**Log Method**

Details: Using NetBIOS to retrieve information from a SMB host

OID:1.3.6.1.4.1.25623.1.0.10150

Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.15 \]](#)

2.1.61 Log 6667/tcp

Log (CVSS: 0.0)

NVT: Service Detection with 'GET' Request

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

An IRC server seems to be running on this port.

Solution:**Vulnerability Insight**

This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.

Log Method

Details: Service Detection with 'GET' Request

OID:1.3.6.1.4.1.25623.1.0.17975

Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.15 \]](#)

2.1.62 Log 21/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: FTP Missing Support For AUTH TLS
Summary The remote FTP server does not support the 'AUTH TLS' command.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote FTP server does not support the 'AUTH TLS' command.
Solution:
Log Method Details: SSL/TLS: FTP Missing Support For AUTH TLS OID:1.3.6.1.4.1.25623.1.0.108553 Version used: 2021-03-19T13:43:38+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 (vsFTPd 2.3.4)
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: vsftpd FTP Server Detection (FTP)
Summary FTP based detection of vsftpd.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected vsftpd Version: 2.3.4 Location: / CPE: cpe:/a:vsftpd_project:vsftpd:2.3.4 Concluded from version/product identification result: 220 (vsFTPd 2.3.4)
Solution:
Log Method Details: vsftpd FTP Server Detection (FTP) OID:1.3.6.1.4.1.25623.1.0.111050 Version used: 2026-02-19T11:26:52+05:30
References url: https://security.appspot.com/vsftpd.html

Log (CVSS: 0.0)
NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 (vsFTPd 2.3.4) This is probably (a): - vsftpd Server operating system information collected via "SYST" command: 215 UNIX Type: L8 Server status information collected via "STAT" command: 211-FTP server status: ... continues on next page ...

...continued from previous page ...
<pre> Connected to 192.168.56.1 Logged in as ftp TYPE: ASCII No session bandwidth limit Session timeout in seconds is 300 Control connection is plain text Data connections will be plain text vsFTPD 2.3.4 - secure, fast, stable 211 End of status </pre>
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092 Version used: 2026-02-18T11:27:21+05:30

[\[return to 192.168.56.15 \]](#)

2.1.63 Log 22/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An ssh server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330
... continues on next page ...

...continued from previous page ...

Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)

Product detection result

cpe:/a:ietf:secure_shell_protocol

Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↔)**Summary**

The remote SSH server is configured to NOT allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote SSH server is NOT supporting at least ONE PQC KEX algorithm.

Impact

The connection may be vulnerable to 'store now, decrypt later' attacks.

Solution:**Solution type:** Mitigation

Update the remote SSH server to a version supporting PQC KEX algorithms (e.g. OpenSSH 8.9 or later) and enable relevant PQC KEX algorithms accordingly.

Please see the references/manual of the remote SSH server and/or contact the vendor of it for more support.

Log Method

Checks the (previously collected) supported KEX algorithms of the remote SSH server. Currently the following PQC KEX algorithms are defined / getting used for this check:

- sntrup761x25519-sha512@openssh.com
- sntrup761x25519-sha512
- mlkem768x25519-sha256
- sntrup4591761x25519-sha512@tinyssh.org
- ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org
- ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org
- ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org
- x25519-kyber-512r3-sha256-d00@amazon.com
- mlkem1024nistp384-sha384
- mlkem768nistp256-sha256
- curve25519-frodokem1344-sha512@ssh.com

... continues on next page ...

...continued from previous page ...
- ecdh-nistp521-kyber1024-sha512@ssh.com Details: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH) OID:1.3.6.1.4.1.25623.1.0.119214 Version used: 2026-03-06T21:19:04+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://openssh.com/pq.html url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-quantum-key-exchange-algorithm/ url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finalized-post-quantum-encryption-standards url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of-not-adopting-it/ url: https://supportportal.juniper.net/s/article/2026-03-Reference-Advisory-OpenSSH-client-new-warning-in-versions-10-1-and-higher-connection-is-not-using-a-post-quantum-key-exchange-algorithm

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported
Summary Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote SSH Server supports the following SSH Protocol Versions: 1.99 2.0
Solution:
Log Method The following versions are tried: 1.33, 1.5, 1.99 and 2.0. Details: SSH Protocol Versions Supported OID:1.3.6.1.4.1.25623.1.0.100259
... continues on next page ...

...continued from previous page ...
Version used: 2024-06-17T14:01:37+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported
Summary This script detects which algorithms are supported by the remote SSH service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following options are supported by the remote SSH service: kex_algorithms: diffie-hellman-group-exchange-sha256,diffie-hellman-group-exchange-sha1,diffie-hellman-group14-sha1,diffie-hellman-group1-sha1 server_host_key_algorithms: ssh-rsa,ssh-dss encryption_algorithms_client_to_server: aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour128,arcfour256,arcfour,aes192-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr encryption_algorithms_server_to_client: aes128-cbc,3des-cbc,blowfish-cbc,cast128-cbc,arcfour128,arcfour256,arcfour,aes192-cbc,aes256-cbc,rijndael-cbc@lysator.liu.se,aes128-ctr,aes192-ctr,aes256-ctr mac_algorithms_client_to_server: hmac-md5,hmac-sha1,umac-64@openssh.com,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,hmac-md5-96 mac_algorithms_server_to_client: hmac-md5,hmac-sha1,umac-64@openssh.com,hmac-ripemd160,hmac-ripemd160@openssh.com,hmac-sha1-96,hmac-md5-96 compression_algorithms_client_to_server: none,zlib@openssh.com compression_algorithms_server_to_client: none,zlib@openssh.com
Solution:
Log Method Details: SSH Protocol Algorithms Supported OID:1.3.6.1.4.1.25623.1.0.105565 Version used: 2026-01-21T11:20:46+05:30

Log (CVSS: 0.0)
NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-OpenSSH_4.7p1 Debian-8ubuntu1 Remote SSH supported authentication: none,password,publickey,hostbased,keyboard-↵interactive Remote SSH text/login banner: (not available) This is probably (a): - OpenSSH Concluded from remote connection attempt with credentials: Login: OpenVASVT Password: OpenVASVT
Solution:
Vulnerability Insight This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.
Log Method Details: SSH Server type and version OID:1.3.6.1.4.1.25623.1.0.10267 Version used: 2026-02-13T21:19:08+05:30

[\[return to 192.168.56.15 \]](#)

2.2 192.168.56.6

Host scan start Wed Mar 25 11:20:04 2026 IST
Host scan end Wed Mar 25 13:49:09 2026 IST

Service (Port)	Threat Level
8080/tcp	Critical
8484/tcp	Critical
9200/tcp	Critical
8181/tcp	Critical
47001/tcp	Critical
... (continues) ...	

... (continued) ...

Service (Port)	Threat Level
8020/tcp	Critical
8585/tcp	Critical
4848/tcp	Critical
3306/tcp	Critical
22/tcp	Critical
8282/tcp	Critical
80/tcp	Critical
5985/tcp	Critical
3389/tcp	Critical
445/tcp	High
8484/tcp	High
9200/tcp	High
8383/tcp	High
8020/tcp	High
161/udp	High
8585/tcp	High
21/tcp	High
4848/tcp	High
3306/tcp	High
22/tcp	High
8282/tcp	High
1617/tcp	High
8484/tcp	Medium
9200/tcp	Medium
3820/tcp	Medium
8181/tcp	Medium
3920/tcp	Medium
8383/tcp	Medium
49261/tcp	Medium
8020/tcp	Medium
8585/tcp	Medium
21/tcp	Medium
135/tcp	Medium
4848/tcp	Medium
3306/tcp	Medium
22/tcp	Medium
8282/tcp	Medium
3389/tcp	Medium
general/icmp	Low
9200/tcp	Low
general/tcp	Low
49261/tcp	Low
8585/tcp	Low
3306/tcp	Low

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
22/tcp	Low
445/tcp	Log
8080/tcp	Log
49152/tcp	Log
7676/tcp	Log
8484/tcp	Log
9200/tcp	Log
general/tcp	Log
49154/tcp	Log
139/tcp	Log
3820/tcp	Log
49505/tcp	Log
49506/tcp	Log
8181/tcp	Log
3920/tcp	Log
8383/tcp	Log
3700/tcp	Log
47001/tcp	Log
49205/tcp	Log
49156/tcp	Log
general/CPE-T	Log
49261/tcp	Log
49501/tcp	Log
8020/tcp	Log
161/udp	Log
8585/tcp	Log
21/tcp	Log
135/tcp	Log
8686/tcp	Log
49153/tcp	Log
4848/tcp	Log
137/udp	Log
3306/tcp	Log
22/tcp	Log
49179/tcp	Log
8282/tcp	Log
80/tcp	Log
49504/tcp	Log
5985/tcp	Log
1617/tcp	Log
49246/tcp	Log
3389/tcp	Log
49262/tcp	Log

2.2.1 Critical 8080/tcp

Critical (CVSS: 9.8)
NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:8080 ↪0/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). ... continues on next page ...

...continued from previous page ... 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪... OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.2.2 Critical 8484/tcp

Critical (CVSS: 10.0) NVT: Jenkins CI Groovy Console accessible
Summary ... continues on next page ...

...continued from previous page ...
Checks if the Jenkins CI Groovy Console is unprotected.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.6:8484/script
Impact The Groovy Console allows an attacker to execute operating system commands with the permissions of the user running the service.
Solution: Solution type: Mitigation Protect the access to the Groovy Console by configuring user accounts. Please see the reference for more information.
Vulnerability Detection Method The script sends a HTTP request to the server and checks if the Groovy Console is unprotected. Details: Jenkins CI Groovy Console accessible OID:1.3.6.1.4.1.25623.1.0.111002 Version used: 2023-07-26T10:35:09+05:30
References url: https://wiki.jenkins-ci.org/display/JENKINS/Securing+Jenkins

Critical (CVSS: 9.8)
NVT: Jenkins 'Java Deserialization' Remote Code Execution Vulnerability - Windows
Summary Jenkins is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.32 Installation path / port: /
Impact Successfully exploiting this issue allows attackers to execute arbitrary code in the context of the affected application. Failed exploits will result in denial-of-service conditions.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix Upgrade to Jenkins to 2.32 or later / Jenkins LTS to 2.19.3 or later.
Affected Software/OS Jenkins LTS 2.19.2 and prior, Jenkins 2.31 and prior.
Vulnerability Insight The flaw is due to an Jenkins allowing to transfer a serialized Java object to the Jenkins CLI, making Jenkins connect to an attacker-controlled LDAP server, which in turn can send a serialized payload leading to code execution, bypassing existing protection mechanisms.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins 'Java Deserialization' Remote Code Execution Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.108062 Version used: 2024-06-28T21:08:46+05:30
References cve: CVE-2016-9299 url: https://jenkins.io/security/advisory/2016-11-16/ url: http://www.securityfocus.com/bid/94281 cert-bund: CB-K16/1809 dfn-cert: DFN-CERT-2016-1915

Critical (CVSS: 9.8)
NVT: Jenkins < 2.154 and < 2.138.4 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.154 Installation path / port: /
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.154 or later / Jenkins LTS to either 2.138.4 or 2.150.1 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Jenkins LTS up to and including 2.138.3, Jenkins weekly up to and including 2.153.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - Code execution through crafted URLs (CVE-2018-1000861). - Forced migration of user records (CVE-2018-1000863). - Workspace browser allowed accessing files outside the workspace (CVE-2018-1000862). - Potential denial of service through cron expression form validation (CVE-2018-1000864).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.154 and < 2.138.4 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.108512 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-1000861 cve: CVE-2018-1000862 cve: CVE-2018-1000863 cve: CVE-2018-1000864 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://jenkins.io/security/advisory/2018-12-05/ dfn-cert: DFN-CERT-2018-2487

Critical (CVSS: 9.8)

NVT: Jenkins Multiple Vulnerabilities (Nov 2015) - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 1.638

Installation

path / port: /

Impact

Successful exploitation will allow remote attackers to obtain sensitive information, bypass the protection mechanism, gain elevated privileges, bypass intended access restrictions and execute arbitrary code.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix Jenkins main line users should update to 1.638, Jenkins LTS users should update to 1.625.2.
Affected Software/OS All Jenkins main line releases up to and including 1.637, all Jenkins LTS releases up to and including 1.625.1.
Vulnerability Insight Multiple flaws are due to: - An error in 'Fingerprints' pages. - The usage of publicly accessible salt to generate CSRF protection tokens. - The XML external entity (XXE) vulnerability in the create-job CLI command. - An improper verification of the shared secret used in JNLP slave connections. - An error in sidepanel widgets in the CLI command overview and help pages. - The directory traversal vulnerability in while requesting jnlpJars. - An improper restriction on access to API tokens. - The cross-site scripting vulnerability in the slave overview page. - The unsafe deserialization in Jenkins remoting.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins Multiple Vulnerabilities (Nov 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.807001 Version used: 2024-12-03T10:35:44+05:30
References cve: CVE-2015-5317 cve: CVE-2015-5318 cve: CVE-2015-5319 cve: CVE-2015-5320 cve: CVE-2015-5321 cve: CVE-2015-5322 cve: CVE-2015-5323 cve: CVE-2015-5324 cve: CVE-2015-5325 cve: CVE-2015-5326 cve: CVE-2015-8103 cve: CVE-2015-7536 cve: CVE-2015-7537 cve: CVE-2015-7538 cve: CVE-2015-7539 url: https://www.jenkins.io/security/advisory/2015-11-11/ url: https://www.jenkins.io/blog/2015/11/06/mitigating-unauthenticated-remote-code-execution-0-day-in-jenkins-cli/ url: https://foxglovesecurity.com/2015/11/06/what-do-weblogic-websphere-jboss-jetty-jenkins-0day-reveal/
...continues on next page ...

...continued from previous page ...
↵nkins-opennms-and-your-application-have-in-common-this-vulnerability/ url: https://github.com/foxglovesec/JavaUnserializeExploits/blob/master/jenkins.py ↵py url: http://seclists.org/oss-sec/2015/q4/241 url: https://web.archive.org/web/20210122210513/http://www.securityfocus.com/bid/77572 ↵/77572 url: https://web.archive.org/web/20210122210513/http://www.securityfocus.com/bid/77574 ↵/77574 url: https://web.archive.org/web/20210122210513/http://www.securityfocus.com/bid/77574 ↵/77574 url: https://web.archive.org/web/20210122210513/http://www.securityfocus.com/bid/77636 ↵/77636 url: https://web.archive.org/web/20210122210513/http://www.securityfocus.com/bid/77619 ↵/77619 url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2023-1215 cert-bund: CB-K16/0489 cert-bund: CB-K16/0141 cert-bund: CB-K15/1881 cert-bund: CB-K15/1672 cert-bund: CB-K15/1669 dfn-cert: DFN-CERT-2016-0531 dfn-cert: DFN-CERT-2016-0157 dfn-cert: DFN-CERT-2015-1985 dfn-cert: DFN-CERT-2015-1768 dfn-cert: DFN-CERT-2015-1761

Critical (CVSS: 9.8)

NVT: Jenkins < 2.303.3, < 2.319 Multiple Vulnerabilities - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 2.319

Installation

path / port: /

Solution:

Solution type: VendorFix

Update to version 2.319, 2.303.3 LTS or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Jenkins version 2.318 and prior and 2.303.2 LTS and prior.
Vulnerability Insight The following vulnerabilities exist: - CVE-2021-21685, CVE-2021-21686, CVE-2021-21687, CVE-2021-21688, CVE-2021-21689, CVE-2021-21690, CVE-2021-21691, CVE-2021-21692, CVE-2021-21693, CVE-2021-21694, CVE-2021-21695: Bypassing path filtering of agent-to-controller access control - CVE-2021-21696: Agent-to-controller access control allowed writing to sensitive directory used by Pipeline: Shared Groovy Libraries Plugin - CVE-2021-21697: Agent-to-controller access control allows reading/writing most content of build directories
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.303.3, < 2.319 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.147112 Version used: 2021-11-10T08:33:45+05:30
References cve: CVE-2021-21685 cve: CVE-2021-21686 cve: CVE-2021-21687 cve: CVE-2021-21688 cve: CVE-2021-21689 cve: CVE-2021-21690 cve: CVE-2021-21691 cve: CVE-2021-21692 cve: CVE-2021-21693 cve: CVE-2021-21694 cve: CVE-2021-21695 cve: CVE-2021-21696 cve: CVE-2021-21697 url: https://www.jenkins.io/security/advisory/2021-11-04/ dfn-cert: DFN-CERT-2021-2487 dfn-cert: DFN-CERT-2021-2308
Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
...continues on next page ...

...continued from previous page...	
Quality of Detection (QoD): 70%	
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:848 ↪4/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target.	
... continues on next page ...	

...continued from previous page ... - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

Critical (CVSS: 9.8)

NVT: Jenkins Multiple Vulnerabilities (Feb 2017) - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 2.44

Installation

path / port: /

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to obtain sensitive information, to bypass intended access restrictions and execute arbitrary code.
Solution: Solution type: VendorFix Upgrade to Jenkins main line to 2.44 or later / Jenkins LTS to 2.32.2 or later.
Affected Software/OS Jenkins LTS 2.32.1 and prior, Jenkins main line 2.43 and prior.
Vulnerability Insight Multiple flaws are due to: - cross-site scripting vulnerabilities - the usage of outdated libraries - insufficient access permission verifications / checks - a remote code execution vulnerability - an information disclosure vulnerability
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins Multiple Vulnerabilities (Feb 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.108096 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2011-4969 cve: CVE-2015-0886 cve: CVE-2017-2598 cve: CVE-2017-2599 cve: CVE-2017-2600 cve: CVE-2017-2601 cve: CVE-2017-2602 cve: CVE-2017-2603 cve: CVE-2017-2604 cve: CVE-2017-2605 cve: CVE-2017-2606 cve: CVE-2017-2607 cve: CVE-2017-2608 cve: CVE-2017-2609 cve: CVE-2017-2610 cve: CVE-2017-2611 cve: CVE-2017-2612 cve: CVE-2017-2613 cve: CVE-2017-1000362 url: https://jenkins.io/security/advisory/2017-02-01/ cert-bund: WID-SEC-2023-0090
...continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2022-1804
cert-bund: WID-SEC-2022-0529
cert-bund: WID-SEC-2022-0445
cert-bund: WID-SEC-2022-0265
cert-bund: CB-K17/0195
cert-bund: CB-K15/0272
dfn-cert: DFN-CERT-2017-0199
dfn-cert: DFN-CERT-2016-0890
dfn-cert: DFN-CERT-2015-0283

Critical (CVSS: 9.8)
NVT: Jenkins Multiple Vulnerabilities (Feb 2016) - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 1.650 Installation path / port: /
Impact Successful exploitation will allow remote attackers to obtain sensitive information, bypass the protection mechanism, gain elevated privileges, bypass intended access restrictions and execute arbitrary code.
Solution: Solution type: VendorFix Jenkins main line users should update to 1.650, Jenkins LTS users should update to 1.642.2.
Affected Software/OS Jenkins main line 1.649 and prior, Jenkins LTS 1.642.1 and prior.
Vulnerability Insight Multiple flaws are due to: - The verification of user-provided API tokens with the expected value did not use a constant-time comparison algorithm, potentially allowing attackers to use statistical methods to determine valid API tokens using brute-force methods. - The verification of user-provided CSRF crumbs with the expected value did not use a constant-time comparison algorithm, potentially allowing attackers to use statistical methods to determine valid CSRF crumbs using brute-force methods.
... continues on next page ...

...continued from previous page ...
- The Jenkins has several API endpoints that allow low-privilege users to POST XML files that then get deserialized by Jenkins. Maliciously crafted XML files sent to these API endpoints could result in arbitrary code execution. - An HTTP response splitting vulnerability in the CLI command documentation allowed attackers to craft Jenkins URLs that serve malicious content. - The Jenkins remoting module allowed unauthenticated remote attackers to open a JRMP listener on the server hosting the Jenkins master process, which allowed arbitrary code execution.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins Multiple Vulnerabilities (Feb 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.807331 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0788 cve: CVE-2016-0789 cve: CVE-2016-0790 cve: CVE-2016-0791 cve: CVE-2016-0792 url: https://jenkins.io/security/advisory/2016-02-24/ url: https://www.contrastsecurity.com/security-influencers/serialization-must-die-act-2-xstream cert-bund: CB-K16/1303 cert-bund: CB-K16/0311 dfn-cert: DFN-CERT-2016-1386 dfn-cert: DFN-CERT-2016-0338
Critical (CVSS: 9.8) NVT: Jenkins Multiple Vulnerabilities (Apr 2017) - Windows
Summary Multiple cross-site request forgery (CSRF) vulnerabilities in Jenkins allow malicious users to perform several administrative actions by tricking a victim into opening a web page.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.57 Installation path / port: /
Impact Successfully exploiting this issue allows attackers to:
... continues on next page ...

...continued from previous page ...
- perform several administrative actions by tricking a victim into opening a web page.execute arbitrary code in the context of the affected application. - to transfer a serialized Java SignedObject object to the remoting-based Jenkins CLI, that would be deserialized using a new ObjectInputStream, bypassing the existing blacklist-based protection mechanism. - impersonate any other Jenkins user on the same instance. - crash the Java process.
Solution: Solution type: VendorFix Jenkins main line users should update to 2.57, Jenkins LTS users should update to 2.46.2.
Affected Software/OS Jenkins main line 2.56 and prior, Jenkins LTS 2.46.1 and prior.
Vulnerability Insight Multiple flaws are due to: - multiple Cross-Site Request Forgery vulnerabilities. - the storage of the encrypted user name in a cache file which is used to authenticate further commands. - XStream library which allow anyone able to provide XML to Jenkins for processing using XStream to crash the Java process.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins Multiple Vulnerabilities (Apr 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.107157 Version used: 2025-12-19T21:11:09+05:30
References cve: CVE-2017-1000353 cve: CVE-2017-1000354 cve: CVE-2017-1000355 cve: CVE-2017-1000356 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: http://www.securityfocus.com/bid/98056 url: https://jenkins.io/security/advisory/2017-04-26/ cert-bund: WID-SEC-2022-1908 cert-bund: CB-K17/0706 dfn-cert: DFN-CERT-2017-0727

Critical (CVSS: 9.4)	
NVT: Jenkins < 2.243, < 2.235.5 LTS Buffer Corruption in bundled Jetty - Windows	
Summary Jenkins is prone to a buffer corruption in bundled Jetty.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.243 Installation path / port: /	
Impact This vulnerability may allow unauthenticated attackers to obtain HTTP response headers that may include sensitive data intended for another user.	
Solution: Solution type: VendorFix Update to version 2.243, 2.235.5 LTS or later.	
Affected Software/OS Jenkins version 2.242 and prior and 2.235.4 LTS and prior.	
Vulnerability Insight In Eclipse Jetty in case of too large response headers, Jetty throws an exception to produce an HTTP 431 error. When this happens, the ByteBuffer containing the HTTP response headers is released back to the ByteBufferPool twice. Because of this double release, two threads can acquire the same ByteBuffer from the pool and while thread1 is about to use the ByteBuffer to write response1 data, thread2 fills the ByteBuffer with response2 data. Thread1 then proceeds to write the buffer that now contains response2 data. This results in client1, which issued request1 and expects responses, to see response2 which could contain sensitive data belonging to client2 (HTTP session ids, authentication credentials, etc.).	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.243, < 2.235.5 LTS Buffer Corruption in bundled Jetty - Windows OID:1.3.6.1.4.1.25623.1.0.112812 Version used: 2021-07-08T16:30:45+05:30	
References cve: CVE-2019-17638 url: https://www.jenkins.io/security/advisory/2020-08-17/ cert-bund: CB-K20/1023	
... continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2020-2762
dfn-cert: DFN-CERT-2020-2141
dfn-cert: DFN-CERT-2020-1837
dfn-cert: DFN-CERT-2020-1814
```

[[return to 192.168.56.6](#)]**2.2.3 Critical 9200/tcp****Critical (CVSS: 10.0)****NVT: Elasticsearch End of Life (EOL) Detection****Summary**

The Elasticsearch version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The "Elasticsearch" version on the remote host has reached the end of life.

CPE: `cpe:/a:elastic:elasticsearch:1.1.1`

Installed version: 1.1.1

EOL version: 1.1

EOL date: 2015-09-25

Impact

An EOL version of Elasticsearch is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

Solution:

Solution type: VendorFix

Update Elasticsearch to a version that still receives technical support and updates.

Vulnerability Detection Method

Checks if an EOL version is present on the target host.

Details: Elasticsearch End of Life (EOL) Detection

OID:1.3.6.1.4.1.25623.1.0.113131

Version used: 2025-09-03T13:56:15+05:30

References

url: <https://www.elastic.co/support/eol>

Critical (CVSS: 9.8)	
NVT: Elasticsearch < 1.6.1 Multiple Vulnerabilities - Windows	
Summary	Elasticsearch is prone to multiple vulnerabilities.
Quality of Detection (QoD):	80%
Vulnerability Detection Result	Installed version: 1.1.1 Fixed version: 1.6.1
Impact	Successful exploitation will allow remote attackers to execute code or read arbitrary files.
Solution:	Solution type: VendorFix Update to Elasticsearch version 1.6.1, or later.
Affected Software/OS	Elasticsearch version 1.0.0 through 1.6.0 on Windows.
Vulnerability Insight	The Flaw is due to: - an error in the snapshot API calls (CVE-2015-5531) - an attack that can result in remote code execution (CVE-2015-5377).
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Elasticsearch < 1.6.1 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.808091 Version used: 2025-09-03T13:56:15+05:30
References	cve: CVE-2015-5531 cve: CVE-2015-5377 url: https://www.elastic.co/community/security/ url: http://www.securityfocus.com/bid/75935 url: http://www.securityfocus.com/archive/1/archive/1/536017/100/0/threaded cert-bund: WID-SEC-2025-2234 cert-bund: CB-K15/1118 dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2015-1160

Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:920 ↪0/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): <pre>0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:</pre>
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes:
... continues on next page ...

...continued from previous page ... - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.2.4 Critical 8181/tcp

Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : https://192.168.56.6:81 ↪81/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT.	
... continues on next page ...	

...continued from previous page ... - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.2.5 Critical 47001/tcp

Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:47001/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).getRuntime().exec("ping -n 5 192.168.56.1") ... continues on next page ...

...continued from previous page...	
HTTP Method	: POST
it was possible to trigger the vulnerability and make the remote host sending an ↔ ICMP request back to the scanner host (Details on the received packet follows ↔).	
Destination IP:	192.168.56.1 (receiving IP on scanner host side)
Originating IP:	192.168.56.6 (originating IP from target host side)
Received answer (ICMP "Data" field):	
0x00:	61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop
0x10:	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi
0x20:	
Solution:	
Solution type: VendorFix	
Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS	
VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight	
When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method	
Two different methods are used:	
1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only).	
2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only).	
Notes:	
- For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000).	
- For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target.	
- If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT.	
- By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'.	
Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↔..	
OID:1.3.6.1.4.1.25623.1.0.148068	
Version used: 2026-03-12T11:26:11+05:30	
... continues on next page ...	

...continued from previous page...

References

cve: CVE-2022-22963
 url: <https://tanzu.vmware.com/security/cve-2022-22963>
 url: <https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function>
 url: <https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/>
 url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
 cisa: Known Exploited Vulnerability (KEV) catalog
 cert-bund: WID-SEC-2022-1375
 cert-bund: WID-SEC-2022-0767
 cert-bund: WID-SEC-2022-0756
 cert-bund: WID-SEC-2022-0471
 cert-bund: CB-K22/0376
 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)**2.2.6 Critical 8020/tcp****Critical (CVSS: 9.8)****NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check****Summary**

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%**Vulnerability Detection Result**

By doing a HTTP request with the following data (excerpt):

Affected URL : <http://192.168.56.6:8020/functionRouter>

HTTP "POST" body : OpenVASVT

HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).getRuntime().exec("ping -n 5 192.168.56.1")

HTTP Method : POST

it was possible to trigger the vulnerability and make the remote host sending an ICMP request back to the scanner host (Details on the received packet follows).

Destination IP: 192.168.56.1 (receiving IP on scanner host side)

Originating IP: 192.168.56.6 (originating IP from target host side)

Received answer (ICMP "Data" field):

0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop

...continues on next page...

...continued from previous page...	
0x10:	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi
0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30	
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/	
...continues on next page...	

...continued from previous page ...
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2022-1375
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0756
cert-bund: WID-SEC-2022-0471
cert-bund: CB-K22/0376
dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.2.7 Critical 8585/tcp

Critical (CVSS: 10.0)
NVT: PHP <= 5.4.3 RCE Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: None Installation path / port: 8585/tcp
Impact Successful exploitation could allow remote attackers to execute arbitrary code in the context of a webserver. Failed attempts will likely result in denial of service conditions.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
PHP version 5.4.3 and prior on Windows.
Vulnerability Insight The flaw is due to an error in the 'com_print_typeinfo()' function, which allows remote attackers to execute arbitrary code via crafted arguments that trigger incorrect handling of COM object VARIANT types.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP <= 5.4.3 RCE Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.902836 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2012-2376 url: http://www.securityfocus.com/bid/53621 url: http://www.exploit-db.com/exploits/18861 url: http://isc.sans.edu/diary.html?storyid=13255 url: https://bugzilla.redhat.com/show_bug.cgi?id=823464 url: http://openwall.com/lists/oss-security/2012/05/20/2 url: http://packetstormsecurity.org/files/112851/php54-exec.txt
Critical (CVSS: 10.0)
NVT: PHP End of Life (EOL) Detection - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary The PHP version on the remote host has reached the end of life (EOL) and should not be used anymore.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "PHP" version on the remote host has reached the end of life. CPE: cpe:/a:php:php:5.3.10
... continues on next page ...

...continued from previous page ...
Installed version: 5.3.10 EOL version: 5.3 EOL date: 2014-08-14
Impact An EOL version of PHP is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: VendorFix Update the PHP version on the remote host to a still supported version.
Vulnerability Insight Each release branch of PHP is fully supported for two years from its initial stable release. During this period, bugs and security issues that have been reported are fixed and are released in regular point releases. After this two year period of active support, each branch is then supported for an additional year for critical security issues only. Releases during this period are made on an as-needed basis: there may be multiple point releases, or none, depending on the number of reports. Once the three years of support are completed, the branch reaches its end of life and is no longer supported.
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: PHP End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.105888 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References url: https://secure.php.net/supported-versions.php url: https://secure.php.net/eol.php

Critical (CVSS: 10.0)
NVT: Apache HTTP Server End of Life (EOL) Detection - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
... continues on next page ...

...continued from previous page...	
↔.0.117232)	
Summary The Apache HTTP Server version on the remote host has reached the End of Life (EOL) and should not be used anymore.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The "Apache HTTP Server" version on the remote host has reached the end of life. CPE: cpe:/a:apache:http_server:2.2.21 Installed version: 2.2.21 Location/URL: 8585/tcp EOL version: 2.2 EOL date: 2017-12-31	
Impact An EOL version of the Apache HTTP Server is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.	
Solution: Solution type: VendorFix Update the Apache HTTP Server version on the remote host to a still supported version.	
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Apache HTTP Server End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.108135 Version used: 2025-04-15T11:24:49+05:30	
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)	
References url: https://archive.apache.org/dist/httpd/Announcement1.3.html url: https://archive.apache.org/dist/httpd/Announcement2.0.html url: https://www.apache.org/dist/httpd/Announcement2.2.html url: https://en.wikipedia.org/wiki/Apache_HTTP_Server#Versions	

Critical (CVSS: 10.0)
NVT: PHP < 5.3.15, 5.4.x < 5.4.5 Buffer Overflow Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a buffer overflow vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.15 Installation path / port: 8585/tcp
Impact Successful exploitation could allow attackers to execute arbitrary code and failed attempts will likely result in denial-of-service conditions.
Solution: Solution type: VendorFix Update to version 5.3.15, 5.4.5 or later.
Affected Software/OS PHP prior to version 5.3.15 and 5.4.x prior to 5.4.5.
Vulnerability Insight Flaw related to overflow in the <code>_php_stream_scandir</code> function in the stream implementation.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.3.15, 5.4.x < 5.4.5 Buffer Overflow Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.803317 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2012-2688
 url: <http://www.php.net/ChangeLog-5.php>
 url: <http://www.securityfocus.com/bid/54638>
 url: <http://en.securitylab.ru/nvd/427456.php>
 url: http://secunia.com/advisories/cve_reference/CVE-2012-2688
 cert-bund: CB-K13/1037
 cert-bund: CB-K13/0712
 dfn-cert: DFN-CERT-2013-2065
 dfn-cert: DFN-CERT-2013-1713
 dfn-cert: DFN-CERT-2013-1494
 dfn-cert: DFN-CERT-2013-0357
 dfn-cert: DFN-CERT-2012-1655
 dfn-cert: DFN-CERT-2012-1654
 dfn-cert: DFN-CERT-2012-1560
 dfn-cert: DFN-CERT-2012-1541
 dfn-cert: DFN-CERT-2012-1505
 dfn-cert: DFN-CERT-2012-1504
 dfn-cert: DFN-CERT-2012-1503
 dfn-cert: DFN-CERT-2012-1499
 dfn-cert: DFN-CERT-2012-1422

Critical (CVSS: 9.8)**NVT: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Windows****Product detection result**

cpe:/a:apache:http_server:2.2.21
 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
 ↪.0.117232)

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 2.2.21
 Fixed version: 2.2.33
 Installation
 path / port: 8585/tcp

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to bypass authentication and perform unauthorized actions, cause a denial-of-service condition and gain access to potentially sensitive information.
Solution: Solution type: VendorFix Update to Apache HTTP Server 2.2.33 or 2.4.26 or later.
Affected Software/OS Apache HTTP Server 2.2.x before 2.2.33 and 2.4.x before 2.4.26.
Vulnerability Insight Multiple flaws exist as, - The mod_mime can read one byte past the end of a buffer when sending a malicious Content-Type response header. - The mod_ssl may dereference a NULL pointer when third-party modules call ap_hook_process_connection() during an HTTP request to an HTTPS port. - An use of the ap_get_basic_auth_pw() by third-party modules outside of the authentication phase may lead to authentication requirements being bypassed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server Multiple Vulnerabilities (Jun 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.811213 Version used: 2024-02-16T10:36:55+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2017-7679 cve: CVE-2017-3169 cve: CVE-2017-3167 url: http://seclists.org/oss-sec/2017/q2/509 url: http://www.securityfocus.com/bid/99135 url: http://www.securityfocus.com/bid/99134 url: http://httpd.apache.org/security/vulnerabilities_24.html url: http://httpd.apache.org/security/vulnerabilities_22.html cert-bund: WID-SEC-2025-0370 cert-bund: WID-SEC-2022-0673 cert-bund: CB-K22/0045 cert-bund: CB-K18/0066 cert-bund: CB-K17/2188
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/2013
 cert-bund: CB-K17/1936
 cert-bund: CB-K17/1854
 cert-bund: CB-K17/1842
 cert-bund: CB-K17/1768
 cert-bund: CB-K17/1747
 cert-bund: CB-K17/1622
 cert-bund: CB-K17/1382
 cert-bund: CB-K17/1279
 cert-bund: CB-K17/1154
 cert-bund: CB-K17/1023
 dfn-cert: DFN-CERT-2019-0358
 dfn-cert: DFN-CERT-2018-0077
 dfn-cert: DFN-CERT-2017-2290
 dfn-cert: DFN-CERT-2017-2104
 dfn-cert: DFN-CERT-2017-2021
 dfn-cert: DFN-CERT-2017-1926
 dfn-cert: DFN-CERT-2017-1925
 dfn-cert: DFN-CERT-2017-1843
 dfn-cert: DFN-CERT-2017-1828
 dfn-cert: DFN-CERT-2017-1692
 dfn-cert: DFN-CERT-2017-1443
 dfn-cert: DFN-CERT-2017-1327
 dfn-cert: DFN-CERT-2017-1193
 dfn-cert: DFN-CERT-2017-1058

Critical (CVSS: 9.8)

NVT: PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug 2014) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.3.29

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 5.3.29, 5.4.30, 5.5.14 or later.	
Affected Software/OS PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30 and 5.5.x prior to 5.5.14.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2014-3981: Insecure temporary file use in the configure script - CVE-2014-4721: phpinfo() Type Confusion Information Leak Vulnerability - CVE-2014-0207: cdf_read_short_sector insufficient boundary check - CVE-2014-3478: mconvert incorrect handling of truncated pascal string size - CVE-2014-3479: cdf_check_stream_offset insufficient boundary check - CVE-2014-3480: cdf_count_chain insufficient boundary check - CVE-2014-3487: cdf_read_property_info insufficient boundary check - CVE-2014-4049: Fix potential segfault in dns_get_record() - CVE-2014-3515: unserialize() SPL ArrayObject / SPLObjectStorage Type Confusion - CVE-2014-9912: Buffer overflow in locale_get_display_name and uloc_getDisplayName (libicu 4.8.1)	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14 Multiple Vulnerabilities (Jun/Aug . ↔... OID:1.3.6.1.4.1.25623.1.0.809735 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2014-0207 cve: CVE-2014-3478 cve: CVE-2014-3479 cve: CVE-2014-3480 cve: CVE-2014-3487 cve: CVE-2014-3515 cve: CVE-2014-3981 cve: CVE-2014-4049 cve: CVE-2014-4721	
... continues on next page ...	

...continued from previous page ...

cve: CVE-2014-9912
url: <http://php.net/ChangeLog-5.php>
url: <http://www.securityfocus.com/bid/67837>
url: <http://www.securityfocus.com/bid/68423>
url: <http://www.securityfocus.com/bid/68239>
url: <http://www.securityfocus.com/bid/68237>
url: <http://www.securityfocus.com/bid/68243>
url: <http://www.securityfocus.com/bid/68120>
url: <http://www.securityfocus.com/bid/68241>
url: <http://www.securityfocus.com/bid/68238>
url: <https://bugs.php.net/bug.php?id=67390>
url: <https://bugs.php.net/bug.php?id=67498>
url: <https://bugs.php.net/bug.php?id=67326>
url: <https://bugs.php.net/bug.php?id=67410>
url: <https://bugs.php.net/bug.php?id=67411>
url: <https://bugs.php.net/bug.php?id=67412>
url: <https://bugs.php.net/bug.php?id=67413>
url: <https://bugs.php.net/bug.php?id=67432>
url: <https://bugs.php.net/bug.php?id=67492>
url: <https://bugs.php.net/bug.php?id=67397>
url: <http://seclists.org/fulldisclosure/2014/Jun/21>
url: <https://www.sektioneins.de/en/blog/14-07-04-phpinfo-infoleak.html>
url: <http://secunia.com/advisories/59575>
cert-bund: CB-K17/0269
cert-bund: CB-K17/0053
cert-bund: CB-K16/0944
cert-bund: CB-K15/1704
cert-bund: CB-K15/1405
cert-bund: CB-K15/0774
cert-bund: CB-K15/0493
cert-bund: CB-K14/1359
cert-bund: CB-K14/1267
cert-bund: CB-K14/1214
cert-bund: CB-K14/1174
cert-bund: CB-K14/1167
cert-bund: CB-K14/1130
cert-bund: CB-K14/1110
cert-bund: CB-K14/0973
cert-bund: CB-K14/0972
cert-bund: CB-K14/0938
cert-bund: CB-K14/0866
cert-bund: CB-K14/0849
cert-bund: CB-K14/0842
cert-bund: CB-K14/0834
cert-bund: CB-K14/0830
cert-bund: CB-K14/0829
cert-bund: CB-K14/0818

...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K14/0805
cert-bund: CB-K14/0776
cert-bund: CB-K14/0750
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0058
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1799
dfn-cert: DFN-CERT-2015-1487
dfn-cert: DFN-CERT-2015-0815
dfn-cert: DFN-CERT-2014-1434
dfn-cert: DFN-CERT-2014-1333
dfn-cert: DFN-CERT-2014-1280
dfn-cert: DFN-CERT-2014-1219
dfn-cert: DFN-CERT-2014-1181
dfn-cert: DFN-CERT-2014-1166
dfn-cert: DFN-CERT-2014-1014
dfn-cert: DFN-CERT-2014-1013
dfn-cert: DFN-CERT-2014-0982
dfn-cert: DFN-CERT-2014-0908
dfn-cert: DFN-CERT-2014-0887
dfn-cert: DFN-CERT-2014-0880
dfn-cert: DFN-CERT-2014-0870
dfn-cert: DFN-CERT-2014-0868
dfn-cert: DFN-CERT-2014-0867
dfn-cert: DFN-CERT-2014-0857
dfn-cert: DFN-CERT-2014-0839
dfn-cert: DFN-CERT-2014-0816
dfn-cert: DFN-CERT-2014-0782

```

Critical (CVSS: 9.8)**NVT: WordPress Multiple Vulnerabilities (Oct 2020) - Windows****Summary**

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 4.6.1

Fixed version: 4.6.20

Installation

path / port: /wordpress

Solution:**Solution type:** VendorFix

... continues on next page ...

...continued from previous page ...
Update to version 3.7.35, 3.8.35, 3.9.33, 4.0.32, 4.1.32, 4.2.29, 4.3.25, 4.4.24, 4.5.23, 4.6.20, 4.7.19, 4.8.15, 4.9.16, 5.0.11, 5.1.7, 5.2.8, 5.3.5, 5.4.3, 5.5.2 or later.
Affected Software/OS WordPress versions 3.7 through 5.5.1. Older versions might be affected as well.
Vulnerability Insight The following vulnerabilities exist: - CVE-2020-28032, CVE-2021-29476: Insecure Deserialization in the used PHP Requests library - CVE-2020-28033: Mishandling of embeds from disabled sites on a multisite network - CVE-2020-28034, CVE-2020-28038: Multiple cross-site scripting (XSS) - CVE-2020-28035, CVE-2020-28036: Privilege escalation in XML-RPC - CVE-2020-28037: DoS attack which could lead to a remote code execution (RCE) - CVE-2020-28039: Arbitrary file deletion - CVE-2020-28040: Cross-site request forgery (CSRF)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Oct 2020) - Windows OID:1.3.6.1.4.1.25623.1.0.144873 Version used: 2025-05-13T11:11:39+05:30
References cve: CVE-2020-28032 cve: CVE-2020-28033 cve: CVE-2020-28034 cve: CVE-2020-28035 cve: CVE-2020-28036 cve: CVE-2020-28037 cve: CVE-2020-28038 cve: CVE-2020-28039 cve: CVE-2020-28040 cve: CVE-2021-29476 url: https://wordpress.org/news/2020/10/wordpress-5-5-2-security-and-maintenance-release/ url: https://github.com/WordPress/Requests/security/advisories/GHSA-52qp-jpq7-6c54 cert-bund: CB-K20/1058 dfn-cert: DFN-CERT-2020-2360

Critical (CVSS: 9.8)

NVT: WordPress Multiple Vulnerabilities (Oct 2019) - Windows

Summary

... continues on next page ...

...continued from previous page ...
WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.16 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 3.7.31, 3.8.31, 3.9.29, 4.0.28, 4.1.28, 4.2.25, 4.3.21, 4.4.20, 4.5.19, 4.6.16, 4.7.15, 4.8.11, 4.9.12, 5.0.7, 5.1.3, 5.2.4 or later.
Affected Software/OS WordPress version 5.2.3 and earlier.
Vulnerability Insight WordPress is prone to multiple vulnerabilities: - Stored XSS via the Customizer - Possibility to view unauthenticated posts - Stored XSS to inject Javascript into style tags - Cache poisoning of JSON GET requests via the Vary: Origin header - Server-Side Request Forgery in URL validation - Issues in referrer validation in the admin
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Oct 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.143061 Version used: 2024-02-08T10:35:59+05:30
References cve: CVE-2019-17669 cve: CVE-2019-17670 cve: CVE-2019-17671 cve: CVE-2019-17672 cve: CVE-2019-17673 cve: CVE-2019-17674 cve: CVE-2019-17675 url: https://wordpress.org/news/2019/10/wordpress-5-2-4-security-release/ cert-bund: WID-SEC-2022-1658 cert-bund: CB-K19/0903 dfn-cert: DFN-CERT-2022-2231 dfn-cert: DFN-CERT-2020-1991
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2020-0955
 dfn-cert: DFN-CERT-2020-0030
 dfn-cert: DFN-CERT-2019-2297

Critical (CVSS: 9.8)**NVT: WordPress Multiple Vulnerabilities (May 2021) - Windows****Summary**

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 4.6.1
 Fixed version: 4.6.21
 Installation
 path / port: /wordpress

Solution:

Solution type: VendorFix

Update to version 3.7.36, 3.8.36, 3.9.34, 4.0.33, 4.1.33, 4.2.30, 4.3.26, 4.4.25, 4.5.24, 4.6.21, 4.7.21, 4.8.17, 4.9.18, 5.0.13, 5.1.10, 5.2.11, 5.3.8, 5.4.6, 5.5.5, 5.6.4, 5.7.2 or later.

Affected Software/OS

WordPress versions 3.7 through 5.7.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2018-19296: PHPMailer is vulnerable to an object injection attack.
- CVE-2021-29450: PHPMailer allows object injection through Phar Deserialization via addAttachment with a UNC pathname.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: WordPress Multiple Vulnerabilities (May 2021) - Windows

OID:1.3.6.1.4.1.25623.1.0.145945

Version used: 2023-03-01T15:50:05+05:30

References

cve: CVE-2018-19296

cve: CVE-2020-36326

url: <https://wordpress.org/news/2021/05/wordpress-5-7-2-security-release/>

cert-bund: CB-K21/0527

dfn-cert: DFN-CERT-2021-1036

... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2021-0932 dfn-cert: DFN-CERT-2018-2403 dfn-cert: DFN-CERT-2018-2357
Critical (CVSS: 9.8) NVT: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
Summary Apache HTTP Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.60 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 2.4.60 or later.
Affected Software/OS Apache HTTP Server version 2.4.59 and prior.
Vulnerability Insight The following flaws exist: - CVE-2024-36387: Denial of Service (DoS) by Null pointer in websocket over HTTP/2 - CVE-2024-38472: Windows UNC Server-Side Request Forgery (SSRF) - CVE-2024-38473: Proxy encoding problem - CVE-2024-38474: Weakness with encoded question marks in backreferences - CVE-2024-38475: Weakness in mod_rewrite when first segment of substitution matches filesystem path - CVE-2024-38476: May use exploitable/malicious backend application output to run local handlers via internal redirect - CVE-2024-38477: Crash resulting in DoS in mod_proxy via a malicious request - CVE-2024-39573: mod_rewrite proxy handler substitution
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.60 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.114683 Version used: 2025-08-07T11:14:51+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2024-36387 cve: CVE-2024-38472 cve: CVE-2024-38473 cve: CVE-2024-38474 cve: CVE-2024-38475 cve: CVE-2024-38476 cve: CVE-2024-38477 cve: CVE-2024-39573 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.60 cert-bund: WID-SEC-2025-1572 cert-bund: WID-SEC-2025-0818 cert-bund: WID-SEC-2025-0148 cert-bund: WID-SEC-2025-0143 cert-bund: WID-SEC-2024-3291 cert-bund: WID-SEC-2024-3199 cert-bund: WID-SEC-2024-1913 cert-bund: WID-SEC-2024-1504 dfn-cert: DFN-CERT-2025-1898 dfn-cert: DFN-CERT-2025-1808 dfn-cert: DFN-CERT-2025-0974 dfn-cert: DFN-CERT-2025-0854 dfn-cert: DFN-CERT-2025-0170 dfn-cert: DFN-CERT-2024-2841 dfn-cert: DFN-CERT-2024-2787 dfn-cert: DFN-CERT-2024-2736 dfn-cert: DFN-CERT-2024-2534 dfn-cert: DFN-CERT-2024-2342 dfn-cert: DFN-CERT-2024-2214 dfn-cert: DFN-CERT-2024-2201 dfn-cert: DFN-CERT-2024-2180 dfn-cert: DFN-CERT-2024-2110 dfn-cert: DFN-CERT-2024-2017
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-1963
dfn-cert: DFN-CERT-2024-1920
dfn-cert: DFN-CERT-2024-1919
dfn-cert: DFN-CERT-2024-1911
dfn-cert: DFN-CERT-2024-1907
dfn-cert: DFN-CERT-2024-1893
dfn-cert: DFN-CERT-2024-1816
dfn-cert: DFN-CERT-2024-1811
dfn-cert: DFN-CERT-2024-1784
dfn-cert: DFN-CERT-2024-1741
dfn-cert: DFN-CERT-2024-1699

Critical (CVSS: 9.8)
NVT: WordPress Multiple Vulnerabilities (Dec 2019) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.17 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 3.7.31, 3.8.31, 3.9.29, 4.0.28, 4.1.28, 4.2.25, 4.3.21, 4.4.20, 4.5.19, 4.6.16, 4.7.15, 4.8.11, 4.9.12, 5.0.7, 5.1.3, 5.2.4 or later.
Affected Software/OS WordPress version 5.3.1 and earlier.
Vulnerability Insight The following vulnerabilities exist: - An issue where an unprivileged user could make a post sticky via the REST API - The function wp_targeted_link_rel() can be used in a particular way to result in a stored cross-site scripting (XSS) vulnerability - An issue where cross-site scripting (XSS) could be stored in well-crafted links - wpkses_bad_protocol() is not aware of the named colon attribute - A stored XSS vulnerability using block editor content.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Dec 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.112675 Version used: 2024-02-08T10:35:59+05:30
References cve: CVE-2019-16773 cve: CVE-2019-16780 cve: CVE-2019-16781 cve: CVE-2019-16788 cve: CVE-2019-20041 cve: CVE-2019-20042 cve: CVE-2019-20043 url: https://wordpress.org/news/2019/12/wordpress-5-3-1-security-and-maintenance-release/ cert-bund: CB-K20/0017 cert-bund: CB-K19/1078 dfn-cert: DFN-CERT-2020-0955 dfn-cert: DFN-CERT-2020-0075 dfn-cert: DFN-CERT-2020-0030

Critical (CVSS: 9.8)
NVT: WordPress Multiple Vulnerabilities (Dec 2018) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.13 Installation path / port: /wordpress
Solution: Solution type: VendorFix The issues have been fixed in version 5.0.1. Updated versions of WordPress 4.9 and older releases are also available. Please see the references for more information.
Affected Software/OS All versions since WordPress 3.7 up to 5.0.
... continues on next page ...

...continued from previous page ...

Vulnerability Insight

The following vulnerabilities exist:

- Authors could alter meta data to delete files that they weren't authorized to.
- Authors could create posts of unauthorized post types with specially crafted input.
- Contributors could craft meta data in a way that resulted in PHP object injection.
- Contributors could edit new comments from higher-privileged users, potentially leading to a cross-site scripting vulnerability.
- Specially crafted URL inputs could lead to a cross-site scripting vulnerability in some circumstances. WordPress itself was not affected, but plugins could be in some situations.
- The user activation screen could be indexed by search engines in some uncommon configurations, leading to exposure of email addresses, and in some rare cases, default generated passwords.
- Authors on Apache-hosted sites could upload specifically crafted files that bypass MIME verification, leading to a cross-site scripting vulnerability.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: WordPress Multiple Vulnerabilities (Dec 2018) - Windows

OID:1.3.6.1.4.1.25623.1.0.112465

Version used: 2023-03-01T15:50:05+05:30

References

cve: CVE-2018-20147

cve: CVE-2018-20148

cve: CVE-2018-20149

cve: CVE-2018-20150

cve: CVE-2018-20151

cve: CVE-2018-20152

cve: CVE-2018-20153

url: <https://wordpress.org/news/2018/12/wordpress-5-0-1-security-release/>

url: <http://www.securityfocus.com/bid/106220>

cert-bund: CB-K18/1174

dfn-cert: DFN-CERT-2018-2545

Critical (CVSS: 9.8)

NVT: PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.1.32 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 8.1.32, 8.2.28 or later.
Affected Software/OS PHP versions prior to 8.1.32, and 8.2.x prior to 8.2.28.
Vulnerability Insight The following vulnerabilities exist: - CVE-2025-1217: Header parser of 'http' stream wrapper does not handle folded headers - CVE-2025-1219: libxml streams use wrong 'content-type' header when requesting a redirected resource - CVE-2025-1734: Streams HTTP wrapper does not fail for headers without colon - CVE-2025-1736: Stream HTTP wrapper header check might omit basic auth header - CVE-2025-1861: Stream HTTP wrapper truncate redirect location to 1024 bytes
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.1.32, 8.2.x < 8.2.28 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.154188 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2025-1217 cve: CVE-2025-1219 cve: CVE-2025-1734 cve: CVE-2025-1736 cve: CVE-2025-1861 url: https://www.php.net/ChangeLog-8.php#8.1.32 url: https://www.php.net/ChangeLog-8.php#8.2.28 url: https://github.com/php/php-src/security/advisories/GHSA-v8xr-gpvj-cx9g url: https://github.com/php/php-src/security/advisories/GHSA-p3x9-6h7p-cgfc
... continues on next page ...

...continued from previous page ...
url: https://github.com/php/php-src/security/advisories/GHSA-pcmh-g36c-qc44
url: https://github.com/php/php-src/security/advisories/GHSA-hgf5-96fm-v528
url: https://github.com/php/php-src/security/advisories/GHSA-52jp-hrpf-2jff
cert-bund: WID-SEC-2025-0566
dfn-cert: DFN-CERT-2026-0499
dfn-cert: DFN-CERT-2025-1939
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0665

Critical (CVSS: 9.8)

NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.4.40

Installation

path / port: 8585/tcp

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service, to obtain sensitive information from process memory and to execute arbitrary code via crafted dimensions.

Solution:**Solution type:** VendorFix

Update to version 5.4.40, 5.5.24, 5.6.8 or later.

Affected Software/OS

PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.

Vulnerability Insight

The following flaws exist:

- Multiple stack-based buffer overflows in the 'phar_set_inode' function in phar_internal.h script in PHP.

... continues on next page ...

...continued from previous page ...
- Vulnerabilities in 'phar_parse_metadata' and 'phar_parse_pharfile' functions in ext/phar/phar.c script in PHP. - A NULL pointer dereference flaw in the 'build_tablename' function in 'ext/pgsql/pgsql.c' script that is triggered when handling NULL return values for 'token'
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.805656 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-1352 cve: CVE-2015-2783 cve: CVE-2015-3307 cve: CVE-2015-3329 cve: CVE-2015-3411 cve: CVE-2015-3412 cve: CVE-2015-4599 cve: CVE-2015-4600 cve: CVE-2015-4602 cve: CVE-2015-4603 cve: CVE-2015-4604 cve: CVE-2015-4605 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/74240 url: http://www.securityfocus.com/bid/74239 url: http://www.securityfocus.com/bid/74703 url: http://www.securityfocus.com/bid/75251 url: http://www.securityfocus.com/bid/75252 url: http://www.securityfocus.com/bid/74413 url: http://www.securityfocus.com/bid/75249 url: http://www.securityfocus.com/bid/75241 url: http://www.securityfocus.com/bid/75233 url: http://www.securityfocus.com/bid/75255 url: http://www.securityfocus.com/bid/75250 url: https://bugs.php.net/bug.php?id=69085 url: http://openwall.com/lists/oss-security/2015/06/01/4 cert-bund: CB-K16/0944 cert-bund: CB-K15/1437 cert-bund: CB-K15/1188
...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K15/1158
cert-bund: CB-K15/1129
cert-bund: CB-K15/1031
cert-bund: CB-K15/0966
cert-bund: CB-K15/0942
cert-bund: CB-K15/0936
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0806
cert-bund: CB-K15/0769
cert-bund: CB-K15/0763
cert-bund: CB-K15/0757
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
cert-bund: CB-K15/0552
cert-bund: CB-K15/0207
dfn-cert: DFN-CERT-2023-0071
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1188
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0579
dfn-cert: DFN-CERT-2015-0212

```

Critical (CVSS: 9.8)

NVT: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

...continues on next page ...

...continued from previous page ...
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.1.31 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 8.1.31, 8.2.26, 8.3.14 or later.
Affected Software/OS PHP versions prior to 8.1.31, 8.2.x prior to 8.2.26 and 8.3.x prior to 8.3.14.
Vulnerability Insight The following vulnerabilities exist: - CVE-2024-8929: Leak partial content of the heap through heap buffer over-read - CVE-2024-8932: OOB access in ldap_escape - CVE-2024-11233: Single byte overread with convert.quoted-printable-decode filter - CVE-2024-11234: Configuring a proxy in a stream context might allow for CRLF injection in URIs - CVE-2024-11236: Integer overflow in the firebird/dblib quoter causing OOB writes - No CVE: Heap-Use-After-Free in sapi_read_post_data Processing in CLI SAPI Interface
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.1.31, 8.2.x < 8.2.26, 8.3.x < 8.3.14 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.153496 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2024-8929 cve: CVE-2024-8932 cve: CVE-2024-11233
... continues on next page ...

...continued from previous page ...
cve: CVE-2024-11234
cve: CVE-2024-11236
url: https://www.php.net/ChangeLog-8.php#8.1.31
url: https://www.php.net/ChangeLog-8.php#8.2.26
url: https://www.php.net/ChangeLog-8.php#8.3.14
url: https://github.com/php/php-src/security/advisories/GHSA-h35g-vwh6-m678
url: https://github.com/php/php-src/security/advisories/GHSA-g665-fm4p-vhff
url: https://github.com/php/php-src/security/advisories/GHSA-r977-prxv-hc43
url: https://github.com/php/php-src/security/advisories/GHSA-c5f2-jwm7-mmq2
url: https://github.com/php/php-src/security/advisories/GHSA-5hqh-c84r-qjcv
url: https://github.com/php/php-src/security/advisories/GHSA-4w77-75f9-2c8w
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2024-3519
dfn-cert: DFN-CERT-2026-0499
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-1082
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2024-3200
dfn-cert: DFN-CERT-2024-3172
dfn-cert: DFN-CERT-2024-3108

Critical (CVSS: 9.8)
NVT: WordPress 'esc_sql' Function SQL Injection Vulnerability (Nov 2017) - Windows
Summary WordPress is prone to an SQL injection vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.8.3
Impact Successful exploitation will allow remote attackers to execute arbitrary commands.
Solution: Solution type: VendorFix Update to WordPress version 4.8.3 or later.
Affected Software/OS ... continues on next page ...

WordPress versions 4.8.2 and earlier
Vulnerability Insight The flaw exists because '\$wpdb->prepare' function can create unexpected and unsafe queries.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress 'esc_sql' Function SQL Injection Vulnerability (Nov 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.811887 Version used: 2024-02-20T20:07:13+05:30
References cve: CVE-2017-16510 url: https://wordpress.org/news/2017/10/wordpress-4-8-3-security-release cert-bund: CB-K18/0122 dfn-cert: DFN-CERT-2018-0126

Critical (CVSS: 9.8)
NVT: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.42 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service, to read or write to arbitrary files, also execute arbitrary code via a long reply to a LIST command, leading to a heap-based buffer overflow.
Solution: Solution type: VendorFix Update to version 5.4.42, 5.5.26, 5.6.10 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS PHP prior to version 5.4.42, 5.5.x prior to 5.5.26 and 5.6.x prior to 5.6.10 on Windows.
Vulnerability Insight The following flaws exist: - Improper validation of token extraction for table names, in the php_pgsql_meta_data function in pgsql.c in the PostgreSQL extension. - Integer overflow in the ftp_genlist function in ext/ftp/ftp.c - PHP does not ensure that pathnames lack %00 sequences. - An error in 'escapeshellarg' function in 'ext/standard/exec.c' script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.42, 5.5.x < 5.5.26, 5.6.x < 5.6.10 Multiple Vulnerabilities (Aug 2016. ↪.. OID:1.3.6.1.4.1.25623.1.0.808674 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-4598 cve: CVE-2015-4642 cve: CVE-2015-4643 cve: CVE-2015-4644 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/75291 url: http://www.securityfocus.com/bid/75292 url: http://www.securityfocus.com/bid/75244 url: http://www.securityfocus.com/bid/75290 cert-bund: CB-K16/0944 cert-bund: CB-K15/1261 cert-bund: CB-K15/1158 cert-bund: CB-K15/1031 cert-bund: CB-K15/0973 cert-bund: CB-K15/0966 cert-bund: CB-K15/0942 cert-bund: CB-K15/0936 cert-bund: CB-K15/0880 cert-bund: CB-K15/0854 dfn-cert: DFN-CERT-2016-1004
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2015-1335
dfn-cert: DFN-CERT-2015-1217
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0983
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900

Critical (CVSS: 9.8)
NVT: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016) - Windows
Product detection result cpe: /a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.43 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to execute arbitrary code in the context of the PHP process. Failed exploit attempts will likely crash the webserver.
Solution: Solution type: VendorFix Update to version 5.4.43, 5.5.27, 5.6.11 or later.
Affected Software/OS PHP prior to version 5.4.43, 5.5.x prior to 5.5.27 and 5.6.x prior to 5.6.11 on Windows.
Vulnerability Insight The following flaws exist: - Inadequate boundary checks on user-supplied input by 'phar_fix_filepath' function in 'ext/phar/phar.c' script.
... continues on next page ...

...continued from previous page...	
- Improper validation of file pointer in the 'phar_convert_to_other' function in 'ext/phar/phar_object.c' script.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: PHP < 5.4.43, 5.5.x < 5.5.27, 5.6.x < 5.6.11 Multiple Vulnerabilities (Mar 2016. ↪..	
OID:1.3.6.1.4.1.25623.1.0.807092	
Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result	
Product: cpe:/a:php:php:5.3.10	
Method: PHP Detection Consolidation	
OID: 1.3.6.1.4.1.25623.1.0.171722)	
References	
cve: CVE-2015-5589	
cve: CVE-2015-5590	
cve: CVE-2015-8838	
url: http://www.php.net/ChangeLog-5.php	
url: http://www.securityfocus.com/bid/75970	
url: http://www.securityfocus.com/bid/88763	
url: http://www.securityfocus.com/bid/75974	
url: https://bugs.php.net/bug.php?id=69923	
cert-bund: CB-K16/0944	
cert-bund: CB-K16/0912	
cert-bund: CB-K16/0623	
cert-bund: CB-K16/0614	
cert-bund: CB-K16/0422	
cert-bund: CB-K15/1439	
cert-bund: CB-K15/1261	
cert-bund: CB-K15/1147	
dfn-cert: DFN-CERT-2016-1004	
dfn-cert: DFN-CERT-2016-0972	
dfn-cert: DFN-CERT-2016-0676	
dfn-cert: DFN-CERT-2016-0659	
dfn-cert: DFN-CERT-2016-0460	
dfn-cert: DFN-CERT-2015-1515	
dfn-cert: DFN-CERT-2015-1335	
dfn-cert: DFN-CERT-2015-1203	

Critical (CVSS: 9.8)	
NVT: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.1.29 Installation path / port: 8585/tcp	
Solution: Solution type: VendorFix Update to version 8.1.29, 8.2.20, 8.3.8 or later.	
Affected Software/OS PHP prior to version 8.1.29, version 8.2.x through 8.2.19 and 8.3.x through 8.3.7.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2024-4577: Argument injection in PHP-CGI (bypass of CVE-2012-1823) - CVE-2024-5458: Filter bypass in filter_var FILTER_VALIDATE_URL - CVE-2024-5585: Bypass of CVE-2024-1874 - CVE-2024-2408: Marvin attack in OpenSSL on Windows builds	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.1.29, 8.2.x < 8.2.20, 8.3.x < 8.3.8 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.152368 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
... continues on next page ...	

...continued from previous page ...
References cve: CVE-2024-2408 cve: CVE-2024-4577 cve: CVE-2024-5458 cve: CVE-2024-5585 url: https://www.php.net/ChangeLog-8.php#8.1.29 url: https://www.php.net/ChangeLog-8.php#8.2.20 url: https://www.php.net/ChangeLog-8.php#8.3.8 url: https://github.com/php/php-src/security/advisories/GHSA-3qgc-jrrr-25jv url: https://github.com/php/php-src/security/advisories/GHSA-hh26-4ppw-5864 url: https://github.com/php/php-src/security/advisories/GHSA-9fcc-425m-g385 url: https://github.com/php/php-src/security/advisories/GHSA-w8qr-v226-r27w url: https://devco.re/blog/2024/06/06/security-alert-cve-2024-4577-php-cgi-argument-injection-vulnerability-en/ url: https://blog.orange.tw/2024/06/cve-2024-4577-yet-another-php-rce.html url: https://labs.watchtowr.com/no-way-php-strikes-again-cve-2024-4577/ url: https://github.com/watchtowrlabs/CVE-2024-4577 url: https://people.redhat.com/~hkario/marvin/ url: https://blog.talosintelligence.com/new-persistent-attacks-japan/ url: https://www.bitdefender.com/en-us/blog/businessinsights/technical-advisory-cve-2024-4577-update-mass-exploitation-cve-2024-4577 url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2024-3196 cert-bund: WID-SEC-2024-3195 cert-bund: WID-SEC-2024-1324 cert-bund: WID-SEC-2024-1320 dfn-cert: DFN-CERT-2025-1211 dfn-cert: DFN-CERT-2024-3330 dfn-cert: DFN-CERT-2024-3329 dfn-cert: DFN-CERT-2024-2707 dfn-cert: DFN-CERT-2024-1853 dfn-cert: DFN-CERT-2024-1586 dfn-cert: DFN-CERT-2024-1574 dfn-cert: DFN-CERT-2024-1563 dfn-cert: DFN-CERT-2024-1476

Critical (CVSS: 9.8)
NVT: WordPress < 5.8 Missing 'Update URI' Plugin Header Vulnerability - Windows
Summary WordPress is prone to a missing 'Update URI' plugin header vulnerability.
Quality of Detection (QoD): 80%
...continues on next page ...

...continued from previous page ...	
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 5.8 Installation path / port: /wordpress	
Solution: Solution type: VendorFix Update to version 5.8 or later.	
Affected Software/OS WordPress prior to version 5.8.	
Vulnerability Insight WordPress lacks support for the Update URI plugin header. This makes it easier for remote attackers to execute arbitrary code via a supply-chain attack against WordPress installations that use any plugin for which the slug satisfies the naming constraints of the WordPress.org Plugin Directory but is not yet present in that directory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 5.8 Missing 'Update URI' Plugin Header Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.147225 Version used: 2023-03-01T15:50:05+05:30	
References cve: CVE-2021-44223 url: https://make.wordpress.org/core/2021/06/29/introducing-update-uri-plugin-header-in-wordpress-5-8/ url: https://vavkamil.cz/2021/11/25/wordpress-plugin-confusion-update-can-get-you-u-pwned/ cert-bund: CB-K21/1242	
Critical (CVSS: 9.8) NVT: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Multiple Vulnerabilities (BatBadBut) - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary ... continues on next page ...	

...continued from previous page ...
PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.1.28 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 8.1.28, 8.2.18, 8.3.6 or later.
Affected Software/OS PHP prior to version 8.1.28, version 8.2.x through 8.2.17 and 8.3.x through 8.3.5.
Vulnerability Insight The following vulnerabilities exist: - CVE-2024-1874, CVE-2024-3566: Command injection via array-ish \$command parameter of proc_open even if bypass_shell option enabled. This flaw is dubbed 'BatBadBut'. - CVE-2024-3096: password_verify can erroneously return true, opening ATO risk
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.1.28, 8.2.x < 8.2.18, 8.3.x < 8.3.6 Multiple Vulnerabilities (BatBadBut. ↪.. OID:1.3.6.1.4.1.25623.1.0.152119 Version used: 2025-11-19T11:10:23+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2024-1874 cve: CVE-2024-3096 cve: CVE-2024-3566 url: https://github.com/php/php-src/security/advisories/GHSA-pc52-254m-w9w7 url: https://github.com/php/php-src/security/advisories/GHSA-h746-cjrr-wfmr url: https://www.php.net/ChangeLog-8.php#8.1.28 url: https://www.php.net/ChangeLog-8.php#8.2.18 url: https://www.php.net/ChangeLog-8.php#8.3.6 url: https://www.kb.cert.org/vuls/id/123335
... continues on next page ...

...continued from previous page ...
url: https://flatt.tech/research/posts/batbadbut-you-cant-securely-execute-command-nds-on-windows/
url: https://learn.microsoft.com/en-us/archive/blogs/twistylittlepassagesallalike/e/everyone-quotes-command-line-arguments-the-wrong-way
cert-bund: WID-SEC-2024-0867
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-1574
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2024-1132
dfn-cert: DFN-CERT-2024-1115
dfn-cert: DFN-CERT-2024-0993
dfn-cert: DFN-CERT-2024-0962

Critical (CVSS: 9.8)
NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.44 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to cause a denial of service (NULL pointer dereference and application crash) or trigger unintended method execution to defeat cryptographic protection mechanisms.
Solution: Solution type: VendorFix Update to version 5.4.44, 5.5.28, 5.6.12 or later.
Affected Software/OS ... continues on next page ...

...continued from previous page ...	
PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Windows.	
Vulnerability Insight Multiple flaws exist due to: - An improper validation of certain Exception objects in 'Zend/zend_exceptions.c' script. - The 'openssl_random_pseudo_bytes' function in 'ext/openssl/openssl.c' incorrectly relies on the deprecated 'RAND_pseudo_bytes' function.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Jul 2016. ↔.. OID:1.3.6.1.4.1.25623.1.0.808605 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2015-8835 cve: CVE-2015-8867 cve: CVE-2015-8873 cve: CVE-2015-8876 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/87481 url: http://www.securityfocus.com/bid/90867 url: http://www.securityfocus.com/bid/84426 url: http://www.securityfocus.com/bid/90712 cert-bund: CB-K17/0318 cert-bund: CB-K16/1776 cert-bund: CB-K16/1190 cert-bund: CB-K16/1179 cert-bund: CB-K16/0944 cert-bund: CB-K16/0937 cert-bund: CB-K16/0912 cert-bund: CB-K16/0911 cert-bund: CB-K16/0868 cert-bund: CB-K16/0705 cert-bund: CB-K16/0623 cert-bund: CB-K16/0614 dfn-cert: DFN-CERT-2017-0325 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1265 dfn-cert: DFN-CERT-2016-1253	
...continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0996
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0764
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
```

Critical (CVSS: 9.8)**NVT: WordPress < 4.8.2 Multiple Vulnerabilities - Windows****Summary**

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 4.6.1

Fixed version: 4.8.2

Installation

path / port: /wordpress

Impact

Successful exploitation will allow remote attackers to conduct XSS, SQLi, directory traversal and open redirect attacks.

Solution:**Solution type:** VendorFix

Update to version 4.8.2 or later.

Affected Software/OS

WordPress versions 4.8.1 and earlier.

Vulnerability Insight

The following flaws exist:

- CVE-2017-14718: A cross-site scripting (XSS) vulnerability was discovered in the link modal.
- CVE-2017-14719: A path traversal vulnerability was discovered in the file unzipping code.
- CVE-2017-14720: A cross-site scripting (XSS) vulnerability was discovered in template names.
- CVE-2017-14721: A cross-site scripting (XSS) vulnerability was discovered in the plugin editor.
- CVE-2017-14722: A path traversal vulnerability was discovered in the customizer.
- CVE-2017-14723: \$wpdb->prepare() can create unexpected and unsafe queries leading to potential SQL injection (SQLi). WordPress core is not directly vulnerable to this issue, but hardening was added to prevent plugins and themes from accidentally causing a vulnerability.

... continues on next page ...

...continued from previous page ...
- CVE-2017-14724: A cross-site scripting (XSS) vulnerability was discovered in the oEmbed discovery. - CVE-2017-14725: An open redirect was discovered on the user and term edit screens. - CVE-2017-14726: A cross-site scripting (XSS) vulnerability was discovered in the visual editor.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 4.8.2 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.811783 Version used: 2023-03-01T15:50:05+05:30
References cve: CVE-2017-14718 cve: CVE-2017-14719 cve: CVE-2017-14720 cve: CVE-2017-14721 cve: CVE-2017-14722 cve: CVE-2017-14723 cve: CVE-2017-14724 cve: CVE-2017-14725 cve: CVE-2017-14726 url: https://wordpress.org/documentation/wordpress-version/version-4-8-2/ url: https://wordpress.org/news/2017/09/wordpress-4-8-2-security-and-maintenance-release/ cert-bund: CB-K17/1722 dfn-cert: DFN-CERT-2017-1802
Critical (CVSS: 9.8) NVT: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)
Summary Apache HTTP Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.54 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 2.4.54 or later.	
Affected Software/OS Apache HTTP Server version 2.4.53 and prior.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-26377: mod_proxy_ajp: Possible request smuggling - CVE-2022-28330: Read beyond bounds in mod_isapi - CVE-2022-28614: Read beyond bounds via ap_rwrite() - CVE-2022-28615: Read beyond bounds in ap_stremp_match() - CVE-2022-29404: Denial of service in mod_lua r:parsebody - CVE-2022-30556: Information disclosure in mod_lua with websockets - CVE-2022-31813: mod_proxy X-Forwarded-For dropped by hop-by-hop mechanism	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.54 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.148253 Version used: 2022-06-20T08:34:15+05:30	
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)	
References cve: CVE-2022-26377 cve: CVE-2022-28330 cve: CVE-2022-28614 cve: CVE-2022-28615 cve: CVE-2022-29404 cve: CVE-2022-30556 cve: CVE-2022-31813 url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.54 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-1969 cert-bund: WID-SEC-2023-0134 cert-bund: WID-SEC-2023-0132 cert-bund: WID-SEC-2022-1767 cert-bund: WID-SEC-2022-1766	
... continues on next page ...	

...continued from previous page ...

cert-bund: WID-SEC-2022-1764
 cert-bund: WID-SEC-2022-0858
 cert-bund: WID-SEC-2022-0799
 cert-bund: WID-SEC-2022-0192
 cert-bund: CB-K22/0692
 dfn-cert: DFN-CERT-2023-0119
 dfn-cert: DFN-CERT-2022-2799
 dfn-cert: DFN-CERT-2022-2789
 dfn-cert: DFN-CERT-2022-2652
 dfn-cert: DFN-CERT-2022-2509
 dfn-cert: DFN-CERT-2022-2310
 dfn-cert: DFN-CERT-2022-2167
 dfn-cert: DFN-CERT-2022-1837
 dfn-cert: DFN-CERT-2022-1833
 dfn-cert: DFN-CERT-2022-1720
 dfn-cert: DFN-CERT-2022-1353
 dfn-cert: DFN-CERT-2022-1296

Critical (CVSS: 9.8)**NVT: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 8.0.30

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 8.0.30, 8.1.22, 8.2.9 or later.

Affected Software/OS

PHP prior to version 8.0.30, 8.1.x prior to 8.1.22 and 8.2.x prior to 8.2.9.

... continues on next page ...

...continued from previous page ...	
Vulnerability Insight The following flaws exist: - CVE-2023-3823: Fixed bug GHSA-3qrf-m4j2-pcrr (Security issue with external entity loading in XML without enabling it) - CVE-2023-3824: Fixed bug GHSA-jqcx-ccgc-xwhv (Buffer mismanagement in phar_dir_read())	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.0.30, 8.1.x < 8.1.22, 8.2.x < 8.2.9 Security Update - Windows OID:1.3.6.1.4.1.25623.1.0.170530 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2023-3823 cve: CVE-2023-3824 url: https://www.php.net/ChangeLog-8.php#8.1.22 url: https://www.php.net/ChangeLog-8.php#8.0.30 url: https://www.php.net/ChangeLog-8.php#8.2.9 url: https://github.com/php/php-src/security/advisories/GHSA-3qrf-m4j2-pcrr url: https://github.com/php/php-src/security/advisories/GHSA-jqcx-ccgc-xwhv cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2679 cert-bund: WID-SEC-2023-1970 dfn-cert: DFN-CERT-2024-3330 dfn-cert: DFN-CERT-2024-2681 dfn-cert: DFN-CERT-2024-0993 dfn-cert: DFN-CERT-2023-2570 dfn-cert: DFN-CERT-2023-2542 dfn-cert: DFN-CERT-2023-1775	
Critical (CVSS: 9.8)	
NVT: WordPress < 4.7.2 Multiple Security Vulnerabilities - Windows	
Summary WordPress is prone to multiple security vulnerabilities because it fails to sanitize user-supplied input.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.7.2
Impact Successfully exploiting this issue allow remote attacker to e.g. obtain sensitive information or inject arbitrary web script or HTML.
Solution: Solution type: VendorFix Update to WordPress version 4.7.2.
Affected Software/OS WordPress versions 4.7.1 and earlier.
Vulnerability Insight Multiple flaws are due to: - The user interface for assigning taxonomy terms in Press This is shown to users who do not have permissions to use it. - P_Query is vulnerable to a SQL injection (SQLi) when passing unsafe data. WordPress core is not directly vulnerable to this issue, but hardening was added to prevent plugins and themes from accidentally causing a vulnerability. - A cross-site scripting (XSS) vulnerability was discovered in the posts list table. - An unauthenticated privilege escalation vulnerability was discovered in a REST API endpoint.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 4.7.2 Multiple Security Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.108069 Version used: 2024-02-15T10:35:40+05:30
References cve: CVE-2017-5610 cve: CVE-2017-5611 cve: CVE-2017-5612 cve: CVE-2017-1001000 url: https://make.wordpress.org/core/2017/02/01/disclosure-of-additional-security-fix-in-wordpress-4-7-2/ url: https://wordpress.org/news/2017/01/wordpress-4-7-2-security-release/ url: https://blog.sucuri.net/2017/02/content-injection-vulnerability-wordpress-rest-api.html url: http://www.secpod.com/blog/wordpress-rest-api-zero-day-privilege-escalation-vulnerability cert-bund: CB-K17/0154
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2017-0193
 dfn-cert: DFN-CERT-2017-0159

Critical (CVSS: 9.8)**NVT: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Windows****Product detection result**

cpe:/a:apache:http_server:2.2.21

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
 ↪.0.117232)**Summary**

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 2.2.21

Fixed version: 2.4.53

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 2.4.53 or later.

Affected Software/OS

Apache HTTP Server version 2.4.52 and prior.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-22719: mod_lua Use of uninitialized value of in r:parsebody
- CVE-2022-22720: HTTP request smuggling vulnerability
- CVE-2022-22721: Possible buffer overflow with very large or unlimited LimitXMLRequestBody
- CVE-2022-23943: mod_sed: Read/write beyond bounds

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Apache HTTP Server <= 2.4.52 Multiple Vulnerabilities - Windows

OID:1.3.6.1.4.1.25623.1.0.113838

Version used: 2022-03-21T08:33:41+05:30

Product Detection Result

... continues on next page ...

...continued from previous page ...
Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2022-22719 cve: CVE-2022-22720 cve: CVE-2022-22721 cve: CVE-2022-23943 url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.53 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2022-1772 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-1161 cert-bund: WID-SEC-2022-1057 cert-bund: WID-SEC-2022-0898 cert-bund: WID-SEC-2022-0799 cert-bund: WID-SEC-2022-0755 cert-bund: WID-SEC-2022-0646 cert-bund: WID-SEC-2022-0432 cert-bund: WID-SEC-2022-0302 cert-bund: WID-SEC-2022-0290 cert-bund: CB-K22/0619 cert-bund: CB-K22/0306 dfn-cert: DFN-CERT-2022-2799 dfn-cert: DFN-CERT-2022-2509 dfn-cert: DFN-CERT-2022-2305 dfn-cert: DFN-CERT-2022-2167 dfn-cert: DFN-CERT-2022-1116 dfn-cert: DFN-CERT-2022-1115 dfn-cert: DFN-CERT-2022-1114 dfn-cert: DFN-CERT-2022-0899 dfn-cert: DFN-CERT-2022-0898 dfn-cert: DFN-CERT-2022-0865 dfn-cert: DFN-CERT-2022-0747 dfn-cert: DFN-CERT-2022-0678 dfn-cert: DFN-CERT-2022-0582
Critical (CVSS: 9.8) NVT: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Windows
Product detection result cpe:/a:apache:http_server:2.2.21
... continues on next page ...

...continued from previous page ...
Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)
Summary Apache HTTP Server is prone to a buffer overflow vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.52 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 2.4.52 or later.
Affected Software/OS Apache HTTP Server versions through 2.4.51.
Vulnerability Insight A carefully crafted request body can cause a buffer overflow in the mod_lua multipart parser (r:parsebody() called from Lua scripts).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server <= 2.4.51 Buffer Overflow Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.117857 Version used: 2021-12-23T17:42:57+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2021-44790 url: https://httpd.apache.org/security/vulnerabilities_24.html cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1767 cert-bund: WID-SEC-2022-1057
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2022-0727
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0190
cert-bund: CB-K22/0619
cert-bund: CB-K21/1296
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-0747
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0192
dfn-cert: DFN-CERT-2022-0098
dfn-cert: DFN-CERT-2022-0068
dfn-cert: DFN-CERT-2021-2656

Critical (CVSS: 9.8)

NVT: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Windows

Product detection result

cpe:/a:apache:http_server:2.2.21

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↪.0.117232)

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 2.2.21

Fixed version: 2.4.49

Installation

path / port: 8585/tcp

Solution:

Solution type: VendorFix

Update to version 2.4.49 or later.

Affected Software/OS

Apache HTTP Server version 2.4.48 and prior.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The following vulnerabilities exist: - CVE-2021-34798: NULL pointer dereference in httpd core - CVE-2021-39275: ap_escape_quotes buffer overflow - CVE-2021-40438: mod_proxy SSRF
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.49 Multiple Vulnerabilities - Windows OID: 1.3.6.1.4.1.25623.1.0.146726 Version used: 2022-08-09T15:41:17+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2021-34798 cve: CVE-2021-39275 cve: CVE-2021-40438 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://httpd.apache.org/security/vulnerabilities_24.html cert-bund: WID-SEC-2024-2180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0186 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-1969 cert-bund: WID-SEC-2023-1016 cert-bund: WID-SEC-2022-1298 cert-bund: WID-SEC-2022-1189 cert-bund: WID-SEC-2022-0724 cert-bund: WID-SEC-2022-0190 cert-bund: CB-K22/0476 cert-bund: CB-K22/0465 cert-bund: CB-K22/0463 cert-bund: CB-K21/0992 dfn-cert: DFN-CERT-2023-0881 dfn-cert: DFN-CERT-2022-2405 dfn-cert: DFN-CERT-2022-2167 dfn-cert: DFN-CERT-2022-0904 dfn-cert: DFN-CERT-2022-0878 dfn-cert: DFN-CERT-2022-0872 dfn-cert: DFN-CERT-2022-0869 dfn-cert: DFN-CERT-2022-0672 dfn-cert: DFN-CERT-2022-0207
...continues on next page ...

...	...continued from previous page ...
dfn-cert:	DFN-CERT-2022-0119
dfn-cert:	DFN-CERT-2022-0098
dfn-cert:	DFN-CERT-2021-2629
dfn-cert:	DFN-CERT-2021-2471
dfn-cert:	DFN-CERT-2021-2185
dfn-cert:	DFN-CERT-2021-2164
dfn-cert:	DFN-CERT-2021-2153
dfn-cert:	DFN-CERT-2021-2098
dfn-cert:	DFN-CERT-2021-2090
dfn-cert:	DFN-CERT-2021-2047
dfn-cert:	DFN-CERT-2021-2020
dfn-cert:	DFN-CERT-2021-1961

Critical (CVSS: 9.8)

NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.4.45

Installation

path / port: 8585/tcp

Impact

Successfully exploiting these issues allow remote attackers to read arbitrary empty directories, also to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.4.45, 5.5.29, 5.6.13 or later.

Affected Software/OS

PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Windows.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...	
The following flaws exist: - Error in the 'ZipArchive::extractTo' function in 'ext/zip/php_zip.c' script. - The xsl_ext_function_php function in ext/xsl/xsltprocessor.c when libxml2 is used, does not consider the possibility of a NULL valuePop return value before proceeding with a free operation after the principal argument loop. - Improper handling of multiple php_var_unserialize calls - Multiple use-after-free vulnerabilities	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 Multiple Vulnerabilities (Jul 2016. ↪.. OID:1.3.6.1.4.1.25623.1.0.808616 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2014-9767 cve: CVE-2015-6834 cve: CVE-2015-6835 cve: CVE-2015-6837 cve: CVE-2015-6838 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/76652 url: http://www.securityfocus.com/bid/76649 url: http://www.securityfocus.com/bid/76733 url: http://www.securityfocus.com/bid/76734 url: http://www.securityfocus.com/bid/76738 url: http://www.openwall.com/lists/oss-security/2016/03/16/20 cert-bund: WID-SEC-2025-1425 cert-bund: CB-K16/1776 cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0623 cert-bund: CB-K16/0614 cert-bund: CB-K16/0422 cert-bund: CB-K15/1571 cert-bund: CB-K15/1561 cert-bund: CB-K15/1478 cert-bund: CB-K15/1439 cert-bund: CB-K15/1415 cert-bund: CB-K15/1337	
...continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2015-1658
dfn-cert: DFN-CERT-2015-1644
dfn-cert: DFN-CERT-2015-1556
dfn-cert: DFN-CERT-2015-1515
dfn-cert: DFN-CERT-2015-1493
dfn-cert: DFN-CERT-2015-1407
```

Critical (CVSS: 9.8)**NVT: PHP Multiple Vulnerabilities (Feb 2019) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.40

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 5.6.40, 7.1.16, 7.2.14, 7.3.1 or later.

Affected Software/OS

PHP versions before 5.6.40, 7.x before 7.1.26, 7.2.x before 7.2.14 and 7.3.x before 7.3.1.

Vulnerability Insight

The following flaws exist:

- Fixed bug #77269 (efree() on uninitialized Heap data in imagescale leads to use-after-free). (CVE-2016-10166)
- Fixed bug #77270 (imagecolormatch Out Of Bounds Write on Heap). (CVE-2019-6977)

... continues on next page ...

...continued from previous page ... - Fixed bug #77370 (Buffer overflow on mb regex functions - fetch_token). (CVE-2019-9023) - Fixed bug #77371 (heap buffer overflow in mb regex functions - compile_string_node). (CVE-2019-9023) - Fixed bug #77381 (heap buffer overflow in multibyte match_at). (CVE-2019-9023) - Fixed bug #77382 (heap buffer overflow due to incorrect length in expand_case_fold_string). (CVE-2019-9023) - Fixed bug #77385 (buffer overflow in fetch_token). (CVE-2019-9023) - Fixed bug #77394 (Buffer overflow in multibyte case folding - unicode). (CVE-2019-9023) - Fixed bug #77418 (Heap overflow in utf32be_mbc_to_code). (CVE-2019-9023) - Fixed bug #77247 (heap buffer overflow in phar_detect_phar_fname_ext). (CVE-2019-9021) - Fixed bug #77242 (heap out of bounds read in xmlrpc_decode()). (CVE-2019-9020) - Fixed bug #77380 (Global out of bounds read in xmlrpc base64 code). (CVE-2019-9024)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP Multiple Vulnerabilities (Feb 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.142049 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-10166 cve: CVE-2019-6977 cve: CVE-2019-9020 cve: CVE-2019-9021 cve: CVE-2019-9023 cve: CVE-2019-9024 url: http://www.php.net/ChangeLog-5.php url: http://www.php.net/ChangeLog-7.php url: https://bugs.php.net/bug.php?id=77269 url: https://bugs.php.net/bug.php?id=77270 url: https://bugs.php.net/bug.php?id=77370 url: https://bugs.php.net/bug.php?id=77371 url: https://bugs.php.net/bug.php?id=77381 url: https://bugs.php.net/bug.php?id=77382 url: https://bugs.php.net/bug.php?id=77385 url: https://bugs.php.net/bug.php?id=77394 url: https://bugs.php.net/bug.php?id=77418 url: https://bugs.php.net/bug.php?id=77247 url: https://bugs.php.net/bug.php?id=77242 url: https://bugs.php.net/bug.php?id=77380 cert-bund: WID-SEC-2022-2127
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K19/0166
 cert-bund: CB-K17/1252
 cert-bund: CB-K17/0318
 cert-bund: CB-K17/0232
 cert-bund: CB-K17/0182
 dfn-cert: DFN-CERT-2022-2638
 dfn-cert: DFN-CERT-2020-2398
 dfn-cert: DFN-CERT-2020-1078
 dfn-cert: DFN-CERT-2020-0898
 dfn-cert: DFN-CERT-2020-0680
 dfn-cert: DFN-CERT-2019-2283
 dfn-cert: DFN-CERT-2019-1737
 dfn-cert: DFN-CERT-2019-1181
 dfn-cert: DFN-CERT-2019-0804
 dfn-cert: DFN-CERT-2019-0698
 dfn-cert: DFN-CERT-2019-0434
 dfn-cert: DFN-CERT-2019-0368
 dfn-cert: DFN-CERT-2019-0313
 dfn-cert: DFN-CERT-2019-0241
 dfn-cert: DFN-CERT-2019-0212
 dfn-cert: DFN-CERT-2017-1295
 dfn-cert: DFN-CERT-2017-0325
 dfn-cert: DFN-CERT-2017-0234
 dfn-cert: DFN-CERT-2017-0179

Critical (CVSS: 9.8)

NVT: PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to an arbitrary code execution vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.5.27

Installation

path / port: 8585/tcp

... continues on next page ...

...continued from previous page ...	
Impact	Successfully exploiting this issue allow remote attackers to execute arbitrary code by triggering a failed SplMinHeap::compare operation.
Solution: Solution type: VendorFix	Update to version 5.5.27, 5.6.11 or later.
Affected Software/OS	PHP prior to version 5.5.27 and 5.6.x prior to 5.6.11 on Windows.
Vulnerability Insight	An use-after-free vulnerability occurs in the 'spl_ptr_heap_insert' function in 'ext/spl/spl_heap.c'.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.27, 5.6.x < 5.6.11 Arbitrary Code Execution Vulnerability (Aug 2016) . ↔.. OID:1.3.6.1.4.1.25623.1.0.808670 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result	Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References	cve: CVE-2015-4116 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/75127 cert-bund: CB-K16/1179 cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0911 cert-bund: CB-K16/0868 dfn-cert: DFN-CERT-2016-1253 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0944 dfn-cert: DFN-CERT-2016-0924

Critical (CVSS: 9.8)	
NVT: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to a use-after-free vulnerability in a used third-party library.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.1.32 Installation path / port: 8585/tcp	
Impact This flaw allows attackers to potentially cause information disclosure, denial of service, or possibly code execution by providing a crafted regular expression.	
Solution: Solution type: VendorFix Update to version 7.1.32, 7.3.9 or later.	
Affected Software/OS PHP version before 7.1.32 and 7.3.x before 7.3.9.	
Vulnerability Insight The flaw exists due to a use-after-free in <code>onig_new_deluxe()</code> in <code>regext.c</code> of the third-party library Oniguruma 6.9.2 which is used by PHP. The attacker provides a pair of a regex pattern and a string, with a multi-byte encoding that gets handled by <code>onig_new_deluxe()</code> .	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 'CVE-2019-13224' Use-After-Free Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.108634 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation	
... continues on next page ...	

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2019-13224 url: http://bugs.php.net/78380 url: https://www.php.net/ChangeLog-7.php#7.3.9 url: https://www.php.net/ChangeLog-7.php#7.1.32 cert-bund: WID-SEC-2024-1086 cert-bund: WID-SEC-2024-0218 cert-bund: CB-K20/1030 dfn-cert: DFN-CERT-2024-0233 dfn-cert: DFN-CERT-2022-2107 dfn-cert: DFN-CERT-2020-2412 dfn-cert: DFN-CERT-2020-2105 dfn-cert: DFN-CERT-2020-1964 dfn-cert: DFN-CERT-2019-1804 dfn-cert: DFN-CERT-2019-1471 dfn-cert: DFN-CERT-2019-1424

Critical (CVSS: 9.8)
NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.32 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 5.5.32, 5.6.18, 7.0.3 or later.
Affected Software/OS PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Windows.
Vulnerability Insight The following flaws exist: - CVE-2016-2554: Stack-based buffer overflow in ext/phar/tar.c - CVE-2016-4342: ext/phar/phar_object.c mishandles zero-length uncompressed data
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Multiple Vulnerabilities (Jul 2016) -. ↪.. OID:1.3.6.1.4.1.25623.1.0.808606 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-2554 cve: CVE-2016-4342 url: http://www.php.net/ChangeLog-7.php url: http://www.securityfocus.com/bid/89154 url: http://www.securityfocus.com/bid/83353 url: http://www.openwall.com/lists/oss-security/2016/04/28/2 cert-bund: CB-K16/1776 cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0868 cert-bund: CB-K16/0779 cert-bund: CB-K16/0760 cert-bund: CB-K16/0623 cert-bund: CB-K16/0614 cert-bund: CB-K16/0405 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0924 dfn-cert: DFN-CERT-2016-0835 dfn-cert: DFN-CERT-2016-0814 dfn-cert: DFN-CERT-2016-0676
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2016-0659
dfn-cert: DFN-CERT-2016-0441

Critical (CVSS: 9.8)**NVT: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Multiple Vulnerabilities - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 7.4.33

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 7.4.33, 8.0.25, 8.1.12 or later.

Affected Software/OS

PHP prior to version 7.4.33, version 8.0.x through 8.0.24 and 8.1.x through 8.1.11.

Vulnerability Insight

The following vulnerabilities exist:

- CVE-2022-31630: OOB read due to insufficient input validation in imageloadfont()
- CVE-2022-37454: Buffer overflow in hash_update() on long parameter

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 7.4.33, 8.0.x < 8.0.25, 8.1.x < 8.1.12 Multiple Vulnerabilities - Windows

OID:1.3.6.1.4.1.25623.1.0.148831

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2022-31630 cve: CVE-2022-37454 url: https://www.php.net/ChangeLog-7.php#7.4.33 url: https://www.php.net/ChangeLog-8.php#8.0.25 url: https://www.php.net/ChangeLog-8.php#8.1.12 cert-bund: WID-SEC-2023-1021 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2023-0138 cert-bund: WID-SEC-2022-1934 cert-bund: WID-SEC-2022-1816 dfn-cert: DFN-CERT-2026-0215 dfn-cert: DFN-CERT-2023-0552 dfn-cert: DFN-CERT-2023-0422 dfn-cert: DFN-CERT-2023-0028 dfn-cert: DFN-CERT-2022-2869 dfn-cert: DFN-CERT-2022-2793 dfn-cert: DFN-CERT-2022-2715 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2022-2598 dfn-cert: DFN-CERT-2022-2535 dfn-cert: DFN-CERT-2022-2523 dfn-cert: DFN-CERT-2022-2420 dfn-cert: DFN-CERT-2022-2380

Critical (CVSS: 9.8)

NVT: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 DoS Vulnerability (Feb 2022) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 7.4.28

... continues on next page ...

...continued from previous page ...	
Installation	
path / port:	8585/tcp
Solution:	
Solution type: VendorFix	
Update to version 7.4.28, 8.0.16, 8.1.3 or later.	
Affected Software/OS	
PHP prior to version 7.4.28, 8.0.x through 8.0.15 and 8.1.x through 8.1.2.	
Vulnerability Insight	
When using filter functions with FILTER_VALIDATE_FLOAT filter and min/max limits, if the filter fails, there is a possibility to trigger use of allocated memory after free, which can result it crashes, and potentially in overwrite of other memory chunks and RCE.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: PHP < 7.4.28, 8.0.x < 8.0.16, 8.1.x < 8.1.3 DoS Vulnerability (Feb 2022) - Wind.	
↔..	
OID:1.3.6.1.4.1.25623.1.0.147658	
Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result	
Product: cpe:/a:php:php:5.3.10	
Method: PHP Detection Consolidation	
OID: 1.3.6.1.4.1.25623.1.0.171722)	
References	
cve: CVE-2021-21708	
url: https://www.php.net/ChangeLog-7.php#7.4.28	
url: https://www.php.net/ChangeLog-8.php#8.0.16	
url: https://www.php.net/ChangeLog-8.php#8.1.3	
url: https://bugs.php.net/bug.php?id=81708	
cert-bund: WID-SEC-2023-1737	
cert-bund: WID-SEC-2022-1767	
cert-bund: WID-SEC-2022-1335	
cert-bund: WID-SEC-2022-1228	
cert-bund: WID-SEC-2022-0280	
cert-bund: CB-K22/0201	
dfn-cert: DFN-CERT-2024-1062	
dfn-cert: DFN-CERT-2023-1600	
dfn-cert: DFN-CERT-2022-2639	
dfn-cert: DFN-CERT-2022-2598	
dfn-cert: DFN-CERT-2022-2500	
dfn-cert: DFN-CERT-2022-2499	
... continues on next page ...	

...continued from previous page ...
dfn-cert: DFN-CERT-2022-1605 dfn-cert: DFN-CERT-2022-0557 dfn-cert: DFN-CERT-2022-0407 dfn-cert: DFN-CERT-2022-0365
Critical (CVSS: 9.8) NVT: PHP < 5.6.7 DoS Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.7 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to cause a denial of service.
Solution: Solution type: VendorFix Update to version 5.6.7 or later.
Affected Software/OS PHP prior to version 5.6.7 on Windows.
Vulnerability Insight The flaw is due to 'type confusion' issues in 'ext/soap/php_encoding.c', 'ext/soap/php_http.c', and 'ext/soap/soap.c' scripts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.7 DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.808672 Version used: 2025-09-24T11:09:03+05:30
... continues on next page ...

...continued from previous page ...
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-4601 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/75246 cert-bund: CB-K16/0944 cert-bund: CB-K15/1158 cert-bund: CB-K15/1031 cert-bund: CB-K15/0966 cert-bund: CB-K15/0942 cert-bund: CB-K15/0936 cert-bund: CB-K15/0854 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2015-1217 dfn-cert: DFN-CERT-2015-1083 dfn-cert: DFN-CERT-2015-1017 dfn-cert: DFN-CERT-2015-0989 dfn-cert: DFN-CERT-2015-0983 dfn-cert: DFN-CERT-2015-0900

Critical (CVSS: 9.8)

NVT: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.5.33

Installation

path / port: 8585/tcp

Impact

... continues on next page ...

...continued from previous page ...
Successfully exploiting these issues allow remote attackers to gain access to potentially sensitive information and conduct a denial of service (memory corruption and application crash).
Solution: Solution type: VendorFix Update to PHP version 5.5.33, 5.6.19 or later.
Affected Software/OS PHP prior to version 5.5.33 and 5.6.x prior to 5.6.19 on Windows.
Vulnerability Insight The following flaws exist: - Use-after-free error in wddx.c script in the WDDX extension in PHP - Error in the phar_parse_zipfile function in zip.c script in the PHAR extension in PHP.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.33, 5.6.x < 5.6.19 Multiple Vulnerabilities (Apr 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.807806 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-3141 cve: CVE-2016-3142 url: https://bugs.php.net/bug.php?id=71587 url: https://bugs.php.net/bug.php?id=71498 url: https://secure.php.net/ChangeLog-5.php cert-bund: CB-K16/1776 cert-bund: CB-K16/1620 cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0723 cert-bund: CB-K16/0623 cert-bund: CB-K16/0614 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1717 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0775 dfn-cert: DFN-CERT-2016-0676
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2016-0659

Critical (CVSS: 9.8)**NVT: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.5.34

Installation

path / port: 8585/tcp

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.

Solution:**Solution type:** VendorFix

Update to version 5.5.34, 5.6.20, 7.0.5 or later.

Affected Software/OS

PHP prior to version 5.5.34, 5.6.x prior to 5.6.20 and 7.0.x prior to 7.0.5 on Windows.

Vulnerability Insight

The following flaws exist:

- Multiple integer overflows in the mbfl_strcut function in 'ext/mbstring/libmbfl/mbfl/mbfilter.c' script.
- Format string vulnerability in the php_snmp_error function in 'ext/snmp/snmp.c' script.
- An improper handling of '\0' characters by the 'phar_analyze_path' function in 'ext/phar/phar.c' script.
- An integer overflow in the 'php_raw_url_encode' function in 'ext/standard/url.c' script.
- An improper handling of continuation-level jumps in 'file_check_mem' function in 'funcs.c' script.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ... Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.34, 5.6.x < 5.6.20, 7.x < 7.0.5 Multiple Vulnerabilities (Jul 2016) -. ↪.. OID:1.3.6.1.4.1.25623.1.0.808198 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-8865 cve: CVE-2016-4070 cve: CVE-2016-4071 cve: CVE-2016-4072 cve: CVE-2016-4073 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/85800 url: http://www.securityfocus.com/bid/85801 url: http://www.securityfocus.com/bid/85802 url: http://www.securityfocus.com/bid/85991 url: http://www.securityfocus.com/bid/85993 url: http://www.php.net/ChangeLog-7.php cert-bund: CB-K16/1776 cert-bund: CB-K16/1319 cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0884 cert-bund: CB-K16/0872 cert-bund: CB-K16/0779 cert-bund: CB-K16/0723 cert-bund: CB-K16/0705 cert-bund: CB-K16/0614 cert-bund: CB-K16/0494 dfn-cert: DFN-CERT-2018-1161 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1402 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0940 dfn-cert: DFN-CERT-2016-0929 dfn-cert: DFN-CERT-2016-0835 dfn-cert: DFN-CERT-2016-0775 dfn-cert: DFN-CERT-2016-0764 dfn-cert: DFN-CERT-2016-0659
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2016-0536

Critical (CVSS: 9.8)**NVT: PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.29

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 5.6.29, 7.0.14 or later.

Affected Software/OS

PHP versions prior to 5.6.29 and 7.0.x prior to 7.0.14.

Vulnerability Insight

The php_wddx_push_element function in ext/wddx/wddx.c allows remote attackers to cause a denial of service (out-of-bounds read and memory corruption) or possibly have unspecified other impact via an empty boolean element in a wddxPacket XML document.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 5.6.29, 7.0.x < 7.0.14 DoS Vulnerability - Windows

OID:1.3.6.1.4.1.25623.1.0.117804

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.171722)

... continues on next page ...

...continued from previous page ...

References

cve: CVE-2016-9935
 url: <https://www.php.net/ChangeLog-7.php#7.0.14>
 url: <https://www.php.net/ChangeLog-5.php#5.6.29>
 url: <https://bugs.php.net/bug.php?id=73631>
 cert-bund: CB-K17/0527
 cert-bund: CB-K17/0327
 cert-bund: CB-K17/0269
 cert-bund: CB-K17/0053
 cert-bund: CB-K17/0015
 cert-bund: CB-K16/2015
 cert-bund: CB-K16/1982
 dfn-cert: DFN-CERT-2018-0835
 dfn-cert: DFN-CERT-2017-0532
 dfn-cert: DFN-CERT-2017-0334
 dfn-cert: DFN-CERT-2017-0274
 dfn-cert: DFN-CERT-2017-0058
 dfn-cert: DFN-CERT-2017-0016
 dfn-cert: DFN-CERT-2016-2130
 dfn-cert: DFN-CERT-2016-2084

Critical (CVSS: 9.8)**NVT: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10
 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10
 Fixed version: 5.5.35
 Installation
 path / port: 8585/tcp

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.

... continues on next page ...

...continued from previous page ...	
Solution: Solution type: VendorFix Update to version 5.5.35, 5.6.21, 7.0.6 or later.	
Affected Software/OS PHP prior to version 5.5.35, 5.6.x prior to 5.6.21 and 7.x prior to 7.0.6 on Windows.	
Vulnerability Insight The following flaws exist: - Improper validation of TIFF start data in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script. - Improper validation of IFD sizes in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script. - Improper construction of sprintf arguments, in 'exif_process_TIFF_in_JPEG' function in 'ext/exif/exif.c' script. - Error in 'grapheme_stpos' function in 'ext/intl/grapheme/grapheme_string.c'. - Error in 'xml_parse_into_struct' function in 'ext/xml/xml.c' script. - The 'bcpowmod' function in 'ext/bcmath/bcmath.c' improperly modifies certain data structures. - Improper validation of input passed to 'bcpowmod' function in 'ext/bcmath/bcmath.c' script. - Error in 'grapheme_stpos' function in 'ext/intl/grapheme/grapheme_string.c' script.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.35, 5.6.x < 5.6.21, 7.x < 7.0.6 Multiple Vulnerabilities (Jul 2016) -. ↪.. OID:1.3.6.1.4.1.25623.1.0.808602 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2016-4537 cve: CVE-2016-4538 cve: CVE-2016-4539 cve: CVE-2016-4540 cve: CVE-2016-4541 cve: CVE-2016-4542 cve: CVE-2016-4543 cve: CVE-2016-4544 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/89844	
...continues on next page ...	

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/90172
url: http://www.securityfocus.com/bid/90173
url: http://www.securityfocus.com/bid/90174
url: http://www.php.net/ChangeLog-7.php
cert-bund: CB-K16/1776
cert-bund: CB-K16/0944
cert-bund: CB-K16/0912
cert-bund: CB-K16/0909
cert-bund: CB-K16/0868
cert-bund: CB-K16/0779
cert-bund: CB-K16/0774
cert-bund: CB-K16/0760
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0960
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0835
dfn-cert: DFN-CERT-2016-0827
dfn-cert: DFN-CERT-2016-0814

```

Critical (CVSS: 9.8)

NVT: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Overflow
Vulnerability (Mar 2018) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a stack buffer overflow vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.6.34

Installation

path / port: 8585/tcp

Impact

Successful exploitation will allow an attacker to execute arbitrary code in the context of the affected application. Failed exploit attempts will result in denial-of-service conditions.

... continues on next page ...

...continued from previous page ...	
Solution:	
Solution type: VendorFix	
Update to version 5.6.34, 7.0.28, 7.1.15, 7.2.3 or later.	
Affected Software/OS	
PHP versions 5.x prior to 5.6.34, 7.x prior to 7.0.28, 7.1.x prior to 7.1.15 and 7.2.x prior to 7.2.3 on Windows.	
Vulnerability Insight	
The flaw exists because php fails to adequately bounds-check user-supplied data before copying it into an insufficiently sized buffer.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: PHP 5.x < 5.6.34, 7.x < 7.0.28, 7.1.x < 7.1.15, 7.2.x < 7.2.3 Stack Buffer Over.	
↔..	
OID:1.3.6.1.4.1.25623.1.0.812820	
Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result	
Product: cpe:/a:php:php:5.3.10	
Method: PHP Detection Consolidation	
OID: 1.3.6.1.4.1.25623.1.0.171722)	
References	
cve: CVE-2018-7584	
url: http://php.net/ChangeLog-7.php	
url: http://www.securityfocus.com/bid/103204	
url: https://bugs.php.net/bug.php?id=75981	
cert-bund: CB-K18/0698	
cert-bund: CB-K18/0498	
cert-bund: CB-K18/0383	
dfn-cert: DFN-CERT-2020-0680	
dfn-cert: DFN-CERT-2019-1737	
dfn-cert: DFN-CERT-2018-1232	
dfn-cert: DFN-CERT-2018-1059	
dfn-cert: DFN-CERT-2018-0733	
dfn-cert: DFN-CERT-2018-0576	
dfn-cert: DFN-CERT-2018-0537	
dfn-cert: DFN-CERT-2018-0399	

Critical (CVSS: 9.8)	
NVT: PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.37 Installation path / port: 8585/tcp	
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service (use-after-free and application crash) or possibly execute arbitrary code or possibly have unspecified other impact via a large integer argument.	
Solution: Solution type: VendorFix Update to version 5.5.37, 5.6.23 or later.	
Affected Software/OS PHP prior to version 5.5.37 and 5.6.x prior to 5.6.23 on Windows.	
Vulnerability Insight The following flaws exist: - The 'spl_array.c' in the SPL extension improperly interacts with the unserialize implementation and garbage collection. - Integer overflow in the 'SplFileObject::fread' function in 'spl_directory.c' in the SPL extension.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.37, 5.6.x < 5.6.23 Multiple Vulnerabilities (Aug 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808789 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 ... continues on next page ...	

...continued from previous page ...
Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-5770 cve: CVE-2016-5771 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/91401 url: http://www.securityfocus.com/bid/91403 cert-bund: CB-K16/2012 cert-bund: CB-K16/1776 cert-bund: CB-K16/1452 cert-bund: CB-K16/1179 cert-bund: CB-K16/1106 cert-bund: CB-K16/1070 cert-bund: CB-K16/1030 cert-bund: CB-K16/0965 dfn-cert: DFN-CERT-2018-0576 dfn-cert: DFN-CERT-2016-2125 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1541 dfn-cert: DFN-CERT-2016-1253 dfn-cert: DFN-CERT-2016-1178 dfn-cert: DFN-CERT-2016-1139 dfn-cert: DFN-CERT-2016-1097 dfn-cert: DFN-CERT-2016-1022

Critical (CVSS: 9.8)

NVT: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.5.38

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Impact Successfully exploiting these issues may allow attackers to cause a denial of service obtain sensitive information from process memory, or possibly have unspecified other impact.	
Solution: Solution type: VendorFix Update to version 5.5.38, 5.6.24, 7.0.9 or later.	
Affected Software/OS PHP prior to version 5.5.38, 5.6.x prior to 5.6.24 and 7.x prior to 7.0.9.	
Vulnerability Insight The following flaws exist: - Integer overflow in the 'php_stream_zip_opener' function in 'ext/zip/zip_stream.c' - Integer signedness error in the 'simplestring_addn' function in 'simplestring.c' in xmlrpc-epi - 'ext/snmp/snmp.c' improperly interacts with the unserialize implementation and garbage collection - The 'locale_accept_from_http' function in 'ext/intl/locale/locale_methods.c' does not properly restrict calls to the ICU 'uloc_acceptLanguageFromHTTP' function - Error in the 'exif_process_user_comment' function of 'ext/exif/exif.c' - Error in the 'exif_process_IFD_in_MAKERNOTE' function of 'ext/exif/exif.c' - 'ext/session/session.c' does not properly maintain a certain hash data structure - Integer overflow in the 'virtual_file_ex' function of 'TSRM/tsrm_virtual_cwd.c' - Error in the 'php_url_parse_ex' function of 'ext/standard/url.c' - Integer overflow error within _gdContributionsAlloc() - Inadequate error handling in bzread()	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.38, 5.6.x < 5.6.24, 7.0.x < 7.0.9 Multiple Vulnerabilities (Jul 2016). ↪... OID:1.3.6.1.4.1.25623.1.0.808633 Version used: 2025-09-26T11:08:41+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2016-5399 cve: CVE-2016-6207 cve: CVE-2016-6288	
... continues on next page ...	

...continued from previous page ...

cve: CVE-2016-6289
cve: CVE-2016-6290
cve: CVE-2016-6291
cve: CVE-2016-6292
cve: CVE-2016-6294
cve: CVE-2016-6295
cve: CVE-2016-6296
cve: CVE-2016-6297
url: <http://php.net/ChangeLog-5.php>
url: <http://www.securityfocus.com/bid/92111>
url: <http://www.securityfocus.com/bid/92074>
url: <http://www.securityfocus.com/bid/92097>
url: <http://www.securityfocus.com/bid/92073>
url: <http://www.securityfocus.com/bid/92078>
url: <http://www.securityfocus.com/bid/92115>
url: <http://www.securityfocus.com/bid/92094>
url: <http://www.securityfocus.com/bid/92095>
url: <http://www.securityfocus.com/bid/92099>
url: <http://php.net/ChangeLog-7.php>
url: <http://openwall.com/lists/oss-security/2016/07/24/2>
cert-bund: CB-K17/1252
cert-bund: CB-K17/1011
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1549
cert-bund: CB-K16/1499
cert-bund: CB-K16/1458
cert-bund: CB-K16/1452
cert-bund: CB-K16/1440
cert-bund: CB-K16/1407
cert-bund: CB-K16/1345
cert-bund: CB-K16/1283
cert-bund: CB-K16/1257
cert-bund: CB-K16/1248
cert-bund: CB-K16/1235
cert-bund: CB-K16/1233
cert-bund: CB-K16/1179
cert-bund: CB-K16/1130
cert-bund: CB-K16/1115
cert-bund: CB-K16/1110
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1541

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2016-1536
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1431
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1335
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1310
dfn-cert: DFN-CERT-2016-1309
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1203
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
```

Critical (CVSS: 9.8)**NVT: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.25

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, to obtain sensitive information from process memory, to inject arbitrary-type session data by leveraging control of a session name.

Solution:**Solution type:** VendorFix

Update to version 5.6.25, 7.0.10 or later.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
PHP prior to version 5.6.25 and 7.x prior to 7.0.10 on Windows.
Vulnerability Insight The following flaws exist: - Invalid wddxPacket XML document that is mishandled in a wddx_deserialize call in 'ext/wddx/wddx.c' script. - Error in 'php_wddx_pop_element' function in 'ext/wddx/wddx.c' script. - An error in 'php_wddx_process_data' function in 'ext/wddx/wddx.c' script. - Improper handling of the case of a thumbnail offset that exceeds the file size in 'exif_process_IFD_in_TIFF' function in 'ext/exif/exif.c' script. - Improper validation of gamma values in 'imagegammaconvert' function in 'ext/gd/gd.c' script. - Improper validation of number of colors in 'imagegammaconvert' function in 'ext/gd/gd.c' script. - The script 'ext/session/session.c' skips invalid session names in a way that triggers incorrect parsing. - Improper handling of certain objects in 'ext/standard/var_unserializer.c' script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.25, 7.x < 7.0.10 Multiple Vulnerabilities (Sep 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809318 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-7124 cve: CVE-2016-7125 cve: CVE-2016-7126 cve: CVE-2016-7127 cve: CVE-2016-7128 cve: CVE-2016-7129 cve: CVE-2016-7130 cve: CVE-2016-7131 cve: CVE-2016-7132 url: http://www.php.net/ChangeLog-7.php url: http://www.securityfocus.com/bid/92756 url: http://www.securityfocus.com/bid/92552 url: http://www.securityfocus.com/bid/92755 url: http://www.securityfocus.com/bid/92757 url: http://www.securityfocus.com/bid/92564 url: http://www.securityfocus.com/bid/92758 url: http://www.php.net/ChangeLog-5.php
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K16/1776
cert-bund: CB-K16/1772
cert-bund: CB-K16/1549
cert-bund: CB-K16/1543
cert-bund: CB-K16/1532
cert-bund: CB-K16/1499
cert-bund: CB-K16/1440
cert-bund: CB-K16/1280
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1878
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1639
dfn-cert: DFN-CERT-2016-1631
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1526
dfn-cert: DFN-CERT-2016-1359

```

Critical (CVSS: 9.8)**NVT: PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.26

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service, or possibly have unspecified other impact.

Solution:**Solution type:** VendorFix

Update to version 5.6.26, 7.0.11 or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS PHP prior to version 5.6.26 and 7.x prior to 7.0.11 on Windows.
Vulnerability Insight The following flaws exist: - Use-after-free vulnerability in the 'wddx_stack_destroy' function in 'ext/wddx/wddx.c' script. - Improper verification of a BIT field has the UNSIGNED_FLAG flag in 'ext/mysqlnd/mysqlnd_wireprotocol.c' script. - The ZIP signature-verification feature does not ensure that the uncompressed_filesize field is large enough. - The script 'ext/spl/spl_array.c' proceeds with SplArray unserialization without validating a return value and data type. - The script 'ext/intl/msgformat/msgformat_format.c' does not properly restrict the locale length provided to the Locale class in the ICU library. - An error in the php_wddx_push_element function in ext/wddx/wddx.c.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.26, 7.x < 7.0.11 Multiple Vulnerabilities (Sep 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809316 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-7412 cve: CVE-2016-7413 cve: CVE-2016-7414 cve: CVE-2016-7416 cve: CVE-2016-7417 cve: CVE-2016-7418 url: http://www.php.net/ChangeLog-7.php url: http://www.securityfocus.com/bid/93005 url: http://www.securityfocus.com/bid/93006 url: http://www.securityfocus.com/bid/93004 url: http://www.securityfocus.com/bid/93022 url: http://www.securityfocus.com/bid/93008 url: http://www.securityfocus.com/bid/93007 url: http://www.securityfocus.com/bid/93011 url: http://www.php.net/ChangeLog-5.php cert-bund: CB-K16/1958 cert-bund: CB-K16/1549 cert-bund: CB-K16/1543
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K16/1532
 cert-bund: CB-K16/1426
 dfn-cert: DFN-CERT-2018-0835
 dfn-cert: DFN-CERT-2016-2063
 dfn-cert: DFN-CERT-2016-1641
 dfn-cert: DFN-CERT-2016-1639
 dfn-cert: DFN-CERT-2016-1631
 dfn-cert: DFN-CERT-2016-1495

Critical (CVSS: 9.8)**NVT: PHP < 5.6.26 DoS Vulnerability - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.26

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service.

Solution:**Solution type:** VendorFix

Update to version 5.6.26 or later.

Affected Software/OS

PHP prior to version 5.6.26 on Windows.

Vulnerability Insight

The flaw is due to improper handling of object-deserialization failures in 'ext/standard/var_unserializer.re' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

... continues on next page ...

...continued from previous page ...
Details: PHP < 5.6.26 DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.809322 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-7411 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/93009 cert-bund: CB-K16/1958 cert-bund: CB-K16/1543 cert-bund: CB-K16/1532 cert-bund: CB-K16/1426 dfn-cert: DFN-CERT-2016-2063 dfn-cert: DFN-CERT-2016-1639 dfn-cert: DFN-CERT-2016-1631 dfn-cert: DFN-CERT-2016-1495

Critical (CVSS: 9.8)
NVT: PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.27 Installation path / port: 8585/tcp
Impact ... continues on next page ...

...continued from previous page ...
Successfully exploiting these issues allows a remote attacker to cause a DoS, or possibly have unspecified other impact.
Solution: Solution type: VendorFix Update to version 5.6.27, 7.0.12 or later.
Affected Software/OS PHP prior to version 5.6.27 and 7.0.x through 7.0.11.
Vulnerability Insight The following flaws exist: - Integer Overflow in gdImageWebpCtx of gd_webp.c - Use After Free in PHP7 unserialize()
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.27, 7.x < 7.0.12 Multiple DoS Vulnerabilities (Oct 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809337 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-7568 cve: CVE-2016-9137 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/93184 url: http://www.securityfocus.com/bid/93577 url: http://www.php.net/ChangeLog-7.php url: http://seclists.org/oss-sec/2016/q3/639 url: https://bugs.php.net/bug.php?id=73003 url: https://bugs.php.net/bug.php?id=73147 cert-bund: CB-K17/0327 cert-bund: CB-K17/0269 cert-bund: CB-K16/1941 cert-bund: CB-K16/1868 cert-bund: CB-K16/1854 cert-bund: CB-K16/1811 cert-bund: CB-K16/1645 cert-bund: CB-K16/1606 cert-bund: CB-K16/1603
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2017-0334
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1918
dfn-cert: DFN-CERT-2016-1745
dfn-cert: DFN-CERT-2016-1704
dfn-cert: DFN-CERT-2016-1700
```

Critical (CVSS: 9.8)**NVT: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.28

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 5.6.28, 7.0.13 or later.

Affected Software/OS

PHP prior to version 5.6.28 and 7.x prior to 7.0.13.

Vulnerability Insight

The following flaws exist:

- CVE-2016-8670: Stack Buffer Overflow in GD dynamicGetbuf
- CVE-2016-9933, CVE-2016-9934: Multiple denial of service (DoS) vulnerabilities
- CVE-2016-10397: Security bypass vulnerability

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

... continues on next page ...

...continued from previous page ... Details: PHP < 5.6.28, 7.x < 7.0.13 Multiple Vulnerabilities (Nov 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.811488 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-8670 cve: CVE-2016-9933 cve: CVE-2016-9934 cve: CVE-2016-10397 url: http://www.php.net/ChangeLog-5.php url: http://www.php.net/ChangeLog-7.php url: http://bugs.php.net/73280 url: http://bugs.php.net/72696 url: http://bugs.php.net/73331 url: http://bugs.php.net/73192 cert-bund: CB-K17/1575 cert-bund: CB-K17/1461 cert-bund: CB-K17/1358 cert-bund: CB-K17/1252 cert-bund: CB-K17/0269 cert-bund: CB-K17/0124 cert-bund: CB-K17/0053 cert-bund: CB-K17/0015 cert-bund: CB-K16/2015 cert-bund: CB-K16/2011 cert-bund: CB-K16/1943 cert-bund: CB-K16/1790 cert-bund: CB-K16/1606 dfn-cert: DFN-CERT-2019-2707 dfn-cert: DFN-CERT-2018-0835 dfn-cert: DFN-CERT-2017-1647 dfn-cert: DFN-CERT-2017-1529 dfn-cert: DFN-CERT-2017-1420 dfn-cert: DFN-CERT-2017-1295 dfn-cert: DFN-CERT-2017-0274 dfn-cert: DFN-CERT-2017-0131 dfn-cert: DFN-CERT-2017-0058 dfn-cert: DFN-CERT-2017-0016 dfn-cert: DFN-CERT-2016-2130 dfn-cert: DFN-CERT-2016-2123 dfn-cert: DFN-CERT-2016-2053
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2016-1887
 dfn-cert: DFN-CERT-2016-1704

Critical (CVSS: 9.8)

NVT: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.6.30

Installation

path / port: 8585/tcp

Solution:

Solution type: VendorFix

Update to version 5.6.30, 7.0.15, 7.1.1 or later.

Affected Software/OS

PHP prior to version 5.6.30, 7.x prior to 7.0.15 and 7.1.x prior to 7.1.1.

Vulnerability Insight

The following flaws exist:

- CVE-2016-10161: Heap out of bounds read on unserialize in finish_nested_data()
- CVE-2016-10158: FPE when parsing a tag format
- CVE-2016-10168: Signed Integer Overflow gd_io.c
- CVE-2016-10167: DOS vulnerability in gdImageCreateFromGd2Ctx()
- CVE-2017-11147: Seg fault when loading hostile phar
- CVE-2016-10160: Memory corruption when loading hostile phar
- CVE-2016-10159: Crash while loading hostile phar archive

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 5.6.30, 7.x < 7.0.15, 7.1.x < 7.1.1 Multiple Vulnerabilities (Jan 2017) -.
 ↪..

OID:1.3.6.1.4.1.25623.1.0.108053

...continues on next page ...

...continued from previous page ...	
Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2016-10158 cve: CVE-2016-10159 cve: CVE-2016-10160 cve: CVE-2016-10161 cve: CVE-2016-10167 cve: CVE-2016-10168 cve: CVE-2017-11147 url: http://www.php.net/ChangeLog-5.php url: http://www.php.net/ChangeLog-7.php url: http://bugs.php.net/73825 url: http://bugs.php.net/73737 url: http://bugs.php.net/73869 url: http://bugs.php.net/73868 url: http://bugs.php.net/73773 url: http://bugs.php.net/73768 url: http://bugs.php.net/73764 cert-bund: WID-SEC-2023-2718 cert-bund: CB-K17/1957 cert-bund: CB-K17/1575 cert-bund: CB-K17/1461 cert-bund: CB-K17/1358 cert-bund: CB-K17/1252 cert-bund: CB-K17/0527 cert-bund: CB-K17/0327 cert-bund: CB-K17/0318 cert-bund: CB-K17/0269 cert-bund: CB-K17/0264 cert-bund: CB-K17/0232 cert-bund: CB-K17/0182 cert-bund: CB-K17/0141 dfn-cert: DFN-CERT-2018-0835 dfn-cert: DFN-CERT-2017-2044 dfn-cert: DFN-CERT-2017-1647 dfn-cert: DFN-CERT-2017-1529 dfn-cert: DFN-CERT-2017-1420 dfn-cert: DFN-CERT-2017-1295 dfn-cert: DFN-CERT-2017-0532 dfn-cert: DFN-CERT-2017-0334	
...continues on next page ...	

...continued from previous page ...
dfn-cert: DFN-CERT-2017-0325
dfn-cert: DFN-CERT-2017-0274
dfn-cert: DFN-CERT-2017-0270
dfn-cert: DFN-CERT-2017-0234
dfn-cert: DFN-CERT-2017-0179
dfn-cert: DFN-CERT-2017-0144

Critical (CVSS: 9.8)
NVT: PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.31 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to leak information from the interpreter, crash PHP interpreter and also disclose sensitive information.
Solution: Solution type: VendorFix Update to version 5.6.31, 7.0.21, 7.1.7 or later.
Affected Software/OS PHP prior to version 5.6.31, 7.0.x prior to 7.0.21 and 7.1.x prior to 7.1.7.
Vulnerability Insight The following vulnerabilities exist: - An ext/date/lib/parse_date.c out-of-bounds read affecting the php_parse_date function. - The openssl extension PEM sealing code did not check the return value of the OpenSSL sealing function. - lack of bounds checks in the date extension's timelib_meridian parsing code.
... continues on next page ...

...continued from previous page ... - A stack-based buffer overflow in the zend_ini_do_op() function in the 'Zend/zend_ini_parser.c' script. - The GIF decoding function gdImageCreateFromGifCtx in gd_gif_in.c in the GD Graphics Library (aka libgd) does not zero colorMap arrays before use. - Heap buffer overread (READ: 1) finish_nested_data from unserialize - oniguruma upstream fix
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.31, 7.0.x < 7.0.21, 7.1.x < 7.1.7 Multiple Vulnerabilities (Jul 2017). ↪... OID:1.3.6.1.4.1.25623.1.0.811481 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2017-7890 cve: CVE-2017-9224 cve: CVE-2017-9225 cve: CVE-2017-9226 cve: CVE-2017-9227 cve: CVE-2017-9228 cve: CVE-2017-9229 cve: CVE-2017-11144 cve: CVE-2017-11145 cve: CVE-2017-11628 cve: CVE-2017-12933 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/99492 url: http://www.securityfocus.com/bid/99550 url: http://www.securityfocus.com/bid/99605 url: http://www.securityfocus.com/bid/99612 url: http://www.securityfocus.com/bid/99489 url: http://www.php.net/ChangeLog-7.php cert-bund: WID-SEC-2023-2719 cert-bund: WID-SEC-2023-2718 cert-bund: CB-K18/0270 cert-bund: CB-K18/0048 cert-bund: CB-K17/2123 cert-bund: CB-K17/1575 cert-bund: CB-K17/1573 cert-bund: CB-K17/1562 ... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K17/1468
cert-bund: CB-K17/1461
cert-bund: CB-K17/1373
cert-bund: CB-K17/1358
cert-bund: CB-K17/1132
cert-bund: CB-K17/1011
cert-bund: CB-K17/0908
dfn-cert: DFN-CERT-2020-1221
dfn-cert: DFN-CERT-2020-0484
dfn-cert: DFN-CERT-2020-0479
dfn-cert: DFN-CERT-2019-1052
dfn-cert: DFN-CERT-2018-2116
dfn-cert: DFN-CERT-2018-0835
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0290
dfn-cert: DFN-CERT-2018-0055
dfn-cert: DFN-CERT-2017-2219
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1644
dfn-cert: DFN-CERT-2017-1629
dfn-cert: DFN-CERT-2017-1530
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1432
dfn-cert: DFN-CERT-2017-1420
dfn-cert: DFN-CERT-2017-1161
dfn-cert: DFN-CERT-2017-1046
dfn-cert: DFN-CERT-2017-0932

```

Critical (CVSS: 9.8)**NVT: PHP < 7.0.12 RCE / DoS Vulnerability - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a remote code execution (RCE) or denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 7.0.12

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 7.0.12 or later.	
Affected Software/OS PHP versions prior to 7.0.12.	
Vulnerability Insight The SplObjectStorage unserialize implementation in ext/spl/spl_observer.c does not verify that a key is an object, which allows remote attackers to execute arbitrary code or cause a denial of service (uninitialized memory access) via crafted serialized data.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.0.12 RCE / DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.117801 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2016-7480 url: https://www.php.net/ChangeLog-7.php#7.0.12 url: https://bugs.php.net/bug.php?id=73257 url: http://blog.checkpoint.com/2016/12/27/check-point-discovers-three-zero-day-vulnerabilities-web-programming-language-php-7 cert-bund: CB-K17/0318 dfn-cert: DFN-CERT-2017-0325	

Critical (CVSS: 9.8)

NVT: PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

... continues on next page ...

...continued from previous page ...
PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.37 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service (buffer overflow and application crash) or possibly execute arbitrary code.
Solution: Solution type: VendorFix Update to PHP version 5.5.37, 5.6.23, 7.0.8 or later.
Affected Software/OS PHP prior to version 5.5.37, 5.6.x prior to 5.6.23 and 7.x prior to 7.0.8 on Windows.
Vulnerability Insight The following flaws exist: - The 'php_zip.c' script in the zip extension improperly interacts with the unserialize implementation and garbage collection. - The php_wddx_process_data function in 'wddx.c' script in the WDDX extension mishandled data in a wddx_deserialize call. - The multiple integer overflows in 'mcrypt.c' script in the mcrypt extension. - The double free vulnerability in the '_php_mb_regex_ereg_replace_exec' function in 'php_mbregex.c' script in the mbstring extension. - An integer overflow in the '_gd2GetHeader' function in 'gd_gd2.c' script in the GD Graphics Library. - An integer overflow in the 'gdImageCreate' function in 'gd.c' script in the GD Graphics Library.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.37, 5.6.x < 5.6.23, 7.x < 7.0.8 Multiple Vulnerabilities (Aug 2016) -. ↪.. OID:1.3.6.1.4.1.25623.1.0.808787 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2016-5766
cve: CVE-2016-5767
cve: CVE-2016-5768
cve: CVE-2016-5769
cve: CVE-2016-5772
cve: CVE-2016-5773
url: <http://www.php.net/ChangeLog-5.php>
url: <http://www.securityfocus.com/bid/91397>
url: <http://www.securityfocus.com/bid/91398>
url: <http://www.securityfocus.com/bid/91399>
url: <http://www.securityfocus.com/bid/91396>
url: <http://www.securityfocus.com/bid/91395>
url: <http://www.php.net/ChangeLog-7.php>
cert-bund: CB-K17/1575
cert-bund: CB-K17/1461
cert-bund: CB-K17/1252
cert-bund: CB-K16/1868
cert-bund: CB-K16/1776
cert-bund: CB-K16/1722
cert-bund: CB-K16/1629
cert-bund: CB-K16/1600
cert-bund: CB-K16/1452
cert-bund: CB-K16/1257
cert-bund: CB-K16/1230
cert-bund: CB-K16/1179
cert-bund: CB-K16/1115
cert-bund: CB-K16/1106
cert-bund: CB-K16/1077
cert-bund: CB-K16/1070
cert-bund: CB-K16/1045
cert-bund: CB-K16/1030
cert-bund: CB-K16/0975
cert-bund: CB-K16/0966
cert-bund: CB-K16/0965
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2020-2741
dfn-cert: DFN-CERT-2018-0576
dfn-cert: DFN-CERT-2017-1647
dfn-cert: DFN-CERT-2017-1529
dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-1974
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1822
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1697

...continues on next page ...

...	...continued from previous page ...
dfn-cert:	DFN-CERT-2016-1541
dfn-cert:	DFN-CERT-2016-1335
dfn-cert:	DFN-CERT-2016-1295
dfn-cert:	DFN-CERT-2016-1253
dfn-cert:	DFN-CERT-2016-1184
dfn-cert:	DFN-CERT-2016-1178
dfn-cert:	DFN-CERT-2016-1144
dfn-cert:	DFN-CERT-2016-1139
dfn-cert:	DFN-CERT-2016-1110
dfn-cert:	DFN-CERT-2016-1097
dfn-cert:	DFN-CERT-2016-1033
dfn-cert:	DFN-CERT-2016-1022
dfn-cert:	DFN-CERT-2016-1021

Critical (CVSS: 9.8)

NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check

Summary

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

By doing a HTTP request with the following data (excerpt):

Affected URL : http://192.168.56.6:858

↪5/functionRouter

HTTP "POST" body : OpenVASVT

HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge

↪tRuntime().exec("ping -n 5 192.168.56.1")

HTTP Method : POST

it was possible to trigger the vulnerability and make the remote host sending an
↪ ICMP request back to the scanner host (Details on the received packet follows
↪).

Destination IP: 192.168.56.1 (receiving IP on scanner host side)

Originating IP: 192.168.56.6 (originating IP from target host side)

Received answer (ICMP "Data" field):

0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop

0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi

0x20:

Solution:

Solution type: VendorFix

Update to version 3.1.7, 3.2.3 or later.

... continues on next page ...

...continued from previous page...	
Affected Software/OS	VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight	When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method	Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪... OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References	cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

Critical (CVSS: 9.6)	
NVT: PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to an XML external entity (XXE) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.22 Installation path / port: 8585/tcp	
Impact Successfully exploiting this issue allow remote attackers to conduct XML External Entity (XXE) and XML Entity Expansion (XEE) attacks.	
Solution: Solution type: VendorFix Update to PHP version 5.5.22, 5.6.6 or later.	
Affected Software/OS PHP prior to version 5.5.22 and 5.6.x prior to 5.6.6 on Windows.	
Vulnerability Insight The flaw is due to script 'ext/libxml/libxml.c' does not isolate each thread from 'libxml_disable_entity_loader' when PHP-FPM is used.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.22, 5.6.x < 5.6.6 XXE Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.808614 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
... continues on next page ...	

...continued from previous page ...

References

cve: CVE-2015-8866
 url: <http://www.php.net/ChangeLog-5.php>
 url: <http://www.securityfocus.com/bid/87470>
 cert-bund: CB-K18/0028
 cert-bund: CB-K16/1776
 cert-bund: CB-K16/0944
 cert-bund: CB-K16/0912
 cert-bund: CB-K16/0705
 cert-bund: CB-K16/0614
 dfn-cert: DFN-CERT-2018-0010
 dfn-cert: DFN-CERT-2016-1882
 dfn-cert: DFN-CERT-2016-1004
 dfn-cert: DFN-CERT-2016-0972
 dfn-cert: DFN-CERT-2016-0764
 dfn-cert: DFN-CERT-2016-0659

Critical (CVSS: 9.1)

NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption
 Vulnerability (Mar 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10
 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to an out-of-bounds read memory corruption vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10
 Fixed version: 5.5.31
 Installation
 path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to obtain sensitive information or cause a denial-of-service condition.

Solution:

Solution type: VendorFix

Update to version 5.5.31, 5.6.17, 7.0.2 or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Windows.
Vulnerability Insight A memory corruption vulnerability occurs via a large 'bgd_color' argument to the 'imagerotate' function in 'ext/gd/libgd/gd_interpolation.c' script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 Out of Bounds Read Memory Corruption . ↪.. OID:1.3.6.1.4.1.25623.1.0.807089 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-1903 url: https://bugs.php.net/bug.php?id=70976 url: http://www.securityfocus.com/bid/79916 url: http://www.openwall.com/lists/oss-security/2016/01/14/8 cert-bund: CB-K16/1776 cert-bund: CB-K16/0614 cert-bund: CB-K16/0161 cert-bund: CB-K16/0136 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-0659 dfn-cert: DFN-CERT-2016-0176 dfn-cert: DFN-CERT-2016-0154

Critical (CVSS: 9.1)
NVT: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
...continues on next page ...

...continued from previous page ...
Summary Apache HTTP Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.2.34 Installation path / port: 8585/tcp
Impact Successful exploitation will allow remote attackers to cause the target service to crash. A remote user can obtain potentially sensitive information as well on the target system.
Solution: Solution type: VendorFix Update to Apache HTTP Server 2.2.34 or 2.4.27 or later.
Affected Software/OS Apache HTTP Server 2.2.x before 2.2.34 and 2.4.x before 2.4.27.
Vulnerability Insight The flaw exists due to error in Apache 'mod_auth_digest' which does not properly initialize memory used to process 'Digest' type HTTP Authorization headers.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server 'mod_auth_digest' Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.811236 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2017-9788 url: http://www.securitytracker.com/id/1038906 url: http://www.securityfocus.com/bid/99569 url: http://httpd.apache.org/security/vulnerabilities_22.html url: http://httpd.apache.org/security/vulnerabilities_24.html cert-bund: WID-SEC-2025-0370 cert-bund: CB-K18/0066
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/2013
 cert-bund: CB-K17/1980
 cert-bund: CB-K17/1936
 cert-bund: CB-K17/1871
 cert-bund: CB-K17/1854
 cert-bund: CB-K17/1842
 cert-bund: CB-K17/1768
 cert-bund: CB-K17/1747
 cert-bund: CB-K17/1622
 cert-bund: CB-K17/1558
 cert-bund: CB-K17/1382
 cert-bund: CB-K17/1197
 cert-bund: CB-K17/1177
 cert-bund: CB-K17/1023
 dfn-cert: DFN-CERT-2019-0358
 dfn-cert: DFN-CERT-2018-0077
 dfn-cert: DFN-CERT-2017-2104
 dfn-cert: DFN-CERT-2017-2070
 dfn-cert: DFN-CERT-2017-2021
 dfn-cert: DFN-CERT-2017-1954
 dfn-cert: DFN-CERT-2017-1926
 dfn-cert: DFN-CERT-2017-1925
 dfn-cert: DFN-CERT-2017-1843
 dfn-cert: DFN-CERT-2017-1828
 dfn-cert: DFN-CERT-2017-1692
 dfn-cert: DFN-CERT-2017-1626
 dfn-cert: DFN-CERT-2017-1443
 dfn-cert: DFN-CERT-2017-1240
 dfn-cert: DFN-CERT-2017-1217
 dfn-cert: DFN-CERT-2017-1058

Critical (CVSS: 9.1)**NVT: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

... continues on next page ...

...continued from previous page...	
Installed version:	5.3.10
Fixed version:	5.5.31
Installation	
path / port:	8585/tcp
Impact Successfully exploiting this issue allow attackers to obtain sensitive information from process memory or cause a denial of service (out-of-bounds read and buffer overflow) via a long string.	
Solution: Solution type: VendorFix Update to version 5.5.31, 5.6.17, 7.0.2 or later.	
Affected Software/OS PHP prior to version 5.5.31, 5.6.x prior to 5.6.17 and 7.x prior to 7.0.2 on Windows.	
Vulnerability Insight The flaw is due to the 'sapi/fpm/fpm/fpm_log.c' script misinterprets the semantics of the snprintf return value.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.31, 5.6.x < 5.6.17, 7.x < 7.0.2 DoS Vulnerability (Aug 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809138 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2016-5114 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/81808 cert-bund: CB-K16/1776 cert-bund: CB-K16/1179 cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0911 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1253 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0944	

Critical (CVSS: 9.1)	
NVT: PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020) - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.27 Installation path / port: 8585/tcp	
Solution: Solution type: VendorFix Update to version 7.2.27, 7.3.14, 7.4.2 or later.	
Affected Software/OS PHP prior to version 7.2.27, 7.3.x prior to 7.3.14 and 7.4.x prior to 7.4.2.	
Vulnerability Insight The following flaws exist: - CVE-2020-7059: OOB read in php_strip_tags_ex - CVE-2020-7060: Global buffer-overflow in 'mbfl_filt_conv_big5_wchar'	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.27, 7.3.x < 7.3.14, 7.4.x < 7.4.2 Multiple Vulnerabilities (Jan 2020). ↪.. OID:1.3.6.1.4.1.25623.1.0.143393 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References ... continues on next page ...	

...continued from previous page ...
cve: CVE-2020-7059 cve: CVE-2020-7060 url: https://www.php.net/ChangeLog-7.php#7.2.27 url: https://www.php.net/ChangeLog-7.php#7.3.14 url: https://www.php.net/ChangeLog-7.php#7.4.2 cert-bund: WID-SEC-2022-2121 cert-bund: CB-K20/1199 cert-bund: CB-K20/0067 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2020-2627 dfn-cert: DFN-CERT-2020-1964 dfn-cert: DFN-CERT-2020-0485 dfn-cert: DFN-CERT-2020-0422 dfn-cert: DFN-CERT-2020-0415 dfn-cert: DFN-CERT-2020-0382 dfn-cert: DFN-CERT-2020-0342 dfn-cert: DFN-CERT-2020-0339 dfn-cert: DFN-CERT-2020-0337 dfn-cert: DFN-CERT-2020-0139

Critical (CVSS: 9.0)

NVT: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Windows

Product detection result

cpe:/a:apache:http_server:2.2.21

Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1
↔.0.117232)

Summary

Apache HTTP Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 2.2.21

Fixed version: 2.4.55

Installation

path / port: 8585/tcp

Solution:

Solution type: VendorFix

Update to version 2.4.55 or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Apache HTTP Server version 2.4.54 and prior.
Vulnerability Insight The following vulnerabilities exist: - CVE-2006-20001: mod_dav out of bounds read, or write of zero byte - CVE-2022-36760: Possible request smuggling in mod_proxy_ajp - CVE-2022-37436: mod_proxy allows a backend to trigger HTTP response splitting
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.55 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.149153 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2006-20001 cve: CVE-2022-36760 cve: CVE-2022-37436 url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.55 cert-bund: WID-SEC-2024-3195 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-2674 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-1022 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2023-0110 dfn-cert: DFN-CERT-2023-2545 dfn-cert: DFN-CERT-2023-1895 dfn-cert: DFN-CERT-2023-1297 dfn-cert: DFN-CERT-2023-0658 dfn-cert: DFN-CERT-2023-0548 dfn-cert: DFN-CERT-2023-0497 dfn-cert: DFN-CERT-2023-0118

[\[return to 192.168.56.6 \]](#)

2.2.8 Critical 4848/tcp

Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : https://192.168.56.6:48 ↳48/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↳tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↳ ICMP request back to the scanner host (Details on the received packet follows ↳). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): <pre> 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:</pre>
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes:
... continues on next page ...

...continued from previous page ... - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.2.9 Critical 3306/tcp

Critical (CVSS: 9.8) NVT: Oracle Mysql Security Update (cpuoct2018 - 02) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152) ↪25623.1.0.100152)
...continues on next page ...

...continued from previous page ...
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See reference Installation path / port: 3306/tcp
Impact Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle MySQL version 5.5.x through 5.5.61, 5.6.x through 5.6.41, 5.7.x through 5.7.23 and 8.0.x through 8.0.12.
Vulnerability Insight Multiple flaws exist due to: - An unspecified error within 'InnoDB (zlib)' component of MySQL Server. - An unspecified error within 'Server: Parser' component of MySQL Server. - An unspecified error within 'Client programs' component of MySQL Server. - An unspecified error within 'Server: Storage Engines' component of MySQL Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Update (cpuoct2018 - 02) - Windows OID:1.3.6.1.4.1.25623.1.0.814258 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-3133
... continues on next page ...

...continued from previous page ...

cve: CVE-2018-3174
cve: CVE-2018-3282
cve: CVE-2016-9843
cve: CVE-2016-9840
cve: CVE-2016-9841
cve: CVE-2016-9842
url: <https://www.oracle.com/security-alerts/cpuoct2018.html#AppendixMSQL>
advisory-id: cpuoct2018
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2025-0370
cert-bund: WID-SEC-2024-1232
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/0714
cert-bund: CB-K18/1005
cert-bund: CB-K18/0799
cert-bund: CB-K18/0030
cert-bund: CB-K17/2199
cert-bund: CB-K17/2168
cert-bund: CB-K17/1745
cert-bund: CB-K17/1709
cert-bund: CB-K17/1622
cert-bund: CB-K17/1585
cert-bund: CB-K17/1062
cert-bund: CB-K17/0877
cert-bund: CB-K17/0784
cert-bund: CB-K16/1996
dfn-cert: DFN-CERT-2026-0129
dfn-cert: DFN-CERT-2025-1437
dfn-cert: DFN-CERT-2025-1423
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2020-1536
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0592
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0463
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-2435
dfn-cert: DFN-CERT-2018-2273
dfn-cert: DFN-CERT-2018-2110
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2018-0659

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2018-0645
dfn-cert: DFN-CERT-2018-0039
dfn-cert: DFN-CERT-2017-2300
dfn-cert: DFN-CERT-2017-2268
dfn-cert: DFN-CERT-2017-1825
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1655
dfn-cert: DFN-CERT-2017-1097
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0806
dfn-cert: DFN-CERT-2016-2109
```

Critical (CVSS: 9.8)

NVT: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (cpuoct2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow a remote user to access restricted data.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.52 and prior, 5.6 through 5.6.33 and 5.7 through 5.7.15.

... continues on next page ...

...continued from previous page ...
Vulnerability Insight Multiple flaws exist due to multiple unspecified errors in the 'Server: Security: Encryption' and 'Server: Logging' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.809386 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-5584 cve: CVE-2016-6662 cve: CVE-2016-7440 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMySQL advisory-id: cpuoct2016 url: http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution ↪-Privesc-CVE-2016-6662.txt url: https://www.exploit-db.com/exploits/40360/ cert-bund: CB-K17/0139 cert-bund: CB-K17/0055 cert-bund: CB-K16/1846 cert-bund: CB-K16/1755 cert-bund: CB-K16/1742 cert-bund: CB-K16/1714 cert-bund: CB-K16/1655 cert-bund: CB-K16/1624 cert-bund: CB-K16/1448 cert-bund: CB-K16/1392 dfn-cert: DFN-CERT-2020-1473 dfn-cert: DFN-CERT-2017-0138 dfn-cert: DFN-CERT-2017-0060 dfn-cert: DFN-CERT-2016-1950 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1849 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1753 dfn-cert: DFN-CERT-2016-1714 dfn-cert: DFN-CERT-2016-1540 dfn-cert: DFN-CERT-2016-1479

Critical (CVSS: 9.8)	
NVT: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
Summary Oracle MySQL Server is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.36 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.36, 8.0.27 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.35 and prior and 8.0 through 8.0.26.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.117741 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2021-3711 cve: CVE-2021-22926 cve: CVE-2021-35604 cve: CVE-2021-35624 ... continues on next page ...	

...continued from previous page ...

cve: CVE-2021-22922
cve: CVE-2021-22923
cve: CVE-2021-22924
cve: CVE-2021-22925
cve: CVE-2021-22945
cve: CVE-2021-22946
cve: CVE-2021-22947
cve: CVE-2021-3712
url: <https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixMSQL>
advisory-id: cpuoct2021
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2366
cert-bund: WID-SEC-2025-1459
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-1186
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0556
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1821
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1030
cert-bund: WID-SEC-2023-0530
cert-bund: WID-SEC-2022-2354
cert-bund: WID-SEC-2022-2000
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1894
cert-bund: WID-SEC-2022-1515
cert-bund: WID-SEC-2022-1461
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1308
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1225
cert-bund: WID-SEC-2022-1056
cert-bund: WID-SEC-2022-0875
cert-bund: WID-SEC-2022-0874
cert-bund: WID-SEC-2022-0751
cert-bund: WID-SEC-2022-0676
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0602
cert-bund: WID-SEC-2022-0530
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0400
cert-bund: WID-SEC-2022-0393
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0101
cert-bund: WID-SEC-2022-0094
cert-bund: CB-K22/0473

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K22/0469
 cert-bund: CB-K22/0316
 cert-bund: CB-K22/0224
 cert-bund: CB-K22/0077
 cert-bund: CB-K22/0072
 cert-bund: CB-K22/0062
 cert-bund: CB-K22/0045
 cert-bund: CB-K22/0030
 cert-bund: CB-K22/0011
 cert-bund: CB-K21/1268
 cert-bund: CB-K21/1179
 cert-bund: CB-K21/1161
 cert-bund: CB-K21/1087
 cert-bund: CB-K21/0994
 cert-bund: CB-K21/0991
 cert-bund: CB-K21/0969
 cert-bund: CB-K21/0907
 cert-bund: CB-K21/0897
 cert-bund: CB-K21/0797
 dfn-cert: DFN-CERT-2025-3324
 dfn-cert: DFN-CERT-2024-0573
 dfn-cert: DFN-CERT-2024-0147
 dfn-cert: DFN-CERT-2023-0469
 dfn-cert: DFN-CERT-2022-2825
 dfn-cert: DFN-CERT-2022-2376
 dfn-cert: DFN-CERT-2022-2350
 dfn-cert: DFN-CERT-2022-2086
 dfn-cert: DFN-CERT-2022-2073
 dfn-cert: DFN-CERT-2022-2072
 dfn-cert: DFN-CERT-2022-2047
 dfn-cert: DFN-CERT-2022-1892
 dfn-cert: DFN-CERT-2022-1692
 dfn-cert: DFN-CERT-2022-1597
 dfn-cert: DFN-CERT-2022-1582
 dfn-cert: DFN-CERT-2022-1571
 dfn-cert: DFN-CERT-2022-1469
 dfn-cert: DFN-CERT-2022-1386
 dfn-cert: DFN-CERT-2022-1241
 dfn-cert: DFN-CERT-2022-1215
 dfn-cert: DFN-CERT-2022-1143
 dfn-cert: DFN-CERT-2022-0933
 dfn-cert: DFN-CERT-2022-0922
 dfn-cert: DFN-CERT-2022-0867
 dfn-cert: DFN-CERT-2022-0835
 dfn-cert: DFN-CERT-2022-0666
 dfn-cert: DFN-CERT-2022-0586
 dfn-cert: DFN-CERT-2022-0437

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0120
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2022-0031
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2502
dfn-cert: DFN-CERT-2021-2481
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2434
dfn-cert: DFN-CERT-2021-2403
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2329
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2189
dfn-cert: DFN-CERT-2021-2188
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2167
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1931
dfn-cert: DFN-CERT-2021-1917
dfn-cert: DFN-CERT-2021-1915
dfn-cert: DFN-CERT-2021-1871
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1799
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1568

```

Critical (CVSS: 9.8)

NVT: MySQL / MariaDB Default Credentials (MySQL Protocol)

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

... continues on next page ...

...continued from previous page ...
Summary It was possible to login into the remote MySQL using default credentials.
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to login as user "root" with an empty password.
Solution: Solution type: Mitigation - Change the password as soon as possible - Contact the vendor for other possible fixes / updates
Affected Software/OS The following products are known to use such weak credentials: - CVE-2001-0645: Symantec/AXENT NetProwler 3.5.x - CVE-2002-1809: Windows binary release of MySQL 3.23.2 through 3.23.52 - CVE-2004-1532: AppServ 2.5.x and earlier - CVE-2004-2357: Proofpoint Protection Server - CVE-2006-1451: MySQL Manager in Apple Mac OS X 10.3.9 and 10.4.6 - CVE-2007-2554: Associated Press (AP) Newspaper 4.0.1 and earlier - CVE-2007-6081: AdventNet EventLog Analyzer build 4030 - CVE-2009-0919: XAMPP - CVE-2014-3419: Infoblox NetMRI before 6.8.5 - CVE-2015-4669: Xsuite 2.x - CVE-2016-6531, CVE-2018-15719: Open Dental before version 18.4 - CVE-2024-22901: Vinchin Backup & Recovery 7.2 and prior Other products might be affected as well.
Vulnerability Detection Method Details: MySQL / MariaDB Default Credentials (MySQL Protocol) OID:1.3.6.1.4.1.25623.1.0.103551 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2001-0645 cve: CVE-2002-1809 cve: CVE-2004-1532 cve: CVE-2004-2357 cve: CVE-2006-1451
... continues on next page ...

...continued from previous page ...
cve: CVE-2007-2554
cve: CVE-2007-6081
cve: CVE-2009-0919
cve: CVE-2014-3419
cve: CVE-2015-4669
cve: CVE-2016-6531
cve: CVE-2018-15719
cve: CVE-2024-22901

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a vulnerability in libcurl.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.41 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.41, 8.0.32 or later.
Affected Software/OS Oracle MySQL Server version 5.7.40 and prior and 8.0 through 8.0.31.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Win.↵.. OID:1.3.6.1.4.1.25623.1.0.149170 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result ... continues on next page ...

...continued from previous page ...

Product: cpe:/a:mysql:mysql:5.5.20-log
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2022-32221
cve: CVE-2022-35260
cve: CVE-2022-42915
cve: CVE-2022-42916
url: <https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL>
advisory-id: cpujan2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1728
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1026
cert-bund: WID-SEC-2023-0296
cert-bund: WID-SEC-2023-0189
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2022-2372
cert-bund: WID-SEC-2022-1862
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1636
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0278
dfn-cert: DFN-CERT-2023-0216
dfn-cert: DFN-CERT-2023-0214
dfn-cert: DFN-CERT-2023-0157
dfn-cert: DFN-CERT-2023-0156
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2401
dfn-cert: DFN-CERT-2022-2400
dfn-cert: DFN-CERT-2022-2393
dfn-cert: DFN-CERT-2022-2391

Critical (CVSS: 9.8)	
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
Summary Oracle MySQL Server is prone to a vulnerability in InnoDB (zlib).	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.32 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.31.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Win.↵.. OID:1.3.6.1.4.1.25623.1.0.149536 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2022-37434 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2026-0180	
... continues on next page ...	

...continued from previous page ...	
cert-bund:	WID-SEC-2024-1653
cert-bund:	WID-SEC-2024-1591
cert-bund:	WID-SEC-2024-0794
cert-bund:	WID-SEC-2024-0122
cert-bund:	WID-SEC-2024-0120
cert-bund:	WID-SEC-2024-0064
cert-bund:	WID-SEC-2023-2031
cert-bund:	WID-SEC-2023-1812
cert-bund:	WID-SEC-2023-1791
cert-bund:	WID-SEC-2023-1790
cert-bund:	WID-SEC-2023-1783
cert-bund:	WID-SEC-2023-1728
cert-bund:	WID-SEC-2023-1542
cert-bund:	WID-SEC-2023-1350
cert-bund:	WID-SEC-2023-1033
cert-bund:	WID-SEC-2023-1031
cert-bund:	WID-SEC-2023-1021
cert-bund:	WID-SEC-2023-1016
cert-bund:	WID-SEC-2023-0140
cert-bund:	WID-SEC-2023-0137
cert-bund:	WID-SEC-2023-0132
cert-bund:	WID-SEC-2023-0126
cert-bund:	WID-SEC-2023-0125
cert-bund:	WID-SEC-2022-1888
cert-bund:	WID-SEC-2022-1438
cert-bund:	WID-SEC-2022-0929
dfn-cert:	DFN-CERT-2024-0998
dfn-cert:	DFN-CERT-2024-0790
dfn-cert:	DFN-CERT-2024-0125
dfn-cert:	DFN-CERT-2023-3028
dfn-cert:	DFN-CERT-2023-2816
dfn-cert:	DFN-CERT-2023-2799
dfn-cert:	DFN-CERT-2023-1643
dfn-cert:	DFN-CERT-2023-0885
dfn-cert:	DFN-CERT-2023-0881
dfn-cert:	DFN-CERT-2023-0553
dfn-cert:	DFN-CERT-2023-0122
dfn-cert:	DFN-CERT-2023-0119
dfn-cert:	DFN-CERT-2023-0105
dfn-cert:	DFN-CERT-2022-2799
dfn-cert:	DFN-CERT-2022-2421
dfn-cert:	DFN-CERT-2022-2415
dfn-cert:	DFN-CERT-2022-2366
dfn-cert:	DFN-CERT-2022-2365
dfn-cert:	DFN-CERT-2022-2364
dfn-cert:	DFN-CERT-2022-2363
dfn-cert:	DFN-CERT-2022-2323
...continues on next page ...	

...continued from previous page ...
dfn-cert: DFN-CERT-2022-1841 dfn-cert: DFN-CERT-2022-1710
Critical (CVSS: 9.8) NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.44 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.44, 8.0.35, 8.1.1 or later.
Affected Software/OS Oracle MySQL Server version 5.7.43 and prior, 8.x through 8.0.34 and 8.1.0.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023.↪.. OID:1.3.6.1.4.1.25623.1.0.151218 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2023-38545
cve: CVE-2023-22084
cve: CVE-2023-38546
url: <https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL>
advisory-id: cpuoct2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0893
cert-bund: WID-SEC-2024-0290
cert-bund: WID-SEC-2024-0178
cert-bund: WID-SEC-2024-0175
cert-bund: WID-SEC-2024-0123
cert-bund: WID-SEC-2024-0119
cert-bund: WID-SEC-2024-0110
cert-bund: WID-SEC-2023-2788
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2570
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-2543
dfn-cert: DFN-CERT-2024-1601
dfn-cert: DFN-CERT-2024-1517
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-1090
dfn-cert: DFN-CERT-2024-1025
dfn-cert: DFN-CERT-2024-0963
dfn-cert: DFN-CERT-2024-0869
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0376
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2024-0185
dfn-cert: DFN-CERT-2024-0184
dfn-cert: DFN-CERT-2024-0181
dfn-cert: DFN-CERT-2024-0133
dfn-cert: DFN-CERT-2024-0132
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-3124
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3064
dfn-cert: DFN-CERT-2023-2988
dfn-cert: DFN-CERT-2023-2941
dfn-cert: DFN-CERT-2023-2819
dfn-cert: DFN-CERT-2023-2763

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2023-2681
dfn-cert: DFN-CERT-2023-2680
dfn-cert: DFN-CERT-2023-2643
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2475
dfn-cert: DFN-CERT-2023-2458
```

Critical (CVSS: 9.0)**NVT: Oracle MySQL Server Multiple Vulnerabilities - 01 - (Nov 2012) - Windows****Product detection result**

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Impact

Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data and cause a DoS (Denial of Service).

Solution:**Solution type:** VendorFix

Apply the patch from the referenced vendor advisory or upgrade to the latest version.

Affected Software/OS

Oracle MySQL version 5.1.x to 5.1.64 and Oracle MySQL version 5.5.x to 5.5.26 on Windows.

Vulnerability Insight

The flaws are due to multiple unspecified errors in MySQL server component related to server replication, information schema, protocol and server optimizer.

Vulnerability Detection MethodDetails: Oracle MySQL Server Multiple Vulnerabilities - 01 - (Nov 2012) - Windows
OID:1.3.6.1.4.1.25623.1.0.803111

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3197 cve: CVE-2012-3163 cve: CVE-2012-3158 cve: CVE-2012-3150 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/55990 url: http://www.securityfocus.com/bid/56005 url: http://www.securityfocus.com/bid/56017 url: http://www.securityfocus.com/bid/56036 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 cert-bund: CB-K13/0919 dfn-cert: DFN-CERT-2013-1937 dfn-cert: DFN-CERT-2012-2200 dfn-cert: DFN-CERT-2012-2118

[\[return to 192.168.56.6 \]](#)

2.2.10 Critical 22/tcp

Critical (CVSS: 9.8)
NVT: OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Windows
Product detection result cpe:/a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
...continues on next page ...

...continued from previous page ...
Installed version: 7.1 Fixed version: 7.2 Installation path / port: 22/tcp
Impact Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.
Solution: Solution type: VendorFix Update to version 7.2 or later.
Affected Software/OS OpenSSH versions before 7.2 on Windows.
Vulnerability Insight An access flaw was discovered in OpenSSH, it did not correctly handle failures to generate authentication cookies for untrusted X11 forwarding. A malicious or compromised remote X application could possibly use this flaw to establish a trusted connection to the local X server, even if only untrusted X11 forwarding was requested.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.810768 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2016-1908 url: http://openwall.com/lists/oss-security/2016/01/15/13 url: http://www.securityfocus.com/bid/84427 url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741#c4 url: http://www.openssh.com/txt/release-7.2 url: https://anongit.mindrot.org/openssh.git/commit/?id=ed4ce82dbfa8a3a3c8ea6fa0↵db113c71e234416c url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741 cert-bund: CB-K16/1485 cert-bund: CB-K16/0694 cert-bund: CB-K16/0684
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K16/0449
cert-bund: CB-K16/0162
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-0754
dfn-cert: DFN-CERT-2016-0733
dfn-cert: DFN-CERT-2016-0488
dfn-cert: DFN-CERT-2016-0182

```

Critical (CVSS: 9.8)**NVT: SSH Brute Force Logins With Default Credentials Reporting****Summary**

It was possible to login into the remote SSH server using default credentials.

Quality of Detection (QoD): 95%**Vulnerability Detection Result**

It was possible to login with the following credentials <User>:<Password>
vagrant:vagrant

Impact

This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.

Solution:

Solution type: Mitigation

Change the password as soon as possible.

Affected Software/OS

The following products are known to use the default credentials checked by the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013) used for this reporting:

- CVE-2017-16523: MitraStar GPT-2541GNAC (HGU) 1.00(VNJ0)b1 and DSL-100HN-T1 ES_113WJY0b16 devices
- CVE-2017-20214: FLIR Thermal Camera F/FC/PT/D
- CVE-2018-25138: FLIR AX8 Thermal Camera
- CVE-2018-25147: Microhard Systems IPn4G
- CVE-2019-25241: FaceSentry Access Control System
- CVE-2019-25291: INIM Electronics Smartliving SmartLAN/G/SI
- CVE-2020-29583: Zyxel Firewall / AP Controller
- CVE-2020-36915: Adtec Digital SignEdge Digital Signage Player
- CVE-2020-37092: Netis E1+ devices
- CVE-2020-9473: S. Siedle & Soehne SG 150-0 Smart Gateway before 1.2.4

... continues on next page ...

...continued from previous page ...

- CVE-2021-27797: Brocade Fabric OS
- CVE-2021-47744: Cypress Solutions CTM-200/CTM-ONE
- CVE-2023-1944: minikube 1.29.0 and probably prior
- CVE-2023-53983: Anevia Flamingo XL/XS
- CVE-2024-22902: Vinchin Backup & Recovery
- CVE-2024-31970: AdTran SRG 834-5 HDC17600021F1 devices (with SmartOS 11.1.1.1) during a window of time when the device is being set up
- CVE-2024-46328: VONETS VAP11G-300 v3.3.23.6.9
- CVE-2025-12592: Legacy Vivotek devices
- CVE-2025-68718: KAYSUS KS-WR1200
- Various additional products like e.g. Ubiquiti EdgeMax / EdgeRouter, Crestron AM-100 and similar for which no CVE was assigned (See 'default_credentials.inc' file on the file system for a full list)

Other products might be affected as well.

Vulnerability Insight

As the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.

Vulnerability Detection Method

Reports default credentials detected by the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013).

Details: SSH Brute Force Logins With Default Credentials Reporting

OID:1.3.6.1.4.1.25623.1.0.103239

Version used: 2026-02-05T11:26:23+05:30

References

cve: CVE-1999-0501
 cve: CVE-1999-0502
 cve: CVE-1999-0507
 cve: CVE-1999-0508
 cve: CVE-2005-1379
 cve: CVE-2006-5288
 cve: CVE-2009-3710
 cve: CVE-2012-4577
 cve: CVE-2016-1000245
 cve: CVE-2017-16523
 cve: CVE-2017-20214
 cve: CVE-2018-25138
 cve: CVE-2018-25147
 cve: CVE-2019-25241
 cve: CVE-2019-25291
 cve: CVE-2020-29583
 cve: CVE-2020-36915
 cve: CVE-2020-37092
 cve: CVE-2020-9473

... continues on next page ...

...continued from previous page ...
cve: CVE-2021-27797
cve: CVE-2021-47744
cve: CVE-2023-1944
cve: CVE-2023-53983
cve: CVE-2024-22902
cve: CVE-2024-31970
cve: CVE-2024-46328
cve: CVE-2025-12592
cve: CVE-2025-41696
cve: CVE-2025-68718
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2025-2760

[\[return to 192.168.56.6 \]](#)

2.2.11 Critical 8282/tcp

Critical (CVSS: 10.0)
NVT: Apache Axis2 Default Credentials (HTTP) - Active Check
Summary The remote Apache Axis2 web interface is using known default credentials.
Quality of Detection (QoD): 98%
Vulnerability Detection Result It was possible to login at "http://192.168.56.6:8282/axis2/axis2-admin/" using ↵the following credentials (Username:Password): - admin:axis2
Impact This issue may be exploited by a remote attacker to gain access to sensitive information, modify system configuration or execute code by uploading malicious webservises.
Solution: Solution type: Mitigation Change the password.
Vulnerability Insight It was possible to login with default credentials: admin/axis2
Vulnerability Detection Method
... continues on next page ...

...continued from previous page ...
Tries to login with default credentials via HTTP. Details: Apache Axis2 Default Credentials (HTTP) - Active Check OID:1.3.6.1.4.1.25623.1.0.111006 Version used: 2026-02-24T11:27:09+05:30
References cve: CVE-2010-0219 url: https://www.exploit-db.com/exploits/15869 url: http://www.securityfocus.com/bid/44055 dfn-cert: DFN-CERT-2021-0775

Critical (CVSS: 10.0) NVT: Apache Tomcat End of Life (EOL) Detection - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary The Apache Tomcat version on the remote host has reached the end of life (EOL) and should not be used anymore.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "Apache Tomcat" version on the remote host has reached the end of life. CPE: cpe:/a:apache:tomcat:8.0.33 Installed version: 8.0.33 Location/URL: 8282/tcp EOL version: 8.0 EOL date: 2018-06-30
Impact An EOL version of Apache Tomcat is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: VendorFix Update the Apache Tomcat version on the remote host to a still supported version.
Vulnerability Detection Method Checks if an EOL version is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: Apache Tomcat End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.108134 Version used: 2025-04-15T11:24:49+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References url: https://tomcat.apache.org/tomcat-10.0-eol.html url: https://tomcat.apache.org/tomcat-85-eol.html url: https://tomcat.apache.org/tomcat-80-eol.html url: https://tomcat.apache.org/tomcat-70-eol.html url: https://tomcat.apache.org/tomcat-60-eol.html url: https://tomcat.apache.org/tomcat-55-eol.html url: https://en.wikipedia.org/wiki/Apache_Tomcat#Releases url: https://tomcat.apache.org/whichversion.html

Critical (CVSS: 9.8)
NVT: Apache Tomcat Rewrite Rule Bypass Vulnerability (Apr 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a rewrite rule bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.104 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.104, 10.1.40, 11.0.6 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Apache Tomcat version 9.0.102 and prior, 10.x through 10.1.39 and 11.0.0-M1 through 11.0.5. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight For a subset of unlikely rewrite rule configurations, it is possible for a specially crafted request to bypass some rewrite rules. If those rewrite rules effectively enforced security constraints, those constraints could be bypassed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Rewrite Rule Bypass Vulnerability (Apr 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154400 Version used: 2025-05-06T11:10:10+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-31651 url: https://lists.apache.org/thread/cpk1vqvwdrp4k9hmd2l3q33j0gzy4fox cert-bund: WID-SEC-2026-0351 cert-bund: WID-SEC-2025-2372 cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1572 cert-bund: WID-SEC-2025-1565 cert-bund: WID-SEC-2025-1563 cert-bund: WID-SEC-2025-1439 cert-bund: WID-SEC-2025-1365 cert-bund: WID-SEC-2025-0895 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-3462 dfn-cert: DFN-CERT-2025-3454 dfn-cert: DFN-CERT-2025-3431 dfn-cert: DFN-CERT-2025-3113 dfn-cert: DFN-CERT-2025-2285 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1905 dfn-cert: DFN-CERT-2025-1898 dfn-cert: DFN-CERT-2025-1557
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2025-1081

Critical (CVSS: 9.8)
NVT: Apache Tomcat RCE Vulnerability (Mar 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.99 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.99, 10.1.35, 11.0.3 or later.
Affected Software/OS Apache Tomcat version 9.0.98 and prior, 10.x through 10.1.34 and 11.0.0-M1 through 11.0.2. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The original implementation of partial PUT used a temporary file based on the user provided file name and path with the path separator replaced by '.'. If all of the following are true, a malicious user is able to view security sensitive files and/or inject content into those files: - writes enabled for the default servlet (disabled by default) - support for partial PUT (enabled by default) - a target URL for security sensitive uploads that is a sub-directory of a target URL for public uploads - attacker knowledge of the names of security sensitive files being uploaded - the security sensitive files also being uploaded via partial PUT
... continues on next page ...

...continued from previous page...
If all of the following are true, a malicious user is able to perform remote code execution: - writes enabled for the default servlet (disabled by default) - support for partial PUT (enabled by default) - application is using Tomcat's file based session persistence with the default storage location - application includes a library that may be leveraged in a deserialization attack
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat RCE Vulnerability (Mar 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154161 Version used: 2025-04-11T21:15:04+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-24813 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://lists.apache.org/thread/j5fkjv2k477os90nczf2v9l61fb0kkgq url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.3 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.35 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.99 url: https://github.com/iSee857/CVE-2025-24813-PoC url: https://lab.wallarm.com/one-put-request-to-own-tomcat-cve-2025-24813-rce-is-in-the-wild/ url: https://www.openwall.com/lists/oss-security/2025/03/10/5 url: https://scrapco.de/blog/analysis-of-cve-2025-24813-apache-tomcat-path-equiv-alence-rce.html url: https://bishopfox.com/blog/tomcat-cve-2025-24813-what-you-need-to-know-blog cert-bund: WID-SEC-2025-1564 cert-bund: WID-SEC-2025-1439 cert-bund: WID-SEC-2025-0825 cert-bund: WID-SEC-2025-0824 cert-bund: WID-SEC-2025-0823 cert-bund: WID-SEC-2025-0511 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-0993 dfn-cert: DFN-CERT-2025-0890 dfn-cert: DFN-CERT-2025-0888 dfn-cert: DFN-CERT-2025-0766 dfn-cert: DFN-CERT-2025-0622

Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:828 ↪2/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes:
... continues on next page ...

...continued from previous page ... - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪... OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797
Critical (CVSS: 9.1) NVT: Apache Tomcat 'SecurityManager' Information Disclosure Vulnerability (Apr 2017) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary ... continues on next page ...

...continued from previous page ...
Apache Tomcat is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.42 Installation path / port: 8282/tcp
Impact Successful exploitation will allow remote attackers to obtain sensitive information from requests other than their own.
Solution: Solution type: VendorFix Upgrade to version 9.0.0.M18, 8.5.12, 8.0.42, 7.0.76 or later.
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M17, Apache Tomcat versions 8.5.0 to 8.5.11, Apache Tomcat versions 8.0.0.RC1 to 8.0.41 and Apache Tomcat versions 7.0.0 to 7.0.75 on Windows
Vulnerability Insight A some calls to application listeners did not use the appropriate facade object. When running an untrusted application under a SecurityManager, it was therefore possible for that untrusted application to retain a reference to the request or response object and thereby access and/or modify information associated with another web application.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'SecurityManager' Information Disclosure Vulnerability (Apr 2017). ↪.. OID:1.3.6.1.4.1.25623.1.0.810764 Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2017-5648 url: http://tomcat.apache.org/security-9.html
... continues on next page ...

...continued from previous page ...
url: http://tomcat.apache.org/security-8.html
url: http://tomcat.apache.org/security-7.html
url: http://lists.apache.org/thread.html/d0e00f2e147a9e9b13a6829133092f349b2882b ↪f6860397368a52600@%3Cannounce.tomcat.apache.org%3E
cert-bund: WID-SEC-2024-0528
cert-bund: CB-K18/0047
cert-bund: CB-K17/1257
cert-bund: CB-K17/1246
cert-bund: CB-K17/1060
cert-bund: CB-K17/0801
cert-bund: CB-K17/0604
dfn-cert: DFN-CERT-2018-0051
dfn-cert: DFN-CERT-2017-1300
dfn-cert: DFN-CERT-2017-1288
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-0828
dfn-cert: DFN-CERT-2017-0624

Critical (CVSS: 9.1)**NVT: Apache Tomcat Security Bypass and Information Disclosure Vulnerabilities - Windows****Product detection result**

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to security bypass and information disclosure vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.37

Installation

path / port: 8282/tcp

Impact

Successful exploitation will allow remote attackers to gain access to potentially sensitive information and bypass certain security restrictions.

Solution:**Solution type:** VendorFix

Upgrade to Apache Tomcat version 9.0.0.M10 or 8.5.5 or 8.0.37 or 7.0.72 or 6.0.47 or later.

... continues on next page ...

...continued from previous page ...	
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M9, Apache Tomcat versions 8.5.0 to 8.5.4, Apache Tomcat versions 8.0.0.RC1 to 8.0.36, Apache Tomcat versions 7.0.0 to 7.0.70, and Apache Tomcat versions 6.0.0 to 6.0.45 on Windows.	
Vulnerability Insight Multiple flaws exist due to: - An error in the system property replacement feature for configuration files. - An error in the realm implementations in Apache Tomcat that does not process the supplied password if the supplied user name did not exist. - An error in the configured SecurityManager via a Tomcat utility method that is accessible to web applications. - An error in the configured SecurityManager via manipulation of the configuration parameters for the JSP Servlet. - An error in the ResourceLinkFactory implementation in Apache Tomcat that does not limit web application access to global JNDI resources to those resources explicitly linked to the web application.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Security Bypass and Information Disclosure Vulnerabilities - Wind. ↔.. OID:1.3.6.1.4.1.25623.1.0.811298 Version used: 2024-02-15T10:35:40+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2016-6794 cve: CVE-2016-0762 cve: CVE-2016-5018 cve: CVE-2016-6796 cve: CVE-2016-6797 url: http://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.72 url: http://www.securityfocus.com/bid/93940 url: http://www.securityfocus.com/bid/93944 url: http://www.securityfocus.com/bid/93939 url: http://www.securityfocus.com/bid/93942 url: http://www.securityfocus.com/bid/93943 url: http://tomcat.apache.org/security-6.html#Fixed_in_Apache_Tomcat_6.0.47 url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M10	
...continues on next page ...	

...continued from previous page ...
url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.5_and_8.5.6
cert-bund: WID-SEC-2022-1910
cert-bund: CB-K17/1060
cert-bund: CB-K17/1033
cert-bund: CB-K17/1031
cert-bund: CB-K17/0659
cert-bund: CB-K17/0397
cert-bund: CB-K17/0133
cert-bund: CB-K16/1927
cert-bund: CB-K16/1673
cert-bund: CB-K16/1646
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-1064
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2017-0137
dfn-cert: DFN-CERT-2016-2035
dfn-cert: DFN-CERT-2016-1772
dfn-cert: DFN-CERT-2016-1743

[\[return to 192.168.56.6 \]](#)

2.2.12 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: Microsoft HTTP.sys RCE Vulnerability (MS15-034) - Active Check
Product detection result cpe:/a:microsoft:internet_information_services:7.5 Detected by Microsoft Internet Information Services (IIS) Detection (HTTP) (OID: 1.3.6.1.4.1.25623.1.0.900710)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-034.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The response to a crafted HTTP GET request indicates that the host is affected. Response: HTTP/1.1 416 Requested Range Not Satisfiable
... continues on next page ...

...continued from previous page...	
Content-Type: text/html Last-Modified: Fri, 13 Feb 2026 03:01:29 GMT Accept-Ranges: bytes ETag: "431b3c959cdc1:0" Server: Microsoft-IIS/7.5 X-Powered-By: ASP.NET Date: Wed, 25 Mar 2026 07:44:57 GMT Content-Length: 362 Content-Range: bytes */1116928 <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd"> <HTML><HEAD><TITLE>Requested Range Not Satisfiable</TITLE> <META HTTP-EQUIV="Content-Type" Content="text/html; charset=us-ascii"></HEAD> <BODY> Requested Range Not Satisfiable <hr> HTTP Error 416. The requested range is not satisfiable. </BODY></HTML>	
Impact	Successful exploitation will allow remote attackers to run arbitrary code in the context of the current user and to perform actions in the security context of the current user.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior
Vulnerability Insight	Flaw exists due to the HTTP protocol stack 'HTTP.sys' that is triggered when parsing HTTP requests.
Vulnerability Detection Method	Sends a special crafted HTTP GET request and checks the response. Details: Microsoft HTTP.sys RCE Vulnerability (MS15-034) - Active Check OID:1.3.6.1.4.1.25623.1.0.105257 Version used: 2026-03-10T15:45:11+05:30
Product Detection Result	Product: cpe:/a:microsoft:internet_information_services:7.5 Method: Microsoft Internet Information Services (IIS) Detection (HTTP)
... continues on next page ...	

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.900710)
References cve: CVE-2015-1635 url: https://support.microsoft.com/en-us/topic/ms15-034-vulnerability-in-http-sy-s-could-allow-remote-code-execution-april-14-2015-e8755c1e-c5a8-fa75-c7b1-3208-7b127850 url: https://learn.microsoft.com/en-us/security-updates/SecurityBulletins/2015/ms15-034 url: http://pastebin.com/ypURDPc4 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cert-bund: CB-K15/0527 dfn-cert: DFN-CERT-2015-0545

Critical (CVSS: 9.8)

NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check

Summary

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

By doing a HTTP request with the following data (excerpt):

Affected URL : <http://192.168.56.6/functionRouter>
HTTP "POST" body : OpenVASVT
HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).getRuntime().exec("ping -n 5 192.168.56.1")
HTTP Method : POST
it was possible to trigger the vulnerability and make the remote host sending an ICMP request back to the scanner host (Details on the received packet follows).
Destination IP: 192.168.56.1 (receiving IP on scanner host side)
Originating IP: 192.168.56.6 (originating IP from target host side)
Received answer (ICMP "Data" field):
0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop
0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi
0x20:

Solution:

Solution type: VendorFix

Update to version 3.1.7, 3.2.3 or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K22/0376
 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.2.13 Critical 5985/tcp

Critical (CVSS: 9.8)

NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check

Summary

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

By doing a HTTP request with the following data (excerpt):

Affected URL : http://192.168.56.6:598

↪5/functionRouter

HTTP "POST" body : OpenVASVT

HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge

↪tRuntime().exec("ping -n 5 192.168.56.1")

HTTP Method : POST

it was possible to trigger the vulnerability and make the remote host sending an
 ↪ ICMP request back to the scanner host (Details on the received packet follows
 ↪).

Destination IP: 192.168.56.1 (receiving IP on scanner host side)

Originating IP: 192.168.56.6 (originating IP from target host side)

Received answer (ICMP "Data" field):

0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop

0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi

0x20:

Solution:

Solution type: VendorFix

Update to version 3.1.7, 3.2.3 or later.

Affected Software/OS

VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪ .. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[[return to 192.168.56.6](#)]

2.2.14 Critical 3389/tcp

Critical (CVSS: 9.8) NVT: Microsoft Windows Remote Desktop Services RCE Vulnerability (CVE-2019-0708, BlueKeep) - Active Check
Summary Microsoft Windows Remote Desktop Services is prone to a remote code execution (RCE) vulnerability dubbed 'BlueKeep'.
Quality of Detection (QoD): 99%
Vulnerability Detection Result By sending a crafted request the RDP service answered with a 'MCS Disconnect Protocol Ultimatum PDU - 2.2.2.3' response which indicates that a RCE attack can be executed.
Impact Successful exploitation would allow an attacker to execute arbitrary code on the target system. An attacker could then install programs, view, change, or delete data, or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information. As a workaround enable Network Level Authentication (NLA) on systems running supported editions of Windows 7, Windows Server 2008, and Windows Server 2008 R2. NOTE: After enabling NLA affected systems are still vulnerable to Remote Code Execution (RCE) exploitation if the attacker has valid credentials that can be used to successfully authenticate.
Affected Software/OS - Microsoft Windows 7 - Microsoft Windows Server 2008 R2 - Microsoft Windows Server 2008 - Microsoft Windows Server 2003 R2 - Microsoft Windows Server 2003 - Microsoft Windows Vista and Microsoft Windows XP (including Embedded)
Vulnerability Insight A remote code execution vulnerability exists in Remote Desktop Services when an unauthenticated attacker connects to the target system using RDP and sends specially crafted requests. This vulnerability is pre-authentication and requires no user interaction. For an in-depth analysis and further technical insights and details please see the references.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...	
Sends a specially crafted request to the target systems Remote Desktop Service via RDP and checks the response. Details: Microsoft Windows Remote Desktop Services RCE Vulnerability (CVE-2019-0708, BlueKeep) OID:1.3.6.1.4.1.25623.1.0.108611 Version used: 2025-03-18T11:08:50+05:30	
References cve: CVE-2019-0708 url: https://portal.msrc.microsoft.com/en-US/security-guidance/advisory/CVE-2019-0708 url: https://support.microsoft.com/help/4499164 url: https://support.microsoft.com/help/4499175 url: https://support.microsoft.com/help/4499149 url: https://support.microsoft.com/help/4499180 url: https://support.microsoft.com/help/4500331 url: https://blogs.technet.microsoft.com/msrc/2019/05/14/prevent-a-worm-by-updating-remote-desktop-services-cve-2019-0708/ url: https://support.microsoft.com/en-us/help/4500705/customer-guidance-for-cve-2019-0708 url: https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc732713(v=ws.11) url: http://www.securityfocus.com/bid/108273 url: http://packetstormsecurity.com/files/153133/Microsoft-Windows-Remote-Desktop-BlueKeep-Denial-Of-Service.html url: https://www.malwaretech.com/2019/05/analysis-of-cve-2019-0708-bluekeep.html url: https://securingtomorrow.mcafee.com/other-blogs/mcafee-labs/rdp-stands-for-really-do-patch-understanding-the-wormable-rdp-vulnerability-cve-2019-0708 url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: CB-K19/0415 dfn-cert: DFN-CERT-2019-0977	

[\[return to 192.168.56.6 \]](#)

2.2.15 High 445/tcp

High (CVSS: 8.8)
NVT: Microsoft Windows SMB Server Multiple Vulnerabilities-Remote (4013389)
Summary This host is missing a critical security update according to Microsoft Bulletin MS17-010.
Quality of Detection (QoD): 95%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote attackers to gain the ability to execute code on the target server, also could lead to information disclosure from the server.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2016 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 R2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Service Pack 2
Vulnerability Insight Multiple flaws exist due to the way that the Microsoft Server Message Block 1.0 (SMBv1) server handles certain requests.
Vulnerability Detection Method Send the crafted SMB transaction request with fid = 0 and check the response to confirm the vulnerability. Details: Microsoft Windows SMB Server Multiple Vulnerabilities-Remote (4013389) OID:1.3.6.1.4.1.25623.1.0.810676 Version used: 2024-07-17T10:35:38+05:30
References cve: CVE-2017-0143 cve: CVE-2017-0144 cve: CVE-2017-0145 cve: CVE-2017-0146 cve: CVE-2017-0147 cve: CVE-2017-0148 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/4013078 url: http://www.securityfocus.com/bid/96703 url: http://www.securityfocus.com/bid/96704
... continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/96705
url: http://www.securityfocus.com/bid/96707
url: http://www.securityfocus.com/bid/96709
url: http://www.securityfocus.com/bid/96706
url: https://technet.microsoft.com/library/security/MS17-010
url: https://github.com/rapid7/metasploit-framework/pull/8167/files
cert-bund: CB-K17/0435
dfn-cert: DFN-CERT-2017-0448

```

[\[return to 192.168.56.6 \]](#)

2.2.16 High 8484/tcp

High (CVSS: 8.8)

NVT: Jenkins Multiple Vulnerabilities (Oct 2017) - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 2.84

Installation

path / port: /

Impact

Successful exploitation will allow remote attackers to obtain sensitive information, and execute arbitrary code.

Solution:

Solution type: VendorFix

Upgrade to Jenkins weekly to 2.84 or later / Jenkins LTS to 2.73.2 or later.

Affected Software/OS

Jenkins LTS 2.73.1 and prior, Jenkins weekly up to and including 2.83.

Vulnerability Insight

Multiple flaws are due to:

- arbitrary shell command execution
- bundling vulnerable libraries
- disclosing various information

... continues on next page ...

...continued from previous page ...

- sending form validation for passwords via GET

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Jenkins Multiple Vulnerabilities (Oct 2017) - Windows

OID:1.3.6.1.4.1.25623.1.0.112107

Version used: 2023-07-25T10:35:58+05:30

References

cve: CVE-2017-1000393

cve: CVE-2017-1000394

cve: CVE-2017-1000395

cve: CVE-2017-1000396

cve: CVE-2017-1000398

cve: CVE-2017-1000399

cve: CVE-2017-1000400

cve: CVE-2017-1000401

cve: CVE-2012-6153

url: <https://jenkins.io/security/advisory/2017-10-11/>

cert-bund: WID-SEC-2026-0180

cert-bund: CB-K15/1508

cert-bund: CB-K15/1506

cert-bund: CB-K15/0678

cert-bund: CB-K15/0391

cert-bund: CB-K15/0330

cert-bund: CB-K15/0186

cert-bund: CB-K15/0148

cert-bund: CB-K14/1598

cert-bund: CB-K14/1485

cert-bund: CB-K14/1035

dfn-cert: DFN-CERT-2023-2261

dfn-cert: DFN-CERT-2021-1111

dfn-cert: DFN-CERT-2020-2259

dfn-cert: DFN-CERT-2015-1595

dfn-cert: DFN-CERT-2015-1576

dfn-cert: DFN-CERT-2015-0712

dfn-cert: DFN-CERT-2015-0403

dfn-cert: DFN-CERT-2015-0342

dfn-cert: DFN-CERT-2015-0191

dfn-cert: DFN-CERT-2015-0152

dfn-cert: DFN-CERT-2014-1693

dfn-cert: DFN-CERT-2014-1572

dfn-cert: DFN-CERT-2014-1078

High (CVSS: 8.8) NVT: Jenkins < 2.228, < 2.204.6 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.228 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.228, 2.204.6 LTS or later.
Affected Software/OS Jenkins version 2.227 and prior and 2.204.5 LTS and prior.
Vulnerability Insight Jenkins is prone to multiple vulnerabilities: - CSRF protection for any URL could be bypassed (CVE-2020-2160) - Stored XSS vulnerability in label expression validation (CVE-2020-2161) - Stored XSS vulnerability in file parameters (CVE-2020-2162) - Stored XSS vulnerability in list view column headers (CVE-2020-2163)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.228, < 2.204.6 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.143642 Version used: 2021-07-08T16:30:45+05:30
References cve: CVE-2020-2160 cve: CVE-2020-2161 cve: CVE-2020-2162 cve: CVE-2020-2163 url: https://jenkins.io/security/advisory/2020-03-25/ dfn-cert: DFN-CERT-2020-1441 dfn-cert: DFN-CERT-2020-0624

High (CVSS: 8.8)
NVT: Jenkins Deserialization Vulnerability (CVE-2016-0792) - Active Check
Summary Jenkins is prone to a Java deserialization vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.6:8484/createItem?name=L8GxH0rY By sending a special crafted serialized Java object it was possible to execute ‘ ↪<command><string>ping</string><string>-n</string><string>5</string><string>192 ↪.168.56.1</string></command>’ on the remote host. Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:
Impact Successfully exploiting this issue allows attackers to execute arbitrary code in the context of the affected application.
Solution: Solution type: VendorFix Jenkins main line users should update to 1.650, Jenkins LTS users should update to 1.642.2.
Affected Software/OS - All Jenkins main line releases up to and including 1.649 - All Jenkins LTS releases up to and including 1.642.1 Note: Anonymous job creation needs to be enabled.
Vulnerability Insight Multiple unspecified API endpoints in Jenkins allow remote authenticated users to execute arbitrary code via serialized data in an XML file, related to XStream and groovy.util.Expando.
Vulnerability Detection Method Two different methods are used: 1. Sends a serialized object via a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a serialized object via a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000).
... continues on next page ...

...continued from previous page ...
- For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. Details: Jenkins Deserialization Vulnerability (CVE-2016-0792) - Active Check OID:1.3.6.1.4.1.25623.1.0.107230 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2016-0792 url: https://www.jenkins.io/security/advisory/2016-02-24/ url: https://www.exploit-db.com/exploits/42394/ url: https://github.com/jpiechowka/jenkins-cve-2016-0792/ cert-bund: CB-K16/1303 cert-bund: CB-K16/0311 dfn-cert: DFN-CERT-2016-1386 dfn-cert: DFN-CERT-2016-0338

High (CVSS: 8.8) NVT: Jenkins < 2.192 and < 2.176.3 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.192 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.176.3 LTS, 2.192 weekly or later.
Affected Software/OS Jenkins weekly up to and including 2.191 and Jenkins LTS up to and including 2.176.2
Vulnerability Insight Jenkins is prone to multiple vulnerabilities: - Stored XSS vulnerability in update center (CVE-2019-10383)
... continues on next page ...

...continued from previous page ...
- CSRF protection tokens for anonymous users does not expire in some circumstances (CVE-2019-10384)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.192 and < 2.176.3 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.142824 Version used: 2022-06-15T08:34:08+05:30
References cve: CVE-2019-10383 cve: CVE-2019-10384 url: https://jenkins.io/security/advisory/2019-08-28/ dfn-cert: DFN-CERT-2019-1972 dfn-cert: DFN-CERT-2019-1802

High (CVSS: 8.8)
NVT: Jenkins < 2.133 and < 2.121.2 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.133 Installation path / port: /
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.132 or later / Jenkins LTS to 2.121.2 or later.
Affected Software/OS Jenkins LTS up to and including 2.121.1, Jenkins weekly up to and including 2.132.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - Users without Overall/Read permission can have Jenkins reset parts of global configuration on the next restart (CVE-2018-1999001). - Arbitrary file read vulnerability (CVE-2018-1999002). - Unauthorized users could cancel queued builds (CVE-2018-1999003). - Unauthorized users could initiate and abort agent launches (CVE-2018-1999004).
... continues on next page ...

...continued from previous page ...
- Stored XSS vulnerability (CVE-2018-1999005). - Unauthorized users are able to determine when a plugin was extracted from its JPI package (CVE-2018-1999006). - XSS vulnerability in Stapler debug mode (CVE-2018-1999007).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.133 and < 2.121.2 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112332 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2018-1999001 cve: CVE-2018-1999002 cve: CVE-2018-1999003 cve: CVE-2018-1999004 cve: CVE-2018-1999005 cve: CVE-2018-1999006 cve: CVE-2018-1999007 url: https://jenkins.io/security/advisory/2018-07-18/ dfn-cert: DFN-CERT-2018-1419

High (CVSS: 8.6)
NVT: Jenkins < 2.214, < 2.204.2 LTS Authentication Bypass Vulnerability - Windows
Summary Jenkins is prone to an inbound TCP Agent Protocol/3 authentication bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.214 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.214, 2.204.2 LTS or later.
Affected Software/OS Jenkins version 2.213 and prior and 2.204.1 LTS and prior.
Vulnerability Insight
... continues on next page ...

...continued from previous page ...
Jenkins includes support for the Inbound TCP Agent Protocol/3 for communication between master and agents. While this protocol has been deprecated in 2018 and was recently removed from Jenkins in 2.214, it could still easily be enabled in Jenkins LTS 2.204.1, 2.213, and older. This protocol incorrectly reuses encryption parameters which allow an unauthenticated remote attacker to determine the connection secret. This secret can then be used to connect attacker-controlled Jenkins agents to the Jenkins master.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.214, < 2.204.2 LTS Authentication Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.143438 Version used: 2021-07-08T16:30:45+05:30
References cve: CVE-2020-2099 url: https://jenkins.io/security/advisory/2020-01-29/#SECURITY-1682 dfn-cert: DFN-CERT-2020-0207

High (CVSS: 8.1)
NVT: Jenkins CSRF Protection Delay Vulnerability - Windows
Summary A race condition during Jenkins startup could result in the wrong order of execution of commands during initialization.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.95 Installation path / port: /
Impact Successfully exploiting this issue would reduce the system security severely.
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.95 or later / Jenkins LTS to 2.89.2 or later.
Affected Software/OS Jenkins LTS 2.89.1, Jenkins weekly up to and including 2.94.
Vulnerability Insight
... continues on next page ...

...continued from previous page ...
There's a very short window of time after startup during which Jenkins may no longer show the 'Please wait while Jenkins is getting ready to work' message, but Cross-Site Request Forgery (CSRF) protection may not yet be effective.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins CSRF Protection Delay Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.112197 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2017-1000504 url: https://jenkins.io/security/advisory/2017-12-14/

High (CVSS: 8.1)
NVT: Jenkins < 2.121 and < 2.107.3 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.121 Installation path / port: /
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.121 or later / Jenkins LTS to 2.107.3 or later.
Affected Software/OS Jenkins LTS up to and including 2.107.2, Jenkins weekly up to and including 2.120.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - An information exposure vulnerability in AboutJenkins.java, ListPluginsCommand.java that allows users with Overall/Read access to enumerate all installed plugins. (CVE-2018-1000192) - An improper neutralization of control sequences vulnerability in HudsonPrivateSecurityRealm.java that allows users to sign up using user names containing control characters that can then appear to have the same name as other users, and cannot be deleted via the UI. (CVE-2018-1000193)
... continues on next page ...

...continued from previous page ...
- A path traversal vulnerability in FilePath.java, SoloFilePathFilter.java that allows malicious agents to read and write arbitrary files on the Jenkins master, bypassing the agent-to-master security subsystem protection. (CVE-2018-1000194) - A server-side request forgery vulnerability in ZipExtractionInstaller.java that allows users with Overall/Read permission to have Jenkins submit a HTTP GET request to an arbitrary URL and learn whether the response is successful (200) or not. (CVE-2018-1000195)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.121 and < 2.107.3 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112298 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-1000192 cve: CVE-2018-1000193 cve: CVE-2018-1000194 cve: CVE-2018-1000195 url: https://jenkins.io/security/advisory/2018-05-09/

High (CVSS: 8.1) NVT: Jenkins < 2.164.2 LTS and < 2.172 Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.172 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.164.2 (LTS) and 2.172 (weekly).
Affected Software/OS Jenkins LTS 2.164.1 and prior and Jenkins weekly 2.171 and prior.
Vulnerability Insight Jenkins is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...
- Users who cached their CLI authentication would remain authenticated, because the fix for CVE-2019-1003004 does not reject existing remoting-based CLI authentication caches (CVE-2019-1003049) - The f.validateButton form control for the Jenkins UI does not properly escape job URLs, resulting in a cross-site scripting (XSS) vulnerability exploitable by users with the ability to control job names (CVE-2019-1003050)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.164.2 LTS and < 2.172 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.142270 Version used: 2026-01-28T11:19:43+05:30
References cve: CVE-2019-1003049 cve: CVE-2019-1003050 url: https://jenkins.io/security/advisory/2019-04-10/ dfn-cert: DFN-CERT-2019-1326 dfn-cert: DFN-CERT-2019-0747

High (CVSS: 8.0)
NVT: Jenkins < 2.275, < 2.263.2 Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.275 Installation path / port: /
Impact Successful exploitation would allow an attacker to: - achieve stored and/or reflected cross-site scripting - inject crafted content into Old Data Monitor that results in the instantiation of potentially unsafe objects when discarded by an administrator - create symbolic links that allow them to access files outside workspaces using the workspace browser - start up the application with unsafe legacy defaults after a restart - check for the existence of XML files on the controller file system where the relative path can be constructed as 32 characters
...continues on next page ...

...continued from previous page ...
- request or have legitimate Jenkins users request crafted URLs that rapidly use all available memory in Jenkins, potentially leading to out of memory errors - access plugin-provided URLs without having the actual permissions to do so.
Solution: Solution type: VendorFix Update to version 2.275, 2.263.2 LTS or later.
Affected Software/OS Jenkins version 2.274 and prior and 2.263.1 LTS and prior.
Vulnerability Insight The following vulnerabilities exist: - Arbitrary file read vulnerability in workspace browsers (CVE-2021-21602) - XSS vulnerability in notification bar (CVE-2021-21603) - Improper handling of REST API XML deserialization errors (CVE-2021-21604) - Path traversal vulnerability in agent names (CVE-2021-21605) - Arbitrary file existence check in file fingerprints (CVE-2021-21606) - Excessive memory allocation in graph URLs leads to denial of service (CVE-2021-21607) - Stored XSS vulnerability in button labels (CVE-2021-21608) - Missing permission check for paths with specific prefix (CVE-2021-21609) - Reflected XSS vulnerability in markup formatter preview (CVE-2021-21610) - Stored XSS vulnerability on new item page (CVE-2021-21611)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.275, < 2.263.2 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112852 Version used: 2021-08-17T19:31:00+05:30
References cve: CVE-2021-21602 cve: CVE-2021-21603 cve: CVE-2021-21604 cve: CVE-2021-21605 cve: CVE-2021-21606 cve: CVE-2021-21607 cve: CVE-2021-21608 cve: CVE-2021-21609 cve: CVE-2021-21610 cve: CVE-2021-21611 url: https://www.jenkins.io/security/advisory/2021-01-13/ dfn-cert: DFN-CERT-2021-0376 dfn-cert: DFN-CERT-2021-0102

High (CVSS: 8.0)
NVT: Jenkins CSRF Vulnerability (CVE-2023-35141) - Windows
Summary Jenkins is prone to a cross-site request forgery (CSRF) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.400 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.401.1 (LTS), 2.400 or later.
Affected Software/OS Jenkins version through 2.387.3 (LTS) and version through 2.399.
Vulnerability Insight POST requests are sent in order to load the list of context actions. If part of the URL includes insufficiently escaped user-provided values, a victim may be tricked into sending a POST request to an unexpected endpoint by opening a context menu.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins CSRF Vulnerability (CVE-2023-35141) - Windows OID:1.3.6.1.4.1.25623.1.0.124338 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-35141 url: https://www.jenkins.io/security/advisory/2023-06-14/#SECURITY-3135 cert-bund: WID-SEC-2023-1471 dfn-cert: DFN-CERT-2023-1382

High (CVSS: 7.8)
NVT: Jenkins < 2.319.2, < 2.330 Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.541 Installation path / port: /
Solution: Solution type: VendorFix Update to version Jenkins 2.541, LTS 2.528.3 or later.
Affected Software/OS Jenkins version through 2.540 and LTS version through 2.528.2.
Vulnerability Insight The following flaws exist: - CVE-2025-67635: Jenkins does not properly close HTTP-based CLI connections when the connection stream becomes corrupted, allowing unauthenticated attackers to cause a denial of service. - CVE-2025-67636: A missing permission check in Jenkins allows attackers with View/Read permission to view encrypted password values in views. - CVE-2025-67637: Jenkins stores build authorization tokens unencrypted in job config.xml files on the Jenkins controller where they can be viewed by users with Item/Extended Read permission or access to the Jenkins controller file system. - CVE-2025-67638: Jenkins does not mask build authorization tokens displayed on the job configuration form, increasing the potential for attackers to observe and capture them. - CVE-2025-67639: A cross-site request forgery (CSRF) vulnerability in Jenkins allows attackers to trick users into logging in to the attacker's account.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.319.2, < 2.330 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.128186 Version used: 2025-12-15T11:17:36+05:30
References cve: CVE-2025-67635 cve: CVE-2025-67636 cve: CVE-2025-67637 cve: CVE-2025-67638 cve: CVE-2025-67639 url: https://www.jenkins.io/security/advisory/2025-12-10/#SECURITY-3630 url: https://www.jenkins.io/security/advisory/2025-12-10/#SECURITY-1809 url: https://www.jenkins.io/security/advisory/2025-12-10/#SECURITY-783
... continues on next page ...

...continued from previous page ...
url: https://www.jenkins.io/security/advisory/2025-12-10/#SECURITY-1166 cert-bund: WID-SEC-2025-2819 dfn-cert: DFN-CERT-2025-3457
High (CVSS: 7.8) NVT: Jenkins < 2.146 and < 2.138.2 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.146 Installation path / port: /
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.146 or later / Jenkins LTS to 2.138.2 or later.
Affected Software/OS Jenkins LTS up to and including 2.138.1, Jenkins weekly up to and including 2.145.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - Path traversal vulnerability in Stapler allowed accessing internal data (CVE-2018-1000997). - Arbitrary file write vulnerability using file parameter definitions (CVE-2018-1000406). - Reflected XSS vulnerability (CVE-2018-1000407). - Ephemeral user record was created on some invalid authentication attempts (CVE-2018-1999043). - Ephemeral user record creation (CVE-2018-1000408). - Session fixation vulnerability on user signup (CVE-2018-1000409). - Failures to process form submission data could result in secrets being displayed or written to logs (CVE-2018-1000410).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.146 and < 2.138.2 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.108510 Version used: 2023-11-03T10:35:46+05:30
References ... continues on next page ...

...continued from previous page ...
cve: CVE-2018-1999043
cve: CVE-2018-1000406
cve: CVE-2018-1000407
cve: CVE-2018-1000408
cve: CVE-2018-1000409
cve: CVE-2018-1000410
cve: CVE-2018-1000997
url: https://jenkins.io/security/advisory/2018-10-10/

High (CVSS: 7.5)
NVT: Jenkins < 2.289.2, < 2.300 Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.300 Installation path / port: /
Impact Successful exploitation would allow an attacker to: - cancel queue items and abort builds of jobs for which they have Item/Cancel permission even when they do not have Item/Read permission. - use social engineering techniques to gain administrator access to Jenkins
Solution: Solution type: VendorFix Update to version 2.300, 2.289.2 LTS or later.
Affected Software/OS Jenkins version 2.299 and prior and 2.289.1 LTS and prior.
Vulnerability Insight The following vulnerabilities exist: - CVE-2021-21670: Improper permission checks allow canceling queue items and aborting builds - CVE-2021-21671: Session fixation
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.289.2, < 2.300 Multiple Vulnerabilities - Windows
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.146202 Version used: 2021-08-17T19:31:00+05:30
References cve: CVE-2021-21670 cve: CVE-2021-21671 url: https://www.jenkins.io/security/advisory/2021-06-30/ dfn-cert: DFN-CERT-2021-2216 dfn-cert: DFN-CERT-2021-2215 dfn-cert: DFN-CERT-2021-2028 dfn-cert: DFN-CERT-2021-1425

High (CVSS: 7.5) NVT: Jenkins < 2.319.3, < 2.334 DoS Vulnerability - Windows
Summary Jenkins is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.334 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.334, 2.319.3 LTS or later.
Affected Software/OS Jenkins version 2.333 and prior and 2.319.2 LTS and prior.
Vulnerability Insight Jenkins is affected by the XStream library's vulnerability CVE-2021-43859. This library is used by Jenkins to serialize and deserialize various XML files, like global and job config.xml, build.xml, and numerous others. This allows attackers able to submit crafted XML files to Jenkins to be parsed as configuration, e.g. through the POST config.xml API, to cause a denial of service (DoS).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.319.3, < 2.334 DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.147622
... continues on next page ...

...continued from previous page ...
Version used: 2022-02-10T19:35:57+05:30
References cve: CVE-2021-43859 cve: CVE-2022-0538 url: https://www.jenkins.io/security/advisory/2022-02-09/ cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-1813 cert-bund: WID-SEC-2023-1017 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1778 cert-bund: WID-SEC-2022-1772 cert-bund: WID-SEC-2022-1161 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0752 cert-bund: WID-SEC-2022-0729 cert-bund: WID-SEC-2022-0607 cert-bund: WID-SEC-2022-0530 dfn-cert: DFN-CERT-2024-3407 dfn-cert: DFN-CERT-2023-1388 dfn-cert: DFN-CERT-2022-2305 dfn-cert: DFN-CERT-2022-1530 dfn-cert: DFN-CERT-2022-1469 dfn-cert: DFN-CERT-2022-0941 dfn-cert: DFN-CERT-2022-0322 dfn-cert: DFN-CERT-2022-0267

High (CVSS: 7.5)

NVT: Jenkins < 2.356, < 2.332.4 LTS Information Disclosure Vulnerability (SECURITY-2566)
- Windows

Summary

Jenkins is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 2.356

Installation

path / port: /

Solution:

Solution type: VendorFix

Update to version 2.356, 2.332.4 LTS or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Jenkins version 2.355 and prior and 2.332.3 LTS and prior.
Vulnerability Insight An observable timing discrepancy on the login form allows distinguishing between login attempts with an invalid username, and login attempts with a valid username and wrong password, when using the Jenkins user database security realm. This allows attackers to determine the validity of attacker-specified usernames.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.356, < 2.332.4 LTS Information Disclosure Vulnerability (SECURITY-2. ↪.. OID:1.3.6.1.4.1.25623.1.0.148332 Version used: 2022-07-01T15:41:09+05:30
References cve: CVE-2022-34174 url: https://www.jenkins.io/security/advisory/2022-06-22/#SECURITY-2566 cert-bund: WID-SEC-2022-0445 dfn-cert: DFN-CERT-2023-0445 dfn-cert: DFN-CERT-2023-0388 dfn-cert: DFN-CERT-2023-0091 dfn-cert: DFN-CERT-2022-1408

High (CVSS: 7.5) NVT: Jenkins < 2.375.4 (LTS), < 2.394 Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.394 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.375.4 (LTS), 2.394 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Jenkins version 2.375.3 (LTS) and prior and 2.393 and prior.
Vulnerability Insight The following vulnerabilities exist: - CVE-2023-27899: Temporary plugin file created with insecure permissions - CVE-2023-24998, CVE-2023-27900, CVE-2023-27901: DoS vulnerability in bundled Apache Commons FileUpload library - CVE-2023-27902: Workspace temporary directories accessible through directory browser - CVE-2023-27903: Temporary file parameter created with insecure permissions - CVE-2023-27904: Information disclosure through error stack traces related to agents
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.375.4 (LTS), < 2.394 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.170357 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-27899 cve: CVE-2023-24998 cve: CVE-2023-27900 cve: CVE-2023-27901 cve: CVE-2023-27902 cve: CVE-2023-27903 cve: CVE-2023-27904 url: https://www.jenkins.io/security/advisory/2023-03-08/ cert-bund: WID-SEC-2025-0810 cert-bund: WID-SEC-2024-1652 cert-bund: WID-SEC-2024-1642 cert-bund: WID-SEC-2024-1637 cert-bund: WID-SEC-2024-1622 cert-bund: WID-SEC-2024-1238 cert-bund: WID-SEC-2024-0890 cert-bund: WID-SEC-2024-0888 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0124 cert-bund: WID-SEC-2024-0117 cert-bund: WID-SEC-2024-0054 cert-bund: WID-SEC-2023-2688 cert-bund: WID-SEC-2023-2675 cert-bund: WID-SEC-2023-2674 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2309 cert-bund: WID-SEC-2023-2031
...continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2023-1817
 cert-bund: WID-SEC-2023-1815
 cert-bund: WID-SEC-2023-1813
 cert-bund: WID-SEC-2023-1812
 cert-bund: WID-SEC-2023-1811
 cert-bund: WID-SEC-2023-1809
 cert-bund: WID-SEC-2023-1808
 cert-bund: WID-SEC-2023-1807
 cert-bund: WID-SEC-2023-1794
 cert-bund: WID-SEC-2023-1792
 cert-bund: WID-SEC-2023-1791
 cert-bund: WID-SEC-2023-1784
 cert-bund: WID-SEC-2023-1783
 cert-bund: WID-SEC-2023-1782
 cert-bund: WID-SEC-2023-1424
 cert-bund: WID-SEC-2023-1142
 cert-bund: WID-SEC-2023-1021
 cert-bund: WID-SEC-2023-1017
 cert-bund: WID-SEC-2023-1016
 cert-bund: WID-SEC-2023-1012
 cert-bund: WID-SEC-2023-1007
 cert-bund: WID-SEC-2023-1005
 cert-bund: WID-SEC-2023-0609
 cert-bund: WID-SEC-2023-0433
 dfn-cert: DFN-CERT-2025-1992
 dfn-cert: DFN-CERT-2024-2151
 dfn-cert: DFN-CERT-2024-1865
 dfn-cert: DFN-CERT-2024-1006
 dfn-cert: DFN-CERT-2024-0368
 dfn-cert: DFN-CERT-2024-0365
 dfn-cert: DFN-CERT-2024-0059
 dfn-cert: DFN-CERT-2024-0048
 dfn-cert: DFN-CERT-2023-2778
 dfn-cert: DFN-CERT-2023-2545
 dfn-cert: DFN-CERT-2023-2469
 dfn-cert: DFN-CERT-2023-2054
 dfn-cert: DFN-CERT-2023-1648
 dfn-cert: DFN-CERT-2023-1643
 dfn-cert: DFN-CERT-2023-1642
 dfn-cert: DFN-CERT-2023-1423
 dfn-cert: DFN-CERT-2023-1362
 dfn-cert: DFN-CERT-2023-1109
 dfn-cert: DFN-CERT-2023-0902
 dfn-cert: DFN-CERT-2023-0886
 dfn-cert: DFN-CERT-2023-0884
 dfn-cert: DFN-CERT-2023-0881
 dfn-cert: DFN-CERT-2023-0830

...continues on next page ...

...continued from previous page...

dfn-cert: DFN-CERT-2023-0763
 dfn-cert: DFN-CERT-2023-0574
 dfn-cert: DFN-CERT-2023-0540
 dfn-cert: DFN-CERT-2023-0414

High (CVSS: 7.5)

NVT: Jenkins < 2.186 and < 2.176.2 LTS Multiple Vulnerabilities - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 2.186

Installation

path / port: /

Solution:

Solution type: VendorFix

Update to version 2.176.2 LTS, 2.186 weekly or later.

Affected Software/OS

Jenkins weekly up to and including 2.185 and Jenkins LTS up to and including 2.176.1

Vulnerability Insight

Jenkins is prone to multiple vulnerabilities:

- Arbitrary file write vulnerability using file parameter definitions (CVE-2019-10352)
- CSRF protection tokens does not expire (CVE-2019-10353)
- Unauthorized view fragment access (CVE-2019-10354)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Jenkins < 2.186 and < 2.176.2 LTS Multiple Vulnerabilities - Windows

OID:1.3.6.1.4.1.25623.1.0.142680

Version used: 2021-08-31T13:31:19+05:30

References

cve: CVE-2019-10352

cve: CVE-2019-10353

cve: CVE-2019-10354

url: <https://jenkins.io/security/advisory/2019-07-17/>

dfn-cert: DFN-CERT-2019-1469

High (CVSS: 7.5) NVT: Jenkins < 2.138 and < 2.121.3 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.138 Installation path / port: /
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.138 or later / Jenkins LTS to 2.121.3 or later.
Affected Software/OS Jenkins LTS up to and including 2.121.2, Jenkins weekly up to and including 2.137.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - Jenkins allowed deserialization of URL objects via Remoting (agent communication) and XStream (CVE-2018-1999042). - Ephemeral user record was created on some invalid authentication attempts (CVE-2018-1999043). - Cron expression form validation could enter infinite loop, potentially resulting in denial of service (CVE-2018-1999044). - 'Remember me' cookie was evaluated even if that feature is disabled (CVE-2018-1999045). - Unauthorized users could access agent logs (CVE-2018-1999046). - Unauthorized users could cancel scheduled restarts initiated from the update center (CVE-2018-1999047).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.138 and < 2.121.3 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112360 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2018-1999042 cve: CVE-2018-1999043 cve: CVE-2018-1999044 cve: CVE-2018-1999045 ... continues on next page ...

...continued from previous page ...
cve: CVE-2018-1999046 cve: CVE-2018-1999047 url: https://jenkins.io/security/advisory/2018-08-15/
High (CVSS: 7.5) NVT: Jenkins HTTP/2 DoS Vulnerability (CVE-2022-2048) - Windows
Summary Jenkins is prone to an HTTP/2 denial of service (DoS) vulnerability in Jetty.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.363 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.361.1 (LTS), 2.363 or later.
Affected Software/OS Jenkins version 2.346.3 (LTS) and prior and 2.362 and prior.
Vulnerability Insight Jenkins bundles Winstone-Jetty, a wrapper around Jetty, to act as HTTP and servlet server when started using <code>java -jar jenkins.war</code> . This is how Jenkins is run when using any of the installers or packages, but not when run using servlet containers such as Tomcat. Jenkins bundle versions of Jetty affected by the security vulnerability CVE-2022-2048. This vulnerability allows unauthenticated attackers to make the Jenkins UI unresponsive by exploiting Jetty's handling of invalid HTTP/2 requests, causing a denial of service.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins HTTP/2 DoS Vulnerability (CVE-2022-2048) - Windows OID:1.3.6.1.4.1.25623.1.0.148713 Version used: 2022-09-12T15:48:03+05:30
References cve: CVE-2022-2048 url: https://www.jenkins.io/security/advisory/2022-09-09/ cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-1808
... continues on next page ...

...	...continued from previous page ...
cert-bund:	WID-SEC-2023-1017
cert-bund:	WID-SEC-2023-0137
cert-bund:	WID-SEC-2023-0133
cert-bund:	WID-SEC-2023-0027
cert-bund:	WID-SEC-2022-1780
cert-bund:	WID-SEC-2022-1778
cert-bund:	WID-SEC-2022-1767
cert-bund:	WID-SEC-2022-1766
cert-bund:	WID-SEC-2022-1373
cert-bund:	WID-SEC-2022-0614
dfn-cert:	DFN-CERT-2023-0445
dfn-cert:	DFN-CERT-2023-0112
dfn-cert:	DFN-CERT-2023-0091
dfn-cert:	DFN-CERT-2022-2708
dfn-cert:	DFN-CERT-2022-1994
dfn-cert:	DFN-CERT-2022-1706

High (CVSS: 7.4)

NVT: Jenkins Multiple Vulnerabilities (May 2016) - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.637

Fixed version: 2.3

Installation

path / port: /

Impact

Successful exploitation will allow remote attackers to obtain sensitive information, bypass the protection mechanism, gain elevated privileges, bypass intended access restrictions and execute arbitrary code.

Solution:

Solution type: VendorFix

Jenkins main line users should update to 2.3, Jenkins LTS users should update to 1.651.2.

Affected Software/OS

All Jenkins main line releases up to and including 2.2, All Jenkins LTS releases up to and including 1.651.1.

... continues on next page ...

...continued from previous page ...

Vulnerability Insight

Multiple flaws are due to:

- The XML/JSON API endpoints providing information about installed plugins were missing permissions checks, allowing any user with read access to Jenkins to determine which plugins and versions were installed.
- The users with extended read access could access encrypted secrets stored directly in the configuration of those items.
- A missing permissions check allowed any user with access to Jenkins to trigger an update of update site metadata. This could be combined with DNS cache poisoning to disrupt Jenkins service.
- The Some Jenkins URLs did not properly validate the redirect URLs, which allowed malicious users to create URLs that redirect users to arbitrary scheme-relative URLs.
- The API URL /computer/(master)/api/xml allowed users with the 'extended read' permission for the master node to see some global Jenkins configuration, including the configuration of the security realm.
- By changing the freely editable 'full name', malicious users with multiple user accounts could prevent other users from logging in, as 'full name' was resolved before actual user name to determine which account is currently trying to log in.
- An improper validation of build parameters in Jenkins.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Jenkins Multiple Vulnerabilities (May 2016) - Windows

OID:1.3.6.1.4.1.25623.1.0.807329

Version used: 2023-07-21T10:35:22+05:30

References

cve: CVE-2016-3721

cve: CVE-2016-3722

cve: CVE-2016-3723

cve: CVE-2016-3724

cve: CVE-2016-3725

cve: CVE-2016-3726

cve: CVE-2016-3727

url: <https://jenkins.io/security/advisory/2016-05-11/>

cert-bund: CB-K16/1303

cert-bund: CB-K16/0714

dfn-cert: DFN-CERT-2016-1386

dfn-cert: DFN-CERT-2016-0770

High (CVSS: 7.3)

NVT: Jenkins Multiple Vulnerabilities (Nov 2017) - Windows

Summary

...continues on next page ...

...continued from previous page ...
Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.89 Installation path / port: /
Impact Successful exploitation will allow remote attackers to affect the integrity of the application.
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.89 or later / Jenkins LTS to 2.73.3 or later.
Affected Software/OS Jenkins LTS 2.73.2 and prior, Jenkins weekly up to and including 2.88.
Vulnerability Insight Multiple flaws are due to: - unsafe use of user names as directory names - a persisted XSS vulnerability in autocompletion suggestions
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins Multiple Vulnerabilities (Nov 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.112131 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-1000391 cve: CVE-2017-1000392 url: https://jenkins.io/security/advisory/2017-11-08/
High (CVSS: 7.2)
NVT: Jenkins < 2.160 and < 2.150.2 LTS Multiple Vulnerabilities - Windows
Summary Jenkins and is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.160 Installation path / port: /
Solution: Solution type: VendorFix Upgrade Jenkins weekly to 2.160 or later / Jenkins LTS to 2.150.2 or later.
Affected Software/OS Jenkins LTS through 2.150.1, Jenkins weekly through 2.159.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - Administrators could persist access to Jenkins using crafted 'Remember me' cookie (CVE-2019-1003003). - Deleting a user in an external security realm did not invalidate their session or 'Remember me' cookie (CVE-2019-1003004).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.160 and < 2.150.2 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112495 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2019-1003003 cve: CVE-2019-1003004 url: https://jenkins.io/security/advisory/2019-01-16/

[[return to 192.168.56.6](#)]

2.2.17 High 9200/tcp

High (CVSS: 8.8) NVT: Elastic Elasticsearch 'CVE-2018-3831' Information Disclosure Vulnerability - Windows
Summary Elasticsearch is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 5.6.12	
Impact Successful exploitation would allow an authenticated attacker to acquire valid login credentials.	
Solution: Solution type: VendorFix Update to version 5.6.12 or 6.4.1 respectively.	
Affected Software/OS Elasticsearch versions through 5.6.11 and 6.0.0 through 6.4.0.	
Vulnerability Insight The _cluster/settings API, when queried, could leak sensitive configuration information such as passwords, tokens or usernames.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch 'CVE-2018-3831' Information Disclosure Vulnerability - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.113276 Version used: 2025-09-03T13:56:15+05:30	
References cve: CVE-2018-3831 url: https://discuss.elastic.co/t/elastic-stack-6-4-1-and-5-6-12-security-update ↔/149035 url: https://www.elastic.co/community/security dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2020-1653	

[\[return to 192.168.56.6 \]](#)

2.2.18 High 8383/tcp

High (CVSS: 7.5)
NVT: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS
Product detection result cpe:/a:ietf:transport_layer_security
... continues on next page ...

...continued from previous page ...
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↔802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service where attack vectors exists only on HTTPS services.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Vulnerable' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32)
Impact This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services accepting vulnerable SSL/TLS cipher suites via HTTPS.
Vulnerability Insight These rules are applied for the evaluation of the vulnerable cipher suites: - 64-bit block cipher 3DES vulnerable to the SWEET32 attack (CVE-2016-2183).
Vulnerability Detection Method Checks previous collected cipher suites. Details: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS OID:1.3.6.1.4.1.25623.1.0.108031 Version used: 2026-03-13T11:24:58+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security
 Method: SSL/TLS: Report Supported Cipher Suites
 OID: 1.3.6.1.4.1.25623.1.0.802067)

References

cve: CVE-2016-2183
 cve: CVE-2016-6329
 cve: CVE-2020-12872
 url: <https://ssl-config.mozilla.org>
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
 ↪ines/TG02102/BSI-TR-02102-1.html](https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html)
 url: [https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/
 ↪TLS-Protokoll/TLS-Protokoll_node.html](https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html)
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
 ↪eRichtlinien/TR03116/BSI-TR-03116-4.html](https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html)
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
 ↪tstandard_BSI_TLS_Version_2_4.html](https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html)
 url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>
 url: [https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
 ↪-report-2014](https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014)
 url: <https://sweet32.info>
 cert-bund: WID-SEC-2026-0180
 cert-bund: WID-SEC-2024-1277
 cert-bund: WID-SEC-2024-0209
 cert-bund: WID-SEC-2024-0064
 cert-bund: WID-SEC-2022-2226
 cert-bund: WID-SEC-2022-1955
 cert-bund: CB-K21/1094
 cert-bund: CB-K20/1023
 cert-bund: CB-K20/0321
 cert-bund: CB-K20/0314
 cert-bund: CB-K20/0157
 cert-bund: CB-K19/0618
 cert-bund: CB-K19/0615
 cert-bund: CB-K18/0296
 cert-bund: CB-K17/1980
 cert-bund: CB-K17/1871
 cert-bund: CB-K17/1803
 cert-bund: CB-K17/1753
 cert-bund: CB-K17/1750
 cert-bund: CB-K17/1709
 cert-bund: CB-K17/1558
 cert-bund: CB-K17/1273
 cert-bund: CB-K17/1202

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/1196
cert-bund: CB-K17/1055
cert-bund: CB-K17/1026
cert-bund: CB-K17/0939
cert-bund: CB-K17/0917
cert-bund: CB-K17/0915
cert-bund: CB-K17/0877
cert-bund: CB-K17/0796
cert-bund: CB-K17/0724
cert-bund: CB-K17/0661
cert-bund: CB-K17/0657
cert-bund: CB-K17/0582
cert-bund: CB-K17/0581
cert-bund: CB-K17/0506
cert-bund: CB-K17/0504
cert-bund: CB-K17/0467
cert-bund: CB-K17/0345
cert-bund: CB-K17/0098
cert-bund: CB-K17/0089
cert-bund: CB-K17/0086
cert-bund: CB-K17/0082
cert-bund: CB-K16/1837
cert-bund: CB-K16/1830
cert-bund: CB-K16/1635
cert-bund: CB-K16/1630
cert-bund: CB-K16/1624
cert-bund: CB-K16/1622
cert-bund: CB-K16/1500
cert-bund: CB-K16/1465
cert-bund: CB-K16/1307
cert-bund: CB-K16/1296
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2021-1618
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2021-0770
dfn-cert: DFN-CERT-2021-0274
dfn-cert: DFN-CERT-2020-2141
dfn-cert: DFN-CERT-2020-0368
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1296
dfn-cert: DFN-CERT-2018-0323
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1885
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1821

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2017-1326
dfn-cert: DFN-CERT-2017-1239
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1090
dfn-cert: DFN-CERT-2017-1060
dfn-cert: DFN-CERT-2017-0968
dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0946
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0816
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0677
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0611
dfn-cert: DFN-CERT-2017-0609
dfn-cert: DFN-CERT-2017-0522
dfn-cert: DFN-CERT-2017-0519
dfn-cert: DFN-CERT-2017-0482
dfn-cert: DFN-CERT-2017-0351
dfn-cert: DFN-CERT-2017-0090
dfn-cert: DFN-CERT-2017-0089
dfn-cert: DFN-CERT-2017-0088
dfn-cert: DFN-CERT-2017-0086
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1937
dfn-cert: DFN-CERT-2016-1732
dfn-cert: DFN-CERT-2016-1726
dfn-cert: DFN-CERT-2016-1715
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1588
dfn-cert: DFN-CERT-2016-1555
dfn-cert: DFN-CERT-2016-1391
dfn-cert: DFN-CERT-2016-1378

```

[\[return to 192.168.56.6 \]](#)

2.2.19 High 8020/tcp

High (CVSS: 7.5)

NVT: '/.///WEB-INF/' Information Disclosure Vulnerability (HTTP)

Summary

... continues on next page ...

...continued from previous page ...

Various application or web servers / products are prone to an information disclosure vulnerability.

Quality of Detection (QoD): 99%**Vulnerability Detection Result**

Vulnerable URL: http://192.168.56.6:8020/./WEB-INF/web.xml

Response (truncated):

```

<?xml version="1.0" encoding="ISO-8859-1"?>
<web-app xmlns="http://java.sun.com/xml/ns/j2ee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/
ns/j2ee/web-app_2_4.xsd" version="2.4">
<!-- $Id$ -->
<!-- Added for MickeyClient Pdf Generation -->
<context-param>
  <param-name>ContextPath</param-name>
  <param-value>/</param-value>
</context-param>
<context-param>
  <param-name>defaultSkin</param-name>
  <param-value>woody</param-value>
</context-param>
<context-param>
  <param-name>useInstantFeedback</param-name>
  <param-value>true</param-value>
</context-param>
<context-param>
  <param-name>mailServerName</param-name>
  <param-value>smtp.india.adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>instantFeedbackAddress</param-name>
  <param-value>sym-issues@adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>AUTO_IMPORT_USER</param-name>
  <param-value>false</param-value>
</context-param>
<context-param>
  <param-name>PARAMETER-ENCODING</param-name>
  <param-value>UTF-8</param-value>
</context-param>
<listener>
  <listener-class>com.adventnet.sym.webclient.configurations.SymHttpSessionBindi
ngListener</listener-class>
</listener>
<!-- SDP-DC integration -->

```

...continues on next page ...

...continued from previous page...	
<pre> <listener> <listener-class>com.adventnet.sym.webclient.common.DCSessionListener</listener ↵-class> </listener> <!-- SDP-DC integra </pre>	
Impact	Based on the information provided in this file an attacker might be able to gather additional info and/or sensitive data about the application / the application / web server.
Solution:	Solution type: VendorFix The following vendor fixes are known: - Update to Payara Platform Enterprise 5.31.0, Payara Platform Community 5.2021.7 or later. For other products please contact the vendor for more information on possible fixes.
Affected Software/OS	The following products are known to be affected: - Payara Platform Enterprise / Community Other products might be affected as well.
Vulnerability Insight	The servlet specification prohibits servlet containers from serving resources in the '/WEB-INF' and '/META-INF' directories of a web application archive directly to clients. This means that URLs like: http://example.com/WEB-INF/web.xml will return an error message, rather than the contents of the deployment descriptor. However, some application or web servers / products are prone to a vulnerability that exposes this information if the client requests a URL like this instead: http://example.com/./WEB-INF/web.xml http://example.com/./web-inf/web.xml (note the './' before 'WEB-INF').
Vulnerability Detection Method	Sends a crafted HTTP GET request and checks the response. Details: '././WEB-INF/' Information Disclosure Vulnerability (HTTP) OID:1.3.6.1.4.1.25623.1.0.117707 Version used: 2023-03-06T15:49:58+05:30
References	cve: CVE-2021-41381 url: https://www.syss.de/fileadmin/dokumente/Publikationen/Advisories/SYSS-2021-↵054.txt url: http://packetstormsecurity.com/files/164365/Payara-Micro-Community-5.2021.6↵-Directory-Traversal.html

[\[return to 192.168.56.6 \]](#)

2.2.20 High 161/udp

High (CVSS: 7.6)

NVT: Report default community names of the SNMP Agent

Summary

Simple Network Management Protocol (SNMP) is a protocol which can be used by administrators to remotely manage a computer or network device. There are typically 2 modes of remote SNMP monitoring. These modes are roughly 'READ' and 'WRITE' (or PUBLIC and PRIVATE).

Quality of Detection (QoD): 99%**Vulnerability Detection Result**

SNMP Agent responded as expected when using the following community name:
public

Impact

If an attacker is able to guess a PUBLIC community string, they would be able to read SNMP data (depending on which MIBs are installed) from the remote device. This information might include system time, IP addresses, interfaces, processes running, etc.

If an attacker is able to guess a PRIVATE community string (WRITE or 'writeall' access), they will have the ability to change information on the remote machine. This could be a huge security hole, enabling remote attackers to wreak complete havoc such as routing network traffic, initiating processes, etc. In essence, 'writeall' access will give the remote attacker full administrative rights over the remote machine.

Note that this test only gathers information and does not attempt to write to the remote device. Thus it is not possible to determine automatically whether the reported community is public or private.

Also note that information made available through a guessable community string might or might not contain sensitive data. Please review the information available through the reported community string to determine the impact of this disclosure.

Solution:**Solution type:** VendorFix

Determine if the detected community string is a private community string. Determine whether a public community string exposes sensitive information. Disable the SNMP service if you don't use it or change the default community string.

Vulnerability Detection Method

Details: Report default community names of the SNMP Agent

OID:1.3.6.1.4.1.25623.1.0.10264

Version used: 2025-10-28T11:10:26+05:30

References

cve: CVE-1999-0186

... continues on next page ...

...continued from previous page ...

cve: CVE-1999-0254
cve: CVE-1999-0472
cve: CVE-1999-0516
cve: CVE-1999-0517
cve: CVE-1999-0792
cve: CVE-2000-0147
cve: CVE-2001-0380
cve: CVE-2001-0514
cve: CVE-2001-1210
cve: CVE-2002-0109
cve: CVE-2002-0478
cve: CVE-2002-1229
cve: CVE-2004-0311
cve: CVE-2004-1474
cve: CVE-2004-1775
cve: CVE-2004-1776
cve: CVE-2006-4950
cve: CVE-2008-1524
cve: CVE-2010-1574
cve: CVE-2010-2976
cve: CVE-2011-0890
cve: CVE-2012-4964
cve: CVE-2014-4862
cve: CVE-2014-4863
cve: CVE-2016-1452
cve: CVE-2016-1473
cve: CVE-2016-5645
cve: CVE-2017-7922
cve: CVE-2020-5364
cve: CVE-2024-5460
cve: CVE-2024-8450
cve: CVE-2025-12217
url: <http://www.securityfocus.com/bid/11237>
url: <http://www.securityfocus.com/bid/177>
url: <http://www.securityfocus.com/bid/20125>
url: <http://www.securityfocus.com/bid/2112>
url: <http://www.securityfocus.com/bid/2896>
url: <http://www.securityfocus.com/bid/3758>
url: <http://www.securityfocus.com/bid/3795>
url: <http://www.securityfocus.com/bid/3797>
url: <http://www.securityfocus.com/bid/41436>
url: <http://www.securityfocus.com/bid/4330>
url: <http://www.securityfocus.com/bid/46981>
url: <http://www.securityfocus.com/bid/5030>
url: <http://www.securityfocus.com/bid/5965>
url: <http://www.securityfocus.com/bid/7081>
url: <http://www.securityfocus.com/bid/7212>

...continues on next page ...

...continued from previous page...

```

url: http://www.securityfocus.com/bid/7317
url: http://www.securityfocus.com/bid/91756
url: http://www.securityfocus.com/bid/92428
url: http://www.securityfocus.com/bid/9681
url: http://www.securityfocus.com/bid/973
url: http://www.securityfocus.com/bid/986
url: http://www.securityfocus.com/bid/99083
cert-bund: WID-SEC-2024-1255
cert-bund: CB-K18/1132
cert-bund: CB-K16/1338
cert-bund: CB-K16/1061
dfn-cert: DFN-CERT-2016-1423
dfn-cert: DFN-CERT-2016-1130
dfn-cert: DFN-CERT-2010-0866

```

[\[return to 192.168.56.6 \]](#)**2.2.21 High 8585/tcp****High (CVSS: 8.8)****NVT: PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.18

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to cause a denial of service (heap memory corruption) or possibly have unspecified other impact.

Solution:**Solution type:** VendorFix

... continues on next page ...

...continued from previous page ...
Update to version 5.6.18, 7.0.3 or later.
Affected Software/OS PHP prior to version 5.6.18 and 7.x prior to 7.0.3 on Windows.
Vulnerability Insight The flaw is due an improper handling of zero-size '././@LongLink' files by 'phar_make_dirstream' function in ext/phar/dirstream.c script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.18, 7.x < 7.0.3 DoS Vulnerability (Jul 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808608 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-4343 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/89179 url: http://www.openwall.com/lists/oss-security/2016/04/28/2 cert-bund: CB-K16/1776 cert-bund: CB-K16/0796 cert-bund: CB-K16/0779 cert-bund: CB-K16/0760 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-0847 dfn-cert: DFN-CERT-2016-0835 dfn-cert: DFN-CERT-2016-0814

High (CVSS: 8.8)

NVT: WordPress Multiple Vulnerabilities (Jan 2022) - Windows

Summary

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...	
Installed version:	4.6.1
Fixed version:	4.6.22
Installation	
path / port:	/wordpress
Solution: Solution type: VendorFix Update to version 3.7.37, 3.8.37, 3.9.35, 4.0.34, 4.1.34, 4.2.31, 4.3.27, 4.4.26, 4.5.25, 4.6.22, 4.7.22, 4.8.18, 4.9.19, 5.0.15, 5.1.12, 5.2.14, 5.3.11, 5.4.9, 5.5.8, 5.6.7, 5.7.5, 5.8.3 or later.	
Affected Software/OS WordPress version 5.8.2 and prior.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-21661: SQL injection (SQLi) through WP_Query - CVE-2022-21662: Stored XSS through authenticated users - CVE-2022-21663: Authenticated object injection in multisites - CVE-2022-21664: SQL injection (SQLi) due to improper sanitization in WP_Meta_Query	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Jan 2022) - Windows OID:1.3.6.1.4.1.25623.1.0.147397 Version used: 2023-10-19T10:35:21+05:30	
References cve: CVE-2022-21661 cve: CVE-2022-21662 cve: CVE-2022-21663 cve: CVE-2022-21664 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-667↵6-cqfm-gw84 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-699↵q-3hj9-889w url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-jmm↵q-m8p8-332h url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-jp3↵p-gw8h-6x86 cert-bund: CB-K22/0008 dfn-cert: DFN-CERT-2022-0068 dfn-cert: DFN-CERT-2022-0027	

High (CVSS: 8.8)
NVT: WordPress Multiple Vulnerabilities (Jan 2024) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.28 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 4.1.40, 4.2.37, 4.3.33, 4.4.32, 4.5.31, 4.6.28, 4.7.28, 4.8.24, 4.9.25, 5.0.21, 5.1.18, 5.2.20, 5.3.17, 5.4.15, 5.5.14, 5.6.13, 5.7.11, 5.8.9, 5.9.9, 6.0.7, 6.1.5, 6.2.4, 6.3.3, 6.4.3 or later.
Affected Software/OS WordPress version 6.4.3 and prior.
Vulnerability Insight The following flaws exist: - CVE-2024-31210: PHP File Upload bypass via Plugin Installer (requiring admin privileges) - Remote Code Execution (RCE) POP Chains vulnerability
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Jan 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.114318 Version used: 2026-01-08T11:18:01+05:30
References cve: CVE-2024-31210 url: https://wordpress.org/news/2024/01/wordpress-6-4-3-maintenance-and-security-release/ url: https://www.wordfence.com/blog/2024/01/the-wordpress-6-4-3-security-update-what-you-need-to-know/ url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-x79f-xrjv-jx5r cert-bund: WID-SEC-2024-0254 dfn-cert: DFN-CERT-2024-1269

High (CVSS: 8.8) NVT: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilities (May 2018) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.36 Installation path / port: 8585/tcp
Impact Successful exploitation will allow an attacker to conduct XSS attacks, crash PHP, conduct denial of service condition and execute arbitrary code in the context of the affected application.
Solution: Solution type: VendorFix Update to version 5.6.36, 7.0.30, 7.1.17, 7.2.5 or later.
Affected Software/OS PHP prior to version 5.6.36, 7.0.x prior to 7.0.30, 7.1.x prior to 7.1.17 and 7.2.x prior to 7.2.5 on Windows.
Vulnerability Insight The following flaws exist: - CVE-2018-10549: Out of bounds read error in 'exif_read_data' function while processing crafted JPG data. - CVE-2018-10546: An error in stream filter 'convert.iconv' which leads to infinite loop on invalid sequence. - CVE-2018-10548: An error in the LDAP module of PHP which allows a malicious LDAP server or man-in-the-middle attacker to crash PHP. - CVE-2018-10547: An error in the 'phar_do_404()' function in 'ext/phar/phar_object.c' script which returns parts of the request unfiltered, leading to another XSS vector. This is due to incomplete fix for CVE-2018-5712.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.36, 7.x < 7.0.30, 7.1.x < 7.1.17, 7.2.x < 7.2.5 Multiple Vulnerabilit. ↔.. OID:1.3.6.1.4.1.25623.1.0.813159 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2018-10546 cve: CVE-2018-10547 cve: CVE-2018-10548 cve: CVE-2018-10549 url: http://www.php.net/ChangeLog-5.php#5.6.36 url: http://www.php.net/ChangeLog-7.php#7.0.30 url: http://www.php.net/ChangeLog-7.php#7.1.17 url: http://www.php.net/ChangeLog-7.php#7.2.5 cert-bund: CB-K18/0633 dfn-cert: DFN-CERT-2020-0680 dfn-cert: DFN-CERT-2019-1737 dfn-cert: DFN-CERT-2018-1232 dfn-cert: DFN-CERT-2018-0920 dfn-cert: DFN-CERT-2018-0877

High (CVSS: 8.8) NVT: WampServer < 3.1.3 CSRF Vulnerability
Summary WampServer is prone to a cross-site request forgery (CSRF) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2 Fixed version: 3.1.3
Solution: Solution type: VendorFix Update to version 3.1.3 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS WampServer 3.1.2 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WampServer < 3.1.3 CSRF Vulnerability OID:1.3.6.1.4.1.25623.1.0.140891 Version used: 2024-06-28T10:35:33+05:30
References cve: CVE-2018-8817 url: http://forum.wampserver.com/read.php?2%2C138295%2C150722%2Cpage%3D6%23msg-1↵50722

High (CVSS: 8.8)
NVT: WordPress Multiple Vulnerabilities (Mar 2019) - Windows
Summary WordPress is prone to a cross-site request forgery (CSRF) vulnerability in a comment form which leads to HTML injection and cross-site scripting (XSS) attacks.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.14 Installation path / port: /wordpress
Impact Chaining all found vulnerabilities, an attacker might be able to execute remote code on the affected system, getting access to the underlying hosting system.
Solution: Solution type: VendorFix Update to 5.1.1, 5.0.4, 4.9.10, 4.8.9, 4.7.13, 4.6.14, 4.5.17, 4.4.18, 4.3.19, 4.2.23, 4.1.26, 4.0.26, 3.9.27 or any later version.
Affected Software/OS WordPress 5.1.x prior to 5.1.1, 5.0.x prior to 5.0.4, 4.9.x prior to 4.9.10, 4.8.x prior to 4.8.9, 4.7.x prior to 4.7.13, 4.6.x prior to 4.6.14, 4.5.x prior to 4.5.17, 4.4.x prior to 4.4.18, 4.3.x prior to 4.3.19, 4.2.x prior to 4.2.23, 4.1.x prior to 4.1.26, 4.0.x prior to 4.0.26 and 3.9.x prior to 3.9.27.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Mar 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.108559 Version used: 2025-09-17T11:09:26+05:30
References cve: CVE-2019-9787 url: https://blog.ripstech.com/2019/wordpress-csrf-to-rce/ url: https://github.com/WordPress/WordPress/commit/0292de60ec78c5a44956765189403654fe4d080b url: https://wordpress.org/news/2019/03/wordpress-5-1-1-security-and-maintenance-release/ url: https://wordpress.org/support/wordpress-version/version-5-1-1/ cert-bund: CB-K19/0228 dfn-cert: DFN-CERT-2020-0955 dfn-cert: DFN-CERT-2019-0642 dfn-cert: DFN-CERT-2019-0517

High (CVSS: 8.8) NVT: WordPress Multiple Vulnerabilities (Mar 2022) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.23 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 3.7.38, 3.8.38, 3.9.36, 4.0.35, 4.1.35, 4.2.32, 4.3.28, 4.4.27, 4.5.26, 4.6.23, 4.7.23, 4.8.19, 4.9.20, 5.0.16, 5.1.13, 5.2.15, 5.3.12, 5.4.10, 5.5.9, 5.6.8, 5.7.6, 5.8.4, 5.9.2 or later.
Affected Software/OS WordPress version 5.9.1 and prior.
Vulnerability Insight The following vulnerabilities exist: - No CVE: Prototype pollution via the Gutenberg wordpress/url package - CVE-2021-20083: Prototype pollution in a jQuery dependency
... continues on next page ...

...continued from previous page ...
- No CVE: Stored cross-site scripting (XSS), only affecting version 5.9.0 and 5.9.1.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Mar 2022) - Windows OID:1.3.6.1.4.1.25623.1.0.147790 Version used: 2023-03-01T15:50:05+05:30
References cve: CVE-2021-20083 url: https://wordpress.org/news/2022/03/wordpress-5-9-2-security-maintenance-rel ↪ease/ url: https://www.wordfence.com/blog/2022/03/wordpress-5-9-2-security-update-fixe ↪s-xss-and-prototype-pollution-vulnerabilities/ url: https://packetstormsecurity.com/files/166299/WordPress-Core-5.9.0-5.9.1-Cro ↪ss-Site-Scripting.html cert-bund: CB-K22/0314 dfn-cert: DFN-CERT-2022-0571

High (CVSS: 8.8)
NVT: WordPress < 4.7.1 Multiple Security Vulnerabilities - Windows
Summary WordPress is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.7.1
Impact Successfully exploiting this issue allow remote attacker to e.g. obtain sensitive information or inject arbitrary web script or HTML.
Solution: Solution type: VendorFix Update to WordPress version 4.7.1.
Affected Software/OS WordPress versions 4.7 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to:
... continues on next page ...

...continued from previous page ...
- Cross-site scripting (XSS) via the plugin name or version header on update-core.php - Cross-site request forgery (CSRF) bypass via uploading a Flash file - Cross-site scripting (XSS) via theme name fallback - Post via email checks mail.example.com if default settings are not changed - Cross-site request forgery (CSRF) in the accessibility mode of widget editing - Weak cryptographic security for multisite activation key
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 4.7.1 Multiple Security Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.108047 Version used: 2024-02-15T10:35:40+05:30
References cve: CVE-2017-5493 cve: CVE-2017-5492 cve: CVE-2017-5491 cve: CVE-2017-5490 cve: CVE-2017-5489 cve: CVE-2017-5488 cve: CVE-2017-5487 cve: CVE-2016-10066 url: https://wpvulndb.com/wordpresses/47 url: https://wordpress.org/news/2017/01/wordpress-4-7-1-security-and-maintenance ↔-release/ cert-bund: CB-K17/0060 dfn-cert: DFN-CERT-2017-0193 dfn-cert: DFN-CERT-2017-0056

High (CVSS: 8.8)
NVT: WordPress < 4.7.5 Multiple Security Vulnerabilities - Windows
Summary WordPress is prone to the following security vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.7.5
Impact ... continues on next page ...

...continued from previous page ...
An attacker may leverage these issues to execute HTML and script code in the browser of an unsuspecting user in the context of the affected site, perform certain unauthorized actions actions, or bypass certain security restrictions.
Solution: Solution type: VendorFix Update to 4.7.5.
Affected Software/OS WordPress prior to 4.7.5 versions are vulnerable
Vulnerability Insight WordPress is prone to the following security vulnerabilities: 1. An open-redirect vulnerability 2. Multiple security bypass vulnerabilities 3. Multiple cross-site scripting vulnerabilities 4. A cross-site request-forgery vulnerability
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 4.7.5 Multiple Security Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.107200 Version used: 2025-01-17T21:09:18+05:30
References cve: CVE-2017-9061 cve: CVE-2017-9062 cve: CVE-2017-9063 cve: CVE-2017-9064 cve: CVE-2017-9065 cve: CVE-2017-9066 url: http://www.securityfocus.com/bid/98509 cert-bund: CB-K18/0122 cert-bund: CB-K17/0831 dfn-cert: DFN-CERT-2018-0126 dfn-cert: DFN-CERT-2017-0859

High (CVSS: 8.8)

NVT: WordPress < 4.9.1 Multiple Vulnerabilities - Windows

Summary

WordPress prior to 4.9.1 is prone to multiple vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.9.1
Impact An attacker may leverage these issues to bypass access restrictions or conduct XSS via specific vectors.
Solution: Solution type: VendorFix Update to WordPress 4.9.1 or later.
Affected Software/OS WordPress prior to version 4.9.1.
Vulnerability Insight WordPress before 4.9.1 is prone to the following security vulnerabilities: - wp-admin/user-new.php sets the newbloguser key to a string that can be directly derived from the user ID, which allows remote attackers to bypass intended access restrictions by entering this string. (CVE-2017-17091) - wp-includes/functions.php does not require the unfiltered_html capability for upload of .js files, which might allow remote attackers to conduct XSS attacks via a crafted file. (CVE-2017-17092) - wp-includes/general-template.php does not properly restrict the lang attribute of an HTML element, which might allow attackers to conduct XSS attacks via the language setting of a site. (CVE-2017-17093) - wp-includes/feed.php does not properly restrict enclosures in RSS and Atom fields, which might allow attackers to conduct XSS attacks via a crafted URL. (CVE-2017-17094)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 4.9.1 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112147 Version used: 2024-02-15T10:35:40+05:30
References cve: CVE-2017-17091 cve: CVE-2017-17092 cve: CVE-2017-17093 cve: CVE-2017-17094 url: https://wordpress.org/news/2017/11/wordpress-4-9-1-security-and-maintenance-release/ url: https://codex.wordpress.org/Version_4.9.1 cert-bund: CB-K18/0122 dfn-cert: DFN-CERT-2018-0126

High (CVSS: 8.8)	
NVT: PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Multiple Vulnerabilities (Jun 2022) - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.4.30 Installation path / port: 8585/tcp	
Solution: Solution type: VendorFix Update to version 7.4.30, 8.0.20, 8.1.7 or later.	
Affected Software/OS PHP prior to version 7.4.30, 8.0.x through 8.0.19 and 8.1.x through 8.1.6.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-31625: Uninitialized array in pg_query_params() - CVE-2022-31626: mysqlnd/pdo password buffer overflow	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.4.30, 8.0.x < 8.0.20, 8.1.x < 8.1.7 Multiple Vulnerabilities (Jun 2022). ↪.. OID:1.3.6.1.4.1.25623.1.0.148250 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References ... continues on next page ...	

...continued from previous page ...
cve: CVE-2022-31625 cve: CVE-2022-31626 url: https://www.php.net/ChangeLog-7.php#7.4.30 url: https://www.php.net/ChangeLog-8.php#8.0.20 url: https://www.php.net/ChangeLog-8.php#8.1.7 url: https://bugs.php.net/bug.php?id=81720 url: https://bugs.php.net/bug.php?id=81719 cert-bund: WID-SEC-2023-1737 cert-bund: WID-SEC-2022-0255 cert-bund: CB-K22/0700 dfn-cert: DFN-CERT-2023-1600 dfn-cert: DFN-CERT-2022-2869 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2022-2598 dfn-cert: DFN-CERT-2022-2500 dfn-cert: DFN-CERT-2022-2323 dfn-cert: DFN-CERT-2022-1881 dfn-cert: DFN-CERT-2022-1552 dfn-cert: DFN-CERT-2022-1516 dfn-cert: DFN-CERT-2022-1493 dfn-cert: DFN-CERT-2022-1473 dfn-cert: DFN-CERT-2022-1288

High (CVSS: 8.8)

NVT: WordPress <= 4.9.8 Multiple Vulnerabilities - Windows

Summary

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 4.6.1

Fixed version: None

Installation

path / port: /wordpress

Impact

- CVE-2018-14028: Successful exploitation will allow remote attackers to upload php files in a predictable wp-content/uploads location and execute them.

- CVE-2018-1000773: An attacker may leverage this issue to upload arbitrary files to the affected computer. This can result in arbitrary code execution within the context of the vulnerable application.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS All WordPress versions through 4.9.8.
Vulnerability Insight The following vulnerabilities exist: - CVE-2018-14028: Plugins uploaded via the admin area are not verified as being ZIP files. - CVE-2018-1000773: An input validation vulnerability in thumbnail processing that can result in remote code execution due to an incomplete fix for CVE-2017-1000600.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress <= 4.9.8 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.813910 Version used: 2023-11-03T21:40:08+05:30
References cve: CVE-2018-14028 cve: CVE-2018-1000773 url: https://rastating.github.io/unrestricted-file-upload-via-plugin-uploader-in-wordpress url: https://core.trac.wordpress.org/ticket/44710 url: https://github.com/rastating/wordpress-exploit-framework/pull/52 url: http://www.securityfocus.com/bid/105306 url: https://www.theregister.co.uk/2018/08/20/php_unserialisation_wordpress_vuln ↩/
High (CVSS: 8.8) NVT: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.1.30 Installation path / port: 8585/tcp	
Solution: Solution type: VendorFix Update to version 8.1.30, 8.2.24, 8.3.12 or later.	
Affected Software/OS PHP versions prior to 8.1.30, 8.2.x prior to 8.2.24 and 8.3.x prior to 8.3.12.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2024-8925, CVE-2024-8928: Erroneous parsing of multipart form data - CVE-2024-8926: Bypass of CVE-2024-4577, Parameter Injection Vulnerability - CVE-2024-8927: cgi.force_redirect configuration is bypassable due to the environment variable collision - CVE-2024-9026: Logs from children may be altered	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.1.30, 8.2.x < 8.2.24, 8.3.x < 8.3.12 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.114788 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2024-8925 cve: CVE-2024-8926 cve: CVE-2024-8927 cve: CVE-2024-8928 cve: CVE-2024-9026 url: https://www.php.net/ChangeLog-8.php#8.1.30 url: https://www.php.net/ChangeLog-8.php#8.2.24 url: https://www.php.net/ChangeLog-8.php#8.3.12 url: https://github.com/php/php-src/security/advisories/GHSA-9pqp-7h25-4f32 url: https://github.com/php/php-src/security/advisories/GHSA-p99j-rfp4-xqvq	
... continues on next page ...	

...continued from previous page ...
url: https://github.com/php/php-src/security/advisories/GHSA-94p6-54jq-9mwp
url: https://github.com/php/php-src/security/advisories/GHSA-865w-9rf3-2wh5
url: https://bugzilla.redhat.com/show_bug.cgi?id=2317439
url: https://thephp.foundation/blog/2025/04/10/php-core-security-audit-results/
url: https://ostif.org/php-audit-complete/
url: https://blog.quarkslab.com/security-audit-of-php-src.html
url: https://www.openwall.com/lists/oss-security/2025/04/12/2
cert-bund: WID-SEC-2025-0137
cert-bund: WID-SEC-2024-3116
cert-bund: WID-SEC-2024-2230
dfn-cert: DFN-CERT-2025-1211
dfn-cert: DFN-CERT-2025-0168
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2024-3329
dfn-cert: DFN-CERT-2024-2707
dfn-cert: DFN-CERT-2024-2591
dfn-cert: DFN-CERT-2024-2550

High (CVSS: 8.8)
NVT: WordPress RCE Vulnerability (CVE-2019-8942) - Windows
Summary WordPress allows remote code execution (RCE) because an <code>_wp_attached_file</code> Post Meta entry can be changed to an arbitrary string, such as one ending with a <code>.jpg?file.php</code> substring. An attacker with author privileges can execute arbitrary code by uploading a crafted image containing PHP code in the Exif metadata. Exploitation can leverage CVE-2019-8943.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.9.9 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 4.9.9, 5.0.1 or later.
Affected Software/OS WordPress prior version 4.9.9 and 5.0.1.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: WordPress RCE Vulnerability (CVE-2019-8942) - Windows OID:1.3.6.1.4.1.25623.1.0.142030 Version used: 2024-06-28T21:08:46+05:30
References cve: CVE-2019-8942 url: https://blog.ripstech.com/2019/wordpress-image-remote-code-execution/ url: http://www.securityfocus.com/bid/107088 cert-bund: CB-K19/0155 dfn-cert: DFN-CERT-2019-0642 dfn-cert: DFN-CERT-2018-2545

High (CVSS: 8.8)
NVT: WordPress Arbitrary File Deletion Vulnerability (Jun 2018) - Windows
Summary WordPress is prone to an arbitrary file deletion vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.9.7 Installation path / port: /wordpress
Impact Successful exploitation will allow remote attackers to delete any file of the wordPress installation and any other file on the server on which the PHP process user has the proper permissions to delete. Also capability of arbitrary file deletion can be used to circumvent some security measures and execute arbitrary code on the webserver.
Solution: Solution type: VendorFix Update to version 4.9.7.
Affected Software/OS All wordPress versions through version 4.9.6.
Vulnerability Insight The flaw exists due to an insufficient sanitization of user input data in the 'wp-includes/post.php' script before passing on to a file deletion function.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: WordPress Arbitrary File Deletion Vulnerability (Jun 2018) - Windows OID:1.3.6.1.4.1.25623.1.0.813454 Version used: 2023-03-01T15:50:05+05:30
References cve: CVE-2018-12895 url: https://blog.ripstech.com/2018/wordpress-file-delete-to-code-execution url: https://wordpress.org/news/2018/07/wordpress-4-9-7-security-and-maintenance-release/ ↔-release/ dfn-cert: DFN-CERT-2018-1483 dfn-cert: DFN-CERT-2018-1314

High (CVSS: 8.6) NVT: PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.36 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service (out-of-bounds read) or possibly have unspecified other impact.
Solution: Solution type: VendorFix Update to version 5.5.36, 5.6.22, 7.0.7 or later.
Affected Software/OS PHP prior to version 5.5.36, 5.6.x prior to 5.6.22 and 7.x prior to 7.0.7 on Windows.
Vulnerability Insight ... continues on next page ...

...continued from previous page...

The following flaws exist:

- The 'get_icu_value_internal' function in 'ext/intl/locale/locale_methods.c' script does not ensure the presence of a '\0' character.
- The 'gd_interpolation.c' script in the GD Graphics Library mishandled by the imagescale function.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 5.5.36, 5.6.x < 5.6.22, 7.x < 7.0.7 Multiple Vulnerabilities (Aug 2016) -.
↪..

OID:1.3.6.1.4.1.25623.1.0.808793

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2013-7456

cve: CVE-2016-5093

url: <http://www.php.net/ChangeLog-5.php>

url: <http://www.securityfocus.com/bid/90946>

url: <http://www.securityfocus.com/bid/90859>

url: <http://www.php.net/ChangeLog-7.php>

cert-bund: CB-K16/1776

cert-bund: CB-K16/1179

cert-bund: CB-K16/1045

cert-bund: CB-K16/0944

cert-bund: CB-K16/0937

cert-bund: CB-K16/0912

cert-bund: CB-K16/0911

cert-bund: CB-K16/0909

cert-bund: CB-K16/0801

cert-bund: CB-K16/0796

dfn-cert: DFN-CERT-2016-1882

dfn-cert: DFN-CERT-2016-1253

dfn-cert: DFN-CERT-2016-1110

dfn-cert: DFN-CERT-2016-1004

dfn-cert: DFN-CERT-2016-0996

dfn-cert: DFN-CERT-2016-0972

dfn-cert: DFN-CERT-2016-0960

dfn-cert: DFN-CERT-2016-0944

dfn-cert: DFN-CERT-2016-0857

dfn-cert: DFN-CERT-2016-0847

High (CVSS: 8.6) NVT: PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.36 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service or possibly have unspecified other impact.
Solution: Solution type: VendorFix Update to version 5.5.36, 5.6.22 or later.
Affected Software/OS PHP prior to version 5.5.36 and 5.6.x prior to 5.6.22 on Windows.
Vulnerability Insight The following flaws exist: - Integer overflow in the fread function in 'ext/standard/file.c' script. - Integer overflow in the php_html_entities function in 'ext/standard/html.c' script. - An Integer overflow in the php_escape_html_entities_ex function in 'ext/standard/html.c' script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.36, 5.6.x < 5.6.22 Multiple Vulnerabilities (Aug 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808791 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10
... continues on next page ...

...continued from previous page ...
Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-5094 cve: CVE-2016-5095 cve: CVE-2016-5096 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/90861 url: http://www.securityfocus.com/bid/90857 url: http://www.securityfocus.com/bid/92144 cert-bund: CB-K16/1982 cert-bund: CB-K16/1776 cert-bund: CB-K16/1179 cert-bund: CB-K16/0944 cert-bund: CB-K16/0937 cert-bund: CB-K16/0912 cert-bund: CB-K16/0911 cert-bund: CB-K16/0909 cert-bund: CB-K16/0796 dfn-cert: DFN-CERT-2016-2084 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1253 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0996 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0960 dfn-cert: DFN-CERT-2016-0944 dfn-cert: DFN-CERT-2016-0847

High (CVSS: 8.2)
NVT: PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page...	
Installed version:	5.3.10
Fixed version:	8.2.30
Installation	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 8.2.30, 8.3.29, 8.4.16 or later.	
Affected Software/OS PHP versions prior to 8.2.30, 8.3.x prior to 8.3.29 and 8.4.x prior to 8.4.16.	
Vulnerability Insight The following flaws exist: - CVE-2025-14177: Information leak of memory in getimagesize - CVE-2025-14178: Heap buffer overflow in array_merge() - CVE-2025-14180: PDO quoting result null deref - No CVE: Null byte termination in dns_get_record()	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.2.30, 8.3.x < 8.3.29, 8.4.x < 8.4.16 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.156072 Version used: 2026-01-12T11:20:06+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2025-14177 cve: CVE-2025-14178 cve: CVE-2025-14180 url: https://www.php.net/ChangeLog-8.php#8.2.30 url: https://www.php.net/ChangeLog-8.php#8.3.29 url: https://www.php.net/ChangeLog-8.php#8.4.16 url: https://github.com/php/php-src/security/advisories/GHSA-3237-qqm7-mfv7 url: https://github.com/php/php-src/security/advisories/GHSA-h96m-rvf9-jgm2 url: https://github.com/php/php-src/security/advisories/GHSA-8xr5-qppj-gvwj url: https://github.com/php/php-src/security/advisories/GHSA-www2-q4fc-65wf dfn-cert: DFN-CERT-2026-0791 dfn-cert: DFN-CERT-2026-0651 dfn-cert: DFN-CERT-2026-0607 dfn-cert: DFN-CERT-2026-0499	
...continues on next page...	

...continued from previous page ...

dfn-cert: DFN-CERT-2026-0315
 dfn-cert: DFN-CERT-2026-0287
 dfn-cert: DFN-CERT-2026-0262
 dfn-cert: DFN-CERT-2025-3544

High (CVSS: 8.1)

NVT: WordPress Multiple Vulnerabilities (May 2020) - Windows

Summary

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 4.6.1

Fixed version: 4.6.18

Installation

path / port: /wordpress

Solution:**Solution type:** VendorFix

Update to version 3.7.33, 3.8.33, 3.9.31, 4.0.30, 4.1.30, 4.2.27, 4.3.23, 4.4.22, 4.5.21, 4.6.18, 4.7.17, 4.8.13, 4.9.14, 5.0.9, 5.1.5, 5.2.6, 5.3.3, 5.4.1 or later.

Affected Software/OS

WordPress versions 3.7 - 5.4.

Vulnerability Insight

WordPress is prone to multiple vulnerabilities:

- Specially crafted filenames in WordPress leading to XSS (CVE-2020-11026)
- Password reset links invalidation issue (CVE-2020-11027)
- Unauthenticated disclosure of certain private posts (CVE-2020-11028)
- Cross-site scripting in stats method (object cache) (CVE-2020-11029)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: WordPress Multiple Vulnerabilities (May 2020) - Windows

OID:1.3.6.1.4.1.25623.1.0.143817

Version used: 2024-02-08T10:35:59+05:30

References

cve: CVE-2020-11026

cve: CVE-2020-11027

cve: CVE-2020-11028

... continues on next page ...

...continued from previous page ...
cve: CVE-2020-11029 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-3gw↪2-4656-pfr2 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-ww7↪v-jg8c-q6jw url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-xhx↪9-759f-6p2w url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-568↪w-8m88-8g2c cert-bund: CB-K20/0413 dfn-cert: DFN-CERT-2020-0990 dfn-cert: DFN-CERT-2020-0955

High (CVSS: 8.1)

NVT: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.6.24

Installation

path / port: 8585/tcp

Impact

Successfully exploiting these issues may allow remote, unauthenticated to conduct MITM attacks on internal server subrequests or direct the server to initiate connections to arbitrary hosts or to cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.6.24, 7.0.9 or later.

Affected Software/OS

PHP versions 5.x through 5.6.23 and 7.0.x through 7.0.8 on Windows.

... continues on next page ...

...continued from previous page ...

Vulnerability Insight

The following flaws exist:

- The web servers running in a CGI or CGI-like context may assign client request proxy header values to internal HTTP_PROXY environment variables.
- 'HTTP_PROXY' is improperly trusted by some PHP libraries and applications
- An unspecified flaw in the gdImageCropThreshold function in 'gd_crop.c' in the GD Graphics Library.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 5.6.24, 7.x <= 7.0.8 Multiple Vulnerabilities (Jul 2016) - Windows
OID:1.3.6.1.4.1.25623.1.0.808627

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2016-5385

cve: CVE-2016-6128

url: <http://www.php.net/ChangeLog-5.php>

url: <http://www.securityfocus.com/bid/91821>

url: <http://www.securityfocus.com/bid/91509>

url: <http://www.php.net/ChangeLog-7.php>

url: <http://www.kb.cert.org/vuls/id/797896>

url: <https://bugs.php.net/bug.php?id=72573>

url: <https://bugs.php.net/bug.php?id=72494>

cert-bund: WID-SEC-2025-2522

cert-bund: CB-K17/1252

cert-bund: CB-K16/1941

cert-bund: CB-K16/1854

cert-bund: CB-K16/1776

cert-bund: CB-K16/1549

cert-bund: CB-K16/1499

cert-bund: CB-K16/1407

cert-bund: CB-K16/1283

cert-bund: CB-K16/1248

cert-bund: CB-K16/1179

cert-bund: CB-K16/1115

cert-bund: CB-K16/1110

cert-bund: CB-K16/1106

cert-bund: CB-K16/1092

cert-bund: CB-K16/1077

cert-bund: CB-K16/1045

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2017-1295
dfn-cert: DFN-CERT-2016-2047
dfn-cert: DFN-CERT-2016-1961
dfn-cert: DFN-CERT-2016-1882
dfn-cert: DFN-CERT-2016-1641
dfn-cert: DFN-CERT-2016-1590
dfn-cert: DFN-CERT-2016-1498
dfn-cert: DFN-CERT-2016-1367
dfn-cert: DFN-CERT-2016-1326
dfn-cert: DFN-CERT-2016-1253
dfn-cert: DFN-CERT-2016-1184
dfn-cert: DFN-CERT-2016-1179
dfn-cert: DFN-CERT-2016-1178
dfn-cert: DFN-CERT-2016-1157
dfn-cert: DFN-CERT-2016-1144
dfn-cert: DFN-CERT-2016-1110

```

High (CVSS: 8.1)**NVT: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Windows****Product detection result**

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 8.0.28

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 8.0.28, 8.1.16, 8.2.3 or later.

Affected Software/OS

PHP versions prior to 8.0.28, 8.1.x prior to 8.1.16 and 8.2.x prior to 8.2.3.

Vulnerability Insight

... continues on next page ...

...continued from previous page...

The following flaws exist:

- CVE-2023-0567: Fixed bug #81744 (Password_verify() always return true with some hash)
- CVE-2023-0568: Fixed bug #81746 (1-byte array overrun in common path resolve code)
- CVE-2023-0662: Fixed bug GHSA-54hq-v5wp-fqgv (DOS vulnerability when parsing multipart request body)

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 8.0.28, 8.1.x < 8.1.16, 8.2.x < 8.2.3 Security Update - Windows
OID: 1.3.6.1.4.1.25623.1.0.104542

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2023-0567

cve: CVE-2023-0568

cve: CVE-2023-0662

url: <https://www.php.net/ChangeLog-8.php#8.2.3>

url: <https://www.php.net/ChangeLog-8.php#8.1.16>

url: <https://www.php.net/ChangeLog-8.php#8.0.28>

url: <https://www.php.net/archive/2023.php#2023-02-14-2>

url: <https://www.php.net/archive/2023.php#2023-02-14-3>

url: <https://www.php.net/archive/2023.php#2023-02-14-1>

url: <http://bugs.php.net/81744>

url: <http://bugs.php.net/81746>

url: <https://github.com/php/php-src/security/advisories/GHSA-54hq-v5wp-fqgv>

url: <https://github.com/php/php-src/security/advisories/GHSA-7fj2-8x79-rj4>

cert-bund: WID-SEC-2023-2671

cert-bund: WID-SEC-2023-1424

cert-bund: WID-SEC-2023-1022

cert-bund: WID-SEC-2023-0383

dfn-cert: DFN-CERT-2024-3330

dfn-cert: DFN-CERT-2024-2681

dfn-cert: DFN-CERT-2023-2570

dfn-cert: DFN-CERT-2023-2538

dfn-cert: DFN-CERT-2023-0994

dfn-cert: DFN-CERT-2023-0884

dfn-cert: DFN-CERT-2023-0462

dfn-cert: DFN-CERT-2023-0435

dfn-cert: DFN-CERT-2023-0336

High (CVSS: 8.1)
NVT: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
Summary Apache HTTP Server is prone to a man-in-the-middle attack vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.24 Installation path / port: 8585/tcp
Impact Successful exploitation will allow remote attackers to redirect an application's outbound HTTP traffic to an arbitrary proxy server via a crafted proxy header in an HTTP request.
Solution: Solution type: VendorFix Update to version 2.4.24, or 2.2.32, or later.
Affected Software/OS Apache HTTP Server through 2.4.23. NOTE: Apache HTTP Server 2.2.32 is not vulnerable.
Vulnerability Insight The flaw is due to 'CGI Servlet' does not protect applications from the presence of untrusted client data in the 'HTTP_PROXY' environment variable.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server Man-in-the-Middle Attack Vulnerability (Jul 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808631 Version used: 2024-02-08T20:06:53+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2016-5387 url: https://www.apache.org/security/asf-httpoxy-response.txt url: http://www.securityfocus.com/bid/91816 cert-bund: WID-SEC-2025-2522 cert-bund: WID-SEC-2025-0370 cert-bund: CB-K17/2013 cert-bund: CB-K17/1854 cert-bund: CB-K17/1842 cert-bund: CB-K17/1622 cert-bund: CB-K17/0527 cert-bund: CB-K17/0055 cert-bund: CB-K16/1995 cert-bund: CB-K16/1620 cert-bund: CB-K16/1289 cert-bund: CB-K16/1103 cert-bund: CB-K16/1088 cert-bund: CB-K16/1087 dfn-cert: DFN-CERT-2017-2104 dfn-cert: DFN-CERT-2017-1926 dfn-cert: DFN-CERT-2017-1925 dfn-cert: DFN-CERT-2017-1692 dfn-cert: DFN-CERT-2017-0532 dfn-cert: DFN-CERT-2017-0060 dfn-cert: DFN-CERT-2016-2108 dfn-cert: DFN-CERT-2016-1717 dfn-cert: DFN-CERT-2016-1372 dfn-cert: DFN-CERT-2016-1175 dfn-cert: DFN-CERT-2016-1162 dfn-cert: DFN-CERT-2016-1153
High (CVSS: 7.8) NVT: PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to an integer overflow vulnerability.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.0.27 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 8.0.27, 8.1.14, 8.2.1 or later.
Affected Software/OS PHP prior to version 8.0.27, version 8.1.x through 8.1.13 and 8.2.0.
Vulnerability Insight Due to an uncaught integer overflow, PDO::quote() of PDO_SQLite may return a not properly quoted string.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.0.27, 8.1.x < 8.1.14, 8.2.x < 8.2.1 Security Update - Windows OID:1.3.6.1.4.1.25623.1.0.149070 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2022-31631 url: https://www.php.net/ChangeLog-8.php#8.0.27 url: https://www.php.net/ChangeLog-8.php#8.1.14 url: https://www.php.net/ChangeLog-8.php#8.2.1 cert-bund: WID-SEC-2023-0035 dfn-cert: DFN-CERT-2023-0435 dfn-cert: DFN-CERT-2023-0422 dfn-cert: DFN-CERT-2023-0071 dfn-cert: DFN-CERT-2023-0034

High (CVSS: 7.5)	
NVT: PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.39 Installation path / port: 8585/tcp	
Impact Successfully exploiting these issues allow remote attackers to obtain sensitive information by providing crafted serialized data with an int data type and to execute arbitrary code by providing crafted serialized data with an unexpected data type.	
Solution: Solution type: VendorFix Update to version 5.4.39, 5.5.23, 5.6.7 or later.	
Affected Software/OS PHP prior to version 5.4.39, 5.5.x prior to 5.5.23 and 5.6.x prior to 5.6.7.	
Vulnerability Insight The following flaws exist: - 'do_soap_call' function in ext/soap/soap.c script in PHP does not verify that the uri property is a string. - 'SoapClient::__call' method in ext/soap/soap.c script in PHP does not verify that __default_headers is an array. - use-after-free error related to the 'unserialize' function when using DateInterval input. - a flaw in the 'move_uploaded_file' function that is triggered when handling NULL bytes. - an integer overflow condition in the '_zip_cdir_new' function in 'zip_dirent.c' script.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.39, 5.5.x < 5.5.23, 5.6.x < 5.6.7 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.805650	
... continues on next page ...	

...continued from previous page ...
Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-2331 cve: CVE-2015-2348 cve: CVE-2015-2787 cve: CVE-2015-4147 cve: CVE-2015-4148 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/73357 url: http://www.securityfocus.com/bid/73431 url: http://www.securityfocus.com/bid/73434 url: https://bugs.php.net/bug.php?id=69085 url: http://openwall.com/lists/oss-security/2015/06/01/4 cert-bund: WID-SEC-2023-1281 cert-bund: WID-SEC-2023-0069 cert-bund: CB-K16/0944 cert-bund: CB-K15/1437 cert-bund: CB-K15/1188 cert-bund: CB-K15/1031 cert-bund: CB-K15/0966 cert-bund: CB-K15/0942 cert-bund: CB-K15/0854 cert-bund: CB-K15/0809 cert-bund: CB-K15/0806 cert-bund: CB-K15/0769 cert-bund: CB-K15/0757 cert-bund: CB-K15/0665 cert-bund: CB-K15/0561 cert-bund: CB-K15/0482 cert-bund: CB-K15/0377 cert-bund: CB-K15/0375 cert-bund: CB-K15/0372 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2015-1514 dfn-cert: DFN-CERT-2015-1252 dfn-cert: DFN-CERT-2015-1083 dfn-cert: DFN-CERT-2015-1017 dfn-cert: DFN-CERT-2015-0989 dfn-cert: DFN-CERT-2015-0900 dfn-cert: DFN-CERT-2015-0854
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2015-0842
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0794
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0583
dfn-cert: DFN-CERT-2015-0505
dfn-cert: DFN-CERT-2015-0387
dfn-cert: DFN-CERT-2015-0383
dfn-cert: DFN-CERT-2015-0382

High (CVSS: 7.5)
NVT: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.26 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.26 or later.
Affected Software/OS PHP versions before 7.2.26.
Vulnerability Insight PHP is prone to multiple vulnerabilities: - Buffer underflow in bc_shift_addsub (CVE-2019-11046) - link() silently truncates after a null byte on Windows (CVE-2019-11044) - DirectoryIterator class silently truncates after a null byte (CVE-2019-11045) - Use-after-free in exif parsing under memory sanitizer (CVE-2019-11050) - Heap-buffer-overflow READ in exif (CVE-2019-11047)
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.26 Multiple Vulnerabilities (Dec 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.143277 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2019-11044 cve: CVE-2019-11045 cve: CVE-2019-11046 cve: CVE-2019-11047 cve: CVE-2019-11050 url: https://www.php.net/ChangeLog-7.php#7.2.26 cert-bund: WID-SEC-2022-2122 cert-bund: CB-K20/1199 cert-bund: CB-K19/1099 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2020-2627 dfn-cert: DFN-CERT-2020-1964 dfn-cert: DFN-CERT-2020-0550 dfn-cert: DFN-CERT-2020-0415 dfn-cert: DFN-CERT-2020-0382 dfn-cert: DFN-CERT-2020-0339 dfn-cert: DFN-CERT-2019-2709 dfn-cert: DFN-CERT-2019-2659
High (CVSS: 7.5) NVT: PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.28 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.28 or later.
Affected Software/OS PHP prior to version 7.2.28.
Vulnerability Insight The following flaws exist: - CVE-2020-7062: Null Pointer Dereference in PHP Session Upload Progress - CVE-2020-7063: Files added to tar with Phar::buildFromIterator have all-access permissions
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.28 Multiple Vulnerabilities (Feb 2020) - Windows OID:1.3.6.1.4.1.25623.1.0.143542 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2020-7062 cve: CVE-2020-7063 url: https://www.php.net/ChangeLog-7.php#7.2.28 cert-bund: WID-SEC-2022-2119 cert-bund: CB-K20/0147 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2020-2627 dfn-cert: DFN-CERT-2020-1964 dfn-cert: DFN-CERT-2020-1438 dfn-cert: DFN-CERT-2020-0787 dfn-cert: DFN-CERT-2020-0518 dfn-cert: DFN-CERT-2020-0485 dfn-cert: DFN-CERT-2020-0341

High (CVSS: 7.5) NVT: PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.30 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.30, 7.3.17, 7.4.5 or later.
Affected Software/OS PHP versions prior 7.2.30, 7.3 prior 7.3.17 and 7.4 prior to 7.4.5.
Vulnerability Insight If 'CHARSET_EBCDIC' is defined (usually, on systems with EBCDIC encoding support), an out-of-bounds read can occur using a malformed url-encoded string.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.30, 7.3 < 7.3.17, 7.4 < 7.4.5 DoS Vulnerability (Apr 2020) - Windows OID:1.3.6.1.4.1.25623.1.0.143723 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2020-7067 url: https://www.php.net/ChangeLog-7.php#7.2.30 ... continues on next page ...

...continued from previous page ...
url: https://www.php.net/ChangeLog-7.php#7.3.17 url: https://www.php.net/ChangeLog-7.php#7.4.5 cert-bund: CB-K20/1199 cert-bund: CB-K20/0336 dfn-cert: DFN-CERT-2020-1438 dfn-cert: DFN-CERT-2020-0851 dfn-cert: DFN-CERT-2020-0751

High (CVSS: 7.5) NVT: PHP < 5.6.0 DoS Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.0 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to cause a denial of service.
Solution: Solution type: VendorFix Update to version 5.6.0 or later.
Affected Software/OS PHP prior to version 5.6.0 on Windows.
Vulnerability Insight The flaw is due an improper validation of input to zero root_storage value in a CDF file.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.0 DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.808668
...continues on next page ...

...continued from previous page ...
Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2014-0236 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/90957

High (CVSS: 7.5)
NVT: PHP < 7.2.32, 7.3 < 7.3.20, 7.4 < 7.4.8 libcurl Vulnerability (May 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to an information disclosure vulnerability in libcurl.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.32 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.32, 7.3.20, 7.4.8 or later.
Affected Software/OS PHP versions prior 7.2.32, 7.3 prior 7.3.20 and 7.4 prior to 7.4.8.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.32, 7.3 < 7.3.20, 7.4 < 7.4.8 libcurl Vulnerability (May 2020) - Wind. ↪... OID:1.3.6.1.4.1.25623.1.0.144246
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2020-8169 url: https://www.php.net/ChangeLog-7.php#7.2.32 url: https://www.php.net/ChangeLog-7.php#7.3.20 url: https://www.php.net/ChangeLog-7.php#7.4.8 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-1636 cert-bund: WID-SEC-2023-1350 cert-bund: CB-K20/0684 cert-bund: CB-K20/0619 dfn-cert: DFN-CERT-2021-1329 dfn-cert: DFN-CERT-2021-0807 dfn-cert: DFN-CERT-2021-0663 dfn-cert: DFN-CERT-2020-1347

High (CVSS: 7.5)
NVT: PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.24 Installation path / port: 8585/tcp
Impact ... continues on next page ...

...continued from previous page ...
Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly have unspecified other impact.
Solution: Solution type: VendorFix Update to version 5.5.24, 5.6.8 or later.
Affected Software/OS PHP versions 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.
Vulnerability Insight An use-after-free vulnerability occurs in the '_zend_shared_memdup' function in 'zend_shared_alloc.c' script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.24, 5.6.x < 5.6.8 DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.805691 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-1351 url: http://bugzilla.redhat.com/show_bug.cgi?id=1185900 url: http://www.securityfocus.com/bid/71929 url: http://openwall.com/lists/oss-security/2015/01/24/9 cert-bund: CB-K15/1437 cert-bund: CB-K15/0757 cert-bund: CB-K15/0552 cert-bund: CB-K15/0459 cert-bund: CB-K15/0207 dfn-cert: DFN-CERT-2019-1354 dfn-cert: DFN-CERT-2015-1514 dfn-cert: DFN-CERT-2015-0794 dfn-cert: DFN-CERT-2015-0579 dfn-cert: DFN-CERT-2015-0487 dfn-cert: DFN-CERT-2015-0212

High (CVSS: 7.5) NVT: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2021) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a NULL dereference vulnerability in the SoapClient.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.27 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.3.27, 7.4.15, 8.0.2 or later.
Affected Software/OS PHP versions prior to 7.3.27, 7.4.x prior to 7.4.15 and 8.0.x prior to 8.0.2.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.3.27, 7.4.x < 7.4.15, 8.0.x < 8.0.2 NULL Deference Vulnerability (Feb 2021) - Windows ↔... OID:1.3.6.1.4.1.25623.1.0.145324 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2021-21702 url: https://www.php.net/ChangeLog-7.php#7.3.27 url: https://www.php.net/ChangeLog-7.php#7.4.15 url: https://www.php.net/ChangeLog-8.php#8.0.2 ... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2023-1737
 cert-bund: WID-SEC-2022-2113
 cert-bund: CB-K21/0124
 dfn-cert: DFN-CERT-2023-1600
 dfn-cert: DFN-CERT-2022-2639
 dfn-cert: DFN-CERT-2022-2638
 dfn-cert: DFN-CERT-2022-0904
 dfn-cert: DFN-CERT-2021-2373
 dfn-cert: DFN-CERT-2021-1645
 dfn-cert: DFN-CERT-2021-1509
 dfn-cert: DFN-CERT-2021-1453
 dfn-cert: DFN-CERT-2021-0556
 dfn-cert: DFN-CERT-2021-0380
 dfn-cert: DFN-CERT-2021-0246

High (CVSS: 7.5)

NVT: PHP < 5.6.12 Multiple DoS Vulnerabilities - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 5.6.12

Installation

path / port: 8585/tcp

Impact

Successfully exploiting these issues allow remote attackers to cause a denial of service (application crash or memory consumption).

Solution:**Solution type:** VendorFix

Update to version 5.6.12 or later.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
PHP prior to version 5.6.12 on Windows.
Vulnerability Insight The following flaws exist: - Improper handling of driver behavior for SQL_WVARCHAR columns in the 'odbc_bindcols function' in 'ext/odbc/php_odbc.c' script. - The 'gdImageScaleTwoPass' function in gd_interpolation.c script in the GD Graphics Library uses inconsistent allocate and free approaches.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.12 Multiple DoS Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.808610 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-8874 cve: CVE-2015-8877 cve: CVE-2015-8879 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/90866 url: http://www.securityfocus.com/bid/90842 url: http://www.securityfocus.com/bid/90714 cert-bund: CB-K17/1252 cert-bund: CB-K16/1776 cert-bund: CB-K16/0975 cert-bund: CB-K16/0965 cert-bund: CB-K16/0944 cert-bund: CB-K16/0937 cert-bund: CB-K16/0912 cert-bund: CB-K16/0911 cert-bund: CB-K16/0868 cert-bund: CB-K16/0805 cert-bund: CB-K16/0801 dfn-cert: DFN-CERT-2017-1295 dfn-cert: DFN-CERT-2016-1882 dfn-cert: DFN-CERT-2016-1033 dfn-cert: DFN-CERT-2016-1022 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0996 dfn-cert: DFN-CERT-2016-0972
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2016-0944
dfn-cert: DFN-CERT-2016-0924
dfn-cert: DFN-CERT-2016-0876
dfn-cert: DFN-CERT-2016-0871
dfn-cert: DFN-CERT-2016-0857
dfn-cert: DFN-CERT-2016-0855

High (CVSS: 7.5)
NVT: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.31 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow an attacker to cause a CPU consumption denial of service attack.
Solution: Solution type: VendorFix Update to version 5.6.31, 7.0.17, 7.1.3 or later.
Affected Software/OS PHP prior to version 5.6.31, 7.x prior to 7.0.17 and 7.1.x prior to 7.1.3.
Vulnerability Insight The flaw exists due to improper handling of long form variables in main/php_variables.c script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.31, 7.x < 7.0.17, 7.1.x < 7.1.3 DoS Vulnerability (Jul 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.811486
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2017-11142 url: http://www.php.net/ChangeLog-5.php url: http://www.php.net/ChangeLog-7.php cert-bund: CB-K18/0048 cert-bund: CB-K17/1461 cert-bund: CB-K17/1132 dfn-cert: DFN-CERT-2018-0055 dfn-cert: DFN-CERT-2017-1529 dfn-cert: DFN-CERT-2017-1161

High (CVSS: 7.5)
NVT: PHP < 5.6.31 DoS Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.31 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers inject XML for deserialization to crash the PHP interpreter.
Solution: Solution type: VendorFix Update to version 5.6.31 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS PHP prior to version 5.6.31.
Vulnerability Insight The flaw exists due to an invalid free error for an empty boolean element in ext/wddx/wddx.c script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.31 DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.811485 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2017-11143 url: http://www.php.net/ChangeLog-5.php cert-bund: CB-K18/0048 cert-bund: CB-K17/1461 cert-bund: CB-K17/1358 cert-bund: CB-K17/1132 dfn-cert: DFN-CERT-2018-0835 dfn-cert: DFN-CERT-2018-0733 dfn-cert: DFN-CERT-2018-0055 dfn-cert: DFN-CERT-2017-1529 dfn-cert: DFN-CERT-2017-1420 dfn-cert: DFN-CERT-2017-1161
High (CVSS: 7.5) NVT: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary ... continues on next page ...

...continued from previous page ...
PHP is prone to a privilege escalation vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.32 Installation path / port: 8585/tcp
Impact Successfully exploitation will allow an attacker to update the 'metadata' and affect on confidentiality, integrity, and availability.
Solution: Solution type: VendorFix Update to version 5.5.32, 5.6.18, 7.0.3 or later.
Affected Software/OS PHP prior to version 5.5.32, 5.6.x prior to 5.6.18 and 7.x prior to 7.0.3 on Windows.
Vulnerability Insight An error occurs in the function stream_get_meta_data of the component File Upload. The manipulation as part of a Return Value leads to a privilege escalation vulnerability (Metadata).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.32, 5.6.x < 5.6.18, 7.x < 7.0.3 Privilege Escalation Vulnerability - . ↪.. OID:1.3.6.1.4.1.25623.1.0.812513 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-10712 url: https://bugs.php.net/bug.php?id=71323 url: https://git.php.net/?p=php-src.git;a=commit;h=6297a117d77fa3a0df2e21ca926a9 ↪2c231819cd5 cert-bund: CB-K18/0498 cert-bund: CB-K18/0350 dfn-cert: DFN-CERT-2019-1052
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2018-0576
 dfn-cert: DFN-CERT-2018-0537
 dfn-cert: DFN-CERT-2018-0380

High (CVSS: 7.5)

NVT: PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (Aug 2018)
 - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple heap buffer overflow and information disclosure vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.6.37

Installation

path / port: 8585/tcp

Impact

Successful exploitation will allow attackers to cause heap overflow, denial of service and disclose sensitive information.

Solution:

Solution type: VendorFix

Update to version 5.6.37, 7.0.31, 7.1.20 or 7.2.8 or later.

Affected Software/OS

PHP prior to version 5.6.37, 7.x prior to 7.0.31, 7.1.x prior to 7.1.20 and 7.2.x prior to 7.2.8.

Vulnerability Insight

The following flaws exist:

- CVE-2018-14851: exif_process_IFD_in_MAKERNOTE function in exif.c file suffers from improper validation against crafted JPEG files.
- CVE-2018-14883: exif_thumbnail_extract function in exif.c file suffers from improper validation of length of 'ImageInfo->Thumbnail.offset + ImageInfo->Thumbnail.size'
- CVE-2018-15132: linkinfo function on windows doesn't implement openbasedir check.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...	
Checks if a vulnerable version is present on the target host. Details: PHP Multiple Heap Buffer Overflow and Information Disclosure Vulnerabilities (A. ↔.. OID:1.3.6.1.4.1.25623.1.0.813597 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2018-14851 cve: CVE-2018-14883 cve: CVE-2018-15132 url: https://access.redhat.com/security/cve/cve-2018-14851 url: https://bugs.php.net/bug.php?id=76557 url: https://bugs.php.net/bug.php?id=76423 url: https://bugs.php.net/bug.php?id=76459 cert-bund: WID-SEC-2022-2130 cert-bund: CB-K18/0838 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2019-1737 dfn-cert: DFN-CERT-2018-2116 dfn-cert: DFN-CERT-2018-1882 dfn-cert: DFN-CERT-2018-1835 dfn-cert: DFN-CERT-2018-1834 dfn-cert: DFN-CERT-2018-1777 dfn-cert: DFN-CERT-2018-1655	

High (CVSS: 7.5)	
NVT: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
... continues on next page ...	

...continued from previous page ...	
Installed version:	5.3.10
Fixed version:	5.4.44
Installation	
path / port:	8585/tcp
Impact Successfully exploiting these issues allow remote attackers to execute arbitrary code and to create or overwrite arbitrary files on the system and this may lead to launch further attacks.	
Solution: Solution type: VendorFix Update to version 5.4.44, 5.5.28, 5.6.12 or later.	
Affected Software/OS PHP prior to version 5.4.44, 5.5.x prior to 5.5.28 and 5.6.x prior to 5.6.12 on Windows.	
Vulnerability Insight The following flaws exist: - Multiple use-after-free vulnerabilities in SPL unserialize implementation. - Insufficient validation of user supplied input by 'phar/phar_object.c' script.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12 Multiple Vulnerabilities (Mar 2016) . ↔.. OID:1.3.6.1.4.1.25623.1.0.807088 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2015-6831 cve: CVE-2015-6832 cve: CVE-2015-6833 url: https://bugs.php.net/bug.php?id=70068 url: http://www.securityfocus.com/bid/76737 url: http://www.securityfocus.com/bid/76739 url: http://www.securityfocus.com/bid/76735 url: http://www.openwall.com/lists/oss-security/2015/08/19/3 cert-bund: CB-K16/0944 cert-bund: CB-K16/0422 cert-bund: CB-K15/1571	
...continues on next page ...	

...continued from previous page ...

cert-bund: CB-K15/1439
 cert-bund: CB-K15/1415
 cert-bund: CB-K15/1261
 dfn-cert: DFN-CERT-2016-1004
 dfn-cert: DFN-CERT-2016-0460
 dfn-cert: DFN-CERT-2015-1658
 dfn-cert: DFN-CERT-2015-1515
 dfn-cert: DFN-CERT-2015-1493
 dfn-cert: DFN-CERT-2015-1335

High (CVSS: 7.5)

NVT: Test HTTP dangerous methods

Summary

Misconfigured web servers allows remote clients to perform dangerous HTTP methods such as PUT and DELETE.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

We could upload the following files via the PUT method at this web server:

http://192.168.56.6:8585/uploads/puttest546305508.html

We could delete the following files via the DELETE method at this web server:

http://192.168.56.6:8585/uploads/puttest546305508.html

Impact

- Enabled PUT method: This might allow an attacker to upload and run arbitrary code on this web server.
- Enabled DELETE method: This might allow an attacker to delete additional files on this web server.

Solution:

Solution type: Mitigation

Use access restrictions to these dangerous HTTP methods or disable them completely.

Affected Software/OS

Web servers with enabled PUT and/or DELETE methods.

Vulnerability Detection Method

Checks if dangerous HTTP methods such as PUT and DELETE are enabled and can be misused to upload or delete files.

Details: Test HTTP dangerous methods

OID:1.3.6.1.4.1.25623.1.0.10498

... continues on next page ...

...continued from previous page ...
Version used: 2023-08-01T18:59:10+05:30
References url: http://www.securityfocus.com/bid/12141 owasp: OWASP-CM-001

High (CVSS: 7.5)
NVT: PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.41 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service, bypass intended extension restrictions and access and execute files or directories with unexpected names via crafted dimensions and remote FTP servers to execute arbitrary code.
Solution: Solution type: VendorFix Update to version 5.4.41, 5.5.25, 5.6.9 or later.
Affected Software/OS PHP prior to version 5.4.41, 5.5.x prior to 5.5.25 and 5.6.x prior to 5.6.9.
Vulnerability Insight The following flaws exist: - Algorithmic complexity vulnerability in the 'multipart_buffer_headers' function in main/rfc1867.c script in PHP. - 'pcntl_exec' implementation in PHP truncates a pathname upon encountering a \x00 character. - Integer overflow in the 'ftp_genlist' function in ext/ftp/ftp.c script in PHP.
... continues on next page ...

...continued from previous page ...
- The 'phar_parse_tarfile' function in ext/phar/tar.c script in PHP does not verify that the first character of a filename is different from the \0 character.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.41, 5.5.x < 5.5.25, 5.6.x < 5.6.9 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.805655 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-4021 cve: CVE-2015-4022 cve: CVE-2015-4024 cve: CVE-2015-4025 cve: CVE-2015-4026 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/75056 url: http://www.securityfocus.com/bid/74904 url: http://www.securityfocus.com/bid/74903 url: http://www.securityfocus.com/bid/74902 url: http://www.securityfocus.com/bid/74700 url: https://bugs.php.net/bug.php?id=69085 url: http://openwall.com/lists/oss-security/2015/06/01/4 cert-bund: CB-K17/2123 cert-bund: CB-K16/0944 cert-bund: CB-K15/1188 cert-bund: CB-K15/1082 cert-bund: CB-K15/1031 cert-bund: CB-K15/0973 cert-bund: CB-K15/0966 cert-bund: CB-K15/0942 cert-bund: CB-K15/0923 cert-bund: CB-K15/0880 cert-bund: CB-K15/0854 cert-bund: CB-K15/0769 cert-bund: CB-K15/0763 cert-bund: CB-K15/0759 cert-bund: CB-K15/0703 dfn-cert: DFN-CERT-2017-2219 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2015-1252
...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2015-1139
dfn-cert: DFN-CERT-2015-1083
dfn-cert: DFN-CERT-2015-1021
dfn-cert: DFN-CERT-2015-1017
dfn-cert: DFN-CERT-2015-0989
dfn-cert: DFN-CERT-2015-0973
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0809
dfn-cert: DFN-CERT-2015-0803
dfn-cert: DFN-CERT-2015-0797
dfn-cert: DFN-CERT-2015-0732
```

High (CVSS: 7.5)

NVT: WordPress 'load-scripts.php' DoS Vulnerability - Windows

Summary

WordPress is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 4.6.1

Fixed version: None

Installation

path / port: /wordpress

Impact

Successful exploitation will allow remote attackers to conduct a denial of service condition on affected system.

Solution:**Solution type:** WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

WordPress versions 4.9.2 and prior.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The flaw exists as the file 'load-scripts.php' do not require any authentication and file selectively calls required JavaScript files by passing their names into the 'load' parameter, separated by a comma.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress 'load-scripts.php' DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.812692 Version used: 2026-02-13T11:27:48+05:30
References cve: CVE-2018-6389 url: https://thehackernews.com/2018/02/wordpress-dos-exploit.html url: https://baraktawily.blogspot.in/2018/02/how-to-dos-29-of-world-wide-website-c-s.html

High (CVSS: 7.5)
NVT: PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabilities - Windows
Product detection result cpe: /a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 8.1.33 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 8.1.33, 8.2.29, 8.3.23, 8.4.10 or later.
Affected Software/OS PHP versions prior to 8.1.33, 8.2.x prior to 8.2.29, 8.3.x prior to 8.3.23 and 8.4.x prior to 8.4.10.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The following vulnerabilities exist: - CVE-2025-1220: Null byte termination in hostnames - CVE-2025-1735: pgsql extension does not check for errors during escaping - CVE-2025-6491: NULL pointer dereference in PHP SOAP extension via large XML namespace prefix
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 8.1.33, 8.2.x < 8.2.29, 8.3.x < 8.3.23, 8.4.x < 8.4.10 Multiple Vulnerabi. ↪.. OID:1.3.6.1.4.1.25623.1.0.154870 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2025-1220 cve: CVE-2025-1735 cve: CVE-2025-6491 url: https://www.php.net/ChangeLog-8.php#8.1.33 url: https://www.php.net/ChangeLog-8.php#8.2.29 url: https://www.php.net/ChangeLog-8.php#8.3.23 url: https://www.php.net/ChangeLog-8.php#8.4.10 url: https://github.com/php/php-src/security/advisories/GHSA-3cr5-j632-f35r url: https://github.com/php/php-src/security/advisories/GHSA-hrwm-9436-5mv3 url: https://github.com/php/php-src/security/advisories/GHSA-453j-q27h-5p8x cert-bund: WID-SEC-2025-1460 dfn-cert: DFN-CERT-2026-0499 dfn-cert: DFN-CERT-2026-0315 dfn-cert: DFN-CERT-2025-1785

High (CVSS: 7.5)
NVT: PHP 'phar/tar.c' Heap Buffer Overflow Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary ... continues on next page ...

...continued from previous page ...
PHP is prone to a heap buffer overflow vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.14 Installation path / port: 8585/tcp
Impact Successful exploitation could allow attackers to execute arbitrary code or cause a denial-of-service condition via specially crafted TAR file.
Solution: Solution type: VendorFix Update to PHP 5.4.4 or 5.3.14 or later.
Affected Software/OS PHP version before 5.3.14 and 5.4.x before 5.4.4
Vulnerability Insight Flaw related to overflow in phar_parse_tarfile()function in ext/phar/tar.c in the phar extension.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 'phar/tar.c' Heap Buffer Overflow Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.803342 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2012-2386 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/47545 url: http://en.securitylab.ru/nvd/426726.php url: http://secunia.com/advisories/cve_reference/CVE-2012-2386 dfn-cert: DFN-CERT-2012-1316 dfn-cert: DFN-CERT-2012-1289 dfn-cert: DFN-CERT-2012-1288 dfn-cert: DFN-CERT-2012-1287
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2012-1280
dfn-cert: DFN-CERT-2012-1279
dfn-cert: DFN-CERT-2012-1268
dfn-cert: DFN-CERT-2012-1266
dfn-cert: DFN-CERT-2012-1162
dfn-cert: DFN-CERT-2012-1100
dfn-cert: DFN-CERT-2012-1067
```

High (CVSS: 7.5)

NVT: PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerability - Windows

Product detection result

cpe: /a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a heap buffer overflow vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.6.32

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow attacker to execute arbitrary code with elevated privileges within the context of a privileged process.

Solution:

Solution type: VendorFix

Update to version 5.6.32, 7.0.25, 7.1.11 or later.

Affected Software/OS

PHP prior to version 5.6.32, 7.x prior to 7.0.25 and 7.1.x prior to 7.1.11.

Vulnerability Insight

The flaw exists due to an error in the date extension's 'timelib_meridian' handling of 'front of' and 'back of' directives.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.32, 7.x < 7.0.24, 7.1.x < 7.1.11 Heap Based Buffer Overflow Vulnerability. ↔.. OID:1.3.6.1.4.1.25623.1.0.812072 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2017-16642 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/101745 url: http://php.net/ChangeLog-7.php url: https://bugs.php.net/bug.php?id=75055 cert-bund: CB-K18/0270 cert-bund: CB-K18/0048 cert-bund: CB-K17/2123 dfn-cert: DFN-CERT-2019-1737 dfn-cert: DFN-CERT-2018-0835 dfn-cert: DFN-CERT-2018-0733 dfn-cert: DFN-CERT-2018-0290 dfn-cert: DFN-CERT-2018-0055 dfn-cert: DFN-CERT-2017-2219

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)
Summary Apache HTTP Server is prone to an out-of-bounds read vulnerability in mod_macro.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.58
... continues on next page ...

...continued from previous page ...	
Installation	
path / port:	8585/tcp
Solution:	
Solution type:	VendorFix
Update to version 2.4.58 or later.	
Affected Software/OS	
Apache HTTP Server version 2.4.57 and prior.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Apache HTTP Server < 2.4.58 'mod_macro' Out-of-bounds Read Vulnerability - Wind.	
↔..	
OID:1.3.6.1.4.1.25623.1.0.100279	
Version used: 2024-02-15T10:35:40+05:30	
Product Detection Result	
Product: cpe:/a:apache:http_server:2.2.21	
Method: Apache HTTP Server Detection Consolidation	
OID: 1.3.6.1.4.1.25623.1.0.117232)	
References	
cve: CVE-2023-31122	
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.58	
url: https://www.openwall.com/lists/oss-security/2023/10/19/4	
cert-bund: WID-SEC-2024-1226	
cert-bund: WID-SEC-2024-0899	
cert-bund: WID-SEC-2024-0869	
cert-bund: WID-SEC-2024-0769	
cert-bund: WID-SEC-2024-0107	
cert-bund: WID-SEC-2023-2917	
cert-bund: WID-SEC-2023-2712	
dfn-cert: DFN-CERT-2024-1411	
dfn-cert: DFN-CERT-2024-1010	
dfn-cert: DFN-CERT-2024-1000	
dfn-cert: DFN-CERT-2024-0732	
dfn-cert: DFN-CERT-2023-2640	
dfn-cert: DFN-CERT-2023-2583	

High (CVSS: 7.5)
NVT: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
Summary Apache HTTP Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.59 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 2.4.59 or later.
Affected Software/OS Apache HTTP Server version 2.4.58 and prior.
Vulnerability Insight The following vulnerabilities exist: - CVE-2023-38709: HTTP response splitting - CVE-2024-24795: HTTP response splitting in multiple modules - CVE-2024-27316: HTTP/2 DoS by memory exhaustion on endless continuation frames
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.59 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.152040 Version used: 2024-06-07T10:35:42+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
... continues on next page ...

...continued from previous page ...
References cve: CVE-2023-38709 cve: CVE-2024-24795 cve: CVE-2024-27316 url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.59 url: https://kb.cert.org/vuls/id/421644 url: https://nowotarski.info/http2-continuation-flood/ url: https://nowotarski.info/http2-continuation-flood-technical-details/ cert-bund: WID-SEC-2025-1529 cert-bund: WID-SEC-2024-1725 cert-bund: WID-SEC-2024-1643 cert-bund: WID-SEC-2024-1642 cert-bund: WID-SEC-2024-1504 cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2024-1226 cert-bund: WID-SEC-2024-0801 cert-bund: WID-SEC-2024-0789 dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2025-2658 dfn-cert: DFN-CERT-2025-2657 dfn-cert: DFN-CERT-2024-2900 dfn-cert: DFN-CERT-2024-2534 dfn-cert: DFN-CERT-2024-2076 dfn-cert: DFN-CERT-2024-1958 dfn-cert: DFN-CERT-2024-1853 dfn-cert: DFN-CERT-2024-1749 dfn-cert: DFN-CERT-2024-1697 dfn-cert: DFN-CERT-2024-1411 dfn-cert: DFN-CERT-2024-1335 dfn-cert: DFN-CERT-2024-1238 dfn-cert: DFN-CERT-2024-1031 dfn-cert: DFN-CERT-2024-1010 dfn-cert: DFN-CERT-2024-0964 dfn-cert: DFN-CERT-2024-0901 dfn-cert: DFN-CERT-2024-0890
High (CVSS: 7.5) NVT: PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerability - Windows Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary ... continues on next page ...

...continued from previous page ...
PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.39 Installation path / port: 8585/tcp
Impact Successful exploitation will allow attackers to cause a denial of service of the affected application.
Solution: Solution type: VendorFix Update to version 5.6.39, 7.0.33, 7.1.26, 7.2.14, 7.3.0 or later.
Affected Software/OS PHP versions 5.x before 5.6.39, 7.0.x before 7.0.33, 7.1.x before 7.1.26 and 7.2.x before 7.2.14.
Vulnerability Insight A NULL pointer dereference and application crash via an empty string occurs in the message argument to the imap_mail function of ext/imap/php_imap.c.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 5.x < 5.6.39, 7.x < 7.0.33, 7.1.x < 7.1.26, 7.2.x < 7.2.14 DoS Vulnerabilit. ↪.. OID:1.3.6.1.4.1.25623.1.0.108506 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2018-19935 url: https://bugs.php.net/bug.php?id=77020 url: http://www.securityfocus.com/bid/106143 cert-bund: WID-SEC-2022-2128 cert-bund: CB-K18/1154 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2019-1181 dfn-cert: DFN-CERT-2019-0313
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2019-0044
 dfn-cert: DFN-CERT-2018-2476

High (CVSS: 7.5)

NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2015) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.4.38

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to execute arbitrary code via some crafted dimensions.

Solution:

Solution type: VendorFix

Update to version 5.4.38, 5.5.22, 5.6.6 or later.

Affected Software/OS

PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6.

Vulnerability Insight

The following flaws exist:

- Multiple use-after-free vulnerabilities in 'ext/date/php_date.c' script.
- Heap-based buffer overflow in the 'enchant_broker_request_dict' function in 'ext/enchant/enchant.c' script.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 Multiple RCE Vulnerabilities (Jul 2. ↪..

...continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.805689 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2014-9705 cve: CVE-2015-0273 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/73031 url: http://www.securityfocus.com/bid/72701 url: https://bugzilla.redhat.com/show_bug.cgi?id=1194730 url: http://lists.opensuse.org/opensuse-updates/2015-04/msg00002.html cert-bund: WID-SEC-2023-0069 cert-bund: CB-K16/0944 cert-bund: CB-K15/1561 cert-bund: CB-K15/1437 cert-bund: CB-K15/0966 cert-bund: CB-K15/0901 cert-bund: CB-K15/0854 cert-bund: CB-K15/0806 cert-bund: CB-K15/0769 cert-bund: CB-K15/0757 cert-bund: CB-K15/0665 cert-bund: CB-K15/0482 cert-bund: CB-K15/0362 cert-bund: CB-K15/0358 cert-bund: CB-K15/0278 cert-bund: CB-K15/0222 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2015-1644 dfn-cert: DFN-CERT-2015-1514 dfn-cert: DFN-CERT-2015-1017 dfn-cert: DFN-CERT-2015-0956 dfn-cert: DFN-CERT-2015-0900 dfn-cert: DFN-CERT-2015-0842 dfn-cert: DFN-CERT-2015-0809 dfn-cert: DFN-CERT-2015-0794 dfn-cert: DFN-CERT-2015-0697 dfn-cert: DFN-CERT-2015-0505 dfn-cert: DFN-CERT-2015-0371 dfn-cert: DFN-CERT-2015-0370 dfn-cert: DFN-CERT-2015-0286
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0228

High (CVSS: 7.5)

NVT: WordPress Multiple Vulnerabilities (May 2017) - Windows

Summary

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 4.6.1

Fixed version: 4.7.5

Impact

Successfully exploiting will allow remote attacker to conduct cross site request forgery (CSRF) attacks, cross-site scripting (XSS) attacks and have other some unspecified impact.

Solution:**Solution type:** VendorFix

Update to WordPress version 4.7.5 or later.

Affected Software/OS

WordPress versions 4.7.4 and prior on Windows.

Vulnerability Insight

Multiple flaws are due to:

- An insufficient redirect validation in the HTTP class.
- An improper handling of post meta data values in the XML-RPC API.
- The lack of capability checks for post meta data in the XML-RPC API.
- A cross site request forgery (CSRF) vulnerability in the filesystem credentials dialog.
- A cross-site scripting (XSS) vulnerability when attempting to upload very large files.
- A cross-site scripting (XSS) vulnerability related to the Customizer.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: WordPress Multiple Vulnerabilities (May 2017) - Windows

OID:1.3.6.1.4.1.25623.1.0.811045

Version used: 2024-02-08T10:35:59+05:30

Referencesurl: <https://wordpress.org/news/2017/05/wordpress-4-7-5>

High (CVSS: 7.5) NVT: PHP < 5.3.23, 5.4.x < 5.4.13 Multiple Vulnerabilities (Mar 2013) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.23 Installation path / port: 8585/tcp
Impact Successful exploitation allows attackers to read arbitrary files and write wsdl files within the context of the affected application.
Solution: Solution type: VendorFix Update to version 5.3.23, 5.4.13 or later.
Affected Software/OS PHP prior to version 5.3.23 and 5.4.x prior to 5.4.13.
Vulnerability Insight The following flaws exist: - Does not validate 'soap.wsdl_cache_dir' directive before writing SOAP wsdl cache files to the filesystem. - Allows the use of external entities while parsing SOAP wsdl files, issue in 'soap_xmlParseFile' and 'soap_xmlParseMemory' functions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.3.23, 5.4.x < 5.4.13 Multiple Vulnerabilities (Mar 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803337 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 ... continues on next page ...

...continued from previous page ...
Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2013-1635 cve: CVE-2013-1643 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/58224 url: http://bugs.php.net/bug.php?id=64360 url: http://cxsecurity.com/cveshow/CVE-2013-1635 url: http://cxsecurity.com/cveshow/CVE-2013-1643 url: http://bugs.gentoo.org/show_bug.cgi?id=459904 cert-bund: WID-SEC-2023-1286 cert-bund: CB-K13/1037 cert-bund: CB-K13/0712 dfn-cert: DFN-CERT-2013-2065 dfn-cert: DFN-CERT-2013-1713 dfn-cert: DFN-CERT-2013-1494 dfn-cert: DFN-CERT-2013-1446 dfn-cert: DFN-CERT-2013-1445 dfn-cert: DFN-CERT-2013-1444 dfn-cert: DFN-CERT-2013-1392 dfn-cert: DFN-CERT-2013-1347 dfn-cert: DFN-CERT-2013-1179 dfn-cert: DFN-CERT-2013-0664 dfn-cert: DFN-CERT-2013-0481

High (CVSS: 7.3)

NVT: PHP < 7.0.2 Multiple Integer Overflow Vulnerabilities (Mar 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple integer overflow vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 7.0.2

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Impact Successfully exploiting these issues allow remote attackers to cause a denial of service or possibly have unspecified other impact.	
Solution: Solution type: VendorFix Update to version 7.0.2 or later.	
Affected Software/OS PHP versions 7.x before 7.0.2 on Windows.	
Vulnerability Insight Multiple integer overflows occur in 'ext/standard/exec.c' script via a long string to the 'php_escape_shell_cmd' or 'php_escape_shell_arg' function.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.0.2 Multiple Integer Overflow Vulnerabilities (Mar 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.807508 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2016-1904 url: https://bugs.php.net/bug.php?id=70976 url: http://www.securityfocus.com/bid/81296 url: http://www.openwall.com/lists/oss-security/2016/01/14/8	

High (CVSS: 7.3)

NVT: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

... continues on next page ...

...continued from previous page ...
PHP is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.45 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to execute arbitrary code in the context of the user running the affected application. Failed exploit attempts will likely cause a denial-of-service condition.
Solution: Solution type: VendorFix Update to version 5.4.45, 5.5.29, 5.6.13 or later.
Affected Software/OS PHP prior to version 5.4.45, 5.5.x prior to 5.5.29 and 5.6.x prior to 5.6.13 on Windows.
Vulnerability Insight The flaw is due to 'SoapClient __call' method in 'ext/soap/soap.c' script does not properly manage headers.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.45, 5.5.x < 5.5.29, 5.6.x < 5.6.13 RCE Vulnerability (Mar 2016) - Win. ↪.. OID:1.3.6.1.4.1.25623.1.0.807091 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-6836 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/76644 url: https://bugs.php.net/bug.php?id=70388 cert-bund: WID-SEC-2025-1425 cert-bund: CB-K16/0944
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K16/0422
 cert-bund: CB-K15/1571
 cert-bund: CB-K15/1561
 cert-bund: CB-K15/1478
 cert-bund: CB-K15/1439
 cert-bund: CB-K15/1415
 cert-bund: CB-K15/1337
 dfn-cert: DFN-CERT-2016-1004
 dfn-cert: DFN-CERT-2016-0460
 dfn-cert: DFN-CERT-2015-1658
 dfn-cert: DFN-CERT-2015-1644
 dfn-cert: DFN-CERT-2015-1556
 dfn-cert: DFN-CERT-2015-1515
 dfn-cert: DFN-CERT-2015-1493
 dfn-cert: DFN-CERT-2015-1407

High (CVSS: 7.1)

NVT: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information Disclosure
 Vulnerability - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a denial of service (DoS) and an information disclosure vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.3.10

Fixed version: 5.4.44

Installation

path / port: 8585/tcp

Impact

Successfully exploiting this issue allow remote attackers to obtain sensitive information from process memory or cause a denial of service.

Solution:

Solution type: VendorFix

Update to version 5.4.44, 5.5.28, 5.6.12, 7.0.4 or later.

... continues on next page ...

...continued from previous page ...
Affected Software/OS PHP prior to version 5.4.44, 5.5.x prior to 5.5.28, 5.6.x prior to 5.6.12 and 7.x prior to 7.0.4.
Vulnerability Insight The flaw is due an error in the 'make_http_soap_request' function of the 'ext/soap/php_http.c' script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.44, 5.5.x < 5.5.28, 5.6.x < 5.6.12, 7.x < 7.0.4 DoS and Information D. ↪.. OID:1.3.6.1.4.1.25623.1.0.808667 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2016-3185 url: http://www.php.net/ChangeLog-5.php url: http://www.php.net/ChangeLog-7.php cert-bund: CB-K16/0944 cert-bund: CB-K16/0912 cert-bund: CB-K16/0623 cert-bund: CB-K16/0614 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2016-0972 dfn-cert: DFN-CERT-2016-0676 dfn-cert: DFN-CERT-2016-0659

High (CVSS: 7.0)

NVT: PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP released new versions which includes a security fix.

...continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.32 (not released yet) Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.3.32 (not released yet), 7.4.25, 8.0.12 or later.
Affected Software/OS PHP versions 5.3.7 through 7.3.31, 7.4.x through 7.4.24 and 8.0.x through 8.0.11. Note: While the referenced CVE is only listing PHP 7.3.x, 7.4.x and 8.0.x as affected the security research team is stating in the linked blog post that all versions down to 5.3.7 are affected.
Vulnerability Insight Fixed bug #81026 (PHP-FPM oob R/W in root process leading to privilege escalation).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 5.3.7 - 7.3.31, 7.4.x < 7.4.25, 8.0.x < 8.0.12 Security Update (Oct 2021) -. ↔.. OID:1.3.6.1.4.1.25623.1.0.117753 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2021-21703 url: https://www.php.net/ChangeLog-7.php#7.3.32 url: https://www.php.net/ChangeLog-7.php#7.4.25 url: https://www.php.net/ChangeLog-8.php#8.0.12 url: http://bugs.php.net/81026 url: https://www.ambionics.io/blog/php-fpm-local-root cert-bund: WID-SEC-2023-1737 cert-bund: WID-SEC-2022-0624 cert-bund: WID-SEC-2022-0586 cert-bund: CB-K21/1106 dfn-cert: DFN-CERT-2023-1600 dfn-cert: DFN-CERT-2022-2639
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-1046
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2021-2586
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2200
```

[\[return to 192.168.56.6 \]](#)

2.2.22 High 21/tcp

High (CVSS: 7.5)

NVT: FTP Brute Force Logins With Default Credentials Reporting

Summary

It was possible to login into the remote FTP server using weak/known credentials.

Quality of Detection (QoD): 95%

Vulnerability Detection Result

It was possible to login with the following credentials <User>:<Password>
vagrant:vagrant

Impact

This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.

Solution:

Solution type: Mitigation

Change the password as soon as possible.

Vulnerability Insight

The following devices are / software is known to be affected:

- CVE-2001-1594: Codonics printer FTP service as used in GE Healthcare eNTEGRA P&R
- CVE-2013-7404: GE Healthcare Discovery NM 750b
- CVE-2014-9198: Schneider Electric ETG3000 FactoryCast HMI gateways
- CVE-2015-7261: QNAP iArtist Lite distributed with QNAP Signage Station
- CVE-2016-8731: Foscam C1 devices
- CVE-2017-8218: vsftpd on TP-Link C2 and C20i devices
- CVE-2018-9068: IMM2 for IBM and Lenovo System x
- CVE-2018-17771: Ingenico Telium 2 PoS terminals

... continues on next page ...

...continued from previous page ...
- CVE-2018-19063, CVE-2018-19064: Foscam C2 and Opticam i5 devices - CVE-2018-25147: Microhard Systems IPn4G - CVE-2020-36915: Adtec Digital SignEdge Digital Signage Player Note: As the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.
Vulnerability Detection Method Reports weak/known credentials detected by the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717). Details: FTP Brute Force Logins With Default Credentials Reporting OID:1.3.6.1.4.1.25623.1.0.108718 Version used: 2026-01-16T21:12:49+05:30
References cve: CVE-1999-0501 cve: CVE-1999-0502 cve: CVE-1999-0507 cve: CVE-1999-0508 cve: CVE-2001-1594 cve: CVE-2013-7404 cve: CVE-2014-9198 cve: CVE-2015-7261 cve: CVE-2016-8731 cve: CVE-2017-8218 cve: CVE-2018-9068 cve: CVE-2018-17771 cve: CVE-2018-19063 cve: CVE-2018-19064 cve: CVE-2018-25147 cve: CVE-2020-36915

[\[return to 192.168.56.6 \]](#)

2.2.23 High 4848/tcp

High (CVSS: 7.5)
NVT: Oracle GlassFish Server <= 4.1.1 Directory Traversal Vulnerability - Active Check
Summary GlassFish server is prone to a directory traversal vulnerability.
Quality of Detection (QoD): 99%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Vulnerable URL: <code>https://192.168.56.6:4848/theme/META-INF/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/windows/win.ini</code>
Impact Successful exploitation will allow remote attackers to gain access to sensitive information.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS Oracle GlassFish Server version 4.1.1 and probably prior.
Vulnerability Insight The flaw is due to - Improper sanitization of parameter 'META-INF' in 'theme.php' file.
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response. Details: Oracle GlassFish Server <= 4.1.1 Directory Traversal Vulnerability - Active Che. ↪.. OID:1.3.6.1.4.1.25623.1.0.806848 Version used: 2025-04-15T11:24:49+05:30
References cve: CVE-2017-1000028 url: <code>https://www.exploit-db.com/exploits/39241</code>

[\[return to 192.168.56.6 \]](#)

2.2.24 High 3306/tcp

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152) ↪25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.35 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.35, 8.0.26 or later.
Affected Software/OS Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Wi. ↪.. OID:1.3.6.1.4.1.25623.1.0.146355 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-22901 cve: CVE-2019-17543 cve: CVE-2021-2389 cve: CVE-2021-2390 cve: CVE-2021-2356 cve: CVE-2021-2385 cve: CVE-2021-2342 cve: CVE-2021-2372 cve: CVE-2021-22897 cve: CVE-2021-22898 url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL advisory-id: cpujul2021
...continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1550
cert-bund: WID-SEC-2024-2180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2023-2229
cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1963
cert-bund: WID-SEC-2022-0873
cert-bund: CB-K22/0044
cert-bund: CB-K21/0813
cert-bund: CB-K21/0770
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1677
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
dfn-cert: DFN-CERT-2019-2216

High (CVSS: 8.1) NVT: Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (cpu-jul2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.49 and prior, 5.6 through 5.6.30 and 5.7 through 5.7.12.
Vulnerability Insight Multiple unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (cpu-jul2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808588 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3477 cve: CVE-2016-3521 cve: CVE-2016-3615 cve: CVE-2016-5440 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMySQL url: http://www.securityfocus.com/bid/91902 url: http://www.securityfocus.com/bid/91932 url: http://www.securityfocus.com/bid/91960 url: http://www.securityfocus.com/bid/91953 advisory-id: cpujul2016 cert-bund: CB-K16/1755 cert-bund: CB-K16/1742 cert-bund: CB-K16/1448 cert-bund: CB-K16/1146 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1849 dfn-cert: DFN-CERT-2016-1540 dfn-cert: DFN-CERT-2016-1217 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.39 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.39, 8.0.30 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.148511 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2022-1292 cve: CVE-2022-27778 cve: CVE-2018-25032 cve: CVE-2022-21515 url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL advisory-id: cpujul2022 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1186 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-2723 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-1969 cert-bund: WID-SEC-2023-1784 cert-bund: WID-SEC-2023-1542 cert-bund: WID-SEC-2023-1432 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2023-1021 cert-bund: WID-SEC-2023-0141 cert-bund: WID-SEC-2023-0132 cert-bund: WID-SEC-2022-1775 cert-bund: WID-SEC-2022-1772 cert-bund: WID-SEC-2022-1767	
...continues on next page ...	

...continued from previous page ...	
cert-bund:	WID-SEC-2022-1461
cert-bund:	WID-SEC-2022-1438
cert-bund:	WID-SEC-2022-1335
cert-bund:	WID-SEC-2022-1245
cert-bund:	WID-SEC-2022-1228
cert-bund:	WID-SEC-2022-1068
cert-bund:	WID-SEC-2022-1057
cert-bund:	WID-SEC-2022-0833
cert-bund:	WID-SEC-2022-0826
cert-bund:	WID-SEC-2022-0767
cert-bund:	WID-SEC-2022-0755
cert-bund:	WID-SEC-2022-0736
cert-bund:	WID-SEC-2022-0735
cert-bund:	WID-SEC-2022-0677
cert-bund:	WID-SEC-2022-0554
cert-bund:	WID-SEC-2022-0393
cert-bund:	WID-SEC-2022-0277
cert-bund:	WID-SEC-2022-0071
cert-bund:	WID-SEC-2022-0005
cert-bund:	CB-K22/0619
cert-bund:	CB-K22/0570
cert-bund:	CB-K22/0536
cert-bund:	CB-K22/0386
dfn-cert:	DFN-CERT-2024-2686
dfn-cert:	DFN-CERT-2024-2451
dfn-cert:	DFN-CERT-2024-0998
dfn-cert:	DFN-CERT-2024-0790
dfn-cert:	DFN-CERT-2024-0147
dfn-cert:	DFN-CERT-2023-3028
dfn-cert:	DFN-CERT-2023-2667
dfn-cert:	DFN-CERT-2023-2600
dfn-cert:	DFN-CERT-2023-2599
dfn-cert:	DFN-CERT-2023-2571
dfn-cert:	DFN-CERT-2023-0553
dfn-cert:	DFN-CERT-2023-0430
dfn-cert:	DFN-CERT-2023-0372
dfn-cert:	DFN-CERT-2023-0121
dfn-cert:	DFN-CERT-2023-0119
dfn-cert:	DFN-CERT-2023-0100
dfn-cert:	DFN-CERT-2022-2799
dfn-cert:	DFN-CERT-2022-2668
dfn-cert:	DFN-CERT-2022-2376
dfn-cert:	DFN-CERT-2022-2323
dfn-cert:	DFN-CERT-2022-2309
dfn-cert:	DFN-CERT-2022-2305
dfn-cert:	DFN-CERT-2022-2268
dfn-cert:	DFN-CERT-2022-2254
...continues on next page ...	

...continued from previous page ...

```

dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716

```

High (CVSS: 7.7)

NVT: Oracle Mysql Security Updates (apr2017-3236618) 02 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

... continues on next page ...

...continued from previous page ...
Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to have impact on availability, confidentiality and integrity.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.54 and earlier, 5.6.35 and earlier, 5.7.17 and earlier on Windows
Vulnerability Insight Multiple flaws exist due to multiple unspecified errors in the 'Server: DML', 'Server: Optimizer', 'Server: Thread Pooling', 'Client mysqldump', 'Server: Security: Privileges' components of the application.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2017-3236618) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.810882 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3309 cve: CVE-2017-3308 cve: CVE-2017-3329 cve: CVE-2017-3456 cve: CVE-2017-3453 cve: CVE-2017-3600 cve: CVE-2017-3462
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2017-3463
cve: CVE-2017-3461
cve: CVE-2017-3464
url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html
url: http://www.securityfocus.com/bid/97742
url: http://www.securityfocus.com/bid/97725
url: http://www.securityfocus.com/bid/97763
url: http://www.securityfocus.com/bid/97831
url: http://www.securityfocus.com/bid/97776
url: http://www.securityfocus.com/bid/97765
url: http://www.securityfocus.com/bid/97851
url: http://www.securityfocus.com/bid/97849
url: http://www.securityfocus.com/bid/97812
url: http://www.securityfocus.com/bid/97818
cert-bund: CB-K18/0224
cert-bund: CB-K17/1732
cert-bund: CB-K17/1604
cert-bund: CB-K17/1563
cert-bund: CB-K17/1401
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0927
cert-bund: CB-K17/0657
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1806
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1630
dfn-cert: DFN-CERT-2017-1465
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0959
dfn-cert: DFN-CERT-2017-0675

```

High (CVSS: 7.7)

NVT: Oracle Mysql Security Updates (apr2018-3678067) 04 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

... continues on next page ...

...continued from previous page ...
Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix Apply the latest patch from vendor. Please see the references for more information.
Affected Software/OS Oracle MySQL version 5.5.59 and earlier, 5.6.39 and earlier, 5.7.21 and earlier on Windows
Vulnerability Insight Multiple flaws exist due to - Multiple errors in the 'Client programs' component of MySQL Server. - An error in the 'Server: Locking' component of MySQL Server. - An error in the 'Server: Optimizer' component of MySQL Server. - Multiple errors in the 'Server: DDL' component of MySQL Server. - Multiple errors in the 'Server: Replication' component of MySQL Server. - An error in the 'InnoDB' component of MySQL Server. - An error in the 'Server : Security : Privileges' component of MySQL Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2018-3678067) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.813148 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2761 cve: CVE-2018-2771
... continues on next page ...

...continued from previous page ...
cve: CVE-2018-2781 cve: CVE-2018-2773 cve: CVE-2018-2817 cve: CVE-2018-2813 cve: CVE-2018-2755 cve: CVE-2018-2819 cve: CVE-2018-2818 url: http://www.oracle.com/technetwork/security-advisory/cpuapr2018-3678067.html cert-bund: WID-SEC-2023-1594 cert-bund: CB-K18/0608 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0913 dfn-cert: DFN-CERT-2018-0723

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024)
- Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 8.0.40

Installation

path / port: 3306/tcp

Solution:

Solution type: VendorFix

Update to version 8.0.40, 8.4.3, 9.0.2 or later.

Affected Software/OS

Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.

... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo. ↔... OID:1.3.6.1.4.1.25623.1.0.170877 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-5535 cve: CVE-2024-6119 cve: CVE-2024-21230 cve: CVE-2024-7264 cve: CVE-2024-21196 cve: CVE-2024-21194 cve: CVE-2024-21199 cve: CVE-2024-21218 cve: CVE-2024-21236 cve: CVE-2024-21239 cve: CVE-2024-21198 cve: CVE-2024-21219 cve: CVE-2024-21203 cve: CVE-2024-21197 cve: CVE-2024-21201 cve: CVE-2024-21241 cve: CVE-2024-21193 cve: CVE-2024-21213 cve: CVE-2024-21231 cve: CVE-2024-21237 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-2838 cert-bund: WID-SEC-2025-2836 cert-bund: WID-SEC-2025-1560 cert-bund: WID-SEC-2025-0823 cert-bund: WID-SEC-2025-0814 cert-bund: WID-SEC-2025-0612 cert-bund: WID-SEC-2025-0225 cert-bund: WID-SEC-2025-0166 cert-bund: WID-SEC-2025-0148 cert-bund: WID-SEC-2025-0143	
...continues on next page ...	

...continued from previous page ...

cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
dfn-cert: DFN-CERT-2024-1681

High (CVSS: 7.5)	
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
Summary Oracle MySQL Server is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.43 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.43, 8.0.34 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Win. ↵.. OID:1.3.6.1.4.1.25623.1.0.151214 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-2650 cve: CVE-2023-0464 cve: CVE-2023-0465 cve: CVE-2023-0466 ... continues on next page ...	

...continued from previous page ...

cve: CVE-2023-1255
url: <https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL>
advisory-id: cpuoct2023
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0120
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2024-0053
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2674
cert-bund: WID-SEC-2023-1794
cert-bund: WID-SEC-2023-1781
cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.33 or later.
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Win.↵.. OID:1.3.6.1.4.1.25623.1.0.149538 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2023-0215 cve: CVE-2022-43551 cve: CVE-2023-21980 cve: CVE-2022-4304 cve: CVE-2022-4450 cve: CVE-2023-0286 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2025-1365 cert-bund: WID-SEC-2024-3377 cert-bund: WID-SEC-2024-2086 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0114 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1886 cert-bund: WID-SEC-2023-1812 cert-bund: WID-SEC-2023-1793 cert-bund: WID-SEC-2023-1790 cert-bund: WID-SEC-2023-1614 cert-bund: WID-SEC-2023-1553 cert-bund: WID-SEC-2023-1432 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2023-1033 cert-bund: WID-SEC-2023-1016 cert-bund: WID-SEC-2023-0777 cert-bund: WID-SEC-2023-0304 cert-bund: WID-SEC-2022-2375 dfn-cert: DFN-CERT-2025-3324 dfn-cert: DFN-CERT-2024-1799 dfn-cert: DFN-CERT-2024-1188 dfn-cert: DFN-CERT-2024-0593 dfn-cert: DFN-CERT-2024-0454 dfn-cert: DFN-CERT-2024-0147 dfn-cert: DFN-CERT-2024-0126 dfn-cert: DFN-CERT-2024-0016 dfn-cert: DFN-CERT-2023-2192 dfn-cert: DFN-CERT-2023-1760 dfn-cert: DFN-CERT-2023-1697 dfn-cert: DFN-CERT-2023-1656
...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.

...continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.31 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149534 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-21912 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1033 dfn-cert: DFN-CERT-2023-1058 dfn-cert: DFN-CERT-2023-1037 dfn-cert: DFN-CERT-2023-0885	
High (CVSS: 7.5) NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log	
... continues on next page ...	

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.38 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.38, 8.0.29 or later.
Affected Software/OS Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Wi. ↳.. OID:1.3.6.1.4.1.25623.1.0.113944 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-0778 cve: CVE-2022-21454 cve: CVE-2022-21417 cve: CVE-2022-21427 cve: CVE-2022-21451 cve: CVE-2022-21444 cve: CVE-2022-21460 url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL advisory-id: cpuapr2022 cert-bund: WID-SEC-2026-0180
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2024-2086
 cert-bund: WID-SEC-2024-1591
 cert-bund: WID-SEC-2024-1186
 cert-bund: WID-SEC-2024-0794
 cert-bund: WID-SEC-2023-1969
 cert-bund: WID-SEC-2022-1335
 cert-bund: WID-SEC-2022-1228
 cert-bund: WID-SEC-2022-1081
 cert-bund: WID-SEC-2022-1057
 cert-bund: WID-SEC-2022-0836
 cert-bund: WID-SEC-2022-0833
 cert-bund: WID-SEC-2022-0826
 cert-bund: WID-SEC-2022-0767
 cert-bund: WID-SEC-2022-0677
 cert-bund: WID-SEC-2022-0551
 cert-bund: WID-SEC-2022-0530
 cert-bund: WID-SEC-2022-0515
 cert-bund: WID-SEC-2022-0432
 cert-bund: WID-SEC-2022-0393
 cert-bund: WID-SEC-2022-0302
 cert-bund: WID-SEC-2022-0270
 cert-bund: WID-SEC-2022-0261
 cert-bund: WID-SEC-2022-0200
 cert-bund: WID-SEC-2022-0190
 cert-bund: WID-SEC-2022-0169
 cert-bund: WID-SEC-2022-0065
 cert-bund: CB-K22/0619
 cert-bund: CB-K22/0470
 cert-bund: CB-K22/0468
 cert-bund: CB-K22/0321
 dfn-cert: DFN-CERT-2025-3324
 dfn-cert: DFN-CERT-2024-0147
 dfn-cert: DFN-CERT-2023-2667
 dfn-cert: DFN-CERT-2023-0081
 dfn-cert: DFN-CERT-2022-2668
 dfn-cert: DFN-CERT-2022-2376
 dfn-cert: DFN-CERT-2022-2268
 dfn-cert: DFN-CERT-2022-2111
 dfn-cert: DFN-CERT-2022-2094
 dfn-cert: DFN-CERT-2022-2059
 dfn-cert: DFN-CERT-2022-2047
 dfn-cert: DFN-CERT-2022-1928
 dfn-cert: DFN-CERT-2022-1837
 dfn-cert: DFN-CERT-2022-1667
 dfn-cert: DFN-CERT-2022-1597
 dfn-cert: DFN-CERT-2022-1469
 dfn-cert: DFN-CERT-2022-1370

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.37

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.37, 8.0.28 or later.

... continues on next page ...

...continued from previous page ...	
Affected Software/OS Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.147465 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2021-22946 cve: CVE-2022-21367 cve: CVE-2022-21270 cve: CVE-2022-21304 cve: CVE-2022-21344 cve: CVE-2022-21303 cve: CVE-2022-21245 cve: CVE-2021-22947 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL advisory-id: cpujan2022 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1461 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-1056 cert-bund: WID-SEC-2022-0875 cert-bund: WID-SEC-2022-0751 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0393 cert-bund: WID-SEC-2022-0101 cert-bund: CB-K22/0316 cert-bund: CB-K22/0077 cert-bund: CB-K22/0062 cert-bund: CB-K22/0030	
...continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-1931

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.34

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.34, 8.0.24 or later.

Affected Software/OS

... continues on next page ...

...continued from previous page ...	
Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.145796 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2021-3449 cve: CVE-2021-3450 cve: CVE-2021-23840 cve: CVE-2021-23841 cve: CVE-2021-2307 cve: CVE-2021-2304 cve: CVE-2021-2180 cve: CVE-2021-2194 cve: CVE-2021-2166 cve: CVE-2021-2179 cve: CVE-2021-2226 cve: CVE-2021-2169 cve: CVE-2021-2146 cve: CVE-2021-2174 cve: CVE-2021-2171 cve: CVE-2021-2162 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-0227 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-0065 cert-bund: WID-SEC-2022-1894 cert-bund: WID-SEC-2022-1320 cert-bund: WID-SEC-2022-1303 cert-bund: WID-SEC-2022-1294 cert-bund: WID-SEC-2022-0751 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0671 cert-bund: WID-SEC-2022-0669 cert-bund: WID-SEC-2022-0602	
...continues on next page ...	

...continued from previous page ...

cert-bund: CB-K22/0476
cert-bund: CB-K22/0061
cert-bund: CB-K21/1097
cert-bund: CB-K21/1095
cert-bund: CB-K21/1065
cert-bund: CB-K21/0785
cert-bund: CB-K21/0770
cert-bund: CB-K21/0573
cert-bund: CB-K21/0572
cert-bund: CB-K21/0565
cert-bund: CB-K21/0421
cert-bund: CB-K21/0412
cert-bund: CB-K21/0409
cert-bund: CB-K21/0389
cert-bund: CB-K21/0317
cert-bund: CB-K21/0185
dfn-cert: DFN-CERT-2024-2451
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1241
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0121
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2197
dfn-cert: DFN-CERT-2021-2196
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1740
dfn-cert: DFN-CERT-2021-1670
dfn-cert: DFN-CERT-2021-1660
dfn-cert: DFN-CERT-2021-1549
dfn-cert: DFN-CERT-2021-1547
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1500
dfn-cert: DFN-CERT-2021-1418

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2021-1330
dfn-cert: DFN-CERT-2021-1132
dfn-cert: DFN-CERT-2021-1129
dfn-cert: DFN-CERT-2021-1128
dfn-cert: DFN-CERT-2021-1098
dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.6.49

Installation

... continues on next page ...

...continued from previous page...	
path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.49 or later.	
Affected Software/OS Oracle MySQL Server versions 5.6.48 and prior.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.144286 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2020-1967 cve: CVE-2020-14539 cve: CVE-2020-14559 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixMSQL advisory-id: cpujul2020 cert-bund: WID-SEC-2026-0205 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-3080 cert-bund: CB-K21/1088 cert-bund: CB-K21/0070 cert-bund: CB-K20/1023 cert-bund: CB-K20/1017 cert-bund: CB-K20/0711 cert-bund: CB-K20/0708 cert-bund: CB-K20/0357 dfn-cert: DFN-CERT-2021-2192 dfn-cert: DFN-CERT-2021-0830 dfn-cert: DFN-CERT-2021-0826 dfn-cert: DFN-CERT-2021-0444 dfn-cert: DFN-CERT-2021-0140 dfn-cert: DFN-CERT-2020-2295 dfn-cert: DFN-CERT-2020-2286 dfn-cert: DFN-CERT-2020-2006 dfn-cert: DFN-CERT-2020-1827	
...continues on next page...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2020-1788
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-0956
dfn-cert: DFN-CERT-2020-0930
dfn-cert: DFN-CERT-2020-0841
dfn-cert: DFN-CERT-2020-0824
dfn-cert: DFN-CERT-2020-0822
```

High (CVSS: 7.5)**NVT: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujul2016) - Windows****Product detection result**

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:**Solution type:** VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.45 and prior and 5.6 through 5.6.26.

Vulnerability Insight

An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Option' sub-component.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...	
Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujul2016) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.808591 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2016-3471 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/91913 advisory-id: cpujul2016 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169	

High (CVSS: 7.5)	
NVT: Oracle MySQL Server <= 5.5.39 / 5.6 <= 5.6.20 Security Update (cpuoct2014) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.40 Installation path / port: 3306/tcp	
Impact ... continues on next page ...	

...continued from previous page ...
Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Update to version 5.5.40, 5.6.21 or later.
Affected Software/OS Oracle MySQL Server versions 5.5.39 and prior and 5.6 through 5.6.20.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to C API SSL CERTIFICATE HANDLING, SERVER:DML, SERVER:SSL:yaSSL, SERVER:OPTIMIZER, SERVER:INNODB DML FOREIGN KEYS.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.39 / 5.6 <= 5.6.20 Security Update (cpuoct2014) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.804781 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-6507 cve: CVE-2014-6491 cve: CVE-2014-6500 cve: CVE-2014-6469 cve: CVE-2014-6555 cve: CVE-2014-6559 cve: CVE-2014-6494 cve: CVE-2014-6496 cve: CVE-2014-6464 url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL url: http://www.securityfocus.com/bid/70444 url: http://www.securityfocus.com/bid/70446 url: http://www.securityfocus.com/bid/70451 url: http://www.securityfocus.com/bid/70469 url: http://www.securityfocus.com/bid/70478 url: http://www.securityfocus.com/bid/70487
...continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/70497
url: http://www.securityfocus.com/bid/70530
url: http://www.securityfocus.com/bid/70550
advisory-id: cpuoct2014
cert-bund: CB-K15/1518
cert-bund: CB-K15/0964
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K14/1482
cert-bund: CB-K14/1420
cert-bund: CB-K14/1299
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2014-1567
dfn-cert: DFN-CERT-2014-1500
dfn-cert: DFN-CERT-2014-1357

```

High (CVSS: 7.5)

NVT: Oracle Mysql Security Updates (apr2017-3236618) 01 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow remote attackers to cause the affected application to crash, resulting in a denial-of-service condition.

Solution:**Solution type:** VendorFix

... continues on next page ...

...continued from previous page ...
Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.54 and earlier, 5.6.20 and earlier on Windows
Vulnerability Insight The flaw exists due to some unspecified error in the 'Server: C API' component due to failure to handle exceptional conditions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2017-3236618) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.810880 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3302 url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html url: http://www.securityfocus.com/bid/96162 cert-bund: CB-K18/0224 cert-bund: CB-K17/1604 cert-bund: CB-K17/1298 cert-bund: CB-K17/1239 cert-bund: CB-K17/0657 cert-bund: CB-K17/0423 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1341 dfn-cert: DFN-CERT-2017-1282 dfn-cert: DFN-CERT-2017-0675 dfn-cert: DFN-CERT-2017-0430

High (CVSS: 7.5)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-01 (Feb 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server version 5.5.40 and earlier, and 5.6.21 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server:Security:Encryption, InnoDB:DML, Replication, and Security:Privileges:Foreign Key.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-01 (Feb 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805132 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-0411 cve: CVE-2014-6568 cve: CVE-2015-0382 cve: CVE-2015-0381 cve: CVE-2015-0374 url: http://secunia.com/advisories/62525
...continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/72191
url: http://www.securityfocus.com/bid/72210
url: http://www.securityfocus.com/bid/72200
url: http://www.securityfocus.com/bid/72214
url: http://www.securityfocus.com/bid/72227
url: http://www.oracle.com/technetwork/topics/security/cpujan2015-1972971.html
cert-bund: CB-K15/1193
cert-bund: CB-K15/0964
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K15/0073
dfn-cert: DFN-CERT-2015-1264
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2015-0074

```

High (CVSS: 7.5)

NVT: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.6.21

Installation

path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow attackers to cause crash of applications using that MySQL client.

Solution:**Solution type:** VendorFix

Upgrade to Oracle MySQL version 5.6.21 or 5.7.5 or later.

... continues on next page ...

...continued from previous page ...

Affected Software/OS

Oracle MySQL version before 5.6.21 and 5.7.x before 5.7.5 on Windows

Vulnerability Insight

Multiple errors exist as,

- In sql-common/client.c script 'mysql_prune_stmt_list' function, the for loop adds elements to pruned_list without removing it from the existing list.
- If application gets disconnected just before it tries to prepare a new statement, 'mysql_prune_stmt_list' tries to detach all previously prepared statements.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Windows

OID:1.3.6.1.4.1.25623.1.0.810603

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2017-3302

url: <https://bugs.mysql.com/bug.php?id=63363>url: <https://bugs.mysql.com/bug.php?id=70429>url: <http://www.openwall.com/lists/oss-security/2017/02/11/11>

cert-bund: CB-K18/0224

cert-bund: CB-K17/1604

cert-bund: CB-K17/1298

cert-bund: CB-K17/1239

cert-bund: CB-K17/0657

cert-bund: CB-K17/0423

dfn-cert: DFN-CERT-2018-1276

dfn-cert: DFN-CERT-2018-0242

dfn-cert: DFN-CERT-2017-1675

dfn-cert: DFN-CERT-2017-1341

dfn-cert: DFN-CERT-2017-1282

dfn-cert: DFN-CERT-2017-0675

dfn-cert: DFN-CERT-2017-0430

High (CVSS: 7.2) NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-06 (Oct 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server Server 5.5.44 and earlier, and 5.6.25 and earlier
Vulnerability Insight Unspecified errors exist in the MySQL Server component via unknown vectors related to Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-06 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805769 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2015-4879
 cve: CVE-2015-4819
 url: <http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html>
 url: <http://www.securityfocus.com/bid/77140>
 url: <http://www.securityfocus.com/bid/77196>
 cert-bund: WID-SEC-2024-1483
 cert-bund: CB-K16/1122
 cert-bund: CB-K16/0791
 cert-bund: CB-K16/0493
 cert-bund: CB-K16/0246
 cert-bund: CB-K16/0245
 cert-bund: CB-K15/1844
 cert-bund: CB-K15/1600
 cert-bund: CB-K15/1554
 dfn-cert: DFN-CERT-2016-1192
 dfn-cert: DFN-CERT-2016-0845
 dfn-cert: DFN-CERT-2016-0532
 dfn-cert: DFN-CERT-2016-0266
 dfn-cert: DFN-CERT-2016-0265
 dfn-cert: DFN-CERT-2015-1946
 dfn-cert: DFN-CERT-2015-1692
 dfn-cert: DFN-CERT-2015-1638

High (CVSS: 7.2)

NVT: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 / 5.7.9 Security Update (cpujan2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20
 Fixed version: See the referenced vendor advisory
 Installation

...continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.	
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.	
Affected Software/OS Oracle MySQL Server versions 5.5.46 and prior, 5.6 through 5.6.27 and version 5.7.9.	
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 / 5.7.9 Security Update (cpujan20. ↪.. OID:1.3.6.1.4.1.25623.1.0.806876 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2016-0609 cve: CVE-2016-0608 cve: CVE-2016-0606 cve: CVE-2016-0600 cve: CVE-2016-0598 cve: CVE-2016-0597 cve: CVE-2016-0546 cve: CVE-2016-0505 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/81258 url: http://www.securityfocus.com/bid/81226 url: http://www.securityfocus.com/bid/81188 url: http://www.securityfocus.com/bid/81182 url: http://www.securityfocus.com/bid/81151 url: http://www.securityfocus.com/bid/81066 url: http://www.securityfocus.com/bid/81088	
... continues on next page ...	

...continued from previous page ...
advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0646 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0133 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0695 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0143 dfn-cert: DFN-CERT-2016-0104

High (CVSS: 7.2)
NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a vulnerability in the parser.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.30 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.30, 8.0.20 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.145800 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2144 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2023-0065 cert-bund: CB-K21/0421 dfn-cert: DFN-CERT-2021-0821

High (CVSS: 7.2)

NVT: Oracle MySQL Unspecified Vulnerability-03 (Sep 2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 5.5.52

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation will allow an remote attacker to gain elevated privileges on the affected system, also could allow buffer overflow attacks.	
Solution: Solution type: VendorFix Upgrade to Oracle MySQL Server 5.5.52 or later.	
Affected Software/OS Oracle MySQL Server 5.5.x to 5.5.51 on windows	
Vulnerability Insight Multiple errors exist. Please see the references for more information.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Unspecified Vulnerability-03 (Sep 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809300 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References url: http://dev.mysql.com/doc/relnotes/mysql/5.5/en/news-5-5-52.html	

High (CVSS: 7.1)

NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpu-jan2019) - Windows

Product detection result
 cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary
 Oracle MySQL Server is prone to multiple vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data and unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server.
Solution: Solution type: VendorFix Updates are available. Apply the necessary patch from the referenced link.
Affected Software/OS Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.
Vulnerability Insight The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.112489 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2534 cve: CVE-2019-2529 cve: CVE-2019-2482 cve: CVE-2019-2455 cve: CVE-2019-2503 cve: CVE-2018-0734 cve: CVE-2019-2537
... continues on next page ...

...continued from previous page ...

cve: CVE-2019-2481
cve: CVE-2019-2507
cve: CVE-2019-2531
cve: CVE-2018-5407
url: <https://www.oracle.com/security-alerts/cpujan2019.html#AppendixMSQL>
advisory-id: cpujan2019
cert-bund: WID-SEC-2025-2349
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2023-3083
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-1696
cert-bund: WID-SEC-2022-0673
cert-bund: WID-SEC-2022-0517
cert-bund: CB-K22/0045
cert-bund: CB-K20/0324
cert-bund: CB-K20/0136
cert-bund: CB-K19/1121
cert-bund: CB-K19/0696
cert-bund: CB-K19/0622
cert-bund: CB-K19/0615
cert-bund: CB-K19/0321
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0318
cert-bund: CB-K19/0316
cert-bund: CB-K19/0314
cert-bund: CB-K19/0050
cert-bund: CB-K19/0044
cert-bund: CB-K18/1173
cert-bund: CB-K18/1065
cert-bund: CB-K18/1039
dfn-cert: DFN-CERT-2020-0326
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2456
dfn-cert: DFN-CERT-2019-2305
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1600
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-1455

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0782
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0778
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0232
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2019-0103
dfn-cert: DFN-CERT-2019-0102
dfn-cert: DFN-CERT-2018-2541
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2456
dfn-cert: DFN-CERT-2018-2444
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2018-2360
dfn-cert: DFN-CERT-2018-2338
dfn-cert: DFN-CERT-2018-2214

```

High (CVSS: 7.1)

NVT: Oracle Mysql Security Updates (jan2018-3236628) 04 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

... continues on next page ...

...continued from previous page...	
path / port:	3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service attack and partially modify data.	
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.	
Affected Software/OS Oracle MySQL version 5.5.58 and earlier, 5.6.38 and earlier, 5.7.19 and earlier on Windows	
Vulnerability Insight The flaw exists due to an error in 'Server:Partition' component.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2018-3236628) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.812650 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2018-2562 url: http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html cert-bund: CB-K18/0480 cert-bund: CB-K18/0392 cert-bund: CB-K18/0265 cert-bund: CB-K18/0096 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0733 dfn-cert: DFN-CERT-2018-0515 dfn-cert: DFN-CERT-2018-0424 dfn-cert: DFN-CERT-2018-0286 dfn-cert: DFN-CERT-2018-0101	

High (CVSS: 7.0)
NVT: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (cpuoct2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation of these vulnerabilities will allow remote authenticated attackers to cause denial of service conditions and gain elevated privileges.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.51 and prior, 5.6 through 5.6.32 and 5.7 through 5.7.14.
Vulnerability Insight Multiple flaws exist due to multiple unspecified errors in the 'Server:GIS', 'Server:Federated', 'Server:Optimizer', 'Server:Types', 'Server:Error Handling' and 'Server:MyISAM' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (.↪.. OID:1.3.6.1.4.1.25623.1.0.809372 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log ... continues on next page ...

...continued from previous page ...
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3492 cve: CVE-2016-5626 cve: CVE-2016-5629 cve: CVE-2016-5616 cve: CVE-2016-5617 cve: CVE-2016-8283 cve: CVE-2016-6663 cve: CVE-2016-6664 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL advisory-id: cpuoct2016 cert-bund: CB-K18/0224 cert-bund: CB-K17/1298 cert-bund: CB-K17/0139 cert-bund: CB-K16/1979 cert-bund: CB-K16/1846 cert-bund: CB-K16/1755 cert-bund: CB-K16/1714 cert-bund: CB-K16/1624 dfn-cert: DFN-CERT-2020-1473 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1341 dfn-cert: DFN-CERT-2017-0138 dfn-cert: DFN-CERT-2016-2089 dfn-cert: DFN-CERT-2016-1950 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1714

[\[return to 192.168.56.6 \]](#)

2.2.25 High 22/tcp

High (CVSS: 7.8)
NVT: OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Windows
Product detection result cpe:/a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
...continues on next page ...

...continued from previous page ...
Summary OpenSSH is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: 7.4 Installation path / port: 22/tcp
Impact Successfully exploiting this issue allows local users to obtain sensitive private-key information, to gain privileges, conduct a serial-of-service condition and allows remote attackers to execute arbitrary local PKCS#11 modules.
Solution: Solution type: VendorFix Update to version 7.4 or later.
Affected Software/OS OpenSSH versions before 7.4 on Windows.
Vulnerability Insight Multiple flaws exist due to: - An 'authfile.c' script does not properly consider the effects of realloc on buffer contents. - The shared memory manager (associated with pre-authentication compression) does not ensure that a bounds check is enforced by all compilers. - The sshd in OpenSSH creates forwarded Unix-domain sockets as root, when privilege separation is not used. - An untrusted search path vulnerability in ssh-agent.c in ssh-agent. - NULL pointer dereference error due to an out-of-sequence NEWKEYS message.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.810325 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2016-10009
cve: CVE-2016-10010
cve: CVE-2016-10011
cve: CVE-2016-10012
cve: CVE-2016-10708
url: <https://www.openssh.com/txt/release-7.4>
url: <http://www.securityfocus.com/bid/94968>
url: <http://www.securityfocus.com/bid/94972>
url: <http://www.securityfocus.com/bid/94977>
url: <http://www.securityfocus.com/bid/94975>
url: <http://www.openwall.com/lists/oss-security/2016/12/19/2>
url: <http://blog.swiecki.net/2018/01/fuzzing-tcp-servers.html>
url: <https://anongit.mindrot.org/openssh.git/commit/?id=28652bca29046f62c7045e93>
↪3e6b931de1d16737
cert-bund: WID-SEC-2023-1996
cert-bund: CB-K18/0919
cert-bund: CB-K18/0591
cert-bund: CB-K18/0137
cert-bund: CB-K18/0041
cert-bund: CB-K17/2219
cert-bund: CB-K17/2112
cert-bund: CB-K17/1292
cert-bund: CB-K17/1061
cert-bund: CB-K17/0527
cert-bund: CB-K17/0377
cert-bund: CB-K17/0127
cert-bund: CB-K17/0041
cert-bund: CB-K16/1991
dfn-cert: DFN-CERT-2021-0776
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-2259
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-1432
dfn-cert: DFN-CERT-2018-1112
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-1068
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2018-0046
dfn-cert: DFN-CERT-2017-2320
dfn-cert: DFN-CERT-2017-2208
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-1096
dfn-cert: DFN-CERT-2017-0532

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2017-0386
 dfn-cert: DFN-CERT-2017-0130
 dfn-cert: DFN-CERT-2017-0042
 dfn-cert: DFN-CERT-2016-2099

High (CVSS: 7.5)

NVT: OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Windows

Product detection result

cpe:/a:openbsd:openssh:7.1

Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary

OpenSSH is prone to denial of service (DoS) and user enumeration vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 7.1

Fixed version: 7.3

Installation

path / port: 22/tcp

Impact

Successfully exploiting this issue allows remote attackers to cause a denial of service (crypt CPU consumption) and to enumerate users by leveraging the timing difference between responses when a large password is provided.

Solution:

Solution type: VendorFix

Update to version 7.3 or later.

Affected Software/OS

OpenSSH versions before 7.3 on Windows.

Vulnerability Insight

Multiple flaws exist due to:

- The auth_password function in 'auth-passwd.c' script does not limit password lengths for password authentication.
- The sshd in OpenSSH, when SHA256 or SHA512 are used for user password hashing uses BLOWFISH hashing on a static password when the username does not exist and it takes much longer to calculate SHA256/SHA512 hash than BLOWFISH hash.

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.809121 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2016-6515 cve: CVE-2016-6210 url: http://www.openssh.com/txt/release-7.3 url: http://www.securityfocus.com/bid/92212 url: http://seclists.org/fulldisclosure/2016/Jul/51 url: https://security-tracker.debian.org/tracker/CVE-2016-6210 url: http://openwall.com/lists/oss-security/2016/08/01/2 cert-bund: WID-SEC-2023-0450 cert-bund: WID-SEC-2023-0449 cert-bund: CB-K18/0041 cert-bund: CB-K17/2219 cert-bund: CB-K17/2112 cert-bund: CB-K17/1753 cert-bund: CB-K17/1349 cert-bund: CB-K17/1292 cert-bund: CB-K17/0055 cert-bund: CB-K16/1837 cert-bund: CB-K16/1629 cert-bund: CB-K16/1487 cert-bund: CB-K16/1485 cert-bund: CB-K16/1252 cert-bund: CB-K16/1221 cert-bund: CB-K16/1082 dfn-cert: DFN-CERT-2023-1920 dfn-cert: DFN-CERT-2019-1408 dfn-cert: DFN-CERT-2018-1828 dfn-cert: DFN-CERT-2018-1070 dfn-cert: DFN-CERT-2018-0046 dfn-cert: DFN-CERT-2017-2320 dfn-cert: DFN-CERT-2017-2208 dfn-cert: DFN-CERT-2017-1831 dfn-cert: DFN-CERT-2017-1407 dfn-cert: DFN-CERT-2017-1340 dfn-cert: DFN-CERT-2017-0060
...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1576
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1331
dfn-cert: DFN-CERT-2016-1243
dfn-cert: DFN-CERT-2016-1149
```

[\[return to 192.168.56.6 \]](#)**2.2.26 High 8282/tcp****High (CVSS: 7.8)****NVT: Apache Tomcat DoS Vulnerability (Jul 2025) - Windows****Product detection result**

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 9.0.107

Installation

path / port: 8282/tcp

Solution:**Solution type:** VendorFix

Update to version 9.0.107 or later.

Affected Software/OS

Apache Tomcat version 9.0.106 and prior.

Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
A race condition on connection close could trigger a JVM crash when using the APR/Native connector leading to a DoS. This was particularly noticeable with client initiated closes of HTTP/2 connections.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat DoS Vulnerability (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154918 Version used: 2025-07-11T21:13:14+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-52434 url: https://lists.apache.org/thread/gxgh65004f25y8519coth6w7vchww030 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.107 cert-bund: WID-SEC-2026-0177 cert-bund: WID-SEC-2025-1905 cert-bund: WID-SEC-2025-1468 dfn-cert: DFN-CERT-2025-2957 dfn-cert: DFN-CERT-2025-2390 dfn-cert: DFN-CERT-2025-2299 dfn-cert: DFN-CERT-2025-2056 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1789
High (CVSS: 7.8)
NVT: Apache Tomcat HTTP/2 Protocol DoS Vulnerability (MadeYouReset) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to is prone to a denial of service (DoS) vulnerability in the HTTP/2 protocol dubbed 'MadeYouReset'.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.108 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.108, 10.1.44, 11.0.10 or later.
Affected Software/OS Apache Tomcat version 9.0.107 and prior, 10.x through 10.1.43 and 11.0.0-M1 through 11.0.9. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight A mismatch caused by client-triggered server-sent stream resets between HTTP/2 specifications and the internal architectures of some HTTP/2 implementations may result in excessive server resource consumption leading to denial-of-service (DoS). By opening streams and then rapidly triggering the server to reset them, using malformed frames or flow control errors, an attacker can exploit incorrect stream accounting. Streams reset by the server are considered closed at the protocol level, even though backend processing continues. This allows a client to cause the server to handle an unbounded number of concurrent streams on a single connection.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat HTTP/2 Protocol DoS Vulnerability (MadeYouReset) - Windows OID:1.3.6.1.4.1.25623.1.0.171673 Version used: 2025-08-26T11:09:52+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-8671 cve: CVE-2025-48989 url: https://lists.apache.org/thread/9ydfg0xr0tchmg1cprhxgwhj0hfwxlyf url: https://lists.apache.org/thread/p09775q0rd185m6zz98krg0fp45j8kr0 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.108 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.44 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.10
... continues on next page ...

...continued from previous page ...
url: https://galbarnahum.com/posts/made-you-reset-intro
url: https://deepness-lab.org/publications/madeyoureset/
url: https://kb.cert.org/vuls/id/767506
url: https://thehackernews.com/2025/08/new-http2-madeyoureset-vulnerability.html
cert-bund: WID-SEC-2026-0351
cert-bund: WID-SEC-2026-0177
cert-bund: WID-SEC-2026-0175
cert-bund: WID-SEC-2026-0173
cert-bund: WID-SEC-2026-0165
cert-bund: WID-SEC-2025-2853
cert-bund: WID-SEC-2025-2373
cert-bund: WID-SEC-2025-2361
cert-bund: WID-SEC-2025-2360
cert-bund: WID-SEC-2025-2357
cert-bund: WID-SEC-2025-2356
cert-bund: WID-SEC-2025-1830
dfn-cert: DFN-CERT-2026-0972
dfn-cert: DFN-CERT-2026-0543
dfn-cert: DFN-CERT-2026-0452
dfn-cert: DFN-CERT-2026-0451
dfn-cert: DFN-CERT-2025-3431
dfn-cert: DFN-CERT-2025-2957
dfn-cert: DFN-CERT-2025-2390
dfn-cert: DFN-CERT-2025-2299
dfn-cert: DFN-CERT-2025-2224
dfn-cert: DFN-CERT-2025-2219

High (CVSS: 7.8)
NVT: Apache Tomcat Multiple Vulnerabilities (Jun 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.106 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.106, 10.1.42, 11.0.8 or later.	
Affected Software/OS Apache Tomcat version 9.0.105 and prior, 10.x through 10.1.41 and 11.0.0-M1 through 11.0.7. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.	
Vulnerability Insight The following flaws exist: - CVE-2025-48976: Denial of service (DoS) in Apache Commons FileUpload - CVE-2025-48988: DoS in multipart upload - CVE-2025-49125: Security constraint bypass for pre/post-resources	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple Vulnerabilities (Jun 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154755 Version used: 2025-06-24T11:11:22+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2025-48976 cve: CVE-2025-48988 cve: CVE-2025-49125 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.8 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.42 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.106 url: https://lists.apache.org/thread/nzkqsok8t42qofgqfmck536mtzygyp18 url: https://lists.apache.org/thread/m66cytbfrty9k7dc4cg6t11czhsnbywk url: https://www.openwall.com/lists/oss-security/2025/06/16/1 url: https://www.openwall.com/lists/oss-security/2025/06/16/2 url: https://github.com/Samb102/P0C-CVE-2025-48988-CVE-2025-48976 cert-bund: WID-SEC-2026-0438 cert-bund: WID-SEC-2026-0177 cert-bund: WID-SEC-2026-0175	
...continues on next page ...	

...continued from previous page ...

cert-bund: WID-SEC-2026-0165
cert-bund: WID-SEC-2026-0163
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2853
cert-bund: WID-SEC-2025-2768
cert-bund: WID-SEC-2025-2373
cert-bund: WID-SEC-2025-2372
cert-bund: WID-SEC-2025-2371
cert-bund: WID-SEC-2025-2369
cert-bund: WID-SEC-2025-2366
cert-bund: WID-SEC-2025-2362
cert-bund: WID-SEC-2025-2361
cert-bund: WID-SEC-2025-2360
cert-bund: WID-SEC-2025-2359
cert-bund: WID-SEC-2025-2357
cert-bund: WID-SEC-2025-2356
cert-bund: WID-SEC-2025-2355
cert-bund: WID-SEC-2025-2353
cert-bund: WID-SEC-2025-2351
cert-bund: WID-SEC-2025-1562
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1559
cert-bund: WID-SEC-2025-1335
cert-bund: WID-SEC-2025-1334
dfn-cert: DFN-CERT-2026-0936
dfn-cert: DFN-CERT-2026-0622
dfn-cert: DFN-CERT-2026-0452
dfn-cert: DFN-CERT-2026-0451
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-3541
dfn-cert: DFN-CERT-2025-3168
dfn-cert: DFN-CERT-2025-2941
dfn-cert: DFN-CERT-2025-2939
dfn-cert: DFN-CERT-2025-2390
dfn-cert: DFN-CERT-2025-2335
dfn-cert: DFN-CERT-2025-2299
dfn-cert: DFN-CERT-2025-2291
dfn-cert: DFN-CERT-2025-2098
dfn-cert: DFN-CERT-2025-2088
dfn-cert: DFN-CERT-2025-2056
dfn-cert: DFN-CERT-2025-1992
dfn-cert: DFN-CERT-2025-1991
dfn-cert: DFN-CERT-2025-1780
dfn-cert: DFN-CERT-2025-1739
dfn-cert: DFN-CERT-2025-1588

High (CVSS: 7.8)
NVT: Apache Tomcat DoS Vulnerability (Jul 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.90 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.90, 10.1.25, 11.0.0-M21 or later.
Affected Software/OS Apache Tomcat versions prior to 9.0.90, 10.x through 10.1.24 and 11.0.0-M1 through 11.0.0-M20. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by this flaw. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight When processing an HTTP/2 stream, Tomcat did not handle some cases of excessive HTTP headers correctly. This led to a miscounting of active HTTP/2 streams which in turn led to the use of an incorrect infinite timeout which allowed connections to remain open which should have been closed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat DoS Vulnerability (Jul 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.152544 Version used: 2024-12-19T10:35:34+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 ... continues on next page ...

...continued from previous page ...
Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-34750 url: https://lists.apache.org/thread/4kqf0bc9gxymjc2x7v3p7dvplnl77y81 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M2 ↪1 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.25 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.90 cert-bund: WID-SEC-2025-0163 cert-bund: WID-SEC-2025-0161 cert-bund: WID-SEC-2025-0148 cert-bund: WID-SEC-2025-0144 cert-bund: WID-SEC-2025-0143 cert-bund: WID-SEC-2024-3197 cert-bund: WID-SEC-2024-3195 cert-bund: WID-SEC-2024-2100 cert-bund: WID-SEC-2024-1905 cert-bund: WID-SEC-2024-1522 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1517 dfn-cert: DFN-CERT-2025-0170 dfn-cert: DFN-CERT-2025-0146 dfn-cert: DFN-CERT-2024-2192 dfn-cert: DFN-CERT-2024-2031 dfn-cert: DFN-CERT-2024-1723

High (CVSS: 7.8)
NVT: Apache Tomcat Session Fixation Vulnerability (Aug 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a session fixation vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
Installed version: 8.0.33 Fixed version: 9.0.106 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.106, 10.1.42, 11.0.8 or later.
Affected Software/OS Apache Tomcat versions prior to 9.0.106, 10.1.0-M1 through 10.1.41 and 11.0.0-M1 through 11.0.7.
Vulnerability Insight If the rewrite valve was enabled for a web application, an attacker was able to craft a URL that, if a victim clicked on it, would cause the victim’s interaction with that resource to occur in the context of the attacker’s session.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Session Fixation Vulnerability (Aug 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.127943 Version used: 2025-08-21T11:10:06+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-55668 url: https://lists.apache.org/thread/v6bknr96rl7l1qxkl1c03v0qdvbbqs47 cert-bund: WID-SEC-2025-1905 cert-bund: WID-SEC-2025-1826 dfn-cert: DFN-CERT-2026-0452 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-1588
High (CVSS: 7.8) NVT: Apache Tomcat Multiple DoS Vulnerabilities (Jul 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33
... continues on next page ...

...continued from previous page ...
Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.107 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.107, 10.1.43, 11.0.9 or later.
Affected Software/OS Apache Tomcat version 9.0.106 and prior, 10.x through 10.1.42 and 11.0.0-M1 through 11.0.8. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: - CVE-2025-52520: DoS due to overflow in file upload limit - CVE-2025-53506: DoS via excessive HTTP/2 streams
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple DoS Vulnerabilities (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154896 Version used: 2025-07-11T21:13:14+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-52520 cve: CVE-2025-53506
... continues on next page ...

...continued from previous page ...
url: https://lists.apache.org/thread/trqq01bbxw6c92zx69kx2mw2qgmfy0o5
url: https://lists.apache.org/thread/p09775q0rd185m6zz98krg0fp45j8kr0
url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.107
url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.43
url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.9
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1468
dfn-cert: DFN-CERT-2026-0452
dfn-cert: DFN-CERT-2026-0451
dfn-cert: DFN-CERT-2025-2390
dfn-cert: DFN-CERT-2025-2335
dfn-cert: DFN-CERT-2025-2299
dfn-cert: DFN-CERT-2025-2219
dfn-cert: DFN-CERT-2025-2168
dfn-cert: DFN-CERT-2025-2088
dfn-cert: DFN-CERT-2025-2056
dfn-cert: DFN-CERT-2025-1991
dfn-cert: DFN-CERT-2025-1789

High (CVSS: 7.5)

NVT: Apache Tomcat 'UTF-8 Decoder' Denial of Service Vulnerability - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)

Summary

Apache Tomcat is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 8.0.33

Fixed version: 8.0.52

Installation

path / port: 8282/tcp

Impact

Successful exploitation will allow an attacker to conduct a denial-of-service condition.

Solution:

Solution type: VendorFix

... continues on next page ...

...continued from previous page ...
Upgrade to Apache Tomcat version 9.0.8 or 8.5.31 or 8.0.52 or 7.0.90 or later. Please see the references for more information.
Affected Software/OS Apache Tomcat 9.0.0.M9 to 9.0.7 Apache Tomcat 8.5.0 to 8.5.30 Apache Tomcat 8.0.0.RC1 to 8.0.51 Apache Tomcat 7.0.28 to 7.0.86 on Windows.
Vulnerability Insight The flaw exists due to improper handling of overflow in the UTF-8 decoder with supplementary characters.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'UTF-8 Decoder' Denial of Service Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813724 Version used: 2025-09-17T11:09:26+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-1336 url: http://mail-archives.us.apache.org/mod_mbox/www-announce/201807.mbox/%3C20180722090435.GA60759%40minotaur.apache.org%3E url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.8 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.31 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.52 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0809 dfn-cert: DFN-CERT-2020-0048 dfn-cert: DFN-CERT-2018-2474 dfn-cert: DFN-CERT-2018-2165 dfn-cert: DFN-CERT-2018-2142 dfn-cert: DFN-CERT-2018-2133 dfn-cert: DFN-CERT-2018-2125 dfn-cert: DFN-CERT-2018-2097 dfn-cert: DFN-CERT-2018-1928 dfn-cert: DFN-CERT-2018-1753 dfn-cert: DFN-CERT-2018-1541 dfn-cert: DFN-CERT-2018-1471 dfn-cert: DFN-CERT-2018-1443 dfn-cert: DFN-CERT-2018-1262

High (CVSS: 7.5)
NVT: Apache Tomcat 'Hostname Verification' Security Bypass Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.53 Installation path / port: 8282/tcp
Impact Successful exploitation will allow an attacker to bypass certain security restrictions and perform unauthorized actions.
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.10 or 8.5.32 or 8.0.53 or 7.0.90 or later. Please see the references for more information.
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.9, 8.5.0 to 8.5.31, 8.0.0.RC1 to 8.0.52 and 7.0.35 to 7.0.88 on Windows.
Vulnerability Insight The flaw exists due to a missing host name verification when using TLS with the WebSocket client.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'Hostname Verification' Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813742 Version used: 2025-09-17T11:09:26+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33
... continues on next page ...

...continued from previous page ...
Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-8034 url: http://mail-archives.us.apache.org/mod_mbox/www-announce/201807.mbox/%3C20180722091057.GA70283@minotaur.apache.org%3E url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.10 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.53 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.32 url: http://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.90 cert-bund: WID-SEC-2024-1682 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K19/0907 cert-bund: CB-K19/0616 cert-bund: CB-K19/0320 cert-bund: CB-K18/1005 cert-bund: CB-K18/0809 dfn-cert: DFN-CERT-2019-2418 dfn-cert: DFN-CERT-2019-1627 dfn-cert: DFN-CERT-2019-1237 dfn-cert: DFN-CERT-2019-0951 dfn-cert: DFN-CERT-2019-0451 dfn-cert: DFN-CERT-2019-0147 dfn-cert: DFN-CERT-2018-2165 dfn-cert: DFN-CERT-2018-2142 dfn-cert: DFN-CERT-2018-1753 dfn-cert: DFN-CERT-2018-1471 dfn-cert: DFN-CERT-2018-1443 dfn-cert: DFN-CERT-2018-1262
High (CVSS: 7.5) NVT: Apache Tomcat Security Bypass Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.107652)
Summary Apache Tomcat is prone to a security bypass vulnerability.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.44 Installation path / port: 8282/tcp
Impact Successful exploitation will allow an attacker to exploit this issue to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.
Solution: Solution type: VendorFix Upgrade to version 9.0.0.M21, or 8.5.15, or 8.0.44, or 7.0.78 or later.
Affected Software/OS Apache Tomcat 9.0.0.M1 to 9.0.0.M20, Apache Tomcat 8.5.0 to 8.5.14, Apache Tomcat 8.0.0.RC1 to 8.0.43 and Apache Tomcat 7.0.0 to 7.0.77 on Windows
Vulnerability Insight The error page mechanism of the Java Servlet Specification requires that, when an error occurs and an error page is configured for the error that occurred, the original request and response are forwarded to the error page. This means that the request is presented to the error page with the original HTTP method. If the error page is a static file, expected behaviour is to serve content of the file as if processing a GET request, regardless of the actual HTTP method. Tomcat's Default Servlet did not do this. Depending on the original request this could lead to unexpected and undesirable results for static error pages including, if the DefaultServlet is configured to permit writes, the replacement or removal of the custom error page
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.811140 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2017-5664 url: https://lists.apache.org/thread.html/a42c48e37398d76334e17089e43ccab945238b↪8b7896538478d760660%3Cannounce.tomcat.apache.org%3E
... continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/98888 cert-bund: WID-SEC-2025-1212 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0605 cert-bund: CB-K18/0603 cert-bund: CB-K18/0478 cert-bund: CB-K18/0066 cert-bund: CB-K18/0047 cert-bund: CB-K17/2024 cert-bund: CB-K17/2017 cert-bund: CB-K17/1831 cert-bund: CB-K17/1748 cert-bund: CB-K17/1492 cert-bund: CB-K17/1423 cert-bund: CB-K17/1257 cert-bund: CB-K17/1246 cert-bund: CB-K17/0977 dfn-cert: DFN-CERT-2018-1274 dfn-cert: DFN-CERT-2018-0729 dfn-cert: DFN-CERT-2018-0513 dfn-cert: DFN-CERT-2018-0077 dfn-cert: DFN-CERT-2018-0051 dfn-cert: DFN-CERT-2017-2116 dfn-cert: DFN-CERT-2017-2106 dfn-cert: DFN-CERT-2017-1914 dfn-cert: DFN-CERT-2017-1827 dfn-cert: DFN-CERT-2017-1558 dfn-cert: DFN-CERT-2017-1485 dfn-cert: DFN-CERT-2017-1300 dfn-cert: DFN-CERT-2017-1288 dfn-cert: DFN-CERT-2017-1011

High (CVSS: 7.5)
NVT: Apache Tomcat 'MultipartStream' Class DoS Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a denial of service (DoS) vulnerability.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.36 Installation path / port: 8282/tcp
Impact Successful exploitation will allow remote attackers to cause a denial of service (CPU consumption).
Solution: Solution type: VendorFix Upgrade to version 7.0.70, or 8.0.36, or 8.5.3, or 9.0.0.M7, or later.
Affected Software/OS Apache Tomcat 7.x before 7.0.70, 8.0.0.RC1 before 8.0.36, 8.5.x before 8.5.3, and 9.0.0.M1 before 9.0.0.M7.
Vulnerability Insight The flaw is due to an error in the 'MultipartStream' class in Apache Commons Fileupload when processing multi-part requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'MultipartStream' Class DoS Vulnerability - Windows OID: 1.3.6.1.4.1.25623.1.0.808197 Version used: 2022-04-13T18:47:10+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2016-3092 url: http://tomcat.apache.org/security-7.html url: http://www.securityfocus.com/bid/91453 url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-9.html cert-bund: WID-SEC-2023-0644 cert-bund: WID-SEC-2022-1537 cert-bund: WID-SEC-2022-1375 cert-bund: CB-K18/0605
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K17/1750
cert-bund: CB-K17/1198
cert-bund: CB-K17/1060
cert-bund: CB-K17/0657
cert-bund: CB-K17/0397
cert-bund: CB-K16/1993
cert-bund: CB-K16/1799
cert-bund: CB-K16/1758
cert-bund: CB-K16/1322
cert-bund: CB-K16/1002
cert-bund: CB-K16/0993
dfn-cert: DFN-CERT-2023-0574
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-0729
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2016-2104
dfn-cert: DFN-CERT-2016-1905
dfn-cert: DFN-CERT-2016-1823
dfn-cert: DFN-CERT-2016-1407
dfn-cert: DFN-CERT-2016-1068
dfn-cert: DFN-CERT-2016-1059

```

High (CVSS: 7.5)

NVT: Apache Tomcat DoS Vulnerability (Feb 2023) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.5.85

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8282/tcp
Solution: Solution type: VendorFix Update to version 8.5.85, 9.0.71, 10.1.5, 11.0.0-M3 or later.	
Affected Software/OS Apache Tomcat versions through 8.5.84, 9.0.0-M1 through 9.0.70, 10.x through 10.1.4 and 11.0.0-M1 only.	
Vulnerability Insight Apache Tomcat uses a packaged renamed copy of Apache Commons FileUpload to provide the file upload functionality defined in the Jakarta Servlet specification. Apache Tomcat was, therefore, also vulnerable to the Apache Commons FileUpload vulnerability CVE-2023-24998 as there was no limit to the number of request parts processed. This resulted in the possibility of an attacker triggering a DoS with a malicious upload or series of uploads.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat DoS Vulnerability (Feb 2023) - Windows OID: 1.3.6.1.4.1.25623.1.0.104551 Version used: 2025-01-21T11:07:33+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2023-24998 url: https://lists.apache.org/thread/g16kv0xpp272htz107molwbbgdrqrdk1 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M3 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.5 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.71 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.85 url: https://lists.apache.org/thread/4xl4l09mhwg4vgsk7dxqogcjrobrdoy cert-bund: WID-SEC-2025-0810 cert-bund: WID-SEC-2024-1652 cert-bund: WID-SEC-2024-1642 cert-bund: WID-SEC-2024-1637 cert-bund: WID-SEC-2024-1622 cert-bund: WID-SEC-2024-1238 cert-bund: WID-SEC-2024-0890 cert-bund: WID-SEC-2024-0888 cert-bund: WID-SEC-2024-0794	
...continues on next page ...	

...continued from previous page ...	
cert-bund:	WID-SEC-2024-0124
cert-bund:	WID-SEC-2024-0117
cert-bund:	WID-SEC-2024-0054
cert-bund:	WID-SEC-2023-2688
cert-bund:	WID-SEC-2023-2675
cert-bund:	WID-SEC-2023-2674
cert-bund:	WID-SEC-2023-2625
cert-bund:	WID-SEC-2023-2309
cert-bund:	WID-SEC-2023-2031
cert-bund:	WID-SEC-2023-1817
cert-bund:	WID-SEC-2023-1815
cert-bund:	WID-SEC-2023-1813
cert-bund:	WID-SEC-2023-1812
cert-bund:	WID-SEC-2023-1811
cert-bund:	WID-SEC-2023-1809
cert-bund:	WID-SEC-2023-1808
cert-bund:	WID-SEC-2023-1807
cert-bund:	WID-SEC-2023-1794
cert-bund:	WID-SEC-2023-1792
cert-bund:	WID-SEC-2023-1791
cert-bund:	WID-SEC-2023-1784
cert-bund:	WID-SEC-2023-1783
cert-bund:	WID-SEC-2023-1782
cert-bund:	WID-SEC-2023-1424
cert-bund:	WID-SEC-2023-1142
cert-bund:	WID-SEC-2023-1021
cert-bund:	WID-SEC-2023-1017
cert-bund:	WID-SEC-2023-1016
cert-bund:	WID-SEC-2023-1012
cert-bund:	WID-SEC-2023-1007
cert-bund:	WID-SEC-2023-1005
cert-bund:	WID-SEC-2023-0609
cert-bund:	WID-SEC-2023-0433
dfn-cert:	DFN-CERT-2025-1992
dfn-cert:	DFN-CERT-2024-2151
dfn-cert:	DFN-CERT-2024-1865
dfn-cert:	DFN-CERT-2024-1006
dfn-cert:	DFN-CERT-2024-0059
dfn-cert:	DFN-CERT-2024-0048
dfn-cert:	DFN-CERT-2023-2778
dfn-cert:	DFN-CERT-2023-2545
dfn-cert:	DFN-CERT-2023-2469
dfn-cert:	DFN-CERT-2023-2054
dfn-cert:	DFN-CERT-2023-1648
dfn-cert:	DFN-CERT-2023-1643
dfn-cert:	DFN-CERT-2023-1642
dfn-cert:	DFN-CERT-2023-1423
...continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2023-1362
dfn-cert: DFN-CERT-2023-1109
dfn-cert: DFN-CERT-2023-0902
dfn-cert: DFN-CERT-2023-0886
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0763
dfn-cert: DFN-CERT-2023-0574
dfn-cert: DFN-CERT-2023-0540
dfn-cert: DFN-CERT-2023-0414
```

High (CVSS: 7.5)

NVT: Apache Tomcat 'pipelined' Requests Information Disclosure Vulnerability (Apr 2017) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)

Summary

Apache Tomcat is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.43

Installation

path / port: 8282/tcp

Impact

Successful exploitation will allow remote attackers to obtain sensitive information from requests other than their own.

Solution:**Solution type:** VendorFix

Upgrade to version 9.0.0.M19, 8.5.13, 8.0.43, 7.0.77, 6.0.53 or later.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
Apache Tomcat versions 9.0.0.M1 to 9.0.0.M18, Apache Tomcat versions 8.5.0 to 8.5.12, Apache Tomcat versions 8.0.0.RC1 to 8.0.42, Apache Tomcat versions 7.0.0 to 7.0.76 and Apache Tomcat versions 6.0.0 to 6.0.52 on Windows.
Vulnerability Insight A bug in the handling of the pipelined requests when send file was used resulted in the pipelined request being lost when send file processing of the previous request completed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'pipelined' Requests Information Disclosure Vulnerability (Apr 20. ↪.. OID:1.3.6.1.4.1.25623.1.0.810762 Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2017-5647 url: http://tomcat.apache.org/security-9.html url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html url: http://tomcat.apache.org/security-6.html url: https://lists.apache.org/thread.html/5796678c5a773c6f3ff57c178ac247d85ceca0 ↪dee9190ba48171451a0%3Cusers.tomcat.apache.org%3E cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0047 cert-bund: CB-K17/1831 cert-bund: CB-K17/1423 cert-bund: CB-K17/1246 cert-bund: CB-K17/1205 cert-bund: CB-K17/1060 cert-bund: CB-K17/1033 cert-bund: CB-K17/0801 cert-bund: CB-K17/0604 dfn-cert: DFN-CERT-2018-0051 dfn-cert: DFN-CERT-2017-1914 dfn-cert: DFN-CERT-2017-1485 dfn-cert: DFN-CERT-2017-1288 dfn-cert: DFN-CERT-2017-1243 dfn-cert: DFN-CERT-2017-1095 dfn-cert: DFN-CERT-2017-1068 dfn-cert: DFN-CERT-2017-0828
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2017-0624

High (CVSS: 7.5)

NVT: Apache Tomcat Reverse Proxy Information Disclosure Vulnerability (Mar 2017) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.39

Installation

path / port: 8282/tcp

Impact

Successful exploitation will allow remote attackers to obtain sensitive information from requests other than their own.

Solution:**Solution type:** VendorFix

Upgrade to version 9.0.0.M17, 8.5.11 or later.

Affected Software/OS

Apache Tomcat versions 9.0.0.M11 to 9.0.0.M15 and Apache Tomcat versions 8.5.0 to 8.5.9 on Windows.

Vulnerability Insight

The refactoring to make wider use of ByteBuffer introduced a regression that could cause information to leak between requests on the same connection. When running behind a reverse proxy, this could result in information leakage between users.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Apache Tomcat Reverse Proxy Information Disclosure Vulnerability (Mar 2017) - W.
↪..

OID:1.3.6.1.4.1.25623.1.0.810719

... continues on next page ...

...continued from previous page ...
Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2016-8747 url: http://svn.apache.org/viewvc?view=revision&revision=1774161 url: http://www.securityfocus.com/bid/96895 url: http://svn.apache.org/viewvc?view=revision&revision=1774166 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.11 url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M17 cert-bund: CB-K17/0426 dfn-cert: DFN-CERT-2017-0433

High (CVSS: 7.5)
NVT: Apache Tomcat NIO HTTP connector Information Disclosure Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.41 Installation path / port: 8282/tcp
Impact Successful exploitation will allow remote attackers to gain access to potentially sensitive information.
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.0.M15 or 8.5.9 or 8.0.41 or 7.0.75 or 6.0.50 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M13, Apache Tomcat versions 8.5.0 to 8.5.8, Apache Tomcat versions 8.0.0.RC1 to 8.0.39, Apache Tomcat versions 7.0.0 to 7.0.73, and Apache Tomcat versions 6.0.16 to 6.0.48 on Windows.
Vulnerability Insight The flaw exists due to error handling of the send file code for the NIO HTTP connector in Apache Tomcat resulting in the current Processor object being added to the Processor cache multiple times. This in turn means that the same Processor could be used for concurrent requests. Sharing a Processor can result in information leakage between requests including, not not limited to, session ID and the response body.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat NIO HTTP connector Information Disclosure Vulnerability - Windows OID: 1.3.6.1.4.1.25623.1.0.811296 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2016-8745 url: https://bz.apache.org/bugzilla/show_bug.cgi?id=60409 url: http://www.securityfocus.com/bid/94828 url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M15 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.41 url: http://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.75 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.9 url: http://tomcat.apache.org/security-6.html#Fixed_in_Apache_Tomcat_6.0.50 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2022-1375 cert-bund: CB-K18/0605 cert-bund: CB-K17/1746 cert-bund: CB-K17/1060 cert-bund: CB-K17/1033 cert-bund: CB-K17/0801 cert-bund: CB-K17/0444 cert-bund: CB-K17/0397 cert-bund: CB-K17/0303 cert-bund: CB-K17/0133 cert-bund: CB-K17/0090
... continues on next page ...

...continued from previous page ...
cert-bund: CB-K16/1929
dfn-cert: DFN-CERT-2018-0729
dfn-cert: DFN-CERT-2017-1822
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-0828
dfn-cert: DFN-CERT-2017-0456
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2017-0308
dfn-cert: DFN-CERT-2017-0137
dfn-cert: DFN-CERT-2017-0095
dfn-cert: DFN-CERT-2016-2037

High (CVSS: 7.1)

NVT: Apache Tomcat HTTP Request Line Information Disclosure Vulnerability (Nov 2016) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)

Summary

Apache Tomcat is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 8.0.33

Fixed version: 8.0.39

Installation

path / port: 8282/tcp

Impact

Successful exploitation will allow remote attackers to poison a web-cache, perform an XSS attack and/or obtain sensitive information from requests other than their own.

Solution:

Solution type: VendorFix

Upgrade to version 9.0.0.M13, 8.5.8, 8.0.39, 7.0.73, 6.0.48 or later.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
Apache Tomcat versions 9.0.0.M1 to 9.0.0.M11, Apache Tomcat versions 8.5.0 to 8.5.6, Apache Tomcat versions 8.0.0.RC1 to 8.0.38, Apache Tomcat versions 7.0.0 to 7.0.72, and Apache Tomcat versions 6.0.0 to 6.0.47 on Windows.
Vulnerability Insight The code that parsed the HTTP request line permitted invalid characters. This could be exploited, in conjunction with a proxy that also permitted the invalid characters but with a different interpretation, to inject data into the HTTP response.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat HTTP Request Line Information Disclosure Vulnerability (Nov 2016). ↔.. OID:1.3.6.1.4.1.25623.1.0.810717 Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2016-6816 url: https://tomcat.apache.org/security-6.html#Fixed_in_Apache_Tomcat_6.0.48 url: http://www.securityfocus.com/bid/94461 url: https://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.73 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.39 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.8 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M13 url: https://qnalist.com/questions/7885204/security-cve-2016-6816-apache-tomcat-information-disclosure ↔information-disclosure cert-bund: WID-SEC-2025-0215 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K17/1746 cert-bund: CB-K17/1060 cert-bund: CB-K17/1033 cert-bund: CB-K17/0444 cert-bund: CB-K17/0397 cert-bund: CB-K17/0198 cert-bund: CB-K17/0133 cert-bund: CB-K17/0090 cert-bund: CB-K16/1976 cert-bund: CB-K16/1927 cert-bund: CB-K16/1815 dfn-cert: DFN-CERT-2017-1822 dfn-cert: DFN-CERT-2017-1095
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-0456
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2017-0203
dfn-cert: DFN-CERT-2017-0137
dfn-cert: DFN-CERT-2017-0095
dfn-cert: DFN-CERT-2016-2090
dfn-cert: DFN-CERT-2016-2035
dfn-cert: DFN-CERT-2016-1922

[\[return to 192.168.56.6 \]](#)

2.2.27 High 1617/tcp

High (CVSS: 7.5)
NVT: Java JMX Insecure Configuration Vulnerability - Active Check
Summary The Java JMX interface is configured in an insecure way by allowing unauthenticated attackers to load classes from any remote URL.
Quality of Detection (QoD): 70%
Vulnerability Detection Result It was possible to call 'javax.management.remote.rmi.RMIServer.newClient' on the ↪ RMI port 49155/tcp without providing any credentials.
Solution: Solution type: Mitigation Enable password authentication and/or SSL client certificate authentication for the JMX agent.
Vulnerability Detection Method Sends crafted RMI requests and checks the responses. Details: Java JMX Insecure Configuration Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.143207 Version used: 2025-04-11T21:15:04+05:30
References url: https://mogwailabs.de/blog/2019/04/attacking-rmi-based-jmx-services/ url: https://www.optiv.com/blog/exploiting-jmx-rmi url: https://www.rapid7.com/db/modules/exploit/multi/misc/java_jmx_server

[\[return to 192.168.56.6 \]](#)

2.2.28 Medium 8484/tcp

Medium (CVSS: 6.5)
NVT: Jenkins < 2.107 and < 2.89.4 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.107 Installation path / port: /
Solution: Solution type: VendorFix Upgrade to Jenkins weekly to 2.107 or later / Jenkins LTS to 2.89.4 or later.
Affected Software/OS Jenkins LTS up to and including 2.89.3, Jenkins weekly up to and including 2.106.
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - Path traversal vulnerability which allows access to files outside plugin resources. (CVE-2018-6356) - Improperly secured form validation for proxy configuration, allowing Server-Side Request Forgery. (CVE-2018-1000067) - Improper input validation, allowing unintended access to plugin resource files on case-insensitive file systems. (CVE-2018-1000068)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.107 and < 2.89.4 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112228 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2018-6356 cve: CVE-2018-1000067 cve: CVE-2018-1000068 url: https://jenkins.io/security/advisory/2018-02-14/ cert-bund: CB-K18/0315 dfn-cert: DFN-CERT-2018-0340

Medium (CVSS: 6.5)
NVT: Jenkins < 2.303.2, < 2.315 Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.315 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.315, 2.303.2 LTS or later.
Affected Software/OS Jenkins version 2.314 and prior and 2.303.1 LTS and prior.
Vulnerability Insight The following vulnerabilities exist: - CVE-2014-3577: Jenkins core bundles vulnerable version of the commons-httpclient library - CVE-2021-21682: Improper handling of equivalent directory names - CVE-2021-21683: Path traversal
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.303.2, < 2.315 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.146873 Version used: 2023-10-20T21:39:12+05:30
References cve: CVE-2014-3577 cve: CVE-2021-21682 cve: CVE-2021-21683 url: https://www.jenkins.io/security/advisory/2021-10-06/ cert-bund: WID-SEC-2026-0351 cert-bund: WID-SEC-2025-1459 cert-bund: WID-SEC-2023-0432 cert-bund: WID-SEC-2023-0306 cert-bund: WID-SEC-2022-1375 cert-bund: CB-K16/1303 cert-bund: CB-K15/1508
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K15/1506
cert-bund: CB-K15/0929
cert-bund: CB-K15/0928
cert-bund: CB-K15/0678
cert-bund: CB-K15/0391
cert-bund: CB-K15/0330
cert-bund: CB-K15/0186
cert-bund: CB-K15/0148
cert-bund: CB-K14/1598
cert-bund: CB-K14/1485
cert-bund: CB-K14/1111
cert-bund: CB-K14/1035
dfn-cert: DFN-CERT-2023-2261
dfn-cert: DFN-CERT-2022-0569
dfn-cert: DFN-CERT-2021-2094
dfn-cert: DFN-CERT-2021-1111
dfn-cert: DFN-CERT-2020-2385
dfn-cert: DFN-CERT-2016-1386
dfn-cert: DFN-CERT-2015-1595
dfn-cert: DFN-CERT-2015-1576
dfn-cert: DFN-CERT-2015-0953
dfn-cert: DFN-CERT-2015-0951
dfn-cert: DFN-CERT-2015-0712
dfn-cert: DFN-CERT-2015-0403
dfn-cert: DFN-CERT-2015-0342
dfn-cert: DFN-CERT-2015-0191
dfn-cert: DFN-CERT-2015-0152
dfn-cert: DFN-CERT-2014-1693
dfn-cert: DFN-CERT-2014-1572
dfn-cert: DFN-CERT-2014-1157
dfn-cert: DFN-CERT-2014-1078

```

Medium (CVSS: 5.8)

NVT: Jenkins < 2.219, < 2.204.2 LTS Multiple Vulnerabilities - Windows

Summary

Jenkins is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.637

Fixed version: 2.219

Installation

...continues on next page ...

...continued from previous page ...	
path / port:	/
Solution: Solution type: VendorFix Update to version 2.219, 2.204.2 LTS or later.	
Affected Software/OS Jenkins version 2.218 and prior and 2.204.1 LTS and prior.	
Vulnerability Insight Jenkins is prone to multiple vulnerabilities: - UDP amplification reflection attack (CVE-2020-2100) - Non-constant time comparison of inbound TCP agent connection secret (CVE-2020-2101) - Non-constant time HMAC comparison (CVE-2020-2102) - Diagnostic page exposed session cookies (CVE-2020-2103) - Memory usage graphs accessible to anyone with Overall/Read (CVE-2020-2104) - Jenkins REST APIs vulnerable to clickjacking (CVE-2020-2105)	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.219, < 2.204.2 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.143440 Version used: 2021-07-08T16:30:45+05:30	
References cve: CVE-2020-2100 cve: CVE-2020-2101 cve: CVE-2020-2102 cve: CVE-2020-2103 cve: CVE-2020-2104 cve: CVE-2020-2105 url: https://jenkins.io/security/advisory/2020-01-29/ dfn-cert: DFN-CERT-2020-0207	

Medium (CVSS: 5.4)	
NVT: Jenkins < 2.197 and < 2.176.4 LTS Multiple Vulnerabilities - Windows	
Summary Jenkins is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 1.637	
... continues on next page ...	

...continued from previous page...	
Fixed version:	2.197
Installation path / port:	/
Solution: Solution type: VendorFix Update Jenkins weekly to version 2.197 or later / Jenkins LTS to version 2.176.4 or later.	
Affected Software/OS Jenkins LTS up to and including 2.176.3, Jenkins weekly up to and including 2.196.	
Vulnerability Insight Jenkins is prone to the following vulnerabilities: - The f:expandableTextBox form control interpreted its content as HTML when expanded, resulting in a stored XSS vulnerability exploitable by users with permission to define its contents, typically Job/Configure. (CVE-2019-10401) - The f:combobox form control interpreted its item labels as HTML, resulting in a stored XSS vulnerability exploitable by users with permission to define its contents. (CVE-2019-10402) - The SCM tag name on the tooltip for SCM tag actions was not being escaped, resulting in a stored XSS vulnerability exploitable by users able to control SCM tag names for these actions. (CVE-2019-10403) - The reason why a queue item is blocked in tooltips was not being escaped, resulting in a stored XSS vulnerability exploitable by users able to control parts of the reason a queue item is blocked, such as label expressions not matching any idle executors. (CVE-2019-10404) - The value of the 'Cookie' HTTP request header on the /whoAmI/ URL was being printed, allowing attackers exploiting another XSS vulnerability to obtain the HTTP session cookie despite it being marked as HttpOnly. (CVE-2019-10405) - The values set as Jenkins URL in the global configuration were not being restricted or filtered, resulting in a stored XSS vulnerability exploitable by attackers with Overall/Administer permission. (CVE-2019-10406)	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.197 and < 2.176.4 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.114138 Version used: 2023-10-27T21:41:32+05:30	
References cve: CVE-2019-10401 cve: CVE-2019-10402 cve: CVE-2019-10403 cve: CVE-2019-10404 cve: CVE-2019-10405 cve: CVE-2019-10406 url: https://jenkins.io/security/advisory/2019-09-25/	

Medium (CVSS: 5.4)
NVT: Jenkins < 2.245, < 2.235.2 LTS Multiple XSS Vulnerabilities - Windows
Summary Jenkins is prone to multiple cross-site scripting (XSS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.245 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.245, 2.235.2 LTS or later.
Affected Software/OS Jenkins version 2.244 and prior and 2.235.1 LTS and prior.
Vulnerability Insight The following vulnerabilities exist: - Stored XSS vulnerability in job build time trend (CVE-2020-2220) - Stored XSS vulnerability in upstream cause (CVE-2020-2221) - Stored XSS vulnerability in 'keep forever' badge icons (CVE-2020-2222) - Stored XSS vulnerability in console links (CVE-2020-2223)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.245, < 2.235.2 LTS Multiple XSS Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.112780 Version used: 2021-07-08T16:30:45+05:30
References cve: CVE-2020-2220 cve: CVE-2020-2221 cve: CVE-2020-2222 cve: CVE-2020-2223 url: https://jenkins.io/security/advisory/2020-07-15/ dfn-cert: DFN-CERT-2020-1871 dfn-cert: DFN-CERT-2020-1851 dfn-cert: DFN-CERT-2020-1607

Medium (CVSS: 5.4)
NVT: Jenkins < 2.252, < 2.235.4 Multiple XSS Vulnerabilities - Windows
Summary Jenkins is prone to multiple cross-site scripting (XSS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.252 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.252, 2.235.4 LTS or later.
Affected Software/OS Jenkins version 2.251 and prior and 2.235.3 LTS and prior.
Vulnerability Insight The following vulnerabilities exist: - Stored XSS vulnerability in help icons (CVE-2020-2229) - Stored XSS vulnerability in project naming strategy (CVE-2020-2230) - Stored XSS vulnerability in 'Trigger builds remotely' (CVE-2020-2231)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.252, < 2.235.4 Multiple XSS Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.144389 Version used: 2021-07-08T16:30:45+05:30
References cve: CVE-2020-2229 cve: CVE-2020-2230 cve: CVE-2020-2231 url: https://www.jenkins.io/security/advisory/2020-08-12/ cert-bund: WID-SEC-2022-1627 dfn-cert: DFN-CERT-2020-2141 dfn-cert: DFN-CERT-2020-1787

Medium (CVSS: 5.4)
NVT: Jenkins Multiple Vulnerabilities (Apr 2018) - Windows
Summary Jenkins is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.116 Installation path / port: /
Impact Successful exploitation will allow remote attackers to execute a script on victim's Web browser within the security context of the hosting Web site and also disclose sensitive information.
Solution: Solution type: VendorFix Update to Jenkins weekly to 2.116 or later, Jenkins LTS to 2.107.2 or later. Please see the references for more information.
Affected Software/OS Jenkins 2.115 and older, LTS 2.107.1 and older.
Vulnerability Insight Multiple flaws are due to: - Some JavaScript confirmation dialogs included the item name in an unsafe manner. - The Jenkins CLI send different error responses for commands with view and agent arguments depending on the existence of the specified views or agents to unauthorized users.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins Multiple Vulnerabilities (Apr 2018) - Windows OID:1.3.6.1.4.1.25623.1.0.813315 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2018-1000169 cve: CVE-2018-1000170 url: https://jenkins.io/security/advisory/2018-04-11/

Medium (CVSS: 5.3)
NVT: Jenkins < 2.276, < 2.263.3 Arbitrary File Read Vulnerability
Summary Jenkins is prone to an arbitrary file read vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.276 Installation path / port: /
Impact The vulnerability allows attackers with Job/Workspace permission and the ability to control workspace contents, e.g., with Job/Configure permission or the ability to change SCM contents, to create symbolic links that allow them to access files outside workspaces using the workspace browser.
Solution: Solution type: VendorFix Update to version 2.276, 2.263.3 LTS or later.
Affected Software/OS Jenkins version 2.275 and prior and 2.263.2 LTS and prior.
Vulnerability Insight Due to a time-of-check to time-of-use (TOCTOU) race condition, the file browser for workspaces, archived artifacts, and \$JENKINS_HOME/userContent/ follows symbolic links to locations outside the directory being browsed in Jenkins.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.276, < 2.263.3 Arbitrary File Read Vulnerability OID:1.3.6.1.4.1.25623.1.0.145266 Version used: 2021-08-17T19:31:00+05:30
References cve: CVE-2021-21615 url: https://www.jenkins.io/security/advisory/2021-01-26/#SECURITY-2197 dfn-cert: DFN-CERT-2021-0376 dfn-cert: DFN-CERT-2021-0173

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following input fields were identified (URL:input name): http://192.168.56.6:8484/configure:privateKeyPassword
Impact An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth) - HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T10:35:21+05:30
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html

Medium (CVSS: 4.7)
NVT: Jenkins 'CVE-2017-17383' XSS Vulnerability - Windows
Summary Jenkins is prone to an XSS vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: See workaround in vendor advisory Installation path / port: /
Impact Successful exploitation would allow an authenticated attacker to expose other users to malicious code.
Solution: Solution type: Workaround Please refer to the vendor advisory for a workaround.
Affected Software/OS Jenkins LTS 2.73.1 and prior, Jenkins 2.93 and prior.
Vulnerability Insight An authenticated attacker can use a crafted tool name in a job configuration form to conduct XSS attacks.
Vulnerability Detection Method The script checks if the vulnerable version is present on the target host. Details: Jenkins 'CVE-2017-17383' XSS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.113064 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2017-17383 url: https://jenkins.io/security/advisory/2017-12-05/

Medium (CVSS: 4.3)
NVT: Jenkins < 2.319.2, < 2.330 CSRF Vulnerability - Windows
Summary ... continues on next page ...

...continued from previous page ...
Jenkins is prone to a cross-site request forgery (CSRF) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.330 Installation path / port: /
Impact This vulnerability allows attackers to trigger build of job without parameters.
Solution: Solution type: VendorFix Update to version 2.330, 2.319.2 LTS or later.
Affected Software/OS Jenkins version 2.329 and prior and 2.319.1 LTS and prior.
Vulnerability Insight Jenkins does not require POST requests for the HTTP endpoint handling manual build requests when no security realm is set, resulting in a CSRF vulnerability.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.319.2, < 2.330 CSRF Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.147445 Version used: 2022-01-20T08:33:39+05:30
References cve: CVE-2022-20612 url: https://www.jenkins.io/security/advisory/2022-01-12/ cert-bund: WID-SEC-2022-1908 dfn-cert: DFN-CERT-2022-0328 dfn-cert: DFN-CERT-2022-0086
Medium (CVSS: 4.3)
NVT: Jenkins < 2.287, < 2.277.2 LTS Multiple Vulnerabilities - Windows
Summary Jenkins is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.637 Fixed version: 2.287 Installation path / port: /
Solution: Solution type: VendorFix Update to version 2.287, 2.277.2 LTS or later.
Affected Software/OS Jenkins prior to version 2.287, Jenkins LTS prior to version 2.277.2.
Vulnerability Insight The following vulnerabilities exist: - CVE-2021-21639: Jenkins does not validate the type of object created after loading the data submitted to the config.xml REST API endpoint of a node. - CVE-2021-21640: Jenkins does not properly check that a newly created view has an allowed name allowing attackers with View/Create permission to create views with invalid or used names.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Jenkins < 2.287, < 2.277.2 LTS Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.127166 Version used: 2022-09-07T15:40:59+05:30
References cve: CVE-2021-21639 cve: CVE-2021-21640 url: https://www.jenkins.io/security/advisory/2021-04-07/#SECURITY-1871 url: https://www.jenkins.io/security/advisory/2021-04-07/#SECURITY-1721 dfn-cert: DFN-CERT-2021-1618 dfn-cert: DFN-CERT-2021-0711

[\[return to 192.168.56.6 \]](#)

2.2.29 Medium 9200/tcp

Medium (CVSS: 6.8)
NVT: Elastic Elasticsearch < 1.2 RCE Vulnerability - Active Check
... continues on next page ...

...continued from previous page ...
Summary Elastic Elasticsearch is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerable URL: <code>http://192.168.56.6:9200/_search?source=%7B%22size%22%3A1%2C%22query%22%3A%7B%22filtered%22%3A%7B%22query%22%3A%7B%22match_all%22%3A%7B%7D%7D%22script_fields%22%3A%7B%22VTest%22%3A%7B%22script%22%3A%22import%20java.util.*%3B%5Cimport%20java.io.*%3B%5Cnew%20Scanner(new%20File(%5C%22%2Fwin%2Fwin.ini%5C%22)).useDelimiter(%5C%22%5C%5C%5C%5CZ%5C%22).next()%3B%22%7D%7D%7D&callback=?</code>
Impact An attacker can exploit this issue to execute arbitrary code.
Solution: Solution type: VendorFix Update to version 1.2 or later which disables 'dynamic scripting' by default. If the system was already updated make sure that this option is kept disabled.
Affected Software/OS Elastic Elasticsearch versions prior to 1.2.
Vulnerability Insight Elastic Elasticsearch has a flaw in its default configuration which makes it possible for any webpage to execute arbitrary code on visitors with Elasticsearch installed.
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response. Details: Elastic Elastisearch < 1.2 RCE Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.105032 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2014-3120 url: https://bou.ke/blog/elasticsearch-rce/ url: https://www.elastic.co/blog/found-elasticsearch-security#staying-safe-while-developing-with-elasticsearch url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: CB-K14/1131 dfn-cert: DFN-CERT-2014-1188

Medium (CVSS: 6.5)
NVT: Elastic Elasticsearch < 6.8.12, 7.x < 7.9.0 Information Disclosure Vulnerability - Windows
Summary Elasticsearch is prone to a field disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.12 Installation path / port: /
Impact An attacker could gain additional permissions against a restricted index.
Solution: Solution type: VendorFix Update to version 6.8.12, 7.9.1 or later.
Affected Software/OS Elasticsearch prior to version 6.8.12 and 7.9.0.
Vulnerability Insight A field disclosure flaw was found in Elasticsearch when running a scrolling search with Field Level Security. If a user runs the same query another more privileged user recently ran, the scrolling search can leak fields that should be hidden.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch < 6.8.12, 7.x < 7.9.0 Information Disclosure Vulnerabilit. ↪.. OID:1.3.6.1.4.1.25623.1.0.144431 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2020-7019 url: https://discuss.elastic.co/t/elastic-stack-7-9-0-and-6-8-12-security-update ↪/245456

Medium (CVSS: 6.5)
NVT: Elastic Elasticsearch DoS Vulnerability (ESA-2021-15)
Summary Elasticsearch is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.17 Installation path / port: /
Solution: Solution type: VendorFix Update to version 6.8.17, 7.13.3 or later.
Affected Software/OS Elasticsearch prior to version 6.8.17 and 7.x prior to 7.13.3.
Vulnerability Insight An uncontrolled recursion vulnerability that could lead to a denial of service attack was identified in the Elasticsearch Grok parser. A user with the ability to submit arbitrary queries to Elasticsearch could create a malicious Grok query that will crash the Elasticsearch node.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch DoS Vulnerability (ESA-2021-15) OID:1.3.6.1.4.1.25623.1.0.146386 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2021-22144 url: https://discuss.elastic.co/t/elasticsearch-7-13-3-and-6-8-17-security-updat↪e/278100 cert-bund: WID-SEC-2022-1777 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2022-2315

Medium (CVSS: 5.9) NVT: Elastic Elasticsearch < 6.8.2, 7.x < 7.2.1 Information Disclosure Vulnerability (ESA-2019-07) - Windows
Summary Elasticsearch is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.2 Installation path / port: /
Impact On a system with multiple users submitting requests, it could be possible for an attacker to gain access to response header containing sensitive data from another user.
Solution: Solution type: VendorFix Update to version 6.8.2 or 7.2.1 respectively.
Affected Software/OS Elasticsearch through version 6.8.1 and version 7.0.0 through 7.2.0.
Vulnerability Insight A race condition flaw was found in the response headers Elasticsearch returns to a request.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch < 6.8.2, 7.x < 7.2.1 Information Disclosure Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.117162 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2019-7614 url: https://discuss.elastic.co/t/elastic-stack-6-8-2-and-7-2-1-security-update/192963 url: https://www.elastic.co/community/security/cert-bund cert-bund: WID-SEC-2024-3184

Medium (CVSS: 5.3)
NVT: Elastic Elasticsearch Multiple Vulnerabilities (ESA-2021-06, ESA-2021-08)
Summary Elasticsearch is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.15 Installation path / port: /
Impact This could lead to disclosing the existence of documents and fields the attacker should not be able to view or result in an attacker gaining additional insight into potentially sensitive indices.
Solution: Solution type: VendorFix Update to version 6.8.15, 7.12.0 or later.
Affected Software/OS Elasticsearch versions prior to versions 6.8.15 or 7.12.0.
Vulnerability Insight The following vulnerabilities exist: - CVE-2021-22135: Suggester & Profile API information disclosure flaw - CVE-2021-22137: Field disclosure flaw
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch Multiple Vulnerabilities (ESA-2021-06, ESA-2021-08) OID:1.3.6.1.4.1.25623.1.0.145940 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2021-22135 cve: CVE-2021-22137 url: https://discuss.elastic.co/t/elastic-stack-7-12-0-and-6-8-15-security-updates/268125 cert-bund: WID-SEC-2022-0720 dfn-cert: DFN-CERT-2025-0933

Medium (CVSS: 4.9)
NVT: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2021-03)
Summary Elasticsearch is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.14 Installation path / port: /
Impact This could allow an Elasticsearch administrator to view sensitive details.
Solution: Solution type: VendorFix Update to version 6.8.14, 7.10.0 or later.
Affected Software/OS Elasticsearch versions prior to 6.8.14 and 7.0.0 prior to 7.10.0.
Vulnerability Insight Elasticsearch has an information disclosure issue when audit logging and the emit_request_body option is enabled. The Elasticsearch audit log could contain sensitive information such as password hashes or authentication tokens.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2021-03) OID:1.3.6.1.4.1.25623.1.0.145383 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2020-7021 url: https://discuss.elastic.co/t/elastic-stack-7-11-0-and-6-8-14-security-updates/263915 url: https://www.elastic.co/community/security dfn-cert: DFN-CERT-2025-0933

Medium (CVSS: 4.3)
NVT: Elasticsearch Cross-site Scripting (XSS) Vulnerability - Windows
Summary Elasticsearch is prone to a cross-site scripting (XSS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 1.4.0.Beta1
Impact Successful exploitation will allow remote attackers to inject arbitrary web script or HTML.
Solution: Solution type: VendorFix Update to Elasticsearch version 1.4.0.Beta1, or later.
Affected Software/OS Elasticsearch version 1.3.x and prior on Windows.
Vulnerability Insight The Flaw is due to an error in the CORS functionality.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elasticsearch Cross-site Scripting (XSS) Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.808092 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2014-6439 url: https://www.elastic.co/community/security/ url: http://www.securityfocus.com/bid/70233 url: http://www.securityfocus.com/archive/1/archive/1/533602/100/0/threaded

[\[return to 192.168.56.6 \]](#)

2.2.30 Medium 3820/tcp

Medium (CVSS: 5.8)
NVT: SSL/TLS: Renegotiation MITM Vulnerability (CVE-2009-3555)
Summary The remote SSL/TLS service is prone to a man-in-the-middle (MITM) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result Protocol Version Successful re-done SSL/TLS handshakes (Renegotiation) over an ↪ existing / already established SSL/TLS connection ----- ↪----- TLSv1.0 2 TLSv1.1 2 TLSv1.2 2
Impact A remote, unauthenticated attacker may be able to inject an arbitrary amount of chosen plaintext into the beginning of the application protocol stream. This could allow an attacker to issue HTTP requests, or take action impersonating the user, among other consequences.
Solution: Solution type: VendorFix Users should contact their vendors for specific patch information. General solution options are: - remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service - enable Safe/Secure renegotiation (RFC5746) for the affected SSL/TLS service
Affected Software/OS The TLS protocol, and the SSL protocol 3.0 and possibly earlier, as used in Microsoft Internet Information Services (IIS) 7.0, mod_ssl in the Apache HTTP Server 2.2.14 and earlier, OpenSSL before 0.9.8l, GnuTLS 2.8.5 and earlier, Mozilla Network Security Services (NSS) 3.12.4 and earlier, multiple Cisco products, and other products.
Vulnerability Insight The flaw exists because the remote SSL/TLS service does not properly associate renegotiation handshakes with an existing connection, which allows MITM attackers to insert data into HTTPS sessions, and possibly other types of sessions protected by TLS or SSL, by sending an unauthenticated request that is processed retroactively by a server in a post-renegotiation context, related to a 'plaintext injection' attack, aka the 'Project Mogul' issue.
Vulnerability Detection Method Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. ... continues on next page ...

...continued from previous page...	
Details: SSL/TLS: Renegotiation MITM Vulnerability (CVE-2009-3555)	
OID:1.3.6.1.4.1.25623.1.0.117758	
Version used: 2026-03-13T11:24:58+05:30	
References cve: CVE-2009-3555 url: https://blog.g-sec.lu/2009/11/tls-sslv3-renegotiation-vulnerability.html url: https://www.g-sec.lu/practicaltls.pdf url: https://www.kb.cert.org/vuls/id/120541 url: https://orchilles.com/ssl-renegotiation-dos/ url: https://lwn.net/Articles/362234/ url: https://kb.fortinet.com/kb/documentLink.do?externalID=FD36385 url: https://datatracker.ietf.org/doc/html/rfc5746 url: https://mailarchive.ietf.org/arch/msg/tls/Y103HUcq9T94rMLCGPTTozURtSI/ cert-bund: CB-K17/1878 cert-bund: CB-K17/1642 cert-bund: CB-K15/0637 dfn-cert: DFN-CERT-2017-1960 dfn-cert: DFN-CERT-2017-1722 dfn-cert: DFN-CERT-2015-0664 dfn-cert: DFN-CERT-2013-0321 dfn-cert: DFN-CERT-2012-1377 dfn-cert: DFN-CERT-2012-0828 dfn-cert: DFN-CERT-2012-0613 dfn-cert: DFN-CERT-2011-1720 dfn-cert: DFN-CERT-2011-1138 dfn-cert: DFN-CERT-2011-1137 dfn-cert: DFN-CERT-2011-0712 dfn-cert: DFN-CERT-2011-0700 dfn-cert: DFN-CERT-2011-0321 dfn-cert: DFN-CERT-2011-0193 dfn-cert: DFN-CERT-2011-0185 dfn-cert: DFN-CERT-2011-0181 dfn-cert: DFN-CERT-2011-0116 dfn-cert: DFN-CERT-2011-0021 dfn-cert: DFN-CERT-2011-0020 dfn-cert: DFN-CERT-2011-0019 dfn-cert: DFN-CERT-2010-1762 dfn-cert: DFN-CERT-2010-1731 dfn-cert: DFN-CERT-2010-1710 dfn-cert: DFN-CERT-2010-1702 dfn-cert: DFN-CERT-2010-1650 dfn-cert: DFN-CERT-2010-1647 dfn-cert: DFN-CERT-2010-1527 dfn-cert: DFN-CERT-2010-1500 dfn-cert: DFN-CERT-2010-1439 dfn-cert: DFN-CERT-2010-1424	
...continues on next page...	

...continued from previous page ...

dfn-cert: DFN-CERT-2010-1406
dfn-cert: DFN-CERT-2010-1405
dfn-cert: DFN-CERT-2010-1387
dfn-cert: DFN-CERT-2010-1385
dfn-cert: DFN-CERT-2010-1380
dfn-cert: DFN-CERT-2010-1368
dfn-cert: DFN-CERT-2010-1293
dfn-cert: DFN-CERT-2010-1227
dfn-cert: DFN-CERT-2010-1052
dfn-cert: DFN-CERT-2010-1009
dfn-cert: DFN-CERT-2010-1000
dfn-cert: DFN-CERT-2010-0899
dfn-cert: DFN-CERT-2010-0859
dfn-cert: DFN-CERT-2010-0833
dfn-cert: DFN-CERT-2010-0815
dfn-cert: DFN-CERT-2010-0775
dfn-cert: DFN-CERT-2010-0729
dfn-cert: DFN-CERT-2010-0725
dfn-cert: DFN-CERT-2010-0707
dfn-cert: DFN-CERT-2010-0705
dfn-cert: DFN-CERT-2010-0669
dfn-cert: DFN-CERT-2010-0639
dfn-cert: DFN-CERT-2010-0619
dfn-cert: DFN-CERT-2010-0618
dfn-cert: DFN-CERT-2010-0603
dfn-cert: DFN-CERT-2010-0586
dfn-cert: DFN-CERT-2010-0579
dfn-cert: DFN-CERT-2010-0562
dfn-cert: DFN-CERT-2010-0558
dfn-cert: DFN-CERT-2010-0544
dfn-cert: DFN-CERT-2010-0539
dfn-cert: DFN-CERT-2010-0525
dfn-cert: DFN-CERT-2010-0504
dfn-cert: DFN-CERT-2010-0498
dfn-cert: DFN-CERT-2010-0491
dfn-cert: DFN-CERT-2010-0488
dfn-cert: DFN-CERT-2010-0485
dfn-cert: DFN-CERT-2010-0456
dfn-cert: DFN-CERT-2010-0455
dfn-cert: DFN-CERT-2010-0451
dfn-cert: DFN-CERT-2010-0413
dfn-cert: DFN-CERT-2010-0411
dfn-cert: DFN-CERT-2010-0410
dfn-cert: DFN-CERT-2010-0407
dfn-cert: DFN-CERT-2010-0406
dfn-cert: DFN-CERT-2010-0405
dfn-cert: DFN-CERT-2010-0388

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2010-0370
dfn-cert: DFN-CERT-2010-0339
dfn-cert: DFN-CERT-2010-0303
dfn-cert: DFN-CERT-2010-0273
dfn-cert: DFN-CERT-2010-0201
dfn-cert: DFN-CERT-2010-0166
dfn-cert: DFN-CERT-2010-0050
dfn-cert: DFN-CERT-2010-0030
dfn-cert: DFN-CERT-2009-1833
dfn-cert: DFN-CERT-2009-1821
dfn-cert: DFN-CERT-2009-1820
dfn-cert: DFN-CERT-2009-1809
dfn-cert: DFN-CERT-2009-1805
dfn-cert: DFN-CERT-2009-1757
dfn-cert: DFN-CERT-2009-1755
dfn-cert: DFN-CERT-2009-1725
dfn-cert: DFN-CERT-2009-1719
dfn-cert: DFN-CERT-2009-1689
dfn-cert: DFN-CERT-2009-1688
dfn-cert: DFN-CERT-2009-1654
dfn-cert: DFN-CERT-2009-1653
dfn-cert: DFN-CERT-2009-1646
dfn-cert: DFN-CERT-2009-1643
dfn-cert: DFN-CERT-2009-1630
dfn-cert: DFN-CERT-2009-1623
dfn-cert: DFN-CERT-2009-1603
dfn-cert: DFN-CERT-2009-1602
dfn-cert: DFN-CERT-2009-1584
dfn-cert: DFN-CERT-2009-1578

```

Medium (CVSS: 5.0)

NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)

Summary

The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 70%**Vulnerability Detection Result**

The following indicates that the remote SSL/TLS service is affected:
 Protocol Version | Successful re-done SSL/TLS handshakes (Renegotiation) over an
 ↪ existing / already established SSL/TLS connection

```

-----
↪-----
TLSv1.0          | 10

```

... continues on next page ...

...continued from previous page ...	
TLSv1.1	10
TLSv1.2	10
Impact The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.	
Solution: Solution type: VendorFix Users should contact their vendors for specific patch information. A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.	
Affected Software/OS Every SSL/TLS service which does not properly restrict client-initiated renegotiation.	
Vulnerability Insight The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols. Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale: > It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment. Both CVEs are still kept in this VT as a reference to the origin of this flaw.	
Vulnerability Detection Method Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094) OID:1.3.6.1.4.1.25623.1.0.117761 Version used: 2026-03-13T11:24:58+05:30	
References cve: CVE-2011-1473 cve: CVE-2011-5094 url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/ url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/ url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation url: https://www.openwall.com/lists/oss-security/2011/07/08/2 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0796 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K17/0980 cert-bund: CB-K17/0979	
... continues on next page ...	

...continued from previous page...

```

cert-bund: CB-K14/0772
cert-bund: CB-K13/0915
cert-bund: CB-K13/0462
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2017-1013
dfn-cert: DFN-CERT-2017-1012
dfn-cert: DFN-CERT-2014-0809
dfn-cert: DFN-CERT-2013-1928
dfn-cert: DFN-CERT-2012-1112

```

Medium (CVSS: 5.0)

NVT: SSL/TLS: Certificate Expired

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
 ↪623.1.0.103692)

Summary

The remote server's SSL/TLS certificate has already expired.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

The certificate of the remote service expired on 2023-05-13 05:33:38.

Certificate details:

```

fingerprint (SHA-1)           | 4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)        | AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556
issued by                    | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US
public key algorithm          | RSA
public key size (bits)        | 2048
serial                        | 04A9972F
signature algorithm           | sha256WithRSAEncryption
subject                       | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US
subject alternative names (SAN) | None
valid from                    | 2013-05-15 05:33:38 UTC
valid until                    | 2023-05-13 05:33:38 UTC

```

Solution:**Solution type:** Mitigation

Replace the SSL/TLS certificate by a new one.

...continues on next page...

...continued from previous page ...
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)
NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service is signed by the following untrusted and/or dangerous CA: Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=California,C=US Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F
... continues on next page ...

...continued from previous page...	
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation ↔,L=Santa Clara,ST=California,C=US
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Impact An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.	
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↔ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ... continues on next page ...

...continued from previous page ...
↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200
... continues on next page ...

...continued from previous page...

```

url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068

```

...continues on next page...

...continued from previous page ...

dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

[\[return to 192.168.56.6 \]](#)

2.2.31 Medium 8181/tcp

Medium (CVSS: 5.0)

NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
 ↪623.1.0.103692)

Summary

The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).

Quality of Detection (QoD): 99%

... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result The certificate of the remote service is signed by the following untrusted and/o ↪ dangerous CA: Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Californ ↪ ia,C=US Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪ 5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪ ,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪ ,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Impact An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.	
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service expired on 2023-05-13 05:33:38. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)

NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)

Summary

The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 70%**Vulnerability Detection Result**

The following indicates that the remote SSL/TLS service is affected:

Protocol Version | Successful re-done SSL/TLS handshakes (Renegotiation) over an
↔ existing / already established SSL/TLS connection

↔-----

TLSv1.0 | 10

TLSv1.1 | 10

TLSv1.2 | 10

Impact

The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.

Solution:**Solution type:** VendorFix

Users should contact their vendors for specific patch information.

A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.

Affected Software/OS

Every SSL/TLS service which does not properly restrict client-initiated renegotiation.

Vulnerability Insight

The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols.

Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale:

> It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment.

... continues on next page ...

...continued from previous page ...
Both CVEs are still kept in this VT as a reference to the origin of this flaw.
Vulnerability Detection Method Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094) OID:1.3.6.1.4.1.25623.1.0.117761 Version used: 2026-03-13T11:24:58+05:30
References cve: CVE-2011-1473 cve: CVE-2011-5094 url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/ url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/ url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation url: https://www.openwall.com/lists/oss-security/2011/07/08/2 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0796 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K17/0980 cert-bund: CB-K17/0979 cert-bund: CB-K14/0772 cert-bund: CB-K13/0915 cert-bund: CB-K13/0462 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2017-1013 dfn-cert: DFN-CERT-2017-1012 dfn-cert: DFN-CERT-2014-0809 dfn-cert: DFN-CERT-2013-1928 dfn-cert: DFN-CERT-2012-1112
Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2011-3389
cve: CVE-2015-0204
cve: CVE-2023-41928
cve: CVE-2024-41270
cve: CVE-2025-3200
url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154belaeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845

```

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary

The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Server Temporary Key Size: 1024 bits

Impact

An attacker might be able to decrypt the SSL/TLS communication offline.

... continues on next page ...

...continued from previous page...

Solution:**Solution type:** Workaround

- Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task.
- For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.

Affected Software/OS

All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.

Vulnerability Insight

The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.

Vulnerability Detection Method

Checks the DHE temporary public key size.

Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability.
↪..

OID:1.3.6.1.4.1.25623.1.0.106223

Version used: 2026-03-13T11:24:58+05:30

References

url: <https://weakdh.org>

url: <https://weakdh.org/sysadmin.html>

url: <https://ssl-config.mozilla.org>

url: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html>

url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html

url: <https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html>

url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html

url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>

url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters>
↪-report-2014

url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

[\[return to 192.168.56.6 \]](#)

2.2.32 Medium 3920/tcp

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service expired on 2023-05-13 05:33:38. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)

NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
↪623.1.0.103692)**Summary**

The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).

Quality of Detection (QoD): 99%**Vulnerability Detection Result**The certificate of the remote service is signed by the following untrusted and/o
↪r dangerous CA:Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Californ
↪ia,C=US

Certificate details:

fingerprint (SHA-1) | 4A5758F59279E82F2A913C83CA658D6964575A72

fingerprint (SHA-256) | AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556issued by | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US

public key algorithm | RSA

public key size (bits) | 2048

serial | 04A9972F

signature algorithm | sha256WithRSAEncryption

subject | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US

subject alternative names (SAN) | None

valid from | 2013-05-15 05:33:38 UTC

valid until | 2023-05-13 05:33:38 UTC

Impact

An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLSProtokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
...continues on next page ...

...continued from previous page ...

↔-report-2014
url: <https://datatracker.ietf.org/doc/rfc8996/>
url: <https://vnhacker.blogspot.com/2011/09/beast.html>
url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>
url: <https://certvde.com/en/advisories/VDE-2025-031/>
url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>
url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051

...continues on next page ...

...continued from previous page...

```

dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

[[return to 192.168.56.6](#)]**2.2.33 Medium 8383/tcp**

Medium (CVSS: 5.0)

NVT: SSL/TLS: Certificate Expired

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
 ↪623.1.0.103692)

Summary

The remote server's SSL/TLS certificate has already expired.

Quality of Detection (QoD): 99%**Vulnerability Detection Result**

The certificate of the remote service expired on 2020-09-05 12:24:44.

Certificate details:

fingerprint (SHA-1) | 701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315

fingerprint (SHA-256) | C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E

↪B135AD83CD7B01A5A5

issued by | 1.2.840.113549.1.9.1=#737570706F7274406465736B

↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora

↪tion,L=Pleasanton,ST=CA,C=US

public key algorithm | RSA

public key size (bits) | 1024

...continues on next page...

...continued from previous page...	
serial	00F59CEF71E6DB72A5
signature algorithm	sha1WithRSAEncryption
subject	1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US
subject alternative names (SAN)	None
valid from	2010-09-08 12:24:44 UTC
valid until	2020-09-05 12:24:44 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.	
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.	
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ... continues on next page ...

...continued from previous page ...
↔an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200
... continues on next page ...

...continued from previous page...

```

url: https://ssl-config.mozilla.org
url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
↪ines/TG02102/BSI-TR-02102-1.html
url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
↪TLS-Protokoll/TLS-Protokoll_node.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
↪eRichtlinien/TR03116/BSI-TR-03116-4.html
url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068

```

...continues on next page...

...continued from previous page ...

dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary

The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Server Temporary Key Size: 1024 bits

Impact

An attacker might be able to decrypt the SSL/TLS communication offline.

Solution:**Solution type:** Workaround

- Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task.

... continues on next page ...

...continued from previous page ...
- For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
Vulnerability Insight The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerabili. ↪.. OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters↪-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

[[return to 192.168.56.6](#)]

2.2.34 Medium 49261/tcp

Medium (CVSS: 5.3)
NVT: Weak Key Exchange (KEX) Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to allow / support weak key exchange (KEX) algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak KEX algorithm(s): KEX algorithm Reason ----- ↪--- diffie-hellman-group1-sha1 Using Oakley Group 2 (a 1024-bit MODP group) and SH ↪A-1
Impact An attacker can quickly break individual connections.
Solution: Solution type: Mitigation Disable the reported weak KEX algorithm(s) - 1024-bit MODP group / prime KEX algorithms: Alternatively use elliptic-curve Diffie-Hellmann in general, e.g. Curve 25519.
Vulnerability Insight - 1024-bit MODP group / prime KEX algorithms: Millions of HTTPS, SSH, and VPN servers all use the same prime numbers for Diffie-Hellman key exchange. Practitioners believed this was safe as long as new key exchange messages were generated for every connection. However, the first step in the number field sieve-the most efficient algorithm for breaking a Diffie-Hellman connection-is dependent only on this prime. A nation-state can break a 1024-bit prime.
Vulnerability Detection Method Checks the supported KEX algorithms of the remote SSH server. Currently weak KEX algorithms are defined as the following: - non-elliptic-curve Diffie-Hellmann (DH) KEX algorithms with 1024-bit MODP group / prime - ephemerally generated key exchange groups uses SHA-1 - using RSA 1024-bit modulus key ... continues on next page ...

...continued from previous page ...
Details: Weak Key Exchange (KEX) Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.150713 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://weakdh.org/sysadmin.html url: https://www.rfc-editor.org/rfc/rfc9142 url: https://www.rfc-editor.org/rfc/rfc9142#name-summary-guidance-for-implementations url: https://www.rfc-editor.org/rfc/rfc6194 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.5

Medium (CVSS: 4.3)
NVT: Weak Encryption Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to allow / support weak encryption algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server encryption al ↪gorithm(s): 3des-cbc aes128-cbc blowfish-cbc The remote SSH server supports the following weak server-to-client encryption al ↪gorithm(s): 3des-cbc aes128-cbc blowfish-cbc
Solution: Solution type: Mitigation
... continues on next page ...

...continued from previous page ...
Disable the reported weak encryption algorithm(s).
Vulnerability Insight - The 'arcfour' cipher is the Arcfour stream cipher with 128-bit keys. The Arcfour cipher is believed to be compatible with the RC4 cipher [SCHNEIER]. Arcfour (and RC4) has problems with weak keys, and should not be used anymore. - The 'none' algorithm specifies that no encryption is to be done. Note that this method provides no confidentiality protection, and it is NOT RECOMMENDED to use it. - A vulnerability exists in SSH messages that employ CBC mode that may allow an attacker to recover plaintext from a block of ciphertext.
Vulnerability Detection Method Checks the supported encryption algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak encryption algorithms are defined as the following: - Arcfour (RC4) cipher based algorithms - 'none' algorithm - CBC mode cipher based algorithms Details: Weak Encryption Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105611 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc8758 url: https://www.kb.cert.org/vuls/id/958563 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.3

[\[return to 192.168.56.6 \]](#)

2.2.35 Medium 8020/tcp

Medium (CVSS: 5.0)
NVT: '/WEB-INF../' Information Disclosure Vulnerability (HTTP)
Summary Various application or web servers / products are prone to an information disclosure vulnerability.
... continues on next page ...

...continued from previous page ...

Quality of Detection (QoD): 99%**Vulnerability Detection Result**

Vulnerable URL: http://192.168.56.6:8020/WEB-INF../web.xml

Response (truncated):

```

<?xml version="1.0" encoding="ISO-8859-1"?>
<web-app xmlns="http://java.sun.com/xml/ns/j2ee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/
ns/j2ee/web-app_2_4.xsd" version="2.4">
<!-- $Id$ -->
<!-- Added for MickeyClient Pdf Generation -->
<context-param>
  <param-name>ContextPath</param-name>
  <param-value>/</param-value>
</context-param>
<context-param>
  <param-name>defaultSkin</param-name>
  <param-value>woody</param-value>
</context-param>
<context-param>
  <param-name>useInstantFeedback</param-name>
  <param-value>true</param-value>
</context-param>
<context-param>
  <param-name>mailServerName</param-name>
  <param-value>smtp.india.adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>instantFeedbackAddress</param-name>
  <param-value>sym-issues@adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>AUTO_IMPORT_USER</param-name>
  <param-value>false</param-value>
</context-param>
<context-param>
  <param-name>PARAMETER-ENCODING</param-name>
  <param-value>UTF-8</param-value>
</context-param>
<listener>
  <listener-class>com.adventnet.sym.webclient.configurations.SyMHttpSessionBindi
ngListener</listener-class>
</listener>
<!-- SDP-DC integration -->
  <listener>
    <listener-class>com.adventnet.sym.webclient.common.DCSessionListener</listener

```

...continues on next page ...

...continued from previous page ...
<pre> ↵-class> </listener> <!-- SDP-DC integra </pre>
Impact Based on the information provided in this file an attacker might be able to gather additional info and / or sensitive data about the application / the application / web server.
Solution: Solution type: VendorFix Please contact the vendor for more information on possible fixes.
Affected Software/OS The following products are known to be affected: - Caucho Resin version 2.1.12 on Apache HTTP server version 1.3.29 Other products and versions might be affected as well.
Vulnerability Insight The servlet specification prohibits servlet containers from serving resources in the '/WEB-INF' and '/META-INF' directories of a web application archive directly to clients. This means that URLs like: http://example.com/WEB-INF/web.xml will return an error message, rather than the contents of the deployment descriptor. However, some application or web servers / products are prone to a vulnerability that exposes this information if the client requests a URL like this instead: http://example.com/WEB-INF../web.xml http://example.com/web-inf../web.xml (note the double dot '..' after 'WEB-INF').
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response. Details: '/WEB-INF../' Information Disclosure Vulnerability (HTTP) OID:1.3.6.1.4.1.25623.1.0.117221 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2004-0281 url: http://marc.info/?l=bugtraq&m=107635084830547&w=2 url: http://www.securityfocus.com/bid/9617
Medium (CVSS: 5.0)
NVT: '/WEB-INF../' Information Disclosure Vulnerability (HTTP)
Summary
... continues on next page ...

...continued from previous page ...
Various application or web servers / products are prone to an information disclosure vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.6:8020/WEB-INF/web.xml Response (truncated): <pre><?xml version="1.0" encoding="ISO-8859-1"?> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ ns/j2ee/web-app_2_4.xsd" version="2.4"> <!-- \$Id\$ --> <!-- Added for MickeyClient Pdf Generation --> <context-param> <param-name>ContextPath</param-name> <param-value></param-value> </context-param> <context-param> <param-name>defaultSkin</param-name> <param-value>woody</param-value> </context-param> <context-param> <param-name>useInstantFeedback</param-name> <param-value>true</param-value> </context-param> <context-param> <param-name>mailServerName</param-name> <param-value>smtp.india.adventnet.com</param-value> </context-param> <context-param> <param-name>instantFeedbackAddress</param-name> <param-value>sym-issues@adventnet.com</param-value> </context-param> <context-param> <param-name>AUTO_IMPORT_USER</param-name> <param-value>false</param-value> </context-param> <context-param> <param-name>PARAMETER-ENCODING</param-name> <param-value>UTF-8</param-value> </context-param> <listener> <listener-class>com.adventnet.sym.webclient.configurations.SymHttpSessionBindi ngListener</listener-class> </listener> <!-- SDP-DC integration --></pre> ...continues on next page ...

...continued from previous page...	
<pre> <listener> <listener-class>com.adventnet.sym.webclient.common.DCSessionListener</listener ↩-class> </listener> <!-- SDP-DC integra </pre>	
Impact	Based on the information provided in this file an attacker might be able to gather additional info and / or sensitive data about the application / the application / web server.
Solution:	
Solution type: VendorFix	Please contact the vendor for more information on possible fixes.
Affected Software/OS	The following products are known to be affected: - A misconfigured reverse proxy. Other products might be affected as well.
Vulnerability Insight	The servlet specification prohibits servlet containers from serving resources in the '/WEB-INF' and '/META-INF' directories of a web application archive directly to clients. This means that URLs like: <code>http://example.com/WEB-INF/web.xml</code> will return an error message, rather than the contents of the deployment descriptor. However, some application or web servers / products are prone to a vulnerability that exposes this information if the client requests a URL like this instead: <code>http://example.com/META-INF./web.xml</code> (note the 'f.' in 'WEB-INF').
Vulnerability Detection Method	Sends a crafted HTTP GET request and checks the response. Details: '/WEB-INF./' Information Disclosure Vulnerability (HTTP) OID:1.3.6.1.4.1.25623.1.0.117225 Version used: 2023-03-06T15:49:58+05:30
References	url: https://bz.apache.org/bugzilla/show_bug.cgi?id=60667

[[return to 192.168.56.6](#)]

2.2.36 Medium 8585/tcp

Medium (CVSS: 6.8)
NVT: PHP 5.3.x < 5.3.27 Heap Buffer Overflow Vulnerability (Jul 2013) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a heap based buffer overflow vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.27 Installation path / port: 8585/tcp
Impact Successful exploitation will allow attackers to cause a heap-based buffer overflow, resulting in a denial of service or potentially allowing the execution of arbitrary code.
Solution: Solution type: VendorFix Update to version 5.3.27 or later.
Affected Software/OS PHP prior to version 5.3.27.
Vulnerability Insight The flaw is triggered as user-supplied input is not properly validated when handling malformed XML input.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 5.3.x < 5.3.27 Heap Buffer Overflow Vulnerability (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803729 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2013-4113
 url: <http://php.net/ChangeLog-5.php>
 url: <http://www.securityfocus.com/bid/61128>
 url: <https://bugs.php.net/bug.php?id=65236>
 url: <http://seclists.org/oss-sec/2013/q3/88>
 url: <http://seclists.org/bugtraq/2013/Jul/106>
 cert-bund: WID-SEC-2023-1285
 cert-bund: CB-K17/1176
 cert-bund: CB-K15/0689
 cert-bund: CB-K14/0231
 cert-bund: CB-K13/0802
 dfn-cert: DFN-CERT-2017-1209
 dfn-cert: DFN-CERT-2015-0724
 dfn-cert: DFN-CERT-2013-1494
 dfn-cert: DFN-CERT-2013-1450
 dfn-cert: DFN-CERT-2013-1446
 dfn-cert: DFN-CERT-2013-1445
 dfn-cert: DFN-CERT-2013-1444
 dfn-cert: DFN-CERT-2013-1392
 dfn-cert: DFN-CERT-2013-1347
 dfn-cert: DFN-CERT-2013-1331
 dfn-cert: DFN-CERT-2013-1316
 dfn-cert: DFN-CERT-2013-1315
 dfn-cert: DFN-CERT-2013-1299

Medium (CVSS: 6.8)

NVT: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Windows

Product detection result

cpe:/a:php:php:5.3.10
 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a heap-based use-after-free vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10
 Fixed version: 7.1.32
 Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 7.1.32 or later.	
Affected Software/OS PHP versions before 7.1.32.	
Vulnerability Insight PHP is prone to a heap use-after-free in pcrelib (cmb).	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP Heap Use-After-Free Vulnerability (Sep 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.108636 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References url: http://bugs.php.net/75457 url: https://www.php.net/ChangeLog-7.php#7.1.32	

Medium (CVSS: 6.8)	
NVT: PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to multiple denial of service (DoS) vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.30	
... continues on next page ...	

...continued from previous page...	
Installation	
path / port:	8585/tcp
Impact	Successfully exploiting these issues allow remote attackers to cause a denial of service (NULL pointer dereference and application crash).
Solution:	
Solution type:	VendorFix
	Update to version 5.5.30, 5.6.14 or later.
Affected Software/OS	
	PHP prior to version 5.5.30 and 5.6.x prior to 5.6.14.
Vulnerability Insight	
	The following flaws exist:
	- CVE-2015-7804: Off-by-one error in the 'phar_parse_zipfile' function within ext/phar/zip.c script.
	- CVE-2015-7803: An error in the 'phar_get_entry_data' function in ext/phar/util.c script.
Vulnerability Detection Method	
	Checks if a vulnerable version is present on the target host.
	Details: PHP < 5.5.30, 5.6.x < 5.6.14 Multiple DoS Vulnerabilities - Windows
	OID:1.3.6.1.4.1.25623.1.0.806648
	Version used: 2025-09-24T11:09:03+05:30
Product Detection Result	
	Product: cpe:/a:php:php:5.3.10
	Method: PHP Detection Consolidation
	OID: 1.3.6.1.4.1.25623.1.0.171722)
References	
	cve: CVE-2015-7803
	cve: CVE-2015-7804
	url: http://www.php.net/ChangeLog-5.php
	url: http://www.securityfocus.com/bid/76959
	url: https://bugs.php.net/bug.php?id=70433
	url: http://www.openwall.com/lists/oss-security/2015/10/05/8
	cert-bund: CB-K16/0944
	cert-bund: CB-K16/0912
	cert-bund: CB-K16/0623
	cert-bund: CB-K16/0422
	cert-bund: CB-K16/0161
	cert-bund: CB-K16/0136
	cert-bund: CB-K15/1792
... continues on next page ...	

...continued from previous page ...
cert-bund: CB-K15/1453
dfn-cert: DFN-CERT-2016-1004
dfn-cert: DFN-CERT-2016-0972
dfn-cert: DFN-CERT-2016-0676
dfn-cert: DFN-CERT-2016-0460
dfn-cert: DFN-CERT-2016-0176
dfn-cert: DFN-CERT-2016-0154
dfn-cert: DFN-CERT-2015-1898
dfn-cert: DFN-CERT-2015-1530

Medium (CVSS: 6.8)
NVT: WordPress Multiple Vulnerabilities (Jun 2020) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.19 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 3.7.34, 3.8.34, 3.9.32, 4.0.31, 4.1.31, 4.2.28, 4.3.24, 4.4.23, 4.5.22, 4.6.19, 4.7.18, 4.8.14, 4.9.15, 5.0.10, 5.1.6, 5.2.7, 5.3.4, 5.4.2 or later.
Affected Software/OS WordPress versions 3.7 - 5.4.1.
Vulnerability Insight WordPress is prone to multiple vulnerabilities: - Authenticated users with upload permissions (like authors) are able to inject JavaScript into some media file attachment pages in a certain way. This can lead to script execution in the context of a higher privileged user when the file is viewed by them. (CVE-2020-4047) - Due to an issue in wp_validate_redirect() and URL sanitization, an arbitrary external link can be crafted leading to unintended/open redirect when clicked. (CVE-2020-4048) - When uploading themes, the name of the theme folder can be crafted in a way that could lead to JavaScript execution in /wp-admin on the themes page. This does require an admin to upload the theme, and is low severity self-XSS. (CVE-2020-4049)
... continues on next page ...

...continued from previous page ...
- Misuse of the 'set-screen-option' filter's return value allows arbitrary user meta fields to be saved. It does require an admin to install a plugin that would misuse the filter. Once installed, it can be leveraged by low privileged users. (CVE-2020-4050) - Comments from a post or page can sometimes be seen in the latest comments even if the post or page is not public. (CVE-2020-25286)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Jun 2020) - Windows OID:1.3.6.1.4.1.25623.1.0.144103 Version used: 2024-02-08T20:06:53+05:30
References cve: CVE-2020-4047 cve: CVE-2020-4048 cve: CVE-2020-4049 cve: CVE-2020-4050 cve: CVE-2020-25286 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-8q2↵w-5m27-wm27 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-q6p↵w-gvf4-5fj5 url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-87h↵4-phjv-rm6p url: https://github.com/WordPress/wordpress-develop/security/advisories/GHSA-4vp↵v-fgg2-gcqc cert-bund: CB-K20/0583 dfn-cert: DFN-CERT-2020-1991 dfn-cert: DFN-CERT-2020-1263
Medium (CVSS: 6.8) NVT: PHP Multiple Vulnerabilities (Sep 2019) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10
...continues on next page ...

...continued from previous page...	
Fixed version:	7.2.22
Installation path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.22, 7.3.9 or later.	
Affected Software/OS PHP versions before 7.2.22 and 7.3.x before 7.3.9.	
Vulnerability Insight PHP is prone to multiple vulnerabilities: - Buffer overflow in zendparse - Cast to object confuses GC, causes crash - Exif crash (bus error) due to wrong alignment and invalid cast - Use-after-free in FPM master event handling	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP Multiple Vulnerabilities (Sep 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.108638 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References url: http://bugs.php.net/78363 url: http://bugs.php.net/78379 url: http://bugs.php.net/78333 url: http://bugs.php.net/77185 url: https://www.php.net/ChangeLog-7.php#7.3.9 url: https://www.php.net/ChangeLog-7.php#7.2.22	
Medium (CVSS: 6.8) NVT: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerability (Jun 2015) - Windows	
Product detection result cpe:/a:php:php:5.3.10	
... continues on next page ...	

...continued from previous page ...
Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to an improper input validation vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.40 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to cause a denial of service or possibly execute arbitrary code via pipelined HTTP requests.
Solution: Solution type: VendorFix Update to version 5.4.40, 5.5.24, 5.6.8 or later.
Affected Software/OS PHP prior to version 5.4.40, 5.5.x prior to 5.5.24 and 5.6.x prior to 5.6.8.
Vulnerability Insight The flaw occurs in the php_handler function in sapi/apache2handler/sapi_apache2.c.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.40, 5.5.x < 5.5.24, 5.6.x < 5.6.8 Improper Input Validation Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.805659 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2015-3330 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/74204 url: https://bugs.php.net/bug.php?id=69085
...continues on next page ...

...continued from previous page ...
url: http://openwall.com/lists/oss-security/2015/06/01/4
cert-bund: CB-K15/1437
cert-bund: CB-K15/1188
cert-bund: CB-K15/0880
cert-bund: CB-K15/0854
cert-bund: CB-K15/0665
cert-bund: CB-K15/0648
cert-bund: CB-K15/0561
dfn-cert: DFN-CERT-2015-1514
dfn-cert: DFN-CERT-2015-1252
dfn-cert: DFN-CERT-2015-0926
dfn-cert: DFN-CERT-2015-0900
dfn-cert: DFN-CERT-2015-0697
dfn-cert: DFN-CERT-2015-0677
dfn-cert: DFN-CERT-2015-0583

Medium (CVSS: 6.5)
NVT: PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.34 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.34, 7.3.23, 7.4.11 or later.
Affected Software/OS PHP versions prior 7.2.34, 7.3 prior 7.3.23 and 7.4 prior to 7.4.11.
Vulnerability Insight The following vulnerabilities exist: ... continues on next page ...

...continued from previous page ...
- Wrong ciphertext/tag in AES-CCM encryption for a 12 bytes IV (CVE-2020-7069) - PHP parses encoded cookie names so malicious ' __Host-' cookies can be sent (CVE-2020-7070)
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.34, 7.3 < 7.3.23, 7.4 < 7.4.11 Multiple Vulnerabilities (Oct 2020) - . ↪.. OID:1.3.6.1.4.1.25623.1.0.144695 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2020-7069 cve: CVE-2020-7070 url: https://www.php.net/ChangeLog-7.php#7.2.34 url: https://www.php.net/ChangeLog-7.php#7.3.23 url: https://www.php.net/ChangeLog-7.php#7.4.11 cert-bund: WID-SEC-2022-2115 cert-bund: CB-K20/0949 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2021-2373 dfn-cert: DFN-CERT-2021-1645 dfn-cert: DFN-CERT-2021-0380 dfn-cert: DFN-CERT-2021-0002 dfn-cert: DFN-CERT-2020-2187 dfn-cert: DFN-CERT-2020-2111
Medium (CVSS: 6.5) NVT: PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.4.31 Installation path / port: 8585/tcp	
Solution: Solution type: VendorFix Update to version 7.4.31, 8.0.24, 8.1.11 or later.	
Affected Software/OS PHP versions prior to 7.4.31, 8.0.x prior to 8.0.24 and 8.1.x prior to 8.1.11.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-31628: The phar uncompressor code would recursively uncompress 'quines' gzip files, resulting in an infinite loop. - CVE-2022-31629: The vulnerability enables network and same-site attackers to set a standard insecure cookie in the victim's browser which is treated as a '__Host-' or '__Secure-' cookie by PHP applications.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.4.31, 8.0.x < 8.0.24, 8.1.x < 8.1.11 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.104332 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2022-31628 cve: CVE-2022-31629 url: https://www.php.net/ChangeLog-7.php#7.4.31 url: https://www.php.net/ChangeLog-8.php#8.0.24 url: https://www.php.net/ChangeLog-8.php#8.1.11 url: https://bugs.php.net/bug.php?id=81726 url: https://bugs.php.net/bug.php?id=81727 cert-bund: WID-SEC-2023-1737 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2023-0137	
... continues on next page ...	

...continued from previous page ...
cert-bund: WID-SEC-2022-1567
dfn-cert: DFN-CERT-2024-1192
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2023-0422
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2523
dfn-cert: DFN-CERT-2022-2337
dfn-cert: DFN-CERT-2022-2157

Medium (CVSS: 6.5)
NVT: WordPress Multiple Vulnerabilities (Mar 2017) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.7.3
Impact Successfully exploiting will allow remote attacker to create a specially crafted URL, execute arbitrary script code in an user's browser session within the trust relationship between their browser and the server and leading to excessive use of server resources.
Solution: Solution type: VendorFix Update to WordPress version 4.7.3 or later.
Affected Software/OS WordPress versions 4.7.2 and prior on Windows.
Vulnerability Insight Multiple flaws are due to: - A cross-site scripting (XSS) vulnerability in media file metadata. - An improper URL validation. - Unintended files can be deleted by administrators using the plugin deletion functionality. - A cross-site scripting (XSS) in video URL in YouTube embeds. - A Cross-site request forgery (CSRF) in Press.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Mar 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.809895 Version used: 2024-02-09T10:36:25+05:30
References cve: CVE-2017-6804 cve: CVE-2017-6815 cve: CVE-2017-6814 cve: CVE-2017-6816 cve: CVE-2017-6818 cve: CVE-2017-6817 cve: CVE-2017-6819 url: https://wordpress.org/news/2017/03/wordpress-4-7-3-security-and-maintenance ↔-release cert-bund: CB-K17/0387 dfn-cert: DFN-CERT-2017-0395

Medium (CVSS: 6.5)
NVT: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Sep 2021) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP released new versions which include a security fix.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.31 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.3.31, 7.4.24, 8.0.11 or later.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
PHP versions prior to 7.3.31, 7.4.x through 7.4.23 and 8.0.x through 8.0.10.
Vulnerability Insight Fixed bug #81420 (ZipArchive::extractTo extracts outside of destination).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Sep 2021) - Windo. ↔.. OID:1.3.6.1.4.1.25623.1.0.117695 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2021-21706 url: https://www.php.net/ChangeLog-7.php#7.3.31 url: https://www.php.net/ChangeLog-7.php#7.4.24 url: https://www.php.net/ChangeLog-8.php#8.0.11 url: http://bugs.php.net/81420 cert-bund: WID-SEC-2022-2112 cert-bund: CB-K21/1008 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2021-2474 dfn-cert: DFN-CERT-2021-1994

Medium (CVSS: 6.5)
NVT: PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10
... continues on next page ...

...continued from previous page ...	
Fixed version:	7.1.20
Installation path / port:	8585/tcp
Impact Successfully exploitation will allow an attacker to consume 100% of the CPU, and consume disk space with a large volume of error logs, as demonstrated by an attack by a customer of a shared-hosting facility.	
Solution: Solution type: VendorFix Update to version 7.1.20, 7.2.8, 7.3.0alpha3 or later.	
Affected Software/OS PHP versions 5.x, 7.0.x, 7.1.x prior to 7.1.20, 7.2.x prior to 7.2.8 and 7.3.x prior to 7.3.0alpha3 on Windows.	
Vulnerability Insight The flaw exists due to the php-fpm master process restarts a child process in an endless loop when using program execution functions with a non-blocking STDIN stream.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 5.x < 7.1.20, 7.2.x < 7.2.8, 7.3.0alpha1 < 7.3.0alpha3 DoS Vulnerability - . ↔.. OID:1.3.6.1.4.1.25623.1.0.812519 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2015-9253 url: https://bugs.php.net/bug.php?id=73342 url: https://bugs.php.net/bug.php?id=70185 url: https://github.com/php/php-src/pull/3287 url: https://www.futureweb.at/security/CVE-2015-9253 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2022-0485 dfn-cert: DFN-CERT-2022-0455 dfn-cert: DFN-CERT-2022-0431 dfn-cert: DFN-CERT-2020-0337 dfn-cert: DFN-CERT-2018-1882	

Medium (CVSS: 6.5)
NVT: WordPress < 5.1 Path Traversal Vulnerability - Windows
Summary WordPress allows Path Traversal in wp_crop_image(). An attacker (who has privileges to crop an image) can write the output image to an arbitrary directory via a filename containing two image extensions and ../ sequences, such as a filename ending with the .jpg?/.././file.jpg substring.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 5.1 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to WordPress version 5.1 or later.
Affected Software/OS WordPress version 5.0.3 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 5.1 Path Traversal Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.142031 Version used: 2025-09-12T11:08:45+05:30
References cve: CVE-2019-8943 url: https://blog.ripstech.com/2019/wordpress-image-remote-code-execution/ url: http://www.securityfocus.com/bid/107089 cert-bund: CB-K19/0155

Medium (CVSS: 6.4)
NVT: PHP EXIF Header DoS Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
... continues on next page ...

...continued from previous page ...
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.0 beta 4 Installation path / port: 8585/tcp
Impact Successful exploitation allows remote attackers to execute arbitrary code, obtain sensitive information or cause a denial of service.
Solution: Solution type: VendorFix Update to PHP version 5.4.0 beta 4 or later.
Affected Software/OS PHP prior to version 5.4.0 beta 4 on Windows.
Vulnerability Insight The flaw is due to an integer overflow error in 'exif_process_IFD_TAG' function in the 'ext/exif/exif.c' file, Allows remote attackers to cause denial of service via crafted offset_val value in an EXIF header.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP EXIF Header DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.802349 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2011-4566 url: https://bugs.php.net/bug.php?id=60150 url: http://olex.openlogic.com/wazi/2011/php-5-4-0-medium/ url: https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2011-4566 dfn-cert: DFN-CERT-2013-1494
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2012-0914
dfn-cert: DFN-CERT-2012-0714
dfn-cert: DFN-CERT-2012-0586
dfn-cert: DFN-CERT-2012-0172
dfn-cert: DFN-CERT-2012-0167
dfn-cert: DFN-CERT-2012-0165
dfn-cert: DFN-CERT-2012-0130
dfn-cert: DFN-CERT-2012-0099
dfn-cert: DFN-CERT-2012-0070
dfn-cert: DFN-CERT-2012-0003

Medium (CVSS: 6.1)
NVT: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a cross-site scripting (XSS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.38 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allows remote attackers to conduct cross-site scripting (XSS) attacks against Internet Explorer by leveraging '%0A%20' or '%0D%0A%20' mishandling in the header function.
Solution: Solution type: VendorFix Update to version 5.4.38, 5.5.22, 5.6.6 or later.
Affected Software/OS PHP prior to version 5.4.38, 5.5.x prior to 5.5.22 and 5.6.x prior to 5.6.6 on Windows
Vulnerability Insight ... continues on next page ...

...continued from previous page ...	
The flaw is due to the 'sapi_header_op' function in 'main/SAPI.c' script supports deprecated line folding without considering browser compatibility.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.38, 5.5.x < 5.5.22, 5.6.x < 5.6.6 XSS Vulnerability (Aug 2016) - Wind. ↔.. OID:1.3.6.1.4.1.25623.1.0.808799 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2015-8935 url: https://bugs.php.net/bug.php?id=68978 url: http://www.securityfocus.com/bid/92356 cert-bund: CB-K16/1614 cert-bund: CB-K16/1257 cert-bund: CB-K16/1230 cert-bund: CB-K16/1179 cert-bund: CB-K16/1106 cert-bund: CB-K16/1030 dfn-cert: DFN-CERT-2016-1719 dfn-cert: DFN-CERT-2016-1335 dfn-cert: DFN-CERT-2016-1295 dfn-cert: DFN-CERT-2016-1253 dfn-cert: DFN-CERT-2016-1178 dfn-cert: DFN-CERT-2016-1097	

Medium (CVSS: 6.1)
NVT: WordPress Multiple Vulnerabilities (Sep 2019) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.15 Installation
... continues on next page ...

...continued from previous page...	
path / port:	/wordpress
Solution: Solution type: VendorFix Update to 5.2.3, 5.1.2, 5.0.6, 4.9.11, 4.8.10, 4.7.14, 4.6.15, 4.5.18, 4.4.19, 4.3.20, 4.2.24, 4.1.27, 4.0.27, 3.9.28, 3.8.30 or 3.7.30 respectively.	
Affected Software/OS WordPress 5.2.x before 5.2.3, 5.1.x before 5.1.2, 5.0.x before 5.0.6, 4.9.x before 4.9.11, 4.8.x before 4.8.10, 4.7.x before 4.7.14, 4.6.x before 4.6.15, 4.5.x before 4.5.18, 4.4.x before 4.4.19, 4.3.x before 4.3.20, 4.2.x before 4.2.24, 4.1.x before 4.1.27, 4.0.x before 4.0.27, 3.9.x before 3.9.28, 3.8.x before 3.8.30 and all previous versions before 3.7.30.	
Vulnerability Insight The following vulnerabilities exist: - a cross-site scripting (XSS) vulnerability found in post previews by contributors and a cross-site scripting vulnerability in stored comments - an issue where validation and sanitization of a URL could lead to an open redirect - reflected cross-site scripting during media uploads - a vulnerability for cross-site scripting (XSS) in shortcode previews - a case where reflected cross-site scripting could be found in the dashboard - an issue with URL sanitization that can lead to cross-site scripting (XSS) attacks.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Sep 2019) - Windows OID:1.3.6.1.4.1.25623.1.0.112639 Version used: 2025-09-17T11:09:26+05:30	
References cve: CVE-2019-16217 cve: CVE-2019-16218 cve: CVE-2019-16219 cve: CVE-2019-16220 cve: CVE-2019-16221 cve: CVE-2019-16222 cve: CVE-2019-16223 url: https://wordpress.org/news/2019/09/wordpress-5-2-3-security-and-maintenance-release/ dfn-cert: DFN-CERT-2020-0955 dfn-cert: DFN-CERT-2020-0030 dfn-cert: DFN-CERT-2019-1850	

Medium (CVSS: 6.1)
NVT: WordPress Multiple Vulnerabilities (Oct 2022) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.25 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 3.7.40, 3.8.40, 3.9.39, 4.0.37, 4.1.37, 4.2.34, 4.3.30, 4.4.29, 4.5.28, 4.6.25, 4.7.25, 4.8.21, 4.9.22, 5.0.18, 5.1.15, 5.2.17, 5.3.14, 5.4.12, 5.5.11, 5.6.10, 5.7.8, 5.8.6, 5.9.5, 6.0.3 or later.
Affected Software/OS WordPress version 6.0.2 and prior.
Vulnerability Insight The following vulnerabilities exist: - No CVE: Stored cross-site scripting (XSS) via wp-mail.php (post by email) - No CVE: Open redirect in 'wp_nonce_ays' - CVE-2022-43504: Sender's email address is exposed in wp-mail.php - No CVE: Reflected XSS via SQL injection (SQLi) in Media Library - No CVE: Cross-site request forgery (CSRF) in wp-trackback.php - No CVE: Stored XSS via the Customizer - No CVE: Revert shared user instances introduced in 50790 - No CVE: Stored XSS in WordPress Core via comment editing - No CVE: Data exposure via the REST Terms/Tags endpoint - No CVE: Content from multipart emails leaked - No CVE: SQL injection (SQLi) due to improper sanitization in 'WP_Date_Query' - No CVE: Stored XSS in the RSS Widget - No CVE: Stored XSS in the search block - No CVE: XSS in the Feature Image Block - No CVE: Stored XSS in the RSS Block - No CVE: Fix widget block XSS Note: It is currently unclear which of the XSS vulnerabilities are related to CVE-2022-43497 and CVE-2022-43500 so these two haven't been assigned to any of the 'No CVE' tagged flaws above.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. ... continues on next page ...

...continued from previous page ...
Details: WordPress Multiple Vulnerabilities (Oct 2022) - Windows OID:1.3.6.1.4.1.25623.1.0.170196 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-43497 cve: CVE-2022-43500 cve: CVE-2022-43504 url: https://wordpress.org/news/2022/10/wordpress-6-0-3-security-release/ cert-bund: WID-SEC-2022-1788

Medium (CVSS: 6.1)
NVT: WordPress Multiple Vulnerabilities (Jan 2018) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.9.2
Impact Successful exploitation will allow remote attackers to conduct cross site scripting attacks.
Solution: Solution type: VendorFix Update to WordPress version 4.9.2 or later.
Affected Software/OS WordPress versions prior to 4.9.2.
Vulnerability Insight An XSS flaw exists in the Flash fallback files in MediaElement, a library that is included with WordPress. Because the Flash files are no longer needed for most use cases, they have been removed from WordPress. 21 other bugs were fixed in WordPress 4.9.2: - JavaScript errors that prevented saving posts in Firefox have been fixed. - The previous taxonomy-agnostic behavior of <code>get_category_link()</code> and <code>category_description()</code> was restored. - Switching themes will now attempt to restore previous widget assignments, even when there are no sidebars to map.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Jan 2018) - Windows OID:1.3.6.1.4.1.25623.1.0.812507 Version used: 2023-03-01T15:50:05+05:30
References cve: CVE-2018-5776 url: https://wordpress.org/news/2018/01/wordpress-4-9-2-security-and-maintenance-release/ url: https://codex.wordpress.org/Version_4.9.2
Medium (CVSS: 6.1) NVT: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.33 Installation path / port: 8585/tcp
Impact Successfully exploiting these issues allows attacker to execute arbitrary script code in the browser of an unsuspecting user in the context of the affected site. This may allow the attacker to steal cookie-based authentication credentials and to launch other attacks and will also lead to a denial of service and exhausting the server resources.
Solution: Solution type: VendorFix Update to version 5.6.33, 7.0.27, 7.1.13, 7.2.1 or later.
Affected Software/OS PHP prior to version 5.6.33, 7.0.x prior to 7.0.27, 7.1.x prior to 7.1.13 and 7.2.x prior to 7.2.1.
... continues on next page ...

...continued from previous page...	
Vulnerability Insight	
The following flaws exist: - CVE-2018-5712: Input validation error on the PHAR 404 error page via the URI of a request for a .phar file. - CVE-2018-5711: Integer signedness error in gd_gif_in.c in the GD Graphics Library (aka libgd).	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.33, 7.x < 7.0.27, 7.1.x < 7.1.13, 7.2.x < 7.2.1 Multiple Vulnerabilit. ↪.. OID:1.3.6.1.4.1.25623.1.0.812732 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result	
Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References	
cve: CVE-2018-5711 cve: CVE-2018-5712 url: http://php.net/ChangeLog-5.php url: http://php.net/ChangeLog-7.php url: https://bugs.php.net/bug.php?id=74782 url: https://bugs.php.net/bug.php?id=75571 cert-bund: WID-SEC-2024-0991 cert-bund: WID-SEC-2024-0990 cert-bund: CB-K20/0307 cert-bund: CB-K18/0498 cert-bund: CB-K18/0270 cert-bund: CB-K18/0188 cert-bund: CB-K18/0174 dfn-cert: DFN-CERT-2020-0774 dfn-cert: DFN-CERT-2020-0680 dfn-cert: DFN-CERT-2019-1737 dfn-cert: DFN-CERT-2019-0362 dfn-cert: DFN-CERT-2019-0212 dfn-cert: DFN-CERT-2019-0204 dfn-cert: DFN-CERT-2018-1739 dfn-cert: DFN-CERT-2018-0835 dfn-cert: DFN-CERT-2018-0733 dfn-cert: DFN-CERT-2018-0576 dfn-cert: DFN-CERT-2018-0537 dfn-cert: DFN-CERT-2018-0290 dfn-cert: DFN-CERT-2018-0205	
...continues on next page...	

...continued from previous page ...

dfn-cert: DFN-CERT-2018-0191

Medium (CVSS: 6.1)

NVT: WordPress Multiple Vulnerabilities (Apr 2018) - Windows

Summary

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 4.6.1

Fixed version: 4.9.5

Installation

path / port: /wordpress

Impact

Successful exploitation will allow remote attackers to conduct cross site scripting, url redirection attacks and bypass security restrictions.

Solution:**Solution type:** VendorFix

Update to WordPress version 4.9.5 or later. Please see the references for more information.

Affected Software/OS

WordPress versions prior to 4.9.5.

Vulnerability Insight

Multiple flaws are due to:

- The version string was not escaped in the 'get_the_generator' function.
- The URL validator assumed URLs with the hostname localhost were on the same host as the WordPress server.
- The redirection URL for the login page was not validated or sanitized if forced to use HTTPS.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: WordPress Multiple Vulnerabilities (Apr 2018) - Windows

OID:1.3.6.1.4.1.25623.1.0.813087

Version used: 2023-03-01T15:50:05+05:30

References

cve: CVE-2018-10100

cve: CVE-2018-10101

cve: CVE-2018-10102

... continues on next page ...

...continued from previous page ...
url: https://wordpress.org/news/2018/04/wordpress-4-9-5-security-and-maintenance ↔-release cert-bund: CB-K18/0563 dfn-cert: DFN-CERT-2018-0624

Medium (CVSS: 6.1) NVT: WampServer < 3.1.5 XSS Vulnerability
Summary WampServer is prone to an XSS vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2 Fixed version: 3.1.5
Impact Successful exploitation would allow an attacker to create a crafted link to inject arbitrary HTML and JavaScript into the target website.
Solution: Solution type: VendorFix Update to version 3.1.5.
Affected Software/OS WampServer before version 3.1.5.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WampServer < 3.1.5 XSS Vulnerability OID:1.3.6.1.4.1.25623.1.0.112471 Version used: 2024-09-25T10:36:11+05:30
References cve: CVE-2018-1000848 url: http://forum.wampserver.com/read.php?2,153491

Medium (CVSS: 6.1) NVT: WordPress XSS Vulnerability (Apr 2024) - Windows
... continues on next page ...

...continued from previous page ...
Summary WordPress is prone to a cross-site scripting (XSS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 6.0.8 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 6.0.8, 6.1.6, 6.2.5, 6.3.4, 6.4.4, 6.5.2 or later.
Affected Software/OS WordPress version 6.5 and prior.
Vulnerability Insight WordPress Core is vulnerable to a stored cross-site scripting via user display names in the Avatar block due to insufficient output escaping on the display name. This makes it possible for authenticated attackers, with contributor-level access and above, to inject arbitrary web scripts in pages that will execute whenever a user accesses an injected page. In addition, it also makes it possible for unauthenticated attackers to inject arbitrary web scripts in pages that have the comment block present and display the comment author's avatar.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress XSS Vulnerability (Apr 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.152189 Version used: 2026-01-06T11:17:51+05:30
References cve: CVE-2024-4439 url: https://wordpress.org/news/2024/04/wordpress-6-5-2-maintenance-and-security-release/ cert-bund: WID-SEC-2024-1060 dfn-cert: DFN-CERT-2025-3436
Medium (CVSS: 5.9)
NVT: WordPress Password Reset CVE-2017-8295 Security Bypass Vulnerability - Windows
Summary ... continues on next page ...

...continued from previous page ...
WordPress is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: None
Impact Attackers can exploit this issue to bypass certain security restrictions to perform unauthorized actions. This may aid in further attacks.
Solution: Solution type: Workaround No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one. A workaround is to enable UseCanonicalName to enforce static SERVER_NAME value.
Affected Software/OS WordPress versions 4.7.4 and prior.
Vulnerability Insight The flaws exist because WordPress relies on the Host HTTP header for a password-reset e-mail message, which makes it easier for user-assisted remote attackers to reset arbitrary passwords by making a crafted wp-login.php?action=lostpassword request and then arranging for this e-mail to bounce or be resent, leading to transmission of the reset key to a mailbox on an attacker-controlled SMTP server. This is related to problematic use of the SERVER_NAME variable in wp-includes/pluggable.php in conjunction with the PHP mail function.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Password Reset CVE-2017-8295 Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.108156 Version used: 2025-01-17T21:09:18+05:30
References cve: CVE-2017-8295 url: https://www.exploit-db.com/exploits/41963/ url: https://exploitbox.io/vuln/WordPress-Exploit-4-7-Unauth-Password-Reset-0day-CVE-2017-8295.html url: http://www.securityfocus.com/bid/98295 url: https://httpd.apache.org/docs/2.4/mod/core.html#usecanonicalname

Medium (CVSS: 5.9)
NVT: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.5.28 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allow remote attackers to cause a denial of service (race condition and heap memory corruption) by leveraging an application that performs many temporary-file accesses.
Solution: Solution type: VendorFix Update to version 5.5.28, 5.6.12 or later.
Affected Software/OS PHP prior to version 5.5.28 and 5.6.x prior to 5.6.12 on Windows.
Vulnerability Insight The flaw is due to script 'main/php_open_temporary_file.c' does not ensure thread safety.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.5.28, 5.6.x < 5.6.12 DoS Vulnerability (Jul 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808612 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2015-8878

url: <http://www.php.net/ChangeLog-5.php>url: <http://www.securityfocus.com/bid/90837>

Medium (CVSS: 5.9)

NVT: PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 7.3.29

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 7.3.29 or later.

Affected Software/OS

PHP versions prior to 7.3.29.

Vulnerability Insight

The following flaws exist:

- CVE-2021-21705: SSRF bypass in FILTER_VALIDATE_URL.
- CVE-2021-21704: Stack buffer overflow in firebird_info_cb.
- CVE-2021-21704: SIGSEGV in firebird_handle_doer.
- CVE-2021-21704: SIGSEGV in firebird_stmt_execute.
- CVE-2021-21704: Crash while parsing blob data in firebird_fetch_blob.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 7.3.29 Multiple Vulnerabilities (Jul 2021) - Windows

OID:1.3.6.1.4.1.25623.1.0.117525

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2021-21704 cve: CVE-2021-21705 url: https://www.php.net/ChangeLog-7.php#7.3.29 url: http://bugs.php.net/81122 url: http://bugs.php.net/76448 url: http://bugs.php.net/76449 url: http://bugs.php.net/76450 url: http://bugs.php.net/76452 cert-bund: WID-SEC-2023-1737 cert-bund: WID-SEC-2022-1577 cert-bund: WID-SEC-2022-0624 cert-bund: CB-K21/0705 dfn-cert: DFN-CERT-2023-1600 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2022-1046 dfn-cert: DFN-CERT-2021-2185 dfn-cert: DFN-CERT-2021-1676 dfn-cert: DFN-CERT-2021-1645 dfn-cert: DFN-CERT-2021-1627 dfn-cert: DFN-CERT-2021-1509 dfn-cert: DFN-CERT-2021-1453 dfn-cert: DFN-CERT-2021-1419
Medium (CVSS: 5.8)
NVT: WordPress User IDs and User Names Disclosure
Summary WordPress platforms use a parameter called 'author'. This parameter accepts integer values and represents the 'User ID' of users in the web site. For example: http://www.example.com/?author=1
Quality of Detection (QoD): 99%
Vulnerability Detection Result The following user names were revealed in id range 1-25. ... continues on next page ...

...continued from previous page ...
Discovered username 'admin' with id '1' via URL <code>http://192.168.56.6:8585/wordpress/?author=1</code>
Impact These problems trigger the following attack vectors: 1. The query response discloses whether the User ID is enabled. 2. The query response leaks (by redirection) the User Name corresponding with that User ID.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Vulnerability Insight The problems found are: 1. User ID values are generated consecutively. 2. When a valid User ID is found, WordPress redirects to a web page with the name of the author.
Vulnerability Detection Method Details: WordPress User IDs and User Names Disclosure OID:1.3.6.1.4.1.25623.1.0.103222 Version used: 2023-07-28T10:35:23+05:30
References url: <code>http://www.talsoft.com.ar/index.php/research/security-advisories/wordpress-user-id-and-user-name-disclosure</code>

Medium (CVSS: 5.8)
NVT: HTTP Debugging Methods (TRACE/TRACK) Enabled
Summary The remote web server supports the TRACE and/or TRACK methods. TRACE and TRACK are HTTP methods which are used to debug web server connections.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The web server has the following HTTP methods enabled: TRACE
Impact An attacker may use this flaw to trick your legitimate web users to give him their credentials.
... continues on next page ...

...continued from previous page ...	
Solution:	
Solution type: Mitigation	
Disable the TRACE and TRACK methods in your web server configuration. Please see the manual of your web server or the references for more information.	
Affected Software/OS	
Web servers with enabled TRACE and/or TRACK methods.	
Vulnerability Insight	
It has been shown that web servers supporting this methods are subject to cross-site-scripting attacks, dubbed XST for Cross-Site-Tracing, when used in conjunction with various weaknesses in browsers.	
Vulnerability Detection Method	
Checks if HTTP methods such as TRACE and TRACK are enabled and can be used. Details: HTTP Debugging Methods (TRACE/TRACK) Enabled OID:1.3.6.1.4.1.25623.1.0.11213 Version used: 2023-08-01T18:59:10+05:30	
References	
cve: CVE-2003-1567 cve: CVE-2004-2320 cve: CVE-2004-2763 cve: CVE-2005-3398 cve: CVE-2006-4683 cve: CVE-2007-3008 cve: CVE-2008-7253 cve: CVE-2009-2823 cve: CVE-2010-0386 cve: CVE-2012-2223 cve: CVE-2014-7883 url: http://www.kb.cert.org/vuls/id/288308 url: http://www.securityfocus.com/bid/11604 url: http://www.securityfocus.com/bid/15222 url: http://www.securityfocus.com/bid/19915 url: http://www.securityfocus.com/bid/24456 url: http://www.securityfocus.com/bid/33374 url: http://www.securityfocus.com/bid/36956 url: http://www.securityfocus.com/bid/36990 url: http://www.securityfocus.com/bid/37995 url: http://www.securityfocus.com/bid/9506 url: http://www.securityfocus.com/bid/9561 url: http://www.kb.cert.org/vuls/id/867593 url: https://httpd.apache.org/docs/current/en/mod/core.html#traceenable url: https://techcommunity.microsoft.com/t5/iis-support-blog/http-track-and-trac↵e-verbs/ba-p/784482	
... continues on next page ...	

...continued from previous page ...
url: https://owasp.org/www-community/attacks/Cross_Site_Tracing cert-bund: CB-K14/0981 dfn-cert: DFN-CERT-2021-1825 dfn-cert: DFN-CERT-2014-1018 dfn-cert: DFN-CERT-2010-0020
Medium (CVSS: 5.8)
NVT: PHP Multiple Vulnerabilities - 01 (Mar 2013) - Windows
Product detection result cpe: /a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.0 Installation path / port: 8585/tcp
Impact Successful exploitation will allow attackers to retrieve, corrupt or upload arbitrary files, or can cause denial of service via corrupted \$_FILES indexes.
Solution: Solution type: VendorFix Update to PHP 5.4.0 or later.
Affected Software/OS PHP version before 5.4.0
Vulnerability Insight Flaw due to insufficient validation of file-upload implementation in rfc1867.c and it does not handle invalid ']' characters in name values.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP Multiple Vulnerabilities - 01 (Mar 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803341
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2012-1172 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/53403 url: http://cxsecurity.com/cveshow/CVE-2012-1172 url: http://secunia.com/advisories/cve_reference/CVE-2012-1172 dfn-cert: DFN-CERT-2013-1494 dfn-cert: DFN-CERT-2012-1268 dfn-cert: DFN-CERT-2012-1267 dfn-cert: DFN-CERT-2012-1266 dfn-cert: DFN-CERT-2012-1173 dfn-cert: DFN-CERT-2012-0914 dfn-cert: DFN-CERT-2012-0907 dfn-cert: DFN-CERT-2012-0906 dfn-cert: DFN-CERT-2012-0900 dfn-cert: DFN-CERT-2012-0870 dfn-cert: DFN-CERT-2012-0869 dfn-cert: DFN-CERT-2012-0866 dfn-cert: DFN-CERT-2012-0813 dfn-cert: DFN-CERT-2012-0773
Medium (CVSS: 5.8)
NVT: Apache HTTP Server < 2.4.66 Multiple Vulnerabilities - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
Summary Apache HTTP Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21
... continues on next page ...

...continued from previous page ...	
Fixed version:	2.4.66
Installation path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 2.4.66 or later.	
Affected Software/OS Apache HTTP Server prior to version 2.4.66.	
Vulnerability Insight The following flaws exist: - CVE-2025-58098: Apache HTTP Server with Server Side Includes (SSI) enabled and mod_cgid (but not mod_cgi) passes the shell-escaped query string to #exec cmd='...' directives. - CVE-2025-59775: Server-Side Request Forgery (SSRF) vulnerability on Windows with AllowEncodedSlashes On and MergeSlashes Off allows potential NTLM hash leakage to malicious servers via SSRF and malicious requests.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.66 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.125563 Version used: 2025-12-05T11:14:55+05:30	
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)	
References cve: CVE-2025-58098 cve: CVE-2025-59775 url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.66 url: https://www.openwall.com/lists/oss-security/2025/12/04/5 url: https://www.openwall.com/lists/oss-security/2025/12/04/6 cert-bund: WID-SEC-2026-0349 cert-bund: WID-SEC-2026-0153 cert-bund: WID-SEC-2025-2750 dfn-cert: DFN-CERT-2026-0680 dfn-cert: DFN-CERT-2026-0027 dfn-cert: DFN-CERT-2026-0012 dfn-cert: DFN-CERT-2025-3602 dfn-cert: DFN-CERT-2025-3581 dfn-cert: DFN-CERT-2025-3512	
... continues on next page ...	

...continued from previous page ...

dfn-cert: DFN-CERT-2025-3405

Medium (CVSS: 5.5)

NVT: PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a buffer overflow vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 8.0.22/8.1.9/8.2.0

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 8.0.22, 8.1.9, 8.2.0 or later.

Affected Software/OS

PHP versions prior to 8.0.22 and 8.1.x prior to 8.1.9.

Vulnerability Insight

Fixed potential overflow for the builtin server via the PHP_CLI_SERVER_WORKERS environment variable.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 8.0.22, 8.1.x < 8.1.9 Security Update - Windows

OID:1.3.6.1.4.1.25623.1.0.104645

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.171722)

... continues on next page ...

...continued from previous page ...
References cve: CVE-2022-4900 url: https://www.php.net/ChangeLog-8.php#8.2.0 url: https://www.php.net/ChangeLog-8.php#8.1.9 url: https://www.php.net/ChangeLog-8.php#8.0.22 url: https://github.com/php/php-src/issues/8989 url: https://github.com/php/php-src/pull/9000 url: https://github.com/php/php-src/commit/789a37f14405e2d1a05a76c9fb4ed2d49d458c0d5 url: https://bugzilla.redhat.com/show_bug.cgi?id=2179880 cert-bund: WID-SEC-2023-0695 dfn-cert: DFN-CERT-2024-2707 dfn-cert: DFN-CERT-2024-1132 dfn-cert: DFN-CERT-2023-0681

Medium (CVSS: 5.5)
NVT: WordPress <= 6.8.2 Multiple Vulnerabilities (Sep 2025) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: None Installation path / port: /wordpress
Solution: Solution type: NoneAvailable No known solution is available as of 24th September, 2025. Information regarding this issue will be updated once solution details are available.
Affected Software/OS WordPress versions through 6.8.2.
Vulnerability Insight The following flaws exist: - CVE-2025-58246: Insertion of sensitive information into sent data vulnerability - CVE-2025-58674: Improper neutralization of input during web page generation ('Cross-site scripting/XSS') vulnerability
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: WordPress <= 6.8.2 Multiple Vulnerabilities (Sep 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.119126 Version used: 2025-09-25T11:09:09+05:30
References cve: CVE-2025-58246 cve: CVE-2025-58674 url: https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-core/wordpress-682-authenticated-author-stored-cross-site-scripting-2 url: https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-core/wordpress-682-authenticated-contributor-sensitive-information-exposure url: https://patchstack.com/database/wordpress/wordpress/wordpress/vulnerability/wordpress-wordpress-wordpress-6-8-2-cross-site-scripting-xss-vulnerability url: https://patchstack.com/database/wordpress/wordpress/wordpress/vulnerability/wordpress-wordpress-wordpress-6-8-2-sensitive-data-exposure-vulnerability cert-bund: WID-SEC-2025-2115 dfn-cert: DFN-CERT-2025-3597 dfn-cert: DFN-CERT-2025-3436 dfn-cert: DFN-CERT-2025-3048

Medium (CVSS: 5.4)
NVT: WordPress Multiple Vulnerabilities (Oct 2023) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.27 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 4.1.39, 4.2.36, 4.3.32, 4.4.31, 4.5.30, 4.6.27, 4.7.27, 4.8.23, 4.9.24, 5.0.20, 5.1.17, 5.2.19, 5.3.16, 5.4.14, 5.5.13, 5.6.12, 5.7.10, 5.8.8, 5.9.8, 6.0.6, 6.1.4, 6.2.3, 6.3.2 or later.
Affected Software/OS WordPress version 6.3.1 and prior.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The following flaws exist: - CVE-2023-5561: Potential disclosure of user email addresses - No CVE: Remote code execution (RCE) POP Chains vulnerability - CVE-2023-38000: Cross-site scripting (XSS) issue in the post link navigation block - CVE-2023-39999: Comments on private posts could be leaked to other users - No CVE: A way for logged-in users to execute any shortcode - No CVE: XSS vulnerability in the application password screen - No CVE: XSS vulnerability in the footnotes block - No CVE: Cache poisoning denial of service (DoS) vulnerability
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Oct 2023) - Windows OID:1.3.6.1.4.1.25623.1.0.104987 Version used: 2023-11-09T10:35:33+05:30
References cve: CVE-2023-38000 cve: CVE-2023-39999 cve: CVE-2023-5561 url: https://wordpress.org/news/2023/10/wordpress-6-3-2-maintenance-and-security-release/ url: https://www.wordfence.com/blog/2023/10/wordpress-6-3-2-security-release-what-you-need-to-know/ url: https://patchstack.com/articles/wordpress-core-6-3-2-security-update-technical-advisory url: https://patchstack.com/database/vulnerability/wordpress/wordpress-core-6-3-2-contributor-stored-xss-in-navigation-links-block-vulnerability url: https://patchstack.com/database/vulnerability/wordpress/wordpress-core-6-3-2-contributor-comment-read-on-private-and-password-protected-post-vulnerability url: https://wpscan.com/blog/email-leak-oracle-vulnerability-addressed-in-wordpress-6-3-2/ url: https://wpscan.com/vulnerability/19380917-4c27-4095-abf1-eba6f913b441 cert-bund: WID-SEC-2023-2640 dfn-cert: DFN-CERT-2024-1269 dfn-cert: DFN-CERT-2023-2906 dfn-cert: DFN-CERT-2023-2500
Medium (CVSS: 5.4) NVT: WordPress Multiple Vulnerabilities (Aug 2022) - Windows
Summary WordPress is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.24 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 3.7.39, 3.8.39, 3.9.37, 4.0.36, 4.1.36, 4.2.33, 4.3.29, 4.4.28, 4.5.27, 4.6.24, 4.7.24, 4.8.20, 4.9.21, 5.0.17, 5.1.14, 5.2.16, 5.3.13, 5.4.11, 5.5.10, 5.6.9, 5.7.7, 5.8.5, 5.9.4, 6.0.2 or later.
Affected Software/OS WordPress version 6.0.1 and prior.
Vulnerability Insight The following vulnerabilities exist: - No CVE: SQL injection (SQLi) within the Link API - No CVE: Cross-site scripting (XSS) on the Plugins screen - CVE-2022-4973: Output escaping issue within the _meta() leading to authenticated stored XSS
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Aug 2022) - Windows OID:1.3.6.1.4.1.25623.1.0.148653 Version used: 2024-11-06T10:35:44+05:30
References cve: CVE-2022-4973 url: https://wordpress.org/news/2022/08/wordpress-6-0-2-security-and-maintenance-release/ url: https://www.wordfence.com/blog/2022/08/wordpress-core-6-0-2-security-maintenance-release-what-you-need-to-know/
Medium (CVSS: 5.4)
NVT: WampServer 3.1.1 XSS Vulnerability
Summary WampServer is prone to an XSS vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
Installed version: 2.2 Fixed version: 3.1.2
Impact Successful exploitation would allow an attacker to create a crafted link to inject arbitrary HTML and JavaScript into the target website.
Solution: Solution type: VendorFix Update to version 3.1.2.
Affected Software/OS WampServer through version 3.1.1.
Vulnerability Insight The XSS is possible through the virtual_del parameter.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WampServer 3.1.1 XSS Vulnerability OID:1.3.6.1.4.1.25623.1.0.113139 Version used: 2024-09-25T10:36:11+05:30
References cve: CVE-2018-8732 url: http://forum.wampserver.com/read.php?2,138295,150615,page=6#msg-150615

Medium (CVSS: 5.4)
NVT: PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.29 Installation
...continues on next page ...

...continued from previous page...	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.29 or later.	
Affected Software/OS PHP prior to version 7.2.29.	
Vulnerability Insight The following flaws exist: - CVE-2020-7064: Use of uninitialized value in exif - CVE-2020-7066: get_headers() silently truncates after a null byte	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.29 Multiple Vulnerabilities (Mar 2020) - Windows OID: 1.3.6.1.4.1.25623.1.0.143616 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2020-7064 cve: CVE-2020-7066 url: https://www.php.net/ChangeLog-7.php#7.2.29 cert-bund: WID-SEC-2022-2118 cert-bund: CB-K21/0068 cert-bund: CB-K20/1199 cert-bund: CB-K20/0239 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2020-2627 dfn-cert: DFN-CERT-2020-1964 dfn-cert: DFN-CERT-2020-1438 dfn-cert: DFN-CERT-2020-1202 dfn-cert: DFN-CERT-2020-0965 dfn-cert: DFN-CERT-2020-0851 dfn-cert: DFN-CERT-2020-0787 dfn-cert: DFN-CERT-2020-0554	

Medium (CVSS: 5.4)
NVT: WordPress Multiple Vulnerabilities (May 2023) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.26 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 4.1.38, 4.2.35, 4.3.31, 4.4.30, 4.5.29, 4.6.26, 4.7.26, 4.8.22, 4.9.23, 5.0.19, 5.1.16, 5.2.18, 5.3.15, 5.4.13, 5.5.12, 5.6.11, 5.7.9, 5.8.7, 5.9.6, 6.0.4, 6.1.2, 6.2.1 or later.
Affected Software/OS WordPress version 6.2.0 and prior.
Vulnerability Insight The following vulnerabilities exist: - No CVE: Block themes parsing shortcodes in user generated data - No CVE: A CSRF issue updating attachment thumbnails - No CVE: A flaw allowing XSS via open embed auto discovery - No CVE: Bypassing of KSES sanitization in block attributes for low privileged users - CVE-2023-2745: A path traversal issue via translation files
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (May 2023) - Windows OID:1.3.6.1.4.1.25623.1.0.104753 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-2745 url: https://wordpress.org/news/2023/05/wordpress-6-2-1-maintenance-security-rel ↪ease/ url: https://www.wordfence.com/blog/2023/05/wordpress-core-6-2-1-security-mainte ↪nance-release-what-you-need-to-know/ url: https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-core/wordp ↪ress-core-621-directory-traversal cert-bund: WID-SEC-2023-1231
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-1269
dfn-cert: DFN-CERT-2023-1137

Medium (CVSS: 5.3)
NVT: PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to two denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.31 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.31, 7.3.18, 7.4.6 or later.
Affected Software/OS PHP versions prior 7.2.31, 7.3 prior 7.3.18 and 7.4 prior to 7.4.6.
Vulnerability Insight The following flaws exist: - CVE-2019-11048: Long filenames cause OOM and temp files to not be cleaned - Long variables in multipart/form-data cause OOM and temp files are not cleaned leading to denial of service.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.31, 7.3 < 7.3.18, 7.4 < 7.4.6 Multiple DoS Vulnerabilities (May 2020). ↪.. OID:1.3.6.1.4.1.25623.1.0.143914 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10
... continues on next page ...

...continued from previous page ...
Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2019-11048 url: https://www.php.net/ChangeLog-7.php#7.2.31 url: https://www.php.net/ChangeLog-7.php#7.3.18 url: https://www.php.net/ChangeLog-7.php#7.4.6 url: https://bugs.php.net/bug.php?id=78875 url: https://bugs.php.net/bug.php?id=78876 cert-bund: WID-SEC-2022-2117 cert-bund: CB-K20/1199 cert-bund: CB-K20/0467 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2020-2627 dfn-cert: DFN-CERT-2020-2006 dfn-cert: DFN-CERT-2020-1964 dfn-cert: DFN-CERT-2020-1438 dfn-cert: DFN-CERT-2020-1376 dfn-cert: DFN-CERT-2020-1202 dfn-cert: DFN-CERT-2020-1019

Medium (CVSS: 5.3)
NVT: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a vulnerability where FILTER_VALIDATE_URL accepts URLs with invalid userinfo.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.26 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 7.3.26, 7.4.14, 8.0.1 or later.
Affected Software/OS PHP versions prior to 7.3.26, 7.4.x prior to 7.4.14 and 8.0.x prior to 8.0.1.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.3.26, 7.4.x < 7.4.14, 8.0.x < 8.0.1 Filter Vulnerability (Jan 2021) - W. ↪.. OID:1.3.6.1.4.1.25623.1.0.145115 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2020-7071 url: https://www.php.net/ChangeLog-7.php#7.3.26 url: https://www.php.net/ChangeLog-7.php#7.4.14 url: https://www.php.net/ChangeLog-8.php#8.0.1 cert-bund: WID-SEC-2023-1737 cert-bund: WID-SEC-2022-2114 cert-bund: CB-K21/0009 dfn-cert: DFN-CERT-2024-2707 dfn-cert: DFN-CERT-2024-1586 dfn-cert: DFN-CERT-2023-1600 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2021-2373 dfn-cert: DFN-CERT-2021-1645 dfn-cert: DFN-CERT-2021-1509 dfn-cert: DFN-CERT-2021-1453 dfn-cert: DFN-CERT-2021-0380 dfn-cert: DFN-CERT-2021-0013

Medium (CVSS: 5.3)

NVT: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

... continues on next page ...

...continued from previous page ...	
Summary PHP released new versions which include a security fix.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.33 Installation path / port: 8585/tcp	
Solution: Solution type: VendorFix Update to version 7.3.33, 7.4.26, 8.0.13 or later.	
Affected Software/OS PHP prior to version 7.3.33 and version 7.4.x through 7.4.25 and 8.0.x through 8.0.12.	
Vulnerability Insight Fixed bug #79971 (special character is breaking the path in xml function).	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.3.33, 7.4.x < 7.4.26, 8.0.x < 8.0.13 Security Update (Nov 2021) - Windo. ↪.. OID:1.3.6.1.4.1.25623.1.0.147188 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2021-21707 url: https://www.php.net/ChangeLog-7.php#7.3.33 url: https://www.php.net/ChangeLog-7.php#7.4.26 url: https://www.php.net/ChangeLog-8.php#8.0.13 url: http://bugs.php.net/79971 cert-bund: WID-SEC-2023-1737 cert-bund: WID-SEC-2022-1767 cert-bund: WID-SEC-2022-0587 cert-bund: WID-SEC-2022-0432	
... continues on next page ...	

...continued from previous page ...
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1213
dfn-cert: DFN-CERT-2023-1600
dfn-cert: DFN-CERT-2022-2869
dfn-cert: DFN-CERT-2022-2639
dfn-cert: DFN-CERT-2022-2638
dfn-cert: DFN-CERT-2022-2598
dfn-cert: DFN-CERT-2022-2499
dfn-cert: DFN-CERT-2022-1516
dfn-cert: DFN-CERT-2022-1493
dfn-cert: DFN-CERT-2022-0557
dfn-cert: DFN-CERT-2022-0485
dfn-cert: DFN-CERT-2022-0455
dfn-cert: DFN-CERT-2022-0431
dfn-cert: DFN-CERT-2022-0407
dfn-cert: DFN-CERT-2022-0110
dfn-cert: DFN-CERT-2021-2474
dfn-cert: DFN-CERT-2021-2436

Medium (CVSS: 5.3)
NVT: WordPress < 6.5 Private Information Exposure Vulnerability
Summary WordPress is prone to a private information exposure via 'redirect_guess_404_permalink()'.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 6.5 Installation path / port: /wordpress
Impact This can allow unauthenticated attackers to expose the slug of a custom post whose 'publicly_queryable' post status has been set to 'false'.
Solution: Solution type: VendorFix Update to version 6.5 or later. Note: As of 04/2024 the security fix is only available in version 6.5 and haven't been 'backported' to older versions yet.
Affected Software/OS ... continues on next page ...

WordPress versions prior to 6.5.
Vulnerability Insight When guessing the proper URL to redirect a 404, WordPress only considers the post statuses and not the proper post type privacy settings, leading to potential information disclosure.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress < 6.5 Private Information Exposure Vulnerability OID:1.3.6.1.4.1.25623.1.0.114477 Version used: 2025-01-13T14:02:03+05:30
References cve: CVE-2023-5692 url: https://core.trac.wordpress.org/ticket/59795 url: https://core.trac.wordpress.org/changeset/57645 url: https://bugzilla.redhat.com/show_bug.cgi?id=2273662 url: https://www.wordfence.com/threat-intel/vulnerabilities/id/6e6f993b-ce09-405 ↪0-84a1-cbe9953f36b1 url: https://patchstack.com/database/vulnerability/wordpress/wordpress-wordpress ↪-core-plugin-6-4-3-sensitive-information-exposure-via-redirect-guess-404-perma ↪link-vulnerability cert-bund: WID-SEC-2024-0808

Medium (CVSS: 5.3)
NVT: WordPress <= 4.7.2 Path Disclosure Vulnerability
Summary WordPress is prone to a path disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.7.3 Installation path / port: /wordpress
Impact Successful exploitation would allow an attacker to access sensitive information.
Solution: Solution type: VendorFix Update to version 4.7.3 or above.
... continues on next page ...

...continued from previous page ...
Affected Software/OS WordPress through version 4.7.2.
Vulnerability Insight The vulnerability exists because WordPress mishandles the listings of post authors, which allows remote attackers to obtain sensitive information via a <code>/wp-json/oembed/1.0/embed?url=request</code> , related to the <code>'author_name:'</code> substring.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress <= 4.7.2 Path Disclosure Vulnerability OID:1.3.6.1.4.1.25623.1.0.113415 Version used: 2023-03-01T15:50:05+05:30
References cve: CVE-2017-6514 url: https://web.archive.org/web/20180612235401/https://github.com/CFSECURITE/wordpress url: http://www.securityfocus.com/bid/108459

Medium (CVSS: 5.3)
NVT: <code>phpinfo()</code> Output Reporting (HTTP)
Summary Reporting of files containing the output of the <code>phpinfo()</code> PHP function previously detected via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following files are calling the function <code>phpinfo()</code> which disclose potentially sensitive information: http://192.168.56.6:8585/?phpinfo=-1 Concluded from: <pre><title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head> <tr><td class="e">Configuration File (php.ini) Path </td><td class="v">C:\Windows </td></tr> <h2>PHP Variables</h2></pre> http://192.168.56.6:8585/?phpinfo=1 Concluded from: <pre><title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head></pre>
...continues on next page ...

...continued from previous page...	
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">C:\Wind	
ows </td></tr>	
PHP Variables	
Impact Some of the information that can be gathered from this file includes: The username of the user running the PHP process, if it is a sudo user, the IP address of the host, the web server version, the system version (Unix, Linux, Windows, ...), and the root directory of the web server.	
Solution: Solution type: Workaround Delete the listed files or restrict access to them.	
Affected Software/OS All systems exposing a file containing the output of the phpinfo() PHP function. This VT is also reporting if an affected endpoint for the following products have been identified: - CVE-2008-0149: TUTOS - CVE-2023-49282, CVE-2023-49283: Microsoft Graph PHP SDK - CVE-2024-10486: Google for WooCommerce plugin for WordPress	
Vulnerability Insight Many PHP installation tutorials instruct the user to create a file called phpinfo.php or similar containing the phpinfo() statement. Such a file is often left back in the webserver directory.	
Vulnerability Detection Method This script reports files identified by the following separate VT: 'phpinfo() Output Detection (HTTP)' (OID: 1.3.6.1.4.1.25623.1.0.108474). Details: phpinfo() Output Reporting (HTTP) OID:1.3.6.1.4.1.25623.1.0.11229 Version used: 2025-07-09T11:13:50+05:30	
References cve: CVE-2008-0149 cve: CVE-2023-49282 cve: CVE-2023-49283 cve: CVE-2024-10486 url: https://www.php.net/manual/en/function.phpinfo.php url: https://beaglesecurity.com/blog/vulnerability/revealing-phpinfo.html	

Medium (CVSS: 5.1) NVT: PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Based Buffer Overflow Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a heap-based buffer overflow vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.29 Installation path / port: 8585/tcp
Impact Successfully exploiting this issue allows remote attackers to cause a denial of service (crash) and possibly execute arbitrary code on the affected system.
Solution: Solution type: VendorFix Update to version 5.3.29, 5.4.30, 5.5.14, 5.6.0 or later.
Affected Software/OS PHP versions 5.3.x prior to 5.3.29, 5.4.x prior to 5.4.30, 5.5.x prior to 5.5.14 and 5.6.x prior to 5.6.0 on Windows.
Vulnerability Insight The flaw is due to buffer overflow error in the 'php_parserr' function in ext/standard/dns.c script.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 5.3.x < 5.3.29, 5.4.x < 5.4.30, 5.5.x < 5.5.14, 5.6.0alpha1 < 5.6.0 Heap Ba. ↪.. OID:1.3.6.1.4.1.25623.1.0.809742 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 ... continues on next page ...

...continued from previous page ...	
Method: PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2014-4049 url: http://php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/68007 url: http://www.openwall.com/lists/oss-security/2014/06/13/4 cert-bund: CB-K16/0944 cert-bund: CB-K15/0493 cert-bund: CB-K14/1359 cert-bund: CB-K14/1174 cert-bund: CB-K14/1167 cert-bund: CB-K14/1110 cert-bund: CB-K14/0973 cert-bund: CB-K14/0972 cert-bund: CB-K14/0834 cert-bund: CB-K14/0830 cert-bund: CB-K14/0829 cert-bund: CB-K14/0805 cert-bund: CB-K14/0776 cert-bund: CB-K14/0750 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2014-1434 dfn-cert: DFN-CERT-2014-1219 dfn-cert: DFN-CERT-2014-1166 dfn-cert: DFN-CERT-2014-1014 dfn-cert: DFN-CERT-2014-1013 dfn-cert: DFN-CERT-2014-0870 dfn-cert: DFN-CERT-2014-0868 dfn-cert: DFN-CERT-2014-0867 dfn-cert: DFN-CERT-2014-0839 dfn-cert: DFN-CERT-2014-0816 dfn-cert: DFN-CERT-2014-0782	
Medium (CVSS: 5.0)	
NVT: PHP Multiple Vulnerabilities (Jun 2013) - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary ... continues on next page ...	

...continued from previous page ...
PHP is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.26 Installation path / port: 8585/tcp
Impact Successful exploitation allows attackers to execute arbitrary code or cause denial of service condition via crafted arguments.
Solution: Solution type: VendorFix Update to version 5.4.16, 5.3.26 or later.
Affected Software/OS PHP prior to version 5.3.26 and 5.4.x prior to 5.4.16.
Vulnerability Insight Multiple flaws are due to: - Heap-based overflow in 'php_quot_print_encode' function in 'ext/standard/quot_print.c' script. - Integer overflow in the 'SdnToJewish' function in 'jewish.c' in the Calendar component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP Multiple Vulnerabilities (Jun 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803678 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2013-2110 cve: CVE-2013-4635 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/60411 url: http://www.securityfocus.com/bid/60731 url: http://bugs.php.net/bug.php?id=64895
... continues on next page ...

...continued from previous page ...
url: http://bugs.php.net/bug.php?id=64879 url: http://www.security-database.com/detail.php?alert=CVE-2013-4635 url: http://www.security-database.com/detail.php?alert=CVE-2013-2110 cert-bund: CB-K14/1480 dfn-cert: DFN-CERT-2014-1566 dfn-cert: DFN-CERT-2013-1494 dfn-cert: DFN-CERT-2013-1450 dfn-cert: DFN-CERT-2013-1446 dfn-cert: DFN-CERT-2013-1445 dfn-cert: DFN-CERT-2013-1444 dfn-cert: DFN-CERT-2013-1392 dfn-cert: DFN-CERT-2013-1347 dfn-cert: DFN-CERT-2013-1195

Medium (CVSS: 5.0)

NVT: WordPress Multiple Vulnerabilities (Jul 2009)

Summary

WordPress is prone to multiple vulnerabilities.

Quality of Detection (QoD): 95%

Vulnerability Detection Result

Vulnerable URL: <http://192.168.56.6:8585/wordpress/wp-settings.php>

Impact

Successful exploitation will allow attackers to view the content of plugins configuration pages, inject malicious scripting code, or gain knowledge of sensitive username information.

Solution:

Solution type: VendorFix

Update to Version 2.8.1 or later.

Affected Software/OS

WordPress version prior to 2.8.1 on all running platform.

Vulnerability Insight

- Error in 'wp-settings.php' which may disclose the sensitive information via a direct request.
- username of a post's author is placed in an HTML comment, which allows remote attackers to obtain sensitive information by reading the HTML source.
- Error occur when user attempt for failed login or password request depending on whether the user account exists, and it can be exploited by enumerate valid usernames.

... continues on next page ...

...continued from previous page ...
- wp-admin/admin.php does not require administrative authentication to access the configuration of a plugin, which allows attackers to specify a configuration file in the page parameter via collapsing-archives/options.txt, related-ways-to-take-action/options.php, wp-security-scan/securityscan.php, akismet/readme.txt and wp-ids/ids-admin.php.
Vulnerability Detection Method Details: WordPress Multiple Vulnerabilities (Jul 2009) OID:1.3.6.1.4.1.25623.1.0.800657 Version used: 2025-12-11T11:16:19+05:30
References cve: CVE-2009-2432 cve: CVE-2009-2431 cve: CVE-2009-2336 cve: CVE-2009-2335 cve: CVE-2009-2334 url: http://www.vupen.com/english/advisories/2009/1833 url: http://www.securityfocus.com/bid/35581 url: http://www.securityfocus.com/bid/35584 url: http://securitytracker.com/alerts/2009/Jul/1022528.html url: http://www.securityfocus.com/archive/1/archive/1/504795/100/0/threaded dfn-cert: DFN-CERT-2010-0125 dfn-cert: DFN-CERT-2009-1593 dfn-cert: DFN-CERT-2009-1208 dfn-cert: DFN-CERT-2009-1188 dfn-cert: DFN-CERT-2009-1144 dfn-cert: DFN-CERT-2009-1081
Medium (CVSS: 5.0)
NVT: PHP 'openssl_encrypt()' Function Information Disclosure Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.14 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Impact Successful exploitation will allow remote attackers to obtain sensitive information from process memory by providing zero bytes of input data.	
Solution: Solution type: VendorFix Apply the patch or upgrade to the latest version from the references.	
Affected Software/OS PHP version 5.3.9 through 5.3.13 on Windows	
Vulnerability Insight The flaw is due to error in 'openssl_encrypt()' function when handling empty \$data strings which will allow an attacker to gain access to arbitrary pieces of information in current memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP 'openssl_encrypt()' Function Information Disclosure Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.803164 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2012-6113 url: https://bugs.php.net/bug.php?id=61413 url: http://www.securityfocus.com/bid/57462 url: http://xforce.iss.net/xforce/xfdb/81400 url: http://git.php.net/?p=php-src.git;a=commitdiff;h=270a406ac94b5fc5cc9ef59fc6↵1e3b4b95648a3e	
Medium (CVSS: 5.0)	
NVT: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Windows	
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1↵.0.117232)	
... continues on next page ...	

...continued from previous page ...
Summary Apache HTTP Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.4.64 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 2.4.64 or later.
Affected Software/OS Apache HTTP Server version 2.4.63 and prior.
Vulnerability Insight The following flaws exist: - CVE-2024-42516: HTTP response splitting - CVE-2024-43204: SSRF with mod_headers setting Content-Type header - CVE-2024-43394: SSRF on Windows due to UNC paths - CVE-2024-47252: mod_ssl error log variable escaping - CVE-2025-49812: mod_ssl TLS upgrade attack
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server < 2.4.64 Multiple Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.154910 Version used: 2025-07-11T21:13:14+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2024-42516 cve: CVE-2024-43204 cve: CVE-2024-43394 cve: CVE-2024-47252 cve: CVE-2025-49812
... continues on next page ...

...continued from previous page ...
url: https://httpd.apache.org/security/vulnerabilities_24.html#2.4.64
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1529
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-2421
dfn-cert: DFN-CERT-2025-2403
dfn-cert: DFN-CERT-2025-2402
dfn-cert: DFN-CERT-2025-2373
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2182
dfn-cert: DFN-CERT-2025-1917
dfn-cert: DFN-CERT-2025-1860

Medium (CVSS: 5.0)
NVT: WordPress Unspecified Vulnerability (May 2023) - Windows
Summary WordPress is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 5.9.7 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 5.9.7, 6.0.5, 6.1.3, 6.2.2 or later. Note: 5.8.x and previous branches appear to have not received a fix. According to the advisory, the vendor may not provide a fix: 'All versions since WordPress 5.9 have also been updated.'
Affected Software/OS WordPress version 6.2.1 and prior.
Vulnerability Insight The update block themes parsing shortcodes in user-generated data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Unspecified Vulnerability (May 2023) - Windows
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.104757 Version used: 2023-05-24T14:39:06+05:30
References url: https://wordpress.org/news/2023/05/wordpress-6-2-2-security-release/

Medium (CVSS: 5.0)
NVT: WordPress / WordPress MU Multiple Vulnerabilities (Jul 2009)
Summary WordPress / WordPress MU is prone to multiple vulnerabilities
Quality of Detection (QoD): 70%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.6:8585/wordpress/wp-settings.php
Impact Successful exploitation will allow attackers to view the content of plugins configuration pages, inject malicious scripting code, or gain knowledge of sensitive username information.
Solution: Solution type: VendorFix Update to Version 2.8.1 or later.
Affected Software/OS WordPress / WordPress MU version prior to 2.8.1.
Vulnerability Insight - Error in 'wp-settings.php' which may disclose sensitive information via a direct request. - Error occur when user attempt for failed login or password request depending on whether the user account exists, and it can be exploited by enumerate valid usernames. - Error in wp-admin/admin.php is does not require administrative authentication to access the configuration of a plugin, which allows attackers to specify a configuration file in the page parameter via collapsing-archives/options.txt, related-ways-to-take-action/options.php, wp-security-scan/securityscan.php, akismet/readme.txt and wp-ids/ids-admin.php.
Vulnerability Detection Method Details: WordPress / WordPress MU Multiple Vulnerabilities (Jul 2009) OID:1.3.6.1.4.1.25623.1.0.800662 Version used: 2024-02-19T10:35:57+05:30
References cve: CVE-2009-2432
... continues on next page ...

...continued from previous page ...
cve: CVE-2009-2336
cve: CVE-2009-2335
cve: CVE-2009-2334
url: http://www.vupen.com/english/advisories/2009/1833
url: http://www.securityfocus.com/bid/35581
url: http://www.securityfocus.com/bid/35584
url: http://securitytracker.com/alerts/2009/Jul/1022528.html
url: http://www.securityfocus.com/archive/1/archive/1/504795/100/0/threaded
dfn-cert: DFN-CERT-2010-0125
dfn-cert: DFN-CERT-2009-1593
dfn-cert: DFN-CERT-2009-1208
dfn-cert: DFN-CERT-2009-1188
dfn-cert: DFN-CERT-2009-1144
dfn-cert: DFN-CERT-2009-1081

Medium (CVSS: 5.0)
NVT: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP released new versions which include security fixes.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.30 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.3.30, 7.4.23, 8.0.10 or later.
Affected Software/OS PHP versions prior to 7.3.30, 7.4.x through 7.4.22 and 8.0.x through 8.0.9.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.3.30, 7.4.x < 7.4.23, 8.0.x < 8.0.10 Security Update (Aug 2021) - Windo.
... continues on next page ...

...continued from previous page ...
↔.. OID:1.3.6.1.4.1.25623.1.0.146585 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References url: https://www.php.net/ChangeLog-7.php#7.3.30 url: https://www.php.net/ChangeLog-7.php#7.4.23 url: https://www.php.net/ChangeLog-8.php#8.0.10

Medium (CVSS: 5.0)
NVT: Apache HTTP Server mod_proxy_ajp Process Timeout DoS Vulnerability - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↔.0.117232)
Summary Apache HTTP Server is prone to a denial of service vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.2.22 Installation path / port: 8585/tcp
Impact Successful exploitation could allow remote attackers to cause a denial of service condition via an expensive request.
Solution: Solution type: VendorFix Update to Apache HTTP Server 2.2.22 or later.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
Apache HTTP Server version 2.2.12 through 2.2.21.
Vulnerability Insight The flaw is due to an error in the mod_proxy_ajp module, which places a worker node into an error state upon detection of a long request-processing time.
Vulnerability Detection Method Details: Apache HTTP Server mod_proxy_ajp Process Timeout DoS Vulnerability - Windows OID: 1.3.6.1.4.1.25623.1.0.802683 Version used: 2026-02-24T11:27:09+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2012-4557 url: https://bugzilla.redhat.com/show_bug.cgi?id=871685 url: http://www.securityfocus.com/bid/56753 url: http://httpd.apache.org/security/vulnerabilities_22.html#2.2.22 url: http://svn.apache.org/viewvc?view=revision&revision=1227298 dfn-cert: DFN-CERT-2013-0342 dfn-cert: DFN-CERT-2013-0237 dfn-cert: DFN-CERT-2012-2191

Medium (CVSS: 5.0)
NVT: PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to an IMAP header injection vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.3.28 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	8585/tcp
Solution: Solution type: VendorFix Update to version 7.3.28, 7.4.18 or later.	
Affected Software/OS PHP versions prior to 7.3.28 and 7.4.x through 7.4.17.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.3.28, 7.4.x < 7.4.18 IMAP Header Injection Vulnerability (Apr 2021) - W. ↔.. OID:1.3.6.1.4.1.25623.1.0.145870 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References url: https://www.php.net/ChangeLog-7.php#7.3.28 url: https://www.php.net/ChangeLog-7.php#7.4.18	

Medium (CVSS: 5.0)	
NVT: PHP < 5.3.15 Security Bypass Vulnerability - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to a security bypass vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.15 Installation	
... continues on next page ...	

...continued from previous page...	
path / port:	8585/tcp
Impact Successful exploitation could allow attackers to bypass certain security restrictions.	
Solution: Solution type: VendorFix Update to version 5.3.15 or later.	
Affected Software/OS PHP prior to version 5.3.15.	
Vulnerability Insight Flaw in SQLite functionality allows attackers to bypass the open_basedir protection mechanism.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.3.15 Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.803318 Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)	
References cve: CVE-2012-3365 url: http://www.php.net/ChangeLog-5.php url: http://www.securityfocus.com/bid/54612 url: http://en.securitylab.ru/nvd/427459.php url: http://secunia.com/advisories/cve_reference/CVE-2012-3365 cert-bund: CB-K17/1176 dfn-cert: DFN-CERT-2017-1209 dfn-cert: DFN-CERT-2013-1494 dfn-cert: DFN-CERT-2012-1655 dfn-cert: DFN-CERT-2012-1654 dfn-cert: DFN-CERT-2012-1541 dfn-cert: DFN-CERT-2012-1422	

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following input fields were identified (URL:input name): http://192.168.56.6:8585/wordpress/wp-login.php?redirect_to=http%3A%2F%2F192.168.56.6%3A8585%2Fwordpress%2Fwp-admin%2F&reauth=1:pwd
Impact An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth) - HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T10:35:21+05:30
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html

Medium (CVSS: 4.7) NVT: PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulnerability (May 2018) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.6.35 Installation path / port: 8585/tcp
Impact Successful exploitation will allow an attacker to bypass security restrictions and access sensitive configuration data for other accounts directly in the PHP worker process's memory.
Solution: Solution type: VendorFix Update to version 5.6.35, 7.0.29, 7.1.16, 7.2.4 or later.
Affected Software/OS PHP prior to version 5.6.35, 7.x prior to 7.0.29, 7.1.x prior to 7.1.16 and 7.2.x prior to 7.2.4 on Windows.
Vulnerability Insight The flaw exists as the dumpable FPM child processes allow bypassing opcache access controls
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.6.35, 7.x < 7.0.29, 7.1.x < 7.1.16, 7.2.x < 7.2.4 Security Bypass Vulne. ↪.. OID:1.3.6.1.4.1.25623.1.0.813161 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2018-10545 url: http://www.php.net/ChangeLog-5.php#5.6.35 url: http://www.php.net/ChangeLog-7.php#7.0.29 url: http://www.php.net/ChangeLog-7.php#7.1.16 url: http://www.php.net/ChangeLog-7.php#7.2.4 cert-bund: CB-K18/0633 dfn-cert: DFN-CERT-2019-1737 dfn-cert: DFN-CERT-2018-1232 dfn-cert: DFN-CERT-2018-0920 dfn-cert: DFN-CERT-2018-0877

Medium (CVSS: 4.6)
NVT: WordPress Multiple Vulnerabilities (Jun 2024) - Windows
Summary WordPress is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1 Fixed version: 4.6.29 Installation path / port: /wordpress
Solution: Solution type: VendorFix Update to version 4.1.41, 4.2.38, 4.3.34, 4.4.33, 4.5.32, 4.6.29, 4.7.29, 4.8.25, 4.9.26, 5.0.22, 5.1.19, 5.2.21, 5.3.18, 5.4.16, 5.5.15, 5.6.14, 5.7.12, 5.8.10, 5.9.10, 6.0.9, 6.1.7, 6.2.6, 6.3.5, 6.4.5, 6.5.5 or later
Affected Software/OS WordPress version 6.5.4 and prior.
Vulnerability Insight The following flaws exist: - CVE-2024-32111: Improper limitation of a pathname to a restricted directory vulnerability in 'Automatic WordPress' allows Relative Path Traversal.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: WordPress Multiple Vulnerabilities (Jun 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.128031 Version used: 2025-03-07T21:10:19+05:30
References cve: CVE-2024-32111 url: https://www.wordfence.com/threat-intel/vulnerabilities/wordpress-core/wordpress-core-655-authenticated-contributor-directory-traversal?asset_slug=wordpress url: https://wordpress.org/news/2024/06/wordpress-6-5-5/ dfn-cert: DFN-CERT-2024-1642
Medium (CVSS: 4.6) NVT: Apache HTTP Server Scoreboard Security Bypass Vulnerability - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.117232)
Summary Apache HTTP Server is prone to a security bypass vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.2.22 Installation path / port: 8585/tcp
Impact Successful exploitation will allow remote attacker to bypass certain security restrictions. Other attacks are also possible.
Solution: Solution type: VendorFix Update to Apache HTTP Server 2.2.22 or later.
Affected Software/OS Apache HTTP Server version before 2.2.22.
... continues on next page ...

...continued from previous page ...
Vulnerability Insight The flaw is due to an error in 'inscoreboard.c', certain type field within a scoreboard shared memory segment leading to an invalid call to the free function.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server Scoreboard Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.803744 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2012-0031 url: http://svn.apache.org/viewvc?view=revision&revision=1230065 url: http://www.securityfocus.com/bid/51407 url: http://www.halfdog.net/Security/2011/ApacheScoreboardInvalidFreeOnShutdown cert-bund: CB-K14/1505 dfn-cert: DFN-CERT-2014-1592 dfn-cert: DFN-CERT-2012-1276 dfn-cert: DFN-CERT-2012-0758 dfn-cert: DFN-CERT-2012-0740 dfn-cert: DFN-CERT-2012-0568 dfn-cert: DFN-CERT-2012-0425 dfn-cert: DFN-CERT-2012-0424 dfn-cert: DFN-CERT-2012-0387 dfn-cert: DFN-CERT-2012-0343 dfn-cert: DFN-CERT-2012-0332 dfn-cert: DFN-CERT-2012-0306 dfn-cert: DFN-CERT-2012-0264 dfn-cert: DFN-CERT-2012-0203 dfn-cert: DFN-CERT-2012-0188
Medium (CVSS: 4.3) NVT: PHP < 5.3.11, 5.4.0 < 5.4.1 RC1 HTTP Header Injection Vulnerability
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
... continues on next page ...

...continued from previous page ...
Summary PHP is prone to an HTTP header injection vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.3.11 Installation path / port: 8585/tcp
Impact Successful exploitation could allow remote attackers to insert arbitrary headers, conduct cross-site request-forgery, cross-site scripting, HTML-injection, and other attacks.
Solution: Solution type: VendorFix Update to version 5.4.1 or later.
Affected Software/OS PHP prior to version 5.3.11 and 5.4.x through 5.4.0RC2 on Windows.
Vulnerability Insight The sapi_header_op function in main/SAPI.c in PHP does not properly determine a pointer during checks for %0D sequences.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.3.11, 5.4.0 < 5.4.1 RC1 HTTP Header Injection Vulnerability OID:1.3.6.1.4.1.25623.1.0.802966 Version used: 2025-12-17T11:16:28+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2011-1398 cve: CVE-2012-4388 url: http://openwall.com/lists/oss-security/2012/09/02/1 url: http://www.securityfocus.com/bid/55297 url: http://www.securityfocus.com/bid/55527 url: http://openwall.com/lists/oss-security/2012/09/07/3 url: http://article.gmane.org/gmane.comp.php.devel/70584
... continues on next page ...

...continued from previous page ...
url: http://openwall.com/lists/oss-security/2012/09/05/15
url: http://security-tracker.debian.org/tracker/CVE-2012-4388
cert-bund: CB-K13/1037
cert-bund: CB-K13/0712
dfn-cert: DFN-CERT-2013-2065
dfn-cert: DFN-CERT-2013-1713
dfn-cert: DFN-CERT-2013-1494
dfn-cert: DFN-CERT-2013-1444
dfn-cert: DFN-CERT-2013-0357
dfn-cert: DFN-CERT-2012-1840
dfn-cert: DFN-CERT-2012-1789
dfn-cert: DFN-CERT-2012-1775
dfn-cert: DFN-CERT-2012-1772

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
Summary Apache HTTP Server is prone to a cookie information disclosure vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to obtain sensitive information that may aid in further attacks.
Solution: Solution type: VendorFix Update to Apache HTTP Server version 2.2.22 or later.
Affected Software/OS Apache HTTP Server versions 2.2.0 through 2.2.21.
Vulnerability Insight
... continues on next page ...

...continued from previous page...
The flaw is due to an error within the default error response for status code 400 when no custom ErrorDocument is configured, which can be exploited to expose 'httpOnly' cookies.
Vulnerability Detection Method Details: Apache HTTP Server 'httpOnly' Cookie Information Disclosure Vulnerability OID:1.3.6.1.4.1.25623.1.0.902830 Version used: 2026-02-24T11:27:09+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2012-0053 url: http://secunia.com/advisories/47779 url: http://www.securityfocus.com/bid/51706 url: http://www.exploit-db.com/exploits/18442 url: http://rhn.redhat.com/errata/RHSA-2012-0128.html url: http://httpd.apache.org/security/vulnerabilities_22.html url: http://svn.apache.org/viewvc?view=revision&revision=1235454 url: http://lists.opensuse.org/opensuse-security-announce/2012-02/msg00026.html cert-bund: CB-K15/0080 cert-bund: CB-K14/1505 cert-bund: CB-K14/0608 dfn-cert: DFN-CERT-2015-0082 dfn-cert: DFN-CERT-2014-1592 dfn-cert: DFN-CERT-2014-0635 dfn-cert: DFN-CERT-2013-1307 dfn-cert: DFN-CERT-2012-1276 dfn-cert: DFN-CERT-2012-1112 dfn-cert: DFN-CERT-2012-0928 dfn-cert: DFN-CERT-2012-0758 dfn-cert: DFN-CERT-2012-0744 dfn-cert: DFN-CERT-2012-0568 dfn-cert: DFN-CERT-2012-0425 dfn-cert: DFN-CERT-2012-0424 dfn-cert: DFN-CERT-2012-0387 dfn-cert: DFN-CERT-2012-0343 dfn-cert: DFN-CERT-2012-0332 dfn-cert: DFN-CERT-2012-0306 dfn-cert: DFN-CERT-2012-0264 dfn-cert: DFN-CERT-2012-0203 dfn-cert: DFN-CERT-2012-0188

Medium (CVSS: 4.3)
NVT: Apache HTTP Server 'mod_dav_svn' Denial of Service Vulnerability - Windows
Product detection result cpe:/a:apache:http_server:2.2.21 Detected by Apache HTTP Server Detection Consolidation (OID: 1.3.6.1.4.1.25623.1 ↪.0.117232)
Summary Apache HTTP Server is prone to a denial of service vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 2.2.21 Fixed version: 2.2.25 Installation path / port: 8585/tcp
Impact Successful exploitation will allow remote attacker to cause a denial of service (segmentation fault) via a MERGE request in which the URI is configured for handling by the mod_dav_svn module.
Solution: Solution type: VendorFix Update to Apache HTTP Server 2.2.25 or later.
Affected Software/OS Apache HTTP Server version before 2.2.25.
Vulnerability Insight The flaw is due to an error in 'mod_dav.c', It does not properly determine whether DAV is enabled for a URI.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache HTTP Server 'mod_dav_svn' Denial of Service Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.803743 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:http_server:2.2.21 Method: Apache HTTP Server Detection Consolidation ... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.117232)
References cve: CVE-2013-1896 url: http://www.apache.org/dist/httpd/Announcement2.2.html url: http://www.securityfocus.com/bid/61129 url: http://svn.apache.org/viewvc/httpd/httpd/trunk/modules/dav/main/mod_dav.c?v↵iew=log cert-bund: CB-K15/0960 cert-bund: CB-K14/1568 cert-bund: CB-K14/1095 cert-bund: CB-K14/0231 cert-bund: CB-K13/1009 cert-bund: CB-K13/0600 dfn-cert: DFN-CERT-2015-1008 dfn-cert: DFN-CERT-2014-1668 dfn-cert: DFN-CERT-2014-1145 dfn-cert: DFN-CERT-2013-2027 dfn-cert: DFN-CERT-2013-1587 dfn-cert: DFN-CERT-2013-1503 dfn-cert: DFN-CERT-2013-1464 dfn-cert: DFN-CERT-2013-1463 dfn-cert: DFN-CERT-2013-1456

Medium (CVSS: 4.3)
NVT: PHP < 5.4.18, 5.5.x < 5.5.2 SSL Certificate Validation Security Bypass Vulnerability - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 5.4.18 Installation path / port: 8585/tcp
... continues on next page ...

...continued from previous page ...
Impact Successful exploitation will allow remote attackers to spoof the server via a MitM (Man-in-the-Middle) attack and disclose potentially sensitive information.
Solution: Solution type: VendorFix Update to version 5.4.18, 5.5.2 or later.
Affected Software/OS PHP prior to version 5.4.18 and 5.5.x prior to 5.5.2 on Windows.
Vulnerability Insight The flaw is due to the SSL module not properly handling NULL bytes inside 'subjectAltNames' general names in the server SSL certificate.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 5.4.18, 5.5.x < 5.5.2 SSL Certificate Validation Security Bypass Vulnerab. ↪.. OID:1.3.6.1.4.1.25623.1.0.803739 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2013-4248 url: http://secunia.com/advisories/54480 url: http://www.securityfocus.com/bid/61776 url: http://www.php.net/ChangeLog-5.php url: http://git.php.net/?p=php-src.git;a=commit;h=2874696a5a8d46639d261571f915c4 ↪93cd875897 cert-bund: WID-SEC-2023-1284 cert-bund: CB-K14/0834 cert-bund: CB-K14/0231 cert-bund: CB-K13/1092 cert-bund: CB-K13/0712 cert-bund: CB-K13/0609 dfn-cert: DFN-CERT-2014-0870 dfn-cert: DFN-CERT-2013-2127 dfn-cert: DFN-CERT-2013-1713 dfn-cert: DFN-CERT-2013-1603 dfn-cert: DFN-CERT-2013-1538
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2013-1537

Medium (CVSS: 4.3)

NVT: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Windows

Product detection result

cpe:/a:php:php:5.3.10

Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)

Summary

PHP is prone to a missing error check and insufficient random bytes in HTTP Digest authentication for SOAP vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.3.10

Fixed version: 8.0.29

Installation

path / port: 8585/tcp

Solution:**Solution type:** VendorFix

Update to version 8.0.29, 8.1.10, 8.2.7 or later.

Affected Software/OS

PHP prior to version 8.0.29, 8.1.x prior to 8.1.20 and 8.2.x prior to 8.2.7.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: PHP < 8.0.29, 8.1.x < 8.1.20, 8.2.x < 8.2.7 Security Update - Windows

OID:1.3.6.1.4.1.25623.1.0.149761

Version used: 2025-09-24T11:09:03+05:30

Product Detection Result

Product: cpe:/a:php:php:5.3.10

Method: PHP Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.171722)

References

cve: CVE-2023-3247

url: <https://www.php.net/ChangeLog-8.php#8.0.29>

... continues on next page ...

...continued from previous page ...

```

url: https://www.php.net/ChangeLog-8.php#8.1.20
url: https://www.php.net/ChangeLog-8.php#8.2.7
url: https://github.com/php/php-src/security/advisories/GHSA-76gg-c692-v2mw
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2680
cert-bund: WID-SEC-2023-1506
dfn-cert: DFN-CERT-2024-3330
dfn-cert: DFN-CERT-2023-2570
dfn-cert: DFN-CERT-2023-2542
dfn-cert: DFN-CERT-2023-1328

```

[[return to 192.168.56.6](#)]**2.2.37 Medium 21/tcp**

Medium (CVSS: 4.8)

NVT: FTP Unencrypted Cleartext Login

Summary

The remote host is running a FTP service that allows cleartext logins over unencrypted connections.

Quality of Detection (QoD): 70%**Vulnerability Detection Result**

The remote FTP service accepts logins without a previous sent 'AUTH TLS' command ↔. Response(s):

Non-anonymous sessions: 331 Password required for openvasvt.

Anonymous sessions: 331 Password required for anonymous.

Impact

An attacker can uncover login names and passwords by sniffing traffic to the FTP service.

Solution:

Solution type: Mitigation

Enable FTPS or enforce the connection via the 'AUTH TLS' command. Please see the manual of the FTP service for more information.

Vulnerability Detection Method

Tries to login to a non FTPS enabled FTP service without sending a 'AUTH TLS' command first and checks if the service is accepting the login without enforcing the use of the 'AUTH TLS' command.

Details: FTP Unencrypted Cleartext Login

... continues on next page ...

...continued from previous page ...

OID:1.3.6.1.4.1.25623.1.0.108528
 Version used: 2023-12-20T10:35:58+05:30

[\[return to 192.168.56.6 \]](#)

2.2.38 Medium 135/tcp

Medium (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Here is the list of DCE/RPC or MSRPC services running on this host via the TCP protocol:

Port: 49152/tcp

UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49152]

Port: 49153/tcp

UUID: 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49153]

Annotation: NRP server endpoint

UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49153]

Annotation: DHCP Client LRPC Endpoint

UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49153]

Annotation: DHCPv6 Client LRPC Endpoint

UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49153]

Annotation: Event log TCPIP

Port: 49154/tcp

UUID: 30b044a5-a225-43f0-b3a4-e060df91f9c1, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49154]

UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49154]

Annotation: IP Transition Configuration endpoint

UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1

Endpoint: ncacn_ip_tcp:192.168.56.6[49154]

UUID: 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1

...continues on next page ...

...continued from previous page...	
Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: XactSrv service UUID: a398e520-d59a-4bdd-aa7a-3c1e0303a511, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: IKE/Authip API UUID: c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: Impl friendly name	
Port: 49179/tcp UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49179] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access	
Port: 49205/tcp UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:192.168.56.6[49205]	
Port: 49246/tcp UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49246] Annotation: IPsec Policy agent endpoint Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49246] Annotation: Remote Fw APIs	
Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.	
Solution: Solution type: Mitigation Filter incoming traffic to this ports.	
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.	
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.	
...continues on next page...	

...continued from previous page...

Vulnerability Detection Method

Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services.

This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN':

Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288)

In this case a 'Log' level result is used instead.

Details: DCE/RPC and MSRPC Services Enumeration Reporting

OID:1.3.6.1.4.1.25623.1.0.10736

Version used: 2025-11-26T11:10:08+05:30

[\[return to 192.168.56.6 \]](#)

2.2.39 Medium 4848/tcp

Medium (CVSS: 5.0)

NVT: SSL/TLS: Certificate Expired

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary

The remote server's SSL/TLS certificate has already expired.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

The certificate of the remote service expired on 2023-05-13 05:33:38.

Certificate details:

fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation

...continues on next page...

...continued from previous page...	
↔,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.	
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.	
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 5.0)	
NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)	
Summary The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 70%	
Vulnerability Detection Result The following indicates that the remote SSL/TLS service is affected: Protocol Version Successful re-done SSL/TLS handshakes (Renegotiation) over an ↔ existing / already established SSL/TLS connection ----- ↔----- TLSv1.0 10 TLSv1.1 10 TLSv1.2 10	
Impact ... continues on next page ...	

...continued from previous page ...
The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.
Solution: Solution type: VendorFix Users should contact their vendors for specific patch information. A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.
Affected Software/OS Every SSL/TLS service which does not properly restrict client-initiated renegotiation.
Vulnerability Insight The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols. Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale: > It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment. Both CVEs are still kept in this VT as a reference to the origin of this flaw.
Vulnerability Detection Method Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094) OID:1.3.6.1.4.1.25623.1.0.117761 Version used: 2026-03-13T11:24:58+05:30
References cve: CVE-2011-1473 cve: CVE-2011-5094 url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/ url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/ url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation url: https://www.openwall.com/lists/oss-security/2011/07/08/2 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0796 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K17/0980 cert-bund: CB-K17/0979 cert-bund: CB-K14/0772 cert-bund: CB-K13/0915 cert-bund: CB-K13/0462 dfn-cert: DFN-CERT-2025-0933
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2017-1013 dfn-cert: DFN-CERT-2017-1012 dfn-cert: DFN-CERT-2014-0809 dfn-cert: DFN-CERT-2013-1928 dfn-cert: DFN-CERT-2012-1112
Medium (CVSS: 5.0) NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service is signed by the following untrusted and/o ↪r dangerous CA: Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Californ ↪ia,C=US Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Impact ... continues on next page ...

...continued from previous page ...
An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↵ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↵an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↵.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection.
... continues on next page ...

...continued from previous page ...
Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID: 1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuides/ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/TLSTLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html
... continues on next page ...

...continued from previous page ...

```

url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
↪tstandard_BSI_TLS_Version_2_4.html
url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
↪-report-2014
url: https://datatracker.ietf.org/doc/rfc8996/
url: https://vnhacker.blogspot.com/2011/09/beast.html
url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak
url: https://certvde.com/en/advisories/VDE-2025-031/
url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc
url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332

```

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142

...continues on next page ...

...	...continued from previous page ...
dfn-cert:	DFN-CERT-2012-0126
dfn-cert:	DFN-CERT-2012-0123
dfn-cert:	DFN-CERT-2012-0095
dfn-cert:	DFN-CERT-2012-0051
dfn-cert:	DFN-CERT-2012-0047
dfn-cert:	DFN-CERT-2012-0021
dfn-cert:	DFN-CERT-2011-1953
dfn-cert:	DFN-CERT-2011-1946
dfn-cert:	DFN-CERT-2011-1844
dfn-cert:	DFN-CERT-2011-1826
dfn-cert:	DFN-CERT-2011-1774
dfn-cert:	DFN-CERT-2011-1743
dfn-cert:	DFN-CERT-2011-1738
dfn-cert:	DFN-CERT-2011-1706
dfn-cert:	DFN-CERT-2011-1628
dfn-cert:	DFN-CERT-2011-1627
dfn-cert:	DFN-CERT-2011-1619
dfn-cert:	DFN-CERT-2011-1482

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability
Summary The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).
Quality of Detection (QoD): 80%
Vulnerability Detection Result Server Temporary Key Size: 1024 bits
Impact An attacker might be able to decrypt the SSL/TLS communication offline.
Solution: Solution type: Workaround - Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task. - For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
...
... continues on next page ...

...continued from previous page...

Vulnerability Insight

The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.

Vulnerability Detection Method

Checks the DHE temporary public key size.

Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability.
↪..

OID:1.3.6.1.4.1.25623.1.0.106223

Version used: 2026-03-13T11:24:58+05:30

References

url: <https://weakdh.org>

url: <https://weakdh.org/sysadmin.html>

url: <https://ssl-config.mozilla.org>

url: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html>

url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html

url: <https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html>

url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html

url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>

url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014>

url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

[\[return to 192.168.56.6 \]](#)

2.2.40 Medium 3306/tcp

Medium (CVSS: 6.8)

NVT: Oracle MySQL Server 5.5.x <= 5.5.23 Security Update (cpujul2012) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary

... continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.24 Installation path / port: 3306/tcp
Impact The flaws allow remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' and 'InnoDB' package / privilege.
Solution: Solution type: VendorFix Update to version 5.5.24 or later.
Affected Software/OS Oracle MySQL Server 5.5.x through 5.5.23.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5.x <= 5.5.23 Security Update (cpujul2012) - Windows OID:1.3.6.1.4.1.25623.1.0.117267 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1735 cve: CVE-2012-1757 cve: CVE-2012-1756 url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL advisory-id: cpujul2012 dfn-cert: DFN-CERT-2012-1389

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server <= 5.1.65 / 5.5 <= 5.5.27 Security Update (cpujan2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.28 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.1.66, 5.5.28 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.65 and prior and 5.5 through 5.5.27.
Vulnerability Insight The flaw allows remote authenticated users to affect availability, related to GIS Extension.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.65 / 5.5 <= 5.5.27 Security Update (cpujan2013) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.117201 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-5060 ... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMySQL
advisory-id: cpujan2013
dfn-cert: DFN-CERT-2013-0079

Medium (CVSS: 6.8)
NVT: MySQL Server Components Multiple Unspecified Vulnerabilities
Product detection result cpe: /a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20-log Fixed version: See advisory
Impact Successful exploitation could allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS MySQL version 5.1.x before 5.1.62 and 5.5.x before 5.5.22.
Vulnerability Insight Multiple unspecified errors exist in the Server Optimizer and Server DML components.
Vulnerability Detection Method Details: MySQL Server Components Multiple Unspecified Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.803808 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe: /a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1690 cve: CVE-2012-1688 cve: CVE-2012-1703 url: http://secunia.com/advisories/48890 url: http://www.securityfocus.com/bid/53058 url: http://www.securityfocus.com/bid/53067 url: http://www.securityfocus.com/bid/53074 url: http://www.oracle.com/technetwork/topics/security/cpuapr2012-366314.html#AppendixMySQL dfn-cert: DFN-CERT-2012-2118 dfn-cert: DFN-CERT-2012-1170 dfn-cert: DFN-CERT-2012-0939 dfn-cert: DFN-CERT-2012-0936 dfn-cert: DFN-CERT-2012-0933 dfn-cert: DFN-CERT-2012-0735

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server Multiple Vulnerabilities - 02 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the references or upgrade to latest version.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.1.x to 5.1.65 and Oracle MySQL version 5.5.x to 5.5.27 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component related to server installation and server optimizer.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 02 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803112 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3180 cve: CVE-2012-3177 cve: CVE-2012-3160 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56003 url: http://www.securityfocus.com/bid/56005 url: http://www.securityfocus.com/bid/56027 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 dfn-cert: DFN-CERT-2012-2200 dfn-cert: DFN-CERT-2012-2118
Medium (CVSS: 6.8) NVT: Oracle MySQL Server 5.5 <= 5.5.28 Security Update (cpujan2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary ... continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.29 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.5.29 or later.
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.28.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.28 Security Update (cpujan2013) - Windows OID:1.3.6.1.4.1.25623.1.0.117205 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-5612 cve: CVE-2013-0386 cve: CVE-2013-0368 cve: CVE-2013-0371 cve: CVE-2012-0578 cve: CVE-2013-0367 cve: CVE-2012-5096 url: https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL advisory-id: cpujan2013 dfn-cert: DFN-CERT-2013-0259 dfn-cert: DFN-CERT-2013-0079

Medium (CVSS: 6.7)
NVT: Oracle Mysql Security Updates (jan2017-2881727) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote to have an impact on availability, confidentiality and integrity.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.53 and earlier, 5.6.34 and earlier, 5.7.16 and earlier on Windows
Vulnerability Insight Multiple flaws exist due to: multiple unspecified errors in sub components 'Error Handling', 'Logging', 'MyISAM', 'Packaging', 'Optimizer', 'DML' and 'DDL'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2017-2881727) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.809865 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3238 cve: CVE-2017-3318 cve: CVE-2017-3291 cve: CVE-2017-3317 cve: CVE-2017-3258 cve: CVE-2017-3312 cve: CVE-2017-3313 cve: CVE-2017-3244 cve: CVE-2017-3265 url: http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html url: http://www.securityfocus.com/bid/95571 url: http://www.securityfocus.com/bid/95560 url: http://www.securityfocus.com/bid/95491 url: http://www.securityfocus.com/bid/95527 url: http://www.securityfocus.com/bid/95565 url: http://www.securityfocus.com/bid/95588 url: http://www.securityfocus.com/bid/95501 url: http://www.securityfocus.com/bid/95585 url: http://www.securityfocus.com/bid/95520 cert-bund: CB-K18/0224 cert-bund: CB-K17/1732 cert-bund: CB-K17/1604 cert-bund: CB-K17/1298 cert-bund: CB-K17/0927 cert-bund: CB-K17/0423 cert-bund: CB-K17/0098 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1806 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1341 dfn-cert: DFN-CERT-2017-0959 dfn-cert: DFN-CERT-2017-0430 dfn-cert: DFN-CERT-2017-0090
Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Windows
Product detection result
cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.30 Installation path / port: 3306/tcp
Impact Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Update to version 5.1.68, 5.5.30, 5.6.11 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.67 and prior, 5.5 through 5.5.29 and 5.6 through 5.6.10.
Vulnerability Insight Unspecified error in some unknown vectors related to Information Schema.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 / 5.6 <= 5.6.10 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.117206 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-2378 cve: CVE-2013-1506 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL
...continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/59188>
 advisory-id: cpuapr2013
 dfn-cert: DFN-CERT-2013-0839
 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.5)

NVT: Oracle MySQL Security Update (cpujul2018 - 02) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: See reference

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle MySQL version 5.5.60 and earlier, 5.6.40 and earlier, 5.7.22 and earlier.

Vulnerability Insight

Multiple flaws exist due to errors in 'Server: Security: Encryption', 'Server: Options', 'MyISAM', 'Client mysqldump' components of application.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Security Update (cpujul2018 - 02) - Windows

OID:1.3.6.1.4.1.25623.1.0.813706

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2767 cve: CVE-2018-3066 cve: CVE-2018-3058 cve: CVE-2018-3070 url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL advisory-id: cpujul2018 cert-bund: WID-SEC-2023-1594 cert-bund: CB-K18/0795 dfn-cert: DFN-CERT-2019-1614 dfn-cert: DFN-CERT-2019-1588 dfn-cert: DFN-CERT-2019-1152 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2019-0484 dfn-cert: DFN-CERT-2019-0112 dfn-cert: DFN-CERT-2018-1649 dfn-cert: DFN-CERT-2018-1402 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-0913
Medium (CVSS: 6.5) NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025)- Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20
... continues on next page ...

...continued from previous page ...	
Fixed version:	8.0.42
Installation path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.42, 8.4.5, 9.3.0 or later.	
Affected Software/OS Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua. ↔.. OID:1.3.6.1.4.1.25623.1.0.171442 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2025-21577 cve: CVE-2025-30682 cve: CVE-2025-30687 cve: CVE-2025-30688 cve: CVE-2025-21574 cve: CVE-2025-21575 cve: CVE-2025-30693 cve: CVE-2025-30695 cve: CVE-2025-30715 cve: CVE-2025-21584 cve: CVE-2025-21580 cve: CVE-2025-21581 cve: CVE-2025-21585 cve: CVE-2025-30689 cve: CVE-2025-21579 cve: CVE-2025-30696 cve: CVE-2025-30705 cve: CVE-2025-30683 cve: CVE-2025-30684 cve: CVE-2025-30685 cve: CVE-2025-30699	
...continues on next page ...	

...continued from previous page ...

cve: CVE-2025-30704
cve: CVE-2024-13176
cve: CVE-2024-9143
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: <https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL>
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523
dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-2764

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (cpuoct2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.46 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.46, 5.7.28, 8.0.18 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.45 and prior, 5.7 through 5.7.27 and 8.0 through 8.0.17.
Vulnerability Insight Oracle MySQL Server is prone to multiple vulnerabilities. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (↪.. OID:1.3.6.1.4.1.25623.1.0.143030 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2974 cve: CVE-2019-2911 url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL advisory-id: cpuoct2019 cert-bund: CB-K20/1030 cert-bund: CB-K20/0109 cert-bund: CB-K19/0915 dfn-cert: DFN-CERT-2020-2763 dfn-cert: DFN-CERT-2020-2756 dfn-cert: DFN-CERT-2020-2620 dfn-cert: DFN-CERT-2020-2299 dfn-cert: DFN-CERT-2020-2180 dfn-cert: DFN-CERT-2020-1827 dfn-cert: DFN-CERT-2020-0658 dfn-cert: DFN-CERT-2020-0517 dfn-cert: DFN-CERT-2020-0103 dfn-cert: DFN-CERT-2019-2695 dfn-cert: DFN-CERT-2019-2687 dfn-cert: DFN-CERT-2019-2656 dfn-cert: DFN-CERT-2019-2301 dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.29 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Solution:	
Solution type:	VendorFix
	Update to version 5.1.67, 5.5.29 or later.
Affected Software/OS	
	Oracle MySQL Server versions 5.1.66 and prior and 5.5 through 5.5.28.
Vulnerability Detection Method	
	Checks if a vulnerable version is present on the target host.
	Details: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpuapr2013) - Wi.
	↔..
	OID:1.3.6.1.4.1.25623.1.0.803459
	Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	
	Product: cpe:/a:mysql:mysql:5.5.20-log
	Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
	OID: 1.3.6.1.4.1.25623.1.0.100152)
References	
	cve: CVE-2013-1531
	url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL
	advisory-id: cpuapr2013
	dfn-cert: DFN-CERT-2013-0839
	dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 Security Update (cpuapr2013) - Windows
Product detection result
cpe:/a:mysql:mysql:5.5.20-log
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...	
Installed version:	5.5.20
Fixed version:	5.5.30
Installation	
path / port:	3306/tcp
Impact	
Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.	
Solution:	
Solution type:	VendorFix
Update to version 5.1.68, 5.5.30 or later.	
Affected Software/OS	
Oracle MySQL Server versions 5.1.67 and prior and 5.5 through 5.5.29.	
Vulnerability Insight	
Unspecified error in Server Partition and in some unspecified vectors.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 Security Update (cpuapr2013) - Wi.	
↔..	
OID:1.3.6.1.4.1.25623.1.0.117209	
Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result	
Product: cpe:/a:mysql:mysql:5.5.20-log	
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)	
OID: 1.3.6.1.4.1.25623.1.0.100152)	
References	
cve: CVE-2013-1521	
cve: CVE-2013-1552	
cve: CVE-2013-1555	
cve: CVE-2012-5614	
url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL	
url: http://www.securityfocus.com/bid/59196	
url: http://www.securityfocus.com/bid/59210	
advisory-id: cpuapr2013	
dfn-cert: DFN-CERT-2013-0839	
dfn-cert: DFN-CERT-2013-0798	

Medium (CVSS: 6.5)
NVT: Oracle Mysql Security Updates (jan2018-3236628) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of these vulnerabilities will allow remote attackers to conduct a denial-of-service attack.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.58 and earlier, 5.6.38 and earlier, 5.7.20 and earlier on Windows
Vulnerability Insight Multiple flaws exist due to: - An error in the 'Server: DDL' component. - Multiple errors in the 'Server: Optimizer' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2018-3236628) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.812646 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2668 cve: CVE-2018-2665 cve: CVE-2018-2622 cve: CVE-2018-2640 url: http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html cert-bund: CB-K18/0480 cert-bund: CB-K18/0392 cert-bund: CB-K18/0265 cert-bund: CB-K18/0096 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0515 dfn-cert: DFN-CERT-2018-0424 dfn-cert: DFN-CERT-2018-0286 dfn-cert: DFN-CERT-2018-0101

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified denial of service vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.47 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.47 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server versions 5.6.46 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Windows OID:1.3.6.1.4.1.25623.1.0.143359 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-2579 url: https://www.oracle.com/security-alerts/cpujan2020.html#AppendixMSQL advisory-id: cpujan2020 cert-bund: CB-K20/0038 dfn-cert: DFN-CERT-2020-1827 dfn-cert: DFN-CERT-2020-1078 dfn-cert: DFN-CERT-2020-0096

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.38 / 5.6 <= 5.6.19 Security Update (cpuoct2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.39 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.	
Solution: Solution type: VendorFix Update to version 5.5.39, 5.6.20 or later.	
Affected Software/OS Oracle MySQL Server versions 5.5.38 and prior and 5.6 through 5.6.19.	
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to CLIENT:MYSQLADMIN, CLIENT:MYSQLDUMP, SERVER:MEMORY STORAGE ENGINE, SERVER:SSL:yaSSL, SERVER:DML, SERVER:SSL:yaSSL, SERVER:REPLICATION ROW FORMAT BINARY LOG DML, SERVER:CHARACTER SETS, and SERVER:MyISAM.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.38 / 5.6 <= 5.6.19 Security Update (cpuoct2014) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.804782 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2014-6530 cve: CVE-2012-5615 cve: CVE-2014-6495 cve: CVE-2014-6478 cve: CVE-2014-4274 cve: CVE-2014-4287 cve: CVE-2014-6484 cve: CVE-2014-6505 cve: CVE-2014-6463 cve: CVE-2014-6551 url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL advisory-id: cpuoct2014	
...continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K15/1518
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K14/1482
cert-bund: CB-K14/1420
cert-bund: CB-K14/1412
cert-bund: CB-K14/1299
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2014-1567
dfn-cert: DFN-CERT-2014-1500
dfn-cert: DFN-CERT-2014-1489
dfn-cert: DFN-CERT-2014-1357
dfn-cert: DFN-CERT-2013-0259

```

Medium (CVSS: 6.5)

NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpu-jul2019) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 5.6.45

Installation

path / port: 3306/tcp

Solution:

Solution type: VendorFix

Update to version 5.6.45, 5.7.27, 8.0.17 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.

... continues on next page ...

...continued from previous page ...	
Vulnerability Insight	Oracle MySQL Server is prone to multiple denial of service vulnerabilities. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.142645 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2019-2805 cve: CVE-2019-2740 cve: CVE-2019-2819 cve: CVE-2019-2739 cve: CVE-2019-2737 cve: CVE-2019-2738 url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL advisory-id: cpujul2019 cert-bund: CB-K19/0620 dfn-cert: DFN-CERT-2020-2620 dfn-cert: DFN-CERT-2020-2180 dfn-cert: DFN-CERT-2020-0658 dfn-cert: DFN-CERT-2020-0517 dfn-cert: DFN-CERT-2019-2695 dfn-cert: DFN-CERT-2019-2656 dfn-cert: DFN-CERT-2019-2300 dfn-cert: DFN-CERT-2019-2008 dfn-cert: DFN-CERT-2019-1713 dfn-cert: DFN-CERT-2019-1683 dfn-cert: DFN-CERT-2019-1568 dfn-cert: DFN-CERT-2019-1453
Medium (CVSS: 6.5)	
NVT: Oracle Mysql Security Updates (oct2017-3236626) 04 - Windows	
Product detection result	cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...	

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote to compromise availability confidentiality, and integrity of the system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.57 and earlier, 5.6.37 and earlier, 5.7.19 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to: - An error in 'Client programs' component. - An error in 'Server: DDL'. - An error in 'Server: Replication'
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (oct2017-3236626) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.811991 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-10379
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2017-10384
cve: CVE-2017-10268
url: http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html
url: http://www.securityfocus.com/bid/101415
url: http://www.securityfocus.com/bid/101406
url: http://www.securityfocus.com/bid/101390
cert-bund: CB-K18/0480
cert-bund: CB-K18/0242
cert-bund: CB-K18/0224
cert-bund: CB-K17/2048
cert-bund: CB-K17/1748
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-1265
dfn-cert: DFN-CERT-2018-0515
dfn-cert: DFN-CERT-2018-0260
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-2137
dfn-cert: DFN-CERT-2017-1827

```

Medium (CVSS: 6.5)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Jul 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.5.37 and earlier and 5.6.17 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to SRINFOSC and SRCHAR.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Jul 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804722 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-4258 cve: CVE-2014-4260 url: http://secunia.com/advisories/59521 url: http://www.securityfocus.com/bid/68564 url: http://www.securityfocus.com/bid/68573 url: http://www.computerworld.com/s/article/9249690/Oracle_to_release_115_security_patches url: http://www.oracle.com/technetwork/topics/security/cpujul2014-1972956.html#AppendixMySQL cert-bund: CB-K15/0567 cert-bund: CB-K14/1420 cert-bund: CB-K14/0891 cert-bund: CB-K14/0868 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2014-1500 dfn-cert: DFN-CERT-2014-0930 dfn-cert: DFN-CERT-2014-0911
Medium (CVSS: 6.5) NVT: Oracle MySQL Server <= 5.5.31 / 5.6 <= 5.6.11 Security Update (cpujan2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log
...continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.31 and prior and 5.6 through 5.6.11.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.31 / 5.6 <= 5.6.11 Security Update (cpujan2016) - Wi. ↪.. OID:1.3.6.1.4.1.25623.1.0.806878 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0502 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/81136
... continues on next page ...

...continued from previous page ...
advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0104

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (cpuoct2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.50 and prior, 5.6 through 5.6.31 and 5.7 through 5.7.13.
Vulnerability Insight The flaw exists due to an unspecified error in the 'Server: DML' component.
... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (. ↔... OID:1.3.6.1.4.1.25623.1.0.809374 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2016-5612 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL advisory-id: cpuoct2016 cert-bund: CB-K16/1979 cert-bund: CB-K16/1755 cert-bund: CB-K16/1742 cert-bund: CB-K16/1714 cert-bund: CB-K16/1624 dfn-cert: DFN-CERT-2016-2089 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1849 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1714	
Medium (CVSS: 6.5)	
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 02 (May 2014) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)	
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.	
... continues on next page ...	

...continued from previous page ...	
Impact	Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution:	
Solution type:	VendorFix
	Apply the patch from the referenced advisory.
Affected Software/OS	Oracle MySQL version 5.5.36 and earlier and 5.6.16 and earlier on Windows.
Vulnerability Insight	Unspecified errors in the MySQL Server component via unknown vectors related to Performance Schema, Options, RBR.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 02 (May 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804575 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2014-2430 cve: CVE-2014-2431 cve: CVE-2014-2436 cve: CVE-2014-2440 url: http://secunia.com/advisories/57940 url: http://www.securityfocus.com/bid/66850 url: http://www.securityfocus.com/bid/66858 url: http://www.securityfocus.com/bid/66890 url: http://www.securityfocus.com/bid/66896 url: http://www.scaprepo.com/view.jsp?id=oval:org.secpod.oval:def:701638 url: http://www.oracle.com/technetwork/topics/security/cpuapr2014-1972952.html cert-bund: CB-K14/0710 cert-bund: CB-K14/0464 cert-bund: CB-K14/0452 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0477 dfn-cert: DFN-CERT-2014-0459

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.33 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.33, 8.0.23 or later.
Affected Software/OS Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.145794 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-1971 cve: CVE-2021-2178 cve: CVE-2021-2202 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL ... continues on next page ...

...continued from previous page...

advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.68 / 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.31 Installation path / port: 3306/tcp
Impact Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Update to version 5.1.69, 5.5.31, 5.6.11 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.68 and prior, 5.5 through 5.5.30 and 5.6 through 5.6.10.
Vulnerability Insight Unspecified error in Server Optimizer, Server Privileges, InnoDB, and in some unspecified vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.68 / 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (.↪.. OID:1.3.6.1.4.1.25623.1.0.117207 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-2375 cve: CVE-2013-1544 cve: CVE-2013-1532 cve: CVE-2013-2389 cve: CVE-2013-2392 cve: CVE-2013-2391 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59207 url: http://www.securityfocus.com/bid/59209 url: http://www.securityfocus.com/bid/59224 url: http://www.securityfocus.com/bid/59242 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0882 dfn-cert: DFN-CERT-2013-0839 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.51 and prior.
Vulnerability Insight The flaw exists due to an unspecified error within the 'Server:DML' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809378 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-5624 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL advisory-id: cpuoct2016 cert-bund: CB-K16/1846 cert-bund: CB-K16/1714 cert-bund: CB-K16/1624 dfn-cert: DFN-CERT-2016-1950 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1714

Medium (CVSS: 6.5)

NVT: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (cpuoct2020) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary

...continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.50 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.50, 5.7.32, 8.0.22 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.49 and prior, 5.7 through 5.7.31 and 8.0 through 8.0.21.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.108959 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-14765 cve: CVE-2020-14769 cve: CVE-2020-14812 cve: CVE-2020-14793 cve: CVE-2020-14672 cve: CVE-2020-14867 url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixMSQL advisory-id: cpuoct2020 cert-bund: WID-SEC-2026-0205 cert-bund: CB-K20/1066 cert-bund: CB-K20/1017 dfn-cert: DFN-CERT-2021-2155 dfn-cert: DFN-CERT-2021-0002 dfn-cert: DFN-CERT-2020-2763 dfn-cert: DFN-CERT-2020-2756
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2020-2620
 dfn-cert: DFN-CERT-2020-2380
 dfn-cert: DFN-CERT-2020-2295

Medium (CVSS: 6.5)

NVT: Oracle Mysql Security Updates (oct2017-3236626) 02 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow remote attackers to compromise availability of the system.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.57 and earlier, 5.6.37 and earlier, 5.7.11 and earlier on Windows.

Vulnerability Insight

The flaw exists due to an error in 'Server: Optimizer'

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Mysql Security Updates (oct2017-3236626) 02 - Windows

OID:1.3.6.1.4.1.25623.1.0.811986

Version used: 2025-09-09T11:08:49+05:30

... continues on next page ...

...continued from previous page ...
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-10378 url: http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html url: http://www.securityfocus.com/bid/101375 cert-bund: CB-K18/0480 cert-bund: CB-K18/0242 cert-bund: CB-K18/0224 cert-bund: CB-K17/2048 cert-bund: CB-K17/1748 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0515 dfn-cert: DFN-CERT-2018-0260 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-2137 dfn-cert: DFN-CERT-2017-1827

Medium (CVSS: 6.4)
NVT: Oracle MySQL Server Multiple Vulnerabilities - 04 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data, and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced vendor advisory or upgrade to the latest version.
Affected Software/OS Oracle MySQL version 5.5.x to 5.5.26 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component vectors related to MySQL client and server.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 04 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803114 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3147 cve: CVE-2012-3149 cve: CVE-2012-3144 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56006 url: http://www.securityfocus.com/bid/56008 url: http://www.securityfocus.com/bid/56022 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 cert-bund: CB-K13/0919 dfn-cert: DFN-CERT-2013-1937
Medium (CVSS: 6.2)
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpuoct2019) - Windows
Product detection result
... continues on next page ...

...continued from previous page ...
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a local unauthenticated vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.45 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.45, 5.7.27, 8.0.17 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.
Vulnerability Insight Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server executes to compromise MySQL Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.143032 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2969 url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL advisory-id: cpuoct2019 cert-bund: CB-K19/0915 dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 6.1)
NVT: Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (cpuapr2016v3) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.47 and prior, 5.6 through 5.6.28 and 5.7 through 5.7.10.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (.↵.. OID:1.3.6.1.4.1.25623.1.0.807928 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0649 cve: CVE-2016-0650 cve: CVE-2016-0644 cve: CVE-2016-0646 cve: CVE-2016-0640 cve: CVE-2016-0641 url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL advisory-id: cpuapr2016v3 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0750 cert-bund: CB-K16/0646 cert-bund: CB-K16/0597 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0903 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0803 dfn-cert: DFN-CERT-2016-0695 dfn-cert: DFN-CERT-2016-0644
Medium (CVSS: 5.9) NVT: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (cpuapr2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.44 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.44, 5.7.26, 8.0.16 or later.	
Affected Software/OS Oracle MySQL Server versions 5.6.43 and prior, 5.7 through 5.7.25 and 8.0 through 8.0.15.	
Vulnerability Insight The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server. For further information refer to the official advisory via the referenced link.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.142403 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2019-1559 cve: CVE-2019-2683 cve: CVE-2019-2627 cve: CVE-2019-2614 url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL advisory-id: cpuapr2019 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-2946 cert-bund: WID-SEC-2023-1594 cert-bund: WID-SEC-2022-0673 cert-bund: WID-SEC-2022-0462 cert-bund: CB-K22/0045 cert-bund: CB-K20/0041 cert-bund: CB-K19/0911 cert-bund: CB-K19/0639 cert-bund: CB-K19/0623 cert-bund: CB-K19/0622 cert-bund: CB-K19/0620	
... continues on next page ...	

...continued from previous page ...

cert-bund: CB-K19/0619
cert-bund: CB-K19/0615
cert-bund: CB-K19/0332
cert-bund: CB-K19/0320
cert-bund: CB-K19/0319
cert-bund: CB-K19/0173
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2189
dfn-cert: DFN-CERT-2020-2180
dfn-cert: DFN-CERT-2020-0092
dfn-cert: DFN-CERT-2020-0048
dfn-cert: DFN-CERT-2019-2625
dfn-cert: DFN-CERT-2019-2457
dfn-cert: DFN-CERT-2019-2300
dfn-cert: DFN-CERT-2019-2274
dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1677
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1486
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1453
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-0968
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0566
dfn-cert: DFN-CERT-2019-0556
dfn-cert: DFN-CERT-2019-0412

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to the backronym vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.3 Installation path / port: 3306/tcp
Impact Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.
Solution: Solution type: VendorFix Upgrade to version Oracle MySQL Server 5.7.3 or later.
Affected Software/OS Oracle MySQL Server 5.7.2 and earlier on Windows.
Vulnerability Insight The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the <code>--ssl</code> option.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Backronym Vulnerability (Jun 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.808063 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-3152 url: http://www.ocert.org/advisories/ocert-2015-003.html url: https://duo.com/blog/backronym-mysql-vulnerability cert-bund: CB-K18/0871 cert-bund: CB-K16/0944 cert-bund: CB-K15/1045 cert-bund: CB-K15/1042 cert-bund: CB-K15/1020 cert-bund: CB-K15/0994 cert-bund: CB-K15/0964 cert-bund: CB-K15/0895 dfn-cert: DFN-CERT-2016-1004 dfn-cert: DFN-CERT-2015-1105 dfn-cert: DFN-CERT-2015-1096 dfn-cert: DFN-CERT-2015-1071 dfn-cert: DFN-CERT-2015-1051 dfn-cert: DFN-CERT-2015-1016 dfn-cert: DFN-CERT-2015-0942

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpuapr2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a vulnerability in the libmysqld subcomponent.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.43 Installation path / port: 3306/tcp
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix Update to version 5.6.43, 5.7.25, 8.0.14 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.
Vulnerability Insight Difficult to exploit vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.142405 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-3123 url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL advisory-id: cpuapr2019 cert-bund: WID-SEC-2023-1594 cert-bund: CB-K19/0319 dfn-cert: DFN-CERT-2019-0775

Medium (CVSS: 5.9)

NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpuapr2016v3) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)

Summary

...continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow remote users to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.807924 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0666 cve: CVE-2016-0647 cve: CVE-2016-0648 cve: CVE-2016-0642 cve: CVE-2016-0643 cve: CVE-2016-2047 url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL advisory-id: cpuapr2016v3
...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K16/1129
cert-bund: CB-K16/1122
cert-bund: CB-K16/0936
cert-bund: CB-K16/0791
cert-bund: CB-K16/0750
cert-bund: CB-K16/0646
cert-bund: CB-K16/0597
cert-bund: CB-K16/0493
cert-bund: CB-K16/0133
dfn-cert: DFN-CERT-2016-1204
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0903
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0803
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0644
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0143

```

Medium (CVSS: 5.9)

NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.43

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.43, 8.0.34 or later.

... continues on next page ...

...continued from previous page ...	
Affected Software/OS Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149981 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-22053 url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL advisory-id: cpujul2023 cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2023-1794 dfn-cert: DFN-CERT-2024-1188 dfn-cert: DFN-CERT-2024-0593 dfn-cert: DFN-CERT-2024-0491 dfn-cert: DFN-CERT-2024-0454 dfn-cert: DFN-CERT-2023-1642	

Medium (CVSS: 5.9)	
NVT: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujan2016) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to a vulnerability in a third party library.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory	
...continues on next page ...	

...continued from previous page...	
Installation	
path / port:	3306/tcp
Impact	
The flaw makes it easier for remote attackers to obtain private RSA keys by capturing TLS handshakes, aka a Lenstra attack.	
Solution:	
Solution type:	VendorFix
Updates are available. Please see the references for more information.	
Affected Software/OS	
Oracle MySQL Server versions 5.5.45 and prior and 5.6 through 5.6.26.	
Vulnerability Insight	
wolfSSL (formerly CyaSSL) as used in MySQL does not properly handle faults associated with the Chinese Remainder Theorem (CRT) process when allowing ephemeral key exchange without low memory optimizations on a server.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujan2016) - Wi.	
↔..	
OID:1.3.6.1.4.1.25623.1.0.117194	
Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result	
Product: cpe:/a:mysql:mysql:5.5.20-log	
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)	
OID: 1.3.6.1.4.1.25623.1.0.100152)	
References	
cve: CVE-2015-7744	
url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL	
advisory-id: cpujan2016	
cert-bund: WID-SEC-2024-1482	
cert-bund: CB-K16/0246	
cert-bund: CB-K16/0245	
cert-bund: CB-K16/0094	
dfn-cert: DFN-CERT-2016-0266	
dfn-cert: DFN-CERT-2016-0265	
dfn-cert: DFN-CERT-2016-0104	

Medium (CVSS: 5.7)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Apr 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause a denial of service.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.42 and earlier, and 5.6.23 and earlier on windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server : Optimizer, DDL, Server : Compiling, Server : Federated.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Apr 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805172 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2015-2571
 cve: CVE-2015-0505
 cve: CVE-2015-0501
 cve: CVE-2015-0499
 url: <http://www.oracle.com/technetwork/topics/security/cpuapr2015-2365600.html>
 url: <http://www.securityfocus.com/bid/74095>
 url: <http://www.securityfocus.com/bid/74112>
 url: <http://www.securityfocus.com/bid/74070>
 url: <http://www.securityfocus.com/bid/74115>
 cert-bund: WID-SEC-2023-2068
 cert-bund: CB-K15/1546
 cert-bund: CB-K15/1518
 cert-bund: CB-K15/1202
 cert-bund: CB-K15/1193
 cert-bund: CB-K15/1045
 cert-bund: CB-K15/1042
 cert-bund: CB-K15/0964
 cert-bund: CB-K15/0720
 cert-bund: CB-K15/0531
 dfn-cert: DFN-CERT-2015-1623
 dfn-cert: DFN-CERT-2015-1604
 dfn-cert: DFN-CERT-2015-1272
 dfn-cert: DFN-CERT-2015-1264
 dfn-cert: DFN-CERT-2015-1105
 dfn-cert: DFN-CERT-2015-1096
 dfn-cert: DFN-CERT-2015-1016
 dfn-cert: DFN-CERT-2015-0758
 dfn-cert: DFN-CERT-2015-0551

Medium (CVSS: 5.5)

NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.44 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.44, 8.4.7, 9.4.1 or later.
Affected Software/OS Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.119199 Version used: 2025-10-24T11:09:31+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2025-53040 cve: CVE-2025-53042 cve: CVE-2025-53054 cve: CVE-2025-53053 cve: CVE-2025-53044 cve: CVE-2025-53045 cve: CVE-2025-53062 cve: CVE-2025-53069 url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL advisory-id: cpuoct2025 cert-bund: WID-SEC-2025-2363 dfn-cert: DFN-CERT-2026-0409 dfn-cert: DFN-CERT-2025-3598
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2025-2945

Medium (CVSS: 5.5)

NVT: Oracle MySQL Server <= 5.5.46 Security Update (cpuapr2016v3) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)**Summary**

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow local users to affect availability.

Solution:**Solution type:** VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.46 and prior.

Vulnerability Insight

Unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Optimizer'.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.5.46 Security Update (cpuapr2016v3) - Windows

OID:1.3.6.1.4.1.25623.1.0.807922

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

... continues on next page ...

...continued from previous page ...
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0651 url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL advisory-id: cpuapr2016v3 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0597 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0644

Medium (CVSS: 5.4)
NVT: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpujan2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.29 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.1.67, 5.5.29 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.66 and prior and 5.5 through 5.5.28.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpujan2013) - Wi.

↔..

OID:1.3.6.1.4.1.25623.1.0.117203

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2012-5611

cve: CVE-2013-0384

cve: CVE-2013-0389

cve: CVE-2013-0385

cve: CVE-2013-0375

cve: CVE-2012-1702

cve: CVE-2013-0383

cve: CVE-2012-0572

cve: CVE-2012-0574

cve: CVE-2012-1705

cve: CVE-2012-4414

url: <https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL>

advisory-id: cpujan2013

cert-bund: CB-K13/0919

cert-bund: CB-K13/0603

dfn-cert: DFN-CERT-2013-1937

dfn-cert: DFN-CERT-2013-1597

dfn-cert: DFN-CERT-2013-0259

dfn-cert: DFN-CERT-2013-0192

dfn-cert: DFN-CERT-2013-0119

dfn-cert: DFN-CERT-2013-0118

dfn-cert: DFN-CERT-2013-0106

dfn-cert: DFN-CERT-2013-0079

dfn-cert: DFN-CERT-2013-0037

dfn-cert: DFN-CERT-2013-0028

dfn-cert: DFN-CERT-2012-2285

dfn-cert: DFN-CERT-2012-2258

dfn-cert: DFN-CERT-2012-2215

dfn-cert: DFN-CERT-2012-2200

Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.46 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.46, 5.7.28 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.45 and prior and 5.7 through 5.7.27.
Vulnerability Insight Oracle MySQL Server is prone to multiple vulnerabilities. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.143034 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References ... continues on next page ...

...continued from previous page ...

cve: CVE-2019-2922
 cve: CVE-2019-2923
 cve: CVE-2019-2924
 cve: CVE-2019-2910
 url: <https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL>
 advisory-id: cpuoct2019
 cert-bund: CB-K19/0915
 dfn-cert: DFN-CERT-2020-0103
 dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 5.3)

NVT: Oracle Mysql Security Updates (apr2017-3236618) 03 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to a security bypass vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20
 Fixed version: Apply the patch
 Installation
 path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow remote attackers to bypass certain security restrictions and perform unauthorized actions by conducting a man-in-the-middle attack. This may lead to other attacks also.

Solution:

Solution type: VendorFix
 Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.54 and earlier, 5.6.35 and earlier on Windows

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The flaw exists due to an incorrect implementation or enforcement of 'ssl-mode=REQUIRED' in MySQL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2017-3236618) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.810884 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3305 url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html url: http://www.securityfocus.com/bid/97023 cert-bund: CB-K17/1604 cert-bund: CB-K17/1239 cert-bund: CB-K17/0657 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1282 dfn-cert: DFN-CERT-2017-0675

Medium (CVSS: 5.3)
NVT: Oracle Mysql Security Updates (jul2017-3236622) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation of this vulnerability will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.56 and earlier, 5.6.36 and earlier, 5.7.18 and earlier, on Windows
Vulnerability Insight Multiple flaws exist due to - A flaw in the Client mysqldump component. - A flaw in the Server: DDL component. - A flaw in the C API component. - A flaw in the Connector/C component. - A flaw in the Server: Charsets component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jul2017-3236622) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.811432 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3651 cve: CVE-2017-3653 cve: CVE-2017-3652 cve: CVE-2017-3635 cve: CVE-2017-3648 cve: CVE-2017-3641 url: http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html ↪#AppendixMSQL url: http://www.securityfocus.com/bid/99802 url: http://www.securityfocus.com/bid/99810 url: http://www.securityfocus.com/bid/99805 url: http://www.securityfocus.com/bid/99730 url: http://www.securityfocus.com/bid/99789 url: http://www.securityfocus.com/bid/99767 cert-bund: CB-K18/0224
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K17/1870
cert-bund: CB-K17/1732
cert-bund: CB-K17/1604
cert-bund: CB-K17/1453
cert-bund: CB-K17/1401
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/1205
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1956
dfn-cert: DFN-CERT-2017-1806
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1519
dfn-cert: DFN-CERT-2017-1465
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-1243

```

Medium (CVSS: 5.3)

NVT: Oracle Mysql Security Updates (jul2017-3236622) 03 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Impact

Successful exploitation of this vulnerability will allow remote attackers to partially access data, partially modify data, and partially deny service.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.5.56 and earlier, 5.6.36 and earlier, on Windows
Vulnerability Insight The flaw exists due to an error in the Client programs component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jul2017-3236622) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.811434 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3636 url: http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html ↪#AppendixMSQL url: http://www.securityfocus.com/bid/99736 cert-bund: CB-K18/0224 cert-bund: CB-K17/1870 cert-bund: CB-K17/1604 cert-bund: CB-K17/1453 cert-bund: CB-K17/1401 cert-bund: CB-K17/1239 cert-bund: CB-K17/1205 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1956 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1519 dfn-cert: DFN-CERT-2017-1465 dfn-cert: DFN-CERT-2017-1282 dfn-cert: DFN-CERT-2017-1243
Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Windows
Product detection result
... continues on next page ...

...continued from previous page ...
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities in OpenSSL.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.47 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.47, 5.7.27 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.46 and prior and 5.7 through 5.7.26.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.143735 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-1547 cve: CVE-2019-1549 cve: CVE-2019-1552 cve: CVE-2019-1563 url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixMSQL advisory-id: cpuapr2020 cert-bund: WID-SEC-2023-3081 cert-bund: WID-SEC-2023-1762 cert-bund: WID-SEC-2023-1049
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2022-0673
 cert-bund: CB-K22/0045
 cert-bund: CB-K20/1049
 cert-bund: CB-K20/1016
 cert-bund: CB-K20/0321
 cert-bund: CB-K20/0318
 cert-bund: CB-K20/0043
 cert-bund: CB-K20/0038
 cert-bund: CB-K20/0036
 cert-bund: CB-K20/0028
 cert-bund: CB-K19/1025
 cert-bund: CB-K19/0919
 cert-bund: CB-K19/0915
 cert-bund: CB-K19/0808
 cert-bund: CB-K19/0675
 dfn-cert: DFN-CERT-2023-2709
 dfn-cert: DFN-CERT-2020-2014
 dfn-cert: DFN-CERT-2020-1729
 dfn-cert: DFN-CERT-2020-0895
 dfn-cert: DFN-CERT-2020-0776
 dfn-cert: DFN-CERT-2020-0775
 dfn-cert: DFN-CERT-2020-0772
 dfn-cert: DFN-CERT-2020-0716
 dfn-cert: DFN-CERT-2020-0277
 dfn-cert: DFN-CERT-2020-0101
 dfn-cert: DFN-CERT-2020-0096
 dfn-cert: DFN-CERT-2020-0091
 dfn-cert: DFN-CERT-2020-0090
 dfn-cert: DFN-CERT-2019-2164
 dfn-cert: DFN-CERT-2019-2149
 dfn-cert: DFN-CERT-2019-1900
 dfn-cert: DFN-CERT-2019-1897
 dfn-cert: DFN-CERT-2019-1559

Medium (CVSS: 5.3)

NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

... continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.40, 8.0.31 or later.
Affected Software/OS Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.118388 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-2097 cve: CVE-2022-21617 cve: CVE-2022-21608 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-1186 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1969 cert-bund: WID-SEC-2023-1432 cert-bund: WID-SEC-2022-1777 cert-bund: WID-SEC-2022-1776 cert-bund: WID-SEC-2022-1461 cert-bund: WID-SEC-2022-1245
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2022-1146 cert-bund: WID-SEC-2022-1068 cert-bund: WID-SEC-2022-1065 cert-bund: WID-SEC-2022-0561 dfn-cert: DFN-CERT-2024-0147 dfn-cert: DFN-CERT-2023-2667 dfn-cert: DFN-CERT-2023-2491 dfn-cert: DFN-CERT-2023-1230 dfn-cert: DFN-CERT-2023-1058 dfn-cert: DFN-CERT-2023-0509 dfn-cert: DFN-CERT-2023-0299 dfn-cert: DFN-CERT-2023-0100 dfn-cert: DFN-CERT-2022-2323 dfn-cert: DFN-CERT-2022-2315 dfn-cert: DFN-CERT-2022-2306 dfn-cert: DFN-CERT-2022-2150 dfn-cert: DFN-CERT-2022-2073 dfn-cert: DFN-CERT-2022-2072 dfn-cert: DFN-CERT-2022-1905 dfn-cert: DFN-CERT-2022-1646 dfn-cert: DFN-CERT-2022-1536 dfn-cert: DFN-CERT-2022-1521 dfn-cert: DFN-CERT-2022-1520 dfn-cert: DFN-CERT-2022-1515 dfn-cert: DFN-CERT-2022-1497

Medium (CVSS: 5.3) NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.40 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.40, 8.4.2, 9.0.2 or later.	
Affected Software/OS Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo. ↔.. OID:1.3.6.1.4.1.25623.1.0.170873 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-21238 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2025-0446 dfn-cert: DFN-CERT-2024-2732	

Medium (CVSS: 5.0)	
NVT: MySQL Unspecified vulnerabilities-03 (Jul 2013) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)	
Summary MySQL is prone to multiple unspecified vulnerabilities.	
Quality of Detection (QoD): 80%	
... continues on next page ...	

...continued from previous page ...
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.5.30 and earlier and 5.6.10 on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Prepared Statements, Server Options and Server Partition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerabilities-03 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803725 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3801 cve: CVE-2013-3805 cve: CVE-2013-3794 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61222 url: http://www.securityfocus.com/bid/61256 url: http://www.securityfocus.com/bid/61269 cert-bund: CB-K13/0919 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-1937 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 5.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Apr 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause a denial of service.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.41 and earlier, and 5.6.22 and earlier on windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to DDL, Server : Security : Privileges, Server : Security : Encryption, InnoDB : DML.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Apr 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805171 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
References cve: CVE-2015-2573 cve: CVE-2015-2568 cve: CVE-2015-0441 cve: CVE-2015-0433 url: http://www.oracle.com/technetwork/topics/security/cpuapr2015-2365600.html url: http://www.securityfocus.com/bid/74078 url: http://www.securityfocus.com/bid/74073 url: http://www.securityfocus.com/bid/74103 url: http://www.securityfocus.com/bid/74089 cert-bund: WID-SEC-2023-2068 cert-bund: CB-K15/1546 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193 cert-bund: CB-K15/1045 cert-bund: CB-K15/1042 cert-bund: CB-K15/0964 cert-bund: CB-K15/0720 cert-bund: CB-K15/0531 dfn-cert: DFN-CERT-2015-1623 dfn-cert: DFN-CERT-2015-1272 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1105 dfn-cert: DFN-CERT-2015-1096 dfn-cert: DFN-CERT-2015-1016 dfn-cert: DFN-CERT-2015-0758 dfn-cert: DFN-CERT-2015-0551

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20
... continues on next page ...

...continued from previous page...	
Fixed version:	8.0.36
Installation path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.36 or later.	
Affected Software/OS Oracle MySQL Server version 8.0.35 and prior.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Windows OID:1.3.6.1.4.1.25623.1.0.170867 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-21200 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2024-2732	

Medium (CVSS: 4.9)	
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpu-jan2021) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)	
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.51 Installation path / port: 3306/tcp
Impact Successful attacks of this vulnerability can result in the unauthorized ability to cause a hang or frequently repeatedly crash (complete DOS) the MySQL Server.
Solution: Solution type: VendorFix Update to version 5.6.51, 5.7.31, 8.0.18 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.30 and 8.0 through 8.0.17.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.145222 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2001 url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL advisory-id: cpujan2021 cert-bund: WID-SEC-2023-0067 cert-bund: CB-K21/0062 dfn-cert: DFN-CERT-2021-2155 dfn-cert: DFN-CERT-2021-0810 dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpu-jan2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.51 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.51, 5.7.33, 8.0.23 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.32 and 8.0 through 8.0.22.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.145224 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2022 cve: CVE-2021-2060 url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL ... continues on next page ...

...continued from previous page ...
advisory-id: cpujan2021 cert-bund: WID-SEC-2023-0067 cert-bund: CB-K21/0062 dfn-cert: DFN-CERT-2021-2155 dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.31 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.31, 8.0.18 or later.
Affected Software/OS Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Wi. ↪.. OID:1.3.6.1.4.1.25623.1.0.145804 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2160 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2023-0065 cert-bund: CB-K21/0421 dfn-cert: DFN-CERT-2021-0821
Medium (CVSS: 4.9) NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.34 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.34 or later.
Affected Software/OS Oracle MySQL Server version 5.7.33 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Windows OID:1.3.6.1.4.1.25623.1.0.145802 Version used: 2025-09-09T11:08:49+05:30
... continues on next page ...

...continued from previous page ...
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2154 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2023-0065 cert-bund: CB-K21/0421 dfn-cert: DFN-CERT-2022-1241 dfn-cert: DFN-CERT-2022-0933 dfn-cert: DFN-CERT-2022-0666 dfn-cert: DFN-CERT-2021-1660 dfn-cert: DFN-CERT-2021-0984 dfn-cert: DFN-CERT-2021-0821

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.41 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.41 or later.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
Oracle MySQL Server version 5.7.40 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Windows OID:1.3.6.1.4.1.25623.1.0.149168 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2023-21840 url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL advisory-id: cpujan2023 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-0126 dfn-cert: DFN-CERT-2023-0105

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...	
Update to version 5.7.42, 8.0.33 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149979 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-22007 url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL advisory-id: cpujul2023 cert-bund: WID-SEC-2023-1794 dfn-cert: DFN-CERT-2024-1188 dfn-cert: DFN-CERT-2024-0593 dfn-cert: DFN-CERT-2024-0454 dfn-cert: DFN-CERT-2023-1642	

Medium (CVSS: 4.9)	
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20	
... continues on next page ...	

...continued from previous page ...	
Fixed version:	5.7.43
Installation path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.43, 8.0.32 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.151212 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-22015 cve: CVE-2023-22026 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL advisory-id: cpuoct2023 cert-bund: WID-SEC-2023-2690 dfn-cert: DFN-CERT-2023-2536	

Medium (CVSS: 4.9)	
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to denial of service (DoS) vulnerability.	
... continues on next page ...	

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.44 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.44, 8.0.32 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.151216 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-22028 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL advisory-id: cpuoct2023 cert-bund: WID-SEC-2023-2690 dfn-cert: DFN-CERT-2024-0108 dfn-cert: DFN-CERT-2023-2536	

Medium (CVSS: 4.9)	
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)	
... continues on next page ...	

...continued from previous page ...	
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.39 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 8.0.39, 8.4.2, 9.0.2 or later.	
Affected Software/OS Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo. ↔.. OID:1.3.6.1.4.1.25623.1.0.170869 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-21207 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2024-2732	

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server Component 'Replication' Unspecified vulnerability (Oct 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote attackers to disclose sensitive information, manipulate certain data, cause a DoS (Denial of Service) and bypass certain security restrictions.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL versions 5.5.10 through 5.5.32 and 5.6.x through 5.6.12 on Windows
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Replication.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server Component 'Replication' Unspecified vulnerability (Oct 2013.↵.. OID:1.3.6.1.4.1.25623.1.0.804034 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
...
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2013-5807
 url: <http://secunia.com/advisories/55327>
 url: <http://www.securityfocus.com/bid/63105>
 url: <http://www.oracle.com/technetwork/topics/security/cpuoct2013-1899837.html>
 cert-bund: CB-K14/0187
 cert-bund: CB-K13/1072
 cert-bund: CB-K13/0840
 cert-bund: CB-K13/0789
 dfn-cert: DFN-CERT-2014-0190
 dfn-cert: DFN-CERT-2013-2099
 dfn-cert: DFN-CERT-2013-1846
 dfn-cert: DFN-CERT-2013-1795

Medium (CVSS: 4.9)

NVT: Oracle MySQL Security Update (cpujul2018 - 04) - Windows

Summary

Oracle MySQL is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20
 Fixed version: See reference
 Installation
 path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service condition.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle MySQL version 5.5.60 and earlier.

Vulnerability Insight

Multiple flaws exist due to an error in the 'Server: Security: Privileges' component of MySQL Server.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Security Update (cpujul2018 - 04) - Windows OID:1.3.6.1.4.1.25623.1.0.813710 Version used: 2025-09-09T11:08:49+05:30
References cve: CVE-2018-3063 url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL advisory-id: cpujul2018 cert-bund: WID-SEC-2023-1594 cert-bund: CB-K18/0795 dfn-cert: DFN-CERT-2019-1614 dfn-cert: DFN-CERT-2019-1588 dfn-cert: DFN-CERT-2019-1152 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2019-0484 dfn-cert: DFN-CERT-2018-1649 dfn-cert: DFN-CERT-2018-1402

Medium (CVSS: 4.6)
NVT: Oracle MySQL Server 5.5 <= 5.5.29 / 5.6 <= 5.6.11 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.30 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.5.30, 5.6.11 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.29 and 5.6 through 5.6.10.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.29 / 5.6 <= 5.6.11 Security Update (cpuapr2013) . ↔.. OID:1.3.6.1.4.1.25623.1.0.117213 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-1523 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 4.4)
NVT: Oracle Mysql Security Updates (jan2017-2881727) 04 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation of this vulnerability will allow remote to have some unspecified impact on availability.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.53 and earlier on Windows
Vulnerability Insight The flaw exists due to an unspecified error in sub component 'Server: Charsets'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2017-2881727) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.809869 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3243 url: http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html url: http://www.securityfocus.com/bid/95538 cert-bund: CB-K18/0224 cert-bund: CB-K17/1298 cert-bund: CB-K17/0098 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1341 dfn-cert: DFN-CERT-2017-0090

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...	
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.40 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 8.0.40, 8.4.1 or later.	
Affected Software/OS Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Wind. ↔.. OID:1.3.6.1.4.1.25623.1.0.170871 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-21212 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2025-0446 dfn-cert: DFN-CERT-2024-2732	

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.37 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.37, 8.0.28 or later.
Affected Software/OS Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.118382 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-21595 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMySQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2022-1776
 dfn-cert: DFN-CERT-2023-0504
 dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)

NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-03 (Jul 2015)

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL Server 5.5.43 and earlier and 5.6.23 and earlier on Windows

Vulnerability Insight

Unspecified errors exist in the MySQL Server component via unknown vectors related to Server : Pluggable Auth and Server : Security : Privileges.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Multiple Unspecified Vulnerabilities-03 (Jul 2015)

OID:1.3.6.1.4.1.25623.1.0.805930

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4737 cve: CVE-2015-2620 url: http://www.oracle.com/technetwork/topics/security/cpujul2015-2367936.html url: http://www.securityfocus.com/bid/75802 url: http://www.securityfocus.com/bid/75837 cert-bund: CB-K15/1518 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193 cert-bund: CB-K15/1045 cert-bund: CB-K15/1020 dfn-cert: DFN-CERT-2015-1604 dfn-cert: DFN-CERT-2015-1272 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1096 dfn-cert: DFN-CERT-2015-1071

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.40 Installation path / port: 3306/tcp
... continues on next page ...

...continued from previous page...	
Solution: Solution type: VendorFix Update to version 5.7.40, 8.0.17 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.118384 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2022-21589 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2022-1776 dfn-cert: DFN-CERT-2022-2306	

Medium (CVSS: 4.3)	
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to an information disclosure vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result ... continues on next page ...	

...continued from previous page ...
Installed version: 5.5.20 Fixed version: 5.7.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.40, 8.0.30 or later.
Affected Software/OS Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.118386 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-21592 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2022-1776 dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-02 (Jul 2015)
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary ... continues on next page ...

...continued from previous page ...
Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause denial-of-service attack.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.43 and earlier, and 5.6.24 and earlier on Windows.
Vulnerability Insight Unspecified errors exist in the MySQL Server component via unknown vectors related to DML, Server : I_S, Server : Optimizer, and GIS.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-02 (Jul 2015) OID:1.3.6.1.4.1.25623.1.0.805929 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-2648 cve: CVE-2015-4752 cve: CVE-2015-2643 cve: CVE-2015-2582 url: http://www.oracle.com/technetwork/topics/security/cpujul2015-2367936.html url: http://www.securityfocus.com/bid/75822 url: http://www.securityfocus.com/bid/75849 url: http://www.securityfocus.com/bid/75830
...continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/75751>
 cert-bund: CB-K15/1202
 cert-bund: CB-K15/1193
 cert-bund: CB-K15/1045
 cert-bund: CB-K15/1020
 dfn-cert: DFN-CERT-2015-1272
 dfn-cert: DFN-CERT-2015-1264
 dfn-cert: DFN-CERT-2015-1096
 dfn-cert: DFN-CERT-2015-1071

Medium (CVSS: 4.0)

NVT: MySQL Unspecified vulnerability-04 (Jul 2013) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL 5.1.68 and earlier, 5.5.30 and earlier and 5.6.10 on Windows.

Vulnerability Insight

Unspecified error in the MySQL Server component via unknown vectors related to Server Options.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: MySQL Unspecified vulnerability-04 (Jul 2013) - Windows

...continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.803726 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3808 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61227 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 4.0)
NVT: MySQL Unspecified vulnerabilities-02 (Jul 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect integrity and availability via unknown vectors and cause denial of service.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
Oracle MySQL 5.5.31 and earlier, 5.6.11 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server Replication, Audit Log and Data Manipulation Language.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerabilities-02 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803724 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3812 cve: CVE-2013-3809 cve: CVE-2013-3793 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61249 url: http://www.securityfocus.com/bid/61264 url: http://www.securityfocus.com/bid/61272 cert-bund: CB-K13/1072 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478
Medium (CVSS: 4.0)
NVT: MySQL Unspecified vulnerabilities-01 (Jul 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary MySQL is prone to multiple unspecified vulnerabilities.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.1.69 and earlier, 5.5.31 and earlier, 5.6.11 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Full Text Search and Server Optimizer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerabilities-01 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803723 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3804 cve: CVE-2013-3802 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61244 url: http://www.securityfocus.com/bid/61260 cert-bund: CB-K13/1072 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 4.0)
NVT: MySQL Server Component Partition Unspecified Vulnerability
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20-log Fixed version: 5.5.22
Impact Successful exploitation could allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS MySQL version 5.5.x before 5.5.22
Vulnerability Insight Unspecified error in MySQL Server component related to Partition.
Vulnerability Detection Method Details: MySQL Server Component Partition Unspecified Vulnerability OID:1.3.6.1.4.1.25623.1.0.803801 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1697
... continues on next page ...

...continued from previous page ...
url: http://secunia.com/advisories/48890 url: http://www.securityfocus.com/bid/53064 url: http://www.oracle.com/technetwork/topics/security/cpuapr2012-366314.html#AppendixMySQL dfn-cert: DFN-CERT-2012-0939 dfn-cert: DFN-CERT-2012-0735

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.23 Security Update (cpujul2012) - Windows
Product detection result cpe: /a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.24 Installation path / port: 3306/tcp
Impact The flaws allow remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' and 'GIS Extension' package / privilege.
Solution: Solution type: VendorFix Update to version 5.1.63, 5.5.24 or later.
Affected Software/OS Oracle MySQL Server 5.1.62 and prior and 5.4.x through 5.5.23.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.23 Security Update (cpujul2012) - . ↪.. OID:1.3.6.1.4.1.25623.1.0.117265
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-0540 cve: CVE-2012-1734 cve: CVE-2012-2749 url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL advisory-id: cpujul2012 dfn-cert: DFN-CERT-2013-0106 dfn-cert: DFN-CERT-2012-2118 dfn-cert: DFN-CERT-2012-1389

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.22 Security Update (cpujul2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.23 Installation path / port: 3306/tcp
Impact The flaw allows remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' package / privilege.
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 5.1.63, 5.5.23 or later.
Affected Software/OS Oracle MySQL Server 5.1.62 and prior and 5.4.x through 5.5.22.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.22 Security Update (cpujul2012) - . ↔.. OID:1.3.6.1.4.1.25623.1.0.117263 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1689 url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL advisory-id: cpujul2012 dfn-cert: DFN-CERT-2012-2118 dfn-cert: DFN-CERT-2012-1389

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.38 Security Update (cpuoct2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.39 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.	
Solution: Solution type: VendorFix Update to version 5.5.39 or later.	
Affected Software/OS Oracle MySQL Server versions 5.5.38 and prior.	
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to SERVER:DDL.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.38 Security Update (cpuoct2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804783 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2014-6520 url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL url: http://www.securityfocus.com/bid/70510 advisory-id: cpuoct2014 cert-bund: CB-K15/0567 cert-bund: CB-K15/0415 cert-bund: CB-K14/1482 cert-bund: CB-K14/1420 cert-bund: CB-K14/1412 cert-bund: CB-K14/1299 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2015-0427 dfn-cert: DFN-CERT-2014-1567 dfn-cert: DFN-CERT-2014-1500 dfn-cert: DFN-CERT-2014-1489	
... continues on next page ...	

...continued from previous page ...

dfn-cert: DFN-CERT-2014-1357

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-08 (Oct 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)**Summary**

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect availability via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL Server 5.5.44 and earlier on windows

Vulnerability Insight

Unspecified error exists in the MySQL Server component via unknown vectors related to Server.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Multiple Unspecified Vulnerabilities-08 (Oct 2015) - Windows
OID:1.3.6.1.4.1.25623.1.0.805771

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

... continues on next page ...

...continued from previous page ...
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4816 url: http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html url: http://www.securityfocus.com/bid/77134 cert-bund: WID-SEC-2024-1483 cert-bund: CB-K16/1122 cert-bund: CB-K16/0791 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K15/1844 cert-bund: CB-K15/1600 cert-bund: CB-K15/1554 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2015-1946 dfn-cert: DFN-CERT-2015-1692 dfn-cert: DFN-CERT-2015-1638

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 05 (Jan 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
... continues on next page ...

...continued from previous page ...	
Solution:	
Solution type: VendorFix	
Apply the patch from the referenced advisory.	
Affected Software/OS	
Oracle MySQL version 5.1.71 and earlier, 5.5.33 and earlier, and 5.6.13 and earlier on Windows.	
Vulnerability Insight	
Unspecified errors in the MySQL Server component via unknown vectors related to Optimizer, InnoDB, and Locking.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Oracle MySQL Multiple Unspecified vulnerabilities - 05 (Jan 2014) - Windows	
OID:1.3.6.1.4.1.25623.1.0.804076	
Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result	
Product: cpe:/a:mysql:mysql:5.5.20-log	
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)	
OID: 1.3.6.1.4.1.25623.1.0.100152)	
References	
cve: CVE-2014-0386	
cve: CVE-2014-0393	
cve: CVE-2014-0402	
url: http://secunia.com/advisories/56491	
url: http://www.securityfocus.com/bid/64877	
url: http://www.securityfocus.com/bid/64904	
url: http://www.securityfocus.com/bid/64908	
url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html	
cert-bund: CB-K14/0710	
cert-bund: CB-K14/0187	
cert-bund: CB-K14/0177	
cert-bund: CB-K14/0082	
cert-bund: CB-K14/0074	
cert-bund: CB-K14/0055	
dfn-cert: DFN-CERT-2014-0742	
dfn-cert: DFN-CERT-2014-0190	
dfn-cert: DFN-CERT-2014-0180	
dfn-cert: DFN-CERT-2014-0085	
dfn-cert: DFN-CERT-2014-0074	
dfn-cert: DFN-CERT-2014-0048	

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 04 (Jan 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.1.72 and earlier, 5.5.34 and earlier, and 5.6.14 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to InnoDB, Optimizer, Error Handling, and some unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 04 (Jan 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804075 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2014-0401
cve: CVE-2014-0412
cve: CVE-2014-0437
cve: CVE-2013-5908
url: http://secunia.com/advisories/56491
url: http://www.securityfocus.com/bid/64849
url: http://www.securityfocus.com/bid/64880
url: http://www.securityfocus.com/bid/64896
url: http://www.securityfocus.com/bid/64898
url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html
cert-bund: CB-K15/1518
cert-bund: CB-K14/0710
cert-bund: CB-K14/0187
cert-bund: CB-K14/0177
cert-bund: CB-K14/0082
cert-bund: CB-K14/0074
cert-bund: CB-K14/0055
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2014-0742
dfn-cert: DFN-CERT-2014-0190
dfn-cert: DFN-CERT-2014-0180
dfn-cert: DFN-CERT-2014-0085
dfn-cert: DFN-CERT-2014-0074
dfn-cert: DFN-CERT-2014-0048

```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-04 (Feb 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)**Summary**

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow attackers to disclose potentially sensitive information, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server version 5.5.38 and earlier, and 5.6.19 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to DLL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-04 (Feb 2015) - Windows OID: 1.3.6.1.4.1.25623.1.0.805135 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-0391 url: http://secunia.com/advisories/62525 url: http://www.securityfocus.com/bid/72205 url: http://www.oracle.com/technetwork/topics/security/cpujan2015-1972971.html cert-bund: CB-K15/1193 cert-bund: CB-K15/0567 cert-bund: CB-K15/0415 cert-bund: CB-K15/0073 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2015-0427 dfn-cert: DFN-CERT-2015-0074

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Jul 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20-log Vulnerable range: 5.5 - 5.5.37
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.37 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to ENARC and SROPTZR.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Jul 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804723 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-2494 cve: CVE-2014-4207 url: http://secunia.com/advisories/59521 url: http://www.securityfocus.com/bid/68579 url: http://www.securityfocus.com/bid/68593
...continues on next page ...

...continued from previous page ...
url: http://www.computerworld.com/s/article/9249690/Oracle_to_release_115_security_patches
url: http://www.oracle.com/technetwork/topics/security/cpujul2014-1972956.html#AppendixMSQL
cert-bund: CB-K15/0567
cert-bund: CB-K14/1420
cert-bund: CB-K14/0891
cert-bund: CB-K14/0868
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2014-1500
dfn-cert: DFN-CERT-2014-0930
dfn-cert: DFN-CERT-2014-0911

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 03 (Jan 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.33 and earlier on Windows, Oracle MySQL version 5.6.13 and earlier on Windows.
Vulnerability Insight
... continues on next page ...

...continued from previous page ...
Unspecified errors in the MySQL Server component via unknown vectors related to Partition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 03 (Jan 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804074 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-5891 url: http://secunia.com/advisories/56491 url: http://www.securityfocus.com/bid/64891 url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html cert-bund: CB-K14/0710 cert-bund: CB-K14/0187 cert-bund: CB-K14/0082 cert-bund: CB-K14/0074 cert-bund: CB-K14/0055 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0190 dfn-cert: DFN-CERT-2014-0085 dfn-cert: DFN-CERT-2014-0074 dfn-cert: DFN-CERT-2014-0048
Medium (CVSS: 4.0)
NVT: MySQL Unspecified vulnerability-06 (Jul 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.5.31 and earlier on Windows.
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Server Parser.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerability-06 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803728 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3783 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61210 cert-bund: CB-K13/1072 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478
Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Feb 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server version 5.5.40 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server:InnoDB:DDL:Foreign Key
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Feb 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805133 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-0432 url: http://secunia.com/advisories/62525 url: http://www.securityfocus.com/bid/72217 url: http://www.oracle.com/technetwork/topics/security/cpujan2015-1972971.html cert-bund: CB-K15/1193 cert-bund: CB-K15/0964
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K15/0073
dfn-cert: DFN-CERT-2015-1264
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2015-0074

```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-01 (Oct 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL Server 5.5.45 and earlier and 5.6.26 and earlier on windows

Vulnerability Insight

Unspecified errors exist in the MySQL Server component via unknown vectors related to Server.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-01 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805764 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4913 cve: CVE-2015-4830 cve: CVE-2015-4826 cve: CVE-2015-4815 cve: CVE-2015-4807 cve: CVE-2015-4802 cve: CVE-2015-4792 cve: CVE-2015-4870 cve: CVE-2015-4861 cve: CVE-2015-4858 cve: CVE-2015-4836 url: http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html url: http://www.securityfocus.com/bid/77153 url: http://www.securityfocus.com/bid/77228 url: http://www.securityfocus.com/bid/77237 url: http://www.securityfocus.com/bid/77222 url: http://www.securityfocus.com/bid/77205 url: http://www.securityfocus.com/bid/77165 url: http://www.securityfocus.com/bid/77171 url: http://www.securityfocus.com/bid/77208 url: http://www.securityfocus.com/bid/77137 url: http://www.securityfocus.com/bid/77145 url: http://www.securityfocus.com/bid/77190 cert-bund: WID-SEC-2024-1483 cert-bund: CB-K16/1122 cert-bund: CB-K16/0791 cert-bund: CB-K16/0646 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K15/1844 cert-bund: CB-K15/1600 cert-bund: CB-K15/1554 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0845
...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2015-1946
dfn-cert: DFN-CERT-2015-1692
dfn-cert: DFN-CERT-2015-1638
```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 01 (May 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.35 and earlier and 5.6.15 and earlier on Windows.

Vulnerability Insight

Unspecified errors in the MySQL Server component via unknown vectors related to Partition, Replication and XML subcomponent.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Multiple Unspecified vulnerabilities - 01 (May 2014) - Windows
OID:1.3.6.1.4.1.25623.1.0.804574

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-0384 cve: CVE-2014-2419 cve: CVE-2014-2438 url: http://secunia.com/advisories/57940 url: http://www.securityfocus.com/bid/66835 url: http://www.securityfocus.com/bid/66846 url: http://www.securityfocus.com/bid/66880 url: http://www.scaprepo.com/view.jsp?id=oval:org.secpod.oval:def:701638 url: http://www.oracle.com/technetwork/topics/security/cpuapr2014-1972952.html cert-bund: CB-K14/0710 cert-bund: CB-K14/0464 cert-bund: CB-K14/0452 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0477 dfn-cert: DFN-CERT-2014-0459

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server Multiple Vulnerabilities - 03 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data.
Solution: Solution type: VendorFix Apply the patch from the referenced vendor advisory or upgrade to latest version.
Affected Software/OS Oracle MySQL version 5.1.x to 5.1.63 and Oracle MySQL version 5.5.x to 5.5.25 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component vectors related to InnoDB plugin, server full text search and InnoDB.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 03 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803113 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3173 cve: CVE-2012-3167 cve: CVE-2012-3166 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56018 url: http://www.securityfocus.com/bid/56028 url: http://www.securityfocus.com/bid/56041 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 dfn-cert: DFN-CERT-2012-2200 dfn-cert: DFN-CERT-2012-2118

Medium (CVSS: 4.0)

NVT: Oracle MySQL Server Component 'Optimizer' Unspecified vulnerability (Oct 2013) - Windows

Product detection result

... continues on next page ...

...continued from previous page ...
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote attackers to disclose sensitive information, manipulate certain data, cause a DoS (Denial of Service) and bypass certain security restrictions.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL versions 5.1.51 through 5.1.70, 5.5.10 through 5.5.32, and 5.6.x through 5.6.12 on Windows.
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Optimizer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server Component 'Optimizer' Unspecified vulnerability (Oct 2013) . ↪.. OID:1.3.6.1.4.1.25623.1.0.804033 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3839 url: http://secunia.com/advisories/55327 url: http://www.securityfocus.com/bid/63109 url: http://www.oracle.com/technetwork/topics/security/cpuoct2013-1899837.html ...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K14/0187
cert-bund: CB-K13/1072
cert-bund: CB-K13/0840
cert-bund: CB-K13/0806
cert-bund: CB-K13/0789
dfn-cert: DFN-CERT-2014-0190
dfn-cert: DFN-CERT-2013-2099
dfn-cert: DFN-CERT-2013-1846
dfn-cert: DFN-CERT-2013-1815
dfn-cert: DFN-CERT-2013-1795

```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 5.5.31

Installation

path / port: 3306/tcp

Impact

Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Update to version 5.5.31, 5.6.11 or later.

Affected Software/OS

Oracle MySQL Server versions 5.5 through 5.5.30 and 5.6 through 5.6.10.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
Unspecified error in some unknown vectors related to Stored Procedure.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) . ↪.. OID:1.3.6.1.4.1.25623.1.0.809815 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-2376 cve: CVE-2013-1511 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59227 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0882 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server 5.5 <= 5.5.29 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.30 Installation path / port: 3306/tcp
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix Update to version 5.5.30 or later.
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.29.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.29 Security Update (cpuapr2013) - Windows OID:1.3.6.1.4.1.25623.1.0.117215 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-1512 cve: CVE-2013-1526 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.46 Security Update (cpujan2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect availability via unknown vectors.	
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.	
Affected Software/OS Oracle MySQL Server versions 5.5.46 and prior.	
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.46 Security Update (cpujan2016) - Windows OID:1.3.6.1.4.1.25623.1.0.117190 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2016-0616 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0133 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266	
... continues on next page ...	

dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0143 dfn-cert: DFN-CERT-2016-0104
--

...continued from previous page ...

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 Security Update (cpuja2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.46 and prior and 5.6 through 5.6.27.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 Security Update (cpuja2016) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.806877
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0596 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/81176 url: http://www.securityfocus.com/bid/81198 url: http://www.securityfocus.com/bid/81130 advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0646 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0133 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0695 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0143 dfn-cert: DFN-CERT-2016-0104

[\[return to 192.168.56.6 \]](#)

2.2.41 Medium 22/tcp

Medium (CVSS: 5.3)
NVT: OpenSSH 'auth2-gss.c' User Enumeration Vulnerability - Windows
Product detection result cpe:/a:openbsd:openssh:7.1
... continues on next page ...

...continued from previous page ...
Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a user enumeration vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: None Installation path / port: 22/tcp
Impact Successfully exploitation will allow a remote attacker to harvest valid user accounts, which may aid in brute-force attacks.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS OpenSSH version 5.9 through 7.8.
Vulnerability Insight The flaw exists in the 'auth-gss2.c' source code file of the affected software and is due to insufficient validation of an authentication request packet when the Guide Star Server II (GSS2) component is used on an affected system.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH 'auth2-gss.c' User Enumeration Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813887 Version used: 2021-05-28T12:36:21+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2018-15919
... continues on next page ...

...continued from previous page ...
url: https://bugzilla.novell.com/show_bug.cgi?id=1106163
url: https://seclists.org/oss-sec/2018/q3/180
cert-bund: WID-SEC-2024-1082
cert-bund: CB-K18/0885
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2018-2293
dfn-cert: DFN-CERT-2018-2191

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.8 User Enumeration Vulnerability - Windows
Product detection result cpe: /a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a user enumeration vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: 7.8 Installation path / port: 22/tcp
Impact Successfully exploitation will allow remote attacker to test whether a certain user exists or not (username enumeration) on a target OpenSSH server.
Solution: Solution type: VendorFix Update to version 7.8 or later.
Affected Software/OS OpenSSH versions 7.7 and prior.
Vulnerability Insight The flaw is due to not delaying bailout for an invalid authenticating user until after the packet containing the request has been fully parsed, related to auth2-gss.c, auth2-hostbased.c, and auth2-pubkey.c
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.8 User Enumeration Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813863 Version used: 2023-07-20T10:35:18+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2018-15473 url: https://0day.city/cve-2018-15473.html url: https://github.com/openbsd/src/commit/779974d35b4859c07bc3cb8a12c74b43b0a7d ↪1e0 cert-bund: WID-SEC-2024-1082 cert-bund: CB-K20/0041 cert-bund: CB-K18/1031 cert-bund: CB-K18/0873 dfn-cert: DFN-CERT-2024-1260 dfn-cert: DFN-CERT-2021-2178 dfn-cert: DFN-CERT-2020-2189 dfn-cert: DFN-CERT-2020-0228 dfn-cert: DFN-CERT-2019-2046 dfn-cert: DFN-CERT-2019-0857 dfn-cert: DFN-CERT-2019-0362 dfn-cert: DFN-CERT-2018-2293 dfn-cert: DFN-CERT-2018-2259 dfn-cert: DFN-CERT-2018-2191 dfn-cert: DFN-CERT-2018-1806 dfn-cert: DFN-CERT-2018-1696
Medium (CVSS: 5.3) NVT: OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Windows
Product detection result cpe:/a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a security bypass vulnerability.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: 7.6 Installation path / port: 22/tcp
Impact Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.
Solution: Solution type: VendorFix Update to version 7.6 or later.
Affected Software/OS OpenSSH versions prior to 7.6 on Windows.
Vulnerability Insight The flaw exists in the 'process_open' function in sftp-server.c script which does not properly prevent write operations in readonly mode.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.812050 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2017-15906 url: https://www.openssh.com/txt/release-7.6 url: http://www.securityfocus.com/bid/101552 url: https://github.com/openbsd/src/commit/a6981567e8e cert-bund: WID-SEC-2024-1082 cert-bund: CB-K20/0041 cert-bund: CB-K18/0137 cert-bund: CB-K17/2126 cert-bund: CB-K17/2014 cert-bund: CB-K17/2002
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2017-2217
dfn-cert: DFN-CERT-2017-2100
dfn-cert: DFN-CERT-2017-2093

[\[return to 192.168.56.6 \]](#)

2.2.42 Medium 8282/tcp

Medium (CVSS: 6.8)
NVT: Apache Tomcat servlet/JSP container default files
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary The Apache Tomcat servlet/JSP container has default files installed.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The following default files were found : http://192.168.56.6:8282/examples/servlets/index.html http://192.168.56.6:8282/examples/jsp/snp/snoop.jsp http://192.168.56.6:8282/examples/jsp/index.html
Impact These files should be removed as they may help an attacker to guess the exact version of the Apache Tomcat which is running on this host and may provide other useful information.
Solution: Solution type: Mitigation Remove default files, example JSPs and Servlets from the Tomcat Servlet/JSP container.
... continues on next page ...

...continued from previous page ...
Vulnerability Insight Default files, such as documentation, default Servlets and JSPs were found on the Apache Tomcat servlet/JSP container.
Vulnerability Detection Method Details: Apache Tomcat servlet/JSP container default files OID:1.3.6.1.4.1.25623.1.0.12085 Version used: 2023-08-01T18:59:10+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)

Medium (CVSS: 6.5) NVT: Apache Tomcat Security Constraint Incorrect Handling Access Bypass Vulnerabilities - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple access bypass vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.50 Installation path / port: 8282/tcp
Impact Successfully exploiting these issues will allow remote attackers to bypass security constraints to access ostensibly restricted resources on the target system.
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.5, 8.5.28, 8.0.50, 7.0.85 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.4 Apache Tomcat versions 8.5.0 to 8.5.27 Apache Tomcat versions 8.0.0.RC1 to 8.0.49 Apache Tomcat versions 7.0.0 to 7.0.84 on Windows.
Vulnerability Insight Multiple flaws are due to: - The system does not properly enforce security constraints that defined by annotations of Servlets in certain cases, depending on the order that Servlets are loaded. - The URL pattern of " (the empty string) which exactly maps to the context root was not correctly handled when used as part of a security constraint definition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Security Constraint Incorrect Handling Access Bypass Vulnerabilit. ↪... OID:1.3.6.1.4.1.25623.1.0.812784 Version used: 2025-09-17T11:09:26+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-1305 cve: CVE-2018-1304 url: http://tomcat.apache.org/security-9.html url: http://www.securityfocus.com/bid/103144 url: http://www.securityfocus.com/bid/103170 url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html url: https://lists.apache.org/thread.html/b1d7e2425d6fd2cebed40d318f9365b4454607 ↪7e10949b01b1f8a0fb0%3Cannounce.tomcat.apache.org%3E cert-bund: WID-SEC-2024-1682 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K19/1121 cert-bund: CB-K19/0321 cert-bund: CB-K18/1007 cert-bund: CB-K18/1006 cert-bund: CB-K18/1005 cert-bund: CB-K18/0790 cert-bund: CB-K18/0420 cert-bund: CB-K18/0349 dfn-cert: DFN-CERT-2019-1627
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2018-2165
dfn-cert: DFN-CERT-2018-2142
dfn-cert: DFN-CERT-2018-2125
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1753
dfn-cert: DFN-CERT-2018-1407
dfn-cert: DFN-CERT-2018-1274
dfn-cert: DFN-CERT-2018-1253
dfn-cert: DFN-CERT-2018-1038
dfn-cert: DFN-CERT-2018-0922
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0455
dfn-cert: DFN-CERT-2018-0378

Medium (CVSS: 6.4)
NVT: Apache Tomcat Authentication Bypass Vulnerability (Nov 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to an authentication bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.96 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.96, 10.1.31, 11.0.0 or later.
Affected Software/OS Apache Tomcat versions prior to 9.0.96, 10.0.x through 10.1.30 and 11.0.0-M1 through 11.0.0-M26.
... continues on next page ...

...continued from previous page ...
Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by this flaw. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight If Tomcat was configured to use a custom Jakarta Authentication (formerly JASPIC) ServerAuth-Context component which may throw an exception during the authentication process without explicitly setting an HTTP status to indicate failure, the authentication may not have failed, allowing the user to bypass the authentication process. There are no known Jakarta Authentication components that behave in this way.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Authentication Bypass Vulnerability (Nov 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.153463 Version used: 2024-12-19T10:35:34+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-52316 url: https://lists.apache.org/thread/lopz1qh91jj9n334g02om08sbysdb928 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.31 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.96 cert-bund: WID-SEC-2025-0521 cert-bund: WID-SEC-2024-3684 cert-bund: WID-SEC-2024-3486 dfn-cert: DFN-CERT-2025-2285 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-0890 dfn-cert: DFN-CERT-2025-0146 dfn-cert: DFN-CERT-2025-0134 dfn-cert: DFN-CERT-2024-3156 dfn-cert: DFN-CERT-2024-3077
Medium (CVSS: 6.4)
NVT: Apache Axis2 <= 1.6.2 Multiple Vulnerabilities
Summary
... continues on next page ...

...continued from previous page ...
Apache Axis2 is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.6.0 Fixed version: None Installation path / port: /axis2
Impact Successfully exploiting these issues allows attackers to: - CVE-2012-5785: perform man-in-the-middle attacks or impersonate trusted servers, which will aid in further attacks - CVE-2012-4418: may allow unauthenticated attackers to construct specially crafted messages that can be successfully verified and contain arbitrary content. This may aid in further attacks - CVE-2012-5351: allows remote attackers to forge messages and bypass authentication
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS The issue affects versions up to 1.6.2.
Vulnerability Insight The following flaws exist: - CVE-2012-5785: a security bypass vulnerability because the application fails to properly validate SSL certificates from the server - CVE-2012-4418: a security vulnerability involving XML signature wrapping - CVE-2012-5351: a SAML assertion that lacks a Signature element, aka a 'Signature exclusion attack'
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Axis2 <= 1.6.2 Multiple Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.111004 Version used: 2026-02-24T11:27:09+05:30
References cve: CVE-2012-5785 cve: CVE-2012-4418 cve: CVE-2012-5351 url: https://issues.apache.org/jira/browse/AXIS2C-1607
... continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/56408
url: http://www.securityfocus.com/bid/55508

Medium (CVSS: 5.0)
NVT: Apache Tomcat CGI Security Constraint Bypass Vulnerability (May 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a CGI security constraint bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.105 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.105, 10.1.41, 11.0.7 or later.
Affected Software/OS Apache Tomcat version 9.0.104 and prior, 10.x through 10.1.40 and 11.0.0-M1 through 11.0.6. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight When running on a case insensitive file system with security constraints configured for the <code>pathInfo</code> component of a URL that mapped to the CGI servlet, it is possible to bypass those security constraints with a specially crafted URL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat CGI Security Constraint Bypass Vulnerability (May 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154591
... continues on next page ...

...continued from previous page ...
Version used: 2025-05-30T21:12:19+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-46701 url: https://lists.apache.org/thread/xhqqk9w5q45srcdqhogdk04lhdscv30j cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1365 cert-bund: WID-SEC-2025-1165 dfn-cert: DFN-CERT-2026-0452 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-2285 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1905 dfn-cert: DFN-CERT-2025-1780 dfn-cert: DFN-CERT-2025-1384

Medium (CVSS: 5.0)
NVT: Apache Tomcat Multiple DoS Vulnerabilities (Mar 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.5.99 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 8.5.99, 9.0.86, 10.1.19, 11.0.0-M17 or later.
Affected Software/OS Apache Tomcat versions prior to 8.5.99, 9.0.0-M1 through 9.0.85, 10.x through 10.1.18 and 11.0.0-M1 through 11.0.0-M16. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 8.5.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: - CVE-2024-23672: WebSocket DoS with incomplete closing handshake - CVE-2024-24549: HTTP/2 header handling DoS
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple DoS Vulnerabilities (Mar 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.114428 Version used: 2024-12-19T10:35:34+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-23672 cve: CVE-2024-24549 url: https://lists.apache.org/thread/cm5wfx6tj4s7x0nxxosvfqs11lvdx2f url: https://lists.apache.org/thread/4c50rmomhbbsdgfjsgwlb51xdwfdcvjg url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M1 ↩7 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.19 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.86 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.99 url: https://nowotarski.info/http2-continuation-flood/ url: https://nowotarski.info/http2-continuation-flood-technical-details/ cert-bund: WID-SEC-2024-3663 cert-bund: WID-SEC-2024-3508 cert-bund: WID-SEC-2024-3377 cert-bund: WID-SEC-2024-3220 cert-bund: WID-SEC-2024-3219 cert-bund: WID-SEC-2024-3196 cert-bund: WID-SEC-2024-3195
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2024-3191
cert-bund: WID-SEC-2024-1656
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1638
cert-bund: WID-SEC-2024-1622
cert-bund: WID-SEC-2024-1238
cert-bund: WID-SEC-2024-1214
cert-bund: WID-SEC-2024-1210
cert-bund: WID-SEC-2024-0769
cert-bund: WID-SEC-2024-0630
dfn-cert: DFN-CERT-2025-1517
dfn-cert: DFN-CERT-2024-3096
dfn-cert: DFN-CERT-2024-3078
dfn-cert: DFN-CERT-2024-2743
dfn-cert: DFN-CERT-2024-1846
dfn-cert: DFN-CERT-2024-1372
dfn-cert: DFN-CERT-2024-1235
dfn-cert: DFN-CERT-2024-1036
dfn-cert: DFN-CERT-2024-1011
dfn-cert: DFN-CERT-2024-0723
dfn-cert: DFN-CERT-2024-0722
dfn-cert: DFN-CERT-2024-0697

Medium (CVSS: 5.0)
NVT: Apache Tomcat Multiple Vulnerabilities (Dec 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.98 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 9.0.98, 10.1.34, 11.0.2 or later. Vendor note: Users running Tomcat on a case insensitive file system with the default servlet write enabled (readonly initialisation parameter set to the non-default value of false) may need additional configuration to fully mitigate CVE-2024-50379 depending on which version of Java they are using with Tomcat: - running on Java 8 or Java 11: the system property sun.io.useCanonCaches must be explicitly set to false (it defaults to true) - running on Java 17: the system property sun.io.useCanonCaches, if set, must be set to false (it defaults to false) - running on Java 21 onwards: no further configuration is required (the system property and the problematic cache have been removed)
Affected Software/OS Apache Tomcat versions prior to 9.0.98, 10.x prior to 10.1.34 and 11.x prior to 11.0.2. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: - CVE-2024-50379: Remote code execution (RCE) via write-enabled default servlet - CVE-2024-54677: Denial of service (DoS) in examples web application - CVE-2024-56337: RCE via write-enabled default servlet - CVE-2024-50379 mitigation was incomplete
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple Vulnerabilities (Dec 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.114890 Version used: 2024-12-24T10:35:31+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-50379 cve: CVE-2024-54677 cve: CVE-2024-56337 url: https://lists.apache.org/thread/y6lj6q1xnp822g6ro70tn19sgtjmr80r url: https://lists.apache.org/thread/tdtbboxpg5trdwc2wnopcth9ccvdfqtq2n url: https://lists.apache.org/thread/b2b9qrgjrzkvo4ym8y2wkfdvwoq6qbp url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.2 ... continues on next page ...

...continued from previous page ...
url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.34
url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.98
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0819
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0808
cert-bund: WID-SEC-2025-0719
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2024-3744
cert-bund: WID-SEC-2024-3722
dfn-cert: DFN-CERT-2025-2285
dfn-cert: DFN-CERT-2025-2098
dfn-cert: DFN-CERT-2025-1991
dfn-cert: DFN-CERT-2025-1923
dfn-cert: DFN-CERT-2025-1181
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0890
dfn-cert: DFN-CERT-2025-0888
dfn-cert: DFN-CERT-2025-0766
dfn-cert: DFN-CERT-2025-0528
dfn-cert: DFN-CERT-2025-0509
dfn-cert: DFN-CERT-2025-0444
dfn-cert: DFN-CERT-2025-0146
dfn-cert: DFN-CERT-2025-0138
dfn-cert: DFN-CERT-2025-0134
dfn-cert: DFN-CERT-2025-0036
dfn-cert: DFN-CERT-2024-3364

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following URLs requires Basic Authentication (URL:realm name): http://192.168.56.6:8282/host-manager/html:"Tomcat Host Manager Application" http://192.168.56.6:8282/manager/html:"Tomcat Manager Application" http://192.168.56.6:8282/manager/status:"Tomcat Manager Application"
Impact ... continues on next page ...

...continued from previous page ...
An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth) - HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T10:35:21+05:30
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html
Medium (CVSS: 4.3) NVT: Apache Tomcat Open Redirect Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary When the default servlet in Apache Tomcat returned a redirect to a directory (e.g. redirecting to '/foo/' when the user requested '/foo') a specially crafted URL could be used to cause the redirect to be generated to any URI of the attackers choice.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.5.34 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 7.0.91, 8.5.34, 9.0.12 or later.
Affected Software/OS Apache Tomcat 9.0.0.M1-9.0.11, 8.5.0-8.5.33, 7.0.23-7.0.90 and probably 8.0.x.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Open Redirect Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.141569 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-11784 url: http://tomcat.apache.org/security-9.html url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html cert-bund: WID-SEC-2025-1212 cert-bund: WID-SEC-2024-1682 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2023-0531 cert-bund: WID-SEC-2023-0460 cert-bund: CB-K20/0029 cert-bund: CB-K19/1121 cert-bund: CB-K19/0907 cert-bund: CB-K19/0616 cert-bund: CB-K19/0320 cert-bund: CB-K19/0050 cert-bund: CB-K18/0963 dfn-cert: DFN-CERT-2019-2710 dfn-cert: DFN-CERT-2019-2159
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2019-1562
dfn-cert: DFN-CERT-2019-1237
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0147
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2018-2435
dfn-cert: DFN-CERT-2018-2165
dfn-cert: DFN-CERT-2018-2142
dfn-cert: DFN-CERT-2018-2000

Medium (CVSS: 4.3)
NVT: Apache Tomcat Information Disclosure Vulnerability (Mar 2023) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.5.86 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 8.5.86, 9.0.72, 10.1.6, 11.0.0-M3 or later.
Affected Software/OS Apache Tomcat versions through 8.5.85, 9.0.0-M1 through 9.0.71, 10.x through 10.1.5 and 11.0.0-M1 through 11.0.0-M2.
Vulnerability Insight When using the RemoteIpFilter with requests received from a reverse proxy via HTTP that include the X-Forwarded-Proto header set to https, session cookies created by Tomcat did not include the secure attribute. This could result in the user agent transmitting the session cookie over an insecure channel.
... continues on next page ...

...continued from previous page...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Apache Tomcat Information Disclosure Vulnerability (Mar 2023) - Windows

OID: 1.3.6.1.4.1.25623.1.0.104654

Version used: 2024-06-07T10:35:42+05:30

Product Detection Result

Product: cpe:/a:apache:tomcat:8.0.33

Method: Apache Tomcat Detection Consolidation

OID: 1.3.6.1.4.1.25623.1.0.107652)

References

cve: CVE-2023-28708

url: <https://lists.apache.org/thread/hdksc59z3s7tm39x0pp33mtwdrt8qr67>url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M3url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.6url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.72url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.86

cert-bund: WID-SEC-2024-1238

cert-bund: WID-SEC-2024-0528

cert-bund: WID-SEC-2023-2674

cert-bund: WID-SEC-2023-1812

cert-bund: WID-SEC-2023-1808

cert-bund: WID-SEC-2023-1784

cert-bund: WID-SEC-2023-1783

cert-bund: WID-SEC-2023-1782

cert-bund: WID-SEC-2023-1424

cert-bund: WID-SEC-2023-1021

cert-bund: WID-SEC-2023-1017

cert-bund: WID-SEC-2023-0717

dfn-cert: DFN-CERT-2025-1517

dfn-cert: DFN-CERT-2024-3078

dfn-cert: DFN-CERT-2023-2778

dfn-cert: DFN-CERT-2023-2545

dfn-cert: DFN-CERT-2023-2054

dfn-cert: DFN-CERT-2023-0772

dfn-cert: DFN-CERT-2023-0763

dfn-cert: DFN-CERT-2023-0640

[\[return to 192.168.56.6 \]](#)**2.2.43 Medium 3389/tcp**

Medium (CVSS: 5.9)
NVT: SSL/TLS: Report Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA
Impact This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed weak cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services providing an encrypted communication using weak SSL/TLS cipher suites.
Vulnerability Insight These rules are applied for the evaluation of the cryptographic strength: - RC4 is considered to be weak (CVE-2013-2566, CVE-2015-2808) - Ciphers using 64 bit or less are considered to be vulnerable to brute force methods and therefore considered as weak (CVE-2015-4000) - 1024 bit RSA authentication is considered to be insecure and therefore as weak - Any cipher considered to be secure for only the next 10 years is considered as medium - Any other cipher is considered as strong
Vulnerability Detection Method Checks previous collected cipher suites.
... continues on next page ...

...continued from previous page ...
NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher suites on port 25/tcp is reported. If too strong cipher suites are configured for this service the alternative would be to fall back to an even more insecure cleartext communication. Details: SSL/TLS: Report Weak Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.103440 Version used: 2025-03-27T11:08:50+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2013-2566 cve: CVE-2015-2808 cve: CVE-2015-4000 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch0eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters0-report-2014 cert-bund: WID-SEC-2026-0180 cert-bund: CB-K21/0067 cert-bund: CB-K19/0812 cert-bund: CB-K17/1750 cert-bund: CB-K16/1593 cert-bund: CB-K16/1552 cert-bund: CB-K16/1102 cert-bund: CB-K16/0617 cert-bund: CB-K16/0599 cert-bund: CB-K16/0168 cert-bund: CB-K16/0121 cert-bund: CB-K16/0090 cert-bund: CB-K16/0030 cert-bund: CB-K15/1751 cert-bund: CB-K15/1591 cert-bund: CB-K15/1550 cert-bund: CB-K15/1517 cert-bund: CB-K15/1514
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/1464
cert-bund: CB-K15/1442
cert-bund: CB-K15/1334
cert-bund: CB-K15/1269
cert-bund: CB-K15/1136
cert-bund: CB-K15/1090
cert-bund: CB-K15/1059
cert-bund: CB-K15/1022
cert-bund: CB-K15/1015
cert-bund: CB-K15/0986
cert-bund: CB-K15/0964
cert-bund: CB-K15/0962
cert-bund: CB-K15/0932
cert-bund: CB-K15/0927
cert-bund: CB-K15/0926
cert-bund: CB-K15/0907
cert-bund: CB-K15/0901
cert-bund: CB-K15/0896
cert-bund: CB-K15/0889
cert-bund: CB-K15/0877
cert-bund: CB-K15/0850
cert-bund: CB-K15/0849
cert-bund: CB-K15/0834
cert-bund: CB-K15/0827
cert-bund: CB-K15/0802
cert-bund: CB-K15/0764
cert-bund: CB-K15/0733
cert-bund: CB-K15/0667
cert-bund: CB-K14/0935
cert-bund: CB-K13/0942
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2020-1561
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1648
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0665
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0184
dfn-cert: DFN-CERT-2016-0135
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1632

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1518
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1341
dfn-cert: DFN-CERT-2015-1194
dfn-cert: DFN-CERT-2015-1144
dfn-cert: DFN-CERT-2015-1113
dfn-cert: DFN-CERT-2015-1078
dfn-cert: DFN-CERT-2015-1067
dfn-cert: DFN-CERT-2015-1038
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-1012
dfn-cert: DFN-CERT-2015-0980
dfn-cert: DFN-CERT-2015-0977
dfn-cert: DFN-CERT-2015-0976
dfn-cert: DFN-CERT-2015-0960
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0944
dfn-cert: DFN-CERT-2015-0937
dfn-cert: DFN-CERT-2015-0925
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0881
dfn-cert: DFN-CERT-2015-0879
dfn-cert: DFN-CERT-2015-0866
dfn-cert: DFN-CERT-2015-0844
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0737
dfn-cert: DFN-CERT-2015-0696
dfn-cert: DFN-CERT-2014-0977

```

Medium (CVSS: 4.3)

NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection

Product detection result

cpe:/a:ietf:transport_layer_security:1.0

Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)

Summary

It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.

Quality of Detection (QoD): 98%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result The service is only providing the deprecated TLSv1.0 protocol and supports one o ↪r more ciphers. Those supported ciphers can be found in the 'SSL/TLS: Report S ↪upported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928
... continues on next page ...

...continued from previous page...

cve: CVE-2024-41270
 cve: CVE-2025-3200
 url: <https://ssl-config.mozilla.org>
 url: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html>
 url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html
 url: <https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html>
 url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
 url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>
 url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters0-report-2014>
 url: <https://datatracker.ietf.org/doc/rfc8996/>
 url: <https://vnhacker.blogspot.com/2011/09/beast.html>
 url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>
 url: <https://certvde.com/en/advisories/VDE-2025-031/>
 url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>
 url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>
 cert-bund: WID-SEC-2026-0180
 cert-bund: WID-SEC-2023-1435
 cert-bund: CB-K18/0799
 cert-bund: CB-K16/1289
 cert-bund: CB-K16/1096
 cert-bund: CB-K15/1751
 cert-bund: CB-K15/1266
 cert-bund: CB-K15/0850
 cert-bund: CB-K15/0764
 cert-bund: CB-K15/0720
 cert-bund: CB-K15/0548
 cert-bund: CB-K15/0526
 cert-bund: CB-K15/0509
 cert-bund: CB-K15/0493
 cert-bund: CB-K15/0384
 cert-bund: CB-K15/0365
 cert-bund: CB-K15/0364
 cert-bund: CB-K15/0302
 cert-bund: CB-K15/0192
 cert-bund: CB-K15/0079
 cert-bund: CB-K15/0016
 cert-bund: CB-K14/1342
 cert-bund: CB-K14/0231
 cert-bund: CB-K13/0845
 cert-bund: CB-K13/0796
 cert-bund: CB-K13/0790
 dfn-cert: DFN-CERT-2020-0177

...continues on next page...

...continued from previous page ...

dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

[\[return to 192.168.56.6 \]](#)**2.2.44 Low general/icmp**

Low (CVSS: 2.1)

NVT: ICMP Timestamp Reply Information Disclosure

Summary

The remote host responded to an ICMP timestamp request.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following response / ICMP packet has been received:

- ICMP Type: 14
- ICMP Code: 0

... continues on next page ...

...continued from previous page ...
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.
Vulnerability Detection Method Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received. Details: ICMP Timestamp Reply Information Disclosure OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-1999-0524 url: https://datatracker.ietf.org/doc/html/rfc792 url: https://datatracker.ietf.org/doc/html/rfc2780 cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.56.6 \]](#)

2.2.45 Low 9200/tcp

Low (CVSS: 3.1)
NVT: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2020-13)
Summary Elasticsearch is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.13 Installation path / port: /
Impact This could result in the search disclosing the existence of documents the attacker should not be able to view. This could result in an attacker gaining additional insight into potentially sensitive indices.
Solution: Solution type: VendorFix Update to version 6.8.13, 7.9.2 or later.
Affected Software/OS Elasticsearch versions before 6.8.13 and 7.x before 7.9.2.
Vulnerability Insight A document disclosure flaw was found in Elasticsearch when Document or Field Level Security is used. Search queries do not properly preserve security permissions when executing certain complex queries.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2020-13) OID:1.3.6.1.4.1.25623.1.0.117181 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2020-7020 url: https://discuss.elastic.co/t/elastic-stack-7-9-3-and-6-8-13-security-update/253033 url: https://www.elastic.co/community/security cert-bund: WID-SEC-2022-0607 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2022-1530

[\[return to 192.168.56.6 \]](#)

2.2.46 Low general/tcp

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure
Summary The remote host implements TCP timestamps and therefore allows to compute the uptime.
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was detected that the host implements RFC1323/RFC7323. The following timestamps were retrieved with a delay of 1 seconds in-between: Packet 1: 97000 Packet 2: 97109
Impact A side effect of this feature is that the uptime of the remote host can sometimes be computed.
Solution: Solution type: Mitigation To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime. To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment. See the references for more information.
Affected Software/OS TCP implementations that implement RFC1323/RFC7323.
Vulnerability Insight The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.
Vulnerability Detection Method Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported. Details: TCP Timestamps Information Disclosure OID:1.3.6.1.4.1.25623.1.0.80091 Version used: 2023-12-15T21:40:08+05:30
References url: https://datatracker.ietf.org/doc/html/rfc1323 url: https://datatracker.ietf.org/doc/html/rfc7323 url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/d ... continues on next page ...

...continued from previous page ...

↩download/details.aspx?id=9152

url: <https://www.fortiguard.com/psirt/FG-IR-16-090>[\[return to 192.168.56.6 \]](#)**2.2.47 Low 49261/tcp**

Low (CVSS: 2.6)

NVT: Weak MAC Algorithm(s) Supported (SSH)

Product detection result

cpe:/a:ietf:secure_shell_protocol

Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565
↩)**Summary**

The remote SSH server is configured to allow / support weak MAC algorithm(s).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**The remote SSH server supports the following weak client-to-server MAC algorithm
↩(s):

hmac-md5

hmac-md5-96

hmac-sha1-96

The remote SSH server supports the following weak server-to-client MAC algorithm
↩(s):

hmac-md5

hmac-md5-96

hmac-sha1-96

Solution:**Solution type:** Mitigation

Disable the reported weak MAC algorithm(s).

Vulnerability Detection Method

Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server.

Currently weak MAC algorithms are defined as the following:

- MD5 based algorithms
- 96-bit based algorithms

... continues on next page ...

...continued from previous page ...
- 64-bit based algorithms - 'none' algorithm Details: Weak MAC Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105610 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc6668 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4

[\[return to 192.168.56.6 \]](#)

2.2.48 Low 8585/tcp

Low (CVSS: 3.6)
NVT: PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Windows
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)
Summary PHP is prone to a denial of service (DoS) vulnerability in the phar_parse_zipfile function.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.3.10 Fixed version: 7.2.33 Installation path / port: 8585/tcp
Solution: Solution type: VendorFix Update to version 7.2.33, 7.3.21, 7.4.9 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS PHP versions prior 7.2.33, 7.3 prior 7.3.21 and 7.4 prior to 7.4.9.
Vulnerability Insight The phar_parse_zipfile function had use-after-free vulnerability because of mishandling of the actual_alias variable.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: PHP < 7.2.33, 7.3 < 7.3.21, 7.4 < 7.4.9 DoS Vulnerability (Aug 2020) - Windows OID:1.3.6.1.4.1.25623.1.0.144366 Version used: 2025-09-24T11:09:03+05:30
Product Detection Result Product: cpe:/a:php:php:5.3.10 Method: PHP Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.171722)
References cve: CVE-2020-7068 url: https://www.php.net/ChangeLog-7.php#7.2.33 url: https://www.php.net/ChangeLog-7.php#7.3.21 url: https://www.php.net/ChangeLog-7.php#7.4.9 cert-bund: WID-SEC-2022-2116 cert-bund: CB-K20/0788 dfn-cert: DFN-CERT-2022-2639 dfn-cert: DFN-CERT-2022-2638 dfn-cert: DFN-CERT-2021-2373 dfn-cert: DFN-CERT-2021-1645 dfn-cert: DFN-CERT-2021-1453 dfn-cert: DFN-CERT-2021-0380 dfn-cert: DFN-CERT-2020-1910 dfn-cert: DFN-CERT-2020-1732

Low (CVSS: 2.6)
NVT: WordPress Information Disclosure Vulnerability (Jul 2025) - Windows
Summary WordPress is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 4.6.1
...continues on next page ...

...continued from previous page ...	
Fixed version:	None
Installation path / port:	/wordpress
Solution: Solution type: NoneAvailable No known solution is available as of 23rd July, 2025. Information regarding this issue will be updated once solution details are available.	
Affected Software/OS WordPress versions 3.5.x through 6.8.2.	
Vulnerability Insight WordPress allows remote attackers to guess titles of private and draft posts via pingback.ping XML-RPC requests. NOTE: The vendor is not changing this behavior.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: WordPress Information Disclosure Vulnerability (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.128168 Version used: 2025-09-22T12:38:28+05:30	
References cve: CVE-2025-54352 url: https://github.com/advisories/GHSA-585c-5qcq-7fgc url: https://www.imperva.com/blog/beware-a-threat-actor-could-steal-the-titles-of-your-private-and-draft-wordpress-posts/ cert-bund: WID-SEC-2025-1612	

Low (CVSS: 2.6)	
NVT: PHP < 5.3.14, 5.4.x < 5.4.4 DoS Vulnerability - Windows	
Product detection result cpe:/a:php:php:5.3.10 Detected by PHP Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.171722)	
Summary PHP is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
... continues on next page ...	

...continued from previous page...	
Installed version:	5.3.10
Fixed version:	5.3.14
Installation	
path / port:	8585/tcp
Impact	
Successful exploitation could allow remote attackers to cause a denial of service condition.	
Solution:	
Solution type: VendorFix	
Update to version 5.3.14, 5.4.4 or later.	
Affected Software/OS	
PHP prior to version 5.3.14 and 5.4.x prior to 5.4.4 on Windows.	
Vulnerability Insight	
The flaw is due to an error in the PDO extension in pdo_sql_parser.re file, which fails to determine the end of the query string during parsing of prepared statements.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: PHP < 5.3.14, 5.4.x < 5.4.4 DoS Vulnerability - Windows	
OID:1.3.6.1.4.1.25623.1.0.802670	
Version used: 2025-09-24T11:09:03+05:30	
Product Detection Result	
Product: cpe:/a:php:php:5.3.10	
Method: PHP Detection Consolidation	
OID: 1.3.6.1.4.1.25623.1.0.171722)	
References	
cve: CVE-2012-3450	
url: http://seclists.org/bugtraq/2012/Jun/60	
url: http://www.securityfocus.com/bid/54777	
url: http://www.php.net/ChangeLog-5.php	
url: https://bugs.php.net/bug.php?id=61755	
url: https://bugzilla.novell.com/show_bug.cgi?id=769785	
dfn-cert: DFN-CERT-2012-1654	
dfn-cert: DFN-CERT-2012-1560	

[\[return to 192.168.56.6 \]](#)

2.2.49 Low 3306/tcp

Low (CVSS: 3.7)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpu-jul2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.
Vulnerability Insight An unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Connection' sub-component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (.↵.. OID:1.3.6.1.4.1.25623.1.0.808593 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...	
OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2016-5444 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMySQL url: http://www.securityfocus.com/bid/91987 advisory-id: cpujul2016 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169	
Low (CVSS: 3.7) NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (cpu-jul2016) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
Summary Oracle MySQL Server is prone to an unspecified vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp	
Impact Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.	
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.	
Affected Software/OS Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.10.	
... continues on next page ...	

...continued from previous page ...
Vulnerability Insight An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Security Encryption' sub-component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.808594 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3452 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/91999 advisory-id: cpujul2016 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169

Low (CVSS: 3.5)
NVT: Oracle MySQL Unspecified Vulnerability-04 (Jul 2015)
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation
... continues on next page ...

...continued from previous page...	
path / port:	3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause denial of service attack.	
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.	
Affected Software/OS Oracle MySQL Server 5.5.42 and earlier, and 5.6.23 and earlier on Windows.	
Vulnerability Insight Unspecified error exists in the MySQL Server component via unknown vectors related to Server : Optimizer.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Unspecified Vulnerability-04 (Jul 2015) OID:1.3.6.1.4.1.25623.1.0.805931 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2015-4757 url: http://www.oracle.com/technetwork/topics/security/cpujul2015-2367936.html url: http://www.securityfocus.com/bid/75759 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193 cert-bund: CB-K15/1045 cert-bund: CB-K15/1020 dfn-cert: DFN-CERT-2015-1272 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1096 dfn-cert: DFN-CERT-2015-1071	

Low (CVSS: 3.5)
NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-07 (Oct 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect integrity via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.43 and earlier, and 5.6.24 and earlier on windows
Vulnerability Insight Unspecified error exists in the MySQL Server component via unknown vectors related to Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-07 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805770 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2015-4864

url: <http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html>url: <http://www.securityfocus.com/bid/77187>

cert-bund: WID-SEC-2024-1483

cert-bund: CB-K16/0245

cert-bund: CB-K15/1844

cert-bund: CB-K15/1554

dfn-cert: DFN-CERT-2016-0265

dfn-cert: DFN-CERT-2015-1946

dfn-cert: DFN-CERT-2015-1638

Low (CVSS: 3.5)

NVT: Oracle MySQL Server Multiple Vulnerabilities - 05 - (Nov 2012) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Impact

Successful exploitation will allow an attacker to disclose potentially sensitive information and manipulate certain data.

Solution:**Solution type:** VendorFix

Apply the patch from the linked references or upgrade to latest version.

Affected Software/OS

Oracle MySQL version 5.5.x to 5.5.25 on Windows.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The flaw is due to unspecified error in MySQL server component vectors server.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 05 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803115 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3156 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56013 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1

Low (CVSS: 2.8)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 06 (Jan 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.5.34 and earlier, and 5.6.14 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Replication.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 06 (Jan 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804077 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-0420 url: http://secunia.com/advisories/56491 url: http://www.securityfocus.com/bid/64888 url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html cert-bund: CB-K14/0710 cert-bund: CB-K14/0187 cert-bund: CB-K14/0082 cert-bund: CB-K14/0074 cert-bund: CB-K14/0055 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0190 dfn-cert: DFN-CERT-2014-0085 dfn-cert: DFN-CERT-2014-0074 dfn-cert: DFN-CERT-2014-0048

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...	
Summary	Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD):	80%
Vulnerability Detection Result	Installed version: 5.5.20 Fixed version: 5.7.41 Installation path / port: 3306/tcp
Solution:	Solution type: VendorFix Update to version 5.7.41, 8.0.32 or later.
Affected Software/OS	Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149532 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2023-21963 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-1033 dfn-cert: DFN-CERT-2023-0885

Low (CVSS: 2.7)	
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Windows	
Product detection result	cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...	

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.45 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.45, 5.7.19 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.44 and prior and 5.7 through 5.7.18.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Wi. ↳.. OID:1.3.6.1.4.1.25623.1.0.142643 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2730 url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL advisory-id: cpujul2019 cert-bund: CB-K19/0620 dfn-cert: DFN-CERT-2019-2169 dfn-cert: DFN-CERT-2019-1453

Low (CVSS: 1.5)
NVT: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.9 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.31 Installation path / port: 3306/tcp
Impact Successful exploitation will allow local users to affect availability.
Solution: Solution type: VendorFix Update to version 5.5.31, 5.6.10 or later.
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.30 and 5.6 through 5.6.9.
Vulnerability Insight An unspecified error exists in the MySQL Server component via unknown vectors related to Server Partition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.9 Security Update (cpuapr2013) -.↵.. OID:1.3.6.1.4.1.25623.1.0.809813 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-1502 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59239 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0882 dfn-cert: DFN-CERT-2013-0798

[\[return to 192.168.56.6 \]](#)

2.2.50 Low 22/tcp

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to allow / support weak MAC algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server MAC algorithm ↪(s): umac-64-etm@openssh.com umac-64@openssh.com The remote SSH server supports the following weak server-to-client MAC algorithm ↪(s): umac-64-etm@openssh.com umac-64@openssh.com
Solution: Solution type: Mitigation Disable the reported weak MAC algorithm(s).
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak MAC algorithms are defined as the following: - MD5 based algorithms - 96-bit based algorithms - 64-bit based algorithms - 'none' algorithm Details: Weak MAC Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105610 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc6668 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4

[\[return to 192.168.56.6 \]](#)

2.2.51 Log 445/tcp

Log (CVSS: 0.0) NVT: SMB Remote Version Detection
Summary Detection of Server Message Block(SMB). This script sends SMB Negotiation request and try to get the version from the response.
Quality of Detection (QoD): 80%
Vulnerability Detection Result SMBv1 and SMBv2 are enabled on remote target
Solution:
Log Method Details: SMB Remote Version Detection OID:1.3.6.1.4.1.25623.1.0.807830
... continues on next page ...

...continued from previous page ...
Version used: 2023-07-26T10:35:09+05:30

Log (CVSS: 0.0)
NVT: SMBv1 Enabled - Active Check
Summary The host has enabled SMBv1 for the SMB Server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result SMBv1 is enabled for the SMB Server
Solution:
Log Method Checks if SMBv1 is enabled for the SMB Server based on the information provided by the following VT: - SMB Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.807830). Details: SMBv1 Enabled - Active Check OID:1.3.6.1.4.1.25623.1.0.140151 Version used: 2024-01-09T10:36:46+05:30
References url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-Practices url: https://support.microsoft.com/en-us/kb/2696547 url: https://support.microsoft.com/en-us/kb/204279

Log (CVSS: 0.0)
NVT: SMB NativeLanMan
Summary It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.
Quality of Detection (QoD): 95%
Vulnerability Detection Result Detected SMB workgroup: WORKGROUP Detected SMB server: Windows Server 2008 R2 Standard 6.1
... continues on next page ...

...continued from previous page ...
Detected OS: Windows Server 2008 R2 Standard 7601 Service Pack 1
Solution:
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A CIFS server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.2.52 Log 8080/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: GlassFish Server Open Source Edition 4.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ↪----- http://192.168.56.6:8080/ GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS (obtained via HTTP OPTIONS method)
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer:
... continues on next page ...

...continued from previous page ...
- This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner ↪ Enumeration technique ----- ↪----- Server: GlassFish Server Open Source Edition 4.0 ↪ Valid HTTP 0.9 GET request to '/index.html' X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) ↪va/Oracle Corporation/1.8 Valid HTTP 0.9 GET request to '/index.html'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: Eclipse GlassFish Detection (HTTP)
Summary HTTP based detection of Eclipse GlassFish.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Eclipse GlassFish Version: 4.0 Location: / CPE: cpe:/a:eclipse:glassfish:4.0 Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: http://192.168.56.6:8080/index.html
Solution:
Log Method Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Missing Headers More Information ----- ↩----- ↩----- Content-Security-Policy https://owasp.org/www-project-secure-headers ↩/content-security-policy Cross-Origin-Embedder-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↩e: This is an upcoming header Cross-Origin-Opener-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↩e: This is an upcoming header
... continues on next page ...

...continued from previous page...	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Note: This is an upcoming header
Document-Policy	https://w3c.github.io/webappsec-feature-policy/document-policy-http-header
Feature-Policy	https://owasp.org/www-project-secure-headers/#feature-policy , Note: The Feature Policy header has been renamed to Permissions Policy
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy/permissions-policy-http-header-field
Referrer-Policy	https://owasp.org/www-project-secure-headers/#referrer-policy
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
X-Content-Type-Options	https://owasp.org/www-project-secure-headers/#x-content-type-options
X-Frame-Options	https://owasp.org/www-project-secure-headers/#x-frame-options
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies
X-XSS-Protection	https://owasp.org/www-project-secure-headers/#x-xss-protection , Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

http://192.168.56.6:8080/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

Solution:

Log Method

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-02-24T11:27:09+05:30

... continues on next page ...

...continued from previous page ...

Referencesurl: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A web server is running on this port

Solution:**Vulnerability Insight**

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

Details: Services

OID:1.3.6.1.4.1.25623.1.0.10330

Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)**2.2.53 Log 49152/tcp**

Log (CVSS: 5.0)

NVT: DCE/RPC and MSRPC Services Enumeration Reporting

Summary

Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result The following DCE/RPC or MSRPC services are running on this port: UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49152]
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T11:10:08+05:30

[\[return to 192.168.56.6 \]](#)

2.2.54 Log 7676/tcp

Log (CVSS: 0.0)
NVT: Service Detection (3 ASCII digit codes like FTP, SMTP, NNTP...)
Summary This plugin performs service detection.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result A Message Queue broker is running at this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It attempts to identify services that return 3 ASCII digit codes (ie: FTP, SMTP, NNTP, ...).
Log Method Details: Service Detection (3 ASCII digit codes like FTP, SMTP, NNTP...) OID:1.3.6.1.4.1.25623.1.0.14773 Version used: 2023-06-14T10:35:19+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 192.168.56.6 \]](#)

2.2.55 Log 8484/tcp

Log (CVSS: 0.0)										
NVT: HTTP Server Banner Enumeration										
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).										
Quality of Detection (QoD): 80%										
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): <table><thead><tr><th>Server banner</th><th>Enumeration technique</th></tr></thead><tbody><tr><td colspan="2">-----</td></tr><tr><td colspan="2">↪-----</td></tr><tr><td colspan="2">Server: Jetty(winstone-2.8) Invalid HTTP 00.5 GET request (non-existent HTTP v</td></tr><tr><td colspan="2">↪ersion) to '/'</td></tr></tbody></table>	Server banner	Enumeration technique	-----		↪-----		Server: Jetty(winstone-2.8) Invalid HTTP 00.5 GET request (non-existent HTTP v		↪ersion) to '/'	
Server banner	Enumeration technique									

↪-----										
Server: Jetty(winstone-2.8) Invalid HTTP 00.5 GET request (non-existent HTTP v										
↪ersion) to '/'										
Solution:										
... continues on next page ...										

...continued from previous page...
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30
Log (CVSS: 0.0) NVT: 'favicon.ico' Based Fingerprinting (HTTP)
Summary HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following apps/services were identified: "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/assets/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/e32caec8/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/link/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/mdi/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/nbextensions/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/polyfills/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/public/favicon.ico" "Jenkins" fingerprinted by the file: "http://192.168.56.6:8484/static/translations/favicon.ico"
Solution:
Log Method Details: 'favicon.ico' Based Fingerprinting (HTTP) OID:1.3.6.1.4.1.25623.1.0.20108 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Header Name | Header Value

X-Content-Type-Options | nosniff

X-Frame-Options | sameorigin

Missing Headers | More Information

↪-----

↪-----

Content-Security-Policy | <https://owasp.org/www-project-secure-headers>

↪/#content-security-policy

Cross-Origin-Embedder-Policy | <https://scotthelme.co.uk/coop-and-coep/>, Not

↪e: This is an upcoming header

Cross-Origin-Opener-Policy | <https://scotthelme.co.uk/coop-and-coep/>, Not

↪e: This is an upcoming header

Cross-Origin-Resource-Policy | <https://scotthelme.co.uk/coop-and-coep/>, Not

↪e: This is an upcoming header

Document-Policy | [https://w3c.github.io/webappsec-feature-policy-](https://w3c.github.io/webappsec-feature-policy/)

↪cy/document-policy#document-policy-http-header

Feature-Policy | <https://owasp.org/www-project-secure-headers>

↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi

↪ons Policy

Permissions-Policy | [https://w3c.github.io/webappsec-feature-policy-](https://w3c.github.io/webappsec-feature-policy/)

↪cy/#permissions-policy-http-header-field

Referrer-Policy | <https://owasp.org/www-project-secure-headers>

↪/#referrer-policy

Sec-Fetch-Dest | <https://developer.mozilla.org/en-US/docs/Web>

↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

↪rted only in newer browsers like e.g. Firefox 90

Sec-Fetch-Mode | <https://developer.mozilla.org/en-US/docs/Web>

↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

↪rted only in newer browsers like e.g. Firefox 90

Sec-Fetch-Site | <https://developer.mozilla.org/en-US/docs/Web>

↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

↪rted only in newer browsers like e.g. Firefox 90

Sec-Fetch-User | <https://developer.mozilla.org/en-US/docs/Web>

↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

... continues on next page ...

...continued from previous page ...
↳rted only in newer browsers like e.g. Firefox 90 X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: Mort Bay / Eclipse Jetty Detection (HTTP)
Summary HTTP based detection of Mort Bay / Eclipse Jetty.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Mort Bay / Eclipse Jetty Version: unknown Location: 8484/tcp CPE: cpe:/a:eclipse:jetty Concluded from version/product identification result: Server: Jetty(winstone-2.8)
Solution:
Log Method Details: Mort Bay / Eclipse Jetty Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.800953 Version used: 2026-03-10T15:45:11+05:30
References ... continues on next page ...

...continued from previous page ...
url: https://www.eclipse.org/jetty/

Log (CVSS: 0.0)
NVT: robot.txt / robots.txt exists on the Web Server (HTTP)
Summary Web Servers can use a file called /robot(s).txt to ask search engines to ignore certain files and directories. By nature this file can not be used to protect private files from public read access.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The file 'http://192.168.56.6:8484/robots.txt' contains the following: # we don't want robots to click "build" links User-agent: * Disallow: /
Solution: Solution type: Mitigation Review the content of the /robot(s).txt file and consider removing the files from the server or protect them in other ways in case you actually intended non-public availability.
Vulnerability Insight Any serious web search engine will honor the /robot(s).txt file and not scan the files and directories listed there. Any entries listed in this file are not even hidden anymore.
Log Method Details: robot.txt / robots.txt exists on the Web Server (HTTP) OID:1.3.6.1.4.1.25623.1.0.10302 Version used: 2024-02-26T20:06:40+05:30
References url: https://www.robotstxt.org/ url: https://www.robotstxt.org/norobots-rfc.txt

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary
... continues on next page ...

...continued from previous page ...

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

A possible recursion was detected during web application scanning:

The service is using a relative URL in one or more HTML references where e.g. /file1.html contains and a subsequent request for subdir/file2.html is linking to subdir/file2.html. This would resolve to subdir/subdir/file2.html causing a recursion. To work around this counter-measures have been enabled but the service should be fixed as well to not use problematic links. Below an excerpt of URLs is shown to help identify those issues.

Syntax : URL (HTML link)

http://192.168.56.6:8484/api/.. (api/)

http://192.168.56.6:8484/api/editDescription (api/)

http://192.168.56.6:8484/asynchPeople/ (api/)

http://192.168.56.6:8484/computer/ (api/)

http://192.168.56.6:8484/computer/(master)/ (api/)

The following directories were used for web application scanning:

http://192.168.56.6:8484/

http://192.168.56.6:8484/about

http://192.168.56.6:8484/administrativeMonitor/OldData

...continues on next page ...

...continued from previous page...

```

http://192.168.56.6:8484/administrativeMonitor/hudson.diagnosis.ReverseProxySetu
↪pMonitor
http://192.168.56.6:8484/administrativeMonitor/jenkins.diagnostics.SecurityIsOff
↪Monitor
http://192.168.56.6:8484/api
http://192.168.56.6:8484/api/json
http://192.168.56.6:8484/api/json/nfausers
http://192.168.56.6:8484/api/search
http://192.168.56.6:8484/asynchPeople
http://192.168.56.6:8484/asynchPeople/api
http://192.168.56.6:8484/computer
http://192.168.56.6:8484/computer/(master)
http://192.168.56.6:8484/computer/(master)/loadStatistics
http://192.168.56.6:8484/computer/(master)/search
http://192.168.56.6:8484/computer/search
http://192.168.56.6:8484/install
http://192.168.56.6:8484/log
http://192.168.56.6:8484/overallLoad
http://192.168.56.6:8484/overallLoad/api
http://192.168.56.6:8484/overallLoad/api/search
http://192.168.56.6:8484/queue/api
http://192.168.56.6:8484/queue/api/search
http://192.168.56.6:8484/script
http://192.168.56.6:8484/search
http://192.168.56.6:8484/static/assets
http://192.168.56.6:8484/static/e32caec8
http://192.168.56.6:8484/static/e32caec8/plugin/translation
http://192.168.56.6:8484/static/e32caec8/scripts
http://192.168.56.6:8484/static/e32caec8/scripts/yui/animation
http://192.168.56.6:8484/static/e32caec8/scripts/yui/autocomplete
http://192.168.56.6:8484/static/e32caec8/scripts/yui/button
http://192.168.56.6:8484/static/e32caec8/scripts/yui/connection
http://192.168.56.6:8484/static/e32caec8/scripts/yui/container
http://192.168.56.6:8484/static/e32caec8/scripts/yui/container/assets
http://192.168.56.6:8484/static/e32caec8/scripts/yui/cookie
http://192.168.56.6:8484/static/e32caec8/scripts/yui/datasource
http://192.168.56.6:8484/static/e32caec8/scripts/yui/dom
http://192.168.56.6:8484/static/e32caec8/scripts/yui/dragdrop
http://192.168.56.6:8484/static/e32caec8/scripts/yui/element
http://192.168.56.6:8484/static/e32caec8/scripts/yui/event
http://192.168.56.6:8484/static/e32caec8/scripts/yui/menu
http://192.168.56.6:8484/static/e32caec8/scripts/yui/resize
http://192.168.56.6:8484/static/e32caec8/scripts/yui/storage
http://192.168.56.6:8484/static/e32caec8/scripts/yui/yahoo
http://192.168.56.6:8484/static/link
http://192.168.56.6:8484/static/mdi
http://192.168.56.6:8484/static/nbextensions

```

...continues on next page...

...continued from previous page...

```

http://192.168.56.6:8484/static/polyfills
http://192.168.56.6:8484/static/public
http://192.168.56.6:8484/static/translations
http://192.168.56.6:8484/view/All
http://192.168.56.6:8484/view/All/search
http://192.168.56.6:8484/whoAmI
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://192.168.56.6:8484/adjuncts/e32caec8/org/kohsuke/stapler/codemirror/theme
http://192.168.56.6:8484/adjuncts/e32caec8/org/kohsuke/stapler/simile/timeline_a
↪jax/styles
http://192.168.56.6:8484/images
http://192.168.56.6:8484/static/css
http://192.168.56.6:8484/static/e32caec8/css
http://192.168.56.6:8484/static/e32caec8/images
http://192.168.56.6:8484/static/e32caec8/images/16x16
http://192.168.56.6:8484/static/e32caec8/images/24x24
http://192.168.56.6:8484/static/e32caec8/images/32x32
http://192.168.56.6:8484/static/e32caec8/images/48x48
http://192.168.56.6:8484/static/e32caec8/plugin/credentials/images/48x48
http://192.168.56.6:8484/static/e32caec8/scripts/yui/assets/skins/sam
http://192.168.56.6:8484/static/e32caec8/scripts/yui/button/assets/skins/sam
http://192.168.56.6:8484/static/e32caec8/scripts/yui/container/assets/skins/sam
http://192.168.56.6:8484/static/e32caec8/scripts/yui/menu/assets/skins/sam
http://192.168.56.6:8484/static/img
http://192.168.56.6:8484/static/js
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://192.168.56.6:8484/ (auto_refresh [true] type [sec10] )
http://192.168.56.6:8484/administrativeMonitor/hudson.diagnosis.ReverseProxySetu
↪pMonitor/act (yes [More Info] no [Dismiss] )
http://192.168.56.6:8484/administrativeMonitor/jenkins.diagnostics.SecurityIsOff
↪Monitor/act (yes [Setup Security] no [Dismiss] )
http://192.168.56.6:8484/api/ (auto_refresh [true] )
http://192.168.56.6:8484/api/json (tree [jobs[name] pretty [true] )
http://192.168.56.6:8484/api/python (pretty [true] )
http://192.168.56.6:8484/api/search/ (q [] )
http://192.168.56.6:8484/api/xml (tree [jobs[name] depth [1] )
http://192.168.56.6:8484/asynchPeople/ (auto_refresh [true] )
http://192.168.56.6:8484/computer/ (auto_refresh [true] )
http://192.168.56.6:8484/computer/(master)/ (auto_refresh [true] type [sec10] )
... continues on next page ...

```

...continued from previous page...

```

http://192.168.56.6:8484/computer/(master)/configSubmit (._numExecutors [2] ._la
↪belString [] master.mode [] stapler-class-bag [true] hudson-slaves-Environment
↪VariablesNodeProperty [] env.key [] env.value [] Submit [Save] )
http://192.168.56.6:8484/computer/(master)/loadStatistics/graph (height [500] wi
↪dth [+w+] type [min] )
http://192.168.56.6:8484/computer/(master)/markOffline (Submit [Mark this node t
↪emporarily offline] )
http://192.168.56.6:8484/computer/(master)/script (Submit [Run] )
http://192.168.56.6:8484/computer/(master)/search/ (q [] )
http://192.168.56.6:8484/computer/configSubmit (hudson-node_monitors-Architectur
↪eMonitor [] hudson-node_monitors-ClockMonitor [] hudson-node_monitors-DiskSpac
↪eMonitor [] ._freeSpaceThreshold [1GB] hudson-node_monitors-SwapSpaceMonitor [
↪] hudson-node_monitors-TemporarySpaceMonitor [] ._freeSpaceThreshold [1GB] hud
↪son-node_monitors-ResponseTimeMonitor [] Submit [OK] core:apply [] Apply [Appl
↪y] )
http://192.168.56.6:8484/computer/createItem (name [] mode [hudson.slaves.DumbSl
↪ave] mode [dummy1] mode [dummy2] Submit [OK] )
http://192.168.56.6:8484/computer/search/ (q [] )
http://192.168.56.6:8484/computer/updateNow (Submit [Refresh status] )
http://192.168.56.6:8484/configSubmit (._rawWorkspaceDir [${ITEM_ROOTDIR}/worksp
↪ace] ._rawBuildsDir [${ITEM_ROOTDIR}/builds] ._numExecutors [2] ._labelString
↪[] master.mode [] ._quietPeriod [5] ._scmCheckoutRetryCount [0] ._useProjectNa
↪mingStrategy [] namingStrategy [0] stapler-class [jenkins.model.ProjectNamingS
↪trategy$DefaultProjectNamingStrategy] $class [jenkins.model.ProjectNamingStrat
↪egy$DefaultProjectNamingStrategy] namingStrategy [1] stapler-class [jenkins.mo
↪del.ProjectNamingStrategy$PatternProjectNamingStrategy] $class [jenkins.model.
↪ProjectNamingStrategy$PatternProjectNamingStrategy] ._namePattern [.]* ._descr
↪iption [] forceExistingJobs [] hudson-slaves-EnvironmentVariablesNodeProperty
↪[] env.key [] env.value [] hudson-tools-ToolLocationNodeProperty [] locations.
↪key [] locations.home [] stapler-class [jenkins.mvn.DefaultSettingsProvider] $
↪class [jenkins.mvn.DefaultSettingsProvider] stapler-class [jenkins.mvn.FilePat
↪hSettingsProvider] $class [jenkins.mvn.FilePathSettingsProvider] stapler-class
↪ [jenkins.mvn.DefaultGlobalSettingsProvider] $class [jenkins.mvn.DefaultGlobal
↪SettingsProvider] stapler-class [jenkins.mvn.FilePathGlobalSettingsProvider] $
↪class [jenkins.mvn.FilePathGlobalSettingsProvider] ._name [] ._home [] stapler
↪-class-bag [true] hudson-tools-InstallSourceProperty [] ._id [] ._acceptLicens
↪e [] stapler-class [hudson.tools.JDKInstaller] $class [hudson.tools.JDKInstall
↪er] stapler-class [hudson.tools.ZipExtractionInstaller] $class [hudson.tools.Z
↪ipExtractionInstaller] stapler-class [hudson.tools.JDKInstaller] $class [hudso
↪n.tools.JDKInstaller] stapler-class [hudson.tools.BatchCommandInstaller] $clas
↪s [hudson.tools.BatchCommandInstaller] stapler-class [hudson.tools.CommandInst
↪aller] $class [hudson.tools.CommandInstaller] ._name [] ._home [] stapler-clas
↪s-bag [true] hudson-tools-InstallSourceProperty [] ._id [] stapler-class [huds
↪on.tasks.Ant$AntInstaller] kind [hudson.tasks.Ant.AntInstaller] stapler-class
↪ [hudson.tools.ZipExtractionInstaller] $class [hudson.tools.ZipExtractionInstal
↪ler] stapler-class [hudson.tasks.Ant$AntInstaller] kind [hudson.tasks.Ant.AntI
↪nstaller] stapler-class [hudson.tools.BatchCommandInstaller] $class [hudson.to

```

...continues on next page ...

...continued from previous page...

```

↪ols.BatchCommandInstaller] stapler-class [hudson.tools.CommandInstaller] $clas
↪s [hudson.tools.CommandInstaller] _name [] _home [] stapler-class-bag [true]
↪ hudson-tools-InstallSourceProperty [] _id [] stapler-class [hudson.tasks.Mav
↪en$MavenInstaller] kind [hudson.tasks.Maven.MavenInstaller] stapler-class [hud
↪son.tools.ZipExtractionInstaller] $class [hudson.tools.ZipExtractionInstaller]
↪ stapler-class [hudson.tasks.Maven$MavenInstaller] kind [hudson.tasks.Maven.Ma
↪venInstaller] stapler-class [hudson.tools.BatchCommandInstaller] $class [hudson
↪n.tools.BatchCommandInstaller] stapler-class [hudson.tools.CommandInstaller] $
↪class [hudson.tools.CommandInstaller] globalMavenOpts [] stapler-class [hudson
↪.maven.local_repo.DefaultLocalRepositoryLocator] $class [hudson.maven.local_re
↪po.DefaultLocalRepositoryLocator] stapler-class [hudson.maven.local_repo.PerEx
↪ecutorLocalRepositoryLocator] $class [hudson.maven.local_repo.PerExecutorLocal
↪RepositoryLocator] stapler-class [hudson.maven.local_repo.PerJobLocalRepository
↪Locator] $class [hudson.maven.local_repo.PerJobLocalRepositoryLocator] _usag
↪eStatisticsCollected [] _url [http://192.168.56.6:8484/] _adminAddress [addr
↪ess not configured yet &lt;nobody@nowhere&gt;] port.type [fixed] value [] port
↪.type [random] port.type [disable] cvsCompression [] privateKeyLocation [C:\Wi
↪ndows\ServiceProfiles\LocalService\.ssh\id_rsa] privateKeyPassword [] knownHos
↪tsLocation [C:\Windows\ServiceProfiles\LocalService\.ssh\known_hosts] cvsAuthe
↪ntication.cvsRoot [] cvsAuthentication.username [] cvsAuthentication.password
↪[] svn.workspaceFormat [] svn.global_excluded_revprop [] svn.validateRemoteUpT
↪oVar [] svn.storeAuthToDisk [] _shell [] _smtpServer [] _defaultSuffix [] u
↪seSMTPAuth [] _smtpAuthUserName [] _smtpAuthPasswordSecret [] _useSsl [] _
↪smtpPort [] _replyToAddress [] _charset [UTF-8] _ . [] sendTestMailTo [] Subm
↪it [Save] core:apply [] Apply [Apply] )
http://192.168.56.6:8484/createItem (name [] mode [hudson.model.FreeStyleProject
↪] mode [hudson.maven.MavenModuleSet] mode [hudson.model.ExternalJob] mode [hud
↪son.matrix.MatrixProject] mode [dummy1] mode [dummy2] Submit [OK] )
http://192.168.56.6:8484/iconSize (16x16 [] 24x24 [] )
http://192.168.56.6:8484/overallLoad/api/ (auto_refresh [true] )
http://192.168.56.6:8484/overallLoad/api/json (tree [jobs[name] pretty [true] )
http://192.168.56.6:8484/overallLoad/api/python (pretty [true] )
http://192.168.56.6:8484/overallLoad/api/search/ (q [] )
http://192.168.56.6:8484/overallLoad/api/xml (tree [jobs[name] depth [1] )
http://192.168.56.6:8484/overallLoad/graph (height [500] width [+w+] type [min]
↪)
http://192.168.56.6:8484/queue/api/ (auto_refresh [true] )
http://192.168.56.6:8484/queue/api/json (tree [jobs[name] pretty [true] )
http://192.168.56.6:8484/queue/api/python (pretty [true] )
http://192.168.56.6:8484/queue/api/search/ (q [] )
http://192.168.56.6:8484/queue/api/xml (tree [jobs[name] depth [1] )
http://192.168.56.6:8484/rssAll (flavor [rss20] )
http://192.168.56.6:8484/rssFailed (flavor [rss20] )
http://192.168.56.6:8484/script (Submit [Run] )
http://192.168.56.6:8484/search/ (q [] )
http://192.168.56.6:8484/submitDescription (Submit [Submit] )
http://192.168.56.6:8484/toggleCollapse (paneId [buildQueue] )

```

...continues on next page...

...continued from previous page...
<pre>http://192.168.56.6:8484/view/All/ (auto_refresh [true]) http://192.168.56.6:8484/view/All/createItem (name [] mode [hudson.model.FreeSty ↔leProject] mode [hudson.maven.MavenModuleSet] mode [hudson.model.ExternalJob] ↔mode [hudson.matrix.MatrixProject] mode [dummy1] mode [dummy2] Submit [OK]) http://192.168.56.6:8484/view/All/search/ (q []) http://192.168.56.6:8484/view/All/submitDescription (Submit [Submit])</pre>
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Jetty(winstone-2.8)
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.2.56 Log 9200/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Missing Headers More Information ----- ↪----- ↪----- Content-Security-Policy https://owasp.org/www-project-secure-headers ↪/#content-security-policy Cross-Origin-Embedder-Policy https://scotthelme.co.uk/coop-and-coep/, Not ... continues on next page ...

...continued from previous page...	
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-policy/document-policy#document-policy-http-header
↪cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissions Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy
↪cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↪/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↪/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies	
X-XSS-Protection	https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.	
Solution:	
Log Method	
Details: HTTP Security Headers Detection	
OID:1.3.6.1.4.1.25623.1.0.112081	
Version used: 2025-03-21T21:10:43+05:30	
References	
url: https://owasp.org/www-project-secure-headers/	
url: https://owasp.org/www-project-secure-headers/#div-headers	
... continues on next page ...	

...continued from previous page ...
url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- http://192.168.56.6:9200/ DELETE
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
... continues on next page ...

...continued from previous page...

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

http://192.168.56.6:9200/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

Solution:**Log Method**

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-02-24T11:27:09+05:30

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.57 Log general/tcp

Log (CVSS: 0.0)
NVT: Traceroute
Summary Collect information about the network route and network distance between the scanner host and the target host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Network route from scanner (192.168.56.1) to target (192.168.56.6): 192.168.56.1 192.168.56.6 Network distance between scanner and target: 2
...
... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T16:43:19+05:30

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154) - Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) If you know any of the information reported here, please send the full output to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Unknown banners have been collected which might help to identify the OS running ↪ on this host. If these banners containing information about the host OS please ↪ report the following information to https://forum.greenbone.net/c/vulnerability-tests/7 : Banner: Server: GlassFish Server Open Source Edition 4.0 Identified from: HTTP Server banner on port 4848/tcp Banner: X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition ↪ 4.0 Java/Oracle Corporation/1.8) Identified from: X-Powered-By Server banner on port 4848/tcp Banner: Server: GlassFish Server Open Source Edition 4.0 Identified from: HTTP Server banner on port 8080/tcp Banner: X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition ↪ 4.0 Java/Oracle Corporation/1.8) Identified from: X-Powered-By Server banner on port 8080/tcp Banner: Server: GlassFish Server Open Source Edition 4.0 Identified from: HTTP Server banner on port 8181/tcp
...continues on next page ...

...continued from previous page ...
Banner: X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition ↔ 4.0 Java/Oracle Corporation/1.8) Identified from: X-Powered-By Server banner on port 8181/tcp
Solution:
Log Method Details: Unknown OS and Service Banner Reporting OID:1.3.6.1.4.1.25623.1.0.108441 Version used: 2023-06-22T16:04:15+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting
Summary This script consolidates the OS information detected by several VTs and tries to find the best matching OS. Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Best matching OS: OS: Microsoft Windows Server 2008 R2 or Microsoft Windows 7 CPE: cpe:/o:microsoft:windows Found by VT: 1.3.6.1.4.1.25623.1.0.103429 (Operating System (OS) Detection (SNM ↔P)) Concluded from SNMP sysDescr on port 161/udp: Hardware: AMD64 Family 25 Model 80 ↔ Stepping 0 AT/AT COMPATIBLE - Software: Windows Version 6.1 (Build 7601 Multi ↔processor Free) Setting key "Host/runs_windows" based on this information Other OS detections (in order of reliability): OS: Microsoft Windows CPE: cpe:/o:microsoft:windows Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP ↔)) Concluded from FTP banner on port 21/tcp: 220 Microsoft FTP Service OS: Windows Server 2008 R2 Standard 7601 Service Pack 1
...continues on next page ...

...continued from previous page...

```

CPE:          cpe:/o:microsoft:windows_server_2008:r2:sp1
Found by VT:  1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)
Concluded from SMB/Samba banner on port 445/tcp:
OS String:    Windows Server 2008 R2 Standard 7601 Service Pack 1
SMB String:   Windows Server 2008 R2 Standard 6.1
OS:           Microsoft Windows Server 2008 R2
CPE:          cpe:/o:microsoft:windows_server_2008:r2
Found by VT:  1.3.6.1.4.1.25623.1.0.900710 (Microsoft Internet Information Servi
↪ces (IIS) Detection (HTTP))
Concluded from Microsoft IIS HTTP Server banner on port 80/tcp: Server: Microsof
↪t-IIS/7.5
OS:           Microsoft Windows 7
CPE:          cpe:/o:microsoft:windows_7
Found by VT:  1.3.6.1.4.1.25623.1.0.900710 (Microsoft Internet Information Servi
↪ces (IIS) Detection (HTTP))
Concluded from Microsoft IIS HTTP Server banner on port 80/tcp: Server: Microsof
↪t-IIS/7.5
OS:           Microsoft Windows
CPE:          cpe:/o:microsoft:windows
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 5985/tcp: Server: Microsoft-HTTPAPI/2.
↪0
OS:           Microsoft Windows
CPE:          cpe:/o:microsoft:windows
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 47001/tcp: Server: Microsoft-HTTPAPI/2
↪.0
OS:           Microsoft Windows
CPE:          cpe:/o:microsoft:windows
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 80/tcp: Server: Microsoft-IIS/7.5
OS:           Microsoft Windows
CPE:          cpe:/o:microsoft:windows
Found by VT:  1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT
↪P))
Concluded from HTTP Server banner on port 8585/tcp: Server: Apache/2.2.21 (Win64
↪) PHP/5.3.10 DAV/2
OS:           Microsoft Windows
CPE:          cpe:/o:microsoft:windows
Found by VT:  1.3.6.1.4.1.25623.1.0.100062 (Microsoft Remote Desktop Protocol (R
↪DP) Detection)
Concluded from Microsoft Remote Desktop Protocol (RDP) on port 3389/tcp: Windows
↪, possible Windows 7 or Server 2008 based on binary response fingerprinting: 0
↪30000130ed0000012340002010800020000000

```

...continues on next page...

...continued from previous page...	
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows
Found by VT:	1.3.6.1.4.1.25623.1.0.108044 (DCE/RPC and MSRPC Services Enumerati ↔on)
Concluded from DCE/RPC and MSRPC Services Enumeration on port 135/tcp	
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows:6.1.45341
Found by VT:	1.3.6.1.4.1.25623.1.0.103923 (Web Services Management (WS-Man) / W ↔indows Remote Management (WinRM) Detection (HTTP))
OS:	Microsoft Windows
CPE:	cpe:/o:microsoft:windows
Found by VT:	1.3.6.1.4.1.25623.1.0.10150 (Using NetBIOS to retrieve information ↔ from a SMB host)
Concluded from NetBIOS information on port 137/udp	
Solution:	
Log Method	
Details: OS Detection Consolidation and Reporting	
OID:1.3.6.1.4.1.25623.1.0.105937	
Version used: 2026-03-20T22:03:06+05:30	
References	
url: https://forum.greenbone.net/c/vulnerability-tests/7	

Log (CVSS: 0.0)
NVT: Jenkins Detection Consolidation
Summary
Consolidation of Jenkins automation server detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
Detected Jenkins
Version: 1.637
Location: /
CPE: cpe:/a:jenkins:jenkins:1.637
Concluded from version/product identification result:
Jenkins ver. 1.637
Extra information:
- Detected on HTTP(s) port 8484/tcp
- The "Who am I" page which might provide additional information about the Jenki ↔ns installation is available at: http://192.168.56.6:8484/whoAmI/
... continues on next page ...

...continued from previous page ...
Detected Jenkins Version: 1.637 Location: / CPE: cpe:/a:jenkins:jenkins Concluded from version/product identification result: X-Jenkins-CLI-Port: 49262 Extra information: - Detected on Jenkins CLI subsystem port 49262/tcp
Solution:
Log Method Details: Jenkins Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.142665 Version used: 2024-12-06T10:35:38+05:30
References url: https://www.jenkins.io/

Log (CVSS: 0.0)
NVT: Apache Tomcat Detection Consolidation
Summary Consolidation of Apache Tomcat detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Tomcat Version: 8.0.33 Location: 8282/tcp CPE: cpe:/a:apache:tomcat:8.0.33 Concluded from version/product identification result: Apache Tomcat Version 8.0.33 Concluded from version/product identification location: http://192.168.56.6:8282/RELEASE-NOTES.txt http://192.168.56.6:8282/host-manager/html http://192.168.56.6:8282/manager/html http://192.168.56.6:8282/manager/status
Solution:
Log Method
... continues on next page ...

...continued from previous page ...
Details: Apache Tomcat Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.107652 Version used: 2021-02-17T18:01:13+05:30
References url: http://tomcat.apache.org/

Log (CVSS: 0.0)
NVT: PHP Detection Consolidation
Summary Consolidation of PHP detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected PHP Version: 5.3.10 Location: 8585/tcp CPE: cpe:/a:php:php:5.3.10 Concluded from version/product identification result: Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2 Concluded from version/product identification location: http://192.168.56.6:8585/
Solution:
Log Method Details: PHP Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.171722 Version used: 2025-09-24T11:09:03+05:30
References url: https://www.php.net/

Log (CVSS: 0.0)
NVT: Elastic Elasticsearch Detection Consolidation
Summary Consolidation of Elastic Elasticsearch detections.
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Detected Elastic Elasticsearch Version: 1.1.1 Location: / CPE: cpe:/a:elastic:elasticsearch:1.1.1 Concluded from version/product identification result: number" : "1.1.1", Extra information: Collected information (truncated) from http://192.168.56.6:9200/_cat/indices?v : health index pri rep docs.count docs.deleted store.size pri.store.size ↪ yellow cgi-bin 5 1 0 0 495b 495b ↪ yellow spipe 5 1 0 0 495b 495b ↪ yellow metasploitable3 5 1 1 0 3kb 3kb	
Solution:	
Log Method Details: Elastic Elasticsearch Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.125293 Version used: 2025-09-05T21:10:40+05:30	
References url: https://www.elastic.co/	

Log (CVSS: 0.0)
NVT: Apache HTTP Server Detection Consolidation
Summary Consolidation of Apache HTTP Server detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache HTTP Server Version: unknown Location: 8020/tcp CPE: cpe:/a:apache:http_server Concluded from version/product identification result: Server: Apache
... continues on next page ...

...continued from previous page ...
Detected Apache HTTP Server Version: 2.2.21 Location: 8585/tcp CPE: cpe:/a:apache:http_server:2.2.21 Concluded from version/product identification result: Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2
Solution:
Log Method Details: Apache HTTP Server Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.117232 Version used: 2024-03-08T21:07:10+05:30
References url: https://httpd.apache.org

Log (CVSS: 0.0)
NVT: SSL/TLS: Hostname discovery from server certificate
Summary It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following additional but not resolvable hostnames were detected: metasploitable3-win2k8
Solution:
Log Method Details: SSL/TLS: Hostname discovery from server certificate OID:1.3.6.1.4.1.25623.1.0.111010 Version used: 2021-11-22T21:02:39+05:30

Log (CVSS: 0.0)
NVT: OpenSSH Detection Consolidation
... continues on next page ...

...continued from previous page ...

Summary Consolidation of OpenSSH detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected OpenSSH Server Version: 7.1 Location: 22/tcp CPE: cpe:/a:openbsd:openssh:7.1 Concluded from version/product identification result: SSH-2.0-OpenSSH_7.1
Solution:
Log Method Details: OpenSSH Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.108577 Version used: 2024-12-13T10:35:32+05:30
References url: https://www.openssh.com/

Log (CVSS: 0.0)

NVT: Hostname Determination Reporting

Summary The script reports information on how the hostname of the target was determined.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Hostname determination for IP 192.168.56.6: Hostname Source 192.168.56.6 IP-address
Solution:
Log Method Details: Hostname Determination Reporting OID:1.3.6.1.4.1.25623.1.0.108449 Version used: 2022-07-27T15:41:28+05:30

[\[return to 192.168.56.6 \]](#)

2.2.58 Log 49154/tcp

Log (CVSS: 5.0)
NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following DCE/RPC or MSRPC services are running on this port: UUID: 30b044a5-a225-43f0-b3a4-e060df91f9c1, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: IP Transition Configuration endpoint UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] UUID: 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: XactSrv service UUID: a398e520-d59a-4bdd-aa7a-3c1e0303a511, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: IKE/Authip API UUID: c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: Impl friendly name
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
... continues on next page ...

...continued from previous page...

Vulnerability Detection Method

Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services.

This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN':

Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288)

In this case a 'Log' level result is used instead.

Details: DCE/RPC and MSRPC Services Enumeration Reporting

OID:1.3.6.1.4.1.25623.1.0.10736

Version used: 2025-11-26T11:10:08+05:30

[\[return to 192.168.56.6 \]](#)

2.2.59 Log 139/tcp

Log (CVSS: 0.0)

NVT: SMB/CIFS Server Detection

Summary

This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

A SMB server is running on this port

Solution:**Log Method**

Details: SMB/CIFS Server Detection

OID:1.3.6.1.4.1.25623.1.0.11011

Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.2.60 Log 3820/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution:
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details ... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↵ice via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↵ice via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↵ice via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary ... continues on next page ...

...continued from previous page ...
This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
...continues on next page ...

...continued from previous page...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security
 Method: SSL/TLS: Report Supported Cipher Suites
 OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Supported Cipher Suites

Summary

This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.

'Strong' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.

'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:

KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521) ↪1)

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA256

TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

TLS_DHE_RSA_WITH_AES_256_CBC_SHA256

...continues on next page...

...continued from previous page ... <pre> TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. Server Key Exchange Group(s): TLSv1.2 128 bits secp256r1 (NIST P-256) TLSv1.2 192 bits secp384r1 (NIST P-384) TLSv1.2 256 bits secp521r1 (NIST P-521) </pre>
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30
Log (CVSS: 0.0) NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result	
Protocol Version Safe/Secure Renegotiation Support Status	

↪--	
SSLv3	Unknown, Reason: Failed to open a socket to the remote service
↪e.	
TLSv1.0	Unknown, Reason: Failed to open a socket to the remote service
↪e.	
TLSv1.1	Unknown, Reason: Failed to open a socket to the remote service
↪e.	
TLSv1.2	Unknown, Reason: Failed to open a socket to the remote service
↪e.	
TLSv1.3	Unknown, Reason: Failed to open a socket to the remote service
↪e.	
Solution:	
Log Method	
Details: SSL/TLS: Safe/Secure Renegotiation Support Status	
OID:1.3.6.1.4.1.25623.1.0.117757	
Version used: 2026-03-13T11:24:58+05:30	
References	
url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html	
url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation	
url: https://datatracker.ietf.org/doc/html/rfc5746	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Collect and Report Certificate Details	
Summary	
This script collects and reports the details of all SSL/TLS certificates.	
This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result	
The following certificate details of the remote service were collected.	
Certificate details:	
fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
... continues on next page ...	

...continued from previous page...	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation ↔,L=Santa Clara,ST=California,C=US
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A GIOP-enabled service is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method ... continues on next page ...

...continued from previous page ...

Details: Services
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.61 Log 49505/tcp

Log (CVSS: 0.0)

NVT: Check open ports

Summary

This plugin checks if the port scanners did not kill a service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

This port was detected as being open by a port scanner but is now closed.
This service might have been crashed by a port scanner or by a plugin

Solution:

Log Method

Details: Check open ports
OID:1.3.6.1.4.1.25623.1.0.10919
Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.2.62 Log 49506/tcp

Log (CVSS: 0.0)

NVT: Check open ports

Summary

This plugin checks if the port scanners did not kill a service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...
This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.2.63 Log 8181/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: GlassFish Server Open Source Edition 4.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing
Summary The remote web server is not enforcing HTTP Strict Transport Security (HSTS).
... continues on next page ...

...continued from previous page...

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote web server is not enforcing HSTS.

HTTP-Banner:

HTTP/1.1 200 OK

X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8)

Server: GlassFish Server Open Source Edition 4.0

Accept-Ranges: bytes

ETag: W/"***replaced***"

Last-Modified: ***replaced***

Content-Type: text/html

Date: ***replaced***

Connection: close

Content-Length: ***replaced***

Solution:

Solution type: Workaround

Enable HSTS or add / configure the required directives correctly following the guides linked in the references.

Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code.

- Apache: Use 'Header always set' instead of 'Header set'.

- nginx: Append the 'always' keyword to each 'add_header' directive.

For different applications or web servers please refer to the related documentation for a similar configuration possibility.

Log Method

Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing

OID:1.3.6.1.4.1.25623.1.0.105879

Version used: 2025-03-21T21:10:43+05:30

References

url: <https://owasp.org/www-project-secure-headers/>

url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html

url: <https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts>

url: <https://tools.ietf.org/html/rfc6797>

url: <https://securityheaders.io/>

url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header

url: https://nginx.org/en/docs/http/nginx_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
Summary The remote web server is not enforcing HTTP Public Key Pinning (HPKP). Note: Most major browsers have dropped / deprecated support for this header in 2020.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HPKP. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0 Accept-Ranges: bytes ETag: W/"***replaced***" Last-Modified: ***replaced*** Content-Type: text/html Date: ***replaced*** Connection: close Content-Length: ***replaced***
Solution: Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp
... continues on next page ...

...continued from previous page ...

```

url: https://tools.ietf.org/html/rfc7469
url: https://securityheaders.io/
url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header
url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header

```

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
 ↪623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

```

fingerprint (SHA-1)           | 4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)        | AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556
issued by                    | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US
public key algorithm          | RSA
public key size (bits)       | 2048
serial                       | 04A9972F
signature algorithm           | sha256WithRSAEncryption
subject                      | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US
subject alternative names (SAN) | None
valid from                   | 2013-05-15 05:33:38 UTC
valid until                   | 2023-05-13 05:33:38 UTC

```

Solution:**Log Method**

Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.

Details: SSL/TLS: Certificate - Self-Signed Certificate Detection

OID:1.3.6.1.4.1.25623.1.0.103140

... continues on next page ...

...continued from previous page ...
Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↵ice via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↵ice via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↵ice via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: ... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security
... continues on next page ...

...continued from previous page ...
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↔802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
...continues on next page ...

...continued from previous page ...
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.2 protocol: KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521) TLS_DHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page...

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

```
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
```

No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.

Server Key Exchange Group(s):

```
TLSv1.2 128 bits secp256r1 (NIST P-256)
TLSv1.2 192 bits secp384r1 (NIST P-384)
TLSv1.2 256 bits secp521r1 (NIST P-521)
```

Solution:

Vulnerability Insight

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method

Details: SSL/TLS: Report Supported Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.802067

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLSv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.1 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.2 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner ↪ Enumeration technique ----- ↪----- Server: GlassFish Server Open Source Edition 4.0 ↪ Valid HTTP 0.9 GET request to '/index.html' X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) ↪ Valid HTTP 0.9 GET request to '/index.html'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ↪----- https://192.168.56.6:8181/ GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS (obtained via HTTP OPTIONS method) ↪
... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTION, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Eclipse GlassFish Detection (HTTP)
Summary HTTP based detection of Eclipse GlassFish.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Eclipse GlassFish Version: 4.0 Location: / CPE: cpe:/a:eclipse:glassfish:4.0 Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: https://192.168.56.6:8181/index.html
Solution:
Log Method
... continues on next page ...

...continued from previous page ...
Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)																																																							
NVT: HTTP Security Headers Detection																																																							
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.																																																							
Quality of Detection (QoD): 80%																																																							
Vulnerability Detection Result <table> <thead> <tr> <th>Missing Headers</th><th>More Information</th></tr> </thead> <tbody> <tr><td>-----</td><td>-----</td></tr> <tr><td>↪-----</td><td>-----</td></tr> <tr><td>↪-----</td><td>-----</td></tr> <tr><td>↪-----</td><td>-----</td></tr> <tr> <td>Content-Security-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↪/#content-security-policy</td><td></td></tr> <tr> <td>Cross-Origin-Embedder-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↪e: This is an upcoming header</td><td></td></tr> <tr> <td>Cross-Origin-Opener-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↪e: This is an upcoming header</td><td></td></tr> <tr> <td>Cross-Origin-Resource-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↪e: This is an upcoming header</td><td></td></tr> <tr> <td>Document-Policy</td><td> https://w3c.github.io/webappsec-feature-poli</td></tr> <tr> <td>↪cy/document-policy#document-policy-http-header</td><td></td></tr> <tr> <td>Expect-CT</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↪/#expect-ct, Note: This is an upcoming header</td><td></td></tr> <tr> <td>Feature-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi</td><td></td></tr> <tr> <td>↪ons Policy</td><td></td></tr> <tr> <td>Permissions-Policy</td><td> https://w3c.github.io/webappsec-feature-poli</td></tr> <tr> <td>↪cy/#permissions-policy-http-header-field</td><td></td></tr> <tr> <td>Public-Key-Pins</td><td> Please check the output of the VTs including</td></tr> <tr> <td>↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he</td><td></td></tr> <tr> <td>↪lp. Note: Most major browsers have dropped / deprecated support for this heade</td><td></td></tr> <tr> <td>↪r in 2020.</td><td></td></tr> <tr> <td>Referrer-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> </tbody> </table> ... continues on next page ...		Missing Headers	More Information	-----	-----	↪-----	-----	↪-----	-----	↪-----	-----	Content-Security-Policy	https://owasp.org/www-project-secure-headers	↪/#content-security-policy		Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↪e: This is an upcoming header		Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↪e: This is an upcoming header		Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↪e: This is an upcoming header		Document-Policy	https://w3c.github.io/webappsec-feature-poli	↪cy/document-policy#document-policy-http-header		Expect-CT	https://owasp.org/www-project-secure-headers	↪/#expect-ct, Note: This is an upcoming header		Feature-Policy	https://owasp.org/www-project-secure-headers	↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi		↪ons Policy		Permissions-Policy	https://w3c.github.io/webappsec-feature-poli	↪cy/#permissions-policy-http-header-field		Public-Key-Pins	Please check the output of the VTs including	↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he		↪lp. Note: Most major browsers have dropped / deprecated support for this heade		↪r in 2020.		Referrer-Policy	https://owasp.org/www-project-secure-headers
Missing Headers	More Information																																																						
-----	-----																																																						
↪-----	-----																																																						
↪-----	-----																																																						
↪-----	-----																																																						
Content-Security-Policy	https://owasp.org/www-project-secure-headers																																																						
↪/#content-security-policy																																																							
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																																																						
↪e: This is an upcoming header																																																							
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																																																						
↪e: This is an upcoming header																																																							
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																																																						
↪e: This is an upcoming header																																																							
Document-Policy	https://w3c.github.io/webappsec-feature-poli																																																						
↪cy/document-policy#document-policy-http-header																																																							
Expect-CT	https://owasp.org/www-project-secure-headers																																																						
↪/#expect-ct, Note: This is an upcoming header																																																							
Feature-Policy	https://owasp.org/www-project-secure-headers																																																						
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi																																																							
↪ons Policy																																																							
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli																																																						
↪cy/#permissions-policy-http-header-field																																																							
Public-Key-Pins	Please check the output of the VTs including																																																						
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he																																																							
↪lp. Note: Most major browsers have dropped / deprecated support for this heade																																																							
↪r in 2020.																																																							
Referrer-Policy	https://owasp.org/www-project-secure-headers																																																						

...continued from previous page...

```

↪/#referrer-policy
Sec-Fetch-Dest | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Strict-Transport-Security | Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HSTS' in their name for more information and configuration he
↪lp.
X-Content-Type-Options | https://owasp.org/www-project-secure-headers
↪/#x-content-type-options
X-Frame-Options | https://owasp.org/www-project-secure-headers
↪/#x-frame-options
X-Permitted-Cross-Domain-Policies | https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies
X-XSS-Protection | https://owasp.org/www-project-secure-headers
↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor
↪t for this header in 2020.

```

Solution:**Log Method**

Details: HTTP Security Headers Detection

OID:1.3.6.1.4.1.25623.1.0.112081

Version used: 2025-03-21T21:10:43+05:30

Referencesurl: <https://owasp.org/www-project-secure-headers/>url: <https://owasp.org/www-project-secure-headers/#div-headers>url: <https://securityheaders.com/>

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

... continues on next page ...

...continued from previous page ...	
This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
... continues on next page ...

...continued from previous page ...

Log Method

Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.

Details: SSL/TLS: **Version Detection**

OID:1.3.6.1.4.1.25623.1.0.105782

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

...continues on next page ...

...continued from previous page ...
<code>https://192.168.56.6:8181/</code> While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standard ↵s
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.64 Log 3920/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...	
The certificate of the remote service is self signed. Certificate details: <pre> fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC </pre>	
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)

... continues on next page ...

...continued from previous page ...
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites
... continues on next page ...

...continued from previous page ...

OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)

Summary

This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA256

TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

TLS_DHE_RSA_WITH_AES_256_CBC_SHA256

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA256

TLS_RSA_WITH_AES_128_GCM_SHA256

TLS_RSA_WITH_AES_256_CBC_SHA

... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...

```
'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.1 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521)
↪1)
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
...continues on next page...
```

...continued from previous page ...	
Server Key Exchange Group(s): TLSv1.2 128 bits secp256r1 (NIST P-256) TLSv1.2 192 bits secp384r1 (NIST P-384) TLSv1.2 256 bits secp521r1 (NIST P-521)	
Solution:	
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.	
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status	
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪-- SSLv3 Unknown, Reason: Failed to open a socket to the remote service. ↪e. TLSv1.0 Unknown, Reason: Failed to open a socket to the remote service. ↪e. TLSv1.1 Unknown, Reason: Failed to open a socket to the remote service. ↪e. TLSv1.2 Unknown, Reason: Failed to open a socket to the remote service. ↪e. TLSv1.3 Unknown, Reason: Failed to open a socket to the remote service. ↪e.	
Solution:	
... continues on next page ...	

...continued from previous page ...

Log Method

Details: SSL/TLS: Safe/Secure Renegotiation Support Status

OID:1.3.6.1.4.1.25623.1.0.117757

Version used: 2026-03-13T11:24:58+05:30

Referencesurl: https://www.gnutls.org/manual/html_node/Safe-renegotiation.htmlurl: <https://wiki.openssl.org/index.php/TLS1.3#Renegotiation>url: <https://datatracker.ietf.org/doc/html/rfc5746>

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The following certificate details of the remote service were collected.

Certificate details:

fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC

Solution:**Log Method**

Details: SSL/TLS: Collect and Report Certificate Details

OID:1.3.6.1.4.1.25623.1.0.103692

... continues on next page ...

...continued from previous page ...

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Version Detection

Summary

Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote SSL/TLS service supports the following SSL/TLS protocol version(s):

TLSv1.0

TLSv1.1

TLSv1.2

Solution:**Log Method**

Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.

Details: SSL/TLS: Version Detection

OID:1.3.6.1.4.1.25623.1.0.105782

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: Service Detection with 'GET' Request

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A service responding with an SSL/TLS alert seems to be running on this port.

Solution:

... continues on next page ...

...continued from previous page ...

Vulnerability Insight

This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.

Log Method

Details: Service Detection with 'GET' Request

OID:1.3.6.1.4.1.25623.1.0.17975

Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.65 Log 8383/tcp

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1) | 701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315

fingerprint (SHA-256) | C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E
 ↪B135AD83CD7B01A5A5

issued by | 1.2.840.113549.1.9.1=#737570706F7274406465736B
 ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora
 ↪tion,L=Pleasanton,ST=CA,C=US

public key algorithm | RSA

public key size (bits) | 1024

serial | 00F59CEF71E6DB72A5

signature algorithm | sha1WithRSAEncryption

subject | 1.2.840.113549.1.9.1=#737570706F7274406465736B
 ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora
 ↪tion,L=Pleasanton,ST=CA,C=US

subject alternative names (SAN) | None

... continues on next page ...

...continued from previous page ...	
valid from	2010-09-08 12:24:44 UTC
valid until	2020-09-05 12:24:44 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
... continues on next page ...

...continued from previous page...

TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this server via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this server via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA256

TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

TLS_DHE_RSA_WITH_AES_256_CBC_SHA256

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384

TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

Solution:**Log Method**

Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.105018

Version used: 2026-03-13T11:24:58+05:30

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Report Supported Cipher Suites

OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary

This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result
cpe:/a:ietf:transport_layer_security
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)

... continues on next page ...

...continued from previous page ...

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA

... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
... continues on next page ...

...continued from previous page...

```

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.1 protocol:
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256)
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384

```

...continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. Server Key Exchange Group(s): TLSv1.2 128 bits secp256r1 (NIST P-256)
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪-----
... continues on next page ...

...continued from previous page...	
SSLv3	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
TLSv1.0	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.1	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.2	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.3	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:	
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30	
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746	

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check
Summary This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is very slow - it took 247 seconds (Maximum response time configured in 'Response Time / No 404 Error Code Check' (OID: 1.3.6.1.4.1.25623.1.0.10386) preferences: 60 seconds) to execute the plugin no404.nasl (it usually only takes a few seconds). In order to keep the scan total time to a reasonable amount, the remote web server has not been tested.
... continues on next page ...

...continued from previous page...
If the remote server should be tested it has to be fixed to have it reply to the ↳ scanners requests in a reasonable amount of time. Alternatively the 'Maximum ↳ response time (in seconds)' preference could be raised to a higher value if lo ↳ nger scan times are accepted.
Solution:
Vulnerability Insight This web server might show the following issues: - it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead. - The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate. - it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.
Log Method Details: Response Time / No 404 Error Code Check OID:1.3.6.1.4.1.25623.1.0.10386 Version used: 2025-04-11T21:15:04+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.
This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The following certificate details of the remote service were collected.
Certificate details:

fingerprint (SHA-1)

| 701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315

fingerprint (SHA-256)

| C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E

↪B135AD83CD7B01A5A5

issued by

| 1.2.840.113549.1.9.1=#737570706F7274406465736B

↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora

↪tion,L=Pleasanton,ST=CA,C=US

... continues on next page ...

...continued from previous page...	
public key algorithm	RSA
public key size (bits)	1024
serial	00F59CEF71E6DB72A5
signature algorithm	sha1WithRSAEncryption
subject	1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US
subject alternative names (SAN)	None
valid from	2010-09-08 12:24:44 UTC
valid until	2020-09-05 12:24:44 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

This service is marked as broken and no web application scanning is launched against it. Reason(s):

- The remote web server is very slow - it took 247 seconds (Maximum response time configured in 'Response Time / No 404 Error Code Check' (OID: 1.3.6.1.4.1.25623.1.0.10386) preferences: 60 seconds) to execute the plugin no404.nasl (it usually only takes a few seconds).

In order to keep the scan total time to a reasonable amount, the remote web server has not been tested.

If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

This service seems to be able to host PHP scripts.

This service seems to be NOT able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

... continues on next page ...

...continued from previous page ...
https://192.168.56.6:8383/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standard ↪s
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.66 Log 3700/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A GIOP-enabled service is running on this port
Solution:
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.67 Log 47001/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-HTTPAPI/2.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Microsoft-HTTPAPI/2.0 Invalid HTTP 00.5 GET request (non-existent HTTP ↪ version) to '/'	
Solution:	
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30	

Log (CVSS: 0.0)	
NVT: HTTP Security Headers Detection	
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Missing Headers More Information ----- ↪----- ↪----- Content-Security-Policy https://owasp.org/www-project-secure-headers ↪/#content-security-policy Cross-Origin-Embedder-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↪e: This is an upcoming header Cross-Origin-Opener-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↪e: This is an upcoming header Cross-Origin-Resource-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↪e: This is an upcoming header Document-Policy https://w3c.github.io/webappsec-feature-policy ↪cy/document-policy#document-policy-http-header Feature-Policy https://owasp.org/www-project-secure-headers ↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
...continues on next page ...	

...continued from previous page...	
Permissions Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy/#permissions-policy-http-header-field
Referrer-Policy	https://owasp.org/www-project-secure-headers/#referrer-policy
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
X-Content-Type-Options	https://owasp.org/www-project-secure-headers/#x-content-type-options
X-Frame-Options	https://owasp.org/www-project-secure-headers/#x-frame-options
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies
X-XSS-Protection	https://owasp.org/www-project-secure-headers/#x-xss-protection , Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

... continues on next page ...

...continued from previous page... The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6:47001/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.68 Log 49205/tcp

Log (CVSS: 5.0)
NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following DCE/RPC or MSRPC services are running on this port: UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:192.168.56.6[49205]
Impact ... continues on next page ...

...continued from previous page ...
An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T11:10:08+05:30

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports
... continues on next page ...

...continued from previous page ...

OID:1.3.6.1.4.1.25623.1.0.10919

Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)**2.2.69 Log 49156/tcp**

Log (CVSS: 0.0)

NVT: Unknown OS and Service Banner Reporting

Summary

This VT consolidates and reports the information collected by the following VTs:

- Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286)
- Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525)
- OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937)

If you know any of the information reported here, please send the full output to the referenced community forum.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Nmap service detection (wrapped) result for this port: tcpwrapped

Solution:**Log Method**

Details: Unknown OS and Service Banner Reporting

OID:1.3.6.1.4.1.25623.1.0.108441

Version used: 2023-06-22T16:04:15+05:30

Referencesurl: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The service closed the connection after 0 seconds without sending any data It might be protected by some TCP wrapper
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.70 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory
Summary This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan. Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.
Quality of Detection (QoD): 80%
Vulnerability Detection Result 192.168.56.6 cpe:/a:apache:axis2:1.6.0 192.168.56.6 cpe:/a:apache:http_server 192.168.56.6 cpe:/a:apache:http_server:2.2.21 192.168.56.6 cpe:/a:apache:tomcat:8.0.33 192.168.56.6 cpe:/a:eclipse:glassfish:4.0 192.168.56.6 cpe:/a:eclipse:jetty 192.168.56.6 cpe:/a:elastic:elasticsearch:1.1.1
... continues on next page ...

...continued from previous page...	
192.168.56.6	cpe:/a:elasticsearch:elasticsearch:1.1.1
192.168.56.6	cpe:/a:ietf:secure_shell_protocol:2.0
192.168.56.6	cpe:/a:ietf:transport_layer_security:1.0
192.168.56.6	cpe:/a:ietf:transport_layer_security:1.1
192.168.56.6	cpe:/a:ietf:transport_layer_security:1.2
192.168.56.6	cpe:/a:jenkins:jenkins
192.168.56.6	cpe:/a:jenkins:jenkins:1.637
192.168.56.6	cpe:/a:microsoft:ftp_service
192.168.56.6	cpe:/a:microsoft:internet_information_services:7.5
192.168.56.6	cpe:/a:mysql:mysql:5.5.20-log
192.168.56.6	cpe:/a:openbsd:openssh:7.1
192.168.56.6	cpe:/a:oracle:glassfish_server:4.0
192.168.56.6	cpe:/a:oracle:mysql:5.5.20
192.168.56.6	cpe:/a:php:php:5.3.10
192.168.56.6	cpe:/a:wampserver:wampserver:2.2
192.168.56.6	cpe:/a:wordpress:wordpress:4.6.1
192.168.56.6	cpe:/o:microsoft:windows
Solution:	
Log Method Details: CPE Inventory OID:1.3.6.1.4.1.25623.1.0.810002 Version used: 2022-07-27T15:41:28+05:30	
References url: https://nvd.nist.gov/products/cpe	

[\[return to 192.168.56.6 \]](#)

2.2.71 Log 49261/tcp

Log (CVSS: 0.0)
NVT: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary
... continues on next page ...

...continued from previous page ...
The remote SSH server is configured to NOT allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server is NOT supporting at least ONE PQC KEX algorithm.
Impact The connection may be vulnerable to 'store now, decrypt later' attacks.
Solution: Solution type: Mitigation Update the remote SSH server to a version supporting PQC KEX algorithms (e.g. OpenSSH 8.9 or later) and enable relevant PQC KEX algorithms accordingly. Please see the references/manual of the remote SSH server and/or contact the vendor of it for more support.
Log Method Checks the (previously collected) supported KEX algorithms of the remote SSH server. Currently the following PQC KEX algorithms are defined / getting used for this check: - sntrup761x25519-sha512@openssh.com - sntrup761x25519-sha512 - mlkem768x25519-sha256 - sntrup4591761x25519-sha512@tinyssh.org - ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org - ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org - ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org - x25519-kyber-512r3-sha256-d00@amazon.com - mlkem1024nistp384-sha384 - mlkem768nistp256-sha256 - curve25519-frodoKem1344-sha512@ssh.com - ecdh-nistp521-kyber1024-sha512@ssh.com Details: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH) OID:1.3.6.1.4.1.25623.1.0.119214 Version used: 2026-03-06T21:19:04+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://openssh.com/pq.html url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-qua
... continues on next page ...

...continued from previous page ...
↪ntum-key-exchange-algorithm/ url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finaliz ↪ed-post-quantum-encryption-standards url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of- ↪not-adopting-it/ url: https://supportportal.juniper.net/s/article/2026-03-Reference-Advisory-Open ↪SSH-client-new-warning-in-versions-10-1-and-higher-connection-is-not-using-a-p ↪ost-quantum-key-exchange-algorithm

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported
Summary Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote SSH Server supports the following SSH Protocol Versions: 2.0 Note: The remote SSH service is accepting the non-existent SSH Protocol Version ↪0.12. Because of this behavior it is not possible to fingerprint the exact sup ↪ported SSH Protocol Version. Based on this support for SSH Protocol Version 2. ↪0 only is assumed.
Solution:
Log Method The following versions are tried: 1.33, 1.5, 1.99 and 2.0. Details: SSH Protocol Versions Supported OID:1.3.6.1.4.1.25623.1.0.100259 Version used: 2024-06-17T14:01:37+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported
Summary This script detects which algorithms are supported by the remote SSH service.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following options are supported by the remote SSH service: kex_algorithms: diffie-hellman-group14-sha1,diffie-hellman-group1-sha1 server_host_key_algorithms: ssh-rsa encryption_algorithms_client_to_server: aes128-cbc,aes128-ctr,3des-cbc,blowfish-cbc encryption_algorithms_server_to_client: aes128-cbc,aes128-ctr,3des-cbc,blowfish-cbc mac_algorithms_client_to_server: hmac-md5,hmac-sha1,hmac-md5-96,hmac-sha1-96 mac_algorithms_server_to_client: hmac-md5,hmac-sha1,hmac-md5-96,hmac-sha1-96 compression_algorithms_client_to_server: none compression_algorithms_server_to_client: none
Solution:
Log Method Details: SSH Protocol Algorithms Supported OID:1.3.6.1.4.1.25623.1.0.105565 Version used: 2026-01-21T11:20:46+05:30

Log (CVSS: 0.0)
NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-SSHD-CORE-0.8.0 Remote SSH supported authentication: none,password,publickey,hostbased,keyboard-↵interactive Remote SSH text/login banner: (not available) Concluded from remote connection attempt with credentials: Login: OpenVASVT
... continues on next page ...

...continued from previous page ...
Password: OpenVASVT
Solution:
Vulnerability Insight This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.
Log Method Details: SSH Server type and version OID:1.3.6.1.4.1.25623.1.0.10267 Version used: 2026-02-13T21:19:08+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An ssh server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Check open ports
Summary ... continues on next page ...

...continued from previous page ...
This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.2.72 Log 49501/tcp

Log (CVSS: 0.0) NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.2.73 Log 8020/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪- Server: Apache Invalid HTTP 00.5 GET request (non-existent HTTP version) to '/ ↪'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 ... continues on next page ...

...continued from previous page ...
Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)	
NVT: HTTP Security Headers Detection	
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
Missing Headers	More Information

↪-----	
↪-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↪ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
...continues on next page ...	

...continued from previous page ...	
↳rtd only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↳/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↳/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↳/#x-permitted-cross-domain-policies	
X-XSS-Protection	https://owasp.org/www-project-secure-headers
↳/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.	
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

... continues on next page ...

...continued from previous page... Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6:8020/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.74 Log 161/udp

Log (CVSS: 0.0)
NVT: SNMP Information Detection and Reporting
Summary SNMP based detection and reporting of generic information like e.g. the System Description/sysDescr (OID: 1.3.6.1.2.1.1.1.0) gathered from the remote device.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following SNMP information was extracted from the remote device: System Description (OID: 1.3.6.1.2.1.1.1.0) : Hardware: AMD64 Famil ↳y 25 Model 80 Stepping 0 AT/AT COMPATIBLE - Software: Windows Version 6.1 (Bui ↳ld 7601 Multiprocessor Free) System Name (OID: 1.3.6.1.2.1.1.5.0) : metasploitable3-win2k ↳8 System ObjectID (OID: 1.3.6.1.2.1.1.2.0) : iso.3.6.1.4.1.311.1.1 ↳.3.1.2 Model Description (OID: 1.3.6.1.2.1.25.3.2.1.3.1) : Unknown Processor Typ ↳e
Solution:
Log Method Details: SNMP Information Detection and Reporting OID:1.3.6.1.4.1.25623.1.0.103416 Version used: 2025-06-27T11:11:33+05:30

Log (CVSS: 0.0)
NVT: An SNMP Agent is running
Summary This script detects if SNMP is open and if it is possible to connect with the given credentials / community string from one of the following resources: - SNMPv1/2 community string provided via the target configuration or via 'SNMP Authorization (OID: 1.3.6.1.4.1.25623.1.0.105076).' - SNMPv1/2 community string detected by 'Check default community names of the SNMP Agent (OID: 1.3.6.1.4.1.25623.1.0.103914).' - SNMPv3 credentials provided via the target configuration or via 'SNMP Authorization (OID: 1.3.6.1.4.1.25623.1.0.105076).'
Quality of Detection (QoD): 80%
Vulnerability Detection Result An SNMP server is running on this host. The following SNMP versions are supported: - SNMPv1 - SNMPv2c Additional info: - SNMPv1: It was possible to log in using the community string 'public' detected ↪ by "Check default community names of the SNMP Agent (OID: 1.3.6.1.4.1.25623.1.0.103914)". - SNMPv2c: It was possible to log in using the community string 'public' detected ↪ by "Check default community names of the SNMP Agent (OID: 1.3.6.1.4.1.25623.1.0.103914)".
Solution:
Log Method Details: An SNMP Agent is running OID:1.3.6.1.4.1.25623.1.0.10265 Version used: 2023-08-10T10:35:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.75 Log 8585/tcp

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
...
... continues on next page ...

...continued from previous page ...
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↩----- Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2 Invalid HTTP 00.5 GET request (↩non-existent HTTP version) to '' X-Powered-By: PHP/5.3.10 Invalid HTTP 00.5 GET request (↩non-existent HTTP version) to ''
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache/2.2.21 (Win64) PHP/5.3.10 DAV/2
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: WordPress Detection (HTTP)
Summary HTTP based detection of WordPress.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected WordPress Version: 4.6.1 Location: /wordpress CPE: cpe:/a:wordpress:wordpress:4.6.1 Concluded from version/product identification result: WordPress 4.6.1 <pre> <script src="http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/js/html5.js"></script> <link rel='stylesheet' id='genericons-css' href='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/genericons/genericons.css?ver=3.0' type='text/css' media='all'></link> <link rel='stylesheet' id='twentyfourteen-style-css' href='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/style.css?ver=4.6.1' type='text/css' media='all'></link> <link rel='stylesheet' id='twentyfourteen-ie-css' href='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/css/ie.css?ver=20131205' type='text/css' media='all'></link> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-includes/js/jquery/jquery.js?ver=1.12.4'></script> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1'></script> <link rel="wlwmanifest" type="application/wlwmanifest+xml" href="http://192.168.56.6:8585/wordpress/wp-includes/wlwmanifest.xml" /> <meta name="generator" content="WordPress 4.6.1" /> <p></p> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-content/themes/twentyfourteen/js/functions.js?ver=20150315'></script> <script type='text/javascript' src='http://192.168.56.6:8585/wordpress/wp-includes/js/wp-embed.min.js?ver=4.6.1'></script> </pre> Concluded from version/product identification location: http://192.168.56.6:8585/wordpress/
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: WordPress Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.900182 Version used: 2023-12-13T10:35:23+05:30
References url: https://wordpress.com/

Log (CVSS: 0.0)	
NVT: HTTP Security Headers Detection	
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
Missing Headers	More Information

↔-----	
↔-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↔/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↔e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↔e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↔e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-poli
↔cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↔/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↔ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli
↔cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↔/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↔rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
... continues on next page ...	

...continued from previous page ...
↳rted only in newer browsers like e.g. Firefox 90 Sec-Fetch-Site https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90 Sec-Fetch-User https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90 X-Content-Type-Options https://owasp.org/www-project-secure-headers/#x-content-type-options X-Frame-Options https://owasp.org/www-project-secure-headers/#x-frame-options X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: WampServer Version Detection
Summary This script finds the installed WampServer version.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected WampServer Version: 2.2 Location: / CPE: cpe:/a:wampserver:wampserver:2.2 Concluded from version/product identification result: >Version 2.2
... continues on next page ...

...continued from previous page ...
Concluded from version/product identification location: /index.php
Solution:
Log Method Details: WampServer Version Detection OID:1.3.6.1.4.1.25623.1.0.800297 Version used: 2023-12-13T10:35:23+05:30

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. A possible recursion was detected during web application scanning:
... continues on next page ...

...continued from previous page...

The service is using a relative URL in one or more HTML references where e.g. /file1.html contains and a subsequent request for subdir/file2.html is linking to subdir/file2.html. This would resolve to subdir/subdir/file2.html causing a recursion. To work around this counter-measures have been enabled but the service should be fixed as well to not use such problematic links. Below an excerpt of URLs is shown to help identify those issues.

Syntax : URL (HTML link)

http://192.168.56.6:8585/index.php (phpmyadmin/)

The following directories were used for web application scanning:

http://192.168.56.6:8585/

http://192.168.56.6:8585/cgi-bin

http://192.168.56.6:8585/httpd-dav

http://192.168.56.6:8585/uploads

http://192.168.56.6:8585/wordpress/wp-content

http://192.168.56.6:8585/wordpress/wp-content/plugins

http://192.168.56.6:8585/wordpress/wp-content/uploads

http://192.168.56.6:8585/wordpress/wp-includes

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards.

The following directories were excluded from web application scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was: "/(index\.php|image|img|css|js\$|js/|javascript|style|theme|icon|jquery|graphic|grafik|picture|bilder|thumbnail|media/|skins?/)"

http://192.168.56.6:8585/index.php/Home

http://192.168.56.6:8585/index.php/Home/login

http://192.168.56.6:8585/index.php/installer

http://192.168.56.6:8585/index.php/s

http://192.168.56.6:8585/index.php/wp-json

http://192.168.56.6:8585/wordpress/index.php/wp-json

http://192.168.56.6:8585/wordpress/wp-content/themes

Extraneous phpinfo() output found at:

http://192.168.56.6:8585/?phpinfo=-1

Concluded from:

```
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head>
```

```
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">C:\Windows </td></tr>
```

```
<h2>PHP Variables</h2>
```

http://192.168.56.6:8585/?phpinfo=1

Concluded from:

```
<title>phpinfo()</title><meta name="ROBOTS" content="NOINDEX,NOFOLLOW,NOARCHIVE" /></head>
```

```
<tr><td class="e">Configuration File (php.ini) Path </td><td class="v">C:\Windows </td></tr>
```

...continues on next page...

...continued from previous page ...
<h2>PHP Variables</h2>The following CGIs were discovered: Syntax : cginame (arguments [default value]) http://192.168.56.6:8585/ (lang [fr] phpinfo [1]) http://192.168.56.6:8585/index.php (img [favicon])
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.76 Log 21/tcp

Log (CVSS: 0.0)
NVT: Microsoft IIS FTP Server Version Detection
Summary Detection of Microsoft IIS FTP Server. The script sends a connection request to the server and attempts to extract the version number from the reply.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Microsoft IIS FTP Server Version: unknown Location: 21/tcp CPE: cpe:/a:microsoft:ftp_service
Solution:
Log Method Details: Microsoft IIS FTP Server Version Detection OID:1.3.6.1.4.1.25623.1.0.900875 Version used: 2021-09-01T19:34:04+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: FTP Missing Support For AUTH TLS
Summary The remote FTP server does not support the 'AUTH TLS' command.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote FTP server does not support the 'AUTH TLS' command.
Solution:
Log Method Details: SSL/TLS: FTP Missing Support For AUTH TLS OID:1.3.6.1.4.1.25623.1.0.108553 Version used: 2021-03-19T13:43:38+05:30

Log (CVSS: 0.0)
NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 Microsoft FTP Service This is probably (a): - Microsoft IIS FTP Server Server operating system information collected via "SYST" command: 215 Windows_NT
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092 Version used: 2026-02-18T11:27:21+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 Microsoft FTP Service
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
... continues on next page ...

...continued from previous page ...
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.77 Log 135/tcp

Log (CVSS: 0.0) NVT: DCE/RPC and MSRPC Services Enumeration
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A DCE endpoint resolution service seems to be running on this port.
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this port.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries. The actual reporting takes place in the VT 'DCE/RPC and MSRPC Services Enumeration Reporting' (OID: 1.3.6.1.4.1.25623.1.0.10736)
Log Method Sends multiple crafted DCE/RPC requests and checks the responses. Details: DCE/RPC and MSRPC Services Enumeration OID:1.3.6.1.4.1.25623.1.0.108044
... continues on next page ...

...continued from previous page ...
Version used: 2025-11-25T11:10:35+05:30

[[return to 192.168.56.6](#)]

2.2.78 Log 8686/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port. The following remote registry objects have been extracted: rmi://192.168.56.6:8686/jmxrmi
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[[return to 192.168.56.6](#)]

2.2.79 Log 49153/tcp

Log (CVSS: 5.0) NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
The following DCE/RPC or MSRPC services are running on this port: UUID: 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: NRP server endpoint UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: DHCP Client LRPC Endpoint UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: DHCPv6 Client LRPC Endpoint UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: Event log TCPIP
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T11:10:08+05:30

[\[return to 192.168.56.6 \]](#)

2.2.80 Log 4848/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: GlassFish Server Open Source Edition 4.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
Summary The remote web server is not enforcing HTTP Public Key Pinning (HPKP). Note: Most major browsers have dropped / deprecated support for this header in 2020.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HPKP. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0 Set-Cookie: ***replaced*** Content-Type: text/html; charset=UTF-8 Date: ***replaced*** Connection: close Transfer-Encoding: chunked
Solution:
... continues on next page ...

...continued from previous page ...
Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp url: https://tools.ietf.org/html/rfc7469 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1)

4A5758F59279E82F2A913C83CA658D6964575A72

fingerprint (SHA-256)

AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD

... continues on next page ...

...continued from previous page...	
↔5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↔,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation
↔,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ... continues on next page ...

...continued from previous page ...
https://192.168.56.6:4848/ GET,HEAD,POST,PUT,DELETE,CONNECT,OPTIONS
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing
Summary The remote web server is not enforcing HTTP Strict Transport Security (HSTS).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HSTS. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0 Set-Cookie: ***replaced*** Content-Type: text/html; charset=UTF-8 Date: ***replaced*** Connection: close ... continues on next page ...

...continued from previous page ...
Transfer-Encoding: chunked
Solution: Solution type: Workaround Enable HSTS or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing OID:1.3.6.1.4.1.25623.1.0.105879 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html url: https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts url: https://tools.ietf.org/html/rfc6797 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: Client Certificate Required
Summary The remote SSL/TLS service requires an SSL/TLS client certificate.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service requires a client certificate when accessing it via the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1
... continues on next page ...

...continued from previous page ...
TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote SSL/TLS service and attempts to determine if the service requires an SSL/TLS client certificate. Details: SSL/TLS: Client Certificate Required OID:1.3.6.1.4.1.25623.1.0.117810 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: ... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security
... continues on next page ...

...continued from previous page ...
Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↔802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
...continues on next page ...

...continued from previous page ...
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.2 protocol: KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521) TLS_DHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page...

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

```
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
```

No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.

Server Key Exchange Group(s):

```
TLSv1.2 128 bits secp256r1 (NIST P-256)
TLSv1.2 192 bits secp384r1 (NIST P-384)
TLSv1.2 256 bits secp521r1 (NIST P-521)
```

Solution:

Vulnerability Insight

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method

Details: SSL/TLS: Report Supported Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.802067

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLSv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.1 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.2 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: Eclipse GlassFish Detection (HTTP)
Summary HTTP based detection of Eclipse GlassFish.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Eclipse GlassFish Version: 4.0 Location: / CPE: cpe:/a:eclipse:glassfish:4.0 Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: https://192.168.56.6:4848/index.html Extra information: The GlassFish Administration Console is running at this port.
Solution:
Log Method Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Missing Headers More Information -----
... continues on next page ...

...continued from previous page ...	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header	
Expect-CT	https://owasp.org/www-project-secure-headers
↪/#expect-ct, Note: This is an upcoming header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↪ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field	
Public-Key-Pins	Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he	
↪lp. Note: Most major browsers have dropped / deprecated support for this heade	
↪r in 2020.	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Strict-Transport-Security	Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HSTS' in their name for more information and configuration he	
↪lp.	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↪/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↪/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↪/#x-permitted-cross-domain-policies	
...continues on next page ...	

...continued from previous page ...	
X-XSS-Protection	https://owasp.org/www-project-secure-headers ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support ↪t for this header in 2020.
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Collect and Report Certificate Details	
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Solution:	
... continues on next page ...	

...continued from previous page ...

Log Method

Details: SSL/TLS: Collect and Report Certificate Details

OID:1.3.6.1.4.1.25623.1.0.103692

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Version Detection

Summary

Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote SSL/TLS service supports the following SSL/TLS protocol version(s):

TLSv1.0

TLSv1.1

TLSv1.2

Solution:**Log Method**

Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies.

Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers.

Details: SSL/TLS: Version Detection

OID:1.3.6.1.4.1.25623.1.0.105782

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: HTTP Server Banner Enumeration

Summary

This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner ↪ Enumeration technique ----- ↪----- Server: GlassFish Server Open Source Edition 4.0 ↪ Valid HTTP 0.9 GET request to '/index.html' X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Valid HTTP 0.9 GET request to '/index.html'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts.
... continues on next page ...

...continued from previous page...

This service seems to be able to host ASP scripts.
 The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was used to access the remote host.
 Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.
 The following files/directories require authentication and are tested (if enabled) by the script "HTTP Brute Force Logins With Default Credentials (OID: 1.3.6.1.4.1.25623.1.0.108041)":
 https://192.168.56.6:4848/basic
 https://192.168.56.6:4848/nubuilder
 The following directories were used for web application scanning:
 https://192.168.56.6:4848/
 While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
 The following directories were excluded from web application scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was:
 "(/index\.php|image|img|css|js\$|js/|javascript|style|theme|icon|jquery|graphic|grafik|picture|bilder|thumbnail|media/|skins?/)"
 https://192.168.56.6:4848/resource/community-theme/images
 https://192.168.56.6:4848/resource/css
 https://192.168.56.6:4848/resource/js
 https://192.168.56.6:4848/theme/META-INF
 https://192.168.56.6:4848/theme/META-INF/dojo
 https://192.168.56.6:4848/theme/META-INF/json
 https://192.168.56.6:4848/theme/META-INF/prototype
 https://192.168.56.6:4848/theme/com/sun/webui/jsf/suntheme/css
 The following CGIs were discovered:
 Syntax : cginame (arguments [default value])
 https://192.168.56.6:4848/j_security_check (j_username [] j_password [] loginButton [Login] loginButton.DisabledHiddenField [true])

Solution:

Log Method

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-02-24T11:27:09+05:30

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method ... continues on next page ...

...continued from previous page ...

Details: Services
 OID:1.3.6.1.4.1.25623.1.0.10330
 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.81 Log 137/udp

Log (CVSS: 0.0)

NVT: Using NetBIOS to retrieve information from a SMB host

Summary

This script is using NetBIOS (port UDP:137) to retrieve information from a SMB host.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The following 3 NetBIOS names have been gathered :

METASPLOITABLE3 = Computer name

METASPLOITABLE3 = This is the computer name registered for workstation services
 ↪ by a WINS client.

WORKGROUP = Workgroup / Domain name

The remote host has the following MAC address on its adapter :

08:00:27:ad:e1:14

If you do not want to allow everyone to find the NetBIOS name of your computer,
 ↪you should filter incoming traffic to this port.

Solution:

Log Method

Details: Using NetBIOS to retrieve information from a SMB host

OID:1.3.6.1.4.1.25623.1.0.10150

Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.2.82 Log 3306/tcp

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)
Summary MySQL protocol-based detection of MariaDB / Oracle MySQL.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Oracle MySQL Version: 5.5.20-log Location: 3306/tcp CPE: cpe:/a:oracle:mysql:5.5.20 Concluded from version/product identification result: 5.5.20-log
Solution:
Log Method Details: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID:1.3.6.1.4.1.25623.1.0.100152 Version used: 2025-09-09T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability
Summary Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Oracle MySQL can be accessed by remote attackers
Impact Successful exploitation could allow an attacker to obtain sensitive information from the database.
Solution: Solution type: Workaround Restrict database access to remote systems. Please see the manual of the affected database server for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS - Oracle MySQL - MariaDB - IBM DB2 - PostgreSQL - IBM solidDB - Oracle Database - Microsoft SQL Server
Vulnerability Insight The remote database server is not restricting direct access from remote systems.
Log Method Checks the result of various database server detections and evaluates their results. Details: Database Open Access Information Disclosure Vulnerability OID:1.3.6.1.4.1.25623.1.0.902799 Version used: 2025-09-09T11:08:49+05:30
References url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds_v1-2.pdf

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A MySQL/MariaDB server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330
... continues on next page ...

...continued from previous page ...
Version used: 2025-03-05T11:08:53+05:30

[[return to 192.168.56.6](#)]

2.2.83 Log 22/tcp

Log (CVSS: 0.0)
NVT: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to NOT allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server is NOT supporting at least ONE PQC KEX algorithm.
Impact The connection may be vulnerable to 'store now, decrypt later' attacks.
Solution: Solution type: Mitigation Update the remote SSH server to a version supporting PQC KEX algorithms (e.g. OpenSSH 8.9 or later) and enable relevant PQC KEX algorithms accordingly. Please see the references/manual of the remote SSH server and/or contact the vendor of it for more support.
Log Method Checks the (previously collected) supported KEX algorithms of the remote SSH server. Currently the following PQC KEX algorithms are defined / getting used for this check: - sntrup761x25519-sha512@openssh.com - sntrup761x25519-sha512 - mlkem768x25519-sha256 - sntrup4591761x25519-sha512@tinyssh.org - ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org - ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org
... continues on next page ...

...continued from previous page ... - ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org - x25519-kyber-512r3-sha256-d00@amazon.com - mlkem1024nistp384-sha384 - mlkem768nistp256-sha256 - curve25519-frodokem1344-sha512@ssh.com - ecdh-nistp521-kyber1024-sha512@ssh.com Details: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH) OID:1.3.6.1.4.1.25623.1.0.119214 Version used: 2026-03-06T21:19:04+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://openssh.com/pq.html url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-quantum-key-exchange-algorithm/ url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finalized-post-quantum-encryption-standards url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of-not-adopting-it/ url: https://supportportal.juniper.net/s/article/2026-03-Reference-Advisory-OpenSSH-client-new-warning-in-versions-10-1-and-higher-connection-is-not-using-a-post-quantum-key-exchange-algorithm
Log (CVSS: 0.0) NVT: SSH Protocol Algorithms Supported
Summary This script detects which algorithms are supported by the remote SSH service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following options are supported by the remote SSH service: kex_algorithms: curve25519-sha256@libssh.org,ecdh-sha2-nistp256,ecdh-sha2-nistp384,ecdh-sha2-nistp521,diffie-hellman-group-exchange-sha256,diffie-hellman-group14-sha1 server_host_key_algorithms: ssh-rsa,ecdsa-sha2-nistp521 encryption_algorithms_client_to_server: ... continues on next page ...

...continued from previous page ... chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr,aes128-gcm@openss ↔h.com,aes256-gcm@openssh.com encryption_algorithms_server_to_client: chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr,aes128-gcm@openss ↔h.com,aes256-gcm@openssh.com mac_algorithms_client_to_server: umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,h ↔mac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,uma ↔c-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1 mac_algorithms_server_to_client: umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,h ↔mac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,uma ↔c-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1 compression_algorithms_client_to_server: none,zlib@openssh.com compression_algorithms_server_to_client: none,zlib@openssh.com
Solution:
Log Method Details: SSH Protocol Algorithms Supported OID:1.3.6.1.4.1.25623.1.0.105565 Version used: 2026-01-21T11:20:46+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported
Summary Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote SSH Server supports the following SSH Protocol Versions: 1.99 2.0 SSHv2 Fingerprint(s): ecdsa-sha2-nistp521: 82:4e:9a:a4:e0:2a:6e:8b:d1:b1:a7:98:83:27:ce:5b ssh-rsa: 2e:63:30:a5:4c:84:64:97:05:b4:42:fb:e0:fa:9b:6a
Solution: ... continues on next page ...

...continued from previous page ...
Log Method The following versions are tried: 1.33, 1.5, 1.99 and 2.0. Details: SSH Protocol Versions Supported OID:1.3.6.1.4.1.25623.1.0.100259 Version used: 2024-06-17T14:01:37+05:30

Log (CVSS: 0.0)
NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-OpenSSH_7.1 Remote SSH supported authentication: password,publickey,keyboard-interactive Remote SSH text/login banner: (not available) This is probably (a): - OpenSSH Concluded from remote connection attempt with credentials: Login: OpenVASVT Password: OpenVASVT
Solution:
Vulnerability Insight This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.
Log Method Details: SSH Server type and version OID:1.3.6.1.4.1.25623.1.0.10267 Version used: 2026-02-13T21:19:08+05:30

Log (CVSS: 0.0)
NVT: Services
... continues on next page ...

...continued from previous page ...
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An ssh server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[[return to 192.168.56.6](#)]

2.2.84 Log 49179/tcp

Log (CVSS: 5.0) NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following DCE/RPC or MSRPC services are running on this port: UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49179] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access
Impact
... continues on next page ...

...continued from previous page ...
An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T11:10:08+05:30

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports
... continues on next page ...

...continued from previous page ...

OID:1.3.6.1.4.1.25623.1.0.10919
Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)**2.2.85 Log 8282/tcp**

Log (CVSS: 0.0)

NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote HTTP Server banner is:
Server: Apache-Coyote/1.1

Solution:**Log Method**

Details: HTTP Server type and version
OID:1.3.6.1.4.1.25623.1.0.10107
Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: Apache Axis2 Detection (HTTP)

Summary

HTTP based detection of Apache Axis2, a Web Services / SOAP / WSDL engine, the successor to the widely used Apache Axis SOAP stack.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Apache Axis2
Version: 1.6.0
Location: /axis2

... continues on next page ...

...continued from previous page ...
CPE: cpe:/a:apache:axis2:1.6.0 Concluded from version/product identification result: version is 1.6.0 Concluded from version/product identification location: http://192.168.56.6:8282/axis2/services/Version/getVersion http://192.168.56.6:8282/axis2/axis2-admin/ http://192.168.56.6:8282/axis2/axis2-web/index.jsp http://192.168.56.6:8282/axis2/services/version/getVersion http://192.168.56.6:8282/axis2/axis2-web/HappyAxis.jsp http://192.168.56.6:8282/axis2-admin/welcome http://192.168.56.6:8282/axis2/
Solution:
Log Method Details: Apache Axis2 Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100813 Version used: 2024-12-06T21:11:14+05:30
References url: https://axis.apache.org/axis2/java/core/ url: https://axis.apache.org/axis2/c/core/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Apache-Coyote/1.1 Invalid HTTP 00.5 GET request (non-existent HTTP ver ↪sion) to '/'
Solution:
Log Method
... continues on next page ...

...continued from previous page ...
Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- http://192.168.56.6:8282/ GET,HEAD,POST
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: 'favicon.ico' Based Fingerprinting (HTTP)
Summary HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following apps/services were identified: "Apache Tomcat (5.5.26), Alfresco Community" fingerprinted by the file: "http:// ↪192.168.56.6:8282/favicon.ico"
Solution:
Log Method Details: 'favicon.ico' Based Fingerprinting (HTTP) OID:1.3.6.1.4.1.25623.1.0.20108 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Apache Axis2 Web Services Detection (HTTP)
Summary HTTP based detection of Apache Axis2 Web Services.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following services were detected at 'http://192.168.56.6:8282/axis2/services ↪/listServices': - Version (URL: /axis2/services/Version?wsdl)
Solution:
Log Method Details: Apache Axis2 Web Services Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.111008 Version used: 2023-10-09T10:35:36+05:30
References url: https://axis.apache.org/axis2/java/core/
... continues on next page ...

...continued from previous page ...

url: <https://axis.apache.org/axis2/c/core/>

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Missing Headers | More Information

```

-----
↪-----
↪-----
Content-Security-Policy | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-User | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo

```

...continues on next page ...

...continued from previous page ...	
↳rted only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↳/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↳/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↳/#x-permitted-cross-domain-policies	
X-XSS-Protection	https://owasp.org/www-project-secure-headers
↳/#x-xss-protection, Note: Most major browsers have dropped / deprecated support	
↳t for this header in 2020.	
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

... continues on next page ...

...continued from previous page...

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

A possible recursion was detected during web application scanning:

The service is using a relative URL in one or more HTML references where e.g. /file1.html contains and a subsequent request for /subdir/file2.html is linking to subdir/file2.html. This would resolve to subdir/subdir/file2.html causing a recursion. To work around this counter-measures have been enabled but the service should be fixed as well to not use such problematic links. Below an excerpt of URLs is shown to help identify those issues.

Syntax : URL (HTML link)

http://192.168.56.6:8282/axis2/?D=A (axis2-web/css/axis-style.css)

http://192.168.56.6:8282/axis2/?D=A (axis2-web/images/asf-logo.gif)

http://192.168.56.6:8282/axis2/?D=A (axis2-web/images/axis_1.jpg)

http://192.168.56.6:8282/axis2/axis2-admin/ (axis2-web/css/axis-style.css)

http://192.168.56.6:8282/axis2/axis2-admin/ (axis2-web/images/asf-logo.gif)

The following files/directories require authentication and are tested (if enabled) by the script "HTTP Brute Force Logins With Default Credentials (OID: 1.3.6.1.4.1.25623.1.0.108041)":

http://192.168.56.6:8282/host-manager/html

http://192.168.56.6:8282/manager/html

http://192.168.56.6:8282/manager/status

The following directories were used for web application scanning:

http://192.168.56.6:8282/

http://192.168.56.6:8282/axis2

http://192.168.56.6:8282/axis2/axis2-admin

http://192.168.56.6:8282/axis2/axis2-web

http://192.168.56.6:8282/axis2/services/Version

http://192.168.56.6:8282/docs

http://192.168.56.6:8282/docs/api

http://192.168.56.6:8282/docs/api/org/apache/catalina

http://192.168.56.6:8282/docs/api/org/apache/catalina/core

http://192.168.56.6:8282/docs/api/org/apache/catalina/manager

http://192.168.56.6:8282/docs/api/org/apache/catalina/tribes

http://192.168.56.6:8282/docs/api/org/apache/juli

http://192.168.56.6:8282/docs/appdev

http://192.168.56.6:8282/docs/appdev/sample

... continues on next page ...

...continued from previous page ...

```

http://192.168.56.6:8282/docs/architecture
http://192.168.56.6:8282/docs/architecture/requestProcess
http://192.168.56.6:8282/docs/architecture/startup
http://192.168.56.6:8282/docs/config
http://192.168.56.6:8282/docs/elapi
http://192.168.56.6:8282/docs/funcsspecs
http://192.168.56.6:8282/docs/jspapi
http://192.168.56.6:8282/docs/servletapi
http://192.168.56.6:8282/docs/tribes
http://192.168.56.6:8282/docs/websocketapi
http://192.168.56.6:8282/examples
http://192.168.56.6:8282/examples/jsp
http://192.168.56.6:8282/examples/servlets
http://192.168.56.6:8282/examples/websocket
http://192.168.56.6:8282/host-manager
http://192.168.56.6:8282/manager
http://192.168.56.6:8282/struts2-rest-showcase
http://192.168.56.6:8282/struts2-rest-showcase/orders
While this is not, in and of itself, a bug, you should manually inspect these di
↪rectories to ensure that they are in compliance with company security standard
↪s
The following directories were excluded from web application scanning because th
↪e "Regex pattern to exclude directories from CGI scanning" setting of the VT "
↪Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was
↪: "(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graph
↪ic|grafik|picture|bilder|thumbnail|media/|skins?/)"
http://192.168.56.6:8282/axis2/axis2-web/css
http://192.168.56.6:8282/axis2/axis2-web/images
http://192.168.56.6:8282/docs/images
http://192.168.56.6:8282/struts2-rest-showcase/css
The "Number of pages to mirror" setting (Current: 200) of the VT "Web mirroring"
↪ (OID: 1.3.6.1.4.1.25623.1.0.10662) was reached. Raising this limit allows to
↪mirror this host more thoroughly but might increase the scanning time.
The following CGIs were discovered:
Syntax : cginame (arguments [default value])
http://192.168.56.6:8282/axis2/axis2-admin/axis2-admin/login (userName [] passwo
↪rd [] cancel [ Clear ] submit [ Login ] )
http://192.168.56.6:8282/axis2/axis2-admin/login (userName [] password [] cancel
↪ [ Clear ] submit [ Login ] )
http://192.168.56.6:8282/struts2-rest-showcase/orders/3 (_method [DELETE] )
http://192.168.56.6:8282/struts2-rest-showcase/orders/3;jsessionid=BA47E9A424E8D
↪130D345D41BACC9BA62 (_method [put] id [3] clientName [Bob] amount [33] )
http://192.168.56.6:8282/struts2-rest-showcase/orders/4 (_method [DELETE] )
http://192.168.56.6:8282/struts2-rest-showcase/orders/4;jsessionid=948548B084619
↪541DAD1C30E938CF4DE (_method [put] id [4] clientName [Sarah] amount [44] )
http://192.168.56.6:8282/struts2-rest-showcase/orders/5 (_method [DELETE] )
http://192.168.56.6:8282/struts2-rest-showcase/orders/5;jsessionid=07019FAE5924D
...continues on next page ...

```

...continued from previous page...
↔5B4F347C65AD2B5CA4B (_method [put] id [5] clientName [Jim] amount [66]) http://192.168.56.6:8282/struts2-rest-showcase/orders;jsessionid=AC827EAFCEFA535 ↔E77B384804574A6B2 (clientName [] amount [0])
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.86 Log 80/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-IIS/7.5
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ↪----- http://192.168.56.6/ OPTIONS, TRACE, GET, HEAD, POST (obtained via HTTP OPTION ↪S method)
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE ... continues on next page ...

...continued from previous page ...
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTION, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Microsoft Internet Information Services (IIS) Detection (HTTP)
Summary HTTP based detection of Microsoft Internet Information Services (IIS) and the underlying Microsoft Windows operating system version.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Microsoft Internet Information Services (IIS) Version: 7.5 Location: 80/tcp CPE: cpe:/a:microsoft:internet_information_services:7.5 Concluded from version/product identification result: Server: Microsoft-IIS/7.5
Solution:
Log Method Details: Microsoft Internet Information Services (IIS) Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.900710 Version used: 2026-03-10T15:45:11+05:30

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Missing Headers	More Information
-----	-----
↪-----	-----
↪-----	-----
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↪ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↪/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers

... continues on next page ...

...continued from previous page ...
↪/#x-frame-options X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers ↪/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support ↪t for this header in 2020.
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Microsoft-HTTPAPI/2.0 Invalid HTTP 00.5 GET request (non-existent HTTP ↪ version) to '/' Server: Microsoft-IIS/7.5 Valid HTTP 1.0 GET request to '/index.htm' X-Powered-By: ASP.NET Valid HTTP 1.0 GET request to '/index.htm'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708
... continues on next page ...

...continued from previous page ...

Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

http://192.168.56.6/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

Solution:**Log Method**

... continues on next page ...

...continued from previous page ...
Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.87 Log 49504/tcp

Log (CVSS: 0.0) NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[[return to 192.168.56.6](#)]

2.2.88 Log 5985/tcp

Log (CVSS: 0.0) NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-HTTPAPI/2.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Microsoft-HTTPAPI/2.0 Invalid HTTP 00.5 GET request (non-existent HTTP ↪ version) to '/'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Missing Headers More Information ----- ↪----- ↪----- Content-Security-Policy https://owasp.org/www-project-secure-headers ↪/#content-security-policy Cross-Origin-Embedder-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↪e: This is an upcoming header
... continues on next page ...

...continued from previous page...	
Cross-Origin-Opener-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Resource-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Document-Policy ↪cy/document-policy#document-policy-http-header	https://w3c.github.io/webappsec-feature-poli
Feature-Policy ↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi ↪ons Policy	https://owasp.org/www-project-secure-headers
Permissions-Policy ↪cy/#permissions-policy-http-header-field	https://w3c.github.io/webappsec-feature-poli
Referrer-Policy ↪/#referrer-policy	https://owasp.org/www-project-secure-headers
Sec-Fetch-Dest ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Mode ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Site ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-User ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
X-Content-Type-Options ↪/#x-content-type-options	https://owasp.org/www-project-secure-headers
X-Frame-Options ↪/#x-frame-options	https://owasp.org/www-project-secure-headers
X-Permitted-Cross-Domain-Policies ↪/#x-permitted-cross-domain-policies	https://owasp.org/www-project-secure-headers
X-XSS-Protection ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor ↪t for this header in 2020.	https://owasp.org/www-project-secure-headers
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)
NVT: Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection (HTTP)
Summary HTTP based detection of Web Services Management (WS-Man) / Windows Remote Management (WinRM).
Quality of Detection (QoD): 80%
Vulnerability Detection Result A WS-Man service is running at this port. The service supports Windows Remote Management (WinRM). The following information was extracted: Product Vendor: Microsoft Corporation Product Version: OS: 0.0.0 SP: 0.0 Stack: 3.0 The following information was extracted from the NTLM challenge: OS Version: 6.1.45341 Concluded from version/product identification location: http://192.168.56.6:5985 ↪ /wsman
Solution:
Log Method Details: Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection . ↪ .. OID:1.3.6.1.4.1.25623.1.0.103923 Version used: 2023-10-11T10:35:54+05:30
References url: https://www.dmtf.org/standards/ws-man url: https://learn.microsoft.com/en-us/windows/win32/winrm/portal

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
... continues on next page ...

...continued from previous page ...
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6:5985/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.11038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7
Log (CVSS: 0.0)
NVT: Services
Summary
... continues on next page ...

...continued from previous page ...
This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[[return to 192.168.56.6](#)]

2.2.89 Log 1617/tcp

Log (CVSS: 0.0) NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port. The following remote registry objects have been extracted: rmi://192.168.56.6:49157/jmxrmi
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.6 \]](#)

2.2.90 Log 49246/tcp

Log (CVSS: 5.0)
NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following DCE/RPC or MSRPC services are running on this port: UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49246] Annotation: IPsec Policy agent endpoint Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49246] Annotation: Remote Fw APIs
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this ports.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services.
... continues on next page ...

...continued from previous page ...
This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T11:10:08+05:30

Log (CVSS: 0.0)
NVT: Check open ports
Summary This plugin checks if the port scanners did not kill a service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

2.2.91 Log 3389/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
... continues on next page ...

...continued from previous page ...

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1)	3F55CBA53C83C24E921496DC72269B1E504EC80C
fingerprint (SHA-256)	D45D70EAC51AB03D26C0A28B3F899AD6EC42B4095B780F
↔3B9F9EC2125808139B	
issued by	CN=metasploitable3-win2k8
public key algorithm	RSA
public key size (bits)	2048
serial	757792EA564BA5B84886807274D11CC3
signature algorithm	sha1WithRSAEncryption
subject	CN=metasploitable3-win2k8
subject alternative names (SAN)	None
valid from	2026-02-12 04:35:16 UTC
valid until	2026-08-14 04:35:16 UTC

Solution:**Log Method**

Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.

Details: SSL/TLS: Certificate - Self-Signed Certificate Detection

OID:1.3.6.1.4.1.25623.1.0.103140

Version used: 2026-03-13T11:24:58+05:30

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

References

url: http://en.wikipedia.org/wiki/Self-signed_certificate

url: <https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1>

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary
... continues on next page ...

...continued from previous page ...
This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_MD5
...continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result No 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol. 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
Solution: ... continues on next page ...

...continued from previous page ...
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↩----- ↩----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLShv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLShv1.1 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLShv1.2 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLShv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution: ... continues on next page ...

...continued from previous page ...

Log Method

Details: SSL/TLS: Safe/Secure Renegotiation Support Status

OID:1.3.6.1.4.1.25623.1.0.117757

Version used: 2026-03-13T11:24:58+05:30

Referencesurl: https://www.gnutls.org/manual/html_node/Safe-renegotiation.htmlurl: <https://wiki.openssl.org/index.php/TLS1.3#Renegotiation>url: <https://datatracker.ietf.org/doc/html/rfc5746>

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The following certificate details of the remote service were collected.

Certificate details:

fingerprint (SHA-1)	3F55CBA53C83C24E921496DC72269B1E504EC80C
fingerprint (SHA-256)	D45D70EAC51AB03D26C0A28B3F899AD6EC42B4095B780F
↪3B9F9EC2125808139B	
issued by	CN=metasploitable3-win2k8
public key algorithm	RSA
public key size (bits)	2048
serial	757792EA564BA5B84886807274D11CC3
signature algorithm	sha1WithRSAEncryption
subject	CN=metasploitable3-win2k8
subject alternative names (SAN)	None
valid from	2026-02-12 04:35:16 UTC
valid until	2026-08-14 04:35:16 UTC

Solution:**Log Method**

Details: SSL/TLS: Collect and Report Certificate Details

OID:1.3.6.1.4.1.25623.1.0.103692

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: Microsoft Remote Desktop Protocol (RDP) Detection
Summary A service supporting the Microsoft Remote Desktop Protocol (RDP) is running at this host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Solution:
Vulnerability Insight Remote Desktop Services, formerly known as Terminal Services, is one of the components of Microsoft Windows (both server and client versions) that allows a user to access applications and data on a remote computer over a network.
Log Method
... continues on next page ...

...continued from previous page ...

Details: Microsoft Remote Desktop Protocol (RDP) Detection
 OID:1.3.6.1.4.1.25623.1.0.100062
 Version used: 2021-04-16T13:38:22+05:30

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

A TLScustom server answered on this port

Solution:**Vulnerability Insight**

This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.

Log Method

Details: Services

OID:1.3.6.1.4.1.25623.1.0.10330

Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)**2.2.92 Log 49262/tcp**

Log (CVSS: 0.0)

NVT: Check open ports

Summary

This plugin checks if the port scanners did not kill a service.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

... continues on next page ...

...continued from previous page ...
This port was detected as being open by a port scanner but is now closed. This service might have been crashed by a port scanner or by a plugin
Solution:
Log Method Details: Check open ports OID:1.3.6.1.4.1.25623.1.0.10919 Version used: 2023-08-03T10:35:16+05:30

[\[return to 192.168.56.6 \]](#)

This file was automatically generated.