

Scan Report

March 25, 2026

Summary

This document reports on the results of an automatic security scan. All dates are displayed using the timezone “Asia/Kolkata”, which is abbreviated “IST”. The task was “Week 2 - Authenticated Scan - Internal View(Windows)”. The scan started at Wed Mar 25 12:40:21 2026 IST and ended at Wed Mar 25 15:05:44 2026 IST. The report first summarises the results found. Then, for each host, the report describes every issue found. Please consider the advice given in each description, in order to rectify the issue.

Contents

1	Result Overview	2
1.1	Host Authentications	2
2	Results per Host	2
2.1	192.168.56.6	2
2.1.1	Critical 8181/tcp	4
2.1.2	Critical 5985/tcp	6
2.1.3	Critical 80/tcp	8
2.1.4	Critical 8020/tcp	11
2.1.5	Critical general/tcp	13
2.1.6	Critical 4848/tcp	193
2.1.7	Critical 47001/tcp	195
2.1.8	Critical 445/tcp	197
2.1.9	Critical 8282/tcp	198
2.1.10	Critical 8080/tcp	209
2.1.11	Critical 3306/tcp	211
2.1.12	Critical 22/tcp	227
2.1.13	Critical 3389/tcp	230
2.1.14	Critical 9200/tcp	232
2.1.15	Critical 8009/tcp	236
2.1.16	High 1617/tcp	238
2.1.17	High 8020/tcp	239

2.1.18	High general/tcp	241
2.1.19	High 8383/tcp	551
2.1.20	High 4848/tcp	555
2.1.21	High 445/tcp	556
2.1.22	High 8282/tcp	557
2.1.23	High 21/tcp	584
2.1.24	High 3306/tcp	586
2.1.25	High 22/tcp	634
2.1.26	High 9200/tcp	638
2.1.27	Medium 8181/tcp	639
2.1.28	Medium 8020/tcp	648
2.1.29	Medium general/tcp	652
2.1.30	Medium 8383/tcp	764
2.1.31	Medium 3820/tcp	772
2.1.32	Medium 4848/tcp	782
2.1.33	Medium 8282/tcp	791
2.1.34	Medium 3920/tcp	806
2.1.35	Medium 135/tcp	814
2.1.36	Medium 21/tcp	816
2.1.37	Medium 3306/tcp	817
2.1.38	Medium 22/tcp	943
2.1.39	Medium 3389/tcp	948
2.1.40	Medium 9200/tcp	957
2.1.41	Low general/icmp	963
2.1.42	Low general/tcp	965
2.1.43	Low 3306/tcp	993
2.1.44	Low 22/tcp	1005
2.1.45	Low 9200/tcp	1006
2.1.46	Log 8181/tcp	1007
2.1.47	Log 1617/tcp	1025
2.1.48	Log 139/tcp	1026
2.1.49	Log 5985/tcp	1027
2.1.50	Log 80/tcp	1032
2.1.51	Log 3700/tcp	1037
2.1.52	Log 8020/tcp	1038
2.1.53	Log general/tcp	1042
2.1.54	Log 9300/tcp	1071
2.1.55	Log 7676/tcp	1071
2.1.56	Log 8383/tcp	1072
2.1.57	Log 3820/tcp	1087

2.1.58	Log general/CPE-T	1098
2.1.59	Log 4848/tcp	1099
2.1.60	Log 47001/tcp	1119
2.1.61	Log 445/tcp	1123
2.1.62	Log 8282/tcp	1127
2.1.63	Log 3920/tcp	1136
2.1.64	Log 135/tcp	1146
2.1.65	Log 21/tcp	1147
2.1.66	Log 8080/tcp	1150
2.1.67	Log 3306/tcp	1155
2.1.68	Log 8686/tcp	1158
2.1.69	Log 22/tcp	1158
2.1.70	Log 3389/tcp	1164
2.1.71	Log 9200/tcp	1172
2.1.72	Log 8009/tcp	1177

1 Result Overview

Host	Critical	High	Medium	Low	Log	False P.
192.168.56.6	149	265	234	38	183	0
Total: 1	149	265	234	38	183	0

Vendor security updates are not trusted.

Overrides are off. Even when a result has an override, this report uses the actual threat of the result.

Information on overrides is included in the report.

Notes are included in the report.

This report might not show details of all issues that were found.

Issues with the threat level “Critical” are not shown.

Issues with the threat level “High” are not shown.

Issues with the threat level “Medium” are not shown.

Issues with the threat level “Low” are not shown.

Issues with the threat level “Log” are not shown.

Issues with the threat level “Debug” are not shown.

Issues with the threat level “False Positive” are not shown.

Only results with a minimum QoD of 70 are shown.

This report contains all 869 results selected by the filtering described above. Before filtering there were 905 results.

1.1 Host Authentications

Host	Protocol	Result	Port/User
192.168.56.6	SSH	Failure	Protocol SSH, Port 22, 'su' User administrator : Switch user failed
192.168.56.6	SMB	Success	Protocol SMB, Port 445, User administrator

2 Results per Host

2.1 192.168.56.6

Host scan start Wed Mar 25 12:40:48 2026 IST

Host scan end Wed Mar 25 15:05:38 2026 IST

Service (Port)	Threat Level
8181/tcp	Critical
5985/tcp	Critical
80/tcp	Critical

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
8020/tcp	Critical
general/tcp	Critical
4848/tcp	Critical
47001/tcp	Critical
445/tcp	Critical
8282/tcp	Critical
8080/tcp	Critical
3306/tcp	Critical
22/tcp	Critical
3389/tcp	Critical
9200/tcp	Critical
8009/tcp	Critical
1617/tcp	High
8020/tcp	High
general/tcp	High
8383/tcp	High
4848/tcp	High
445/tcp	High
8282/tcp	High
21/tcp	High
3306/tcp	High
22/tcp	High
9200/tcp	High
8181/tcp	Medium
8020/tcp	Medium
general/tcp	Medium
8383/tcp	Medium
3820/tcp	Medium
4848/tcp	Medium
8282/tcp	Medium
3920/tcp	Medium
135/tcp	Medium
21/tcp	Medium
3306/tcp	Medium
22/tcp	Medium
3389/tcp	Medium
9200/tcp	Medium
general/icmp	Low
general/tcp	Low
3306/tcp	Low
22/tcp	Low
9200/tcp	Low
8181/tcp	Log
1617/tcp	Log

... (continues) ...

... (continued) ...

Service (Port)	Threat Level
139/tcp	Log
5985/tcp	Log
80/tcp	Log
3700/tcp	Log
8020/tcp	Log
general/tcp	Log
9300/tcp	Log
7676/tcp	Log
8383/tcp	Log
3820/tcp	Log
general/CPE-T	Log
4848/tcp	Log
47001/tcp	Log
445/tcp	Log
8282/tcp	Log
3920/tcp	Log
135/tcp	Log
21/tcp	Log
8080/tcp	Log
3306/tcp	Log
8686/tcp	Log
22/tcp	Log
3389/tcp	Log
9200/tcp	Log
8009/tcp	Log

2.1.1 Critical 8181/tcp

Critical (CVSS: 9.8)	
NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check	
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.	
Quality of Detection (QoD): 70%	
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : https://192.168.56.6:81 ↪81/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1")	
... continues on next page ...	

...continued from previous page ...	
HTTP Method	: POST
it was possible to trigger the vulnerability and make the remote host sending an ↔ ICMP request back to the scanner host (Details on the received packet follows ↔).	
Destination IP:	192.168.56.1 (receiving IP on scanner host side)
Originating IP:	192.168.56.6 (originating IP from target host side)
Received answer (ICMP "Data" field):	
0x00:	61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop
0x10:	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi
0x20:	
Solution:	
Solution type: VendorFix	
Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS	
VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight	
When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method	
Two different methods are used:	
1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only).	
2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only).	
Notes:	
- For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000).	
- For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target.	
- If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT.	
- By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'.	
Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↔..	
OID:1.3.6.1.4.1.25623.1.0.148068	
Version used: 2026-03-12T11:26:11+05:30	
... continues on next page ...	

...continued from previous page...

References

cve: CVE-2022-22963
 url: <https://tanzu.vmware.com/security/cve-2022-22963>
 url: <https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function>
 url: <https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/>
 url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
 cisa: Known Exploited Vulnerability (KEV) catalog
 cert-bund: WID-SEC-2022-1375
 cert-bund: WID-SEC-2022-0767
 cert-bund: WID-SEC-2022-0756
 cert-bund: WID-SEC-2022-0471
 cert-bund: CB-K22/0376
 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)**2.1.2 Critical 5985/tcp****Critical (CVSS: 9.8)****NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check****Summary**

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%**Vulnerability Detection Result**

By doing a HTTP request with the following data (excerpt):

Affected URL : <http://192.168.56.6:5985/functionRouter>

HTTP "POST" body : OpenVASVT

HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).getRuntime().exec("ping -n 5 192.168.56.1")

HTTP Method : POST

it was possible to trigger the vulnerability and make the remote host sending an ICMP request back to the scanner host (Details on the received packet follows).

Destination IP: 192.168.56.1 (receiving IP on scanner host side)

Originating IP: 192.168.56.6 (originating IP from target host side)

Received answer (ICMP "Data" field):

0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop

...continues on next page...

...continued from previous page...	
0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69	qrstuvwabcdefghi
0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30	
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/	
...continues on next page...	

...continued from previous page ...
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2022-1375
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0756
cert-bund: WID-SEC-2022-0471
cert-bund: CB-K22/0376
dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.1.3 Critical 80/tcp

Critical (CVSS: 10.0)
NVT: Microsoft HTTP.sys RCE Vulnerability (MS15-034) - Active Check
Product detection result cpe:/a:microsoft:internet_information_services:7.5 Detected by Microsoft Internet Information Services (IIS) Detection (HTTP) (OID: ↪ 1.3.6.1.4.1.25623.1.0.900710)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-034.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The response to a crafted HTTP GET request indicates that the host is affected. Response: HTTP/1.1 416 Requested Range Not Satisfiable Content-Type: text/html Last-Modified: Fri, 13 Feb 2026 03:01:29 GMT Accept-Ranges: bytes ETag: "431b3c959cdc1:0" Server: Microsoft-IIS/7.5 X-Powered-By: ASP.NET Date: Wed, 25 Mar 2026 08:56:59 GMT Content-Length: 362 Content-Range: bytes */1116928 <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/str ↪ict.dtd"> <HTML><HEAD><TITLE>Requested Range Not Satisfiable</TITLE> <META HTTP-EQUIV="Content-Type" Content="text/html; charset=us-ascii"></HEAD>
... continues on next page ...

...continued from previous page ...
<pre><BODY><h2>Requested Range Not Satisfiable</h2> <hr><p>HTTP Error 416. The requested range is not satisfiable.</p> </BODY></HTML></pre>
Impact Successful exploitation will allow remote attackers to run arbitrary code in the context of the current user and to perform actions in the security context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior
Vulnerability Insight Flaw exists due to the HTTP protocol stack 'HTTP.sys' that is triggered when parsing HTTP requests.
Vulnerability Detection Method Sends a special crafted HTTP GET request and checks the response. Details: Microsoft HTTP.sys RCE Vulnerability (MS15-034) - Active Check OID: 1.3.6.1.4.1.25623.1.0.105257 Version used: 2026-03-10T15:45:11+05:30
Product Detection Result Product: cpe:/a:microsoft:internet_information_services:7.5 Method: Microsoft Internet Information Services (IIS) Detection (HTTP) OID: 1.3.6.1.4.1.25623.1.0.900710)
References cve: CVE-2015-1635 url: https://support.microsoft.com/en-us/topic/ms15-034-vulnerability-in-http-sy-s-could-allow-remote-code-execution-april-14-2015-e8755c1e-c5a8-fa75-c7b1-3208-7b127850 url: https://learn.microsoft.com/en-us/security-updates/SecurityBulletins/2015/ms15-034 url: http://pastebin.com/ypURDPc4 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0527
dfn-cert: DFN-CERT-2015-0545

Critical (CVSS: 9.8)

NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check

Summary

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

By doing a HTTP request with the following data (excerpt):

Affected URL : http://192.168.56.6/functionRouter

↳ ctionRouter

HTTP "POST" body : OpenVASVT

HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge

↳ tRuntime().exec("ping -n 5 192.168.56.1")

HTTP Method : POST

it was possible to trigger the vulnerability and make the remote host sending an

↳ ICMP request back to the scanner host (Details on the received packet follows

↳).

Destination IP: 192.168.56.1 (receiving IP on scanner host side)

Originating IP: 192.168.56.6 (originating IP from target host side)

Received answer (ICMP "Data" field):

0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop

0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi

0x20:

Solution:

Solution type: VendorFix

Update to version 3.1.7, 3.2.3 or later.

Affected Software/OS

VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.

Vulnerability Insight

When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.

Vulnerability Detection Method

Two different methods are used:

... continues on next page ...

...continued from previous page...

1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only).

2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only).

Notes:

- For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000).

- For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target.

- If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT.

- By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'.

Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active .

↪..

OID:1.3.6.1.4.1.25623.1.0.148068

Version used: 2026-03-12T11:26:11+05:30

References

cve: CVE-2022-22963

url: <https://tanzu.vmware.com/security/cve-2022-22963>

url: <https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function>

url: <https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/>

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

cisa: Known Exploited Vulnerability (KEV) catalog

cert-bund: WID-SEC-2022-1375

cert-bund: WID-SEC-2022-0767

cert-bund: WID-SEC-2022-0756

cert-bund: WID-SEC-2022-0471

cert-bund: CB-K22/0376

dfn-cert: DFN-CERT-2022-0797

[[return to 192.168.56.6](#)]

2.1.4 Critical 8020/tcp

Critical (CVSS: 9.8)
NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:802 ↪0/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes:
... continues on next page ...

...continued from previous page ... - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[[return to 192.168.56.6](#)]

2.1.5 Critical general/tcp

Critical (CVSS: 10.0) NVT: Apache Log4j End of Life (EOL) Detection - Windows
Summary The Apache Log4j version on the remote host has reached the End of Life (EOL) and should not be used anymore.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "Apache Log4j" version on the remote host has reached the end of life. CPE: cpe:/a:apache:log4j:1.2.15 Installed version: 1.2.15 Location/URL: C:\ManageEngine\DesktopCentral_Server\lib\log4j-1.2.15.jar EOL version: 1.2 EOL date: 2015-08-05 EOL info: https://blogs.apache.org/foundation/entry/apache_logging_serv↵ices_project_announces
Impact An EOL version of Apache Log4j is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: VendorFix Update the Apache Log4j version on the remote host to a still supported version.
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Apache Log4j End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.117844 Version used: 2025-09-04T11:09:49+05:30
References url: https://blogs.apache.org/foundation/entry/apache_logging_services_project_a↵nnounces

Critical (CVSS: 10.0)
NVT: Microsoft .NET Framework Privilege Elevation Vulnerability (2800277)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-015.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow an attacker to execute arbitrary code.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 4 - Microsoft .NET Framework 4.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 2.0 Service Pack 2
Vulnerability Insight The flaw is due to an error when handling permissions of a callback function when a certain Win-Form object is created and can be exploited to bypass CAS (Code Access Security) restrictions via a specially crafted XAML Browser Application (XBAP) or an untrusted .NET application.
Vulnerability Detection Method Details: Microsoft .NET Framework Privilege Elevation Vulnerability (2800277) OID:1.3.6.1.4.1.25623.1.0.902950 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-0073 url: http://support.microsoft.com/kb/2800277 url: http://www.securityfocus.com/bid/57847 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv13-015 dfn-cert: DFN-CERT-2013-0292

Critical (CVSS: 10.0)
NVT: Microsoft Windows Print Spooler Remote Code Execution Vulnerability (2769369)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-001.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow remote attackers to execute arbitrary code by sending a specially crafted print job to the print server.
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The vulnerability is caused when the Windows Print Spooler fails to handle a specially crafted print job.
Vulnerability Detection Method Details: Microsoft Windows Print Spooler Remote Code Execution Vulnerability (2769369) OID:1.3.6.1.4.1.25623.1.0.901213 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-0011 url: http://support.microsoft.com/kb/2769369 url: http://www.securityfocus.com/bid/57142 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-001 dfn-cert: DFN-CERT-2013-0043

Critical (CVSS: 10.0) NVT: Microsoft Comctl32 Integer Overflow Vulnerability (2864058)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-083.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to execute arbitrary code on the system with elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
- Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 for x64 Service Pack 1 and prior
Vulnerability Insight A flaw exists in Comctl32.dll file which is caused by an integer overflow in the common control library.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Comctl32 Integer Overflow Vulnerability (2864058) OID:1.3.6.1.4.1.25623.1.0.903225 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3195 url: http://xforce.iss.net/xforce/xfdb/87402 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-083 url: http://support.microsoft.com/default.aspx?scid=kb;EN-US;2864058 cert-bund: CB-K13/0762 dfn-cert: DFN-CERT-2013-1753

Critical (CVSS: 10.0)
NVT: Microsoft Internet Explorer Multiple Vulnerabilities (2969262)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-035.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to conduct session hijacking attacks, disclose potentially sensitive information, bypass certain security restrictions, and compromise a user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws are due to: - A use-after-free error when handling CMarkup objects. - An error when handling negotiation of certificates during a TLS session. - Improper validation of certain permissions. - and multiple Unspecified errors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (2969262) OID:1.3.6.1.4.1.25623.1.0.804595 Version used: 2023-07-26T10:35:09+05:30
References cve: CVE-2014-0282 cve: CVE-2014-1762 cve: CVE-2014-1764 cve: CVE-2014-1766 cve: CVE-2014-1769 cve: CVE-2014-1770 cve: CVE-2014-1771 cve: CVE-2014-1772 cve: CVE-2014-1773 cve: CVE-2014-1774 cve: CVE-2014-1775 cve: CVE-2014-1777 cve: CVE-2014-1778 cve: CVE-2014-1779 cve: CVE-2014-1780 cve: CVE-2014-1781 cve: CVE-2014-1782 cve: CVE-2014-1783 cve: CVE-2014-1784 cve: CVE-2014-1785 cve: CVE-2014-1786 cve: CVE-2014-1788 cve: CVE-2014-1789 cve: CVE-2014-1790 cve: CVE-2014-1791 cve: CVE-2014-1792 cve: CVE-2014-1794 cve: CVE-2014-1795
...continues on next page ...

...continued from previous page ...

cve: CVE-2014-1796
cve: CVE-2014-1797
cve: CVE-2014-1799
cve: CVE-2014-1800
cve: CVE-2014-1802
cve: CVE-2014-1803
cve: CVE-2014-1804
cve: CVE-2014-1805
cve: CVE-2014-2753
cve: CVE-2014-2754
cve: CVE-2014-2755
cve: CVE-2014-2756
cve: CVE-2014-2757
cve: CVE-2014-2758
cve: CVE-2014-2759
cve: CVE-2014-2760
cve: CVE-2014-2761
cve: CVE-2014-2763
cve: CVE-2014-2764
cve: CVE-2014-2765
cve: CVE-2014-2766
cve: CVE-2014-2767
cve: CVE-2014-2768
cve: CVE-2014-2769
cve: CVE-2014-2770
cve: CVE-2014-2771
cve: CVE-2014-2772
cve: CVE-2014-2773
cve: CVE-2014-2775
cve: CVE-2014-2776
cve: CVE-2014-2777
url: <https://support.microsoft.com/kb/2957689>
url: <http://www.securityfocus.com/bid/67295>
url: <http://www.securityfocus.com/bid/67511>
url: <http://www.securityfocus.com/bid/67518>
url: <http://www.securityfocus.com/bid/67544>
url: <http://www.securityfocus.com/bid/67831>
url: <http://www.securityfocus.com/bid/67833>
url: <http://www.securityfocus.com/bid/67834>
url: <http://www.securityfocus.com/bid/67835>
url: <http://www.securityfocus.com/bid/67836>
url: <http://www.securityfocus.com/bid/67838>
url: <http://www.securityfocus.com/bid/67839>
url: <http://www.securityfocus.com/bid/67840>
url: <http://www.securityfocus.com/bid/67841>
url: <http://www.securityfocus.com/bid/67842>
url: <http://www.securityfocus.com/bid/67843>

...continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/67845>
url: <http://www.securityfocus.com/bid/67846>
url: <http://www.securityfocus.com/bid/67847>
url: <http://www.securityfocus.com/bid/67848>
url: <http://www.securityfocus.com/bid/67849>
url: <http://www.securityfocus.com/bid/67850>
url: <http://www.securityfocus.com/bid/67851>
url: <http://www.securityfocus.com/bid/67852>
url: <http://www.securityfocus.com/bid/67854>
url: <http://www.securityfocus.com/bid/67855>
url: <http://www.securityfocus.com/bid/67856>
url: <http://www.securityfocus.com/bid/67857>
url: <http://www.securityfocus.com/bid/67858>
url: <http://www.securityfocus.com/bid/67859>
url: <http://www.securityfocus.com/bid/67860>
url: <http://www.securityfocus.com/bid/67861>
url: <http://www.securityfocus.com/bid/67862>
url: <http://www.securityfocus.com/bid/67863>
url: <http://www.securityfocus.com/bid/67864>
url: <http://www.securityfocus.com/bid/67866>
url: <http://www.securityfocus.com/bid/67867>
url: <http://www.securityfocus.com/bid/67869>
url: <http://www.securityfocus.com/bid/67871>
url: <http://www.securityfocus.com/bid/67872>
url: <http://www.securityfocus.com/bid/67873>
url: <http://www.securityfocus.com/bid/67874>
url: <http://www.securityfocus.com/bid/67875>
url: <http://www.securityfocus.com/bid/67876>
url: <http://www.securityfocus.com/bid/67877>
url: <http://www.securityfocus.com/bid/67878>
url: <http://www.securityfocus.com/bid/67879>
url: <http://www.securityfocus.com/bid/67880>
url: <http://www.securityfocus.com/bid/67881>
url: <http://www.securityfocus.com/bid/67882>
url: <http://www.securityfocus.com/bid/67883>
url: <http://www.securityfocus.com/bid/67884>
url: <http://www.securityfocus.com/bid/67885>
url: <http://www.securityfocus.com/bid/67886>
url: <http://www.securityfocus.com/bid/67887>
url: <http://www.securityfocus.com/bid/67889>
url: <http://www.securityfocus.com/bid/67890>
url: <http://www.securityfocus.com/bid/67891>
url: <http://www.securityfocus.com/bid/67892>
url: <http://www.securityfocus.com/bid/67915>
url: <https://support.microsoft.com/kb/2963950>
url: <https://technet.microsoft.com/library/security/ms14-035>
cert-bund: CB-K14/0713

...continues on next page ...

...continued from previous page ...
cert-bund: CB-K14/0628 dfn-cert: DFN-CERT-2014-0746 dfn-cert: DFN-CERT-2014-0649
Critical (CVSS: 10.0) NVT: Operating System (OS) End of Life (EOL) Detection
Product detection result cpe:/o:microsoft:windows_server_2008:r2:sp1:x64 Detected by OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0 ↪.105937)
Summary The Operating System (OS) on the remote host has reached the end of life (EOL) and should not be used anymore.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "Windows Server 2008 / Windows Server 2008 R2" Operating System on the remote host has reached the end of life. CPE: cpe:/o:microsoft:windows_server_2008:r2:sp1:x64 Installed version, build or SP: r2sp1 EOL date: 2020-01-14 EOL info: https://learn.microsoft.com/en-us/troubleshoot/windows-server/windows-server-eos-faq/end-of-support-windows-server-2008-2008r2
Impact An EOL version of an OS is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: Mitigation Update the OS on the remote host to a version which is still supported and receiving security updates by the vendor. Note / Important: Please create an override for this result if the target host is a: - Windows system with Extended Security Updates (ESU) - System with additional 3rd-party / non-vendor security updates like e.g. from 'TuxCare', 'Freexian Extended LTS' or similar
Vulnerability Detection Method Checks if an EOL version of an OS is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: Operating System (OS) End of Life (EOL) Detection OID:1.3.6.1.4.1.25623.1.0.103674 Version used: 2025-05-21T11:10:19+05:30
Product Detection Result Product: cpe:/o:microsoft:windows_server_2008:r2:sp1:x64 Method: OS Detection Consolidation and Reporting OID: 1.3.6.1.4.1.25623.1.0.105937)

Critical (CVSS: 10.0) NVT: Microsoft Windows Multiple Vulnerabilities (KB4571729)
Summary This host is missing a critical security update according to Microsoft KB4571729
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24559 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges and disclose sensitive information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error when the Windows Print Spooler service improperly allows arbitrary writing to the file system. - An error when the Windows Kernel API fails to properly handle registry objects in memory. - An error when Windows Media Foundation fails to properly handle objects in memory. - An error in the way that the scripting engine handles objects in the memory in Internet Explorer. - An error in RPC if the server has Routing and Remote Access enabled. Please see the references for more information on the vulnerabilities.
... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4571729) OID:1.3.6.1.4.1.25623.1.0.817267 Version used: 2024-06-26T10:35:39+05:30	
References cve: CVE-2020-1337 cve: CVE-2020-1339 cve: CVE-2020-1377 cve: CVE-2020-1378 cve: CVE-2020-1379 cve: CVE-2020-1380 cve: CVE-2020-1383 cve: CVE-2020-1464 cve: CVE-2020-1467 cve: CVE-2020-1470 cve: CVE-2020-1472 cve: CVE-2020-1473 cve: CVE-2020-1474 cve: CVE-2020-1475 cve: CVE-2020-1477 cve: CVE-2020-1478 cve: CVE-2020-1484 cve: CVE-2020-1485 cve: CVE-2020-1486 cve: CVE-2020-1489 cve: CVE-2020-1513 cve: CVE-2020-1515 cve: CVE-2020-1516 cve: CVE-2020-1517 cve: CVE-2020-1518 cve: CVE-2020-1519 cve: CVE-2020-1520 cve: CVE-2020-1529 cve: CVE-2020-1530 cve: CVE-2020-1534 cve: CVE-2020-1535 cve: CVE-2020-1536 cve: CVE-2020-1537 cve: CVE-2020-1538 cve: CVE-2020-1539 cve: CVE-2020-1540 cve: CVE-2020-1541 cve: CVE-2020-1542 cve: CVE-2020-1543 cve: CVE-2020-1544	
...continues on next page ...	

...continued from previous page ...
cve: CVE-2020-1545
cve: CVE-2020-1546
cve: CVE-2020-1547
cve: CVE-2020-1551
cve: CVE-2020-1552
cve: CVE-2020-1554
cve: CVE-2020-1557
cve: CVE-2020-1558
cve: CVE-2020-1562
cve: CVE-2020-1564
cve: CVE-2020-1567
cve: CVE-2020-1570
cve: CVE-2020-1577
cve: CVE-2020-1579
cve: CVE-2020-1584
cve: CVE-2020-1587
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/4571729
cert-bund: CB-K21/0411
cert-bund: CB-K20/0816
cert-bund: CB-K20/0814
dfn-cert: DFN-CERT-2021-2072
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-0827
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2020-2749
dfn-cert: DFN-CERT-2020-2567
dfn-cert: DFN-CERT-2020-2024
dfn-cert: DFN-CERT-2020-1775
dfn-cert: DFN-CERT-2020-1768

Critical (CVSS: 10.0)

NVT: Microsoft Windows Networking Components Remote Code Execution Vulnerabilities (2733594)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS12-054.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation could allow remote attackers to execute arbitrary code on an affected system or cause denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight The flaws are due to - The way windows networking components handle a specially crafted RAP response. - A format string error within the print spooler service can be exploited via a specially crafted response.
Vulnerability Detection Method Details: Microsoft Windows Networking Components Remote Code Execution Vulnerabilities (. ↪.. OID:1.3.6.1.4.1.25623.1.0.903036 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-1850 cve: CVE-2012-1851 cve: CVE-2012-1852 cve: CVE-2012-1853 url: http://support.microsoft.com/kb/2705219 url: http://www.securityfocus.com/bid/54921 url: http://www.securityfocus.com/bid/54928 url: http://www.securityfocus.com/bid/54931 url: http://www.securityfocus.com/bid/54940 url: http://support.microsoft.com/kb/2712808 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms↪12-054 dfn-cert: DFN-CERT-2012-1572

Critical (CVSS: 10.0)
NVT: Oracle Java SE <= 8u461-b50 Security Update (Oct 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform remote code execution, disclose information and conduct denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u461-b50 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE <= 8u461-b50 Security Update (Oct 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836782 Version used: 2025-12-19T21:11:09+05:30
References cve: CVE-2025-31257 cve: CVE-2025-24189 cve: CVE-2025-31273 cve: CVE-2025-31278 cve: CVE-2025-43211 cve: CVE-2025-43212 cve: CVE-2025-43216 cve: CVE-2025-43227 cve: CVE-2025-43228 cve: CVE-2025-43240 cve: CVE-2025-43265 cve: CVE-2025-6558 cisa: Known Exploited Vulnerability (KEV) catalog ... continues on next page ...

...continued from previous page ...

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>url: <https://www.oracle.com/security-alerts/cpuoct2025.html>

cert-bund: WID-SEC-2026-0349

cert-bund: WID-SEC-2026-0180

cert-bund: WID-SEC-2025-2365

cert-bund: WID-SEC-2025-1703

cert-bund: WID-SEC-2025-1683

cert-bund: WID-SEC-2025-1672

cert-bund: WID-SEC-2025-1668

cert-bund: WID-SEC-2025-1580

cert-bund: WID-SEC-2025-1069

cert-bund: WID-SEC-2025-1010

cert-bund: WID-SEC-2025-1007

cert-bund: WID-SEC-2025-1003

cert-bund: WID-SEC-2025-0201

dfn-cert: DFN-CERT-2025-2942

dfn-cert: DFN-CERT-2025-2729

dfn-cert: DFN-CERT-2025-2324

dfn-cert: DFN-CERT-2025-2130

dfn-cert: DFN-CERT-2025-2104

dfn-cert: DFN-CERT-2025-2080

dfn-cert: DFN-CERT-2025-2074

dfn-cert: DFN-CERT-2025-2068

dfn-cert: DFN-CERT-2025-2067

dfn-cert: DFN-CERT-2025-2066

dfn-cert: DFN-CERT-2025-1892

dfn-cert: DFN-CERT-2025-1798

dfn-cert: DFN-CERT-2025-1587

dfn-cert: DFN-CERT-2025-1297

dfn-cert: DFN-CERT-2025-1270

dfn-cert: DFN-CERT-2025-1203

dfn-cert: DFN-CERT-2025-1200

dfn-cert: DFN-CERT-2025-1198

Critical (CVSS: 10.0)**NVT: Oracle Java SE <= 8u461-b50 Security Update (Oct 2025) - Windows****Summary**

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

...continues on next page ...

...continued from previous page...	
Installation	
path / port:	C:\Program Files\Java\jre1.8.0_251
Impact	Successful exploitation allows an attacker to perform remote code execution, disclose information and conduct denial of service attacks.
Solution:	
Solution type: VendorFix	
The vendor has released updates. Please see the references for more information.	
Affected Software/OS	
Oracle Java SE version 8u461-b50 and prior on Windows.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Oracle Java SE <= 8u461-b50 Security Update (Oct 2025) - Windows	
OID:1.3.6.1.4.1.25623.1.0.836782	
Version used: 2025-12-19T21:11:09+05:30	
References	
cve: CVE-2025-31257	
cve: CVE-2025-24189	
cve: CVE-2025-31273	
cve: CVE-2025-31278	
cve: CVE-2025-43211	
cve: CVE-2025-43212	
cve: CVE-2025-43216	
cve: CVE-2025-43227	
cve: CVE-2025-43228	
cve: CVE-2025-43240	
cve: CVE-2025-43265	
cve: CVE-2025-6558	
cisa: Known Exploited Vulnerability (KEV) catalog	
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog	
url: https://www.oracle.com/security-alerts/cpuoct2025.html	
cert-bund: WID-SEC-2026-0349	
cert-bund: WID-SEC-2026-0180	
cert-bund: WID-SEC-2025-2365	
cert-bund: WID-SEC-2025-1703	
cert-bund: WID-SEC-2025-1683	
cert-bund: WID-SEC-2025-1672	
cert-bund: WID-SEC-2025-1668	
cert-bund: WID-SEC-2025-1580	
cert-bund: WID-SEC-2025-1069	
cert-bund: WID-SEC-2025-1010	
...continues on next page...	

...continued from previous page ...

```

cert-bund: WID-SEC-2025-1007
cert-bund: WID-SEC-2025-1003
cert-bund: WID-SEC-2025-0201
dfn-cert: DFN-CERT-2025-2942
dfn-cert: DFN-CERT-2025-2729
dfn-cert: DFN-CERT-2025-2324
dfn-cert: DFN-CERT-2025-2130
dfn-cert: DFN-CERT-2025-2104
dfn-cert: DFN-CERT-2025-2080
dfn-cert: DFN-CERT-2025-2074
dfn-cert: DFN-CERT-2025-2068
dfn-cert: DFN-CERT-2025-2067
dfn-cert: DFN-CERT-2025-2066
dfn-cert: DFN-CERT-2025-1892
dfn-cert: DFN-CERT-2025-1798
dfn-cert: DFN-CERT-2025-1587
dfn-cert: DFN-CERT-2025-1297
dfn-cert: DFN-CERT-2025-1270
dfn-cert: DFN-CERT-2025-1203
dfn-cert: DFN-CERT-2025-1200
dfn-cert: DFN-CERT-2025-1198

```

Critical (CVSS: 10.0)**NVT: Apache Log4j End of Life (EOL) Detection - Windows****Summary**

The Apache Log4j version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The "Apache Log4j" version on the remote host has reached the end of life.

CPE: cpe:/a:apache:log4j:1.2.17

Installed version: 1.2.17

Location/URL: C:\Program Files\elasticsearch-1.1.1\lib\log4j-1.2.17.jar

EOL version: 1.2

EOL date: 2015-08-05

EOL info: https://blogs.apache.org/foundation/entry/apache_logging_serv↵ices_project_announces

Impact

An EOL version of Apache Log4j is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix Update the Apache Log4j version on the remote host to a still supported version.
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Apache Log4j End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.117844 Version used: 2025-09-04T11:09:49+05:30
References url: https://blogs.apache.org/foundation/entry/apache_logging_services_project_a↵nounces

Critical (CVSS: 10.0)
NVT: Microsoft Windows NAT Driver Denial of Service Vulnerability (2849568)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-062.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to execute arbitrary code and take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight Flaw is due to an improper handling asynchronous RPC requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows NAT Driver Denial of Service Vulnerability (2849568) OID:1.3.6.1.4.1.25623.1.0.903317 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3175 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-062 url: http://www.securityfocus.com/bid/61673 url: http://support.microsoft.com/default.aspx?scid=kb;EN-US;2849470 dfn-cert: DFN-CERT-2013-1471

Critical (CVSS: 10.0)
NVT: Microsoft Windows HTTP.sys Remote Code Execution Vulnerability (3042553)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-034.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to run arbitrary code in the context of the current user and to perform actions in the security context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
Vulnerability Insight Flaw exists due to the HTTP protocol stack 'HTTP.sys' that is triggered when parsing HTTP requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows HTTP.sys Remote Code Execution Vulnerability (3042553) OID:1.3.6.1.4.1.25623.1.0.805370 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1635 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/3042553 url: https://technet.microsoft.com/library/security/MS15-034 cert-bund: CB-K15/0527 dfn-cert: DFN-CERT-2015-0545

Critical (CVSS: 10.0)

NVT: Apache Log4j End of Life (EOL) Detection - Windows

Summary

The Apache Log4j version on the remote host has reached the End of Life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The "Apache Log4j" version on the remote host has reached the end of life.

CPE: cpe:/a:apache:log4j:1.2.17

Installed version: 1.2.17

Location/URL: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\struts2-rest-showcase\WEB-INF\lib\log4j-1.2.17.jar

EOL version: 1.2

EOL date: 2015-08-05

EOL info: https://blogs.apache.org/foundation/entry/apache_logging_services_project_announces

Impact

An EOL version of Apache Log4j is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix Update the Apache Log4j version on the remote host to a still supported version.
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Apache Log4j End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.117844 Version used: 2025-09-04T11:09:49+05:30
References url: https://blogs.apache.org/foundation/entry/apache_logging_services_project_a ↪nnounces

Critical (CVSS: 10.0)
NVT: Microsoft Internet Explorer (IE) 6.x - 10.x End of Life (EOL) Detection
Summary The Microsoft Internet Explorer (IE) version on the remote host has reached the End of Life (EOL) and should not be used anymore.
Quality of Detection (QoD): 97%
Vulnerability Detection Result The "Microsoft Internet Explorer (IE)" version on the remote host has reached the end of life. CPE: cpe:/a:microsoft:ie:8.0.7601.17514 Installed version: 8.0.7601.17514 Location/URL: C:\Program Files (x86)\Internet Explorer EOL version: < 11.x EOL date: N/A
Impact An EOL version of Microsoft IE is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: VendorFix Update the Microsoft IE version on the remote host to a still supported version This might require to replace the host operation system.
Vulnerability Detection Method Checks if an EOL version is present on the target host. ... continues on next page ...

...continued from previous page ...
Details: Microsoft Internet Explorer (IE) 6.x - 10.x End of Life (EOL) Detection OID:1.3.6.1.4.1.25623.1.0.806657 Version used: 2025-12-17T11:16:28+05:30
References url: https://learn.microsoft.com/en-us/lifecycle/products/?terms=internet%20explorer

Critical (CVSS: 10.0)
NVT: Microsoft .NET Framework Privilege Elevation Vulnerability (2958732)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-026.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow an attacker to bypass certain security restrictions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 1.1, 2.0, 3.5, 3.5.1, 4.0 and 4.5 and 4.5.1.
Vulnerability Insight The flaw is due to the framework not properly restricting access to certain application objects related to TypeFilterLevel checks.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Privilege Elevation Vulnerability (2958732) OID:1.3.6.1.4.1.25623.1.0.804452 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-1806 url: http://support.microsoft.com/kb/2958732 url: http://www.securityfocus.com/bid/67286 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2014/ms ... continues on next page ...

...continued from previous page ...

↔14-026
 cert-bund: CB-K14/0568
 dfn-cert: DFN-CERT-2014-0597

Critical (CVSS: 10.0)**NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (3000414)****Summary**

This host is missing a critical security update according to Microsoft Bulletin MS14-057.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation will allow attackers to bypass certain security restrictions and compromise a vulnerable system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft .NET Framework 2.0, 3.5, 3.5.1, 4.0, 4.5, 4.5.1 and 4.5.2.

Vulnerability Insight

Multiple flaws are due to:

- An unspecified error related to .NET ClickOnce.
- An unspecified error when handling internationalized resource identifiers.
- An unspecified error.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft .NET Framework Remote Code Execution Vulnerability (3000414)

OID:1.3.6.1.4.1.25623.1.0.804777

Version used: 2023-07-27T10:35:08+05:30

References

cve: CVE-2014-4073

cve: CVE-2014-4121

cve: CVE-2014-4122

url: <https://support.microsoft.com/kb/3000414>

url: <http://www.securityfocus.com/bid/70312>

...continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/70313
url: http://www.securityfocus.com/bid/70351
url: https://technet.microsoft.com/library/security/ms14-057
cert-bund: CB-K14/1292
dfn-cert: DFN-CERT-2014-1362

Critical (CVSS: 10.0)
NVT: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (2761226)
Summary This host is missing a critical security update according to Microsoft Bulletin MS12-075.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to execute arbitrary code with kernel-mode privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Multiple flaws are due to - Use-after-free error within win32k.sys when handling objects in memory. - An error when parsing a specially crafted 'TrueType' font file.
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (27. ↪.. OID:1.3.6.1.4.1.25623.1.0.902693
... continues on next page ...

...continued from previous page ...
Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-2530 cve: CVE-2012-2553 cve: CVE-2012-2897 url: http://support.microsoft.com/kb/2761226 url: http://www.securityfocus.com/bid/56447 url: http://www.securityfocus.com/bid/56448 url: http://www.securityfocus.com/bid/56457 url: https://technet.microsoft.com/en-us/security/bulletin/ms12-075 dfn-cert: DFN-CERT-2012-2110

Critical (CVSS: 10.0)

NVT: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (2783534)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS12-078.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to execute arbitrary code with kernel-mode privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
- An error in the OpenType Font (OTF) driver when handling certain objects can be exploited via a specially crafted font file. - An error when handling certain TrueType Fonts (TTF) can be exploited via a specially crafted font file.
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (27. ↵.. OID:1.3.6.1.4.1.25623.1.0.902936 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-2556 cve: CVE-2012-4786 url: http://support.microsoft.com/kb/2753842 url: http://www.securityfocus.com/bid/56841 url: http://www.securityfocus.com/bid/56842 url: http://support.microsoft.com/kb/2779030 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms ↵12-078 dfn-cert: DFN-CERT-2012-2237

Critical (CVSS: 10.0)
NVT: Apache Log4j End of Life (EOL) Detection - Windows
Summary The Apache Log4j version on the remote host has reached the End of Life (EOL) and should not be used anymore.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "Apache Log4j" version on the remote host has reached the end of life. CPE: cpe:/a:apache:log4j:1.2.15 Installed version: 1.2.15 Location/URL: C:\Program Files\Apache Software Foundation\tomcat\apache-tom ↵cat-8.0.33\webapps\axis2\WEB-INF\lib\log4j-1.2.15.jar EOL version: 1.2 EOL date: 2015-08-05 EOL info: https://blogs.apache.org/foundation/entry/apache_logging_serv ↵ices_project_announces
Impact ... continues on next page ...

...continued from previous page ...
An EOL version of Apache Log4j is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: VendorFix Update the Apache Log4j version on the remote host to a still supported version.
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Apache Log4j End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.117844 Version used: 2025-09-04T11:09:49+05:30
References url: https://blogs.apache.org/foundation/entry/apache_logging_services_project_a↵nnounces

Critical (CVSS: 9.9)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5003233)
Summary This host is missing a critical security update according to Microsoft KB5003233
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24598 File checked: C:\Windows\system32\Win32k.sys File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to perform remote code execution, gain access to potentially sensitive data, conduct spoofing and elevate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
... continues on next page ...

...continued from previous page ...

Vulnerability Insight

Multiple flaws exist due to:

- A memory corruption error in Scripting Engine.
- Multiple errors in Windows Remote Desktop Protocol and Microsoft Windows Infrared Data Association.

Please see the references for more information about the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB5003233)

OID:1.3.6.1.4.1.25623.1.0.818111

Version used: 2025-11-14T21:11:06+05:30

References

cve: CVE-2020-24587

cve: CVE-2020-24588

cve: CVE-2020-26144

cve: CVE-2021-26419

cve: CVE-2021-28455

cve: CVE-2021-28476

cve: CVE-2021-31182

cve: CVE-2021-31184

cve: CVE-2021-31186

cve: CVE-2021-31188

cve: CVE-2021-31193

cve: CVE-2021-31194

url: <https://support.microsoft.com/en-us/help/5003233>

cert-bund: WID-SEC-2025-1858

cert-bund: WID-SEC-2022-2069

cert-bund: CB-K21/1032

cert-bund: CB-K21/0519

cert-bund: CB-K21/0513

cert-bund: CB-K21/0512

cert-bund: CB-K21/0504

dfn-cert: DFN-CERT-2024-0516

dfn-cert: DFN-CERT-2023-1577

dfn-cert: DFN-CERT-2023-0737

dfn-cert: DFN-CERT-2023-0393

dfn-cert: DFN-CERT-2023-0324

dfn-cert: DFN-CERT-2022-0633

dfn-cert: DFN-CERT-2021-2390

dfn-cert: DFN-CERT-2021-2347

dfn-cert: DFN-CERT-2021-2058

dfn-cert: DFN-CERT-2021-1993

dfn-cert: DFN-CERT-2021-1986

dfn-cert: DFN-CERT-2021-1971

dfn-cert: DFN-CERT-2021-1692

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2021-1574
dfn-cert: DFN-CERT-2021-1556
dfn-cert: DFN-CERT-2021-1546
dfn-cert: DFN-CERT-2021-1506
dfn-cert: DFN-CERT-2021-1482
dfn-cert: DFN-CERT-2021-1417
dfn-cert: DFN-CERT-2021-1365
dfn-cert: DFN-CERT-2021-1364
dfn-cert: DFN-CERT-2021-1363
dfn-cert: DFN-CERT-2021-1362
dfn-cert: DFN-CERT-2021-1354
dfn-cert: DFN-CERT-2021-1353
dfn-cert: DFN-CERT-2021-1295
dfn-cert: DFN-CERT-2021-1244
dfn-cert: DFN-CERT-2021-1243
dfn-cert: DFN-CERT-2021-1220
dfn-cert: DFN-CERT-2021-1012
dfn-cert: DFN-CERT-2021-1007
dfn-cert: DFN-CERT-2021-1006
dfn-cert: DFN-CERT-2021-1005

Critical (CVSS: 9.9)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4525235)

Summary

This host is missing a critical security update according to Microsoft KB4525235

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.24535

File checked: C:\Windows\system32\Advapi32.dll

File version: 6.1.7600.16385

Impact

Successful exploitation will allow an attacker to execute arbitrary code on a victim system, cause a target system to stop responding, obtain information to further compromise the user's system and gain elevated privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Windows improperly handles objects in memory. - Microsoft Hyper-V Network Switch on a host server fails to properly validate input from a privileged user on a guest operating system. - Windows kernel improperly handles objects in memory. - ActiveX Installer service may allow access to files without proper authentication. - Windows Certificate Dialog does not properly enforce user privileges. - VBScript engine improperly handles objects in memory. - The Win32k component fails to properly handle objects in memory. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4525235) OID:1.3.6.1.4.1.25623.1.0.815839 Version used: 2023-10-27T21:41:32+05:30
References cve: CVE-2018-12207 cve: CVE-2019-0712 cve: CVE-2019-0719 cve: CVE-2019-11135 cve: CVE-2019-1382 cve: CVE-2019-1384 cve: CVE-2019-1388 cve: CVE-2019-1389 cve: CVE-2019-1390 cve: CVE-2019-1391 cve: CVE-2019-1393 cve: CVE-2019-1394 cve: CVE-2019-1395 cve: CVE-2019-1396 cve: CVE-2019-1397 cve: CVE-2019-1399 cve: CVE-2019-1405 cve: CVE-2019-1406 cve: CVE-2019-1407 cve: CVE-2019-1408 cve: CVE-2019-1409 cve: CVE-2019-1411 cve: CVE-2019-1412 cve: CVE-2019-1415 cve: CVE-2019-1418
... continues on next page ...

...continued from previous page ...

cve: CVE-2019-1419
cve: CVE-2019-1422
cve: CVE-2019-1424
cve: CVE-2019-1429
cve: CVE-2019-1432
cve: CVE-2019-1433
cve: CVE-2019-1434
cve: CVE-2019-1435
cve: CVE-2019-1438
cve: CVE-2019-1439
cve: CVE-2019-1441
cve: CVE-2019-1456
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4525235>
cert-bund: WID-SEC-2023-1689
cert-bund: WID-SEC-2023-0884
cert-bund: CB-K20/0691
cert-bund: CB-K19/0986
cert-bund: CB-K19/0980
cert-bund: CB-K19/0978
dfn-cert: DFN-CERT-2020-1711
dfn-cert: DFN-CERT-2020-1538
dfn-cert: DFN-CERT-2020-1500
dfn-cert: DFN-CERT-2020-0466
dfn-cert: DFN-CERT-2020-0333
dfn-cert: DFN-CERT-2020-0269
dfn-cert: DFN-CERT-2020-0253
dfn-cert: DFN-CERT-2020-0078
dfn-cert: DFN-CERT-2020-0069
dfn-cert: DFN-CERT-2019-2644
dfn-cert: DFN-CERT-2019-2640
dfn-cert: DFN-CERT-2019-2582
dfn-cert: DFN-CERT-2019-2568
dfn-cert: DFN-CERT-2019-2560
dfn-cert: DFN-CERT-2019-2461
dfn-cert: DFN-CERT-2019-2450
dfn-cert: DFN-CERT-2019-2444
dfn-cert: DFN-CERT-2019-2421
dfn-cert: DFN-CERT-2019-2415
dfn-cert: DFN-CERT-2019-2407
dfn-cert: DFN-CERT-2019-2402
dfn-cert: DFN-CERT-2019-2399
dfn-cert: DFN-CERT-2019-2397
dfn-cert: DFN-CERT-2019-2392
dfn-cert: DFN-CERT-2019-2390
dfn-cert: DFN-CERT-2019-2389

...continues on next page ...

...	...continued from previous page ...
dfn-cert:	DFN-CERT-2019-2388
dfn-cert:	DFN-CERT-2019-2387
dfn-cert:	DFN-CERT-2019-2386
dfn-cert:	DFN-CERT-2019-2385
dfn-cert:	DFN-CERT-2019-2384
dfn-cert:	DFN-CERT-2019-2383
dfn-cert:	DFN-CERT-2019-2382
dfn-cert:	DFN-CERT-2019-2381
dfn-cert:	DFN-CERT-2019-2379
dfn-cert:	DFN-CERT-2019-2378
dfn-cert:	DFN-CERT-2019-2375
dfn-cert:	DFN-CERT-2019-2374
dfn-cert:	DFN-CERT-2019-2372
dfn-cert:	DFN-CERT-2019-2371
dfn-cert:	DFN-CERT-2019-2370
dfn-cert:	DFN-CERT-2019-2368

Critical (CVSS: 9.9)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4519976)

Summary

This host is missing a critical security update according to Microsoft KB4519976

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 11.0.9600.19507

File checked: C:\Windows\system32\Mshtml.dll

File version: 8.0.7601.17514

Impact

Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system, gain elevated privileges and disclose sensitive information or cause denial of service.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

... continues on next page ...

...continued from previous page ...

Multiple flaws exist due to:

- Improper parsing of HTTP content.
 - Improper handling of objects in memory in VBScript engine.
 - Improperly handling of hard links in Windows Error Reporting manager.
 - Improper handling of a Registry Restore Key function in 'umpo.dll' of Power Service.
 - Improper handling of process crash in Windows Error Reporting manager.
- Please see the references for more information about the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4519976)

OID:1.3.6.1.4.1.25623.1.0.815710

Version used: 2023-10-27T21:41:32+05:30

References

cve: CVE-2019-0608

cve: CVE-2019-1166

cve: CVE-2019-1192

cve: CVE-2019-1238

cve: CVE-2019-1315

cve: CVE-2019-1318

cve: CVE-2019-1319

cve: CVE-2019-1325

cve: CVE-2019-1326

cve: CVE-2019-1333

cve: CVE-2019-1338

cve: CVE-2019-1339

cve: CVE-2019-1341

cve: CVE-2019-1342

cve: CVE-2019-1344

cve: CVE-2019-1346

cve: CVE-2019-1357

cve: CVE-2019-1358

cve: CVE-2019-1359

cve: CVE-2019-1361

cve: CVE-2019-1362

cve: CVE-2019-1363

cve: CVE-2019-1364

cve: CVE-2019-1365

cve: CVE-2019-1367

cve: CVE-2019-1371

cisa: Known Exploited Vulnerability (KEV) catalog

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

url: <https://support.microsoft.com/en-us/help/4519976>

cert-bund: CB-K19/0892

cert-bund: CB-K19/0888

cert-bund: CB-K19/0885

...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K19/0833
cert-bund: CB-K19/0789
cert-bund: CB-K19/0788
dfn-cert: DFN-CERT-2019-2107
dfn-cert: DFN-CERT-2019-2103
dfn-cert: DFN-CERT-2019-2101
dfn-cert: DFN-CERT-2019-1979
dfn-cert: DFN-CERT-2019-1711
dfn-cert: DFN-CERT-2019-1708

```

Critical (CVSS: 9.9)**NVT: Microsoft Windows Multiple Vulnerabilities (KB4556836)****Summary**

This host is missing a critical security update according to Microsoft KB4556836

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 11.0.9600.19699
 File checked: C:\Windows\system32\Mshtml.dll
 File version: 8.0.7601.17514

Impact

Successful exploitation will allow an attacker to execute arbitrary code, obtain information to further compromise the user's system, gain elevated privileges and break out of the Edge App-Container sandbox and run processes in an elevated context.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist in Microsoft Scripting Engine, Windows Input and Composition, Windows Media, Windows Storage and Filesystems, and Windows Server.
 Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
 Details: Microsoft Windows Multiple Vulnerabilities (KB4556836)

... continues on next page ...

...continued from previous page...

OID:1.3.6.1.4.1.25623.1.0.817018

Version used: 2023-10-20T21:39:12+05:30

References

cve: CVE-2020-1010

cve: CVE-2020-1048

cve: CVE-2020-1051

cve: CVE-2020-1112

cve: CVE-2020-1113

cve: CVE-2020-1114

cve: CVE-2020-1153

cve: CVE-2020-1150

cve: CVE-2020-1154

cve: CVE-2020-1054

cve: CVE-2020-1072

cve: CVE-2020-1067

cve: CVE-2020-1071

cve: CVE-2020-1070

cve: CVE-2020-1078

cve: CVE-2020-1179

cve: CVE-2020-0909

cve: CVE-2020-0963

cve: CVE-2020-1116

cve: CVE-2020-1143

cve: CVE-2020-1141

cve: CVE-2020-1061

cve: CVE-2020-1081

cve: CVE-2020-1174

cve: CVE-2020-1175

cve: CVE-2020-1176

cve: CVE-2020-1035

cve: CVE-2020-1060

cve: CVE-2020-1062

cve: CVE-2020-1093

cve: CVE-2020-1058

cve: CVE-2020-1092

cve: CVE-2020-1064

cisa: Known Exploited Vulnerability (KEV) catalog

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>url: <https://support.microsoft.com/en-us/help/4556836>

cert-bund: CB-K20/0464

cert-bund: CB-K20/0463

dfn-cert: DFN-CERT-2020-1004

dfn-cert: DFN-CERT-2020-1002

Critical (CVSS: 9.9)	
NVT: Microsoft Windows Multiple Vulnerabilities (KB4499164)	
Summary This host is missing a critical security update according to Microsoft KB4499164.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24441 File checked: C:\Windows\system32\Ntdll.dll File version: 6.1.7601.17514	
Impact Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system, gain elevated privileges, conduct remote code execution and conduct spoofing attack.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Multiple flaws exist as, - Windows Jet Database Engine improperly handles objects in memory. - Windows Graphics Device Interface (GDI) improperly handles objects in the memory. - Internet Explorer improperly handles URLs. - Windows fails to properly handle certain symbolic links. - An error Active Directory Forest trusts due to a default setting. - Windows Server DHCP service improperly process specially crafted packets. - Remote Code Execution Vulnerability in Windows Remote Desktop Service (Bluekeep). Please see the references for more information about the vulnerabilities.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4499164) OID:1.3.6.1.4.1.25623.1.0.815051 Version used: 2023-10-27T21:41:32+05:30	
References cve: CVE-2018-11091	
... continues on next page ...	

...continued from previous page ...

cve: CVE-2018-12126
cve: CVE-2018-12127
cve: CVE-2018-12130
cve: CVE-2019-0683
cve: CVE-2019-0708
cve: CVE-2019-0725
cve: CVE-2019-0734
cve: CVE-2019-0758
cve: CVE-2019-0863
cve: CVE-2019-0881
cve: CVE-2019-0882
cve: CVE-2019-0884
cve: CVE-2019-0885
cve: CVE-2019-0889
cve: CVE-2019-0890
cve: CVE-2019-0891
cve: CVE-2019-0893
cve: CVE-2019-0894
cve: CVE-2019-0895
cve: CVE-2019-0896
cve: CVE-2019-0897
cve: CVE-2019-0898
cve: CVE-2019-0899
cve: CVE-2019-0900
cve: CVE-2019-0901
cve: CVE-2019-0902
cve: CVE-2019-0903
cve: CVE-2019-0911
cve: CVE-2019-0918
cve: CVE-2019-0921
cve: CVE-2019-0930
cve: CVE-2019-0936
cve: CVE-2019-0940
cve: CVE-2019-0961
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4499164>
cert-bund: WID-SEC-2023-1692
cert-bund: CB-K19/0422
cert-bund: CB-K19/0421
cert-bund: CB-K19/0415
cert-bund: CB-K19/0414
cert-bund: CB-K19/0212
cert-bund: CB-K19/0005
dfn-cert: DFN-CERT-2020-1041
dfn-cert: DFN-CERT-2020-0069
dfn-cert: DFN-CERT-2020-0048

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2019-2374
dfn-cert: DFN-CERT-2019-2214
dfn-cert: DFN-CERT-2019-1985
dfn-cert: DFN-CERT-2019-1767
dfn-cert: DFN-CERT-2019-1414
dfn-cert: DFN-CERT-2019-1235
dfn-cert: DFN-CERT-2019-1200
dfn-cert: DFN-CERT-2019-1172
dfn-cert: DFN-CERT-2019-1151
dfn-cert: DFN-CERT-2019-1149
dfn-cert: DFN-CERT-2019-1122
dfn-cert: DFN-CERT-2019-1083
dfn-cert: DFN-CERT-2019-1036
dfn-cert: DFN-CERT-2019-1032
dfn-cert: DFN-CERT-2019-1026
dfn-cert: DFN-CERT-2019-1025
dfn-cert: DFN-CERT-2019-1024
dfn-cert: DFN-CERT-2019-1017
dfn-cert: DFN-CERT-2019-1012
dfn-cert: DFN-CERT-2019-1009
dfn-cert: DFN-CERT-2019-1005
dfn-cert: DFN-CERT-2019-1004
dfn-cert: DFN-CERT-2019-1003
dfn-cert: DFN-CERT-2019-1002
dfn-cert: DFN-CERT-2019-0994
dfn-cert: DFN-CERT-2019-0990
dfn-cert: DFN-CERT-2019-0989
dfn-cert: DFN-CERT-2019-0988
dfn-cert: DFN-CERT-2019-0987
dfn-cert: DFN-CERT-2019-0986
dfn-cert: DFN-CERT-2019-0977
dfn-cert: DFN-CERT-2019-0975
dfn-cert: DFN-CERT-2019-0974
dfn-cert: DFN-CERT-2019-0971
dfn-cert: DFN-CERT-2019-0969
dfn-cert: DFN-CERT-2019-0965
dfn-cert: DFN-CERT-2019-0961
dfn-cert: DFN-CERT-2019-0950
dfn-cert: DFN-CERT-2019-0506
dfn-cert: DFN-CERT-2018-2399

```

Critical (CVSS: 9.9)**NVT: Microsoft Windows Multiple Vulnerabilities (KB5005088)****Summary**

... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft KB5005088
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.25685 File checked: C:\Windows\system32\spoolsv.exe File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to perform remote code execution, gain access to potentially sensitive data, conduct spoofing and elevate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Common Log File System Driver. - A security feature bypass vulnerability in Kerberos AppContainer. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5005088) OID:1.3.6.1.4.1.25623.1.0.817744 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-26424 cve: CVE-2021-26425 cve: CVE-2021-34480 cve: CVE-2021-34483 cve: CVE-2021-34484 cve: CVE-2021-34533 cve: CVE-2021-34535 cve: CVE-2021-34537 cve: CVE-2021-36927 cve: CVE-2021-36936 cve: CVE-2021-36937
... continues on next page ...

...continued from previous page ...
cve: CVE-2021-36942 cve: CVE-2021-36947 cve: CVE-2021-34481 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5005088 cert-bund: CB-K21/0853 cert-bund: CB-K21/0759 dfn-cert: DFN-CERT-2021-1710 dfn-cert: DFN-CERT-2021-1514

Critical (CVSS: 9.8)

NVT: Microsoft .NET Framework 4.5.2 Multiple Vulnerabilities (KB4470637)

Summary

This host is missing a critical security update according to Microsoft KB4470637

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: 4.0.30319.30000 - 4.0.30319.36464

File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727webengine.dll

File version: 2.0.50727.5420

Impact

Successful exploitation will allow an attacker to cause a denial of service condition and take control of an affected system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft .NET Framework 4.5.2 for Microsoft Windows 7 SP1, Server 2008 R2 SP1, and Microsoft Windows Server 2008 SP2.

Vulnerability Insight

Multiple flaws exist due to:

- An error when .NET Framework improperly handles special web requests.
- An error when the Microsoft .NET Framework fails to validate input properly.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft .NET Framework 4.5.2 Multiple Vulnerabilities (KB4470637)

... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.814705 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-8517 cve: CVE-2018-8540 url: https://support.microsoft.com/en-us/help/4470637 url: http://www.securityfocus.com/bid/106075 url: http://www.securityfocus.com/bid/106073 cert-bund: CB-K18/1158 dfn-cert: DFN-CERT-2018-2517

Critical (CVSS: 9.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4025341)
Summary This host is missing a critical security update according to Microsoft KB4025341
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\clfs.sys File version: 6.1.7600.16385 Vulnerable range: Less than 6.1.7601.23841
Impact Successful exploitation will allow an attacker to obtain information to further compromise the user's system, gain the same user rights as the current user, run arbitrary code in the context of another user, trick a user by redirecting the user to a specially crafted website, run processes in an elevated cretrieve the base address of the kernel driver from a compromised process, embed an ActiveX control marked 'safe for initialization' in an application or Microsoft Office document that hosts the Internet Explorer rendering engine, force the browser to send data that would otherwise be restricted to a destination web site of their choice, bypass Extended Protection for Authentication, read arbitrary files via an XML external entity (XXE) declaration and cause a denial of service.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
... continues on next page ...

...continued from previous page ...

Vulnerability Insight

Multiple flaws exist when,

- Microsoft Windows fails to properly handle objects in memory.
- The way JavaScript engines render when handling objects in memory in Microsoft browsers.
- Windows Explorer improperly handles executable files and shares during rename operations.
- An affected Microsoft browser does not properly parse HTTP content.
- Windows improperly handles calls to Advanced Local Procedure Call (ALPC).
- Microsoft Windows when Kerberos falls back to NT LAN Manager (NTLM) Authentication Protocol as the default authentication protocol.
- Windows Kernel improperly handles objects in memory.
- The Windows kernel fails to properly initialize a memory address.
- PSObject wraps a CIM Instance.
- Microsoft Graphics Component fails to properly handle objects in memory.
- VBScript engine, when rendered in Internet Explorer, improperly handles objects in memory.
- Microsoft Browsers improperly handle redirect requests.
- Microsoft Windows when Kerberos fails to prevent tampering with the SNAME field during ticket exchange.
- Internet Explorer improperly accesses objects in memory.
- Windows System Information Console when it improperly parses XML input containing a reference to an external entity.
- Windows Performance Monitor Console when it improperly parses XML input containing a reference to an external entity.
- Microsoft WordPad parses specially crafted files.
- Windows Search improperly handles objects in memory.
- Windows Explorer attempts to open a non-existent file.
- Windows improperly handles objects in memory.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4025341)

OID:1.3.6.1.4.1.25623.1.0.811516

Version used: 2023-07-14T21:39:27+05:30

References

cve: CVE-2017-8602
cve: CVE-2017-0170
cve: CVE-2017-8463
cve: CVE-2017-8467
cve: CVE-2017-8486
cve: CVE-2017-8495
cve: CVE-2017-8618
cve: CVE-2017-8556
cve: CVE-2017-8557
cve: CVE-2017-8563
cve: CVE-2017-8564
cve: CVE-2017-8565
cve: CVE-2017-8573

...continues on next page ...

...continued from previous page ...

```

cve: CVE-2017-8577
cve: CVE-2017-8578
cve: CVE-2017-8580
cve: CVE-2017-8581
cve: CVE-2017-8582
cve: CVE-2017-8587
cve: CVE-2017-8588
cve: CVE-2017-8589
cve: CVE-2017-8590
cve: CVE-2017-8592
url: https://support.microsoft.com/en-us/help/4025341
url: http://www.securityfocus.com/bid/99390
url: http://www.securityfocus.com/bid/99389
url: http://www.securityfocus.com/bid/99409
url: http://www.securityfocus.com/bid/99414
url: http://www.securityfocus.com/bid/99424
url: http://www.securityfocus.com/bid/99399
url: http://www.securityfocus.com/bid/99439
url: http://www.securityfocus.com/bid/99398
url: http://www.securityfocus.com/bid/99402
url: http://www.securityfocus.com/bid/99428
url: http://www.securityfocus.com/bid/99394
url: http://www.securityfocus.com/bid/99431
url: http://www.securityfocus.com/bid/99416
url: http://www.securityfocus.com/bid/99419
url: http://www.securityfocus.com/bid/99421
url: http://www.securityfocus.com/bid/99423
url: http://www.securityfocus.com/bid/99429
url: http://www.securityfocus.com/bid/99413
url: http://www.securityfocus.com/bid/99400
url: http://www.securityfocus.com/bid/99425
url: http://www.securityfocus.com/bid/99427
url: http://www.securityfocus.com/bid/99396
cert-bund: CB-K17/1168
cert-bund: CB-K17/1161
cert-bund: CB-K17/1160
dfn-cert: DFN-CERT-2017-1202
dfn-cert: DFN-CERT-2017-1198
dfn-cert: DFN-CERT-2017-1197

```

Critical (CVSS: 9.8)**NVT: Microsoft Windows Multiple Vulnerabilities (KB4586827)****Summary**

... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft KB4586827
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24562 File checked: C:\Windows\system32\Kernel32.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges and disclose sensitive information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Incorrect processing of user-supplied data in Windows. - Error in excessive data output by the application in Windows Graphics Component. - Windows Port Class Library fails to properly impose security restrictions. - Windows Print Spooler fails to properly impose security restrictions. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4586827) OID:1.3.6.1.4.1.25623.1.0.817539 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2020-1599 cve: CVE-2020-16997 cve: CVE-2020-17000 cve: CVE-2020-17001 cve: CVE-2020-17004 cve: CVE-2020-17011 cve: CVE-2020-17014 cve: CVE-2020-17029 cve: CVE-2020-17036
... continues on next page ...

...continued from previous page ...
cve: CVE-2020-17038 cve: CVE-2020-17042 cve: CVE-2020-17043 cve: CVE-2020-17044 cve: CVE-2020-17045 cve: CVE-2020-17047 cve: CVE-2020-17051 cve: CVE-2020-17052 cve: CVE-2020-17068 cve: CVE-2020-17069 cve: CVE-2020-17087 cve: CVE-2020-17088 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4586827 cert-bund: CB-K20/1111 cert-bund: CB-K20/1109 cert-bund: CB-K20/1108 cert-bund: CB-K20/1056 dfn-cert: DFN-CERT-2020-2467 dfn-cert: DFN-CERT-2020-2465 dfn-cert: DFN-CERT-2020-2464

Critical (CVSS: 9.8)

NVT: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows

Summary

Apache Log4j is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.2.17

Fixed version: 2.x

Installation

path / port: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\struts2-rest-showcase\WEB-INF\lib\log4j-1.2.17.jar

Solution:

Solution type: VendorFix

Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2.x which both addresses that vulnerability as well as numerous other issues in the previous versions.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
Apache Log4j versions 1.2.x through 1.2.17.
Vulnerability Insight Included in Log4j 1.2 is a SocketServer class that is vulnerable to deserialization of untrusted data which can be exploited to remotely execute arbitrary code when combined with a deserialization gadget when listening to untrusted network traffic for log data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.117864 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2019-17571 url: https://lists.apache.org/thread/173yrzw9trfy6xdydfz05tsvp79z8rt7 url: https://issues.apache.org/jira/browse/LOG4J2-1863 cert-bund: WID-SEC-2026-0647 cert-bund: WID-SEC-2024-2181 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-0138 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0770 cert-bund: WID-SEC-2022-0368 cert-bund: CB-K21/0493 cert-bund: CB-K20/0555 cert-bund: CB-K20/0363 dfn-cert: DFN-CERT-2023-0860 dfn-cert: DFN-CERT-2022-0325 dfn-cert: DFN-CERT-2021-0999 dfn-cert: DFN-CERT-2020-2571 dfn-cert: DFN-CERT-2020-0988 dfn-cert: DFN-CERT-2020-0772 dfn-cert: DFN-CERT-2020-0050
Critical (CVSS: 9.8) NVT: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows
Summary Apache Log4j is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.2.15
...continues on next page ...

...continued from previous page...	
Fixed version:	2.x
Installation path / port:	C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\axis2\WEB-INF\lib\log4j-1.2.15.jar
Solution: Solution type: VendorFix Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2.x which both addresses that vulnerability as well as numerous other issues in the previous versions.	
Affected Software/OS Apache Log4j versions 1.2.x through 1.2.17.	
Vulnerability Insight Included in Log4j 1.2 is a SocketServer class that is vulnerable to deserialization of untrusted data which can be exploited to remotely execute arbitrary code when combined with a deserialization gadget when listening to untrusted network traffic for log data.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.117864 Version used: 2025-09-04T11:09:49+05:30	
References cve: CVE-2019-17571 url: https://lists.apache.org/thread/173yrzw9trfy6xdydfz05tsvp79z8rt7 url: https://issues.apache.org/jira/browse/LOG4J2-1863 cert-bund: WID-SEC-2026-0647 cert-bund: WID-SEC-2024-2181 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-0138 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0770 cert-bund: WID-SEC-2022-0368 cert-bund: CB-K21/0493 cert-bund: CB-K20/0555 cert-bund: CB-K20/0363 dfn-cert: DFN-CERT-2023-0860 dfn-cert: DFN-CERT-2022-0325 dfn-cert: DFN-CERT-2021-0999 dfn-cert: DFN-CERT-2020-2571 dfn-cert: DFN-CERT-2020-0988 dfn-cert: DFN-CERT-2020-0772 dfn-cert: DFN-CERT-2020-0050	

Critical (CVSS: 9.8)	
NVT: Microsoft Windows Multiple Vulnerabilities (KB4041681)	
Summary This host is missing a critical security update according to Microsoft KB4041681	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23914	
Impact Successful exploitation will allow an attacker to execute arbitrary code, conduct denial-of-service, gain access to potentially sensitive information, take control of the affected system and gain escalated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Multiple flaws exist due to: - A spoofing vulnerability in the Windows implementation of wireless networking (KRACK) - An error in the Microsoft Server Block Message (SMB) when an attacker sends specially crafted requests to the server. - An error in the Windows kernel that could allow an attacker to retrieve information that could lead to a Kernel Address Space Layout Randomization (ASLR) bypass. - An error when the Windows kernel improperly handles objects in memory. - An error when the Windows font library improperly handles specially crafted embedded fonts. - An error when the Windows kernel-mode driver fails to properly handle objects in memory. - An error when Internet Explorer improperly accesses objects in memory. - An error in the Microsoft JET Database Engine that could allow remote code execution on an affected system. - An error when Internet Explorer improperly handles objects in memory. - An error when the Windows Graphics Component improperly handles objects in memory. - An error in the way that the scripting engine handles objects in memory in Internet Explorer. - An error when Internet Explorer improperly accesses objects in memory via the Microsoft Windows Text Services Framework. - An error when Windows Search improperly handles objects in memory.	
... continues on next page ...	

...continued from previous page ...
- An error in the way that Microsoft browsers access objects in memory. - An error when the Windows kernel improperly initializes objects in memory. - An error in the way that the Windows Graphics Device Interface (GDI) handles objects in memory, allowing an attacker to retrieve information from a targeted system. - An error in the way that the Windows SMB Server handles certain requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4041681) OID:1.3.6.1.4.1.25623.1.0.812016 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-11762 cve: CVE-2017-8694 cve: CVE-2017-8717 cve: CVE-2017-8718 cve: CVE-2017-11763 cve: CVE-2017-11765 cve: CVE-2017-8727 cve: CVE-2017-11771 cve: CVE-2017-11772 cve: CVE-2017-11780 cve: CVE-2017-11781 cve: CVE-2017-11784 cve: CVE-2017-11785 cve: CVE-2017-11790 cve: CVE-2017-11793 cve: CVE-2017-11810 cve: CVE-2017-11813 cve: CVE-2017-11814 cve: CVE-2017-11815 cve: CVE-2017-11816 cve: CVE-2017-11817 cve: CVE-2017-11819 cve: CVE-2017-11822 cve: CVE-2017-11824 cve: CVE-2017-8689 cve: CVE-2017-13080 url: https://support.microsoft.com/en-us/help/4041681 url: http://www.securityfocus.com/bid/101108 url: http://www.securityfocus.com/bid/101100 url: http://www.securityfocus.com/bid/101161 url: http://www.securityfocus.com/bid/101162 url: http://www.securityfocus.com/bid/101109 url: http://www.securityfocus.com/bid/101111 url: http://www.securityfocus.com/bid/101142
...continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/101114>
url: <http://www.securityfocus.com/bid/101116>
url: <http://www.securityfocus.com/bid/101110>
url: <http://www.securityfocus.com/bid/101140>
url: <http://www.securityfocus.com/bid/101147>
url: <http://www.securityfocus.com/bid/101149>
url: <http://www.securityfocus.com/bid/101077>
url: <http://www.securityfocus.com/bid/101141>
url: <http://www.securityfocus.com/bid/101081>
url: <http://www.securityfocus.com/bid/101083>
url: <http://www.securityfocus.com/bid/101093>
url: <http://www.securityfocus.com/bid/101136>
url: <http://www.securityfocus.com/bid/101094>
url: <http://www.securityfocus.com/bid/101095>
url: <http://www.securityfocus.com/bid/101121>
url: <http://www.securityfocus.com/bid/101122>
url: <http://www.securityfocus.com/bid/101099>
url: <http://www.securityfocus.com/bid/101128>
url: <http://www.securityfocus.com/bid/101274>
cert-bund: WID-SEC-2025-0370
cert-bund: WID-SEC-2025-0369
cert-bund: WID-SEC-2022-2005
cert-bund: CB-K20/1098
cert-bund: CB-K18/0049
cert-bund: CB-K17/2224
cert-bund: CB-K17/2146
cert-bund: CB-K17/2144
cert-bund: CB-K17/2113
cert-bund: CB-K17/2081
cert-bund: CB-K17/2065
cert-bund: CB-K17/2049
cert-bund: CB-K17/1893
cert-bund: CB-K17/1892
cert-bund: CB-K17/1854
cert-bund: CB-K17/1851
cert-bund: CB-K17/1849
cert-bund: CB-K17/1840
cert-bund: CB-K17/1837
cert-bund: CB-K17/1832
cert-bund: CB-K17/1813
cert-bund: CB-K17/1812
cert-bund: CB-K17/1736
cert-bund: CB-K17/1707
cert-bund: CB-K17/1705
dfn-cert: DFN-CERT-2022-1201
dfn-cert: DFN-CERT-2020-2553
dfn-cert: DFN-CERT-2018-2314

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2018-1319
dfn-cert: DFN-CERT-2018-1179
dfn-cert: DFN-CERT-2018-0054
dfn-cert: DFN-CERT-2017-2325
dfn-cert: DFN-CERT-2017-2246
dfn-cert: DFN-CERT-2017-2241
dfn-cert: DFN-CERT-2017-2210
dfn-cert: DFN-CERT-2017-2176
dfn-cert: DFN-CERT-2017-2162
dfn-cert: DFN-CERT-2017-2139
dfn-cert: DFN-CERT-2017-1975
dfn-cert: DFN-CERT-2017-1972
dfn-cert: DFN-CERT-2017-1936
dfn-cert: DFN-CERT-2017-1930
dfn-cert: DFN-CERT-2017-1925
dfn-cert: DFN-CERT-2017-1922
dfn-cert: DFN-CERT-2017-1921
dfn-cert: DFN-CERT-2017-1917
dfn-cert: DFN-CERT-2017-1893
dfn-cert: DFN-CERT-2017-1892
dfn-cert: DFN-CERT-2017-1815
dfn-cert: DFN-CERT-2017-1783
dfn-cert: DFN-CERT-2017-1776

Critical (CVSS: 9.8)

NVT: Microsoft Internet Explorer Remote Code Execution Vulnerability (2965111)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS14-021.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow attackers to corrupt memory by the execution of arbitrary code in the context of the current user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

...continues on next page ...

...continued from previous page ...
Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight The flaw exists in the way that Internet Explorer accesses an object in memory that has been deleted or has not been properly allocated.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Remote Code Execution Vulnerability (2965111) OID:1.3.6.1.4.1.25623.1.0.804441 Version used: 2024-07-25T10:35:41+05:30
References cve: CVE-2014-1776 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: http://secpod.org/blog/?p=2512 url: http://www.securityfocus.com/bid/67075 url: http://www.kb.cert.org/vuls/id/222929 url: https://technet.microsoft.com/library/security/2963983 url: http://www.fireeye.com/blog/uncategorized/2014/04/new-zero-day-exploit-targeting-internet-explorer-versions-9-through-11-identified-in-targeted-attacks.html url: https://technet.microsoft.com/en-us/security/bulletin/ms14-021 cert-bund: CB-K14/0487 dfn-cert: DFN-CERT-2014-0504

Critical (CVSS: 9.8)
NVT: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows
Summary Apache Log4j is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.2.15 Fixed version: 2.x Installation path / port: C:\ManageEngine\DesktopCentral_Server\lib\log4j-1.2.15.jar
Solution: Solution type: VendorFix Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2.x which both addresses that vulnerability as well as numerous other issues in the previous versions.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Apache Log4j versions 1.2.x through 1.2.17.
Vulnerability Insight Included in Log4j 1.2 is a SocketServer class that is vulnerable to deserialization of untrusted data which can be exploited to remotely execute arbitrary code when combined with a deserialization gadget when listening to untrusted network traffic for log data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.117864 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2019-17571 url: https://lists.apache.org/thread/173yrzw9trfy6xdydfz05tsvp79z8rt7 url: https://issues.apache.org/jira/browse/LOG4J2-1863 cert-bund: WID-SEC-2026-0647 cert-bund: WID-SEC-2024-2181 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-0138 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0770 cert-bund: WID-SEC-2022-0368 cert-bund: CB-K21/0493 cert-bund: CB-K20/0555 cert-bund: CB-K20/0363 dfn-cert: DFN-CERT-2023-0860 dfn-cert: DFN-CERT-2022-0325 dfn-cert: DFN-CERT-2021-0999 dfn-cert: DFN-CERT-2020-2571 dfn-cert: DFN-CERT-2020-0988 dfn-cert: DFN-CERT-2020-0772 dfn-cert: DFN-CERT-2020-0050
Critical (CVSS: 9.8) NVT: Microsoft Windows Multiple Vulnerabilities (KB4467107)
Summary This host is missing a critical security update according to Microsoft KB4467107.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24291 File checked: C:\Windows\system32\Advapi32.dll File version: 6.1.7600.16385
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode which will empower them to install programs, view, change, delete data or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist in Windows App Platform and Frameworks, Windows Graphics, Windows Wireless Networking, Windows Kernel, and Windows Server. Please see the references for more details.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4467107) OID:1.3.6.1.4.1.25623.1.0.814173 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-8256 cve: CVE-2018-8407 cve: CVE-2018-8408 cve: CVE-2018-8415 cve: CVE-2018-8450 cve: CVE-2018-8471 cve: CVE-2018-8476 cve: CVE-2018-8544 cve: CVE-2018-8550 cve: CVE-2018-8552 cve: CVE-2018-8553 cve: CVE-2018-8562 cve: CVE-2018-8563 cve: CVE-2018-8565
... continues on next page ...

...continued from previous page ...
cve: CVE-2018-8570 cve: CVE-2018-8589 cve: CVE-2018-1038 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4467107 cert-bund: CB-K18/1094 cert-bund: CB-K18/1090 cert-bund: CB-K18/0558 dfn-cert: DFN-CERT-2018-2340 dfn-cert: DFN-CERT-2018-2331 dfn-cert: DFN-CERT-2018-2330 dfn-cert: DFN-CERT-2018-0609

Critical (CVSS: 9.8)**NVT: Microsoft Windows Multiple Vulnerabilities (KB4486563)****Summary**

This host is missing a critical security update according to Microsoft KB4486563

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.24354

File checked: C:\Windows\system32\Ntoskrnl.exe

File version: 6.1.7601.18741

Impact

Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system, gain elevated privileges and conduct spoofing attacks.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1

- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- Windows Jet Database Engine improperly handles objects in memory.

- Human Interface Devices (HID) component improperly handles objects in memory.

... continues on next page ...

...continued from previous page ... - Windows GDI component improperly discloses the contents of its memory. - Internet Explorer improperly accesses objects in memory. - Windows kernel improperly handles objects in memory. - Win32k component fails to properly handle objects in memory. - DHCP servers fails to properly handle network packets. - Microsoft Server Message Block 2.0 (SMBv2) server improperly handles specially crafted requests. - Windows Hyper-V on a host operating system fails to properly validate input from an authenticated user on a guest operating system. - Microsoft browsers improperly handles specific redirects. - Internet Explorer improperly handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4486563) OID:1.3.6.1.4.1.25623.1.0.814686 Version used: 2023-10-27T21:41:32+05:30
References cve: CVE-2019-0595 cve: CVE-2019-0596 cve: CVE-2019-0597 cve: CVE-2019-0598 cve: CVE-2019-0599 cve: CVE-2019-0600 cve: CVE-2019-0601 cve: CVE-2019-0602 cve: CVE-2019-0606 cve: CVE-2019-0615 cve: CVE-2019-0616 cve: CVE-2019-0618 cve: CVE-2019-0619 cve: CVE-2019-0621 cve: CVE-2019-0623 cve: CVE-2019-0625 cve: CVE-2019-0626 cve: CVE-2019-0628 cve: CVE-2019-0630 cve: CVE-2019-0635 cve: CVE-2019-0636 cve: CVE-2019-0654 cve: CVE-2019-0660 cve: CVE-2019-0661 cve: CVE-2019-0662 cve: CVE-2019-0664 cve: CVE-2019-0676 cisa: Known Exploited Vulnerability (KEV) catalog
...continues on next page ...

...continued from previous page ...
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/4486563
cert-bund: CB-K19/0133
cert-bund: CB-K19/0132
cert-bund: CB-K19/0131
dfn-cert: DFN-CERT-2019-0319
dfn-cert: DFN-CERT-2019-0314
dfn-cert: DFN-CERT-2019-0311

Critical (CVSS: 9.8)**NVT: Microsoft Windows Multiple Vulnerabilities (KB4512506)****Summary**

This host is missing a critical security update according to Microsoft KB4512506.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 11.0.9600.19431
 File checked: C:\Windows\system32\Urlmon.dll
 File version: 8.0.7601.17514

Impact

Successful exploitation will allow an attacker to crash the host server, execute arbitrary code on the target system, obtain information that could be used to try to further compromise the affected system and negotiate the offered key length of bluetooth connection.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist as,

- Microsoft Hyper-V Network Switch on a host server fails to properly validate input from a privileged user on a guest operating system.
- Windows improperly handles objects in memory.
- VBScript engine improperly handles objects in memory.
- The XmlLite runtime (XmlLite.dll) improperly parses XML input.
- Microsoft browsers improperly handle requests of different origins.
- Windows Server DHCP service improperly process specially crafted packets.

... continues on next page ...

...continued from previous page ...
- Bluetooth BR/EDR key negotiation vulnerability that exists at the hardware specification level of any BR/EDR Bluetooth device. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4512506) OID:1.3.6.1.4.1.25623.1.0.815438 Version used: 2024-05-30T10:35:32+05:30
References cve: CVE-2019-0714 cve: CVE-2019-0715 cve: CVE-2019-0716 cve: CVE-2019-0720 cve: CVE-2019-0723 cve: CVE-2019-0736 cve: CVE-2019-1057 cve: CVE-2019-1078 cve: CVE-2019-1133 cve: CVE-2019-1143 cve: CVE-2019-1144 cve: CVE-2019-1145 cve: CVE-2019-1146 cve: CVE-2019-1147 cve: CVE-2019-1148 cve: CVE-2019-1149 cve: CVE-2019-1150 cve: CVE-2019-1151 cve: CVE-2019-1152 cve: CVE-2019-1153 cve: CVE-2019-1154 cve: CVE-2019-1155 cve: CVE-2019-1156 cve: CVE-2019-1157 cve: CVE-2019-1158 cve: CVE-2019-1159 cve: CVE-2019-1162 cve: CVE-2019-1164 cve: CVE-2019-1168 cve: CVE-2019-1169 cve: CVE-2019-1177 cve: CVE-2019-1178 cve: CVE-2019-1181 cve: CVE-2019-1182 cve: CVE-2019-1183 cve: CVE-2019-1187
...continues on next page ...

...continued from previous page...

cve: CVE-2019-1192
cve: CVE-2019-1193
cve: CVE-2019-1194
cve: CVE-2019-1212
cve: CVE-2019-1228
cve: CVE-2019-9506
url: <https://support.microsoft.com/en-us/help/4512506>
cert-bund: CB-K20/0326
cert-bund: CB-K19/0789
cert-bund: CB-K19/0788
cert-bund: CB-K19/0733
cert-bund: CB-K19/0725
cert-bund: CB-K19/0720
cert-bund: CB-K19/0649
cert-bund: CB-K19/0644
dfn-cert: DFN-CERT-2020-0861
dfn-cert: DFN-CERT-2020-0078
dfn-cert: DFN-CERT-2019-2640
dfn-cert: DFN-CERT-2019-2582
dfn-cert: DFN-CERT-2019-2421
dfn-cert: DFN-CERT-2019-2389
dfn-cert: DFN-CERT-2019-2388
dfn-cert: DFN-CERT-2019-2313
dfn-cert: DFN-CERT-2019-2269
dfn-cert: DFN-CERT-2019-2247
dfn-cert: DFN-CERT-2019-2246
dfn-cert: DFN-CERT-2019-2217
dfn-cert: DFN-CERT-2019-2204
dfn-cert: DFN-CERT-2019-2167
dfn-cert: DFN-CERT-2019-2132
dfn-cert: DFN-CERT-2019-2125
dfn-cert: DFN-CERT-2019-2096
dfn-cert: DFN-CERT-2019-2076
dfn-cert: DFN-CERT-2019-1994
dfn-cert: DFN-CERT-2019-1933
dfn-cert: DFN-CERT-2019-1828
dfn-cert: DFN-CERT-2019-1825
dfn-cert: DFN-CERT-2019-1711
dfn-cert: DFN-CERT-2019-1708
dfn-cert: DFN-CERT-2019-1691
dfn-cert: DFN-CERT-2019-1689
dfn-cert: DFN-CERT-2019-1512
dfn-cert: DFN-CERT-2019-1511
dfn-cert: DFN-CERT-2019-1157

Critical (CVSS: 9.8)	
NVT: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows	
Summary Apache Log4j is prone to a remote code execution (RCE) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 1.2.17 Fixed version: 2.x Installation path / port: C:\Program Files\elasticsearch-1.1.1\lib\log4j-1.2.17.jar	
Solution: Solution type: VendorFix Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2.x which both addresses that vulnerability as well as numerous other issues in the previous versions.	
Affected Software/OS Apache Log4j versions 1.2.x through 1.2.17.	
Vulnerability Insight Included in Log4j 1.2 is a SocketServer class that is vulnerable to deserialization of untrusted data which can be exploited to remotely execute arbitrary code when combined with a deserialization gadget when listening to untrusted network traffic for log data.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.2.x <= 1.2.17 RCE Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.117864 Version used: 2025-09-04T11:09:49+05:30	
References cve: CVE-2019-17571 url: https://lists.apache.org/thread/173yrzw9trfy6xdydfz05tsvp79z8rt7 url: https://issues.apache.org/jira/browse/LOG4J2-1863 cert-bund: WID-SEC-2026-0647 cert-bund: WID-SEC-2024-2181 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-0138 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0770 cert-bund: WID-SEC-2022-0368 cert-bund: CB-K21/0493	
... continues on next page ...	

...continued from previous page ...
cert-bund: CB-K20/0555
cert-bund: CB-K20/0363
dfn-cert: DFN-CERT-2023-0860
dfn-cert: DFN-CERT-2022-0325
dfn-cert: DFN-CERT-2021-0999
dfn-cert: DFN-CERT-2020-2571
dfn-cert: DFN-CERT-2020-0988
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0050

Critical (CVSS: 9.8)
NVT: Oracle Java SE Multiple Vulnerabilities (Apr 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information and cause denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u441 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Multiple Vulnerabilities (Apr 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836148 Version used: 2025-04-17T11:09:39+05:30
References cve: CVE-2025-23083 cve: CVE-2024-47606
... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpuapr2025.html
cert-bund: WID-SEC-2025-1559
cert-bund: WID-SEC-2025-0815
cert-bund: WID-SEC-2025-0156
cert-bund: WID-SEC-2024-3586
dfn-cert: DFN-CERT-2025-1316
dfn-cert: DFN-CERT-2025-0985
dfn-cert: DFN-CERT-2025-0982
dfn-cert: DFN-CERT-2025-0189
dfn-cert: DFN-CERT-2025-0067
dfn-cert: DFN-CERT-2024-3381
dfn-cert: DFN-CERT-2024-3377
dfn-cert: DFN-CERT-2024-3358
dfn-cert: DFN-CERT-2024-3342
dfn-cert: DFN-CERT-2024-3340

Critical (CVSS: 9.8)
NVT: Oracle Java SE Multiple Vulnerabilities (Apr 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information and cause denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u441 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Multiple Vulnerabilities (Apr 2025) - Windows
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.836148 Version used: 2025-04-17T11:09:39+05:30
References cve: CVE-2025-23083 cve: CVE-2024-47606 url: https://www.oracle.com/security-alerts/cpuapr2025.html cert-bund: WID-SEC-2025-1559 cert-bund: WID-SEC-2025-0815 cert-bund: WID-SEC-2025-0156 cert-bund: WID-SEC-2024-3586 dfn-cert: DFN-CERT-2025-1316 dfn-cert: DFN-CERT-2025-0985 dfn-cert: DFN-CERT-2025-0982 dfn-cert: DFN-CERT-2025-0189 dfn-cert: DFN-CERT-2025-0067 dfn-cert: DFN-CERT-2024-3381 dfn-cert: DFN-CERT-2024-3377 dfn-cert: DFN-CERT-2024-3358 dfn-cert: DFN-CERT-2024-3342 dfn-cert: DFN-CERT-2024-3340

Critical (CVSS: 9.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4601347)
Summary This host is missing a critical security update according to Microsoft KB4601347
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24565 File checked: C:\Windows\system32\kernel32.dll File version: 6.1.7601.17514
Impact Successful exploitation allows an attacker to execute arbitrary code on a victim system, disclose sensitive information, conduct denial-of-service condition and gain elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error in Windows Fax Service. - An error in Windows Installer. - An error in Windows Remote Procedure Call. - An error in Windows TCP/IP. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4601347) OID:1.3.6.1.4.1.25623.1.0.817597 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-1722 cve: CVE-2021-1727 cve: CVE-2021-1734 cve: CVE-2021-24074 cve: CVE-2021-24077 cve: CVE-2021-24078 cve: CVE-2021-24080 cve: CVE-2021-24083 cve: CVE-2021-24086 cve: CVE-2021-24088 cve: CVE-2021-24094 cve: CVE-2021-24102 cve: CVE-2021-24103 cve: CVE-2021-25195 url: https://support.microsoft.com/en-us/help/4601347 cert-bund: CB-K21/0153 dfn-cert: DFN-CERT-2021-0287

Critical (CVSS: 9.8)

NVT: Microsoft .NET XML Validation Security Feature Bypass Vulnerability (3141780)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-035

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Security↔.dll File version: 2.0.50727.5420 Vulnerable range: 2.0.50727.5400 - 2.0.50727.5495	
Impact Successful exploitation will allow remote attackers to gain elevated privileges or disrupt the availability of applications that use the .NET framework.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft .NET Framework 3.0 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6 and 4.6.1 - Microsoft .NET Framework 3.5 and 3.5.1 - Microsoft .NET Framework 2.0 Service Pack 2	
Vulnerability Insight Flaw is due to improper handling of objects in memory by .NET's Windows Forms (WinForms) libraries and error when decrypting specially crafted XML data.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET XML Validation Security Feature Bypass Vulnerability (3141780) OID:1.3.6.1.4.1.25623.1.0.807311 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-0132 url: https://support.microsoft.com/en-us/kb/3141780 url: https://technet.microsoft.com/library/security/MS16-035 cert-bund: CB-K16/0380 dfn-cert: DFN-CERT-2016-0419	
Critical (CVSS: 9.8)	
NVT: Microsoft Windows Unquoted Path Vulnerability (SMB Login)	
Summary ... continues on next page ...	

...continued from previous page ...
The script tries to detect Windows 'Uninstall' registry entries and 'Services' using an unquoted path containing at least one whitespace.
Quality of Detection (QoD): 97%
Vulnerability Detection Result The following services are using an 'unquoted' service path: DisplayName Name PathName OpenSSH Server OpenSSHd C:\Program Files\OpenSSH\bin\cygrunsrv.exe
Impact A local attacker could gain elevated privileges by inserting an executable file in the path of the affected service or uninstall entry.
Solution: Solution type: Workaround Either put the listed vulnerable paths in quotation by manually using the onboard Registry editor or contact your vendor to get an update for the specified software that fixes this vulnerability.
Affected Software/OS Software installing an 'Uninstall' registry entry or 'Service' on Microsoft Windows using an unquoted path containing at least one whitespace.
Vulnerability Insight If the path contains spaces and is not surrounded by quotation marks, the Windows API has to guess where to find the referenced program. If e.g. a service is using the following unquoted path: C:\Program Files\Folder\service.exe then a start of the service would first try to run: C:\Program.exe and if not found: C:\Program Files\Folder\service.exe afterwards. In this example the behavior allows a local attacker with low privileges and write permissions on C:\ to place a malicious Program.exe which is then executed on a service/host restart or during the uninstallation of a software. NOTE: Currently only 'Services' using an unquoted path are reported as a vulnerability. The 'Uninstall' vulnerability requires an Administrator / User to actively uninstall the affected software to trigger this vulnerability.
Vulnerability Detection Method Details: Microsoft Windows Unquoted Path Vulnerability (SMB Login) OID:1.3.6.1.4.1.25623.1.0.107303 Version used: 2026-03-18T11:29:10+05:30
References cve: CVE-2005-2936
... continues on next page ...

...continued from previous page ...

cve: CVE-2007-5618
cve: CVE-2009-2761
cve: CVE-2012-4350
cve: CVE-2013-0513
cve: CVE-2013-1092
cve: CVE-2013-1609
cve: CVE-2013-1610
cve: CVE-2013-2151
cve: CVE-2013-2152
cve: CVE-2013-2176
cve: CVE-2013-2231
cve: CVE-2013-5011
cve: CVE-2013-6182
cve: CVE-2013-6773
cve: CVE-2014-0759
cve: CVE-2014-4634
cve: CVE-2014-5455
cve: CVE-2014-9646
cve: CVE-2015-0884
cve: CVE-2015-1484
cve: CVE-2015-2789
cve: CVE-2015-3987
cve: CVE-2015-4173
cve: CVE-2015-7866
cve: CVE-2015-8156
cve: CVE-2015-8988
cve: CVE-2016-3161
cve: CVE-2016-4158
cve: CVE-2016-5793
cve: CVE-2016-5852
cve: CVE-2016-6803
cve: CVE-2016-6935
cve: CVE-2016-7165
cve: CVE-2016-8102
cve: CVE-2016-8225
cve: CVE-2016-8769
cve: CVE-2016-9356
cve: CVE-2016-15003
cve: CVE-2017-3005
cve: CVE-2017-3141
cve: CVE-2017-3751
cve: CVE-2017-3756
cve: CVE-2017-3757
cve: CVE-2017-5873
cve: CVE-2017-6005
cve: CVE-2017-7180
cve: CVE-2017-9247

...continues on next page ...

...continued from previous page ...

cve: CVE-2017-9644
cve: CVE-2017-12730
cve: CVE-2017-14019
cve: CVE-2017-14030
cve: CVE-2017-15383
cve: CVE-2017-20218
cve: CVE-2017-1000475
cve: CVE-2018-0594
cve: CVE-2018-0595
cve: CVE-2018-2406
cve: CVE-2018-3668
cve: CVE-2018-3683
cve: CVE-2018-3684
cve: CVE-2018-3687
cve: CVE-2018-3688
cve: CVE-2018-5470
cve: CVE-2018-6016
cve: CVE-2018-6321
cve: CVE-2018-6384
cve: CVE-2018-11063
cve: CVE-2018-20341
cve: CVE-2019-7201
cve: CVE-2019-7590
cve: CVE-2019-11093
cve: CVE-2019-14599
cve: CVE-2019-14685
cve: CVE-2019-17658
cve: CVE-2019-20362
cve: CVE-2019-25231
cve: CVE-2019-25261
cve: CVE-2019-25266
cve: CVE-2019-25267
cve: CVE-2019-25269
cve: CVE-2019-25271
cve: CVE-2019-25272
cve: CVE-2019-25273
cve: CVE-2019-25274
cve: CVE-2019-25275
cve: CVE-2019-25276
cve: CVE-2019-25281
cve: CVE-2019-25283
cve: CVE-2019-25285
cve: CVE-2019-25286
cve: CVE-2019-25287
cve: CVE-2019-25288
cve: CVE-2019-25292
cve: CVE-2019-25293

...continues on next page ...

...continued from previous page ...

cve: CVE-2019-25302
cve: CVE-2019-25304
cve: CVE-2019-25305
cve: CVE-2019-25306
cve: CVE-2019-25307
cve: CVE-2019-25308
cve: CVE-2019-25309
cve: CVE-2019-25310
cve: CVE-2019-25345
cve: CVE-2020-0507
cve: CVE-2020-0546
cve: CVE-2020-13884
cve: CVE-2020-5147
cve: CVE-2020-5569
cve: CVE-2020-7252
cve: CVE-2020-7316
cve: CVE-2020-7331
cve: CVE-2020-8326
cve: CVE-2020-9292
cve: CVE-2020-15261
cve: CVE-2020-22809
cve: CVE-2020-28209
cve: CVE-2020-35152
cve: CVE-2020-36879
cve: CVE-2020-36903
cve: CVE-2020-36927
cve: CVE-2020-36928
cve: CVE-2020-36929
cve: CVE-2020-36930
cve: CVE-2020-37016
cve: CVE-2020-37017
cve: CVE-2020-37020
cve: CVE-2020-37021
cve: CVE-2020-37030
cve: CVE-2020-37037
cve: CVE-2020-37045
cve: CVE-2020-37047
cve: CVE-2020-37048
cve: CVE-2020-37055
cve: CVE-2020-37058
cve: CVE-2020-37059
cve: CVE-2020-37060
cve: CVE-2020-37061
cve: CVE-2020-37062
cve: CVE-2020-37063
cve: CVE-2020-37064
cve: CVE-2020-37098

...continues on next page ...

...continued from previous page ...

cve: CVE-2020-37099
cve: CVE-2020-37100
cve: CVE-2020-37101
cve: CVE-2020-37102
cve: CVE-2021-0112
cve: CVE-2021-21078
cve: CVE-2021-23197
cve: CVE-2021-23879
cve: CVE-2021-25269
cve: CVE-2021-27608
cve: CVE-2021-29218
cve: CVE-2021-33095
cve: CVE-2021-35230
cve: CVE-2021-35231
cve: CVE-2021-35469
cve: CVE-2021-37363
cve: CVE-2021-37364
cve: CVE-2021-42563
cve: CVE-2021-43454
cve: CVE-2021-43455
cve: CVE-2021-43456
cve: CVE-2021-43457
cve: CVE-2021-43458
cve: CVE-2021-43460
cve: CVE-2021-43463
cve: CVE-2021-45819
cve: CVE-2021-46443
cve: CVE-2021-47739
cve: CVE-2021-47762
cve: CVE-2021-47767
cve: CVE-2021-47773
cve: CVE-2021-47780
cve: CVE-2021-47787
cve: CVE-2021-47790
cve: CVE-2021-47792
cve: CVE-2021-47803
cve: CVE-2021-47804
cve: CVE-2021-47805
cve: CVE-2021-47806
cve: CVE-2021-47807
cve: CVE-2021-47809
cve: CVE-2021-47810
cve: CVE-2021-47822
cve: CVE-2021-47823
cve: CVE-2021-47825
cve: CVE-2021-47826
cve: CVE-2021-47828

...continues on next page ...

...continued from previous page ...

cve: CVE-2021-47829
cve: CVE-2021-47833
cve: CVE-2021-47845
cve: CVE-2021-47847
cve: CVE-2021-47859
cve: CVE-2021-47861
cve: CVE-2021-47862
cve: CVE-2021-47863
cve: CVE-2021-47864
cve: CVE-2021-47866
cve: CVE-2021-47867
cve: CVE-2021-47868
cve: CVE-2021-47869
cve: CVE-2021-47874
cve: CVE-2021-47878
cve: CVE-2021-47879
cve: CVE-2021-47880
cve: CVE-2021-47882
cve: CVE-2021-47883
cve: CVE-2021-47884
cve: CVE-2021-47886
cve: CVE-2021-47887
cve: CVE-2022-2147
cve: CVE-2022-4429
cve: CVE-2022-23909
cve: CVE-2022-25031
cve: CVE-2022-26634
cve: CVE-2022-27050
cve: CVE-2022-27052
cve: CVE-2022-27088
cve: CVE-2022-27089
cve: CVE-2022-27092
cve: CVE-2022-27094
cve: CVE-2022-27095
cve: CVE-2022-29320
cve: CVE-2022-31591
cve: CVE-2022-33035
cve: CVE-2022-35292
cve: CVE-2022-35899
cve: CVE-2022-37197
cve: CVE-2022-44264
cve: CVE-2022-50688
cve: CVE-2022-50693
cve: CVE-2022-50808
cve: CVE-2022-50900
cve: CVE-2022-50901
cve: CVE-2022-50902

...continues on next page ...

...continued from previous page ...

cve: CVE-2022-50903
cve: CVE-2022-50904
cve: CVE-2022-50913
cve: CVE-2022-50914
cve: CVE-2022-50915
cve: CVE-2022-50917
cve: CVE-2022-50918
cve: CVE-2022-50920
cve: CVE-2022-50921
cve: CVE-2022-50923
cve: CVE-2022-50924
cve: CVE-2022-50928
cve: CVE-2022-50929
cve: CVE-2022-50930
cve: CVE-2022-50933
cve: CVE-2022-50935
cve: CVE-2022-50938
cve: CVE-2023-3438
cve: CVE-2023-6631
cve: CVE-2023-7043
cve: CVE-2023-24671
cve: CVE-2023-26911
cve: CVE-2023-31747
cve: CVE-2023-36658
cve: CVE-2023-37537
cve: CVE-2023-53912
cve: CVE-2023-53946
cve: CVE-2023-53947
cve: CVE-2023-53954
cve: CVE-2023-53965
cve: CVE-2023-53984
cve: CVE-2023-54331
cve: CVE-2023-54336
cve: CVE-2023-54338
cve: CVE-2024-1618
cve: CVE-2024-25552
cve: CVE-2024-58288
cve: CVE-2024-58315
cve: CVE-2025-5191
cve: CVE-2025-10714
cve: CVE-2025-39246
cve: CVE-2025-34499
cve: CVE-2025-57227
cve: CVE-2025-60320
cve: CVE-2025-66575
cve: CVE-2026-1585
cve: CVE-2026-24466

...continues on next page ...

...continued from previous page ...
url: https://www.zeroscience.mk/en/vulnerabilities/ZSL-2019-5506.php
url: https://web.archive.org/web/2020111194349/https://gallery.technet.microsoft.com/scriptcenter/Windows-Unquoted-Service-190f0341
url: http://www.ryanandjeffshow.com/blog/2013/04/11/powershell-fixing-unquoted-service-paths-complete/
url: https://www.tecklyfe.com/remediation-microsoft-windows-unquoted-service-path-enumeration-vulnerability/
url: https://blogs.technet.microsoft.com/srd/2018/04/04/triaging-a-dll-planting-vulnerability
cert-bund: WID-SEC-2025-2829
cert-bund: WID-SEC-2024-2191
cert-bund: WID-SEC-2024-0242
cert-bund: WID-SEC-2022-2382
cert-bund: WID-SEC-2022-1670
cert-bund: WID-SEC-2022-1400
cert-bund: WID-SEC-2022-0651
cert-bund: CB-K21/1184
cert-bund: CB-K21/0635
cert-bund: CB-K21/0252
cert-bund: CB-K20/1157
cert-bund: CB-K20/0549
cert-bund: CB-K20/0222
cert-bund: CB-K19/0752
cert-bund: CB-K17/0996
cert-bund: CB-K17/0615
cert-bund: CB-K16/1113
cert-bund: CB-K15/1688
cert-bund: CB-K14/0038
dfn-cert: DFN-CERT-2020-0534
dfn-cert: DFN-CERT-2020-0507
dfn-cert: DFN-CERT-2017-1030
dfn-cert: DFN-CERT-2017-0636
dfn-cert: DFN-CERT-2016-1182
dfn-cert: DFN-CERT-2015-1786
dfn-cert: DFN-CERT-2013-1329

Critical (CVSS: 9.8)

NVT: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check

Summary

Apache Log4j is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page...	
Installed version:	1.2.15
Fixed version:	None
Installation path / port:	C:\ManageEngine\DesktopCentral_Server\lib\log4j-1.2.15.jar
Solution: Solution type: WillNotFix No solution was made available by the vendor. Note: Apache Log4j 1.x reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.	
Affected Software/OS Apache Log4j version 1.x.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-23302: Deserialization of untrusted data in JMSSink. Note this issue only affects Log4j 1.x when specifically configured to use JMSSink, which is not the default. - CVE-2022-23305: SQL injection in JDBC Appender. Note this issue only affects Log4j 1.x when specifically configured to use the JDBCAppender, which is not the default. - CVE-2022-23307/CVE-2020-9493: A deserialization flaw in the Chainsaw component of Log4j 1.x can lead to malicious code execution.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check OID:1.3.6.1.4.1.25623.1.0.117902 Version used: 2025-09-04T11:09:49+05:30	
References cve: CVE-2022-23302 cve: CVE-2022-23305 cve: CVE-2022-23307 cve: CVE-2020-9493 url: https://www.openwall.com/lists/oss-security/2022/01/18/3 url: https://www.openwall.com/lists/oss-security/2022/01/18/4 url: https://www.openwall.com/lists/oss-security/2022/01/18/5 cert-bund: WID-SEC-2024-3093 cert-bund: WID-SEC-2024-2180 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-1809 cert-bund: WID-SEC-2023-1027 cert-bund: WID-SEC-2023-0132 cert-bund: WID-SEC-2022-1909	
...continues on next page...	

...continued from previous page ...	
cert-bund:	WID-SEC-2022-1908
cert-bund:	WID-SEC-2022-1780
cert-bund:	WID-SEC-2022-1778
cert-bund:	WID-SEC-2022-1772
cert-bund:	WID-SEC-2022-1769
cert-bund:	WID-SEC-2022-0754
cert-bund:	WID-SEC-2022-0752
cert-bund:	WID-SEC-2022-0738
cert-bund:	WID-SEC-2022-0521
cert-bund:	WID-SEC-2022-0169
cert-bund:	CB-K22/0476
cert-bund:	CB-K22/0471
cert-bund:	CB-K22/0468
cert-bund:	CB-K22/0464
cert-bund:	CB-K22/0075
dfn-cert:	DFN-CERT-2024-3126
dfn-cert:	DFN-CERT-2024-2222
dfn-cert:	DFN-CERT-2023-0860
dfn-cert:	DFN-CERT-2023-0119
dfn-cert:	DFN-CERT-2022-2311
dfn-cert:	DFN-CERT-2022-2305
dfn-cert:	DFN-CERT-2022-1615
dfn-cert:	DFN-CERT-2022-1472
dfn-cert:	DFN-CERT-2022-1176
dfn-cert:	DFN-CERT-2022-0874
dfn-cert:	DFN-CERT-2022-0872
dfn-cert:	DFN-CERT-2022-0866
dfn-cert:	DFN-CERT-2022-0805
dfn-cert:	DFN-CERT-2022-0325
dfn-cert:	DFN-CERT-2022-0305
dfn-cert:	DFN-CERT-2022-0292
dfn-cert:	DFN-CERT-2022-0290
dfn-cert:	DFN-CERT-2022-0204
dfn-cert:	DFN-CERT-2022-0203

Critical (CVSS: 9.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB5028240)

Summary

This host is missing an important security update according to Microsoft KB5028240

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.26623

...continues on next page ...

...continued from previous page...	
File checked:	C:\Windows\system32\Ntoskrnl.exe
File version:	6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information and conduct DoS attacks.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1.	
Vulnerability Insight Multiple flaws exist due to: - A Remote Code Execution Vulnerability in Windows Routing and Remote Access Service (RRAS). - A Remote Code Execution Vulnerability in Microsoft Message Queuing. - A Remote Code Execution Vulnerability in Windows DNS Server. Please see the references for more information about the vulnerabilities.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5028240) OID:1.3.6.1.4.1.25623.1.0.832300 Version used: 2025-11-14T21:11:06+05:30	
References cve: CVE-2023-35299 cve: CVE-2023-32053 cve: CVE-2023-35366 cve: CVE-2023-33154 cve: CVE-2023-32044 cve: CVE-2023-35367 cve: CVE-2023-32057 cve: CVE-2023-32055 cve: CVE-2023-33169 cve: CVE-2023-36874 cve: CVE-2023-35310 cve: CVE-2023-32054 cve: CVE-2023-35365 cve: CVE-2023-32050 cve: CVE-2023-33168 cve: CVE-2023-35303 cve: CVE-2023-32038	
...continues on next page...	

...continued from previous page...

cve: CVE-2023-21526
cve: CVE-2023-35309
cve: CVE-2023-33174
cve: CVE-2023-35351
cve: CVE-2023-35350
cve: CVE-2023-35346
cve: CVE-2023-35345
cve: CVE-2023-35344
cve: CVE-2023-35342
cve: CVE-2023-35341
cve: CVE-2023-35340
cve: CVE-2023-35338
cve: CVE-2023-35332
cve: CVE-2023-35330
cve: CVE-2023-35328
cve: CVE-2023-35322
cve: CVE-2023-35321
cve: CVE-2023-35319
cve: CVE-2023-35318
cve: CVE-2023-35316
cve: CVE-2023-35314
cve: CVE-2023-35312
cve: CVE-2023-35300
cve: CVE-2023-35297
cve: CVE-2023-32046
cve: CVE-2023-32045
cve: CVE-2023-32043
cve: CVE-2023-32042
cve: CVE-2023-32035
cve: CVE-2023-32034
cve: CVE-2023-32033
cve: CVE-2023-33173
cve: CVE-2023-33172
cve: CVE-2023-33167
cve: CVE-2023-33166
cve: CVE-2023-33164
cve: CVE-2023-33163
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/5028240>
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1718
dfn-cert: DFN-CERT-2023-1574

Critical (CVSS: 9.8)	
NVT: Microsoft Windows Multiple Vulnerabilities (KB5025279)	
Summary This host is missing an important security update according to Microsoft KB5025279	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.26465 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741	
Impact Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information and conduct DoS attacks.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1.	
Vulnerability Insight Multiple flaws exist due to: - An Elevation of Privilege Vulnerability in Windows Kernel. - An Elevation of Privilege Vulnerability in Windows Ancillary Function Driver for WinSock. - A Remote Code Execution Vulnerability in Microsoft Message Queuing. Please see the references for more information about the vulnerabilities. This VT is covering one or more vulnerabilities mentioned in the referenced '#StopRansomware: Akira Ransomware' report.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5025279) OID:1.3.6.1.4.1.25623.1.0.832037 Version used: 2025-11-14T21:11:06+05:30	
References cve: CVE-2023-21729 cve: CVE-2023-28308 cve: CVE-2023-28307 cve: CVE-2023-28306 cve: CVE-2023-28305	
... continues on next page ...	

...continued from previous page...

cve: CVE-2023-28302
cve: CVE-2023-28298
cve: CVE-2023-28293
cve: CVE-2023-28256
cve: CVE-2023-28278
cve: CVE-2023-28255
cve: CVE-2023-28253
cve: CVE-2023-28254
cve: CVE-2023-28276
cve: CVE-2023-28275
cve: CVE-2023-28252
cve: CVE-2023-28250
cve: CVE-2023-28272
cve: CVE-2023-28271
cve: CVE-2023-28268
cve: CVE-2023-28244
cve: CVE-2023-28266
cve: CVE-2023-28267
cve: CVE-2023-28241
cve: CVE-2023-28240
cve: CVE-2023-28238
cve: CVE-2023-28232
cve: CVE-2023-28231
cve: CVE-2023-28228
cve: CVE-2023-28229
cve: CVE-2023-28227
cve: CVE-2023-28223
cve: CVE-2023-28222
cve: CVE-2023-28220
cve: CVE-2023-28219
cve: CVE-2023-28218
cve: CVE-2023-28217
cve: CVE-2023-28216
cve: CVE-2023-24931
cve: CVE-2023-24912
cve: CVE-2023-21769
cve: CVE-2023-21727
cve: CVE-2023-21554
url: <https://support.microsoft.com/en-us/help/5025279>
url: <https://www.cisa.gov/news-events/cybersecurity-advisories/aa24-109a>
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2023-0944
dfn-cert: DFN-CERT-2023-0808

Critical (CVSS: 9.8)	
NVT: Microsoft Windows Multiple Vulnerabilities (KB5008244)	
Summary	This host is missing a critical security update according to Microsoft KB5008244
Quality of Detection (QoD):	80%
Vulnerability Detection Result	Vulnerable range: Less than 6.1.7601.25792 File checked: C:\Windows\system32\advapi32.dll File version: 6.1.7600.16385
Impact	Successful exploitation will allow an attacker to elevate privileges, disclose sensitive information and conduct remote code execution.
Solution:	
Solution type:	VendorFix
The vendor has released updates. Please see the references for more information.	
Affected Software/OS	- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight	Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Encrypting File System (EFS). - An RCE vulnerability in Windows Encrypting File System (EFS). - A memory corruption vulnerability in iSNS Server. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5008244) OID:1.3.6.1.4.1.25623.1.0.818921 Version used: 2025-12-19T21:11:09+05:30
References	cve: CVE-2021-40441 cve: CVE-2021-41333 cve: CVE-2021-43207 cve: CVE-2021-43215 cve: CVE-2021-43216
... continues on next page ...	

...continued from previous page ...
cve: CVE-2021-43217 cve: CVE-2021-43222 cve: CVE-2021-43223 cve: CVE-2021-43224 cve: CVE-2021-43226 cve: CVE-2021-43229 cve: CVE-2021-43230 cve: CVE-2021-43233 cve: CVE-2021-43234 cve: CVE-2021-43236 cve: CVE-2021-43238 cve: CVE-2021-43245 cve: CVE-2021-43883 cve: CVE-2021-43893 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5008244 cert-bund: WID-SEC-2025-2220 cert-bund: CB-K21/1287 dfn-cert: DFN-CERT-2021-2606

Critical (CVSS: 9.8)

NVT: Microsoft Web Proxy Auto Discovery (WPAD) Privilege Elevation Vulnerabilities (3165191)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-077.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Ws2_32.dll
File version: 6.1.7601.17514
Vulnerable range: Less than 6.1.7601.23451

Impact

Successful exploitation will allow an attacker to bypass security and gain elevated privileges on a targeted system, and to potentially access and control network traffic for which the attacker does not have sufficient privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

...continues on next page ...

...continued from previous page ...	
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64	
Vulnerability Insight Multiple flaws exist due to: - when the Web Proxy Auto Discovery (WPAD) protocol falls back to a vulnerable proxy discovery process. - when Microsoft Windows improperly handles certain proxy discovery scenarios using the Web Proxy Auto Discovery (WPAD) protocol method. - when NetBIOS improperly handles responses.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Web Proxy Auto Discovery (WPAD) Privilege Elevation Vulnerabilities (↩... OID:1.3.6.1.4.1.25623.1.0.808085 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-3213 cve: CVE-2016-3236 cve: CVE-2016-3299 url: https://support.microsoft.com/en-us/kb/3165191 url: http://www.securityfocus.com/bid/91111 url: http://www.securityfocus.com/bid/92387 url: http://www.securityfocus.com/bid/91114 url: https://technet.microsoft.com/en-us/library/security/MS16-077 cert-bund: CB-K16/0914 cert-bund: CB-K16/0901 dfn-cert: DFN-CERT-2016-0969 dfn-cert: DFN-CERT-2016-0965	
Critical (CVSS: 9.8) NVT: Microsoft Windows Multiple Vulnerabilities (KB5012626)	
Summary This host is missing an important security update according to Microsoft KB5012626	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.25920 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, disclose sensitive information, conduct remote code execution, and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - A remote code execution vulnerability in Windows DNS Server. - An elevation of privilege vulnerability in Windows Print Spooler. - An elevation of privilege vulnerability in Windows File Server Resource Management Service. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5012626) OID:1.3.6.1.4.1.25623.1.0.820077 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-21983 cve: CVE-2022-24474 cve: CVE-2022-24481 cve: CVE-2022-24485 cve: CVE-2022-24492 cve: CVE-2022-24493 cve: CVE-2022-24494 cve: CVE-2022-24498 cve: CVE-2022-24499 cve: CVE-2022-24500 cve: CVE-2022-24521 cve: CVE-2022-24527
... continues on next page ...

...continued from previous page ...

cve: CVE-2022-24528
cve: CVE-2022-24530
cve: CVE-2022-24533
cve: CVE-2022-24534
cve: CVE-2022-24536
cve: CVE-2022-24540
cve: CVE-2022-24541
cve: CVE-2022-24542
cve: CVE-2022-24544
cve: CVE-2022-26787
cve: CVE-2022-26790
cve: CVE-2022-26792
cve: CVE-2022-26794
cve: CVE-2022-26796
cve: CVE-2022-26797
cve: CVE-2022-26798
cve: CVE-2022-26801
cve: CVE-2022-26802
cve: CVE-2022-26803
cve: CVE-2022-26807
cve: CVE-2022-26809
cve: CVE-2022-26810
cve: CVE-2022-26812
cve: CVE-2022-26813
cve: CVE-2022-26815
cve: CVE-2022-26819
cve: CVE-2022-26820
cve: CVE-2022-26821
cve: CVE-2022-26822
cve: CVE-2022-26827
cve: CVE-2022-26829
cve: CVE-2022-26831
cve: CVE-2022-26903
cve: CVE-2022-26904
cve: CVE-2022-26915
cve: CVE-2022-26916
cve: CVE-2022-26917
cve: CVE-2022-26918
cve: CVE-2022-26919
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/5012626>
cert-bund: WID-SEC-2023-0838
cert-bund: WID-SEC-2022-0450
cert-bund: CB-K22/0427
dfn-cert: DFN-CERT-2022-0817
dfn-cert: DFN-CERT-2022-0814

Critical (CVSS: 9.8) NVT: Microsoft Windows Multiple Vulnerabilities (KB5017361)
Summary This host is missing an important security update according to Microsoft KB5017361
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.26111 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - A Remote Code Execution Vulnerability in Windows Internet Key Exchange (IKE) Protocol Extensions. - An elevation of privilege vulnerability in Windows Common Log File System Driver. - A Denial of Service Vulnerability in Windows DNS Server. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5017361) OID:1.3.6.1.4.1.25623.1.0.826448 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-26929 cve: CVE-2022-30170 cve: CVE-2022-30200 cve: CVE-2022-33647 ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-33679
cve: CVE-2022-34718
cve: CVE-2022-34719
cve: CVE-2022-34720
cve: CVE-2022-34721
cve: CVE-2022-34722
cve: CVE-2022-34724
cve: CVE-2022-34726
cve: CVE-2022-34727
cve: CVE-2022-34728
cve: CVE-2022-34729
cve: CVE-2022-34730
cve: CVE-2022-34731
cve: CVE-2022-34732
cve: CVE-2022-34733
cve: CVE-2022-34734
cve: CVE-2022-35803
cve: CVE-2022-35830
cve: CVE-2022-35832
cve: CVE-2022-35833
cve: CVE-2022-35834
cve: CVE-2022-35835
cve: CVE-2022-35836
cve: CVE-2022-35837
cve: CVE-2022-35840
cve: CVE-2022-37955
cve: CVE-2022-37956
cve: CVE-2022-37958
cve: CVE-2022-37964
cve: CVE-2022-37969
cve: CVE-2022-38004
cve: CVE-2022-38005
cve: CVE-2022-38006
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5017361
cert-bund: WID-SEC-2022-1406
cert-bund: WID-SEC-2022-1403
dfn-cert: DFN-CERT-2022-2028
dfn-cert: DFN-CERT-2022-2022

```

Critical (CVSS: 9.8)**NVT: Microsoft Windows Multiple Vulnerabilities (KB5016676)****Summary**

...continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft KB5016676
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 6.1.7601.0 - 6.1.7601.26062 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Active Directory Domain Services. - A Remote Code Execution Vulnerability in Windows Point-to-Point Protocol. - A Denial of Service Vulnerability in Windows Point-to-Point Protocol. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5016676) OID:1.3.6.1.4.1.25623.1.0.817790 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-30133 cve: CVE-2022-30194 cve: CVE-2022-34690 cve: CVE-2022-34691 cve: CVE-2022-34701 cve: CVE-2022-34702 cve: CVE-2022-34706 cve: CVE-2022-34707 cve: CVE-2022-34708 cve: CVE-2022-34713
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-34714
cve: CVE-2022-35743
cve: CVE-2022-35744
cve: CVE-2022-35745
cve: CVE-2022-35747
cve: CVE-2022-35750
cve: CVE-2022-35751
cve: CVE-2022-35752
cve: CVE-2022-35753
cve: CVE-2022-35756
cve: CVE-2022-35758
cve: CVE-2022-35759
cve: CVE-2022-35760
cve: CVE-2022-35767
cve: CVE-2022-35768
cve: CVE-2022-35769
cve: CVE-2022-35793
cve: CVE-2022-35795
cve: CVE-2022-35820
cve: CVE-2022-34689
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5016676
cert-bund: WID-SEC-2022-1682
cert-bund: WID-SEC-2022-1251
cert-bund: WID-SEC-2022-0957
dfn-cert: DFN-CERT-2022-2249
dfn-cert: DFN-CERT-2022-1784

```

Critical (CVSS: 9.8)**NVT: Microsoft Windows Multiple Vulnerabilities (KB5014012)****Summary**

This host is missing an important security update according to Microsoft KB5014012

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

Vulnerable range: Less than 6.1.7601.25954
File checked:      C:\Windows\system32\Ntoskrnl.exe
File version:      6.1.7601.18741

```

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information, bypass security restrictions, conduct spoofing attacks and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Kerberos. - A Remote Code Execution Vulnerability in Windows Network File System. - A Denial of Service Vulnerability in Windows WLAN AutoConfig Service. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5014012) OID:1.3.6.1.4.1.25623.1.0.821111 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-21972 cve: CVE-2022-22011 cve: CVE-2022-22012 cve: CVE-2022-22013 cve: CVE-2022-22014 cve: CVE-2022-22015 cve: CVE-2022-22019 cve: CVE-2022-23270 cve: CVE-2022-26788 cve: CVE-2022-26925 cve: CVE-2022-26926 cve: CVE-2022-26931 cve: CVE-2022-26934 cve: CVE-2022-26935 cve: CVE-2022-26936 cve: CVE-2022-26937 cve: CVE-2022-29103 cve: CVE-2022-29105 cve: CVE-2022-29112 cve: CVE-2022-29115
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-29121
cve: CVE-2022-29127
cve: CVE-2022-29128
cve: CVE-2022-29129
cve: CVE-2022-29130
cve: CVE-2022-29132
cve: CVE-2022-29137
cve: CVE-2022-29139
cve: CVE-2022-29141
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5014012
cert-bund: WID-SEC-2023-0838
cert-bund: WID-SEC-2022-1176
cert-bund: WID-SEC-2022-0450
cert-bund: CB-K22/0579
cert-bund: CB-K22/0427
dfn-cert: DFN-CERT-2022-1045
dfn-cert: DFN-CERT-2022-1041
dfn-cert: DFN-CERT-2022-0948
dfn-cert: DFN-CERT-2022-0817

```

Critical (CVSS: 9.8)**NVT: Microsoft .NET Framework Multiple RCE Vulnerabilities (KB4535102)****Summary**

This host is missing a critical security update according to Microsoft KB4535102

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: 4.0 - 4.0.30319.36576

File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.workfl
ow.runtime.dll

File version: 4.0.30319.34209

Impact

Successful exploitation will allow an attacker to run arbitrary code in the context of the current user. If the current user is logged on with administrative user rights, an attacker could take control of the affected system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.
Vulnerability Insight Multiple flaws exist due to: - Microsoft .NET Framework fails to check the source markup of a file. - Microsoft .NET Framework fails to validate input properly.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple RCE Vulnerabilities (KB4535102) OID:1.3.6.1.4.1.25623.1.0.816552 Version used: 2022-08-09T15:41:17+05:30
References cve: CVE-2020-0646 cve: CVE-2020-0605 cve: CVE-2020-0606 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4535102/ cert-bund: CB-K20/0048 dfn-cert: DFN-CERT-2020-0087

Critical (CVSS: 9.8) NVT: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check
Summary Apache Log4j is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.2.17 Fixed version: None Installation path / port: C:\Program Files\elasticsearch-1.1.1\lib\log4j-1.2.17.jar
Solution: Solution type: WillNotFix No solution was made available by the vendor.
... continues on next page ...

...continued from previous page ...
Note: Apache Log4j 1.x reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.
Affected Software/OS Apache Log4j version 1.x.
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-23302: Deserialization of untrusted data in JMSSink. Note this issue only affects Log4j 1.x when specifically configured to use JMSSink, which is not the default. - CVE-2022-23305: SQL injection in JDBC Appender. Note this issue only affects Log4j 1.x when specifically configured to use the JDBCAppender, which is not the default. - CVE-2022-23307/CVE-2020-9493: A deserialization flaw in the Chainsaw component of Log4j 1.x can lead to malicious code execution.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check OID:1.3.6.1.4.1.25623.1.0.117902 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2022-23302 cve: CVE-2022-23305 cve: CVE-2022-23307 cve: CVE-2020-9493 url: https://www.openwall.com/lists/oss-security/2022/01/18/3 url: https://www.openwall.com/lists/oss-security/2022/01/18/4 url: https://www.openwall.com/lists/oss-security/2022/01/18/5 cert-bund: WID-SEC-2024-3093 cert-bund: WID-SEC-2024-2180 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-1809 cert-bund: WID-SEC-2023-1027 cert-bund: WID-SEC-2023-0132 cert-bund: WID-SEC-2022-1909 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1780 cert-bund: WID-SEC-2022-1778 cert-bund: WID-SEC-2022-1772 cert-bund: WID-SEC-2022-1769 cert-bund: WID-SEC-2022-0754 cert-bund: WID-SEC-2022-0752 cert-bund: WID-SEC-2022-0738
...continues on next page ...

...continued from previous page ...

```

cert-bund: WID-SEC-2022-0521
cert-bund: WID-SEC-2022-0169
cert-bund: CB-K22/0476
cert-bund: CB-K22/0471
cert-bund: CB-K22/0468
cert-bund: CB-K22/0464
cert-bund: CB-K22/0075
dfn-cert: DFN-CERT-2024-3126
dfn-cert: DFN-CERT-2024-2222
dfn-cert: DFN-CERT-2023-0860
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2311
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-1615
dfn-cert: DFN-CERT-2022-1472
dfn-cert: DFN-CERT-2022-1176
dfn-cert: DFN-CERT-2022-0874
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0805
dfn-cert: DFN-CERT-2022-0325
dfn-cert: DFN-CERT-2022-0305
dfn-cert: DFN-CERT-2022-0292
dfn-cert: DFN-CERT-2022-0290
dfn-cert: DFN-CERT-2022-0204
dfn-cert: DFN-CERT-2022-0203

```

Critical (CVSS: 9.8)**NVT: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check****Summary**

Apache Log4j is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.2.17

Fixed version: None

Installation

```

path / port: C:\Program Files\Apache Software Foundation\tomcat\apache-tom
↪cat-8.0.33\webapps\struts2-rest-showcase\WEB-INF\lib\log4j-1.2.17.jar

```

Solution:**Solution type:** WillNotFix

No solution was made available by the vendor.

... continues on next page ...

...continued from previous page ...
Note: Apache Log4j 1.x reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.
Affected Software/OS Apache Log4j version 1.x.
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-23302: Deserialization of untrusted data in JMSSink. Note this issue only affects Log4j 1.x when specifically configured to use JMSSink, which is not the default. - CVE-2022-23305: SQL injection in JDBC Appender. Note this issue only affects Log4j 1.x when specifically configured to use the JDBCAppender, which is not the default. - CVE-2022-23307/CVE-2020-9493: A deserialization flaw in the Chainsaw component of Log4j 1.x can lead to malicious code execution.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check OID:1.3.6.1.4.1.25623.1.0.117902 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2022-23302 cve: CVE-2022-23305 cve: CVE-2022-23307 cve: CVE-2020-9493 url: https://www.openwall.com/lists/oss-security/2022/01/18/3 url: https://www.openwall.com/lists/oss-security/2022/01/18/4 url: https://www.openwall.com/lists/oss-security/2022/01/18/5 cert-bund: WID-SEC-2024-3093 cert-bund: WID-SEC-2024-2180 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-1809 cert-bund: WID-SEC-2023-1027 cert-bund: WID-SEC-2023-0132 cert-bund: WID-SEC-2022-1909 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1780 cert-bund: WID-SEC-2022-1778 cert-bund: WID-SEC-2022-1772 cert-bund: WID-SEC-2022-1769 cert-bund: WID-SEC-2022-0754 cert-bund: WID-SEC-2022-0752 cert-bund: WID-SEC-2022-0738
... continues on next page ...

...continued from previous page ...	
cert-bund:	WID-SEC-2022-0521
cert-bund:	WID-SEC-2022-0169
cert-bund:	CB-K22/0476
cert-bund:	CB-K22/0471
cert-bund:	CB-K22/0468
cert-bund:	CB-K22/0464
cert-bund:	CB-K22/0075
dfn-cert:	DFN-CERT-2024-3126
dfn-cert:	DFN-CERT-2024-2222
dfn-cert:	DFN-CERT-2023-0860
dfn-cert:	DFN-CERT-2023-0119
dfn-cert:	DFN-CERT-2022-2311
dfn-cert:	DFN-CERT-2022-2305
dfn-cert:	DFN-CERT-2022-1615
dfn-cert:	DFN-CERT-2022-1472
dfn-cert:	DFN-CERT-2022-1176
dfn-cert:	DFN-CERT-2022-0874
dfn-cert:	DFN-CERT-2022-0872
dfn-cert:	DFN-CERT-2022-0866
dfn-cert:	DFN-CERT-2022-0805
dfn-cert:	DFN-CERT-2022-0325
dfn-cert:	DFN-CERT-2022-0305
dfn-cert:	DFN-CERT-2022-0292
dfn-cert:	DFN-CERT-2022-0290
dfn-cert:	DFN-CERT-2022-0204
dfn-cert:	DFN-CERT-2022-0203

Critical (CVSS: 9.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4022722)

Summary

This host is missing a critical security update according to Microsoft KB4022722

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Gdi32.dll

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23807

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow attackers to gain the same user rights as the current user. If the current user is logged on with administrative user rights, an attacker who successfully exploited the vulnerability could take control of an affected system. An attacker could then install programs. View, change, or delete data, or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
Vulnerability Insight This security update includes quality improvements. - Addressed issue where, after installing KB3164035, users cannot print enhanced metafiles (EMF) or documents containing bitmaps rendered out of bounds using the BitMapSection(DIBSection) function. - Addressed issue where updates were not correctly installing all components and would prevent them from booting. - Addressed issue where an unsupported hardware notification is shown and Windows Updates not scanning, for systems using the AMD Carrizo DDR4 processor. For the affected systems, follow the steps in the Additional Information section to install this update. - Security updates to Windows kernel, Microsoft Graphics Component, Microsoft Uniscribe, Windows kernel-mode drivers, the Windows OS, Windows COM and Windows shell.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4022722) OID:1.3.6.1.4.1.25623.1.0.811168 Version used: 2025-04-07T11:09:52+05:30
References cve: CVE-2017-0193 cve: CVE-2017-8472 cve: CVE-2017-8473 cve: CVE-2017-8475 cve: CVE-2017-8527 cve: CVE-2017-8528 cve: CVE-2017-0260 cve: CVE-2017-0282 cve: CVE-2017-8476 cve: CVE-2017-8477 cve: CVE-2017-8531 cve: CVE-2017-0283 cve: CVE-2017-0284
... continues on next page ...

...continued from previous page ...

cve: CVE-2017-8478
cve: CVE-2017-8479
cve: CVE-2017-8532
cve: CVE-2017-8533
cve: CVE-2017-0285
cve: CVE-2017-0286
cve: CVE-2017-0287
cve: CVE-2017-8480
cve: CVE-2017-8481
cve: CVE-2017-8534
cve: CVE-2017-8543
cve: CVE-2017-8544
cve: CVE-2017-0288
cve: CVE-2017-0289
cve: CVE-2017-8482
cve: CVE-2017-8483
cve: CVE-2017-8484
cve: CVE-2017-8485
cve: CVE-2017-8553
cve: CVE-2017-0294
cve: CVE-2017-0296
cve: CVE-2017-8488
cve: CVE-2017-8489
cve: CVE-2017-8490
cve: CVE-2017-0297
cve: CVE-2017-0298
cve: CVE-2017-0299
cve: CVE-2017-8491
cve: CVE-2017-8492
cve: CVE-2017-0300
cve: CVE-2017-8462
cve: CVE-2017-8464
cve: CVE-2017-8469
cve: CVE-2017-8470
cve: CVE-2017-8471
cve: CVE-2017-8554
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4022722>
url: <http://www.securityfocus.com/bid/98878>
url: <http://www.securityfocus.com/bid/98851>
url: <http://www.securityfocus.com/bid/98852>
url: <http://www.securityfocus.com/bid/98853>
url: <http://www.securityfocus.com/bid/98933>
url: <http://www.securityfocus.com/bid/98949>
url: <http://www.securityfocus.com/bid/98810>
url: <http://www.securityfocus.com/bid/98885>

...continues on next page ...

...continued from previous page...

```
url: http://www.securityfocus.com/bid/98903
url: http://www.securityfocus.com/bid/98854
url: http://www.securityfocus.com/bid/98819
url: http://www.securityfocus.com/bid/98920
url: http://www.securityfocus.com/bid/98918
url: http://www.securityfocus.com/bid/98845
url: http://www.securityfocus.com/bid/98856
url: http://www.securityfocus.com/bid/98820
url: http://www.securityfocus.com/bid/98821
url: http://www.securityfocus.com/bid/98914
url: http://www.securityfocus.com/bid/98891
url: http://www.securityfocus.com/bid/98922
url: http://www.securityfocus.com/bid/98857
url: http://www.securityfocus.com/bid/98862
url: http://www.securityfocus.com/bid/98822
url: http://www.securityfocus.com/bid/98824
url: http://www.securityfocus.com/bid/98826
url: http://www.securityfocus.com/bid/98923
url: http://www.securityfocus.com/bid/98929
url: http://www.securityfocus.com/bid/98858
url: http://www.securityfocus.com/bid/98859
url: http://www.securityfocus.com/bid/98847
url: http://www.securityfocus.com/bid/98860
url: http://www.securityfocus.com/bid/98940
url: http://www.securityfocus.com/bid/98837
url: http://www.securityfocus.com/bid/98839
url: http://www.securityfocus.com/bid/98864
url: http://www.securityfocus.com/bid/98865
url: http://www.securityfocus.com/bid/98867
url: http://www.securityfocus.com/bid/98840
url: http://www.securityfocus.com/bid/98884
url: http://www.securityfocus.com/bid/98869
url: http://www.securityfocus.com/bid/98870
url: http://www.securityfocus.com/bid/98901
url: http://www.securityfocus.com/bid/98900
url: http://www.securityfocus.com/bid/98818
url: http://www.securityfocus.com/bid/98842
url: http://www.securityfocus.com/bid/98848
url: http://www.securityfocus.com/bid/98849
cert-bund: CB-K17/1168
cert-bund: CB-K17/0993
cert-bund: CB-K17/0992
cert-bund: CB-K17/0989
dfn-cert: DFN-CERT-2017-1202
dfn-cert: DFN-CERT-2017-1026
dfn-cert: DFN-CERT-2017-1023
dfn-cert: DFN-CERT-2017-1022
```


Critical (CVSS: 9.8)	
NVT: Microsoft Windows Multiple Vulnerabilities (KB4025337)	
Summary This host is missing a critical security update according to Microsoft KB4025337	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23848	
Impact Successful exploitation will allow an attacker to force the browser to send data that would otherwise be restricted to a destination web site of their choice, to obtain information to further compromise the user's system, to run arbitrary code in kernel mode, to run processes in an elevated context, to run arbitrary code in the context of another user, to could read arbitrary files via an XML external entity (XXE) declaration, to bypass Extended Protection for Authentication, take control of the affected system, retrieve the base address of the kernel driver from a compromised process, execute malicious code on a vulnerable system, cause a denial of service, obtain information to further compromise the system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Multiple flaws exist: - When Microsoft Browsers improperly handle redirect requests. - In Microsoft Windows when Win32k fails to properly handle objects in memory. - In Windows when the Microsoft Graphics Component fails to properly handle objects in memory. - In Microsoft Windows when Kerberos falls back to NT LAN Manager (NTLM) Authentication Protocol as the default authentication protocol. - When Windows Explorer improperly handles executable files and shares during rename operations. - When Windows improperly handles objects in memory. - In the Windows System Information Console when it improperly parses XML input containing a reference to an external entity.	
... continues on next page ...	

...continued from previous page ... - In Microsoft Windows when Kerberos fails to prevent tampering with the SNAME field during ticket exchange. - In the way that Microsoft WordPad parses specially crafted files. - When Windows Search handles objects in memory. - When the Windows kernel fails to properly initialize a memory address, allowing an attacker to retrieve information that could lead to a Kernel Address Space Layout Randomization (KASLR) bypass. - In PowerShell when PSObject wraps a CIM Instance. - When Windows Explorer attempts to open a non-existent file. - In the Windows Performance Monitor Console when it improperly parses XML input containing a reference to an external entity.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4025337) OID:1.3.6.1.4.1.25623.1.0.811519 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-0170 cve: CVE-2017-8463 cve: CVE-2017-8467 cve: CVE-2017-8486 cve: CVE-2017-8495 cve: CVE-2017-8556 cve: CVE-2017-8557 cve: CVE-2017-8563 cve: CVE-2017-8564 cve: CVE-2017-8565 cve: CVE-2017-8573 cve: CVE-2017-8577 cve: CVE-2017-8578 cve: CVE-2017-8580 cve: CVE-2017-8581 cve: CVE-2017-8582 cve: CVE-2017-8587 cve: CVE-2017-8588 cve: CVE-2017-8589 cve: CVE-2017-8590 cve: CVE-2017-8592 url: https://support.microsoft.com/en-us/help/4025337 url: http://www.securityfocus.com/bid/99389 url: http://www.securityfocus.com/bid/99409 url: http://www.securityfocus.com/bid/99414 url: http://www.securityfocus.com/bid/99424 url: http://www.securityfocus.com/bid/99439 url: http://www.securityfocus.com/bid/99398
...continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/99402
url: http://www.securityfocus.com/bid/99428
url: http://www.securityfocus.com/bid/99394
url: http://www.securityfocus.com/bid/99431
url: http://www.securityfocus.com/bid/99416
url: http://www.securityfocus.com/bid/99419
url: http://www.securityfocus.com/bid/99421
url: http://www.securityfocus.com/bid/99423
url: http://www.securityfocus.com/bid/99429
url: http://www.securityfocus.com/bid/99413
url: http://www.securityfocus.com/bid/99400
url: http://www.securityfocus.com/bid/99425
url: http://www.securityfocus.com/bid/99427
url: http://www.securityfocus.com/bid/99396
cert-bund: CB-K17/1168
cert-bund: CB-K17/1161
cert-bund: CB-K17/1160
dfn-cert: DFN-CERT-2017-1202
dfn-cert: DFN-CERT-2017-1198
dfn-cert: DFN-CERT-2017-1197

Critical (CVSS: 9.8)

NVT: Oracle Java SE <= 8u451-b50 Security Update (Jul 2025) - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files (x86)\Java\jre1.8.0_251

Impact

Successful exploitation allows an attacker to take control of Oracle Java SE.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
Oracle Java SE version 8u451-b50 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE <= 8u451-b50 Security Update (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836520 Version used: 2025-10-17T23:47:07+05:30
References cve: CVE-2025-27113 cve: CVE-2025-24855 cve: CVE-2024-55549 cve: CVE-2024-40896 cve: CVE-2024-56171 cve: CVE-2025-24928 cve: CVE-2025-32414 cve: CVE-2025-32415 url: https://www.oracle.com/security-alerts/cpujul2025.html cert-bund: WID-SEC-2025-2587 cert-bund: WID-SEC-2025-2360 cert-bund: WID-SEC-2025-2356 cert-bund: WID-SEC-2025-1905 cert-bund: WID-SEC-2025-1572 cert-bund: WID-SEC-2025-1569 cert-bund: WID-SEC-2025-1567 cert-bund: WID-SEC-2025-1560 cert-bund: WID-SEC-2025-1559 cert-bund: WID-SEC-2025-1439 cert-bund: WID-SEC-2025-0899 cert-bund: WID-SEC-2025-0859 cert-bund: WID-SEC-2025-0853 cert-bund: WID-SEC-2025-0824 cert-bund: WID-SEC-2025-0823 cert-bund: WID-SEC-2025-0818 cert-bund: WID-SEC-2025-0813 cert-bund: WID-SEC-2025-0730 cert-bund: WID-SEC-2025-0718 cert-bund: WID-SEC-2025-0668 cert-bund: WID-SEC-2025-0663 cert-bund: WID-SEC-2025-0626 cert-bund: WID-SEC-2025-0403 cert-bund: WID-SEC-2025-0201 cert-bund: WID-SEC-2024-3746 dfn-cert: DFN-CERT-2025-3339 dfn-cert: DFN-CERT-2025-3184 dfn-cert: DFN-CERT-2025-2661 dfn-cert: DFN-CERT-2025-2592
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2025-2531
dfn-cert: DFN-CERT-2025-2446
dfn-cert: DFN-CERT-2025-2445
dfn-cert: DFN-CERT-2025-2415
dfn-cert: DFN-CERT-2025-2358
dfn-cert: DFN-CERT-2025-2291
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2146
dfn-cert: DFN-CERT-2025-2071
dfn-cert: DFN-CERT-2025-1902
dfn-cert: DFN-CERT-2025-1899
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1710
dfn-cert: DFN-CERT-2025-1565
dfn-cert: DFN-CERT-2025-1562
dfn-cert: DFN-CERT-2025-1499
dfn-cert: DFN-CERT-2025-1494
dfn-cert: DFN-CERT-2025-1334
dfn-cert: DFN-CERT-2025-1316
dfn-cert: DFN-CERT-2025-1282
dfn-cert: DFN-CERT-2025-1269
dfn-cert: DFN-CERT-2025-1184
dfn-cert: DFN-CERT-2025-1183
dfn-cert: DFN-CERT-2025-1182
dfn-cert: DFN-CERT-2025-1077
dfn-cert: DFN-CERT-2025-1018
dfn-cert: DFN-CERT-2025-0994
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0940
dfn-cert: DFN-CERT-2025-0922
dfn-cert: DFN-CERT-2025-0861
dfn-cert: DFN-CERT-2025-0855
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0819
dfn-cert: DFN-CERT-2025-0814
dfn-cert: DFN-CERT-2025-0813
dfn-cert: DFN-CERT-2025-0811
dfn-cert: DFN-CERT-2025-0809
dfn-cert: DFN-CERT-2025-0808
dfn-cert: DFN-CERT-2025-0776
dfn-cert: DFN-CERT-2025-0775
dfn-cert: DFN-CERT-2025-0751
dfn-cert: DFN-CERT-2025-0749
dfn-cert: DFN-CERT-2025-0725
dfn-cert: DFN-CERT-2025-0719
dfn-cert: DFN-CERT-2025-0714

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2025-0678
dfn-cert: DFN-CERT-2025-0615
dfn-cert: DFN-CERT-2025-0609
dfn-cert: DFN-CERT-2025-0548
dfn-cert: DFN-CERT-2025-0508
dfn-cert: DFN-CERT-2025-0473
dfn-cert: DFN-CERT-2025-0325
dfn-cert: DFN-CERT-2024-3415

Critical (CVSS: 9.8)
NVT: Oracle Java SE <= 8u451-b50 Security Update (Jul 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to take control of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u451-b50 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE <= 8u451-b50 Security Update (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836520 Version used: 2025-10-17T23:47:07+05:30
References cve: CVE-2025-27113 cve: CVE-2025-24855 cve: CVE-2024-55549 cve: CVE-2024-40896
... continues on next page ...

...continued from previous page ...

cve: CVE-2024-56171
cve: CVE-2025-24928
cve: CVE-2025-32414
cve: CVE-2025-32415
url: <https://www.oracle.com/security-alerts/cpujul2025.html>
cert-bund: WID-SEC-2025-2587
cert-bund: WID-SEC-2025-2360
cert-bund: WID-SEC-2025-2356
cert-bund: WID-SEC-2025-1905
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1569
cert-bund: WID-SEC-2025-1567
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1559
cert-bund: WID-SEC-2025-1439
cert-bund: WID-SEC-2025-0899
cert-bund: WID-SEC-2025-0859
cert-bund: WID-SEC-2025-0853
cert-bund: WID-SEC-2025-0824
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0730
cert-bund: WID-SEC-2025-0718
cert-bund: WID-SEC-2025-0668
cert-bund: WID-SEC-2025-0663
cert-bund: WID-SEC-2025-0626
cert-bund: WID-SEC-2025-0403
cert-bund: WID-SEC-2025-0201
cert-bund: WID-SEC-2024-3746
dfn-cert: DFN-CERT-2025-3339
dfn-cert: DFN-CERT-2025-3184
dfn-cert: DFN-CERT-2025-2661
dfn-cert: DFN-CERT-2025-2592
dfn-cert: DFN-CERT-2025-2531
dfn-cert: DFN-CERT-2025-2446
dfn-cert: DFN-CERT-2025-2445
dfn-cert: DFN-CERT-2025-2415
dfn-cert: DFN-CERT-2025-2358
dfn-cert: DFN-CERT-2025-2291
dfn-cert: DFN-CERT-2025-2231
dfn-cert: DFN-CERT-2025-2146
dfn-cert: DFN-CERT-2025-2071
dfn-cert: DFN-CERT-2025-1902
dfn-cert: DFN-CERT-2025-1899
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1710

...continues on next page ...

...continued from previous page...

dfn-cert: DFN-CERT-2025-1565
dfn-cert: DFN-CERT-2025-1562
dfn-cert: DFN-CERT-2025-1499
dfn-cert: DFN-CERT-2025-1494
dfn-cert: DFN-CERT-2025-1334
dfn-cert: DFN-CERT-2025-1316
dfn-cert: DFN-CERT-2025-1282
dfn-cert: DFN-CERT-2025-1269
dfn-cert: DFN-CERT-2025-1184
dfn-cert: DFN-CERT-2025-1183
dfn-cert: DFN-CERT-2025-1182
dfn-cert: DFN-CERT-2025-1077
dfn-cert: DFN-CERT-2025-1018
dfn-cert: DFN-CERT-2025-0994
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0940
dfn-cert: DFN-CERT-2025-0922
dfn-cert: DFN-CERT-2025-0861
dfn-cert: DFN-CERT-2025-0855
dfn-cert: DFN-CERT-2025-0854
dfn-cert: DFN-CERT-2025-0819
dfn-cert: DFN-CERT-2025-0814
dfn-cert: DFN-CERT-2025-0813
dfn-cert: DFN-CERT-2025-0811
dfn-cert: DFN-CERT-2025-0809
dfn-cert: DFN-CERT-2025-0808
dfn-cert: DFN-CERT-2025-0776
dfn-cert: DFN-CERT-2025-0775
dfn-cert: DFN-CERT-2025-0751
dfn-cert: DFN-CERT-2025-0749
dfn-cert: DFN-CERT-2025-0725
dfn-cert: DFN-CERT-2025-0719
dfn-cert: DFN-CERT-2025-0714
dfn-cert: DFN-CERT-2025-0678
dfn-cert: DFN-CERT-2025-0615
dfn-cert: DFN-CERT-2025-0609
dfn-cert: DFN-CERT-2025-0548
dfn-cert: DFN-CERT-2025-0508
dfn-cert: DFN-CERT-2025-0473
dfn-cert: DFN-CERT-2025-0325
dfn-cert: DFN-CERT-2024-3415

Critical (CVSS: 9.8)	
NVT: Microsoft Windows Multiple Vulnerabilities (3192884)	
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-120.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23545	
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode, also could take control of the affected system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64	
Vulnerability Insight Multiple flaws exist due to - The way that the Windows Graphics Device Interface (GDI) handles objects in memory. - The Windows kernel fails to properly handle objects in memory. - The Windows font library improperly handles specially crafted embedded fonts. - The Windows Graphics Component improperly handles objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (3192884) OID:1.3.6.1.4.1.25623.1.0.809346 Version used: 2023-11-03T10:35:46+05:30	
References ... continues on next page ...	

...continued from previous page ...
cve: CVE-2016-3209 cve: CVE-2016-3262 cve: CVE-2016-3263 cve: CVE-2016-3270 cve: CVE-2016-3393 cve: CVE-2016-3396 cve: CVE-2016-7182 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3192884 url: http://www.securityfocus.com/bid/93385 url: http://www.securityfocus.com/bid/93390 url: http://www.securityfocus.com/bid/93394 url: http://www.securityfocus.com/bid/93403 url: http://www.securityfocus.com/bid/93377 url: http://www.securityfocus.com/bid/93380 url: http://www.securityfocus.com/bid/93395 url: https://technet.microsoft.com/en-us/library/security/MS16-120 url: https://technet.microsoft.com/library/security/MS16-120 cert-bund: CB-K16/1582 cert-bund: CB-K16/1578 cert-bund: CB-K16/1576 cert-bund: CB-K16/1575 dfn-cert: DFN-CERT-2016-1675 dfn-cert: DFN-CERT-2016-1674 dfn-cert: DFN-CERT-2016-1673 dfn-cert: DFN-CERT-2016-1672

Critical (CVSS: 9.8)

NVT: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check

Summary

Apache Log4j is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.2.15

Fixed version: None

Installation

path / port: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\axis2\WEB-INF\lib\log4j-1.2.15.jar

Solution:

Solution type: WillNotFix

... continues on next page ...

...continued from previous page ...	
No solution was made available by the vendor. Note: Apache Log4j 1.x reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.	
Affected Software/OS Apache Log4j version 1.x.	
Vulnerability Insight The following vulnerabilities exist: - CVE-2022-23302: Deserialization of untrusted data in JMSSink. Note this issue only affects Log4j 1.x when specifically configured to use JMSSink, which is not the default. - CVE-2022-23305: SQL injection in JDBC Appender. Note this issue only affects Log4j 1.x when specifically configured to use the JDBCAppender, which is not the default. - CVE-2022-23307/CVE-2020-9493: A deserialization flaw in the Chainsaw component of Log4j 1.x can lead to malicious code execution.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.x Multiple Vulnerabilities (Windows, Jan 2022) - Version Check OID:1.3.6.1.4.1.25623.1.0.117902 Version used: 2025-09-04T11:09:49+05:30	
References cve: CVE-2022-23302 cve: CVE-2022-23305 cve: CVE-2022-23307 cve: CVE-2020-9493 url: https://www.openwall.com/lists/oss-security/2022/01/18/3 url: https://www.openwall.com/lists/oss-security/2022/01/18/4 url: https://www.openwall.com/lists/oss-security/2022/01/18/5 cert-bund: WID-SEC-2024-3093 cert-bund: WID-SEC-2024-2180 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-1809 cert-bund: WID-SEC-2023-1027 cert-bund: WID-SEC-2023-0132 cert-bund: WID-SEC-2022-1909 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1780 cert-bund: WID-SEC-2022-1778 cert-bund: WID-SEC-2022-1772 cert-bund: WID-SEC-2022-1769 cert-bund: WID-SEC-2022-0754 cert-bund: WID-SEC-2022-0752	
... continues on next page ...	

...continued from previous page ...

```

cert-bund: WID-SEC-2022-0738
cert-bund: WID-SEC-2022-0521
cert-bund: WID-SEC-2022-0169
cert-bund: CB-K22/0476
cert-bund: CB-K22/0471
cert-bund: CB-K22/0468
cert-bund: CB-K22/0464
cert-bund: CB-K22/0075
dfn-cert: DFN-CERT-2024-3126
dfn-cert: DFN-CERT-2024-2222
dfn-cert: DFN-CERT-2023-0860
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2022-2311
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-1615
dfn-cert: DFN-CERT-2022-1472
dfn-cert: DFN-CERT-2022-1176
dfn-cert: DFN-CERT-2022-0874
dfn-cert: DFN-CERT-2022-0872
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0805
dfn-cert: DFN-CERT-2022-0325
dfn-cert: DFN-CERT-2022-0305
dfn-cert: DFN-CERT-2022-0292
dfn-cert: DFN-CERT-2022-0290
dfn-cert: DFN-CERT-2022-0204
dfn-cert: DFN-CERT-2022-0203

```

Critical (CVSS: 9.4)**NVT: Microsoft Windows Multiple Vulnerabilities (KB5003667)****Summary**

This host is missing a critical security update according to Microsoft KB5003667

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.25631

File checked: C:\Windows\system32\advapi32.dll

File version: 6.1.7600.16385

Impact

Successful exploitation will allow an attacker to perform remote code execution, gain access to potentially sensitive data, conduct spoofing and elevate privileges.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Common Log File System Driver. - A security feature bypass vulnerability in Kerberos AppContainer. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5003667) OID:1.3.6.1.4.1.25623.1.0.818137 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-1675 cve: CVE-2021-26414 cve: CVE-2021-31199 cve: CVE-2021-31201 cve: CVE-2021-31953 cve: CVE-2021-31954 cve: CVE-2021-31956 cve: CVE-2021-31958 cve: CVE-2021-31959 cve: CVE-2021-31962 cve: CVE-2021-31968 cve: CVE-2021-31971 cve: CVE-2021-31973 cve: CVE-2021-33742 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5003667 cert-bund: CB-K21/0633 dfn-cert: DFN-CERT-2021-1232

Critical (CVSS: 9.3)	
NVT: Microsoft JScript and VBScript Engines Remote Code Execution Vulnerability (2706045)	
Summary This host is missing an important security update according to Microsoft Bulletin MS12-056.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerable range: < 5.8.7600.17045, 5.8.7600.20000 - 5.8.7600.21237, 5.8.7601.1 ↪7000 - 5.8.7601.17865, 5.8.7601.21000 - 5.8.7601.22023 File checked: C:\WindowsSystem32\Vbscript.dll File version: 5.8.7601.17514	
Impact Successful exploitation could allow remote attackers to execute arbitrary code in the context of the current user.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 x64 Edition Service Pack 1 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior	
Vulnerability Insight The flaw is caused by an integer overflow error in the JScript and VBScript scripting engines when calculating the size of an object in memory.	
Vulnerability Detection Method Details: Microsoft JScript and VBScript Engines Remote Code Execution Vulnerability (270. ↪.. OID:1.3.6.1.4.1.25623.1.0.903037 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2012-2523 url: http://support.microsoft.com/kb/2706045 url: http://www.securityfocus.com/bid/54945 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms ... continues on next page ...	

...continued from previous page ...

↔12-056

dfn-cert: DFN-CERT-2012-1575

dfn-cert: DFN-CERT-2012-1573

Critical (CVSS: 9.3)**NVT: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (2870008)****Summary**

This host is missing a critical security update according to Microsoft Bulletin MS13-081

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

File checked: C:\Windows\system32\drivers\usbd.sys

File version: 6.1.7600.16385

Vulnerable range: Less than 6.1.7601.18251

Impact

Successful exploitation will allow remote attackers to execute arbitrary code with kernel-mode privileges and take complete control of the affected system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8
- Microsoft Windows Server 2012
- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior

Vulnerability Insight

Multiple flaws exist due to:

- An error when parsing OpenType fonts (OTF) can be exploited to corrupt memory.
- An error when handling the USB descriptor of inserted USB devices can be exploited to corrupt memory.
- A use-after-free error within the kernel-mode driver (win32k.sys) can be exploited to gain escalated privileges.

... continues on next page ...

...continued from previous page ...
- An error when handling objects in memory related to App Containers can be exploited to disclose information from a different App Container. - An error related to NULL page handling within the kernel-mode driver (win32k.sys) can be exploited to gain escalated privileges. - A double fetch error within the DirectX graphics kernel subsystem (dxgkrnl.sys) can be exploited to gain escalated privileges. - An error when parsing the CMAP table while rendering TrueType fonts (TTF) can be exploited to corrupt memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (28. ↪... OID:1.3.6.1.4.1.25623.1.0.903500 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3128 cve: CVE-2013-3200 cve: CVE-2013-3879 cve: CVE-2013-3880 cve: CVE-2013-3881 cve: CVE-2013-3888 cve: CVE-2013-3894 url: http://support.microsoft.com/kb/2862330 url: http://www.securityfocus.com/bid/62819 url: http://www.securityfocus.com/bid/62821 url: http://www.securityfocus.com/bid/62823 url: http://www.securityfocus.com/bid/62828 url: http://www.securityfocus.com/bid/62830 url: http://www.securityfocus.com/bid/62831 url: http://www.securityfocus.com/bid/62833 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-081 cert-bund: CB-K13/0762 cert-bund: CB-K13/0760 dfn-cert: DFN-CERT-2013-1755 dfn-cert: DFN-CERT-2013-1753
Critical (CVSS: 9.3) NVT: Microsoft Windows Graphics Component Remote Code Execution Vulnerability (3046306)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-035.
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to execute arbitrary code and compromise a user's system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2	
Vulnerability Insight Flaw exists due to error that is triggered when handling a specially crafted enhanced metafile (EMF) image format file.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Graphics Component Remote Code Execution Vulnerability (30463. ↔.. OID:1.3.6.1.4.1.25623.1.0.805534 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-1645 url: https://support.microsoft.com/en-us/kb/3046306 url: https://technet.microsoft.com/library/security/MS15-035 cert-bund: CB-K15/0527 dfn-cert: DFN-CERT-2015-0545	
Critical (CVSS: 9.3) NVT: Microsoft Windows Font Drivers Remote Code Execution Vulnerability (3057110)	
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-044.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow an attacker to gain access to potentially sensitive information and to execute arbitrary code on the affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2
Vulnerability Insight The flaw exists due to improper handling of TrueType fonts and OpenType fonts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Font Drivers Remote Code Execution Vulnerability (3057110) OID:1.3.6.1.4.1.25623.1.0.805556 Version used: 2025-04-08T11:13:28+05:30
References cve: CVE-2015-1670 cve: CVE-2015-1671 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3045171 url: http://www.securityfocus.com/bid/74490 url: http://www.securityfocus.com/bid/74485 url: https://technet.microsoft.com/library/security/MS15-044 cert-bund: CB-K15/0668 dfn-cert: DFN-CERT-2015-0689

Critical (CVSS: 9.3)	
NVT: Microsoft Windows DirectWrite Remote Code Execution Vulnerabilities (2848295)	
Summary	This host is missing a critical security update according to Microsoft Bulletin MS13-054.
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation could allow attackers to execute arbitrary code as the logged-on use.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight	The flaw is due to an error when processing TrueType fonts and can be exploited to cause a buffer overflow via a specially crafted file.
Vulnerability Detection Method	Details: Microsoft Windows DirectWrite Remote Code Execution Vulnerabilities (2848295) OID:1.3.6.1.4.1.25623.1.0.902983 Version used: 2025-03-05T11:08:53+05:30
References	cve: CVE-2013-3129 url: http://support.microsoft.com/kb/2835361 url: http://www.securityfocus.com/bid/60978 url: http://www.securitytracker.com/id/1028750 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-054 dfn-cert: DFN-CERT-2013-1267 dfn-cert: DFN-CERT-2013-1264 dfn-cert: DFN-CERT-2013-1262

Critical (CVSS: 9.3) NVT: Microsoft Windows File Handling Component Remote Code Execution Vulnerability (2758857)	
Summary	This host is missing a critical security update according to Microsoft Bulletin MS12-081.
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation could allow attacker to gain the same user rights as the current user by execute arbitrary code with system-level privileges.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight	The flaw is due to error in the File Handling component, which allow user browses to a folder that contains a file or sub folder names and can be exploited to corrupt memory via a file with a specially crafted filename.
Vulnerability Detection Method	Details: Microsoft Windows File Handling Component Remote Code Execution Vulnerability (. ↪.. OID:1.3.6.1.4.1.25623.1.0.901304 Version used: 2025-03-05T11:08:53+05:30
References	cve: CVE-2012-4774 url: http://support.microsoft.com/kb/2758857 url: http://www.securityfocus.com/bid/56443 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms
... continues on next page ...	

...continued from previous page ...

↔12-081

dfn-cert: DFN-CERT-2012-2233

Critical (CVSS: 9.3)**NVT: Microsoft .NET Framework Multiple Vulnerabilities (2861561)****Summary**

This host is missing an important security update according to Microsoft Bulletin MS13-052.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation could allow an attacker to execute arbitrary code, bypass security mechanism and take complete control of an affected system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft .NET Framework 1.0, 1.1, 2.0, 3.0, 3.5, 3.5.1, 4.0 and 4.5.

Vulnerability Insight

Multiple flaws due to:

- Improper handling of TrueType font and multidimensional arrays of small structures
- Improper validation of permissions for certain objects performing reflection and delegate objects during serialization

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft .NET Framework Multiple Vulnerabilities (2861561)

OID:1.3.6.1.4.1.25623.1.0.902985

Version used: 2025-03-05T11:08:53+05:30

References

cve: CVE-2013-3129

cve: CVE-2013-3131

cve: CVE-2013-3132

cve: CVE-2013-3133

cve: CVE-2013-3134

cve: CVE-2013-3171

... continues on next page ...

...continued from previous page ...
url: http://support.microsoft.com/kb/2861561
url: http://www.securityfocus.com/bid/60932
url: http://www.securityfocus.com/bid/60933
url: http://www.securityfocus.com/bid/60934
url: http://www.securityfocus.com/bid/60935
url: http://www.securityfocus.com/bid/60937
url: http://www.securityfocus.com/bid/60978
url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv13-052
dfn-cert: DFN-CERT-2013-1267
dfn-cert: DFN-CERT-2013-1264
dfn-cert: DFN-CERT-2013-1262

Critical (CVSS: 9.3)

NVT: Microsoft .NET Framework Multiple Vulnerabilities (2916607)

Summary

This host is missing an important security update according to Microsoft Bulletin MS14-009.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\mscorlib.dll

File version: 0

Vulnerable range: 2.0.50727.5400 - 2.0.50727.5478

Impact

Successful exploitation could allow an attacker to bypass certain security mechanism and cause denial of service.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft .NET Framework 1.0, 1.1, 2.0, 3.0, 3.5, 3.5.1, 4.0, 4.5 and 4.5.1.

Vulnerability Insight

Multiple flaws due to:

- ASP.NET does not properly identify stale HTTP connections.
- An error within the .NET framework when handling certain COM objects.
- Additionally, some unspecified weakness exists.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (2916607) OID:1.3.6.1.4.1.25623.1.0.903337 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2014-0253 cve: CVE-2014-0257 cve: CVE-2014-0295 url: http://support.microsoft.com/kb/2916607 url: http://www.securityfocus.com/bid/65415 url: http://www.securityfocus.com/bid/65417 url: http://www.securityfocus.com/bid/65418 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-009 cert-bund: CB-K14/0169 dfn-cert: DFN-CERT-2014-0173

Critical (CVSS: 9.3)

NVT: Microsoft .NET Framework Multiple Vulnerabilities (2916607)

Summary

This host is missing an important security update according to Microsoft Bulletin MS14-009.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Web.dll
File version: 0
Vulnerable range: 2.0.50727.5400 - 2.0.50727.5478

Impact

Successful exploitation could allow an attacker to bypass certain security mechanism and cause denial of service.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft .NET Framework 1.0, 1.1, 2.0, 3.0, 3.5, 3.5.1, 4.0, 4.5 and 4.5.1.

Vulnerability Insight

Multiple flaws due to:

- ASP.NET does not properly identify stale HTTP connections.

... continues on next page ...

...continued from previous page ...
- An error within the .NET framework when handling certain COM objects. - Additionally, some unspecified weakness exists.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (2916607) OID:1.3.6.1.4.1.25623.1.0.903337 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2014-0253 cve: CVE-2014-0257 cve: CVE-2014-0295 url: http://support.microsoft.com/kb/2916607 url: http://www.securityfocus.com/bid/65415 url: http://www.securityfocus.com/bid/65417 url: http://www.securityfocus.com/bid/65418 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-009 cert-bund: CB-K14/0169 dfn-cert: DFN-CERT-2014-0173

Critical (CVSS: 9.3)
NVT: Windows OLE Object Handling Arbitrary Code Execution Vulnerability (3000869)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-060.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attacker to compromise a user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight The flaw is due to an unspecified error when handling OLE objects embedded within Microsoft Office files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Windows OLE Object Handling Arbitrary Code Execution Vulnerability (3000869) OID:1.3.6.1.4.1.25623.1.0.804860 Version used: 2025-04-08T11:13:28+05:30
References cve: CVE-2014-4114 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/3000869 url: http://www.securityfocus.com/bid/70419 url: https://technet.microsoft.com/library/security/ms14-060 cert-bund: CB-K14/1291 dfn-cert: DFN-CERT-2014-1351

Critical (CVSS: 9.3) NVT: Microsoft XML Core Services Remote Code Execution Vulnerabilities (2756145)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-002.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Msxml6.dll File version: 0 Vulnerable range: 6.30.7601.17000 - 6.30.7601.17987
Impact Successful exploitation could allow remote attackers to execute arbitrary code as the logged-on user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
...continues on next page ...

...continued from previous page ...

Affected Software/OS

- Microsoft Expression Web 2
- Microsoft Office Word Viewer
- Microsoft Office Compatibility
- Microsoft Office 2003 Service Pack 3 and prior
- Microsoft Office 2007 Service Pack 3 and prior
- Microsoft XML Core Services 3.0, 4.0, 5.0 and 6.0
- Microsoft Expression Web Service Pack 1 and prior
- Microsoft Groove Server 2007 Service Pack 3 and prior
- Microsoft SharePoint Server 2007 Service Pack 3 and prior
- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior

Vulnerability Insight

Integer truncation and an unspecified error caused due to the way that Microsoft XML Core Services parses XML content.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft XML Core Services Remote Code Execution Vulnerabilities (2756145)

OID:1.3.6.1.4.1.25623.1.0.903101

Version used: 2026-03-10T15:45:11+05:30

References

cve: CVE-2013-0006

cve: CVE-2013-0007

url: <http://xforce.iss.net/xforce/xfdb/80873>

url: <http://www.securityfocus.com/bid/57116>

url: <http://www.securityfocus.com/bid/57122>

url: <http://xforce.iss.net/xforce/xfdb/80875>

url: <http://support.microsoft.com/kb/2756145>

url: <https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv-13-002>

dfn-cert: DFN-CERT-2013-0044

Critical (CVSS: 9.3) NVT: Microsoft Windows XML Core Services Remote Code Execution Vulnerability (2993958)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-067.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to compromise a vulnerable system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight The flaw is due to an unspecified error when parsing XML content.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows XML Core Services Remote Code Execution Vulnerability (299395. ↪.. OID:1.3.6.1.4.1.25623.1.0.804879 Version used: 2023-07-26T10:35:09+05:30
References cve: CVE-2014-4118 url: https://support.microsoft.com/kb/2993958 url: http://www.securityfocus.com/bid/70957 url: https://technet.microsoft.com/library/security/MS14-067 cert-bund: CB-K14/1402
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2014-1473

Critical (CVSS: 9.3)**NVT: Microsoft .NET Framework Privilege Elevation Vulnerability (2769324)****Summary**

This host is missing an important security update according to Microsoft Bulletin MS13-004.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation will allow an attacker to execute arbitrary code with the privileges of the currently logged-in user. Failed attacks will cause denial-of-service conditions.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft .NET Framework 1.0 SP3, 1.1 SP1, 2.0 SP2, 3.0, 3.5, 3.5.1, 4 and 4.5.

Vulnerability Insight

- An error within the System.Drawing namespace of Windows Forms when handling pointers can be exploited to bypass CAS (Code Access Security) restrictions and disclose information.
- An error within WinForms when handling certain objects can be exploited to cause a buffer overflow.
- A boundary error within the System.DirectoryServices.Protocols namespace when handling objects can be exploited to cause a buffer overflow.
- A double construction error within the framework does not validate object permissions and can be exploited via a specially crafted XAML Browser Application (XBAP) or an untrusted .NET application.

Vulnerability Detection Method

Details: Microsoft .NET Framework Privilege Elevation Vulnerability (2769324)

OID:1.3.6.1.4.1.25623.1.0.902939

Version used: 2025-03-05T11:08:53+05:30

References

cve: CVE-2013-0001

cve: CVE-2013-0002

cve: CVE-2013-0003

... continues on next page ...

...continued from previous page ...
cve: CVE-2013-0004 url: http://support.microsoft.com/kb/2769324 url: http://www.securityfocus.com/bid/57113 url: http://www.securityfocus.com/bid/57114 url: http://www.securityfocus.com/bid/57124 url: http://www.securityfocus.com/bid/57126 url: http://support.microsoft.com/kb/2742613 url: http://support.microsoft.com/kb/2742595 url: http://support.microsoft.com/kb/2756921 url: http://support.microsoft.com/kb/2756920 url: http://support.microsoft.com/kb/2742599 url: http://support.microsoft.com/kb/2742598 url: http://support.microsoft.com/kb/2756919 url: http://support.microsoft.com/kb/2756918 url: http://support.microsoft.com/kb/2742601 url: http://support.microsoft.com/kb/2742596 url: http://support.microsoft.com/kb/2742597 url: http://support.microsoft.com/kb/2742604 url: http://support.microsoft.com/kb/2742607 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv-13-004 cert-bund: CB-K19/1121 dfn-cert: DFN-CERT-2013-0056

Critical (CVSS: 9.3)

NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (2693777)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS12-035.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation could allow an attacker to execute arbitrary code with the privileges of the currently logged-in user. Failed attacks will cause denial-of-service conditions.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
Microsoft .NET Framework 1.0 SP3, 1.1 SP1, 2.0 SP2, 3.0 SP2, 3.5 SP1, 3.5.1, and 4.
Vulnerability Insight The flaws are due to - An error within the .NET Framework does not properly serialize user input and can be exploited to treat untrusted input as trusted. - An error within the .NET Framework does not properly handle exceptions when serializing objects and can be exploited via partially trusted assemblies.
Vulnerability Detection Method Details: Microsoft .NET Framework Remote Code Execution Vulnerability (2693777) OID:1.3.6.1.4.1.25623.1.0.902833 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-0160 cve: CVE-2012-0161 url: http://support.microsoft.com/kb/2693777 url: http://www.securityfocus.com/bid/53356 url: http://www.securityfocus.com/bid/53357 url: http://www.securitytracker.com/id/1027036 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-035 cert-bund: CB-K19/1121 dfn-cert: DFN-CERT-2012-0902

Critical (CVSS: 9.3)

NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (2706726)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS12-038.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation could allow an attacker to execute arbitrary code.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

... continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft .NET Framework 4 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 2.0 Service Pack 2
Vulnerability Insight The flaw is due to an error within the framework when handling pointers and can be exploited to corrupt memory via a specially crafted web page.
Vulnerability Detection Method Details: Microsoft .NET Framework Remote Code Execution Vulnerability (2706726) OID:1.3.6.1.4.1.25623.1.0.902841 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-1855 url: http://support.microsoft.com/kb/2706726 url: http://www.securityfocus.com/bid/53861 url: http://www.securitytracker.com/id/1027149 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-038 dfn-cert: DFN-CERT-2012-1117

Critical (CVSS: 9.3) NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (2745030)
Summary This host is missing a critical security update according to Microsoft Bulletin MS12-074.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow an attacker to execute arbitrary code with the privileges of the currently logged-in user. Failed attacks will cause denial-of-service conditions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
Microsoft .NET Framework 1.0 SP3, 1.1 SP1, 2.0 SP2, 3.0, 3.5, 3.5.1, and 4.
Vulnerability Insight - An error within permissions checking of objects that perform reflection can be exploited via a specially crafted XAML Browser Application (XBAP) or an untrusted .NET application. - An sanitisation error when processing partially trusted code can be exploited to disclose certain data via a specially crafted XAML Browser Application (XBAP) or an untrusted .NET application. - The Entity Framework component loads certain libraries in an insecure manner, which can be exploited to load arbitrary libraries by tricking a user into opening certain files located on a remote WebDAV or SMB share. - A validation error when acquiring proxy settings via the Web Proxy Auto-Discovery (WPAD) can be exploited to execute JavaScript code with reduced restrictions. - An error within permissions checking of Windows Presentation Foundation (WPF) objects that perform reflection can be exploited via a specially crafted XAML Browser Application (XBAP) or an untrusted .NET application.
Vulnerability Detection Method Details: Microsoft .NET Framework Remote Code Execution Vulnerability (2745030) OID:1.3.6.1.4.1.25623.1.0.902934 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-1895 cve: CVE-2012-1896 cve: CVE-2012-2519 cve: CVE-2012-4776 cve: CVE-2012-4777 url: http://support.microsoft.com/kb/2745030 url: http://www.securityfocus.com/bid/56455 url: http://www.securityfocus.com/bid/56456 url: http://www.securityfocus.com/bid/56462 url: http://www.securityfocus.com/bid/56464 url: http://support.microsoft.com/kb/2729456 url: http://support.microsoft.com/kb/2729460 url: http://support.microsoft.com/kb/2729449 url: http://support.microsoft.com/kb/2729452 url: http://support.microsoft.com/kb/2729451 url: http://support.microsoft.com/kb/2729450 url: http://support.microsoft.com/kb/2729453 url: http://support.microsoft.com/kb/2698023 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-b12-074 dfn-cert: DFN-CERT-2012-2111

Critical (CVSS: 9.3) NVT: Microsoft Windows Data Access Components Remote Code Execution Vulnerability (2698365)	
Summary	This host is missing a critical security update according to Microsoft Bulletin MS12-045.
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation could allow remote attackers to gain sensitive information or execute arbitrary code in the context of the current user.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight	Vulnerability is due to the way that Microsoft Data Access Components accesses an object in memory that has been improperly initialized when parsing XML code.
Vulnerability Detection Method	Details: Microsoft Windows Data Access Components Remote Code Execution Vulnerability (2. ↩️.. OID:1.3.6.1.4.1.25623.1.0.902687 Version used: 2025-03-05T11:08:53+05:30
References	cve: CVE-2012-1891 url: http://support.microsoft.com/kb/2698365 url: http://www.securityfocus.com/bid/54308 url: http://www.securitytracker.com/id/1027227 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms ... continues on next page ...

...continued from previous page ...

↔12-045

dfn-cert: DFN-CERT-2012-1329

Critical (CVSS: 9.3)**NVT: Microsoft Windows VBScript Remote Code Execution Vulnerability (3072604)****Summary**

This host is missing a critical security update according to Microsoft Bulletin MS15-066.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to execute arbitrary code and corrupt memory.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior

Vulnerability Insight

Flaw exists due to error in VBScript that is triggered as user-supplied input is not properly validated.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows VBScript Remote Code Execution Vulnerability (3072604)

OID:1.3.6.1.4.1.25623.1.0.805076

Version used: 2023-07-25T10:35:58+05:30

References

cve: CVE-2015-2372

url: <https://support.microsoft.com/en-us/kb/3072604>url: <https://technet.microsoft.com/en-us/library/security/MS15-066>url: <https://technet.microsoft.com/library/security/MS15-066>

cert-bund: CB-K15/1014

cert-bund: CB-K15/1013

... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-1062
 dfn-cert: DFN-CERT-2015-1060

Critical (CVSS: 9.3)

NVT: Microsoft Windows VBScript Remote Code Execution Vulnerability (3016711)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS14-084.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to execute arbitrary code and corrupt memory.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior

Vulnerability Insight

The flaw is due to error in Microsoft VBScript Engine triggered when user-supplied input is not properly sanitized.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows VBScript Remote Code Execution Vulnerability (3016711)

OID:1.3.6.1.4.1.25623.1.0.805206

Version used: 2023-07-26T10:35:09+05:30

References

cve: CVE-2014-6363

url: <https://support.microsoft.com/kb/3016711>

url: <http://www.securityfocus.com/bid/71504>

url: <https://support.microsoft.com/kb/3012168>

url: <https://support.microsoft.com/kb/3012172>

... continues on next page ...

...continued from previous page ...
url: https://support.microsoft.com/kb/3012176
url: https://technet.microsoft.com/library/security/ms14-084
url: https://technet.microsoft.com/library/security/MS14-084
cert-bund: CB-K14/1525
cert-bund: CB-K14/1523
dfn-cert: DFN-CERT-2014-1625
dfn-cert: DFN-CERT-2014-1623

Critical (CVSS: 9.3)
NVT: Microsoft Windows DirectPlay Remote Code Execution Vulnerability (2770660)
Summary This host is missing an important security update according to Microsoft Bulletin MS12-082.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow remote attackers to execute arbitrary code by tricking a user into opening a malicious office document.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight The vulnerability is caused when Windows DirectPlay fails to properly handle specially crafted office document with embedded content.
Vulnerability Detection Method Details: Microsoft Windows DirectPlay Remote Code Execution Vulnerability (2770660) OID:1.3.6.1.4.1.25623.1.0.901212
... continues on next page ...

...continued from previous page ...
Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-1537 url: http://support.microsoft.com/kb/2770660 url: http://www.securityfocus.com/bid/56839 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-082 dfn-cert: DFN-CERT-2012-2232

Critical (CVSS: 9.3)
NVT: Microsoft Windows Shell Remote Code Execution Vulnerability (2691442)
Summary This host is missing an important security update according to Microsoft Bulletin MS12-048.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow an attacker to execute arbitrary shell commands with user level privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight The vulnerability is caused when Windows shell does not properly handle specially crafted file or directory names.
Vulnerability Detection Method Details: Microsoft Windows Shell Remote Code Execution Vulnerability (2691442)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.902845 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-0175 url: http://support.microsoft.com/kb/2691442 url: http://www.securityfocus.com/bid/54307 url: http://www.securitytracker.com/id/1027230 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-048 dfn-cert: DFN-CERT-2012-1331

Critical (CVSS: 9.3)

NVT: Microsoft Windows Shell and Tablet Input Band Remote Code Execution Vulnerabilities (3096443)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS15-109.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Shell32.dll
File version: 6.1.7601.17514
Vulnerable range: Version Less than - 6.1.7601.18952

Impact

Successful exploitation will allow an attacker to conduct denial-of-service conditions and execute arbitrary code in the context of the currently logged-in user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Server 2012
- Microsoft Windows 10 x32/x64
- Microsoft Windows Server 2012R2
- Microsoft Windows 8/8.1 x32/x64
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior

... continues on next page ...

...continued from previous page ...
Vulnerability Insight Multiple flaws are due to: - Windows Shell fails to properly handle objects in memory. - Tablet Input Band fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Shell and Tablet Input Band Remote Code Execution Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.806090 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2515 cve: CVE-2015-2548 url: https://support.microsoft.com/en-us/kb/3096443 url: https://docs.microsoft.com/en-us/security-updates/SecurityBulletins/2015/ms15-109 cert-bund: CB-K15/1507 dfn-cert: DFN-CERT-2015-1586

Critical (CVSS: 9.3) NVT: Microsoft Windows Scripting Runtime Object Library RCE Vulnerability (2909158)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-099.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to execute arbitrary code, cause a DoS (Denial of Service), and compromise the vulnerable system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior ... continues on next page ...

...continued from previous page ...
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight The flaw is due to memory corruption resulting from improperly handling of an object in memory by Scripting Runtime Object Library.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Scripting Runtime Object Library RCE Vulnerability (2909158) OID:1.3.6.1.4.1.25623.1.0.903505 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-5056 url: http://support.microsoft.com/kb/2892074 url: http://www.securityfocus.com/bid/64082 url: http://support.microsoft.com/kb/2892075 url: http://support.microsoft.com/kb/2892076 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-099 cert-bund: CB-K13/1027 dfn-cert: DFN-CERT-2013-2048

Critical (CVSS: 9.3)

NVT: Microsoft .NET Framework Privilege Elevation Vulnerabilities (3089662)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-101.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Drawing.
↔dll
File version: 2.0.50727.5420
Vulnerable range: Less than 2.0.50727.5492

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to conduct denial-of-service attack and take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4 - Microsoft .NET Framework 4.5, 4.5.1, and 4.5.2 - Microsoft .NET Framework 4.6 and 4.6 RC
Vulnerability Insight Multiple flaws exist due to: - An unspecified error in the way that the .NET Framework validates the number of objects in memory before copying those objects into an array. - Application fails to properly handle certain specially crafted requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Privilege Elevation Vulnerabilities (3089662) OID:1.3.6.1.4.1.25623.1.0.805978 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2504 cve: CVE-2015-2526 url: https://support.microsoft.com/en-us/kb/3089662 url: https://technet.microsoft.com/library/security/ms15-101 cert-bund: CB-K15/1321 dfn-cert: DFN-CERT-2015-1385

Critical (CVSS: 9.3)

NVT: Microsoft Windows Remote Code Execution Vulnerabilities (3105864)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS15-115.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...	
File checked:	C:\Windows\system32\Win32k.sys
File version:	6.1.7601.17514
Vulnerable range:	Less than 6.1.7601.19045
Impact Successful exploitation will allow an attacker to do Kernel Address Space Layout Randomization (KASLR) bypass and execute arbitrary code taking complete control of the affected system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8/8.1 x32/x64 - Microsoft Edge on Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior	
Vulnerability Insight Multiple flaws exist due to: - The way that Windows handles objects in memory. An attacker who successfully exploited the vulnerabilities could run arbitrary code in kernel mode. - The Windows fails to properly initialize memory addresses, allowing an attacker to retrieve information that could lead to a Kernel Address Space Layout Randomization (KASLR) bypass. - The Adobe Type Manager Library in Windows improperly handles specially crafted embedded fonts. - The Windows kernel fails to properly validate permissions, allowing an attacker to inappropriately interact with the filesystem from low integrity level user-mode applications.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Remote Code Execution Vulnerabilities (3105864) OID:1.3.6.1.4.1.25623.1.0.806157 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-6100 cve: CVE-2015-6101 cve: CVE-2015-6102 cve: CVE-2015-6103 cve: CVE-2015-6104 cve: CVE-2015-6109	
... continues on next page ...	

...continued from previous page ...
cve: CVE-2015-6113 url: https://support.microsoft.com/en-us/kb/3097877 url: https://support.microsoft.com/en-us/kb/3101746 url: https://technet.microsoft.com/library/security/ms15-115 cert-bund: CB-K15/1649 dfn-cert: DFN-CERT-2015-1742

Critical (CVSS: 9.3)
NVT: Microsoft Windows Remote Code Execution Vulnerabilities (3041836)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-020.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to run arbitrary code and take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Multiple flaws are exists when, - Windows Text Services improperly handles objects in memory and - Microsoft Windows improperly handles the loading of DLL files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Remote Code Execution Vulnerabilities (3041836)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.805053 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0081 cve: CVE-2015-0096 url: http://www.securitytracker.com/id/1031890 url: https://support.microsoft.com/kb/3033889 url: https://support.microsoft.com/kb/3039066 url: https://technet.microsoft.com/library/security/MS15-020 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324

Critical (CVSS: 9.3)
NVT: Microsoft .NET Framework Privilege Elevation Vulnerabilities (3089662)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-101.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Componen ↔tModel.DataAnnotations.dll File version: 0 Vulnerable range: Less than 2.0.50727.5492
Impact Successful exploitation will allow an attacker to conduct denial-of-service attack and take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4 - Microsoft .NET Framework 4.5, 4.5.1, and 4.5.2 - Microsoft .NET Framework 4.6 and 4.6 RC
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
Multiple flaws exist due to: - An unspecified error in the way that the .NET Framework validates the number of objects in memory before copying those objects into an array. - Application fails to properly handle certain specially crafted requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Privilege Elevation Vulnerabilities (3089662) OID:1.3.6.1.4.1.25623.1.0.805978 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2504 cve: CVE-2015-2526 url: https://support.microsoft.com/en-us/kb/3089662 url: https://technet.microsoft.com/library/security/ms15-101 cert-bund: CB-K15/1321 dfn-cert: DFN-CERT-2015-1385

Critical (CVSS: 9.3)
NVT: Microsoft Windows Privilege Elevation Vulnerabilities (3060716)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-090.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow users to gain privileges via a crafted application.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight An elevation of privilege vulnerabilities are exists in Windows Object Manager when it, - Fails to properly validate and enforce impersonation levels. - Improperly allows certain registry interactions from within vulnerable sandboxed applications. - Improperly allows certain filesystem interactions from within vulnerable sandboxed applications.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Privilege Elevation Vulnerabilities (3060716) OID:1.3.6.1.4.1.25623.1.0.805094 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2428 cve: CVE-2015-2429 cve: CVE-2015-2430 url: https://support.microsoft.com/en-us/kb/3060716 url: http://www.securityfocus.com/bid/76227 url: http://www.securityfocus.com/bid/76231 url: http://www.securityfocus.com/bid/76233 url: https://technet.microsoft.com/library/security/MS15-090 cert-bund: CB-K15/1174 dfn-cert: DFN-CERT-2015-1236

Critical (CVSS: 9.3)
NVT: Microsoft .NET Framework Privilege Elevation Vulnerability (3005210)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-072.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to bypass certain security restrictions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Microsoft .NET Framework 1.1, 2.0, 3.5, 3.5.1, 4.0, 4.5, 4.5.1 and 4.5.2.
Vulnerability Insight A flaw exists due to the way .NET Framework handles TypeFilterLevel checks for some malformed objects.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Privilege Elevation Vulnerability (3005210) OID:1.3.6.1.4.1.25623.1.0.804791 Version used: 2022-05-25T13:10:23+05:30
References cve: CVE-2014-4149 url: https://support.microsoft.com/kb/3005210 url: http://www.securityfocus.com/bid/70979 url: https://technet.microsoft.com/library/security/MS14-072 cert-bund: CB-K14/1402 dfn-cert: DFN-CERT-2014-1473

Critical (CVSS: 9.3) NVT: Microsoft .NET Framework Privilege Elevation Vulnerability (3057134)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-048.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain elevated privileges or disrupt the availability of applications that use the .NET framework.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 1.1 Service Pack 1
...continues on next page ...

...continued from previous page ...
- Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4 - Microsoft .NET Framework 4.5, 4.5.1, and 4.5.2
Vulnerability Insight Flaw is due to improper handling of objects in memory by .NET's Windows Forms (WinForms) libraries and error when decrypting specially crafted XML data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Privilege Elevation Vulnerability (3057134) OID:1.3.6.1.4.1.25623.1.0.805178 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1672 cve: CVE-2015-1673 url: https://support.microsoft.com/en-us/kb/3057134 url: http://www.securityfocus.com/bid/74482 url: http://www.securityfocus.com/bid/74487 url: https://technet.microsoft.com/library/security/MS15-048 cert-bund: CB-K15/0668 dfn-cert: DFN-CERT-2015-0689

Critical (CVSS: 9.3)

NVT: Microsoft Remote Desktop Protocol Remote Code Execution Vulnerability (2685939)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS12-036.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation could allow remote attackers to execute arbitrary code as the logged-on user or cause a denial of service condition.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

... continues on next page ...

...continued from previous page ...

Affected Software/OS

- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior

Vulnerability Insight

The way that the Remote Desktop Protocol accesses an object in memory that has been improperly initialized or has been deleted or the way RDP service processes the packets, allows to run arbitrary code on the target system.

Vulnerability Detection Method

Details: Microsoft Remote Desktop Protocol Remote Code Execution Vulnerability (2685939)
 OID:1.3.6.1.4.1.25623.1.0.902683
 Version used: 2025-03-05T11:08:53+05:30

References

cve: CVE-2012-0173
 url: <http://support.microsoft.com/kb/2685939>
 url: <http://www.securityfocus.com/bid/53826>
 url: <http://www.securitytracker.com/id/1027148>
 url: <http://www.securelist.com/en/advisories/49384>
 url: <https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv-12-036>
 dfn-cert: DFN-CERT-2012-1118

Critical (CVSS: 9.3)

NVT: Microsoft Security Update For Microsoft Office, .NET Framework, and Silverlight (2681578)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS12-034.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation could allow an attacker to gain escalated privileges and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 4 - Microsoft Silverlight 4 and 5 - Microsoft .NET Framework 3.5.1 - Microsoft Office 2003 Service Pack 3 - Microsoft Office 2007 Service Pack 2 - Microsoft Office 2010 Service Pack 1 - Microsoft .NET Framework 3.0 Service Pack 2 - Microsoft Windows 7 Service Pack 1 and prior - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows 2003 Service Pack 2 and prior - Microsoft Windows Vista Service Pack 2 and prior - Microsoft Windows Server 2008 Service Pack 2 and prior
Vulnerability Insight Multiple flaws are due to - An error exists when parsing TrueType fonts. - An error in the t2embed.dll module when parsing TrueType fonts can be exploited via a specially crafted TTF file. - An error in GDI+ when handling certain records can be exploited via a specially crafted EMF image file. - An error in win32k.sys related to certain Windows and Messages handling can be exploited to execute arbitrary code in the context of another process. - An error in win32k.sys when handling keyboard layout files can be exploited to execute arbitrary code in the context of another process. - An error in win32k.sys related to scrollbar calculations can be exploited to execute arbitrary code in the context of another process.
Vulnerability Detection Method Details: Microsoft Security Update For Microsoft Office, .NET Framework, and Silverlight. ↪.. OID:1.3.6.1.4.1.25623.1.0.902832 Version used: 2025-12-19T21:11:09+05:30
References cve: CVE-2012-0167 cve: CVE-2011-3402 cve: CVE-2012-0159 cve: CVE-2012-0162
...continues on next page ...

...continued from previous page ...
cve: CVE-2012-0164 cve: CVE-2012-0165 cve: CVE-2012-0176 cve: CVE-2012-0180 cve: CVE-2012-0181 cve: CVE-2012-1848 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: http://support.microsoft.com/kb/2681578 url: http://www.securityfocus.com/bid/50462 url: http://www.securityfocus.com/bid/53324 url: http://www.securityfocus.com/bid/53326 url: http://www.securityfocus.com/bid/53327 url: http://www.securityfocus.com/bid/53335 url: http://www.securityfocus.com/bid/53347 url: http://www.securityfocus.com/bid/53351 url: http://www.securityfocus.com/bid/53358 url: http://www.securityfocus.com/bid/53360 url: http://www.securityfocus.com/bid/53363 url: http://www.securitytracker.com/id/1027048 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-034 dfn-cert: DFN-CERT-2012-1128 dfn-cert: DFN-CERT-2012-0901 dfn-cert: DFN-CERT-2011-1709

Critical (CVSS: 9.3)

NVT: Microsoft VBScript Remote Code Execution Vulnerability (2928390)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS14-011.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: < 5.8.7601.18337, 5.8.7601.22000 - 5.8.7601.22534

File checked: C:\Windowssystem32\Vbscript.dll

File version: 5.8.7601.17514

Impact

Successful exploitation will allow attackers to execute arbitrary code and corrupt memory.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

...continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x32 Pack 3 and prior - Microsoft Windows 2003 x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight Flaw is due to improper handling of memory objects in VBScript engine.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft VBScript Remote Code Execution Vulnerability (2928390) OID:1.3.6.1.4.1.25623.1.0.903229 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2014-0271 url: http://support.microsoft.com/kb/2928390 url: http://www.securityfocus.com/bid/65395 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-011 cert-bund: CB-K14/0173 cert-bund: CB-K14/0168 dfn-cert: DFN-CERT-2014-0177 dfn-cert: DFN-CERT-2014-0174
Critical (CVSS: 9.3) NVT: Microsoft .NET Framework Remote Code Execution Vulnerabilities (2878890)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-082.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to execute the arbitrary code, exhaust available system resource, cause a DoS (Denial of Service) and compromise the system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.x - Microsoft .NET Framework 3.x - Microsoft .NET Framework 4.x
Vulnerability Insight Multiple flaws are due to: - An unspecified error when handling OpenType fonts (OTF). - An error when when expanding entity references. - An unspecified error when parsing JSON data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Remote Code Execution Vulnerabilities (2878890) OID:1.3.6.1.4.1.25623.1.0.903412 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3128 cve: CVE-2013-3860 cve: CVE-2013-3861 url: http://support.microsoft.com/kb/2878890 url: http://www.securityfocus.com/bid/62807 url: http://www.securityfocus.com/bid/62819 url: http://www.securityfocus.com/bid/62820 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv-13-082 cert-bund: CB-K13/0762 cert-bund: CB-K13/0760 dfn-cert: DFN-CERT-2013-1755 dfn-cert: DFN-CERT-2013-1753

Critical (CVSS: 9.3)
NVT: Microsoft ASP.NET Insecure Site Configuration Vulnerability (2905247)
Summary This host is missing an important security update according to Microsoft advisory (2905247).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to use specially crafted HTTP content to inject code to be run in the context of the service account on the ASP.NET server.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework versions 1.1, 2.0, 3.5, 3.5.1, 4.0, 4.5 and 4.5.1.
Vulnerability Insight Flaw is due to the view state that exists when Machine Authentication Code (MAC) validation is disabled through configuration settings.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft ASP.NET Insecure Site Configuration Vulnerability (2905247) OID:1.3.6.1.4.1.25623.1.0.804038 Version used: 2023-07-27T10:35:08+05:30
References url: http://support.microsoft.com/kb/2905247 url: https://technet.microsoft.com/en-us/security/advisory/2905247

Critical (CVSS: 9.3)
NVT: Microsoft EAP Implementation TLS Information Disclosure Vulnerability (2977292)
Summary This host is missing an important security update according to Microsoft Security Advisory 2977292.
...
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation allows an attacker to perform man-in-the-middle attacks and recover plaintext from encrypted sessions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2
Vulnerability Insight The error exists due to use of lower versions of TLS allowing recovery of plaintext from encrypted sessions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft EAP Implementation TLS Information Disclosure Vulnerability (2977292) OID:1.3.6.1.4.1.25623.1.0.804869 Version used: 2023-07-26T10:35:09+05:30
References url: https://support.microsoft.com/kb/2977292 url: https://technet.microsoft.com/en-US/library/security/2977292

Critical (CVSS: 9.3)

NVT: Microsoft .NET Framework 'RC4' Information Disclosure Vulnerability (2960358)

Summary

This host is missing an important security update according to Microsoft Security Advisory 2960358.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...
The target host was found to be vulnerable
Impact Successful exploitation could allow an attacker to perform man-in-the-middle attacks and recover plaintext from encrypted sessions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 3.5, 3.5.1, 4.0 and 4.5 and 4.5.X.
Vulnerability Insight The flaw is due to the RC4 encryption algorithm is used in Transport Layer Security (TLS).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework 'RC4' Information Disclosure Vulnerability (2960358) OID:1.3.6.1.4.1.25623.1.0.804587 Version used: 2023-07-27T10:35:08+05:30
References url: https://support.microsoft.com/kb/2960358 url: https://technet.microsoft.com/en-us/library/security/2960358

Critical (CVSS: 9.3)
NVT: Microsoft Windows ActiveX Control RCE Vulnerability (2900986)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-090.
Quality of Detection (QoD): 97%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation allows execution of arbitrary code when viewing a specially crafted web page using Internet Explorer.
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows XP x32 Service Pack 3 and prior - Microsoft Windows XP x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight Flaw in the InformationCardSignInHelper Class ActiveX control (icardie.dll) and can be exploited to corrupt the system state.
Vulnerability Detection Method Gets the ActiveX control (CLSID) information from the registry and checks if the appropriate patch has been applied. Details: Microsoft Windows ActiveX Control RCE Vulnerability (2900986) OID:1.3.6.1.4.1.25623.1.0.901225 Version used: 2025-12-19T21:11:09+05:30
References cve: CVE-2013-3918 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://technet.microsoft.com/en-us/security/bulletin/ms13-090 url: http://www.securityfocus.com/bid/63631 url: http://www.zdnet.com/microsoft-to-patch-zero-day-bug-tuesday-7000023066/ url: http://www.fireeye.com/blog/uncategorized/2013/11/new-ie-zero-day-found-in-watering-hole-attack.html url: http://blogs.technet.com/b/msrc/archive/2013/11/11/activex-control-issue-being-addressed-in-update-tuesday.aspx cert-bund: CB-K13/0909 cert-bund: CB-K13/0905 dfn-cert: DFN-CERT-2013-1921 dfn-cert: DFN-CERT-2013-1920

Critical (CVSS: 9.3)	
NVT: Microsoft Adobe Font Driver Remote Code Execution Vulnerabilities (3032323)	
Summary	This host is missing a critical security update according to Microsoft Bulletin MS15-021.
Quality of Detection (QoD):	80%
Vulnerability Detection Result	Installed version: 5.1.2.230 Fixed version: 5.1.2.241 Installation path / port: C:\Windows
Impact	Successful exploitation will allow remote attackers to execute arbitrary code with kernel-mode privileges and take complete control of the affected system.
Solution:	
Solution type:	VendorFix
The vendor has released updates. Please see the references for more information.	
Affected Software/OS	- Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight	Multiple flaws are exists in how the Adobe Font Driver manages memory when parsing fonts. The vulnerabilities are caused when the Adobe Font Driver improperly overwrites objects in memory.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Adobe Font Driver Remote Code Execution Vulnerabilities (3032323) OID:1.3.6.1.4.1.25623.1.0.805052 Version used: 2023-07-25T10:35:58+05:30
References	cve: CVE-2015-0074
... continues on next page ...	

...continued from previous page ...
cve: CVE-2015-0087 cve: CVE-2015-0088 cve: CVE-2015-0089 cve: CVE-2015-0090 cve: CVE-2015-0091 cve: CVE-2015-0092 cve: CVE-2015-0093 url: https://support.microsoft.com/kb/3032323 url: https://technet.microsoft.com/library/security/MS15-021 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324

Critical (CVSS: 9.3)**NVT: Microsoft Font Driver Remote Code Execution Vulnerability (3079904)****Summary**

This host is missing a critical security update according to Microsoft Bulletin MS15-078.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

File checked: C:\Windows\system32\Atmfd.dll

File version: 5.1.2.230

Vulnerable range: Less than 5.1.2.243

Impact

Successful exploitation will allow remote attackers to execute arbitrary code. Failed exploit attempts will result in a denial-of-service condition.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8 x32/x64
- Microsoft Windows 10 x32/x64
- Microsoft Windows Server 2012/R2
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The flaw is due to the Windows Adobe Type Manager Library improperly handles specially crafted OpenType fonts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Font Driver Remote Code Execution Vulnerability (3079904) OID:1.3.6.1.4.1.25623.1.0.805726 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2426 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3079904 url: http://www.securityfocus.com/bid/75951 url: https://technet.microsoft.com/library/security/MS15-078 cert-bund: CB-K15/1037 dfn-cert: DFN-CERT-2015-1094

Critical (CVSS: 9.3)
NVT: Microsoft Graphics Component Remote Code Execution Vulnerabilities (3078662)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-080.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.1.2.230 Fixed version: 5.1.2.244 Installation path / port: C:\Windows
Impact Successful exploitation will allow remote attackers to execute arbitrary code. Failed exploit attempts will result in a denial-of-service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 10 x32/x64
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight The flaw is due to the Windows Adobe Type Manager Library improperly handles specially crafted OpenType fonts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Remote Code Executioon Vulnerabilities (3078662) OID:1.3.6.1.4.1.25623.1.0.805081 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2432 cve: CVE-2015-2458 cve: CVE-2015-2459 cve: CVE-2015-2460 cve: CVE-2015-2461 cve: CVE-2015-2462 cve: CVE-2015-2435 cve: CVE-2015-2455 cve: CVE-2015-2456 cve: CVE-2015-2463 cve: CVE-2015-2464 cve: CVE-2015-2433 cve: CVE-2015-2453 cve: CVE-2015-2454 cve: CVE-2015-2465 url: https://support.microsoft.com/en-us/kb/3078662 url: https://technet.microsoft.com/library/security/MS15-080 cert-bund: CB-K15/1174 cert-bund: CB-K15/1172 dfn-cert: DFN-CERT-2015-1236 dfn-cert: DFN-CERT-2015-1235

Critical (CVSS: 9.3)
NVT: Microsoft IE Developer Tools WMITools and Windows Messenger ActiveX Control Vulnerability (2508272)
Summary
... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft Bulletin MS11-027.
Quality of Detection (QoD): 97%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information. As a workaround set the killbit for the following CLSIDs: {1a6fe369-f28c-4ad9-a3e6-2bcb50807cf1}, {2745E5F5-D234-11D0-847A-00C04FD7BB08}, {FB7199AB-79BF-11d2-8D94-0000F875C541}
Affected Software/OS - Microsoft Windows 7 Service Pack 1 and prior - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows 2K3 Service Pack 2 and prior - Microsoft Windows Vista Service Pack 1/2 and prior - Microsoft Windows Server 2008 Service Pack 1/2 and prior
Vulnerability Insight An unspecified error exists in the IE Developer Tools(iedvtool.dll), WMITools (WBEMSingleView.OCX) and Windows Messenger (msgsc.dll) ActiveX Controls when used with Internet Explorer. Attackers can execute arbitrary code by tricking a user into visiting a specially crafted web page.
Vulnerability Detection Method Details: Microsoft IE Developer Tools WMITools and Windows Messenger ActiveX Control Vul. ↔.. OID:1.3.6.1.4.1.25623.1.0.900281 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2010-0811 cve: CVE-2010-3973 cve: CVE-2011-1243 cve: CVE-2010-4588 url: http://www.exploit-db.com/exploits/15809/ url: http://www.securityfocus.com/bid/40490 url: http://www.securityfocus.com/bid/45546 url: http://www.securityfocus.com/bid/47197 url: http://xforce.iss.net/xforce/xfdb/64250
... continues on next page ...

...continued from previous page ...
url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2011/ms-cv11-027
url: http://support.microsoft.com/kb/240797
dfn-cert: DFN-CERT-2011-0550
dfn-cert: DFN-CERT-2010-0742

Critical (CVSS: 9.3)
NVT: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3032359)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-018.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to access information from one domain and inject it into another domain, execute arbitrary script with elevated privileges, corrupt memory and compromise a user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x and VBScript 5.8 on IE 8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws are due to improper handling of cross-domain policies, improper validation of permissions under specific conditions and not properly handling objects in memory by VBScript engine, when rendered in Internet Explorer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3032359) OID:1.3.6.1.4.1.25623.1.0.805143 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0032 cve: CVE-2015-0056
... continues on next page ...

...continued from previous page ...
cve: CVE-2015-0072 cve: CVE-2015-0099 cve: CVE-2015-0100 cve: CVE-2015-1622 cve: CVE-2015-1623 cve: CVE-2015-1624 cve: CVE-2015-1625 cve: CVE-2015-1626 cve: CVE-2015-1627 cve: CVE-2015-1634 url: https://support.microsoft.com/kb/3032359 url: http://www.securityfocus.com/bid/72489 url: https://technet.microsoft.com/en-us/library/security/ms15-018.aspx cert-bund: CB-K15/0319 cert-bund: CB-K15/0318 dfn-cert: DFN-CERT-2015-0329 dfn-cert: DFN-CERT-2015-0324

Critical (CVSS: 9.3)
NVT: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3038314)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-032.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x and VBScript 5.8 on IE 8.x/9.x/10.x/11.x.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
Multiple flaws are due to improper handling memory objects when accessing it and some user-supplied input is not properly validated.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3038314) OID:1.3.6.1.4.1.25623.1.0.805163 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1652 cve: CVE-2015-1657 cve: CVE-2015-1659 cve: CVE-2015-1660 cve: CVE-2015-1661 cve: CVE-2015-1662 cve: CVE-2015-1665 cve: CVE-2015-1666 cve: CVE-2015-1667 cve: CVE-2015-1668 url: https://support.microsoft.com/en-us/kb/3038314 url: https://technet.microsoft.com/library/security/MS15-032 cert-bund: CB-K15/0521 dfn-cert: DFN-CERT-2015-0540

Critical (CVSS: 9.3)
NVT: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3058515)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-056.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...	
Affected Software/OS	Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight	Multiple flaws are due to improper handling memory objects when accessing it and does not properly validate permissions under specific conditions.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3058515) OID:1.3.6.1.4.1.25623.1.0.805196 Version used: 2023-07-25T10:35:58+05:30
References	cve: CVE-2015-1687 cve: CVE-2015-1730 cve: CVE-2015-1731 cve: CVE-2015-1732 cve: CVE-2015-1735 cve: CVE-2015-1736 cve: CVE-2015-1737 cve: CVE-2015-1739 cve: CVE-2015-1740 cve: CVE-2015-1741 cve: CVE-2015-1742 cve: CVE-2015-1743 cve: CVE-2015-1744 cve: CVE-2015-1745 cve: CVE-2015-1747 cve: CVE-2015-1748 cve: CVE-2015-1750 cve: CVE-2015-1751 cve: CVE-2015-1752 cve: CVE-2015-1753 cve: CVE-2015-1754 cve: CVE-2015-1755 cve: CVE-2015-1765 cve: CVE-2015-1766 url: https://support.microsoft.com/en-us/kb/3058515 url: http://www.securityfocus.com/bid/74974 url: http://www.securityfocus.com/bid/74982 url: http://www.securityfocus.com/bid/74985 url: http://www.securityfocus.com/bid/74986 url: http://www.securityfocus.com/bid/74988 url: http://www.securityfocus.com/bid/74990 url: http://www.securityfocus.com/bid/74991 url: https://technet.microsoft.com/en-us/library/security/MS15-056
... continues on next page ...	

...continued from previous page...

cert-bund: CB-K15/0782
 dfn-cert: DFN-CERT-2015-0824

Critical (CVSS: 9.3)

NVT: Microsoft Internet Explorer Multiple Vulnerabilities (2962482)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS14-029.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow attackers to corrupt memory by the execution of arbitrary code in the context of the current user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.

Vulnerability Insight

Multiple unspecified flaws are due to user-supplied input is not properly sanitized.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Internet Explorer Multiple Vulnerabilities (2962482)

OID:1.3.6.1.4.1.25623.1.0.804579

Version used: 2023-07-27T10:35:08+05:30

References

cve: CVE-2014-0310

cve: CVE-2014-1815

url: <https://support.microsoft.com/kb/2953522>

url: <http://www.securityfocus.com/bid/67299>

url: <http://www.securityfocus.com/bid/67301>

url: <https://support.microsoft.com/kb/2961851>

url: <https://technet.microsoft.com/library/security/ms14-029>

cert-bund: CB-K14/0564

dfn-cert: DFN-CERT-2014-0590

Critical (CVSS: 9.3)
NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3003057)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-065.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, bypass certain security restrictions, and compromise a user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Flaws are due to multiple unspecified vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3003057) OID:1.3.6.1.4.1.25623.1.0.804790 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-4143 cve: CVE-2014-6323 cve: CVE-2014-6337 cve: CVE-2014-6339 cve: CVE-2014-6340 cve: CVE-2014-6341 cve: CVE-2014-6342 cve: CVE-2014-6343 cve: CVE-2014-6344 cve: CVE-2014-6345 cve: CVE-2014-6346 cve: CVE-2014-6347 cve: CVE-2014-6348 ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2014-6349
cve: CVE-2014-6350
cve: CVE-2014-6351
cve: CVE-2014-6353
url: https://support.microsoft.com/kb/3003057
url: http://www.securityfocus.com/bid/70323
url: http://www.securityfocus.com/bid/70333
url: http://www.securityfocus.com/bid/70337
url: http://www.securityfocus.com/bid/70338
url: http://www.securityfocus.com/bid/70341
url: http://www.securityfocus.com/bid/70344
url: http://www.securityfocus.com/bid/70345
url: http://www.securityfocus.com/bid/70346
url: http://www.securityfocus.com/bid/70347
url: http://www.securityfocus.com/bid/70348
url: http://www.securityfocus.com/bid/70939
url: http://www.securityfocus.com/bid/70940
url: http://www.securityfocus.com/bid/70941
url: http://www.securityfocus.com/bid/70942
url: http://www.securityfocus.com/bid/70946
url: http://www.securityfocus.com/bid/70947
url: http://www.securityfocus.com/bid/70948
url: https://technet.microsoft.com/library/security/MS14-065
cert-bund: CB-K14/1402
cert-bund: CB-K14/1401
dfn-cert: DFN-CERT-2014-1475
dfn-cert: DFN-CERT-2014-1473

```

Critical (CVSS: 9.3)**NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3008923)****Summary**

This host is missing a critical security update according to Microsoft Bulletin MS14-080.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, bypass certain security restrictions, and compromise a user's system.

Solution:

Solution type: VendorFix

... continues on next page ...

...continued from previous page ...
The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Flaws are due to multiple unspecified vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3008923) OID:1.3.6.1.4.1.25623.1.0.805112 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-6327 cve: CVE-2014-6329 cve: CVE-2014-6330 cve: CVE-2014-6366 cve: CVE-2014-6369 cve: CVE-2014-6373 cve: CVE-2014-6374 cve: CVE-2014-6375 cve: CVE-2014-6376 cve: CVE-2014-8966 url: https://support.microsoft.com/kb/3008923 url: http://www.securityfocus.com/bid/71446 url: http://www.securityfocus.com/bid/71447 url: http://www.securityfocus.com/bid/71448 url: http://www.securityfocus.com/bid/71450 url: http://www.securityfocus.com/bid/71452 url: http://www.securityfocus.com/bid/71453 url: http://www.securityfocus.com/bid/71454 url: http://www.securityfocus.com/bid/71455 url: http://www.securityfocus.com/bid/71456 url: http://www.securityfocus.com/bid/71457 url: https://technet.microsoft.com/library/security/ms14-080 cert-bund: CB-K14/1523 dfn-cert: DFN-CERT-2014-1625
Critical (CVSS: 9.3) NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3049563)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft Bulletin MS15-043.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow context - dependent attacker to corrupt memory, execute arbitrary code and compromise a user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws are due to: - Multiple unspecified flaws in VBScript and JScript that may allow a context-dependent attacker to bypass Address Space Layout Randomization (ASLR). - an unspecified flaw that may allow a context-dependent attacker to bypass unspecified features and execute code through the use of another vulnerability with higher privileges than would normally be allowed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3049563) OID:1.3.6.1.4.1.25623.1.0.805380 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1658 cve: CVE-2015-1684 cve: CVE-2015-1685 cve: CVE-2015-1686 cve: CVE-2015-1688 cve: CVE-2015-1689 cve: CVE-2015-1691 cve: CVE-2015-1692 cve: CVE-2015-1694 cve: CVE-2015-1703 cve: CVE-2015-1704 cve: CVE-2015-1705 cve: CVE-2015-1706
... continues on next page ...

...continued from previous page ...
cve: CVE-2015-1708 cve: CVE-2015-1709 cve: CVE-2015-1710 cve: CVE-2015-1711 cve: CVE-2015-1712 cve: CVE-2015-1713 cve: CVE-2015-1714 cve: CVE-2015-1717 cve: CVE-2015-1718 url: https://support.microsoft.com/kb/3049563 url: https://technet.microsoft.com/library/security/MS15-043 cert-bund: CB-K15/0668 cert-bund: CB-K15/0660 dfn-cert: DFN-CERT-2015-0689 dfn-cert: DFN-CERT-2015-0681

Critical (CVSS: 9.3)

NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3082442)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS15-079.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.

Vulnerability Insight

Multiple flaws are due to:

- Multiple improper handling memory objects,
- Fails to use ASLR security feature, allowing an attacker to more reliably predict the memory offsets of specific instructions.

... continues on next page ...

...continued from previous page...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Internet Explorer Multiple Vulnerabilities (3082442)

OID:1.3.6.1.4.1.25623.1.0.805731

Version used: 2023-07-25T10:35:58+05:30

References

cve: CVE-2015-2423

cve: CVE-2015-2441

cve: CVE-2015-2442

cve: CVE-2015-2443

cve: CVE-2015-2444

cve: CVE-2015-2445

cve: CVE-2015-2446

cve: CVE-2015-2447

cve: CVE-2015-2448

cve: CVE-2015-2449

cve: CVE-2015-2450

cve: CVE-2015-2451

cve: CVE-2015-2452

url: <https://support.microsoft.com/en-us/kb/3082442>

url: <http://www.securityfocus.com/bid/76202>

url: <http://www.securityfocus.com/bid/76197>

url: <http://www.securityfocus.com/bid/76196>

url: <http://www.securityfocus.com/bid/76195>

url: <http://www.securityfocus.com/bid/76194>

url: <http://www.securityfocus.com/bid/76198>

url: <http://www.securityfocus.com/bid/76193>

url: <http://www.securityfocus.com/bid/76192>

url: <http://www.securityfocus.com/bid/76191>

url: <http://www.securityfocus.com/bid/76199>

url: <http://www.securityfocus.com/bid/76190>

url: <http://www.securityfocus.com/bid/76189>

url: <http://www.securityfocus.com/bid/76188>

url: <https://technet.microsoft.com/en-us/library/security/MS15-079>

cert-bund: CB-K15/1174

cert-bund: CB-K15/1172

cert-bund: CB-K15/1170

cert-bund: CB-K15/1169

dfn-cert: DFN-CERT-2015-1236

dfn-cert: DFN-CERT-2015-1235

dfn-cert: DFN-CERT-2015-1232

dfn-cert: DFN-CERT-2015-1231

Critical (CVSS: 9.3)	
NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3089548)	
Summary	This host is missing a critical security update according to Microsoft Bulletin MS15-094.
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	File checked: C:\Windows\system32\Mshtml.dll File version: 8.0.7601.17514 Vulnerable range: 8.0.7601.17000 - 8.0.7601.18968
Impact	Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight	Multiple flaws are due to: - Multiple improper handling memory objects, - Improper permissions validation, allowing a script to be run with elevated privileges.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3089548) OID:1.3.6.1.4.1.25623.1.0.805736 Version used: 2023-07-25T10:35:58+05:30
References	cve: CVE-2015-2483 cve: CVE-2015-2484 cve: CVE-2015-2485 cve: CVE-2015-2486 cve: CVE-2015-2487 cve: CVE-2015-2489 cve: CVE-2015-2490 cve: CVE-2015-2491 cve: CVE-2015-2492 ... continues on next page ...

...continued from previous page ...
cve: CVE-2015-2493 cve: CVE-2015-2494 cve: CVE-2015-2498 cve: CVE-2015-2499 cve: CVE-2015-2500 cve: CVE-2015-2501 cve: CVE-2015-2541 cve: CVE-2015-2542 url: https://support.microsoft.com/en-us/kb/3089548 url: https://technet.microsoft.com/en-us/library/security/MS15-094 cert-bund: CB-K15/1323 cert-bund: CB-K15/1314 dfn-cert: DFN-CERT-2015-1391 dfn-cert: DFN-CERT-2015-1384

Critical (CVSS: 9.3)**NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3104517)****Summary**

This host is missing a critical security update according to Microsoft Bulletin MS15-112.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

File checked: C:\Windows\system32\Mshtml.dll
File version: 8.0.7601.17514
Vulnerable range: 8.0.7601.17000 - 8.0.7601.19037

Impact

Successful exploitation will allow remote attackers to gain access to sensitive information, bypass security restrictions, corrupt memory and potentially execute arbitrary code in the context of the current user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.

Vulnerability Insight

Multiple flaws are due to:

- Multiple improper memory object handling errors.

... continues on next page ...

...continued from previous page...

- An error in the way that the JScript and VBScript engines render when handling objects in memory in Internet Explorer

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Internet Explorer Multiple Vulnerabilities (3104517)

OID:1.3.6.1.4.1.25623.1.0.805773

Version used: 2023-07-25T10:35:58+05:30

References

cve: CVE-2015-2427

cve: CVE-2015-6064

cve: CVE-2015-6065

cve: CVE-2015-6066

cve: CVE-2015-6068

cve: CVE-2015-6069

cve: CVE-2015-6070

cve: CVE-2015-6071

cve: CVE-2015-6072

cve: CVE-2015-6073

cve: CVE-2015-6074

cve: CVE-2015-6075

cve: CVE-2015-6076

cve: CVE-2015-6077

cve: CVE-2015-6078

cve: CVE-2015-6079

cve: CVE-2015-6080

cve: CVE-2015-6081

cve: CVE-2015-6082

cve: CVE-2015-6084

cve: CVE-2015-6085

cve: CVE-2015-6086

cve: CVE-2015-6087

cve: CVE-2015-6088

cve: CVE-2015-6089

url: <https://support.microsoft.com/en-us/kb/3104517>

url: <https://technet.microsoft.com/en-us/library/security/MS15-112>

cert-bund: CB-K15/1658

cert-bund: CB-K15/1650

dfn-cert: DFN-CERT-2015-1741

dfn-cert: DFN-CERT-2015-1739

Critical (CVSS: 9.3)
NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3116180)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-124.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Mshtml.dll File version: 8.0.7601.17514 Vulnerable range: 8.0.7601.17000 - 8.0.7601.19057
Impact Successful exploitation will allow remote attackers to execute arbitrary code, gain access to sensitive information, elevate privileges, bypass certain security restrictions and execute arbitrary HTML and script code in a user's browser session in context of an affected site.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws exist due to: - Multiple errors caused by improperly accessing objects in memory. - Multiple XSS filter bypass errors. - An error in VBScript which improperly discloses the contents of its memory. - An error in the way that the VBScript engine renders when handling objects in memory in Internet Explorer. - An error when Internet Explorer does not properly enforce content types. - An error when Internet Explorer improperly discloses the contents of its memory. - An error when Internet Explorer fails to use the Address Space Layout Randomization (ASLR) security feature. - An error when Internet Explorer does not properly enforce cross-domain policies.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3116180) OID:1.3.6.1.4.1.25623.1.0.806646 Version used: 2023-07-25T10:35:58+05:30
References ... continues on next page ...

...continued from previous page ...

cve: CVE-2015-6164
cve: CVE-2015-6083
cve: CVE-2015-6134
cve: CVE-2015-6135
cve: CVE-2015-6136
cve: CVE-2015-6138
cve: CVE-2015-6139
cve: CVE-2015-6140
cve: CVE-2015-6141
cve: CVE-2015-6142
cve: CVE-2015-6143
cve: CVE-2015-6144
cve: CVE-2015-6145
cve: CVE-2015-6146
cve: CVE-2015-6147
cve: CVE-2015-6148
cve: CVE-2015-6149
cve: CVE-2015-6150
cve: CVE-2015-6151
cve: CVE-2015-6152
cve: CVE-2015-6153
cve: CVE-2015-6154
cve: CVE-2015-6155
cve: CVE-2015-6156
cve: CVE-2015-6157
cve: CVE-2015-6158
cve: CVE-2015-6159
cve: CVE-2015-6160
cve: CVE-2015-6161
cve: CVE-2015-6162
url: <https://support.microsoft.com/en-us/kb/3116180>
url: <https://support.microsoft.com/en-us/kb/3104002>
url: <https://technet.microsoft.com/library/security/MS15-124>
cert-bund: CB-K15/1804
cert-bund: CB-K15/1798
cert-bund: CB-K15/1794
dfn-cert: DFN-CERT-2015-1903
dfn-cert: DFN-CERT-2015-1893
dfn-cert: DFN-CERT-2015-1890

Critical (CVSS: 9.3)**NVT: Microsoft Windows Common Controls Remote Code Execution Vulnerability (3059317)****Summary**

... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft Bulletin MS15-060.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to execute arbitrary code within the context of the application that uses the ActiveX control.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight The flaw is due to Microsoft Common Controls, when it accesses an object in memory that has not been correctly initialized or has been deleted
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Common Controls Remote Code Execution Vulnerability (3059317) OID:1.3.6.1.4.1.25623.1.0.805399 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1756 url: https://support.microsoft.com/en-us/kb/3059317 url: http://www.securityfocus.com/bid/75017 url: https://technet.microsoft.com/en-us/library/security/MS15-060 cert-bund: CB-K15/0783 dfn-cert: DFN-CERT-2015-0827

Critical (CVSS: 9.3)	
NVT: Microsoft Windows Graphics Component Remote Code Execution Vulnerability (3089656)	
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-097.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\system32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.18985	
Impact Successful exploitation will allow an attacker to do Kernel Address Space Layout Randomization (KASLR) bypass and execute arbitrary code taking complete control of the affected system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8/8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior	
Vulnerability Insight Multiple flaws exist due to: - An unspecified error in the Windows Adobe Type Manager Library which improperly handles specially crafted OpenType fonts. - An unspecified error in Windows Adobe Type Manager Library which fails to properly handle objects in memory. - Multiple errors in Windows kernel-mode driver which fails to properly handle objects in memory. - An unspecified error in the Windows kernel mode driver (Win32k.sys) which fails to properly validate and enforce integrity levels during certain process initialization scenarios. - An error in Windows kernel which fails to properly initialize a memory address.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Graphics Component Remote Code Execution Vulnerability (30896. ↪...	
... continues on next page ...	

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.805979 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2506 cve: CVE-2015-2507 cve: CVE-2015-2508 cve: CVE-2015-2510 cve: CVE-2015-2511 cve: CVE-2015-2512 cve: CVE-2015-2517 cve: CVE-2015-2518 cve: CVE-2015-2527 cve: CVE-2015-2529 cve: CVE-2015-2546 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3086255 url: https://support.microsoft.com/en-us/kb/3087039 url: https://support.microsoft.com/en-us/kb/3087135 url: https://technet.microsoft.com/library/security/ms15-097 cert-bund: CB-K15/1321 cert-bund: CB-K15/1319 dfn-cert: DFN-CERT-2015-1386 dfn-cert: DFN-CERT-2015-1385

Critical (CVSS: 9.3)

NVT: Microsoft Windows Graphics Device Interface RCE Vulnerability (2876331)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS13-089.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow attackers to execute arbitrary code or cause a denial of service condition.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

...continues on next page ...

...continued from previous page ...

Affected Software/OS

- Microsoft Windows XP Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
- Microsoft Windows 8 x32/x64
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012
- Microsoft Windows Server 2012 R2

Vulnerability Insight

Flaw is due to when Microsoft Windows improperly handles image in a Windows Write (.wri) document.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Graphics Device Interface RCE Vulnerability (2876331)

OID:1.3.6.1.4.1.25623.1.0.903226

Version used: 2025-03-05T11:08:53+05:30

References

cve: CVE-2013-3940

url: <http://support.microsoft.com/kb/2876331>

url: <http://www.securityfocus.com/bid/63546>

url: <https://technet.microsoft.com/en-us/security/bulletin/ms13-089>

cert-bund: CB-K13/0909

dfn-cert: DFN-CERT-2013-1921

Critical (CVSS: 9.0)

NVT: Microsoft Windows Print Spooler Components Privilege Escalation Vulnerability (2839894)

Summary

This host is missing an important security update according to Microsoft Bulletin MS13-050.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation could allow remote attackers to execute arbitrary code with system privileges, resulting in complete compromise of the target.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight	The vulnerability is caused due to improper memory operations performed by the affected software when deleting printer connections.
Vulnerability Detection Method	Details: Microsoft Windows Print Spooler Components Privilege Escalation Vulnerability (↔... OID:1.3.6.1.4.1.25623.1.0.903212 Version used: 2025-03-05T11:08:53+05:30
References	cve: CVE-2013-1339 url: http://support.microsoft.com/kb/2839894 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-050 url: http://tools.cisco.com/security/center/viewAlert.x?alertId=29560 dfn-cert: DFN-CERT-2013-1113

[\[return to 192.168.56.6 \]](#)

2.1.6 Critical 4848/tcp

Critical (CVSS: 9.8)
NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary
VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
... continues on next page ...

...continued from previous page...	
Quality of Detection (QoD): 70%	
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : https://192.168.56.6:48 ↪48/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target.	
...continues on next page...	

...continued from previous page ... - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.1.7 Critical 47001/tcp

Critical (CVSS: 9.8) NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:47001/functionRouter ↪01/functionRouter
... continues on next page ...

...continued from previous page...	
HTTP "POST" body	: OpenVASVT
HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).getRuntime().exec("ping -n 5 192.168.56.1")	
HTTP Method	: POST
it was possible to trigger the vulnerability and make the remote host sending an ICMP request back to the scanner host (Details on the received packet follows).	
Destination IP: 192.168.56.1 (receiving IP on scanner host side)	
Originating IP: 192.168.56.6 (originating IP from target host side)	
Received answer (ICMP "Data" field):	
0x00:	61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop
0x10:	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi
0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active .	
...continues on next page...	

...continued from previous page ...
↩... OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.1.8 Critical 445/tcp

Critical (CVSS: 10.0) NVT: Microsoft SMB Transaction Parsing RCE Vulnerability
Summary This host is missing a critical security update according to Microsoft Bulletin MS11-020.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation could allow remote attackers to execute arbitrary code on the system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 SP1 and prior - Microsoft Windows 2008 SP2 and prior - Microsoft Windows Vista SP2 and prior - Microsoft Windows 2008 R2 SP1 and prior - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows 2003 Service Pack 2 and prior
Vulnerability Insight The flaw is due to improper validation of field in SMB request, which allows remote attackers to execute arbitrary code on the system by sending a malformed SMB request.
Vulnerability Detection Method Details: Microsoft SMB Transaction Parsing RCE Vulnerability OID:1.3.6.1.4.1.25623.1.0.902660 Version used: 2026-03-10T15:45:11+05:30
References cve: CVE-2011-0661 url: http://www.securitytracker.com/id?1025329 url: http://www.securityfocus.com/bid/47198 url: http://www.us-cert.gov/cas/techalerts/TA11-102A.html url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2011/ms-cv11-020 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2011/ms-cv11-020 dfn-cert: DFN-CERT-2011-0561

[\[return to 192.168.56.6 \]](#)

2.1.9 Critical 8282/tcp

Critical (CVSS: 10.0) NVT: Apache Axis2 Default Credentials (HTTP) - Active Check
Summary The remote Apache Axis2 web interface is using known default credentials.
Quality of Detection (QoD): 98%
Vulnerability Detection Result It was possible to login at "http://192.168.56.6:8282/axis2/axis2-admin/" using ↳ the following credentials (Username:Password): - admin:axis2
... continues on next page ...

...continued from previous page ...
Impact This issue may be exploited by a remote attacker to gain access to sensitive information, modify system configuration or execute code by uploading malicious webservises.
Solution: Solution type: Mitigation Change the password.
Vulnerability Insight It was possible to login with default credentials: admin/axis2
Vulnerability Detection Method Tries to login with default credentials via HTTP. Details: Apache Axis2 Default Credentials (HTTP) - Active Check OID:1.3.6.1.4.1.25623.1.0.111006 Version used: 2026-02-24T11:27:09+05:30
References cve: CVE-2010-0219 url: https://www.exploit-db.com/exploits/15869 url: http://www.securityfocus.com/bid/44055 dfn-cert: DFN-CERT-2021-0775

Critical (CVSS: 10.0)

NVT: Apache Tomcat End of Life (EOL) Detection - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)

Summary

The Apache Tomcat version on the remote host has reached the end of life (EOL) and should not be used anymore.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The "Apache Tomcat" version on the remote host has reached the end of life.

CPE: cpe:/a:apache:tomcat:8.0.33

Installed version: 8.0.33

Location/URL: 8282/tcp

EOL version: 8.0

... continues on next page ...

...continued from previous page ...	
EOL date:	2018-06-30
Impact An EOL version of Apache Tomcat is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.	
Solution: Solution type: VendorFix Update the Apache Tomcat version on the remote host to a still supported version.	
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Apache Tomcat End of Life (EOL) Detection - Windows OID:1.3.6.1.4.1.25623.1.0.108134 Version used: 2025-04-15T11:24:49+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References url: https://tomcat.apache.org/tomcat-10.0-eol.html url: https://tomcat.apache.org/tomcat-85-eol.html url: https://tomcat.apache.org/tomcat-80-eol.html url: https://tomcat.apache.org/tomcat-70-eol.html url: https://tomcat.apache.org/tomcat-60-eol.html url: https://tomcat.apache.org/tomcat-55-eol.html url: https://en.wikipedia.org/wiki/Apache_Tomcat#Releases url: https://tomcat.apache.org/whichversion.html	

Critical (CVSS: 9.8)

NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check

Summary

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 70%

Vulnerability Detection Result

By doing a HTTP request with the following data (excerpt):

Affected URL : <http://192.168.56.6:828>
↪2/functionRouter

... continues on next page ...

...continued from previous page...	
HTTP "POST" body	: OpenVASVT
HTTP "spring.cloud.function.routing-expression" header	: T(java.lang.Runtime).getRuntime().exec("ping -n 5 192.168.56.1")
HTTP Method	: POST
it was possible to trigger the vulnerability and make the remote host sending an ICMP request back to the scanner host (Details on the received packet follows).	
Destination IP:	192.168.56.1 (receiving IP on scanner host side)
Originating IP:	192.168.56.6 (originating IP from target host side)
Received answer (ICMP "Data" field):	
0x00:	61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop
0x10:	71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi
0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active .	
...continues on next page...	

...continued from previous page ...
↪... OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

Critical (CVSS: 9.8)
NVT: Apache Tomcat Rewrite Rule Bypass Vulnerability (Apr 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652) ↪7652)
Summary Apache Tomcat is prone to a rewrite rule bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.104 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.104, 10.1.40, 11.0.6 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Apache Tomcat version 9.0.102 and prior, 10.x through 10.1.39 and 11.0.0-M1 through 11.0.5. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight For a subset of unlikely rewrite rule configurations, it is possible for a specially crafted request to bypass some rewrite rules. If those rewrite rules effectively enforced security constraints, those constraints could be bypassed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Rewrite Rule Bypass Vulnerability (Apr 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154400 Version used: 2025-05-06T11:10:10+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-31651 url: https://lists.apache.org/thread/cpk1vqvwdrp4k9hmd2l3q33j0gzy4fox cert-bund: WID-SEC-2026-0351 cert-bund: WID-SEC-2025-2372 cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1572 cert-bund: WID-SEC-2025-1565 cert-bund: WID-SEC-2025-1563 cert-bund: WID-SEC-2025-1439 cert-bund: WID-SEC-2025-1365 cert-bund: WID-SEC-2025-0895 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-3462 dfn-cert: DFN-CERT-2025-3454 dfn-cert: DFN-CERT-2025-3431 dfn-cert: DFN-CERT-2025-3113 dfn-cert: DFN-CERT-2025-2285 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1905 dfn-cert: DFN-CERT-2025-1898 dfn-cert: DFN-CERT-2025-1557
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2025-1081

Critical (CVSS: 9.8)**NVT: Apache Tomcat RCE Vulnerability (Mar 2025) - Windows****Product detection result**

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 9.0.99

Installation

path / port: 8282/tcp

Solution:**Solution type:** VendorFix

Update to version 9.0.99, 10.1.35, 11.0.3 or later.

Affected Software/OS

Apache Tomcat version 9.0.98 and prior, 10.x through 10.1.34 and 11.0.0-M1 through 11.0.2.

Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.

Vulnerability Insight

The original implementation of partial PUT used a temporary file based on the user provided file name and path with the path separator replaced by '.'.

If all of the following are true, a malicious user is able to view security sensitive files and/or inject content into those files:

- writes enabled for the default servlet (disabled by default)
- support for partial PUT (enabled by default)
- a target URL for security sensitive uploads that is a sub-directory of a target URL for public uploads
- attacker knowledge of the names of security sensitive files being uploaded
- the security sensitive files also being uploaded via partial PUT

... continues on next page ...

...continued from previous page...
If all of the following are true, a malicious user is able to perform remote code execution: - writes enabled for the default servlet (disabled by default) - support for partial PUT (enabled by default) - application is using Tomcat's file based session persistence with the default storage location - application includes a library that may be leveraged in a deserialization attack
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat RCE Vulnerability (Mar 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154161 Version used: 2025-04-11T21:15:04+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-24813 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://lists.apache.org/thread/j5fkjv2k477os90nczf2v9l61fb0kkgq url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.3 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.35 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.99 url: https://github.com/iSee857/CVE-2025-24813-PoC url: https://lab.wallarm.com/one-put-request-to-own-tomcat-cve-2025-24813-rce-is-in-the-wild/ url: https://www.openwall.com/lists/oss-security/2025/03/10/5 url: https://scrapco.de/blog/analysis-of-cve-2025-24813-apache-tomcat-path-equiv-alence-rce.html url: https://bishopfox.com/blog/tomcat-cve-2025-24813-what-you-need-to-know-blog cert-bund: WID-SEC-2025-1564 cert-bund: WID-SEC-2025-1439 cert-bund: WID-SEC-2025-0825 cert-bund: WID-SEC-2025-0824 cert-bund: WID-SEC-2025-0823 cert-bund: WID-SEC-2025-0511 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-0993 dfn-cert: DFN-CERT-2025-0890 dfn-cert: DFN-CERT-2025-0888 dfn-cert: DFN-CERT-2025-0766 dfn-cert: DFN-CERT-2025-0622

Critical (CVSS: 9.1)	
NVT: Apache Tomcat 'SecurityManager' Information Disclosure Vulnerability (Apr 2017) - Windows	
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)	
Summary Apache Tomcat is prone to an information disclosure vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.42 Installation path / port: 8282/tcp	
Impact Successful exploitation will allow remote attackers to obtain sensitive information from requests other than their own.	
Solution: Solution type: VendorFix Upgrade to version 9.0.0.M18, 8.5.12, 8.0.42, 7.0.76 or later.	
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M17, Apache Tomcat versions 8.5.0 to 8.5.11, Apache Tomcat versions 8.0.0.RC1 to 8.0.41 and Apache Tomcat versions 7.0.0 to 7.0.75 on Windows	
Vulnerability Insight A some calls to application listeners did not use the appropriate facade object. When running an untrusted application under a SecurityManager, it was therefore possible for that untrusted application to retain a reference to the request or response object and thereby access and/or modify information associated with another web application.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'SecurityManager' Information Disclosure Vulnerability (Apr 2017). ↪..	
... continues on next page ...	

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.810764 Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2017-5648 url: http://tomcat.apache.org/security-9.html url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html url: http://lists.apache.org/thread.html/d0e00f2e147a9e9b13a6829133092f349b2882b ↪f6860397368a52600e%3Cannounce.tomcat.apache.org%3E cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0047 cert-bund: CB-K17/1257 cert-bund: CB-K17/1246 cert-bund: CB-K17/1060 cert-bund: CB-K17/0801 cert-bund: CB-K17/0604 dfn-cert: DFN-CERT-2018-0051 dfn-cert: DFN-CERT-2017-1300 dfn-cert: DFN-CERT-2017-1288 dfn-cert: DFN-CERT-2017-1095 dfn-cert: DFN-CERT-2017-0828 dfn-cert: DFN-CERT-2017-0624

Critical (CVSS: 9.1)

NVT: Apache Tomcat Security Bypass and Information Disclosure Vulnerabilities - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33
Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)

Summary

Apache Tomcat is prone to security bypass and information disclosure vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...	
Installed version:	8.0.33
Fixed version:	8.0.37
Installation path / port:	8282/tcp
Impact Successful exploitation will allow remote attackers to gain access to potentially sensitive information and bypass certain security restrictions.	
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.0.M10 or 8.5.5 or 8.0.37 or 7.0.72 or 6.0.47 or later.	
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M9, Apache Tomcat versions 8.5.0 to 8.5.4, Apache Tomcat versions 8.0.0.RC1 to 8.0.36, Apache Tomcat versions 7.0.0 to 7.0.70, and Apache Tomcat versions 6.0.0 to 6.0.45 on Windows.	
Vulnerability Insight Multiple flaws exist due to: - An error in the system property replacement feature for configuration files. - An error in the realm implementations in Apache Tomcat that does not process the supplied password if the supplied user name did not exist. - An error in the configured SecurityManager via a Tomcat utility method that is accessible to web applications. - An error in the configured SecurityManager via manipulation of the configuration parameters for the JSP Servlet. - An error in the ResourceLinkFactory implementation in Apache Tomcat that does not limit web application access to global JNDI resources to those resources explicitly linked to the web application.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Security Bypass and Information Disclosure Vulnerabilities - Wind. ↔.. OID:1.3.6.1.4.1.25623.1.0.811298 Version used: 2024-02-15T10:35:40+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2016-6794	
... continues on next page ...	

...continued from previous page ...

```

cve: CVE-2016-0762
cve: CVE-2016-5018
cve: CVE-2016-6796
cve: CVE-2016-6797
url: http://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.72
url: http://www.securityfocus.com/bid/93940
url: http://www.securityfocus.com/bid/93944
url: http://www.securityfocus.com/bid/93939
url: http://www.securityfocus.com/bid/93942
url: http://www.securityfocus.com/bid/93943
url: http://tomcat.apache.org/security-6.html#Fixed_in_Apache_Tomcat_6.0.47
url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M10
url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.5_and_8
    ↪.0.37
cert-bund: WID-SEC-2022-1910
cert-bund: CB-K17/1060
cert-bund: CB-K17/1033
cert-bund: CB-K17/1031
cert-bund: CB-K17/0659
cert-bund: CB-K17/0397
cert-bund: CB-K17/0133
cert-bund: CB-K16/1927
cert-bund: CB-K16/1673
cert-bund: CB-K16/1646
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-1064
dfn-cert: DFN-CERT-2017-0673
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2017-0137
dfn-cert: DFN-CERT-2016-2035
dfn-cert: DFN-CERT-2016-1772
dfn-cert: DFN-CERT-2016-1743

```

[\[return to 192.168.56.6 \]](#)

2.1.10 Critical 8080/tcp

Critical (CVSS: 9.8)**NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check****Summary**

VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.

...continues on next page ...

...continued from previous page...	
Quality of Detection (QoD): 70%	
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:8080 ↪0/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ↪). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target.	
... continues on next page ...	

...continued from previous page ... - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↪.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2022-22963 url: https://tanzu.vmware.com/security/cve-2022-22963 url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function ↪ction url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/ ↪ves-instant-remote-code-execution-update-now/ url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0756 cert-bund: WID-SEC-2022-0471 cert-bund: CB-K22/0376 dfn-cert: DFN-CERT-2022-0797

[\[return to 192.168.56.6 \]](#)

2.1.11 Critical 3306/tcp

Critical (CVSS: 9.8) NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152) ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a vulnerability in InnoDB (zlib).
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.32 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.31.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.31 Security Update (cpuapr2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149536 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2022-37434 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1653 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0122 cert-bund: WID-SEC-2024-0120 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1812 cert-bund: WID-SEC-2023-1791 cert-bund: WID-SEC-2023-1790 cert-bund: WID-SEC-2023-1783 cert-bund: WID-SEC-2023-1728 cert-bund: WID-SEC-2023-1542	
... continues on next page ...	

...continued from previous page ...

```

cert-bund: WID-SEC-2023-1350
cert-bund: WID-SEC-2023-1033
cert-bund: WID-SEC-2023-1031
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-0140
cert-bund: WID-SEC-2023-0137
cert-bund: WID-SEC-2023-0132
cert-bund: WID-SEC-2023-0126
cert-bund: WID-SEC-2023-0125
cert-bund: WID-SEC-2022-1888
cert-bund: WID-SEC-2022-1438
cert-bund: WID-SEC-2022-0929
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2024-0790
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2816
dfn-cert: DFN-CERT-2023-2799
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0122
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0105
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2421
dfn-cert: DFN-CERT-2022-2415
dfn-cert: DFN-CERT-2022-2366
dfn-cert: DFN-CERT-2022-2365
dfn-cert: DFN-CERT-2022-2364
dfn-cert: DFN-CERT-2022-2363
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-1841
dfn-cert: DFN-CERT-2022-1710

```

Critical (CVSS: 9.8)

NVT: Oracle Mysql Security Update (cpuoct2018 - 02) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

...continues on next page ...

...continued from previous page ...
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See reference Installation path / port: 3306/tcp
Impact Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle MySQL version 5.5.x through 5.5.61, 5.6.x through 5.6.41, 5.7.x through 5.7.23 and 8.0.x through 8.0.12.
Vulnerability Insight Multiple flaws exist due to: - An unspecified error within 'InnoDB (zlib)' component of MySQL Server. - An unspecified error within 'Server: Parser' component of MySQL Server. - An unspecified error within 'Client programs' component of MySQL Server. - An unspecified error within 'Server: Storage Engines' component of MySQL Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Update (cpuoct2018 - 02) - Windows OID:1.3.6.1.4.1.25623.1.0.814258 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-3133
... continues on next page ...

...continued from previous page ...

cve: CVE-2018-3174
cve: CVE-2018-3282
cve: CVE-2016-9843
cve: CVE-2016-9840
cve: CVE-2016-9841
cve: CVE-2016-9842
url: <https://www.oracle.com/security-alerts/cpuoct2018.html#AppendixMSQL>
advisory-id: cpuoct2018
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-1365
cert-bund: WID-SEC-2025-0370
cert-bund: WID-SEC-2024-1232
cert-bund: WID-SEC-2023-1594
cert-bund: WID-SEC-2022-0673
cert-bund: CB-K22/0045
cert-bund: CB-K20/0714
cert-bund: CB-K18/1005
cert-bund: CB-K18/0799
cert-bund: CB-K18/0030
cert-bund: CB-K17/2199
cert-bund: CB-K17/2168
cert-bund: CB-K17/1745
cert-bund: CB-K17/1709
cert-bund: CB-K17/1622
cert-bund: CB-K17/1585
cert-bund: CB-K17/1062
cert-bund: CB-K17/0877
cert-bund: CB-K17/0784
cert-bund: CB-K16/1996
dfn-cert: DFN-CERT-2026-0129
dfn-cert: DFN-CERT-2025-1437
dfn-cert: DFN-CERT-2025-1423
dfn-cert: DFN-CERT-2024-0998
dfn-cert: DFN-CERT-2020-1536
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1588
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0592
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0463
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-2435
dfn-cert: DFN-CERT-2018-2273
dfn-cert: DFN-CERT-2018-2110
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2018-0659

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2018-0645
dfn-cert: DFN-CERT-2018-0039
dfn-cert: DFN-CERT-2017-2300
dfn-cert: DFN-CERT-2017-2268
dfn-cert: DFN-CERT-2017-1825
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1692
dfn-cert: DFN-CERT-2017-1655
dfn-cert: DFN-CERT-2017-1097
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0806
dfn-cert: DFN-CERT-2016-2109

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a vulnerability in libcurl.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.41 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.41, 8.0.32 or later.
Affected Software/OS Oracle MySQL Server version 5.7.40 and prior and 8.0 through 8.0.31.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpujan2023) - Win.↵..
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.149170 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-32221 cve: CVE-2022-35260 cve: CVE-2022-42915 cve: CVE-2022-42916 url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL advisory-id: cpujan2023 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-3377 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1728 cert-bund: WID-SEC-2023-1614 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2023-1026 cert-bund: WID-SEC-2023-0296 cert-bund: WID-SEC-2023-0189 cert-bund: WID-SEC-2023-0137 cert-bund: WID-SEC-2023-0126 cert-bund: WID-SEC-2022-2372 cert-bund: WID-SEC-2022-1862 dfn-cert: DFN-CERT-2023-1947 dfn-cert: DFN-CERT-2023-1636 dfn-cert: DFN-CERT-2023-1230 dfn-cert: DFN-CERT-2023-0898 dfn-cert: DFN-CERT-2023-0884 dfn-cert: DFN-CERT-2023-0372 dfn-cert: DFN-CERT-2023-0278 dfn-cert: DFN-CERT-2023-0216 dfn-cert: DFN-CERT-2023-0214 dfn-cert: DFN-CERT-2023-0157 dfn-cert: DFN-CERT-2023-0156 dfn-cert: DFN-CERT-2023-0105 dfn-cert: DFN-CERT-2022-2799 dfn-cert: DFN-CERT-2022-2401
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2022-2400
 dfn-cert: DFN-CERT-2022-2393
 dfn-cert: DFN-CERT-2022-2391

Critical (CVSS: 9.8)

NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.1.25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 5.7.44

Installation

path / port: 3306/tcp

Solution:

Solution type: VendorFix

Update to version 5.7.44, 8.0.35, 8.1.1 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.43 and prior, 8.x through 8.0.34 and 8.1.0.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.34, 8.1.0 Security Update (cpuoct2023).
 ↳..

OID:1.3.6.1.4.1.25623.1.0.151218

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

... continues on next page ...

...continued from previous page ...

References

cve: CVE-2023-38545
cve: CVE-2023-22084
cve: CVE-2023-38546
url: <https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL>
advisory-id: cpuoct2023
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-3377
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0893
cert-bund: WID-SEC-2024-0290
cert-bund: WID-SEC-2024-0178
cert-bund: WID-SEC-2024-0175
cert-bund: WID-SEC-2024-0123
cert-bund: WID-SEC-2024-0119
cert-bund: WID-SEC-2024-0110
cert-bund: WID-SEC-2023-2788
cert-bund: WID-SEC-2023-2690
cert-bund: WID-SEC-2023-2570
dfn-cert: DFN-CERT-2024-2795
dfn-cert: DFN-CERT-2024-2543
dfn-cert: DFN-CERT-2024-1601
dfn-cert: DFN-CERT-2024-1517
dfn-cert: DFN-CERT-2024-1188
dfn-cert: DFN-CERT-2024-1090
dfn-cert: DFN-CERT-2024-1025
dfn-cert: DFN-CERT-2024-0963
dfn-cert: DFN-CERT-2024-0869
dfn-cert: DFN-CERT-2024-0593
dfn-cert: DFN-CERT-2024-0454
dfn-cert: DFN-CERT-2024-0376
dfn-cert: DFN-CERT-2024-0220
dfn-cert: DFN-CERT-2024-0185
dfn-cert: DFN-CERT-2024-0184
dfn-cert: DFN-CERT-2024-0181
dfn-cert: DFN-CERT-2024-0133
dfn-cert: DFN-CERT-2024-0132
dfn-cert: DFN-CERT-2024-0127
dfn-cert: DFN-CERT-2024-0108
dfn-cert: DFN-CERT-2023-3124
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3064
dfn-cert: DFN-CERT-2023-2988
dfn-cert: DFN-CERT-2023-2941
dfn-cert: DFN-CERT-2023-2819

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2023-2763
dfn-cert: DFN-CERT-2023-2681
dfn-cert: DFN-CERT-2023-2680
dfn-cert: DFN-CERT-2023-2643
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2475
dfn-cert: DFN-CERT-2023-2458

Critical (CVSS: 9.8)
NVT: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.36 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.36, 8.0.27 or later.
Affected Software/OS Oracle MySQL Server version 5.7.35 and prior and 8.0 through 8.0.26.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.35 / 8.0 <= 8.0.26 Security Update (cpuoct2021) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.117741 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...

...continued from previous page ...
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-3711 cve: CVE-2021-22926 cve: CVE-2021-35604 cve: CVE-2021-35624 cve: CVE-2021-22922 cve: CVE-2021-22923 cve: CVE-2021-22924 cve: CVE-2021-22925 cve: CVE-2021-22945 cve: CVE-2021-22946 cve: CVE-2021-22947 cve: CVE-2021-3712 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixMSQL advisory-id: cpuoct2021 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-2366 cert-bund: WID-SEC-2025-1459 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-1186 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0556 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-1821 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2023-1030 cert-bund: WID-SEC-2023-0530 cert-bund: WID-SEC-2022-2354 cert-bund: WID-SEC-2022-2000 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1894 cert-bund: WID-SEC-2022-1515 cert-bund: WID-SEC-2022-1461 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1308 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-1225 cert-bund: WID-SEC-2022-1056 cert-bund: WID-SEC-2022-0875 cert-bund: WID-SEC-2022-0874 cert-bund: WID-SEC-2022-0751 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0673
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2022-0602
 cert-bund: WID-SEC-2022-0530
 cert-bund: WID-SEC-2022-0432
 cert-bund: WID-SEC-2022-0400
 cert-bund: WID-SEC-2022-0393
 cert-bund: WID-SEC-2022-0302
 cert-bund: WID-SEC-2022-0101
 cert-bund: WID-SEC-2022-0094
 cert-bund: CB-K22/0473
 cert-bund: CB-K22/0469
 cert-bund: CB-K22/0316
 cert-bund: CB-K22/0224
 cert-bund: CB-K22/0077
 cert-bund: CB-K22/0072
 cert-bund: CB-K22/0062
 cert-bund: CB-K22/0045
 cert-bund: CB-K22/0030
 cert-bund: CB-K22/0011
 cert-bund: CB-K21/1268
 cert-bund: CB-K21/1179
 cert-bund: CB-K21/1161
 cert-bund: CB-K21/1087
 cert-bund: CB-K21/0994
 cert-bund: CB-K21/0991
 cert-bund: CB-K21/0969
 cert-bund: CB-K21/0907
 cert-bund: CB-K21/0897
 cert-bund: CB-K21/0797
 dfn-cert: DFN-CERT-2025-3324
 dfn-cert: DFN-CERT-2024-0573
 dfn-cert: DFN-CERT-2024-0147
 dfn-cert: DFN-CERT-2023-0469
 dfn-cert: DFN-CERT-2022-2825
 dfn-cert: DFN-CERT-2022-2376
 dfn-cert: DFN-CERT-2022-2350
 dfn-cert: DFN-CERT-2022-2086
 dfn-cert: DFN-CERT-2022-2073
 dfn-cert: DFN-CERT-2022-2072
 dfn-cert: DFN-CERT-2022-2047
 dfn-cert: DFN-CERT-2022-1892
 dfn-cert: DFN-CERT-2022-1692
 dfn-cert: DFN-CERT-2022-1597
 dfn-cert: DFN-CERT-2022-1582
 dfn-cert: DFN-CERT-2022-1571
 dfn-cert: DFN-CERT-2022-1469
 dfn-cert: DFN-CERT-2022-1386
 dfn-cert: DFN-CERT-2022-1241

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0933
dfn-cert: DFN-CERT-2022-0922
dfn-cert: DFN-CERT-2022-0867
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0666
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0437
dfn-cert: DFN-CERT-2022-0369
dfn-cert: DFN-CERT-2022-0122
dfn-cert: DFN-CERT-2022-0120
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2022-0031
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-2502
dfn-cert: DFN-CERT-2021-2481
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2434
dfn-cert: DFN-CERT-2021-2403
dfn-cert: DFN-CERT-2021-2394
dfn-cert: DFN-CERT-2021-2369
dfn-cert: DFN-CERT-2021-2329
dfn-cert: DFN-CERT-2021-2223
dfn-cert: DFN-CERT-2021-2216
dfn-cert: DFN-CERT-2021-2214
dfn-cert: DFN-CERT-2021-2189
dfn-cert: DFN-CERT-2021-2188
dfn-cert: DFN-CERT-2021-2185
dfn-cert: DFN-CERT-2021-2167
dfn-cert: DFN-CERT-2021-1996
dfn-cert: DFN-CERT-2021-1931
dfn-cert: DFN-CERT-2021-1917
dfn-cert: DFN-CERT-2021-1915
dfn-cert: DFN-CERT-2021-1871
dfn-cert: DFN-CERT-2021-1803
dfn-cert: DFN-CERT-2021-1799
dfn-cert: DFN-CERT-2021-1743
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1568

Critical (CVSS: 9.8) NVT: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (cpuoct2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow a remote user to access restricted data.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.52 and prior, 5.6 through 5.6.33 and 5.7 through 5.7.15.
Vulnerability Insight Multiple flaws exist due to multiple unspecified errors in the 'Server: Security: Encryption' and 'Server: Logging' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.52 / 5.6 <= 5.6.33 / 5.7 <= 5.7.15 Security Update (↪.. OID:1.3.6.1.4.1.25623.1.0.809386 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) ... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-5584 cve: CVE-2016-6662 cve: CVE-2016-7440 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMySQL advisory-id: cpuoct2016 url: http://legalhackers.com/advisories/MySQL-Exploit-Remote-Root-Code-Execution-Privesc-CVE-2016-6662.txt url: https://www.exploit-db.com/exploits/40360/ cert-bund: CB-K17/0139 cert-bund: CB-K17/0055 cert-bund: CB-K16/1846 cert-bund: CB-K16/1755 cert-bund: CB-K16/1742 cert-bund: CB-K16/1714 cert-bund: CB-K16/1655 cert-bund: CB-K16/1624 cert-bund: CB-K16/1448 cert-bund: CB-K16/1392 dfn-cert: DFN-CERT-2020-1473 dfn-cert: DFN-CERT-2017-0138 dfn-cert: DFN-CERT-2017-0060 dfn-cert: DFN-CERT-2016-1950 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1849 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1753 dfn-cert: DFN-CERT-2016-1714 dfn-cert: DFN-CERT-2016-1540 dfn-cert: DFN-CERT-2016-1479
Critical (CVSS: 9.0) NVT: Oracle MySQL Server Multiple Vulnerabilities - 01 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary ... continues on next page ...

...continued from previous page ...
Oracle MySQL server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced vendor advisory or upgrade to the latest version.
Affected Software/OS Oracle MySQL version 5.1.x to 5.1.64 and Oracle MySQL version 5.5.x to 5.5.26 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component related to server replication, information schema, protocol and server optimizer.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 01 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803111 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3197 cve: CVE-2012-3163 cve: CVE-2012-3158 cve: CVE-2012-3150 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/55990 url: http://www.securityfocus.com/bid/56005 url: http://www.securityfocus.com/bid/56017 url: http://www.securityfocus.com/bid/56036 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html
... continues on next page ...

...continued from previous page ...
url: https://support.oracle.com/rs?type=doc&id=1475188.1
cert-bund: CB-K13/0919
dfn-cert: DFN-CERT-2013-1937
dfn-cert: DFN-CERT-2012-2200
dfn-cert: DFN-CERT-2012-2118

[\[return to 192.168.56.6 \]](#)

2.1.12 Critical 22/tcp

Critical (CVSS: 9.8)
NVT: SSH Brute Force Logins With Default Credentials Reporting
Summary It was possible to login into the remote SSH server using default credentials.
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to login with the following credentials <User>:<Password> vagrant:vagrant
Impact This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.
Solution: Solution type: Mitigation Change the password as soon as possible.
Affected Software/OS The following products are known to use the default credentials checked by the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013) used for this reporting: - CVE-2017-16523: MitraStar GPT-2541GNAC (HGU) 1.00(VNJ0)b1 and DSL-100HN-T1 ES_113WJY0b16 devices - CVE-2017-20214: FLIR Thermal Camera F/FC/PT/D - CVE-2018-25138: FLIR AX8 Thermal Camera - CVE-2018-25147: Microhard Systems IPn4G - CVE-2019-25241: FaceSentry Access Control System - CVE-2019-25291: INIM Electronics Smartliving SmartLAN/G/SI - CVE-2020-29583: Zyxel Firewall / AP Controller - CVE-2020-36915: Adtec Digital SignEdge Digital Signage Player
... continues on next page ...

...continued from previous page ... - CVE-2020-37092: Netis E1+ devices - CVE-2020-9473: S. Siedle & Soehne SG 150-0 Smart Gateway before 1.2.4 - CVE-2021-27797: Brocade Fabric OS - CVE-2021-47744: Cypress Solutions CTM-200/CTM-ONE - CVE-2023-1944: minikube 1.29.0 and probably prior - CVE-2023-53983: Anevia Flamingo XL/XS - CVE-2024-22902: Vinchin Backup & Recovery - CVE-2024-31970: AdTran SRG 834-5 HDC17600021F1 devices (with SmartOS 11.1.1.1) during a window of time when the device is being set up - CVE-2024-46328: VONETS VAP11G-300 v3.3.23.6.9 - CVE-2025-12592: Legacy Vivotek devices - CVE-2025-68718: KAYSUS KS-WR1200 - Various additional products like e.g. Ubiquiti EdgeMax / EdgeRouter, Crestron AM-100 and similar for which no CVE was assigned (See 'default_credentials.inc' file on the file system for a full list) Other products might be affected as well.
Vulnerability Insight As the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.
Vulnerability Detection Method Reports default credentials detected by the VT 'SSH Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108013). Details: SSH Brute Force Logins With Default Credentials Reporting OID:1.3.6.1.4.1.25623.1.0.103239 Version used: 2026-02-05T11:26:23+05:30
References - cve: CVE-1999-0501 - cve: CVE-1999-0502 - cve: CVE-1999-0507 - cve: CVE-1999-0508 - cve: CVE-2005-1379 - cve: CVE-2006-5288 - cve: CVE-2009-3710 - cve: CVE-2012-4577 - cve: CVE-2016-1000245 - cve: CVE-2017-16523 - cve: CVE-2017-20214 - cve: CVE-2018-25138 - cve: CVE-2018-25147 - cve: CVE-2019-25241 - cve: CVE-2019-25291 - cve: CVE-2020-29583 - cve: CVE-2020-36915 ... continues on next page ...

...continued from previous page ...
cve: CVE-2020-37092 cve: CVE-2020-9473 cve: CVE-2021-27797 cve: CVE-2021-47744 cve: CVE-2023-1944 cve: CVE-2023-53983 cve: CVE-2024-22902 cve: CVE-2024-31970 cve: CVE-2024-46328 cve: CVE-2025-12592 cve: CVE-2025-41696 cve: CVE-2025-68718 url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: WID-SEC-2025-2760

Critical (CVSS: 9.8)
NTV: OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Windows
Product detection result cpe:/a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: 7.2 Installation path / port: 22/tcp
Impact Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.
Solution: Solution type: VendorFix Update to version 7.2 or later.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
OpenSSH versions before 7.2 on Windows.
Vulnerability Insight An access flaw was discovered in OpenSSH, it did not correctly handle failures to generate authentication cookies for untrusted X11 forwarding. A malicious or compromised remote X application could possibly use this flaw to establish a trusted connection to the local X server, even if only untrusted X11 forwarding was requested.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.2 X11 Forwarding Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.810768 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2016-1908 url: http://openwall.com/lists/oss-security/2016/01/15/13 url: http://www.securityfocus.com/bid/84427 url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741#c4 url: http://www.openssh.com/txt/release-7.2 url: https://anongit.mindrot.org/openssh.git/commit/?id=ed4ce82dbfa8a3a3c8ea6fa0↵db113c71e234416c url: https://bugzilla.redhat.com/show_bug.cgi?id=1298741 cert-bund: CB-K16/1485 cert-bund: CB-K16/0694 cert-bund: CB-K16/0684 cert-bund: CB-K16/0449 cert-bund: CB-K16/0162 dfn-cert: DFN-CERT-2018-1828 dfn-cert: DFN-CERT-2016-1574 dfn-cert: DFN-CERT-2016-0754 dfn-cert: DFN-CERT-2016-0733 dfn-cert: DFN-CERT-2016-0488 dfn-cert: DFN-CERT-2016-0182

[\[return to 192.168.56.6 \]](#)

2.1.13 Critical 3389/tcp

Critical (CVSS: 9.8) NVT: Microsoft Windows Remote Desktop Services RCE Vulnerability (CVE-2019-0708, BlueKeep) - Active Check
Summary Microsoft Windows Remote Desktop Services is prone to a remote code execution (RCE) vulnerability dubbed 'BlueKeep'.
Quality of Detection (QoD): 99%
Vulnerability Detection Result By sending a crafted request the RDP service answered with a 'MCS Disconnect Protocol Ultimatum PDU - 2.2.2.3' response which indicates that a RCE attack can be executed.
Impact Successful exploitation would allow an attacker to execute arbitrary code on the target system. An attacker could then install programs, view, change, or delete data, or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information. As a workaround enable Network Level Authentication (NLA) on systems running supported editions of Windows 7, Windows Server 2008, and Windows Server 2008 R2. NOTE: After enabling NLA affected systems are still vulnerable to Remote Code Execution (RCE) exploitation if the attacker has valid credentials that can be used to successfully authenticate.
Affected Software/OS - Microsoft Windows 7 - Microsoft Windows Server 2008 R2 - Microsoft Windows Server 2008 - Microsoft Windows Server 2003 R2 - Microsoft Windows Server 2003 - Microsoft Windows Vista and Microsoft Windows XP (including Embedded)
Vulnerability Insight A remote code execution vulnerability exists in Remote Desktop Services when an unauthenticated attacker connects to the target system using RDP and sends specially crafted requests. This vulnerability is pre-authentication and requires no user interaction. For an in-depth analysis and further technical insights and details please see the references.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...	
Sends a specially crafted request to the target systems Remote Desktop Service via RDP and checks the response. Details: Microsoft Windows Remote Desktop Services RCE Vulnerability (CVE-2019-0708, BlueKeep) OID:1.3.6.1.4.1.25623.1.0.108611 Version used: 2025-03-18T11:08:50+05:30	
References	
cve:	CVE-2019-0708
url:	https://portal.msrc.microsoft.com/en-US/security-guidance/advisory/CVE-2019-0708
url:	https://support.microsoft.com/help/4499164
url:	https://support.microsoft.com/help/4499175
url:	https://support.microsoft.com/help/4499149
url:	https://support.microsoft.com/help/4499180
url:	https://support.microsoft.com/help/4500331
url:	https://blogs.technet.microsoft.com/msrc/2019/05/14/prevent-a-worm-by-updating-remote-desktop-services-cve-2019-0708/
url:	https://support.microsoft.com/en-us/help/4500705/customer-guidance-for-cve-2019-0708
url:	https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2008-R2-and-2008/cc732713(v=ws.11)
url:	http://www.securityfocus.com/bid/108273
url:	http://packetstormsecurity.com/files/153133/Microsoft-Windows-Remote-Desktop-BlueKeep-Denial-Of-Service.html
url:	https://www.malwaretech.com/2019/05/analysis-of-cve-2019-0708-bluekeep.html
url:	https://securingtomorrow.mcafee.com/other-blogs/mcafee-labs/rdp-stands-for-really-do-patch-understanding-the-wormable-rdp-vulnerability-cve-2019-0708
url:	https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa:	Known Exploited Vulnerability (KEV) catalog
cert-bund:	CB-K19/0415
dfn-cert:	DFN-CERT-2019-0977

[\[return to 192.168.56.6 \]](#)

2.1.14 Critical 9200/tcp

Critical (CVSS: 10.0)
NVT: Elasticsearch End of Life (EOL) Detection
Summary
The Elasticsearch version on the remote host has reached the End of Life (EOL) and should not be used anymore.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The "Elasticsearch" version on the remote host has reached the end of life. CPE: cpe:/a:elastic:elasticsearch:1.1.1 Installed version: 1.1.1 EOL version: 1.1 EOL date: 2015-09-25
Impact An EOL version of Elasticsearch is not receiving any security updates from the vendor. Unfixed security vulnerabilities might be leveraged by an attacker to compromise the security of this host.
Solution: Solution type: VendorFix Update Elasticsearch to a version that still receives technical support and updates.
Vulnerability Detection Method Checks if an EOL version is present on the target host. Details: Elasticsearch End of Life (EOL) Detection OID:1.3.6.1.4.1.25623.1.0.113131 Version used: 2025-09-03T13:56:15+05:30
References url: https://www.elastic.co/support/eol

Critical (CVSS: 9.8)
NVT: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active Check
Summary VMware Spring Cloud Function is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 70%
Vulnerability Detection Result By doing a HTTP request with the following data (excerpt): Affected URL : http://192.168.56.6:920 ↪0/functionRouter HTTP "POST" body : OpenVASVT HTTP "spring.cloud.function.routing-expression" header : T(java.lang.Runtime).ge ↪tRuntime().exec("ping -n 5 192.168.56.1") HTTP Method : POST it was possible to trigger the vulnerability and make the remote host sending an ↪ ICMP request back to the scanner host (Details on the received packet follows ... continues on next page ...

...continued from previous page...	
↔). Destination IP: 192.168.56.1 (receiving IP on scanner host side) Originating IP: 192.168.56.6 (originating IP from target host side) Received answer (ICMP "Data" field): 0x00: 61 62 63 64 65 66 67 68 69 6A 6B 6C 6D 6E 6F 70 abcdefghijklmnop 0x10: 71 72 73 74 75 76 77 61 62 63 64 65 66 67 68 69 qrstuvwabcdefghi 0x20:	
Solution: Solution type: VendorFix Update to version 3.1.7, 3.2.3 or later.	
Affected Software/OS VMware Spring Cloud Function version 3.1.6 and prior and version 3.2.x through 3.2.2 when using routing functionality.	
Vulnerability Insight When using routing functionality it is possible for a user to provide a specially crafted SpEL as a routing-expression that may result in remote code execution and access to local resources.	
Vulnerability Detection Method Two different methods are used: 1. Sends a crafted HTTP POST request and checks if the target is connecting back to the scanner host (Linux/Unix targets only). 2. Sends a crafted HTTP POST request and checks if the target is sending an ICMP Echo Request back to the scanner host (Windows targets only). Notes: - For a successful detection of this flaw via the first method the target host needs to be able to reach the scanner host on a TCP port randomly generated during the runtime of the VT (currently in the range of 10000-32000). - For a successful detection of this flaw via the second method the scanner host needs to be able to directly receive ICMP Echo Requests (Type 8) from the target. - If the target is a Windows system constantly sending ICMP Echo requests to the scanner host (e.g. a Monitoring System) the second detection method might be not fully reliable. In this case please create an override for any result of this VT. - By default the script checks just for sample apps (like functionRouter) and only within five directories. If you would like to run on every found web application and directory (which might cause longer run/scan time) set the 'Enable generic web application scanning' setting within the VT 'Global variable settings' (OID: 1.3.6.1.4.1.25623.1.0.12288) to 'yes'. Details: VMware Spring Cloud Function < 3.1.7, 3.2.x < 3.2.3 RCE Vulnerability - Active . ↔.. OID:1.3.6.1.4.1.25623.1.0.148068 Version used: 2026-03-12T11:26:11+05:30	
References cve: CVE-2022-22963	
...continues on next page...	

...continued from previous page ...
url: https://tanzu.vmware.com/security/cve-2022-22963
url: https://spring.io/blog/2022/03/29/cve-report-published-for-spring-cloud-function
url: https://nakedsecurity.sophos.com/2022/03/30/vmware-spring-cloud-java-bug-gives-instant-remote-code-execution-update-now/
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2022-1375
cert-bund: WID-SEC-2022-0767
cert-bund: WID-SEC-2022-0756
cert-bund: WID-SEC-2022-0471
cert-bund: CB-K22/0376
dfn-cert: DFN-CERT-2022-0797

Critical (CVSS: 9.8)

NVT: Elasticsearch < 1.6.1 Multiple Vulnerabilities - Windows

Summary

Elasticsearch is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 1.1.1

Fixed version: 1.6.1

Impact

Successful exploitation will allow remote attackers to execute code or read arbitrary files.

Solution:

Solution type: VendorFix

Update to Elasticsearch version 1.6.1, or later.

Affected Software/OS

Elasticsearch version 1.0.0 through 1.6.0 on Windows.

Vulnerability Insight

The Flaw is due to:

- an error in the snapshot API calls (CVE-2015-5531)
- an attack that can result in remote code execution (CVE-2015-5377).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: **Elasticsearch < 1.6.1 Multiple Vulnerabilities - Windows**

... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.808091 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2015-5531 cve: CVE-2015-5377 url: https://www.elastic.co/community/security/ url: http://www.securityfocus.com/bid/75935 url: http://www.securityfocus.com/archive/1/archive/1/536017/100/0/threaded cert-bund: WID-SEC-2025-2234 cert-bund: CB-K15/1118 dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2015-1160

[\[return to 192.168.56.6 \]](#)

2.1.15 Critical 8009/tcp

Critical (CVSS: 9.8) NVT: Apache Tomcat AJP RCE Vulnerability (Ghostcat) - Active Check
Summary Apache Tomcat is prone to a remote code execution (RCE) vulnerability in the AJP connector dubbed 'Ghostcat'.
Quality of Detection (QoD): 99%
Vulnerability Detection Result It was possible to read the file "/WEB-INF/web.xml" through the AJP connector. Result: AB v\x0004 Ã\x0088 \x00020K \x0003Â \x0007 =JSESSIONID=05CB86405BA71BC44AD5D628 ↳6A780C02; Path=/; HttpOnly Â \x0001 \x001Ctext/html;charset=ISO-8859-1 Â \x000 ↳3 \x00041262 AB\x0004Ã²\x0003\x0004Ã@<?xml version="1.0" encoding="ISO-8859-1" ↳?> <!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, ...continues on next page ...

...continued from previous page... WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. --> <pre><web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee http://xmlns.jcp.org/xml/ns/javaee/web-app_3_1.xsd" version="3.1" metadata-complete="true"> <display-name>Welcome to Tomcat</display-name> <description> Welcome to Tomcat </description> </web-app> AB \x0002\x0005\x0001</pre>
Solution: Solution type: VendorFix - Update Apache Tomcat to version 7.0.100, 8.5.51, 9.0.31 or later - For other products using Tomcat please contact the vendor for more information on fixed versions
Affected Software/OS Apache Tomcat versions prior 7.0.100, 8.5.51 or 9.0.31 when the AJP connector is enabled. Other products like JBoss or Wildfly which are using Tomcat might be affected as well.
Vulnerability Insight Apache Tomcat server has a file containing vulnerability, which can be used by an attacker to read or include any files in all webapp directories on Tomcat, such as webapp configuration files or source code.
Vulnerability Detection Method Sends a crafted AJP request and checks the response. Details: Apache Tomcat AJP RCE Vulnerability (Ghostcat) - Active Check OID:1.3.6.1.4.1.25623.1.0.143545 Version used: 2026-03-18T11:29:10+05:30
References cve: CVE-2020-1938 url: https://lists.apache.org/thread/bnys5lvlg1875dsslkx2vmwxv833135x url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.31 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.51 url: https://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.100 url: https://web.archive.org/web/20250114042903/https://www.chaitin.cn/en/ghostcat
... continues on next page ...

...continued from previous page ...
url: https://www.cnvd.org.cn/flaw/show/CNVD-2020-10487
url: https://github.com/YDHCUI/CNVD-2020-10487-Tomcat-Ajp-lfi
url: https://securityboulevard.com/2020/02/patch-your-tomcat-and-jboss-instances ↪-to-protect-from-ghostcat-vulnerability-cve-2020-1938-and/
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
cisa: Known Exploited Vulnerability (KEV) catalog
cert-bund: WID-SEC-2024-0528
cert-bund: WID-SEC-2023-2480
cert-bund: CB-K20/0711
cert-bund: CB-K20/0705
cert-bund: CB-K20/0693
cert-bund: CB-K20/0555
cert-bund: CB-K20/0543
cert-bund: CB-K20/0154
dfn-cert: DFN-CERT-2021-1736
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-1413
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2020-1134
dfn-cert: DFN-CERT-2020-0850
dfn-cert: DFN-CERT-2020-0835
dfn-cert: DFN-CERT-2020-0821
dfn-cert: DFN-CERT-2020-0569
dfn-cert: DFN-CERT-2020-0557
dfn-cert: DFN-CERT-2020-0501
dfn-cert: DFN-CERT-2020-0381

[\[return to 192.168.56.6 \]](#)

2.1.16 High 1617/tcp

High (CVSS: 7.5)
NVT: Java JMX Insecure Configuration Vulnerability - Active Check
Summary The Java JMX interface is configured in an insecure way by allowing unauthenticated attackers to load classes from any remote URL.
Quality of Detection (QoD): 70%
Vulnerability Detection Result It was possible to call 'javax.management.remote.rmi.RMIServer.newClient' on the ↪ RMI port 49155/tcp without providing any credentials.
...continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation Enable password authentication and/or SSL client certificate authentication for the JMX agent.
Vulnerability Detection Method Sends crafted RMI requests and checks the responses. Details: Java JMX Insecure Configuration Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.143207 Version used: 2025-04-11T21:15:04+05:30
References url: https://mogwailabs.de/blog/2019/04/attacking-rmi-based-jmx-services/ url: https://www.optiv.com/blog/exploiting-jmx-rmi url: https://www.rapid7.com/db/modules/exploit/multi/misc/java_jmx_server

[\[return to 192.168.56.6 \]](#)

2.1.17 High 8020/tcp

High (CVSS: 7.5) NVT: '/./WEB-INF/' Information Disclosure Vulnerability (HTTP)
Summary Various application or web servers / products are prone to an information disclosure vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.6:8020/./WEB-INF/web.xml Response (truncated): <pre><?xml version="1.0" encoding="ISO-8859-1"?> <web-app xmlns="http://java.sun.com/xml/ns/j2ee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/ ns/j2ee/web-app_2_4.xsd" version="2.4"> <!-- \$Id\$ --> <!-- Added for MickeyClient Pdf Generation --> <context-param> <param-name>ContextPath</param-name> <param-value></param-value> </context-param> <context-param> <param-name>defaultSkin</param-name></pre>
... continues on next page ...

...continued from previous page ...

```

    <param-value>woody</param-value>
  </context-param>
  <context-param>
    <param-name>useInstantFeedback</param-name>
    <param-value>true</param-value>
  </context-param>
  <context-param>
    <param-name>mailServerName</param-name>
    <param-value>smtp.india.adventnet.com</param-value>
  </context-param>
  <context-param>
    <param-name>instantFeedbackAddress</param-name>
    <param-value>sym-issues@adventnet.com</param-value>
  </context-param>
  <context-param>
    <param-name>AUTO_IMPORT_USER</param-name>
    <param-value>false</param-value>
  </context-param>
  <context-param>
    <param-name>PARAMETER-ENCODING</param-name>
    <param-value>UTF-8</param-value>
  </context-param>
  <listener>
    <listener-class>com.adventnet.sym.webclient.configurations.SymHttpSessionBindi
    ↪ngListener</listener-class>
  </listener>
  <!-- SDP-DC integration -->
    <listener>
      <listener-class>com.adventnet.sym.webclient.common.DCSessionListener</listener
      ↪-class>
    </listener>
  <!-- SDP-DC integra

```

Impact

Based on the information provided in this file an attacker might be able to gather additional info and/or sensitive data about the application / the application / web server.

Solution:**Solution type:** VendorFix

The following vendor fixes are known:

- Update to Payara Platform Enterprise 5.31.0, Payara Platform Community 5.2021.7 or later.
- For other products please contact the vendor for more information on possible fixes.

Affected Software/OS

The following products are known to be affected:

- Payara Platform Enterprise / Community

... continues on next page ...

...continued from previous page ...
Other products might be affected as well.
Vulnerability Insight The servlet specification prohibits servlet containers from serving resources in the '/WEB-INF' and '/META-INF' directories of a web application archive directly to clients. This means that URLs like: http://example.com/WEB-INF/web.xml will return an error message, rather than the contents of the deployment descriptor. However, some application or web servers / products are prone to a vulnerability that exposes this information if the client requests a URL like this instead: http://example.com/./WEB-INF/web.xml http://example.com/./web-inf/web.xml (note the './' before 'WEB-INF').
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response. Details: '././WEB-INF/' Information Disclosure Vulnerability (HTTP) OID:1.3.6.1.4.1.25623.1.0.117707 Version used: 2023-03-06T15:49:58+05:30
References cve: CVE-2021-41381 url: https://www.syss.de/fileadmin/dokumente/Publikationen/Advisories/SYSS-2021-054.txt url: http://packetstormsecurity.com/files/164365/Payara-Micro-Community-5.2021.6-Directory-Traversal.html

[\[return to 192.168.56.6 \]](#)

2.1.18 High general/tcp

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5001335)
Summary This host is missing a critical security update according to Microsoft KB5001335
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24576 File checked: C:\Windows\system32\inetcomm.dll File version: 6.1.7601.17514
... continues on next page ...

...continued from previous page ...
Impact Successful exploitation will allow an attacker to perform remote code execution, conduct a denial-of-service condition, gain access to potentially sensitive data, bypass security restrictions, conduct spoofing and elevate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Multiple errors in Windows Installer. - An error in RPC Endpoint Mapper Service. - An error in Microsoft Internet Messaging API. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5001335) OID:1.3.6.1.4.1.25623.1.0.817693 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-26413 cve: CVE-2021-26415 cve: CVE-2021-27089 cve: CVE-2021-27091 cve: CVE-2021-27093 cve: CVE-2021-27095 cve: CVE-2021-27096 cve: CVE-2021-28309 cve: CVE-2021-28315 cve: CVE-2021-28316 cve: CVE-2021-28317 cve: CVE-2021-28318 cve: CVE-2021-28323 cve: CVE-2021-28327 cve: CVE-2021-28328 cve: CVE-2021-28329 cve: CVE-2021-28330 cve: CVE-2021-28331
...continues on next page ...

...continued from previous page ...
cve: CVE-2021-28332
cve: CVE-2021-28333
cve: CVE-2021-28334
cve: CVE-2021-28335
cve: CVE-2021-28336
cve: CVE-2021-28337
cve: CVE-2021-28338
cve: CVE-2021-28339
cve: CVE-2021-28340
cve: CVE-2021-28341
cve: CVE-2021-28342
cve: CVE-2021-28343
cve: CVE-2021-28344
cve: CVE-2021-28345
cve: CVE-2021-28346
cve: CVE-2021-28348
cve: CVE-2021-28349
cve: CVE-2021-28350
cve: CVE-2021-28352
cve: CVE-2021-28353
cve: CVE-2021-28354
cve: CVE-2021-28355
cve: CVE-2021-28356
cve: CVE-2021-28357
cve: CVE-2021-28358
cve: CVE-2021-28434
cve: CVE-2021-28437
cve: CVE-2021-28439
cve: CVE-2021-28440
cve: CVE-2021-28443
cve: CVE-2021-28445
cve: CVE-2021-28446
url: https://support.microsoft.com/en-us/help/5001335
cert-bund: CB-K21/0374
dfn-cert: DFN-CERT-2021-0746

High (CVSS: 8.8)

NVT: Microsoft .NET Framework Multiple Vulnerabilities (KB4556399)

Summary

This host is missing a critical security update according to Microsoft KB4556399

Quality of Detection (QoD): 80%

Vulnerability Detection Result

...continues on next page ...

...continued from previous page...	
Vulnerable range:	4.0 - 4.0.30319.36626
File checked:	C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.identitymodel.dll
File version:	4.0.30319.34209
Impact Successful exploitation will allow an attacker to gain escalated privileges, conduct a denial-of-service condition and run arbitrary code in the context of the current user. If the current user is logged on with administrative user rights, an attacker could take control of the affected system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.	
Vulnerability Insight Multiple flaws exist due to: - Microsoft .NET Framework fails to check the source markup of a file. - Microsoft .NET Framework improperly handles web requests. - An error in how .NET Framework activates COM objects.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (KB4556399) OID:1.3.6.1.4.1.25623.1.0.817103 Version used: 2021-08-11T17:31:46+05:30	
References cve: CVE-2020-1108 cve: CVE-2020-0605 cve: CVE-2020-1066 url: https://support.microsoft.com/en-us/help/4556399/kb4556399 cert-bund: CB-K20/0456 cert-bund: CB-K20/0048 dfn-cert: DFN-CERT-2020-1091 dfn-cert: DFN-CERT-2020-1032 dfn-cert: DFN-CERT-2020-1009 dfn-cert: DFN-CERT-2020-1008 dfn-cert: DFN-CERT-2020-0087	

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4462923)
Summary This host is missing a critical security update according to Microsoft KB4462923
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24260 File checked: C:\Windows\system32\Gdi32.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to run arbitrary code, bypass security restrictions, gain the same user rights as the current user, obtain information to further compromise the user's system, improperly discloses file information and escalate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Windows Win32k component fails to properly handle objects in memory. - Windows Hyper-V on a host server fails to properly validate input from an authenticated user on a guest operating system. - Microsoft XML Core Services MSXML parser improperly processes user input. - Internet Explorer improperly accesses objects in memory. - Filter Manager improperly handles objects in memory. - Windows TCP/IP stack improperly handles fragmented IP packets. - Windows Media Player improperly discloses file information. - Windows Graphics Device Interface (GDI) improperly handles objects in memory. - DirectX Graphics Kernel (DXGKRNL) driver improperly handles objects in memory. - Windows kernel improperly handles objects in memory. - Windows Theme API does not properly decompress files. - NTFS improperly checks access.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4462923)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.814084 Version used: 2023-11-03T21:40:08+05:30
References cve: CVE-2018-8320 cve: CVE-2018-8330 cve: CVE-2018-8333 cve: CVE-2018-8411 cve: CVE-2018-8413 cve: CVE-2018-8423 cve: CVE-2018-8432 cve: CVE-2018-8453 cve: CVE-2018-8460 cve: CVE-2018-8472 cve: CVE-2018-8481 cve: CVE-2018-8482 cve: CVE-2018-8486 cve: CVE-2018-8489 cve: CVE-2018-8491 cve: CVE-2018-8494 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4462923 cert-bund: CB-K18/0992 dfn-cert: DFN-CERT-2018-2059 dfn-cert: DFN-CERT-2018-2058 dfn-cert: DFN-CERT-2018-2055

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4457144)

Summary

This host is missing a critical security update according to Microsoft KB4457144.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 11.0.9600.19130
File checked: C:\Windows\system32\Urlmon.dll
File version: 8.0.7601.17514

Impact

...continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to crash the affected system, execute arbitrary code on the host operating system, disclose contents of System memory and also read privileged data across trust boundaries.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit/x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Denial of service vulnerability (named 'FragmentSmack'). - Hyper-V on a host server fails to properly validate guest operating system user input. - Windows bowser.sys kernel-mode driver fails to properly handle objects in memory. - Browser scripting engine improperly handle object types. - Windows font library improperly handles specially crafted embedded fonts. - Windows kernel improperly handles objects in memory. - Microsoft JET Database Engine improperly handles objects in memory. - Windows Kernel API improperly handles registry objects in memory. - Windows kernel fails to properly initialize a memory address. - MSXML parser improperly processes user input. - Windows GDI component improperly handles objects in memory. - Windows GDI component improperly discloses the contents of its memory. - Windows Graphics component improperly handles objects in memory. - Windows improperly handles calls to Advanced Local Procedure Call (ALPC). - Internet Explorer improperly accesses objects in memory. - Scripting engine improperly handles objects in memory. - Windows improperly parses files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4457144) OID:1.3.6.1.4.1.25623.1.0.814015 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-5391 cve: CVE-2018-8271 cve: CVE-2018-8315 cve: CVE-2018-8332 cve: CVE-2018-8336 cve: CVE-2018-8392 cve: CVE-2018-8393
...continues on next page ...

...continued from previous page ...

cve: CVE-2018-8410
cve: CVE-2018-8419
cve: CVE-2018-8420
cve: CVE-2018-8422
cve: CVE-2018-8424
cve: CVE-2018-8433
cve: CVE-2018-8434
cve: CVE-2018-8440
cve: CVE-2018-8442
cve: CVE-2018-8443
cve: CVE-2018-8446
cve: CVE-2018-8447
cve: CVE-2018-8452
cve: CVE-2018-8457
cve: CVE-2018-8468
cve: CVE-2018-8470
cve: CVE-2018-8475
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4457144>
cert-bund: WID-SEC-2023-0508
cert-bund: CB-K18/0913
cert-bund: CB-K18/0854
dfn-cert: DFN-CERT-2019-1026
dfn-cert: DFN-CERT-2019-0562
dfn-cert: DFN-CERT-2019-0544
dfn-cert: DFN-CERT-2019-0453
dfn-cert: DFN-CERT-2019-0442
dfn-cert: DFN-CERT-2019-0069
dfn-cert: DFN-CERT-2018-2398
dfn-cert: DFN-CERT-2018-2366
dfn-cert: DFN-CERT-2018-2335
dfn-cert: DFN-CERT-2018-2260
dfn-cert: DFN-CERT-2018-2213
dfn-cert: DFN-CERT-2018-2206
dfn-cert: DFN-CERT-2018-2118
dfn-cert: DFN-CERT-2018-2117
dfn-cert: DFN-CERT-2018-2063
dfn-cert: DFN-CERT-2018-1943
dfn-cert: DFN-CERT-2018-1857
dfn-cert: DFN-CERT-2018-1850
dfn-cert: DFN-CERT-2018-1847
dfn-cert: DFN-CERT-2018-1846
dfn-cert: DFN-CERT-2018-1845
dfn-cert: DFN-CERT-2018-1782
dfn-cert: DFN-CERT-2018-1730
dfn-cert: DFN-CERT-2018-1670

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2018-1661
dfn-cert: DFN-CERT-2018-1657
dfn-cert: DFN-CERT-2018-1635
dfn-cert: DFN-CERT-2018-1634
dfn-cert: DFN-CERT-2018-1632
dfn-cert: DFN-CERT-2018-1626
dfn-cert: DFN-CERT-2018-1617

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4343900)

Summary

This host is missing a critical security update according to Microsoft KB4343900

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 11.0.9600.19101

File checked: C:\Windows\system32\Mshtml.dll

File version: 8.0.7601.17514

Impact

Successful exploitation will allow an attacker to execute arbitrary code, run processes in an elevated context, obtain information to further compromise the user's system, trick a user into believing that the user was on a legitimate website, read privileged data across trust boundaries and also bypass certain security restrictions.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- A new speculative execution side channel vulnerability known as L1 Terminal Fault.
- Internet Explorer improperly validates hyperlinks before loading executable libraries.
- Windows Installer fails to properly sanitize input leading to an insecure library loading behavior.
- NDIS fails to check the length of a buffer prior to copying memory to it.
- Windows font library improperly handles specially crafted embedded fonts.
- An improper processing for a .LNK file.
- 'Microsoft COM for Windows' fails to properly handle serialized objects.

... continues on next page ...

...continued from previous page ...

- Microsoft browsers improperly allow cross-frame interaction.
- Microsoft browsers allowing sandbox escape.
- Microsoft Edge improperly handles redirect requests and specific HTML content.
- Microsoft .NET Framework improperly access information in multi-tenant environments.
- WebAudio Library improperly handles audio requests.
- Windows GDI component improperly discloses the contents of its memory.
- Windows PDF Library improperly handles objects in memory.
- Windows Shell does not properly validate file paths.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4343900)

OID:1.3.6.1.4.1.25623.1.0.813845

Version used: 2023-07-20T10:35:17+05:30

References

cve: CVE-2018-3615

cve: CVE-2018-3620

cve: CVE-2018-3646

cve: CVE-2018-8316

cve: CVE-2018-8339

cve: CVE-2018-8341

cve: CVE-2018-8342

cve: CVE-2018-8343

cve: CVE-2018-8345

cve: CVE-2018-8348

cve: CVE-2018-8349

cve: CVE-2018-8344

cve: CVE-2018-8351

cve: CVE-2018-8353

cve: CVE-2018-8355

cve: CVE-2018-8346

cve: CVE-2018-8371

cve: CVE-2018-8372

cve: CVE-2018-8373

cve: CVE-2018-8385

cve: CVE-2018-8389

cve: CVE-2018-8394

cve: CVE-2018-8396

cve: CVE-2018-8397

cve: CVE-2018-8398

cve: CVE-2018-8403

cve: CVE-2018-8404

cisa: Known Exploited Vulnerability (KEV) catalog

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

url: <https://support.microsoft.com/en-us/help/4343900>

cert-bund: WID-SEC-2025-1212

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K19/0047
cert-bund: CB-K18/1050
cert-bund: CB-K18/0867
cert-bund: CB-K18/0863
cert-bund: CB-K18/0862
cert-bund: CB-K18/0861
cert-bund: CB-K18/0858
dfn-cert: DFN-CERT-2019-0740
dfn-cert: DFN-CERT-2019-0108
dfn-cert: DFN-CERT-2019-0069
dfn-cert: DFN-CERT-2019-0004
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-2441
dfn-cert: DFN-CERT-2018-2399
dfn-cert: DFN-CERT-2018-2349
dfn-cert: DFN-CERT-2018-2217
dfn-cert: DFN-CERT-2018-2182
dfn-cert: DFN-CERT-2018-2072
dfn-cert: DFN-CERT-2018-2066
dfn-cert: DFN-CERT-2018-1982
dfn-cert: DFN-CERT-2018-1929
dfn-cert: DFN-CERT-2018-1869
dfn-cert: DFN-CERT-2018-1863
dfn-cert: DFN-CERT-2018-1822
dfn-cert: DFN-CERT-2018-1806
dfn-cert: DFN-CERT-2018-1782
dfn-cert: DFN-CERT-2018-1734
dfn-cert: DFN-CERT-2018-1722
dfn-cert: DFN-CERT-2018-1699
dfn-cert: DFN-CERT-2018-1677
dfn-cert: DFN-CERT-2018-1670
dfn-cert: DFN-CERT-2018-1666
dfn-cert: DFN-CERT-2018-1665
dfn-cert: DFN-CERT-2018-1661
dfn-cert: DFN-CERT-2018-1657
dfn-cert: DFN-CERT-2018-1656
dfn-cert: DFN-CERT-2018-1654
dfn-cert: DFN-CERT-2018-1653
dfn-cert: DFN-CERT-2018-1652
dfn-cert: DFN-CERT-2018-1651
dfn-cert: DFN-CERT-2018-1650
dfn-cert: DFN-CERT-2018-1637
dfn-cert: DFN-CERT-2018-1634
dfn-cert: DFN-CERT-2018-1632
dfn-cert: DFN-CERT-2018-1631
dfn-cert: DFN-CERT-2018-1629
dfn-cert: DFN-CERT-2018-1627

...continues on next page ...

...	...continued from previous page ...
dfn-cert:	DFN-CERT-2018-1625
dfn-cert:	DFN-CERT-2018-1624
dfn-cert:	DFN-CERT-2018-1623
dfn-cert:	DFN-CERT-2018-1622
dfn-cert:	DFN-CERT-2018-1621
dfn-cert:	DFN-CERT-2018-1619
dfn-cert:	DFN-CERT-2018-1617
dfn-cert:	DFN-CERT-2018-1615
dfn-cert:	DFN-CERT-2018-1614
dfn-cert:	DFN-CERT-2018-1612
dfn-cert:	DFN-CERT-2018-1606
dfn-cert:	DFN-CERT-2018-1605
dfn-cert:	DFN-CERT-2018-1601

High (CVSS: 8.8)

NVT: Microsoft Internet Explorer RCE vulnerability (3088903)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS15-093.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Mshtml.dll

File version: 8.0.7601.17514

Vulnerable range: 8.0.7601.17000 - 8.0.7601.18967

Impact

Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.

Vulnerability Insight

The error exists due to multiple improper handling of memory objects.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Internet Explorer RCE vulnerability (3088903)

... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.805959 Version used: 2024-07-04T10:35:37+05:30
References cve: CVE-2015-2502 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/3088903 url: http://www.securityfocus.com/bid/76403 url: https://support.microsoft.com/kb/3087985 url: https://technet.microsoft.com/en-us/library/security/MS15-093 cert-bund: CB-K15/1215 dfn-cert: DFN-CERT-2015-1283

High (CVSS: 8.8)

NVT: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (3124584)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS16-005.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Gdi32.dll

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.19091

Impact

Successful exploitation will allow an attacker to bypass Address Space Layout Randomization (ASLR) protection mechanisms and gain access to sensitive information and to execute arbitrary code in the context of the currently logged-in user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8 x32/x64
- Microsoft Windows 10 x32/x64
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/2012R2
- Microsoft Windows 10 Version 1511 x32/x64
- Microsoft Windows Vista x32/x64 Service Pack 2

... continues on next page ...

...continued from previous page ...	
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1	
Vulnerability Insight Multiple flaws are due to: - A security feature bypass vulnerability exists in the way Windows graphics device interface handles objects in memory. - An error in the way Windows handles objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (31. ↩... OID:1.3.6.1.4.1.25623.1.0.807028 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-0009 cve: CVE-2016-0008 url: https://support.microsoft.com/en-us/kb/3124001 url: https://support.microsoft.com/en-us/kb/3124000 url: https://technet.microsoft.com/library/security/MS16-005 cert-bund: CB-K16/0057 dfn-cert: DFN-CERT-2016-0064	

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB5034831)

Summary

This host is missing an important security update according to Microsoft KB5034831

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.26958
File checked: C:\Windows\system32\Conhost.exe
File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information, conduct spoofing and denial of service attacks on an affected system.

Solution:

Solution type: VendorFix

... continues on next page ...

...continued from previous page ...
The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1.
Vulnerability Insight Multiple flaws exist due to, - Microsoft WDAC OLE DB provider for SQL Server Remote Code Execution Vulnerability. - Windows Printing Service Spoofing Vulnerability. - Microsoft WDAC OLE DB provider for SQL Server Remote Code Execution Vulnerability. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5034831) OID:1.3.6.1.4.1.25623.1.0.832825 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2024-21420 cve: CVE-2024-21406 cve: CVE-2024-21375 cve: CVE-2024-21370 cve: CVE-2024-21368 cve: CVE-2024-21366 cve: CVE-2024-21365 cve: CVE-2024-21361 cve: CVE-2024-21360 cve: CVE-2024-21359 cve: CVE-2024-21358 cve: CVE-2024-21357 cve: CVE-2024-21356 cve: CVE-2024-21355 cve: CVE-2024-21354 cve: CVE-2024-21352 cve: CVE-2024-21350 cve: CVE-2024-21349 cve: CVE-2024-21347 cve: CVE-2024-21340 cve: CVE-2023-50387 cve: CVE-2024-21405 cve: CVE-2024-21391 cve: CVE-2024-21372 cve: CVE-2024-21369 cve: CVE-2024-21367 cve: CVE-2024-21363
... continues on next page ...

...continued from previous page ...
url: https://support.microsoft.com/en-us/help/5034831
cert-bund: WID-SEC-2024-1313
cert-bund: WID-SEC-2024-1307
cert-bund: WID-SEC-2024-1248
cert-bund: WID-SEC-2024-1226
cert-bund: WID-SEC-2024-1086
cert-bund: WID-SEC-2024-0387
cert-bund: WID-SEC-2024-0386
dfn-cert: DFN-CERT-2025-1459
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2025-0010
dfn-cert: DFN-CERT-2024-2264
dfn-cert: DFN-CERT-2024-1904
dfn-cert: DFN-CERT-2024-1516
dfn-cert: DFN-CERT-2024-1474
dfn-cert: DFN-CERT-2024-1223
dfn-cert: DFN-CERT-2024-0984
dfn-cert: DFN-CERT-2024-0977
dfn-cert: DFN-CERT-2024-0921
dfn-cert: DFN-CERT-2024-0829
dfn-cert: DFN-CERT-2024-0529
dfn-cert: DFN-CERT-2024-0498
dfn-cert: DFN-CERT-2024-0404
dfn-cert: DFN-CERT-2024-0399
dfn-cert: DFN-CERT-2024-0387
dfn-cert: DFN-CERT-2024-0379
dfn-cert: DFN-CERT-2024-0375

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4580345)
Summary This host is missing a critical security update according to Microsoft KB4580345
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24561 File checked: C:\Windows\system32\Conhost.exe File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges and disclose sensitive information.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error when the Windows Network Connections Service handles objects in memory. - An error when the Windows KernelStream fails to properly handles objects in memory. - An error when Windows Hyper-V on a host server fails to properly validate input from an authenticated user on a guest operating system. - An error when NetBIOS over TCP (NBT) Extensions (NetBT) improperly handle objects in memory. - An error when the Windows Event System improperly handles objects in memory. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4580345) OID:1.3.6.1.4.1.25623.1.0.817511 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2020-16863 cve: CVE-2020-16887 cve: CVE-2020-16889 cve: CVE-2020-16891 cve: CVE-2020-16897 cve: CVE-2020-16900 cve: CVE-2020-16902 cve: CVE-2020-16912 cve: CVE-2020-16914 cve: CVE-2020-16916 cve: CVE-2020-16920 cve: CVE-2020-16922 cve: CVE-2020-16923 cve: CVE-2020-16924 cve: CVE-2020-16935 cve: CVE-2020-16936 cve: CVE-2020-16939 cve: CVE-2020-16940 cve: CVE-2020-16972
...continues on next page ...

...continued from previous page ...
cve: CVE-2020-16973 cve: CVE-2020-16974 cve: CVE-2020-16975 cve: CVE-2020-16976 url: https://support.microsoft.com/en-us/help/4580345 cert-bund: CB-K20/0979 dfn-cert: DFN-CERT-2020-2244

High (CVSS: 8.8) NVT: Microsoft Windows Multiple Vulnerabilities (KB4550964)
Summary This host is missing a critical security update according to Microsoft KB4550964
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24551 File checked: C:\Windows\system32\Win32k.sys File version: 6.1.7601.17514
Impact Successful exploitation allows an attacker to execute arbitrary code on a victim system, disclose sensitive information, conduct denial-of-service condition and gain elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to - An error when the Windows kernel improperly handles objects in memory. - Multiple errors in the way Microsoft Graphics Components handle objects in memory. - Multiple errors when the Windows Jet Database Engine improperly handles objects in memory. - An error in Windows DNS when it fails to properly handle queries. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4550964)
... continues on next page ...

...continued from previous page ...

OID:1.3.6.1.4.1.25623.1.0.816823

Version used: 2022-08-09T15:41:17+05:30

References

cve: CVE-2020-0687

cve: CVE-2020-0821

cve: CVE-2020-0889

cve: CVE-2020-0895

cve: CVE-2020-0938

cve: CVE-2020-0946

cve: CVE-2020-0952

cve: CVE-2020-0953

cve: CVE-2020-0955

cve: CVE-2020-0956

cve: CVE-2020-0957

cve: CVE-2020-0958

cve: CVE-2020-0959

cve: CVE-2020-0960

cve: CVE-2020-0962

cve: CVE-2020-0964

cve: CVE-2020-0965

cve: CVE-2020-0966

cve: CVE-2020-0967

cve: CVE-2020-0968

cve: CVE-2020-0982

cve: CVE-2020-0987

cve: CVE-2020-0988

cve: CVE-2020-0992

cve: CVE-2020-0993

cve: CVE-2020-0994

cve: CVE-2020-0995

cve: CVE-2020-0999

cve: CVE-2020-1000

cve: CVE-2020-1004

cve: CVE-2020-1005

cve: CVE-2020-1007

cve: CVE-2020-1008

cve: CVE-2020-1009

cve: CVE-2020-1011

cve: CVE-2020-1014

cve: CVE-2020-1015

cve: CVE-2020-1020

cve: CVE-2020-1027

cve: CVE-2020-1094

cve: CVE-2020-0907

cisa: Known Exploited Vulnerability (KEV) catalog

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

...continues on next page ...

...continued from previous page ...
url: https://support.microsoft.com/en-us/help/4550964
cert-bund: CB-K20/0334
cert-bund: CB-K20/0332
cert-bund: CB-K20/0257
dfn-cert: DFN-CERT-2020-0761
dfn-cert: DFN-CERT-2020-0756

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB5007236)

Summary

This host is missing a critical security update according to Microsoft KB5007236

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.25767

File checked: C:\Windows\system32\advapi32.dll

File version: 6.1.7600.16385

Impact

Successful exploitation will allow an attacker to disclose sensitive information, perform remote code execution and elevate privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
- Microsoft Windows 7 for x64-based Systems Service Pack 1
- Microsoft Windows 7 for 32-bit Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- An elevation of privilege vulnerability in Active Directory Domain Services.
- An elevation of privilege vulnerability in NTFS.
- An information disclosure vulnerability in Windows Remote Desktop Protocol (RDP).

Please see the references for more information about the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB5007236)

OID:1.3.6.1.4.1.25623.1.0.818854

... continues on next page ...

...continued from previous page ...
Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-38631 cve: CVE-2021-38665 cve: CVE-2021-38666 cve: CVE-2021-41367 cve: CVE-2021-41370 cve: CVE-2021-41371 cve: CVE-2021-41377 cve: CVE-2021-41379 cve: CVE-2021-42275 cve: CVE-2021-42278 cve: CVE-2021-42282 cve: CVE-2021-42283 cve: CVE-2021-42285 cve: CVE-2021-42287 cve: CVE-2021-42291 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5007236 cert-bund: CB-K21/1226 cert-bund: CB-K21/1169 dfn-cert: DFN-CERT-2021-2328

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4540688)
Summary This host is missing a critical security update according to Microsoft KB4540688
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24550 File checked: C:\Windows\system32\User32.dll File version: 6.1.7601.17514
Impact Successful exploitation allows an attacker to execute arbitrary code, elevate privileges, disclose sensitive information and conduct tampering attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
...continues on next page ...

...continued from previous page ...

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist when,

- Windows Error Reporting improperly handles memory.
 - Windows GDI component improperly discloses the contents of its memory.
 - Windows Graphics Component improperly handles objects in memory.
 - Windows Network Connections Service improperly handles objects in memory.
 - Connected User Experiences and Telemetry Service improperly handles file operations.
- Please see the references for more information on the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4540688)

OID:1.3.6.1.4.1.25623.1.0.815797

Version used: 2022-08-09T15:41:17+05:30

References

cve: CVE-2020-0645
 cve: CVE-2020-0684
 cve: CVE-2020-0768
 cve: CVE-2020-0769
 cve: CVE-2020-0770
 cve: CVE-2020-0771
 cve: CVE-2020-0772
 cve: CVE-2020-0773
 cve: CVE-2020-0774
 cve: CVE-2020-0778
 cve: CVE-2020-0779
 cve: CVE-2020-0781
 cve: CVE-2020-0783
 cve: CVE-2020-0785
 cve: CVE-2020-0787
 cve: CVE-2020-0788
 cve: CVE-2020-0791
 cve: CVE-2020-0802
 cve: CVE-2020-0803
 cve: CVE-2020-0804
 cve: CVE-2020-0806
 cve: CVE-2020-0814
 cve: CVE-2020-0822
 cve: CVE-2020-0824
 cve: CVE-2020-0830

... continues on next page ...

...continued from previous page ...
cve: CVE-2020-0832 cve: CVE-2020-0833 cve: CVE-2020-0842 cve: CVE-2020-0843 cve: CVE-2020-0844 cve: CVE-2020-0845 cve: CVE-2020-0847 cve: CVE-2020-0849 cve: CVE-2020-0853 cve: CVE-2020-0860 cve: CVE-2020-0871 cve: CVE-2020-0874 cve: CVE-2020-0877 cve: CVE-2020-0879 cve: CVE-2020-0880 cve: CVE-2020-0881 cve: CVE-2020-0882 cve: CVE-2020-0883 cve: CVE-2020-0885 cve: CVE-2020-0887 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4540688 cert-bund: WID-SEC-2022-0289 cert-bund: CB-K20/0212 cert-bund: CB-K20/0210 cert-bund: CB-K20/0209 dfn-cert: DFN-CERT-2020-0500 dfn-cert: DFN-CERT-2020-0494 dfn-cert: DFN-CERT-2020-0493 dfn-cert: DFN-CERT-2020-0492

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4537820)

Summary

This host is missing a critical security update according to Microsoft KB4537820

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.24548
File checked: C:\Windows\system32\Win32k.sys
File version: 6.1.7601.17514

...continues on next page ...

...continued from previous page ...
Impact Successful exploitation will allow an attacker to run arbitrary code, elevate privileges and disclose sensitive information
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to - Windows Common Log File System (CLFS) driver fails to properly handle objects in memory. - Windows Search Indexer improperly handles objects in memory. - Cryptography Next Generation (CNG) service improperly handles objects in memory. - Windows Error Reporting manager improperly handles hard links. - Windows Function Discovery Service improperly handles objects in memory. Please see the references for more information on the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4537820) OID:1.3.6.1.4.1.25623.1.0.815776 Version used: 2024-06-26T10:35:39+05:30
References cve: CVE-2020-0655 cve: CVE-2020-0657 cve: CVE-2020-0658 cve: CVE-2020-0662 cve: CVE-2020-0665 cve: CVE-2020-0666 cve: CVE-2020-0667 cve: CVE-2020-0668 cve: CVE-2020-0673 cve: CVE-2020-0674 cve: CVE-2020-0675 cve: CVE-2020-0676 cve: CVE-2020-0677 cve: CVE-2020-0678 cve: CVE-2020-0680 cve: CVE-2020-0681 cve: CVE-2020-0682 cve: CVE-2020-0683
...continues on next page ...

...continued from previous page ...

```

cve: CVE-2020-0686
cve: CVE-2020-0691
cve: CVE-2020-0698
cve: CVE-2020-0703
cve: CVE-2020-0705
cve: CVE-2020-0708
cve: CVE-2020-0715
cve: CVE-2020-0719
cve: CVE-2020-0720
cve: CVE-2020-0721
cve: CVE-2020-0722
cve: CVE-2020-0723
cve: CVE-2020-0724
cve: CVE-2020-0725
cve: CVE-2020-0726
cve: CVE-2020-0729
cve: CVE-2020-0730
cve: CVE-2020-0731
cve: CVE-2020-0734
cve: CVE-2020-0735
cve: CVE-2020-0736
cve: CVE-2020-0737
cve: CVE-2020-0738
cve: CVE-2020-0744
cve: CVE-2020-0745
cve: CVE-2020-0748
cve: CVE-2020-0752
cve: CVE-2020-0753
cve: CVE-2020-0754
cve: CVE-2020-0755
cve: CVE-2020-0756
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/4537820
cert-bund: WID-SEC-2022-2120
cert-bund: CB-K20/0123
cert-bund: CB-K20/0114
cert-bund: CB-K20/0059
dfn-cert: DFN-CERT-2020-0306
dfn-cert: DFN-CERT-2020-0299
dfn-cert: DFN-CERT-2020-0133

```

High (CVSS: 8.8)

NVT: Microsoft Graphic Fonts Multiple Vulnerabilities (3143148)

... continues on next page ...

...continued from previous page ...
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-026.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Atmfd.dll File version: 5.1.2.230 Vulnerable range: Less than 5.1.2.247
Impact Successful exploitation will allow remote attackers to execute arbitrary code. Failed exploit attempts will result in a denial-of-service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight Multiple flaws are due to the Windows Adobe Type Manager Library improperly handles specially crafted OpenType fonts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphic Fonts Multiple Vulnerabilities (3143148) OID:1.3.6.1.4.1.25623.1.0.807513 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0121 cve: CVE-2016-0120 url: https://support.microsoft.com/en-us/kb/3140735 url: https://technet.microsoft.com/library/security/MS16-026 cert-bund: CB-K16/0383 dfn-cert: DFN-CERT-2016-0412

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4530734)
Summary This host is missing a critical security update according to Microsoft KB4530734
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24540 File checked: C:\Windows\system32\Ntdll.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges, gain access to sensitive information, cause denial of service and bypass security restrictions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Win32k component fails to properly handle objects in memory. - win32k component improperly provides kernel information. - Windows kernel improperly handles objects in memory. - Windows improperly handles COM object creation. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4530734) OID:1.3.6.1.4.1.25623.1.0.815737 Version used: 2022-08-09T15:41:17+05:30
References cve: CVE-2019-1453 cve: CVE-2019-1458 cve: CVE-2019-1465 cve: CVE-2019-1466 cve: CVE-2019-1467
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2019-1468
cve: CVE-2019-1469
cve: CVE-2019-1470
cve: CVE-2019-1474
cve: CVE-2019-1478
cve: CVE-2019-1480
cve: CVE-2019-1481
cve: CVE-2019-1484
cve: CVE-2019-1485
cve: CVE-2019-1488
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/4530734/
cert-bund: CB-K19/1075
cert-bund: CB-K19/1063
dfn-cert: DFN-CERT-2019-2603
dfn-cert: DFN-CERT-2019-2601

```

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4598279)

Summary

This host is missing a critical security update according to Microsoft KB4598279

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.24564
 File checked: C:\Windows\system32\Kernel32.dll
 File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker to perform remote code execution and elevate privilege.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
- Microsoft Windows 7 for x64-based Systems Service Pack 1
- Microsoft Windows 7 for 32-bit Systems Service Pack 1

... continues on next page ...

...continued from previous page ...

Vulnerability Insight

Multiple flaws exist due to:

- An error in Active Template Library.
- An error in Windows CSC Service.
- An error in TPM Device Driver.

Please see the references for more information about the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4598279)

OID:1.3.6.1.4.1.25623.1.0.817574

Version used: 2025-11-14T21:11:06+05:30

References

cve: CVE-2021-1649
 cve: CVE-2021-1652
 cve: CVE-2021-1653
 cve: CVE-2021-1654
 cve: CVE-2021-1655
 cve: CVE-2021-1656
 cve: CVE-2021-1657
 cve: CVE-2021-1658
 cve: CVE-2021-1659
 cve: CVE-2021-1660
 cve: CVE-2021-1661
 cve: CVE-2021-1664
 cve: CVE-2021-1665
 cve: CVE-2021-1666
 cve: CVE-2021-1667
 cve: CVE-2021-1668
 cve: CVE-2021-1671
 cve: CVE-2021-1673
 cve: CVE-2021-1674
 cve: CVE-2021-1676
 cve: CVE-2021-1678
 cve: CVE-2021-1679
 cve: CVE-2021-1688
 cve: CVE-2021-1693
 cve: CVE-2021-1694
 cve: CVE-2021-1695
 cve: CVE-2021-1696
 cve: CVE-2021-1699
 cve: CVE-2021-1700
 cve: CVE-2021-1701
 cve: CVE-2021-1702
 cve: CVE-2021-1704
 cve: CVE-2021-1706

...continues on next page ...

...continued from previous page ...

cve: CVE-2021-1708
 cve: CVE-2021-1709
 url: <https://support.microsoft.com/en-us/help/4598279>
 cert-bund: CB-K21/0028
 dfn-cert: DFN-CERT-2021-0063

High (CVSS: 8.8)

NVT: Microsoft Graphics Component Multiple Vulnerabilities (3148522)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS16-039.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Win32k.sys
 File version: 6.1.7601.17514
 Vulnerable range: Less than 6.1.7601.23407

Impact

Successful exploitation will allow remote attackers to execute arbitrary code and gain elevated privileges on the affected system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 x32/x64 Service Pack 2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/2012R2
- Microsoft Windows 10 x32/x64
- Microsoft Windows 10 Version 1511 x32/x64

Vulnerability Insight

Multiple flaws exist due to:

- An error in kernel-mode driver which fails to properly handle objects in memory.
- An error in windows font library which improperly handles specially crafted embedded fonts.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

... continues on next page ...

...continued from previous page ...
Details: Microsoft Graphics Component Multiple Vulnerabilities (3148522) OID:1.3.6.1.4.1.25623.1.0.806699 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0143 cve: CVE-2016-0145 cve: CVE-2016-0165 cve: CVE-2016-0167 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3148522 url: https://technet.microsoft.com/library/security/MS16-039 url: https://technet.microsoft.com/en-us/library/security/MS16-039 cert-bund: CB-K16/0556 cert-bund: CB-K16/0546 cert-bund: CB-K16/0545 dfn-cert: DFN-CERT-2016-0603 dfn-cert: DFN-CERT-2016-0598 dfn-cert: DFN-CERT-2016-0589

High (CVSS: 8.8)
NVT: Microsoft Graphics Component Multiple Vulnerabilities (3156754)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-055.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Gdi32.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23418
Impact Successful exploitation will allow an attacker to obtain information to further compromise the user's system, and install programs view, change, or delete data, or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
- Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - Windows GDI component improperly discloses the contents of its memory. - Windows Imaging Component fails to properly handle objects in the memory. - Windows GDI component fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Multiple Vulnerabilities (3156754) OID:1.3.6.1.4.1.25623.1.0.807691 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0168 cve: CVE-2016-0169 cve: CVE-2016-0170 cve: CVE-2016-0184 cve: CVE-2016-0195 url: https://support.microsoft.com/en-us/kb/3156013 url: https://support.microsoft.com/en-us/kb/3156016 url: https://support.microsoft.com/en-us/kb/3156019 url: https://technet.microsoft.com/library/security/MS16-055 cert-bund: CB-K16/0701 dfn-cert: DFN-CERT-2016-0759
High (CVSS: 8.8) NVT: Microsoft Windows Remote Privilege Escalation Vulnerability (3155520)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-061.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Ntoskrnl.exe
...continues on next page ...

...continued from previous page ...	
File version:	6.1.7601.18741
Vulnerable range:	Less than 6.1.7601.23418
Impact	Successful exploitation will allow remote attackers to execute arbitrary code with elevated privileges.
Solution:	
Solution type:	VendorFix
The vendor has released updates. Please see the references for more information.	
Affected Software/OS	
- Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1	
Vulnerability Insight	
Flaw exists due to when windows improperly handles specially crafted Remote Procedure Call (RPC) requests.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Microsoft Windows Remote Privilege Escalation Vulnerability (3155520)	
OID:1.3.6.1.4.1.25623.1.0.807587	
Version used: 2023-07-20T10:35:17+05:30	
References	
cve: CVE-2016-0178	
url: https://support.microsoft.com/kb/3153171	
url: https://technet.microsoft.com/library/security/MS16-061	
cert-bund: CB-K16/0701	
dfn-cert: DFN-CERT-2016-0759	
High (CVSS: 8.8)	
NVT: Microsoft Windows Netlogon Remote Code Execution Vulnerability (3167691)	
Summary	
This host is missing an important security update according to Microsoft Bulletin MS16-076.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\drivers\cng.sys File version: 6.1.7601.18739 Vulnerable range: Less than 6.1.7601.23451
Impact Successful exploitation will allow attackers to execute arbitrary code in the context of the currently logged-in user. Failed exploit attempts will likely result in denial of service conditions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
Vulnerability Insight The flaw occurs when windows improperly handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Netlogon Remote Code Execution Vulnerability (3167691) OID:1.3.6.1.4.1.25623.1.0.808227 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-3228 url: https://support.microsoft.com/en-us/kb/3167691 url: https://technet.microsoft.com/library/security/MS16-076 cert-bund: CB-K16/0914 dfn-cert: DFN-CERT-2016-0969

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB5005633)

Summary

This host is missing a critical security update according to Microsoft KB5005633

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Vulnerable range: Less than 11.0.9600.20120 File checked: C:\Windows\system32\urlmon.dll File version: 8.0.7601.17514
Impact Successful exploitation will allow an attacker to disclose sensitive information, perform remote code execution, cause denial of service condition, conduct spoofing and elevate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error in Windows Ancillary Function Driver for WinSock. - An elevation of privilege vulnerability in Windows Event Tracing. - A error in Microsoft MSHTML. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5005633) OID:1.3.6.1.4.1.25623.1.0.818533 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-26435 cve: CVE-2021-36955 cve: CVE-2021-36959 cve: CVE-2021-36960 cve: CVE-2021-36961 cve: CVE-2021-36962 cve: CVE-2021-36963 cve: CVE-2021-36964 cve: CVE-2021-36965 cve: CVE-2021-36968 cve: CVE-2021-36969 cve: CVE-2021-38628 cve: CVE-2021-38629 cve: CVE-2021-38630
... continues on next page ...

...continued from previous page ...
cve: CVE-2021-38633 cve: CVE-2021-38635 cve: CVE-2021-38636 cve: CVE-2021-38638 cve: CVE-2021-38639 cve: CVE-2021-38667 cve: CVE-2021-38671 cve: CVE-2021-40444 cve: CVE-2021-40447 cve: CVE-2021-36958 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5005633 cert-bund: CB-K21/0965 cert-bund: CB-K21/0940 cert-bund: CB-K21/0867 dfn-cert: DFN-CERT-2021-1925 dfn-cert: DFN-CERT-2021-1876 dfn-cert: DFN-CERT-2021-1731

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4516065)

Summary

This host is missing a critical security update according to Microsoft KB4516065

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.24520

File checked: C:\Windows\system32\Advapi32.dll

File version: 6.1.7600.16385

Impact

Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system, gain elevated privileges and disclose sensitive information.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Windows Remote Desktop Client improperly handles connection requests. - VBScript engine improperly handles objects in memory. - Windows Common Log File System (CLFS) driver improperly handles objects in memory. - ws2ifsl.sys (Winsock) improperly handles objects in memory. - DirectX improperly handles objects in memory. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4516065) OID:1.3.6.1.4.1.25623.1.0.815462 Version used: 2022-08-09T15:41:17+05:30
References cve: CVE-2018-12126 cve: CVE-2018-12127 cve: CVE-2018-12130 cve: CVE-2019-0787 cve: CVE-2019-11091 cve: CVE-2019-1208 cve: CVE-2019-1214 cve: CVE-2019-1215 cve: CVE-2019-1216 cve: CVE-2019-1219 cve: CVE-2019-1220 cve: CVE-2019-1221 cve: CVE-2019-1235 cve: CVE-2019-1236 cve: CVE-2019-1240 cve: CVE-2019-1241 cve: CVE-2019-1242 cve: CVE-2019-1243 cve: CVE-2019-1244 cve: CVE-2019-1245 cve: CVE-2019-1246 cve: CVE-2019-1247 cve: CVE-2019-1248 cve: CVE-2019-1249 cve: CVE-2019-1250 cve: CVE-2019-1252 cve: CVE-2019-1256 cve: CVE-2019-1267 cve: CVE-2019-1268
... continues on next page ...

...continued from previous page ...

cve: CVE-2019-1271
cve: CVE-2019-1274
cve: CVE-2019-1280
cve: CVE-2019-1282
cve: CVE-2019-1283
cve: CVE-2019-1284
cve: CVE-2019-1285
cve: CVE-2019-1286
cve: CVE-2019-1290
cve: CVE-2019-1291
cve: CVE-2019-1293
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4516065>
cert-bund: WID-SEC-2023-1692
cert-bund: CB-K19/0811
cert-bund: CB-K19/0806
cert-bund: CB-K19/0804
cert-bund: CB-K19/0803
cert-bund: CB-K19/0414
dfn-cert: DFN-CERT-2020-1041
dfn-cert: DFN-CERT-2020-0069
dfn-cert: DFN-CERT-2020-0048
dfn-cert: DFN-CERT-2019-2374
dfn-cert: DFN-CERT-2019-2214
dfn-cert: DFN-CERT-2019-1985
dfn-cert: DFN-CERT-2019-1898
dfn-cert: DFN-CERT-2019-1893
dfn-cert: DFN-CERT-2019-1889
dfn-cert: DFN-CERT-2019-1886
dfn-cert: DFN-CERT-2019-1767
dfn-cert: DFN-CERT-2019-1414
dfn-cert: DFN-CERT-2019-1235
dfn-cert: DFN-CERT-2019-1200
dfn-cert: DFN-CERT-2019-1172
dfn-cert: DFN-CERT-2019-1151
dfn-cert: DFN-CERT-2019-1149
dfn-cert: DFN-CERT-2019-1122
dfn-cert: DFN-CERT-2019-1083
dfn-cert: DFN-CERT-2019-1036
dfn-cert: DFN-CERT-2019-1032
dfn-cert: DFN-CERT-2019-1026
dfn-cert: DFN-CERT-2019-1025
dfn-cert: DFN-CERT-2019-1024
dfn-cert: DFN-CERT-2019-1017
dfn-cert: DFN-CERT-2019-1012
dfn-cert: DFN-CERT-2019-1009

...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2019-1005
dfn-cert: DFN-CERT-2019-1004
dfn-cert: DFN-CERT-2019-1003
dfn-cert: DFN-CERT-2019-1002
dfn-cert: DFN-CERT-2019-0994
dfn-cert: DFN-CERT-2019-0990
dfn-cert: DFN-CERT-2019-0989
dfn-cert: DFN-CERT-2019-0988
dfn-cert: DFN-CERT-2019-0987
dfn-cert: DFN-CERT-2019-0986
dfn-cert: DFN-CERT-2019-0977
dfn-cert: DFN-CERT-2019-0974
dfn-cert: DFN-CERT-2019-0971
dfn-cert: DFN-CERT-2019-0969
dfn-cert: DFN-CERT-2019-0950
dfn-cert: DFN-CERT-2018-2399
```

High (CVSS: 8.8)

NVT: Oracle Java SE Security Update (Oct24-1) - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files (x86)\Java\jre1.8.0_251

Impact

Successful exploitation allows an attacker to disclose information and cause partial denial of service attacks.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u421 and prior on Windows.

Vulnerability Insight

These vulnerabilities exist:

... continues on next page ...

...continued from previous page...

- CVE-2023-42950: An error in the WebKitGTK component of Oracle Java SE.
- CVE-2024-25062: An error in the libxml2 component of Oracle Java SE.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (Oct24-1) - Windows

OID:1.3.6.1.4.1.25623.1.0.834688

Version used: 2024-10-18T21:09:59+05:30

References

cve: CVE-2023-42950

cve: CVE-2024-25062

url: <https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixJAVA>

cert-bund: WID-SEC-2024-3377

cert-bund: WID-SEC-2024-3195

cert-bund: WID-SEC-2024-3189

cert-bund: WID-SEC-2024-1656

cert-bund: WID-SEC-2024-1642

cert-bund: WID-SEC-2024-1638

cert-bund: WID-SEC-2024-1637

cert-bund: WID-SEC-2024-1307

cert-bund: WID-SEC-2024-1226

cert-bund: WID-SEC-2024-0869

cert-bund: WID-SEC-2024-0280

cert-bund: WID-SEC-2023-3095

cert-bund: WID-SEC-2023-3094

dfn-cert: DFN-CERT-2025-1798

dfn-cert: DFN-CERT-2025-1710

dfn-cert: DFN-CERT-2025-1316

dfn-cert: DFN-CERT-2025-0473

dfn-cert: DFN-CERT-2025-0294

dfn-cert: DFN-CERT-2024-2991

dfn-cert: DFN-CERT-2024-2739

dfn-cert: DFN-CERT-2024-2738

dfn-cert: DFN-CERT-2024-1865

dfn-cert: DFN-CERT-2024-1846

dfn-cert: DFN-CERT-2024-1510

dfn-cert: DFN-CERT-2024-1504

dfn-cert: DFN-CERT-2024-1250

dfn-cert: DFN-CERT-2024-1092

dfn-cert: DFN-CERT-2024-0732

dfn-cert: DFN-CERT-2024-0716

dfn-cert: DFN-CERT-2024-0377

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4507449)
Summary This host is missing a critical security update according to Microsoft KB4507449
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24499 File checked: C:\Windows\system32\Ntdll.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system and gain elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist as, - Remote Desktop Services improperly handles clipboard redirection. - Scripting Engine improperly handles objects in memory in Microsoft browsers. - Windows Communication Foundation (WCF) and Windows Identity Foundation (WIF), allow signing of SAML tokens with arbitrary symmetric keys. - Windows GDI component improperly handles objects in memory. - An elevation of privilege vulnerability exists in Active Directory Forest trusts due to a default setting. - Kernel Information Disclosure Vulnerability (SWAPGS Attack). Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4507449) OID:1.3.6.1.4.1.25623.1.0.815403 Version used: 2022-08-09T15:41:17+05:30
References cve: CVE-2019-0683
... continues on next page ...

...continued from previous page ...

cve: CVE-2019-0887
cve: CVE-2019-1001
cve: CVE-2019-1004
cve: CVE-2019-1006
cve: CVE-2019-1056
cve: CVE-2019-1059
cve: CVE-2019-1063
cve: CVE-2019-1071
cve: CVE-2019-1073
cve: CVE-2019-1082
cve: CVE-2019-1085
cve: CVE-2019-1088
cve: CVE-2019-1089
cve: CVE-2019-1093
cve: CVE-2019-1094
cve: CVE-2019-1095
cve: CVE-2019-1096
cve: CVE-2019-1097
cve: CVE-2019-1098
cve: CVE-2019-1099
cve: CVE-2019-1100
cve: CVE-2019-1101
cve: CVE-2019-1102
cve: CVE-2019-1104
cve: CVE-2019-1108
cve: CVE-2019-1116
cve: CVE-2019-1125
cve: CVE-2019-1132
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4507449>
cert-bund: CB-K19/0692
cert-bund: CB-K19/0595
cert-bund: CB-K19/0593
cert-bund: CB-K19/0591
cert-bund: CB-K19/0586
cert-bund: CB-K19/0212
dfn-cert: DFN-CERT-2020-0048
dfn-cert: DFN-CERT-2019-2445
dfn-cert: DFN-CERT-2019-2247
dfn-cert: DFN-CERT-2019-2127
dfn-cert: DFN-CERT-2019-2096
dfn-cert: DFN-CERT-2019-2007
dfn-cert: DFN-CERT-2019-1987
dfn-cert: DFN-CERT-2019-1985
dfn-cert: DFN-CERT-2019-1907
dfn-cert: DFN-CERT-2019-1855

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2019-1843
dfn-cert: DFN-CERT-2019-1823
dfn-cert: DFN-CERT-2019-1808
dfn-cert: DFN-CERT-2019-1734
dfn-cert: DFN-CERT-2019-1725
dfn-cert: DFN-CERT-2019-1705
dfn-cert: DFN-CERT-2019-1702
dfn-cert: DFN-CERT-2019-1701
dfn-cert: DFN-CERT-2019-1699
dfn-cert: DFN-CERT-2019-1698
dfn-cert: DFN-CERT-2019-1697
dfn-cert: DFN-CERT-2019-1696
dfn-cert: DFN-CERT-2019-1689
dfn-cert: DFN-CERT-2019-1671
dfn-cert: DFN-CERT-2019-1664
dfn-cert: DFN-CERT-2019-1641
dfn-cert: DFN-CERT-2019-1613
dfn-cert: DFN-CERT-2019-1612
dfn-cert: DFN-CERT-2019-1609
dfn-cert: DFN-CERT-2019-1396
dfn-cert: DFN-CERT-2019-1392
dfn-cert: DFN-CERT-2019-1391
dfn-cert: DFN-CERT-2019-1387
dfn-cert: DFN-CERT-2019-1384
dfn-cert: DFN-CERT-2019-1383
dfn-cert: DFN-CERT-2019-0506
dfn-cert: DFN-CERT-2018-2399

```

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4503292)

Summary

This host is missing a critical security update according to Microsoft KB4503292

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

Vulnerable range: Less than 6.1.7601.24475
File checked:      C:\Windows\system32\Ntdll.dll
File version:      6.1.7601.17514

```

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges by escaping a sandbox, gain access to sensitive information, run processes and delete files and folders in an elevated context.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Windows Event Viewer (eventvwr.msc) improperly parses XML input containing a reference to an external entity. - Microsoft Hyper-V on a host server fails to properly validate input from a privileged user on a guest operating system. - Microsoft Speech API (SAPI) improperly handles text-to-speech (TTS) input. - Windows GDI component improperly discloses the contents of its memory. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4503292) OID:1.3.6.1.4.1.25623.1.0.815208 Version used: 2025-05-21T11:10:19+05:30
References cve: CVE-2017-8533 cve: CVE-2019-0713 cve: CVE-2019-0722 cve: CVE-2019-0888 cve: CVE-2019-0904 cve: CVE-2019-0905 cve: CVE-2019-0906 cve: CVE-2019-0907 cve: CVE-2019-0908 cve: CVE-2019-0909 cve: CVE-2019-0920 cve: CVE-2019-0941 cve: CVE-2019-0943 cve: CVE-2019-0948 cve: CVE-2019-0960 cve: CVE-2019-0968 cve: CVE-2019-0972
... continues on next page ...

...continued from previous page ...

cve: CVE-2019-0973
cve: CVE-2019-0974
cve: CVE-2019-0977
cve: CVE-2019-0984
cve: CVE-2019-0985
cve: CVE-2019-0986
cve: CVE-2019-0988
cve: CVE-2019-1005
cve: CVE-2019-1009
cve: CVE-2019-1010
cve: CVE-2019-1011
cve: CVE-2019-1012
cve: CVE-2019-1013
cve: CVE-2019-1014
cve: CVE-2019-1015
cve: CVE-2019-1016
cve: CVE-2019-1017
cve: CVE-2019-1019
cve: CVE-2019-1025
cve: CVE-2019-1028
cve: CVE-2019-1038
cve: CVE-2019-1039
cve: CVE-2019-1040
cve: CVE-2019-1043
cve: CVE-2019-1045
cve: CVE-2019-1046
cve: CVE-2019-1047
cve: CVE-2019-1048
cve: CVE-2019-1049
cve: CVE-2019-1053
cve: CVE-2019-1055
cve: CVE-2019-1080
cve: CVE-2019-1081
url: <https://support.microsoft.com/en-us/help/4503292/>
cert-bund: CB-K19/0500
cert-bund: CB-K19/0499
cert-bund: CB-K19/0497
cert-bund: CB-K17/0993
cert-bund: CB-K17/0992
dfn-cert: DFN-CERT-2019-1188
dfn-cert: DFN-CERT-2019-1186
dfn-cert: DFN-CERT-2019-1178
dfn-cert: DFN-CERT-2017-1023
dfn-cert: DFN-CERT-2017-1022

High (CVSS: 8.8)
NVT: Microsoft Graphics Component Multiple Vulnerabilities (3199120)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-132.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\fontsub.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23587
Impact Successful exploitation will allow an attacker to install programs, view, change, or delete data, or create new accounts with full user rights, and to obtain information to further compromise the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - the ATMFDD component improperly discloses the contents of its memory. - the Windows Animation Manager improperly handles objects in memory. - the Windows font library improperly handles specially crafted embedded fonts. - the Windows Media Foundation improperly handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Multiple Vulnerabilities (3199120) OID:1.3.6.1.4.1.25623.1.0.809466 Version used: 2024-07-04T10:35:37+05:30
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2016-7210
 cve: CVE-2016-7205
 cve: CVE-2016-7217
 cve: CVE-2016-7256
 cisa: Known Exploited Vulnerability (KEV) catalog
 url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
 url: <https://support.microsoft.com/en-us/kb/3199120>
 url: <http://www.securityfocus.com/bid/94030>
 url: <http://www.securityfocus.com/bid/94033>
 url: <http://www.securityfocus.com/bid/94066>
 url: <http://www.securityfocus.com/bid/94156>
 url: <https://technet.microsoft.com/library/security/MS16-132>
 cert-bund: CB-K16/1747
 dfn-cert: DFN-CERT-2016-1852

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4493472)

Summary

This host is missing a critical security update according to Microsoft KB4493472

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.24408
 File checked: C:\Windows\system32\Ntdll.dll
 File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system, gain elevated privileges, bypass security features and cause denial of service.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist in,

... continues on next page ...

...continued from previous page ...

- The IOleCvt interface improperly renders ASP webpage content.
 - Windows Jet Database Engine improperly handles objects in memory.
 - Windows GDI component improperly discloses the contents of its memory.
 - The win32k component improperly provides kernel information.
 - Speculative execution side-channel vulnerabilities.
 - Error in Various Windows components.
- Please see the references for more information about the vulnerabilities.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4493472)

OID:1.3.6.1.4.1.25623.1.0.815033

Version used: 2023-10-27T21:41:32+05:30

References

cve: CVE-2017-5753
 cve: CVE-2017-5715
 cve: CVE-2017-5754
 cve: CVE-2019-0671
 cve: CVE-2019-0673
 cve: CVE-2019-0674
 cve: CVE-2019-0730
 cve: CVE-2019-0731
 cve: CVE-2019-0732
 cve: CVE-2019-0735
 cve: CVE-2019-0752
 cve: CVE-2019-0753
 cve: CVE-2019-0764
 cve: CVE-2019-0791
 cve: CVE-2019-0792
 cve: CVE-2019-0793
 cve: CVE-2019-0794
 cve: CVE-2019-0795
 cve: CVE-2019-0796
 cve: CVE-2019-0802
 cve: CVE-2019-0803
 cve: CVE-2019-0805
 cve: CVE-2019-0835
 cve: CVE-2019-0836
 cve: CVE-2019-0838
 cve: CVE-2019-0839
 cve: CVE-2019-0842
 cve: CVE-2019-0844
 cve: CVE-2019-0845
 cve: CVE-2019-0846
 cve: CVE-2019-0847
 cve: CVE-2019-0848

...continues on next page ...

...continued from previous page ...

cve: CVE-2019-0849
cve: CVE-2019-0851
cve: CVE-2019-0853
cve: CVE-2019-0856
cve: CVE-2019-0859
cve: CVE-2019-0862
cve: CVE-2019-0877
cve: CVE-2019-0879
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4493472>
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-2008
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-0103
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0532
cert-bund: CB-K20/0324
cert-bund: CB-K19/0774
cert-bund: CB-K19/0298
cert-bund: CB-K19/0297
cert-bund: CB-K19/0296
cert-bund: CB-K19/0137
cert-bund: CB-K18/1140
cert-bund: CB-K18/0898
cert-bund: CB-K18/0654
cert-bund: CB-K18/0651
cert-bund: CB-K18/0635
cert-bund: CB-K18/0601
cert-bund: CB-K18/0557
cert-bund: CB-K18/0551
cert-bund: CB-K18/0518
cert-bund: CB-K18/0472
cert-bund: CB-K18/0463
cert-bund: CB-K18/0398
cert-bund: CB-K18/0381
cert-bund: CB-K18/0370
cert-bund: CB-K18/0367
cert-bund: CB-K18/0356
cert-bund: CB-K18/0348
cert-bund: CB-K18/0347
cert-bund: CB-K18/0346
cert-bund: CB-K18/0338
cert-bund: CB-K18/0283
cert-bund: CB-K18/0257
cert-bund: CB-K18/0250
cert-bund: CB-K18/0244

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K18/0207
cert-bund: CB-K18/0184
cert-bund: CB-K18/0177
cert-bund: CB-K18/0165
cert-bund: CB-K18/0153
cert-bund: CB-K18/0148
cert-bund: CB-K18/0129
cert-bund: CB-K18/0099
cert-bund: CB-K18/0094
cert-bund: CB-K18/0054
cert-bund: CB-K18/0051
cert-bund: CB-K18/0049
cert-bund: CB-K18/0046
cert-bund: CB-K18/0040
cert-bund: CB-K18/0039
cert-bund: CB-K18/0023
cert-bund: CB-K18/0022
cert-bund: CB-K18/0021
cert-bund: CB-K18/0020
cert-bund: CB-K18/0017
cert-bund: CB-K18/0016
cert-bund: CB-K18/0010
cert-bund: CB-K18/0009
cert-bund: CB-K17/2117
cert-bund: CB-K17/2113
dfn-cert: DFN-CERT-2025-1705
dfn-cert: DFN-CERT-2025-0942
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1568
dfn-cert: DFN-CERT-2023-1377
dfn-cert: DFN-CERT-2023-1164
dfn-cert: DFN-CERT-2023-0879
dfn-cert: DFN-CERT-2023-0877
dfn-cert: DFN-CERT-2023-0876
dfn-cert: DFN-CERT-2023-0848
dfn-cert: DFN-CERT-2023-0795
dfn-cert: DFN-CERT-2023-0794
dfn-cert: DFN-CERT-2023-0793
dfn-cert: DFN-CERT-2023-0507
dfn-cert: DFN-CERT-2022-0531
dfn-cert: DFN-CERT-2021-2537
dfn-cert: DFN-CERT-2021-1829
dfn-cert: DFN-CERT-2020-1783
dfn-cert: DFN-CERT-2019-2374
dfn-cert: DFN-CERT-2019-1987
dfn-cert: DFN-CERT-2019-1985
dfn-cert: DFN-CERT-2019-1837

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2019-1415
dfn-cert: DFN-CERT-2019-1235
dfn-cert: DFN-CERT-2019-1150
dfn-cert: DFN-CERT-2019-0725
dfn-cert: DFN-CERT-2019-0724
dfn-cert: DFN-CERT-2019-0720
dfn-cert: DFN-CERT-2019-0622
dfn-cert: DFN-CERT-2019-0613
dfn-cert: DFN-CERT-2019-0310
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2465
dfn-cert: DFN-CERT-2018-2399
dfn-cert: DFN-CERT-2018-1869
dfn-cert: DFN-CERT-2018-1819
dfn-cert: DFN-CERT-2018-1794
dfn-cert: DFN-CERT-2018-1734
dfn-cert: DFN-CERT-2018-1726
dfn-cert: DFN-CERT-2018-1550
dfn-cert: DFN-CERT-2018-1504
dfn-cert: DFN-CERT-2018-1500
dfn-cert: DFN-CERT-2018-1494
dfn-cert: DFN-CERT-2018-1493
dfn-cert: DFN-CERT-2018-1446
dfn-cert: DFN-CERT-2018-1435
dfn-cert: DFN-CERT-2018-1386
dfn-cert: DFN-CERT-2018-1385
dfn-cert: DFN-CERT-2018-1364
dfn-cert: DFN-CERT-2018-1117
dfn-cert: DFN-CERT-2018-1108
dfn-cert: DFN-CERT-2018-1032
dfn-cert: DFN-CERT-2018-1008
dfn-cert: DFN-CERT-2018-0991
dfn-cert: DFN-CERT-2018-0988
dfn-cert: DFN-CERT-2018-0933
dfn-cert: DFN-CERT-2018-0931
dfn-cert: DFN-CERT-2018-0878
dfn-cert: DFN-CERT-2018-0857
dfn-cert: DFN-CERT-2018-0821
dfn-cert: DFN-CERT-2018-0819
dfn-cert: DFN-CERT-2018-0818
dfn-cert: DFN-CERT-2018-0815
dfn-cert: DFN-CERT-2018-0808
dfn-cert: DFN-CERT-2018-0799
dfn-cert: DFN-CERT-2018-0796
dfn-cert: DFN-CERT-2018-0794
dfn-cert: DFN-CERT-2018-0760
dfn-cert: DFN-CERT-2018-0728

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2018-0682
dfn-cert: DFN-CERT-2018-0663
dfn-cert: DFN-CERT-2018-0631
dfn-cert: DFN-CERT-2018-0625
dfn-cert: DFN-CERT-2018-0605
dfn-cert: DFN-CERT-2018-0598
dfn-cert: DFN-CERT-2018-0552
dfn-cert: DFN-CERT-2018-0510
dfn-cert: DFN-CERT-2018-0499
dfn-cert: DFN-CERT-2018-0427
dfn-cert: DFN-CERT-2018-0410
dfn-cert: DFN-CERT-2018-0397
dfn-cert: DFN-CERT-2018-0394
dfn-cert: DFN-CERT-2018-0382
dfn-cert: DFN-CERT-2018-0377
dfn-cert: DFN-CERT-2018-0375
dfn-cert: DFN-CERT-2018-0372
dfn-cert: DFN-CERT-2018-0367
dfn-cert: DFN-CERT-2018-0310
dfn-cert: DFN-CERT-2018-0276
dfn-cert: DFN-CERT-2018-0267
dfn-cert: DFN-CERT-2018-0262
dfn-cert: DFN-CERT-2018-0224
dfn-cert: DFN-CERT-2018-0200
dfn-cert: DFN-CERT-2018-0194
dfn-cert: DFN-CERT-2018-0181
dfn-cert: DFN-CERT-2018-0167
dfn-cert: DFN-CERT-2018-0163
dfn-cert: DFN-CERT-2018-0137
dfn-cert: DFN-CERT-2018-0104
dfn-cert: DFN-CERT-2018-0096
dfn-cert: DFN-CERT-2018-0066
dfn-cert: DFN-CERT-2018-0058
dfn-cert: DFN-CERT-2018-0054
dfn-cert: DFN-CERT-2018-0053
dfn-cert: DFN-CERT-2018-0045
dfn-cert: DFN-CERT-2018-0044
dfn-cert: DFN-CERT-2018-0031
dfn-cert: DFN-CERT-2018-0030
dfn-cert: DFN-CERT-2018-0029
dfn-cert: DFN-CERT-2018-0025
dfn-cert: DFN-CERT-2018-0024
dfn-cert: DFN-CERT-2018-0022
dfn-cert: DFN-CERT-2018-0020
dfn-cert: DFN-CERT-2018-0019
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2210

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4489878)
Summary This host is missing a critical security update according to Microsoft KB4489878
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24387 File checked: C:\Windows\system32\Ntdll.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system, gain elevated privileges, bypass security features and cause denial of service.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist in, - Event Viewer from showing Network Interface Cards events and - Various Windows components. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4489878) OID:1.3.6.1.4.1.25623.1.0.814936 Version used: 2023-10-27T21:41:32+05:30
References cve: CVE-2019-0601 cve: CVE-2019-0603 cve: CVE-2019-0609 cve: CVE-2019-0614 cve: CVE-2019-0617 cve: CVE-2019-0665 ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2019-0666
cve: CVE-2019-0667
cve: CVE-2019-0680
cve: CVE-2019-0683
cve: CVE-2019-0690
cve: CVE-2019-0702
cve: CVE-2019-0703
cve: CVE-2019-0704
cve: CVE-2019-0746
cve: CVE-2019-0754
cve: CVE-2019-0755
cve: CVE-2019-0756
cve: CVE-2019-0759
cve: CVE-2019-0761
cve: CVE-2019-0762
cve: CVE-2019-0763
cve: CVE-2019-0765
cve: CVE-2019-0767
cve: CVE-2019-0772
cve: CVE-2019-0774
cve: CVE-2019-0775
cve: CVE-2019-0780
cve: CVE-2019-0782
cve: CVE-2019-0783
cve: CVE-2019-0784
cve: CVE-2019-0808
cve: CVE-2019-0821
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/4489878
url: http://www.securityfocus.com/bid/107285
cert-bund: CB-K19/0218
cert-bund: CB-K19/0217
cert-bund: CB-K19/0216
cert-bund: CB-K19/0212
cert-bund: CB-K19/0131
dfn-cert: DFN-CERT-2019-0521
dfn-cert: DFN-CERT-2019-0515
dfn-cert: DFN-CERT-2019-0507
dfn-cert: DFN-CERT-2019-0506
dfn-cert: DFN-CERT-2019-0311

```

High (CVSS: 8.8)

NVT: Microsoft Graphics Component Multiple Vulnerabilities (3204066)

...continues on next page ...

...continued from previous page ...
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-146.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Gdi32.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23591
Impact Successful exploitation will allow an attacker to take control of the affected system. An attacker could then: - install programs - view, change, or delete data - or create new accounts with full user rights. Users whose accounts are configured to have fewer user rights on the system could be less impacted than users who operate with administrative user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight Multiple flaws are due to: - the windows GDI component improperly discloses the contents of its memory. - the Windows Graphics component improperly handles objects in the memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Multiple Vulnerabilities (3204066) OID:1.3.6.1.4.1.25623.1.0.809831 Version used: 2023-07-20T10:35:17+05:30
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2016-7257

cve: CVE-2016-7272

cve: CVE-2016-7273

url: <https://support.microsoft.com/en-us/kb/3204066>url: <https://technet.microsoft.com/library/security/MS16-146>

cert-bund: CB-K16/1959

cert-bund: CB-K16/1956

dfn-cert: DFN-CERT-2016-2066

dfn-cert: DFN-CERT-2016-2062

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4480970)

Summary

This host is missing an important security update according to Microsoft KB4480970

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 11.0.9600.19236

File checked: C:\Windows\system32\Mshtml.dll

File version: 8.0.7601.17514

Impact

Successful exploitation will allow an attacker to execute arbitrary code on a victim system, obtain information to further compromise the user's system and gain elevated privileges.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1

- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flawss exists due to:

- Windows Jet Database Engine improperly handles objects in memory.

- Windows Runtime improperly handles objects in memory.

- Windows kernel improperly handles objects in memory.

- An error in the Microsoft XmlDocument class that could allow an attacker to escape from the AppContainer sandbox in the browser.

... continues on next page ...

...continued from previous page ...

- MSHTML engine improperly validates input.
- Windows improperly handles authentication requests.
- An elevation of privilege exists in Windows COM Desktop Broker.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4480970)

OID:1.3.6.1.4.1.25623.1.0.814650

Version used: 2025-04-11T11:10:28+05:30

References

cve: CVE-2019-0536
 cve: CVE-2019-0538
 cve: CVE-2019-0541
 cve: CVE-2019-0543
 cve: CVE-2019-0584
 cve: CVE-2019-0554
 cve: CVE-2019-0549
 cve: CVE-2019-0569
 cve: CVE-2019-0583
 cve: CVE-2019-0575
 cve: CVE-2019-0576
 cve: CVE-2019-0577
 cve: CVE-2019-0578
 cve: CVE-2019-0579
 cve: CVE-2019-0580
 cve: CVE-2019-0581
 cve: CVE-2019-0582
 cve: CVE-2018-3639
 cisa: Known Exploited Vulnerability (KEV) catalog
 url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
 url: <https://support.microsoft.com/en-us/help/4480963>
 cert-bund: WID-SEC-2023-2917
 cert-bund: WID-SEC-2023-2072
 cert-bund: CB-K19/0271
 cert-bund: CB-K19/0047
 cert-bund: CB-K19/0024
 cert-bund: CB-K19/0023
 cert-bund: CB-K19/0019
 cert-bund: CB-K18/1050
 cert-bund: CB-K18/0686
 cert-bund: CB-K18/0682
 dfn-cert: DFN-CERT-2023-1947
 dfn-cert: DFN-CERT-2023-1924
 dfn-cert: DFN-CERT-2023-1904
 dfn-cert: DFN-CERT-2023-1900
 dfn-cert: DFN-CERT-2021-2551

...continues on next page ...

...continued from previous page ...	
dfn-cert:	DFN-CERT-2020-1987
dfn-cert:	DFN-CERT-2020-1935
dfn-cert:	DFN-CERT-2020-1912
dfn-cert:	DFN-CERT-2020-1783
dfn-cert:	DFN-CERT-2020-1473
dfn-cert:	DFN-CERT-2020-1078
dfn-cert:	DFN-CERT-2019-0622
dfn-cert:	DFN-CERT-2019-0544
dfn-cert:	DFN-CERT-2019-0286
dfn-cert:	DFN-CERT-2019-0258
dfn-cert:	DFN-CERT-2019-0168
dfn-cert:	DFN-CERT-2019-0108
dfn-cert:	DFN-CERT-2019-0069
dfn-cert:	DFN-CERT-2019-0059
dfn-cert:	DFN-CERT-2019-0047
dfn-cert:	DFN-CERT-2019-0041
dfn-cert:	DFN-CERT-2019-0039
dfn-cert:	DFN-CERT-2018-2554
dfn-cert:	DFN-CERT-2018-2441
dfn-cert:	DFN-CERT-2018-2399
dfn-cert:	DFN-CERT-2018-2349
dfn-cert:	DFN-CERT-2018-2302
dfn-cert:	DFN-CERT-2018-2217
dfn-cert:	DFN-CERT-2018-2213
dfn-cert:	DFN-CERT-2018-1982
dfn-cert:	DFN-CERT-2018-1929
dfn-cert:	DFN-CERT-2018-1869
dfn-cert:	DFN-CERT-2018-1767
dfn-cert:	DFN-CERT-2018-1734
dfn-cert:	DFN-CERT-2018-1658
dfn-cert:	DFN-CERT-2018-1651
dfn-cert:	DFN-CERT-2018-1627
dfn-cert:	DFN-CERT-2018-1624
dfn-cert:	DFN-CERT-2018-1500
dfn-cert:	DFN-CERT-2018-1494
dfn-cert:	DFN-CERT-2018-1493
dfn-cert:	DFN-CERT-2018-1446
dfn-cert:	DFN-CERT-2018-1435
dfn-cert:	DFN-CERT-2018-1374
dfn-cert:	DFN-CERT-2018-1353
dfn-cert:	DFN-CERT-2018-1351
dfn-cert:	DFN-CERT-2018-1323
dfn-cert:	DFN-CERT-2018-1304
dfn-cert:	DFN-CERT-2018-1270
dfn-cert:	DFN-CERT-2018-1260
dfn-cert:	DFN-CERT-2018-1234
dfn-cert:	DFN-CERT-2018-1228
...continues on next page ...	

...continued from previous page ...

```

dfn-cert: DFN-CERT-2018-1205
dfn-cert: DFN-CERT-2018-1183
dfn-cert: DFN-CERT-2018-1151
dfn-cert: DFN-CERT-2018-1129
dfn-cert: DFN-CERT-2018-1117
dfn-cert: DFN-CERT-2018-1105
dfn-cert: DFN-CERT-2018-1042
dfn-cert: DFN-CERT-2018-1041
dfn-cert: DFN-CERT-2018-1025
dfn-cert: DFN-CERT-2018-1023
dfn-cert: DFN-CERT-2018-0993
dfn-cert: DFN-CERT-2018-0992
dfn-cert: DFN-CERT-2018-0991
dfn-cert: DFN-CERT-2018-0987
dfn-cert: DFN-CERT-2018-0976
dfn-cert: DFN-CERT-2018-0973
dfn-cert: DFN-CERT-2018-0972
dfn-cert: DFN-CERT-2018-0970
dfn-cert: DFN-CERT-2018-0966

```

High (CVSS: 8.8)**NVT: Oracle Java SE Security Update (Oct24-1) - Windows****Summary**

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation allows an attacker to disclose information and cause partial denial of service attacks.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

... continues on next page ...

...continued from previous page ...

Oracle Java SE version 8u421 and prior on Windows.

Vulnerability Insight

These vulnerabilities exist:

- CVE-2023-42950: An error in the WebKitGTK component of Oracle Java SE.
- CVE-2024-25062: An error in the libxml2 component of Oracle Java SE.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (Oct24-1) - Windows

OID:1.3.6.1.4.1.25623.1.0.834688

Version used: 2024-10-18T21:09:59+05:30

References

cve: CVE-2023-42950

cve: CVE-2024-25062

url: <https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixJAVA>

cert-bund: WID-SEC-2024-3377

cert-bund: WID-SEC-2024-3195

cert-bund: WID-SEC-2024-3189

cert-bund: WID-SEC-2024-1656

cert-bund: WID-SEC-2024-1642

cert-bund: WID-SEC-2024-1638

cert-bund: WID-SEC-2024-1637

cert-bund: WID-SEC-2024-1307

cert-bund: WID-SEC-2024-1226

cert-bund: WID-SEC-2024-0869

cert-bund: WID-SEC-2024-0280

cert-bund: WID-SEC-2023-3095

cert-bund: WID-SEC-2023-3094

dfn-cert: DFN-CERT-2025-1798

dfn-cert: DFN-CERT-2025-1710

dfn-cert: DFN-CERT-2025-1316

dfn-cert: DFN-CERT-2025-0473

dfn-cert: DFN-CERT-2025-0294

dfn-cert: DFN-CERT-2024-2991

dfn-cert: DFN-CERT-2024-2739

dfn-cert: DFN-CERT-2024-2738

dfn-cert: DFN-CERT-2024-1865

dfn-cert: DFN-CERT-2024-1846

dfn-cert: DFN-CERT-2024-1510

dfn-cert: DFN-CERT-2024-1504

dfn-cert: DFN-CERT-2024-1250

dfn-cert: DFN-CERT-2024-1092

dfn-cert: DFN-CERT-2024-0732

dfn-cert: DFN-CERT-2024-0716

dfn-cert: DFN-CERT-2024-0377

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5004289)
Summary This host is missing a critical security update according to Microsoft KB5004289
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.25661 File checked: C:\Windows\system32\advapi32.dll File version: 6.1.7600.16385
Impact Successful exploitation will allow an attacker to perform remote code execution, gain access to potentially sensitive data, conduct spoofing and elevate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Common Log File System Driver. - A security feature bypass vulnerability in Kerberos AppContainer. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5004289) OID:1.3.6.1.4.1.25623.1.0.817724 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-31183 cve: CVE-2021-31979 cve: CVE-2021-33745 cve: CVE-2021-33746 cve: CVE-2021-33749 cve: CVE-2021-33750
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2021-33752
cve: CVE-2021-33754
cve: CVE-2021-33756
cve: CVE-2021-33757
cve: CVE-2021-33764
cve: CVE-2021-33765
cve: CVE-2021-33780
cve: CVE-2021-33782
cve: CVE-2021-33783
cve: CVE-2021-33786
cve: CVE-2021-33788
cve: CVE-2021-34440
cve: CVE-2021-34441
cve: CVE-2021-34442
cve: CVE-2021-34444
cve: CVE-2021-34446
cve: CVE-2021-34447
cve: CVE-2021-34448
cve: CVE-2021-34456
cve: CVE-2021-34457
cve: CVE-2021-34476
cve: CVE-2021-34492
cve: CVE-2021-34494
cve: CVE-2021-34496
cve: CVE-2021-34497
cve: CVE-2021-34498
cve: CVE-2021-34499
cve: CVE-2021-34500
cve: CVE-2021-34504
cve: CVE-2021-34507
cve: CVE-2021-34511
cve: CVE-2021-34514
cve: CVE-2021-34516
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5004289
cert-bund: CB-K21/0736
dfn-cert: DFN-CERT-2021-1484

```

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4577051)

Summary

This host is missing a critical security update according to Microsoft KB4577051

...continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24560 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741	
Impact Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges, conduct DoS condition and disclose sensitive information.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Multiple flaws exist due to errors, - when the Windows RSoP Service Application improperly handles memory. - when Active Directory integrated DNS (ADIDNS) mishandles objects in memory. - in how splwow64.exe handles certain calls. - in the way that Microsoft COM for Windows handles objects in memory. Please see the references for more information on the vulnerabilities.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4577051) OID:1.3.6.1.4.1.25623.1.0.817365 Version used: 2024-06-26T10:35:39+05:30	
References cve: CVE-2020-0648 cve: CVE-2020-0664 cve: CVE-2020-0718 cve: CVE-2020-0761 cve: CVE-2020-0782 cve: CVE-2020-0790 cve: CVE-2020-0836 cve: CVE-2020-0838 cve: CVE-2020-0856 cve: CVE-2020-0878 cve: CVE-2020-0911 cve: CVE-2020-0912	
... continues on next page ...	

...continued from previous page ...

```

cve: CVE-2020-0921
cve: CVE-2020-0922
cve: CVE-2020-1012
cve: CVE-2020-1013
cve: CVE-2020-1030
cve: CVE-2020-1031
cve: CVE-2020-1038
cve: CVE-2020-1039
cve: CVE-2020-1052
cve: CVE-2020-1074
cve: CVE-2020-1083
cve: CVE-2020-1091
cve: CVE-2020-1097
cve: CVE-2020-1115
cve: CVE-2020-1228
cve: CVE-2020-1245
cve: CVE-2020-1250
cve: CVE-2020-1252
cve: CVE-2020-1256
cve: CVE-2020-1285
cve: CVE-2020-1376
cve: CVE-2020-1491
cve: CVE-2020-1508
cve: CVE-2020-1559
cve: CVE-2020-1589
cve: CVE-2020-1593
cve: CVE-2020-1596
cve: CVE-2020-1598
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/4577051
cert-bund: CB-K20/0882
cert-bund: CB-K20/0880
cert-bund: CB-K20/0876
dfn-cert: DFN-CERT-2020-1955
dfn-cert: DFN-CERT-2020-1954
dfn-cert: DFN-CERT-2020-1953
dfn-cert: DFN-CERT-2020-1948

```

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4103718)

Summary

This host is missing a critical security update according to Microsoft KB4103718

...continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24117 File checked: C:\Windows\system32\advapi32.dll File version: 6.1.7600.16385
Impact Successful exploitation will allow attackers to gain the same user rights as the current user, run arbitrary code, disclose sensitive information and run processes in an elevated context and it may lead to further compromise of the system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Microsoft browsers improperly access objects in memory. - The Win32k component fails to properly handle objects in memory. - Windows kernel fails to properly handle objects in memory. - The VBScript engine improperly handles objects in memory. - The scripting engine improperly handles objects in memory in Microsoft browsers. - Windows Common Log File System (CLFS) driver improperly handles objects in memory. - Chakra improperly discloses the contents of its memory. - Windows Hyper-V on a host server fails to properly validate input from an authenticated user on a guest operating system. - Windows 'its:/' protocol handler unnecessarily sends traffic to a remote site in order to determine the zone of a provided URL. - An error in Credential Security Support Provider protocol (CredSSP).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4103718) OID:1.3.6.1.4.1.25623.1.0.813336 Version used: 2024-08-09T10:35:42+05:30
References cve: CVE-2018-0954 cve: CVE-2018-0955 cve: CVE-2018-0959 cve: CVE-2018-1022
... continues on next page ...

...continued from previous page ...

cve: CVE-2018-1025
cve: CVE-2018-8114
cve: CVE-2018-8120
cve: CVE-2018-8122
cve: CVE-2018-8124
cve: CVE-2018-8127
cve: CVE-2018-8136
cve: CVE-2018-8145
cve: CVE-2018-8164
cve: CVE-2018-8166
cve: CVE-2018-8167
cve: CVE-2018-8174
cve: CVE-2018-8178
cve: CVE-2018-8897
cve: CVE-2018-0824
cve: CVE-2017-11927
cve: CVE-2018-0886
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4103718>
cert-bund: CB-K18/0698
cert-bund: CB-K18/0662
cert-bund: CB-K18/0660
cert-bund: CB-K18/0659
cert-bund: CB-K18/0657
cert-bund: CB-K18/0654
cert-bund: CB-K18/0653
cert-bund: CB-K18/0652
cert-bund: CB-K18/0630
cert-bund: CB-K18/0461
cert-bund: CB-K17/2149
dfn-cert: DFN-CERT-2020-1810
dfn-cert: DFN-CERT-2019-0142
dfn-cert: DFN-CERT-2018-2349
dfn-cert: DFN-CERT-2018-2309
dfn-cert: DFN-CERT-2018-1446
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1072
dfn-cert: DFN-CERT-2018-1059
dfn-cert: DFN-CERT-2018-0988
dfn-cert: DFN-CERT-2018-0936
dfn-cert: DFN-CERT-2018-0933
dfn-cert: DFN-CERT-2018-0931
dfn-cert: DFN-CERT-2018-0928
dfn-cert: DFN-CERT-2018-0914
dfn-cert: DFN-CERT-2018-0896
dfn-cert: DFN-CERT-2018-0895

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2018-0890
dfn-cert: DFN-CERT-2018-0889
dfn-cert: DFN-CERT-2018-0888
dfn-cert: DFN-CERT-2018-0887
dfn-cert: DFN-CERT-2018-0886
dfn-cert: DFN-CERT-2018-0885
dfn-cert: DFN-CERT-2018-0884
dfn-cert: DFN-CERT-2018-0883
dfn-cert: DFN-CERT-2018-0882
dfn-cert: DFN-CERT-2018-0881
dfn-cert: DFN-CERT-2018-0878
dfn-cert: DFN-CERT-2018-0874
dfn-cert: DFN-CERT-2018-0873
dfn-cert: DFN-CERT-2018-0871
dfn-cert: DFN-CERT-2018-0869
dfn-cert: DFN-CERT-2018-0868
dfn-cert: DFN-CERT-2018-0865
dfn-cert: DFN-CERT-2018-0785
dfn-cert: DFN-CERT-2018-0493
dfn-cert: DFN-CERT-2017-2253

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4093118)

Summary

This host is missing a critical security update according to Microsoft KB4093118

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\mshtml.dll

File version: 8.0.7601.17514

Vulnerable range: Less than 11.0.9600.18978

Impact

Successful exploitation will allow an attacker to take control of the affected system, obtain information to further compromise the user's system, execute arbitrary code, retrieve the memory address of a kernel object, cause a target system to stop responding.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

...continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - When the Windows font library improperly handles specially crafted embedded fonts. - When Internet Explorer improperly accesses objects in memory. - When the Windows kernel fails to properly initialize a memory address. - When the scripting engine does not properly handle objects in memory in Internet Explorer. - In Windows Adobe Type Manager Font Driver (ATMFD). - In the Windows kernel that could allow an attacker to retrieve information that could lead to a Kernel Address Space Layout Randomization (ASLR) bypass. - In the way that Windows SNMP Service handles malformed SNMP traps. - When the Windows kernel improperly handles objects in memory. - In the way that the VBScript engine handles objects in memory. - In the way that Windows handles objects in memory. - In Remote Desktop Protocol (RDP) when an attacker connects to the target system using RDP and sends specially crafted requests. - In the Microsoft JET Database Engine that could allow remote code execution on an affected system.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4093118) OID:1.3.6.1.4.1.25623.1.0.812863 Version used: 2023-11-03T21:40:08+05:30
References cve: CVE-2018-0870 cve: CVE-2018-0887 cve: CVE-2018-8116 cve: CVE-2018-0960 cve: CVE-2018-0967 cve: CVE-2018-0969 cve: CVE-2018-0970 cve: CVE-2018-0971 cve: CVE-2018-0972 cve: CVE-2018-0973 cve: CVE-2018-0974 cve: CVE-2018-0975 cve: CVE-2018-0976 cve: CVE-2018-0981 cve: CVE-2018-0987 cve: CVE-2018-0988 cve: CVE-2018-0989 cve: CVE-2018-0991 cve: CVE-2018-1003
...continues on next page ...

...continued from previous page ...
cve: CVE-2018-1004
cve: CVE-2018-1008
cve: CVE-2018-1010
cve: CVE-2018-1012
cve: CVE-2018-1013
cve: CVE-2018-1015
cve: CVE-2018-1016
cve: CVE-2018-1018
cve: CVE-2018-1020
cve: CVE-2018-0996
cve: CVE-2018-0997
cve: CVE-2018-1000
cve: CVE-2018-1001
url: https://support.microsoft.com/en-us/help/4093118
cert-bund: CB-K18/0586
cert-bund: CB-K18/0585
dfn-cert: DFN-CERT-2018-0680
dfn-cert: DFN-CERT-2018-0678

High (CVSS: 8.8)
NVT: Oracle Java SE Security Update (Apr 2024) -02 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE 8u401 and prior on Windows.
... continues on next page ...

...continued from previous page ...
Vulnerability Insight These vulnerabilities exist: - CVE-2024-21003: An error in the JavaFX component of Oracle Java SE. - CVE-2024-21005: An error in the JavaFX component of Oracle Java SE. Please see the references for more information on the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2024) -02 - Windows OID:1.3.6.1.4.1.25623.1.0.832953 Version used: 2024-08-15T10:35:37+05:30
References cve: CVE-2023-41993 cve: CVE-2024-21003 cve: CVE-2024-21005 cve: CVE-2024-21002 cve: CVE-2024-21004 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://www.oracle.com/security-alerts/cpuapr2024.html#AppendixJAVA cert-bund: WID-SEC-2025-0001 cert-bund: WID-SEC-2024-0895 cert-bund: WID-SEC-2023-2705 cert-bund: WID-SEC-2023-2454 cert-bund: WID-SEC-2023-2453 cert-bund: WID-SEC-2023-2452 cert-bund: WID-SEC-2023-2427 cert-bund: WID-SEC-2023-2424 dfn-cert: DFN-CERT-2025-1798 dfn-cert: DFN-CERT-2024-1413 dfn-cert: DFN-CERT-2024-1005 dfn-cert: DFN-CERT-2024-1004 dfn-cert: DFN-CERT-2023-2645 dfn-cert: DFN-CERT-2023-2334 dfn-cert: DFN-CERT-2023-2333 dfn-cert: DFN-CERT-2023-2297 dfn-cert: DFN-CERT-2023-2296 dfn-cert: DFN-CERT-2023-2246 dfn-cert: DFN-CERT-2023-2245
High (CVSS: 8.8) NVT: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3076321)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft Bulletin MS15-065.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x and VBScript 5.8 on 8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws are due to improper handling memory objects when accessing it and does not properly validate permissions under specific conditions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3076321) OID:1.3.6.1.4.1.25623.1.0.805720 Version used: 2024-07-01T10:35:39+05:30
References cve: CVE-2015-1729 cve: CVE-2015-1733 cve: CVE-2015-1767 cve: CVE-2015-2372 cve: CVE-2015-2383 cve: CVE-2015-2384 cve: CVE-2015-2385 cve: CVE-2015-2389 cve: CVE-2015-2390 cve: CVE-2015-2391 cve: CVE-2015-2397 cve: CVE-2015-2398 cve: CVE-2015-2401 cve: CVE-2015-2402 cve: CVE-2015-2403 cve: CVE-2015-2404
... continues on next page ...

...continued from previous page ...
cve: CVE-2015-2388 cve: CVE-2015-2406 cve: CVE-2015-2408 cve: CVE-2015-2410 cve: CVE-2015-2411 cve: CVE-2015-2412 cve: CVE-2015-2413 cve: CVE-2015-2414 cve: CVE-2015-2419 cve: CVE-2015-2421 cve: CVE-2015-2422 cve: CVE-2015-2425 cve: CVE-2015-1738 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3065822 url: https://technet.microsoft.com/en-us/library/security/MS15-065 cert-bund: CB-K15/1014 cert-bund: CB-K15/1013 dfn-cert: DFN-CERT-2015-1062 dfn-cert: DFN-CERT-2015-1060

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4038777)

Summary

This host is missing a critical security update according to Microsoft KB4038777

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\win32spl.dll

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23889

Impact

Successful exploitation will allow an attacker to gain access to potentially sensitive information, perform a man-in-the-middle attack and force a user's computer to unknowingly route traffic through the attacker's computer, execute arbitrary code on the target, embed an ActiveX control marked safe for initialization, take complete control of the affected system and read arbitrary files on the affected system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

... continues on next page ...

...continued from previous page ...

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- An error when Windows Hyper-V on a host operating system fails to properly validate input from an authenticated user on a guest operating system.
- An issue when the Windows kernel fails to properly initialize a memory address.
- An error when the Windows kernel improperly handles objects in memory.
- An error in Microsoft's implementation of the Bluetooth stack.
- An error in the way that Microsoft browser JavaScript engines render content when handling objects in memory.
- An error when Windows Uniscribe improperly discloses the contents of its memory.
- An error due to the way Windows Uniscribe handles objects in memory.
- An error when Microsoft browsers improperly access objects in memory.
- An error when Internet Explorer improperly handles specific HTML content.
- An error in Microsoft browsers due to improper parent domain verification in certain functionality.
- An error in the way that the Windows Graphics Device Interface (GDI) handles objects in memory, allowing an attacker to retrieve information from a targeted system.
- An error when the Windows GDI+ component improperly discloses kernel memory addresses.
- An error in Windows when the Windows kernel-mode driver fails to properly handle objects in memory.
- An error when Windows Shell does not properly validate file copy destinations.
- An error in Windows kernel.
- An error when the Windows font library improperly handles specially crafted embedded fonts.
- An error in the Microsoft Common Console Document.
- An error in Windows when the Win32k component fails to properly handle objects in memory.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4038777)

OID:1.3.6.1.4.1.25623.1.0.811746

Version used: 2023-07-25T10:35:58+05:30

References

- cve: CVE-2017-0161
- cve: CVE-2017-8719
- cve: CVE-2017-8720
- cve: CVE-2017-8628
- cve: CVE-2017-8733
- cve: CVE-2017-8736
- cve: CVE-2017-8675
- cve: CVE-2017-8676

... continues on next page ...

...continued from previous page ...

cve: CVE-2017-8741
cve: CVE-2017-8677
cve: CVE-2017-8678
cve: CVE-2017-8747
cve: CVE-2017-8748
cve: CVE-2017-8679
cve: CVE-2017-8680
cve: CVE-2017-8681
cve: CVE-2017-8749
cve: CVE-2017-8750
cve: CVE-2017-8682
cve: CVE-2017-8683
cve: CVE-2017-8684
cve: CVE-2017-8685
cve: CVE-2017-8687
cve: CVE-2017-8688
cve: CVE-2017-8696
cve: CVE-2017-8699
cve: CVE-2017-8707
cve: CVE-2017-8708
cve: CVE-2017-8709
cve: CVE-2017-8710
cve: CVE-2017-8695
url: <https://support.microsoft.com/en-us/help/4038777>
url: <http://www.securityfocus.com/bid/100728>
url: <http://www.securityfocus.com/bid/100744>
url: <http://www.securityfocus.com/bid/100737>
url: <http://www.securityfocus.com/bid/100743>
url: <http://www.securityfocus.com/bid/100752>
url: <http://www.securityfocus.com/bid/100755>
url: <http://www.securityfocus.com/bid/100764>
url: <http://www.securityfocus.com/bid/100767>
url: <http://www.securityfocus.com/bid/100769>
url: <http://www.securityfocus.com/bid/100765>
url: <http://www.securityfocus.com/bid/100766>
url: <http://www.securityfocus.com/bid/100720>
url: <http://www.securityfocus.com/bid/100722>
url: <http://www.securityfocus.com/bid/100727>
url: <http://www.securityfocus.com/bid/100770>
url: <http://www.securityfocus.com/bid/100771>
url: <http://www.securityfocus.com/bid/100772>
url: <http://www.securityfocus.com/bid/100781>
url: <http://www.securityfocus.com/bid/100782>
url: <http://www.securityfocus.com/bid/100724>
url: <http://www.securityfocus.com/bid/100736>
url: <http://www.securityfocus.com/bid/100756>
url: <http://www.securityfocus.com/bid/100780>

...continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/100783
url: http://www.securityfocus.com/bid/100790
url: http://www.securityfocus.com/bid/100791
url: http://www.securityfocus.com/bid/100792
url: http://www.securityfocus.com/bid/100793
url: http://www.securityfocus.com/bid/100773
cert-bund: CB-K17/1570
cert-bund: CB-K17/1553
cert-bund: CB-K17/1550
cert-bund: CB-K17/1548
cert-bund: CB-K17/1547
dfn-cert: DFN-CERT-2017-1634
dfn-cert: DFN-CERT-2017-1614
dfn-cert: DFN-CERT-2017-1613
dfn-cert: DFN-CERT-2017-1612
dfn-cert: DFN-CERT-2017-1611

High (CVSS: 8.8)

NVT: Microsoft Windows SMB Server Multiple Vulnerabilities (4013389)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS17-010(WannaCrypt)

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\win32k.sys
 File version: 6.1.7601.17514
 Vulnerable range: Less than 6.1.7601.23677

Impact

Successful exploitation will allow remote attackers to gain the ability to execute code on the target server, also could lead to information disclosure from the server.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior
- Microsoft Windows XP SP2 x64
- Microsoft Windows XP SP3 x86
- Microsoft Windows 8 x86/x64

... continues on next page ...

...continued from previous page...

- Microsoft Windows 10 x32/x64
- Microsoft Windows Server 2012
- Microsoft Windows Server 2016
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012 R2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows Server 2008 x32/x64 Service Pack 2

Vulnerability Insight

Multiple flaws exist due to the way that the Microsoft Server Message Block 1.0 (SMBv1) server handles certain requests(WannaCrypt).

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows SMB Server Multiple Vulnerabilities (4013389)

OID:1.3.6.1.4.1.25623.1.0.810810

Version used: 2024-07-17T10:35:38+05:30

References

cve: CVE-2017-0143

cve: CVE-2017-0144

cve: CVE-2017-0145

cve: CVE-2017-0146

cve: CVE-2017-0147

cve: CVE-2017-0148

cisa: Known Exploited Vulnerability (KEV) catalog

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

url: <https://support.microsoft.com/en-us/kb/4013078>

url: <http://www.securityfocus.com/bid/96703>

url: <http://www.securityfocus.com/bid/96704>

url: <http://www.securityfocus.com/bid/96705>

url: <http://www.securityfocus.com/bid/96707>

url: <http://www.securityfocus.com/bid/96709>

url: <http://www.securityfocus.com/bid/96706>

url: <https://technet.microsoft.com/library/security/MS17-010>

url: <http://www.catalog.update.microsoft.com/Search.aspx?q=KB4012598>

url: <https://blogs.technet.microsoft.com/msrc/2017/05/12/customer-guidance-for-wanna-crypt-attacks>

cert-bund: CB-K17/0435

dfn-cert: DFN-CERT-2017-0448

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5022338)
Summary This host is missing an important security update according to Microsoft KB5022338
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.26321 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - A Remote Code Execution Vulnerability in Windows Layer 2 Tunneling Protocol. - An elevation of privilege vulnerability in Windows Kernel. - A Denial of Service Vulnerability in Windows Layer 2 Tunneling Protocol. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5022338) OID:1.3.6.1.4.1.25623.1.0.826831 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2023-21546 cve: CVE-2023-21543 cve: CVE-2023-21548 cve: CVE-2023-21555 cve: CVE-2023-21556 ... continues on next page ...

...continued from previous page ...

cve: CVE-2023-21561
cve: CVE-2023-21679
cve: CVE-2023-21730
cve: CVE-2023-21527
cve: CVE-2023-21532
cve: CVE-2023-21537
cve: CVE-2023-21541
cve: CVE-2023-21542
cve: CVE-2023-21549
cve: CVE-2023-21552
cve: CVE-2023-21557
cve: CVE-2023-21560
cve: CVE-2023-21563
cve: CVE-2023-21675
cve: CVE-2023-21678
cve: CVE-2023-21680
cve: CVE-2023-21681
cve: CVE-2023-21682
cve: CVE-2023-21726
cve: CVE-2023-21728
cve: CVE-2023-21732
cve: CVE-2023-21746
cve: CVE-2023-21748
cve: CVE-2023-21750
cve: CVE-2023-21757
cve: CVE-2023-21774
cve: CVE-2023-21525
cve: CVE-2023-21765
cve: CVE-2023-21752
cve: CVE-2023-21776
cve: CVE-2023-21749
cve: CVE-2023-21772
cve: CVE-2023-21524
cve: CVE-2023-21747
cve: CVE-2023-21773
cve: CVE-2023-21754
cve: CVE-2023-21760
url: <https://support.microsoft.com/en-us/help/50122338>
cert-bund: WID-SEC-2023-0055
dfn-cert: DFN-CERT-2023-0050

High (CVSS: 8.8)**NVT: Microsoft Windows XML Core Services Remote Code Execution Vulnerability (3148541)****Summary**

...continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft Bulletin MS15-040.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Msxml3.dll File version: 8.110.7601.17514 Vulnerable range: Less than 8.110.7601.23373
Impact Successful exploitation will allow remote attackers to run malicious code remotely to take control of the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2
Vulnerability Insight Flaw exists due to some unspecified error when XML Core services parser processes user input.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows XML Core Services Remote Code Execution Vulnerability (314854. ↪.. OID:1.3.6.1.4.1.25623.1.0.807539 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0147 url: https://support.microsoft.com/kb/3146963 url: https://technet.microsoft.com/library/security/MS16-040 url: https://technet.microsoft.com/library/security/MS15-040 cert-bund: CB-K16/0546 dfn-cert: DFN-CERT-2016-0589

High (CVSS: 8.8)	
NVT: Microsoft .NET Framework Multiple Vulnerabilities (KB4507420)	
Summary This host is missing a critical security update according to Microsoft KB4507420	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerable range: 4.0.30319.30000 - 4.0.30319.36565 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.identitymodel.dll File version: 4.0.30319.34209	
Impact Successful exploitation will allow an attacker to gain elevated privileges, conduct denial-of-service condition and execute arbitrary code.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2 and 4.8 on Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.	
Vulnerability Insight Multiple flaws exist due to: - An error in Windows Communication Foundation (WCF) and Windows Identity Foundation (WIF), allowing signing of SAML tokens with arbitrary symmetric keys. - An error when Microsoft Common Object Runtime Library improperly handles web requests. - Because the .NET Framework fails to check the source markup of a file.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (KB4507420) OID:1.3.6.1.4.1.25623.1.0.815156 Version used: 2022-04-13T12:51:45+05:30	
References cve: CVE-2019-1113 cve: CVE-2019-1006 cve: CVE-2019-1083 url: https://support.microsoft.com/en-us/help/4506994/ url: http://www.securityfocus.com/bid/108977	
... continues on next page ...	

...continued from previous page ...
url: http://www.securityfocus.com/bid/108978
url: http://www.securityfocus.com/bid/108981
url: https://support.microsoft.com/en-us/help/4506997/
url: https://support.microsoft.com/en-us/help/4507001/
url: https://support.microsoft.com/en-us/help/4507004/
url: https://support.microsoft.com/en-us/help/4507420/
cert-bund: CB-K19/0593
dfn-cert: DFN-CERT-2019-1397
dfn-cert: DFN-CERT-2019-1396
dfn-cert: DFN-CERT-2019-1392
dfn-cert: DFN-CERT-2019-1391

High (CVSS: 8.8)

NVT: Microsoft .NET Framework Multiple Vulnerabilities (KB4483455)

Summary

This host is missing an important security update according to Microsoft KB4483455

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: 4.0.30319.30000 - 4.0.30319.36519

File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.dll

File version: 4.0.30319.34209

Impact

Successful exploitation will allow an attacker to bypass security logic intended to ensure that a user-provided URL belonged to a specific hostname or a subdomain of that hostname and run arbitrary code in the context of the current user.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft .NET Framework 4.5.2 on Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- An error in .NET Framework when the software fails to check the source markup of a file.

... continues on next page ...

...continued from previous page ...
- An error in certain .Net Framework API's in the way they parse URL's.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (KB4483455) OID:1.3.6.1.4.1.25623.1.0.814748 Version used: 2022-04-13T12:51:45+05:30
References cve: CVE-2019-0657 cve: CVE-2019-0613 url: https://support.microsoft.com/en-us/help/4483455 url: http://www.securityfocus.com/bid/106890 url: http://www.securityfocus.com/bid/106872 cert-bund: CB-K19/0136 cert-bund: CB-K19/0135 dfn-cert: DFN-CERT-2019-0363 dfn-cert: DFN-CERT-2019-0329 dfn-cert: DFN-CERT-2019-0318

High (CVSS: 8.8)
NVT: Microsoft XML Core Services Remote Code Execution Vulnerability (2719615)
Summary Microsoft XML Core Services is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Msxml6.dll File version: 6.30.7601.17514 Vulnerable range: 6.30.7601.17000 - 6.30.7601.17856
Impact Successful exploitation could allow remote attackers to execute arbitrary code as the logged-on user.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS - Microsoft Expression Web 2 - Microsoft Office Word Viewer
... continues on next page ...

...continued from previous page ...
- Microsoft Office Compatibility - Microsoft Office 2003 Service Pack 3 and prior - Microsoft Office 2007 Service Pack 3 and prior - Microsoft Expression Web Service Pack 1 and prior - Microsoft Groove Server 2007 Service Pack 3 and prior - Microsoft SharePoint Server 2007 Service Pack 3 and prior - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Microsoft XML Core Services attempts to access an object in memory that has not been initialized, which allows an attacker to corrupt memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft XML Core Services Remote Code Execution Vulnerability (2719615) OID:1.3.6.1.4.1.25623.1.0.802864 Version used: 2026-03-10T15:45:11+05:30
References cve: CVE-2012-1889 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: http://securitytracker.com/id/1027157 url: http://support.microsoft.com/kb/2719615 url: https://docs.microsoft.com/en-us/security-updates/SecurityAdvisories/2012/2719615 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms12-043 dfn-cert: DFN-CERT-2012-1327 dfn-cert: DFN-CERT-2012-1125
High (CVSS: 8.8) NVT: Microsoft Windows Kernel-Mode Driver Privilege Escalation and RCE Vulnerabilities (3000061)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-058.
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow attacker to gain escalated privilege and compromise a user's system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2	
Vulnerability Insight The flaw is due to errors in win32k.sys when handling certain objects and parsing TrueType fonts.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver Privilege Escalation and RCE Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.804859 Version used: 2024-07-01T10:35:39+05:30	
References cve: CVE-2014-4113 cve: CVE-2014-4148 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/3000061 url: http://www.securityfocus.com/bid/70364 url: http://www.securityfocus.com/bid/70429 url: https://technet.microsoft.com/library/security/ms14-058 cert-bund: CB-K14/1291 dfn-cert: DFN-CERT-2014-1351	

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5006743)
Summary This host is missing a critical security update according to Microsoft KB5006743
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.25740 File checked: C:\Windows\system32\advapi32.dll File version: 6.1.7600.16385
Impact Successful exploitation will allow an attacker to disclose sensitive information, perform remote code execution, cause denial of service condition, conduct spoofing and elevate privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error in Windows exFAT File System. - An error in Windows Fast FAT File System Driver. - A error in Windows Remote Procedure Call Runtime. - An error in Windows Media Audio Decoder. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5006743) OID:1.3.6.1.4.1.25623.1.0.818808 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2021-26442 cve: CVE-2021-36953 cve: CVE-2021-36970 cve: CVE-2021-38662 ... continues on next page ...

...continued from previous page ...
cve: CVE-2021-38663 cve: CVE-2021-40443 cve: CVE-2021-40449 cve: CVE-2021-40455 cve: CVE-2021-40460 cve: CVE-2021-40465 cve: CVE-2021-40466 cve: CVE-2021-40467 cve: CVE-2021-40469 cve: CVE-2021-40489 cve: CVE-2021-41331 cve: CVE-2021-41332 cve: CVE-2021-41335 cve: CVE-2021-41340 cve: CVE-2021-41342 cve: CVE-2021-41343 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5006743 cert-bund: CB-K21/1068 dfn-cert: DFN-CERT-2021-2125

High (CVSS: 8.8)

NVT: Microsoft Uniscribe Remote Code Execution Vulnerability (3204063)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS16-147.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Usp10.dll

File version: 1.626.7601.17514

Vulnerable range: Less than 1.626.7601.23585

Impact

Successful exploitation will allow an attacker to take control of the affected system. An attacker could then:

- install programs
- view, change, or delete data
- or create new accounts with full user rights.

Users whose accounts are configured to have fewer user rights on the system could be less impacted than users who operate with administrative user rights.

Solution:

... continues on next page ...

...continued from previous page ...
Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight The flaw exists due to the way Windows Uniscribe handles objects in the memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Uniscribe Remote Code Execution Vulnerability (3204063) OID:1.3.6.1.4.1.25623.1.0.809832 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-7274 url: https://support.microsoft.com/en-us/kb/3204063 url: https://technet.microsoft.com/library/security/MS16-147 cert-bund: CB-K16/1959 dfn-cert: DFN-CERT-2016-2066

High (CVSS: 8.8)

NVT: Microsoft SMBv1 Server Authenticated Remote Code Execution Vulnerability (3185879)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-114.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\drivers\Srv.sys
File version: 6.1.7601.17514
Vulnerable range: Less than 6.1.7601.23517

... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation will allow attacker to take complete control of an affected system. An attacker could then install, programs, view, change, or delete data or create new accounts with full user rights.
Solution: Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight	An authenticated remote code execution vulnerability exists in Windows that is caused when Server Message Block (SMB) improperly handles certain logging activities, resulting in memory corruption.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft SMBv1 Server Authenticated Remote Code Execution Vulnerability (31858. ↔.. OID:1.3.6.1.4.1.25623.1.0.809225 Version used: 2024-06-21T10:35:42+05:30
References	cve: CVE-2016-3345 url: https://support.microsoft.com/en-us/kb/3185879 url: http://www.securityfocus.com/bid/92859 url: https://technet.microsoft.com/library/security/MS16-114 cert-bund: CB-K16/1406 dfn-cert: DFN-CERT-2016-1483
High (CVSS: 8.8)	
NVT: Microsoft Windows Multiple Vulnerabilities (KB5014748)	
Summary	... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft KB5014748
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 6.1.7601.0 - 6.1.7601.25982 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Local Security Authority Subsystem Service. - A Remote Code Execution Vulnerability in Windows Hyper-V. - A Denial of Service Vulnerability in Windows Kernel. The flaw in the Microsoft Windows Support Diagnostic Tool (MSDT) and tracked via CVE-2022-30190 is dubbed 'Follina'. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5014748) OID:1.3.6.1.4.1.25623.1.0.817782 Version used: 2023-10-19T10:35:21+05:30
References cve: CVE-2022-21123 cve: CVE-2022-21125 cve: CVE-2022-21127 cve: CVE-2022-21166 cve: CVE-2022-30135 cve: CVE-2022-30140 cve: CVE-2022-30141 cve: CVE-2022-30142
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-30143
cve: CVE-2022-30146
cve: CVE-2022-30147
cve: CVE-2022-30149
cve: CVE-2022-30151
cve: CVE-2022-30152
cve: CVE-2022-30153
cve: CVE-2022-30155
cve: CVE-2022-30160
cve: CVE-2022-30161
cve: CVE-2022-30163
cve: CVE-2022-30166
cve: CVE-2022-30190
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5014748
url: https://msrc.microsoft.com/update-guide/en-US/vulnerability/CVE-2022-30190
url: https://msrc-blog.microsoft.com/2022/05/30/guidance-for-cve-2022-30190-micr
↳ osoft-support-diagnostic-tool-vulnerability/
url: https://doublepulsar.com/follina-a-microsoft-office-code-execution-vulnerab
↳ ility-1a47fce5629e
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2022-1767
cert-bund: WID-SEC-2022-0336
cert-bund: WID-SEC-2022-0330
cert-bund: WID-SEC-2022-0325
cert-bund: WID-SEC-2022-0303
dfn-cert: DFN-CERT-2023-1230
dfn-cert: DFN-CERT-2023-0376
dfn-cert: DFN-CERT-2022-2858
dfn-cert: DFN-CERT-2022-2569
dfn-cert: DFN-CERT-2022-2446
dfn-cert: DFN-CERT-2022-2304
dfn-cert: DFN-CERT-2022-1725
dfn-cert: DFN-CERT-2022-1664
dfn-cert: DFN-CERT-2022-1663
dfn-cert: DFN-CERT-2022-1661
dfn-cert: DFN-CERT-2022-1640
dfn-cert: DFN-CERT-2022-1636
dfn-cert: DFN-CERT-2022-1596
dfn-cert: DFN-CERT-2022-1575
dfn-cert: DFN-CERT-2022-1552
dfn-cert: DFN-CERT-2022-1529
dfn-cert: DFN-CERT-2022-1523
dfn-cert: DFN-CERT-2022-1519
dfn-cert: DFN-CERT-2022-1488

```

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-1481
dfn-cert: DFN-CERT-2022-1424
dfn-cert: DFN-CERT-2022-1413
dfn-cert: DFN-CERT-2022-1405
dfn-cert: DFN-CERT-2022-1378
dfn-cert: DFN-CERT-2022-1375
dfn-cert: DFN-CERT-2022-1371
dfn-cert: DFN-CERT-2022-1369
dfn-cert: DFN-CERT-2022-1365
dfn-cert: DFN-CERT-2022-1358
dfn-cert: DFN-CERT-2022-1345
dfn-cert: DFN-CERT-2022-1343
dfn-cert: DFN-CERT-2022-1342
dfn-cert: DFN-CERT-2022-1341
dfn-cert: DFN-CERT-2022-1338
dfn-cert: DFN-CERT-2022-1336
dfn-cert: DFN-CERT-2022-1334
dfn-cert: DFN-CERT-2022-1333
dfn-cert: DFN-CERT-2022-1328
dfn-cert: DFN-CERT-2022-1221

High (CVSS: 8.8)

NVT: Microsoft Windows Monthly Rollup (KB4015549)

Summary

This host is missing a monthly rollup according to Microsoft security update KB4015549.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\01e32.dll

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23714

Impact

Successful exploitation will allow an attacker to execute code or elevate user privileges, take control of the affected system, and access information from one domain and inject it into another domain.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight This security update includes improvements and resolves the following security vulnerabilities in Windows: scripting engine, Hyper-V, libjpeg image-processing library, Adobe Type Manager Font Driver, Win32K, Microsoft Outlook, Internet Explorer, Graphics Component, Windows kernel-mode drivers and Lightweight Directory Access Protocol.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Monthly Rollup (KB4015549) OID:1.3.6.1.4.1.25623.1.0.810851 Version used: 2024-07-04T10:35:37+05:30
References cve: CVE-2017-0183 cve: CVE-2017-0184 cve: CVE-2013-6629 cve: CVE-2017-0058 cve: CVE-2017-0155 cve: CVE-2017-0156 cve: CVE-2017-0158 cve: CVE-2017-0163 cve: CVE-2017-0166 cve: CVE-2017-0168 cve: CVE-2017-0180 cve: CVE-2017-0182 cve: CVE-2017-0191 cve: CVE-2017-0192 cve: CVE-2017-0199 cve: CVE-2017-0202 cve: CVE-2017-0210 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4015549 url: http://www.securityfocus.com/bid/63676 url: http://www.securityfocus.com/bid/97462 url: http://www.securityfocus.com/bid/97471 url: http://www.securityfocus.com/bid/97507 url: http://www.securityfocus.com/bid/97455 url: http://www.securityfocus.com/bid/97465 url: http://www.securityfocus.com/bid/97446 url: http://www.securityfocus.com/bid/97418 url: http://www.securityfocus.com/bid/97444 url: http://www.securityfocus.com/bid/97427 url: http://www.securityfocus.com/bid/97428
...continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/97435>
url: <http://www.securityfocus.com/bid/97466>
url: <http://www.securityfocus.com/bid/97452>
url: <http://www.securityfocus.com/bid/97498>
url: <http://www.securityfocus.com/bid/97441>
url: <http://www.securityfocus.com/bid/97512>
cert-bund: CB-K17/0622
cert-bund: CB-K17/0621
cert-bund: CB-K17/0620
cert-bund: CB-K17/0616
cert-bund: CB-K15/1514
cert-bund: CB-K14/1569
cert-bund: CB-K14/1048
cert-bund: CB-K14/1039
cert-bund: CB-K14/1038
cert-bund: CB-K14/0728
cert-bund: CB-K14/0668
cert-bund: CB-K14/0592
cert-bund: CB-K14/0590
cert-bund: CB-K14/0572
cert-bund: CB-K14/0561
cert-bund: CB-K14/0527
cert-bund: CB-K14/0467
cert-bund: CB-K14/0455
cert-bund: CB-K14/0442
cert-bund: CB-K14/0283
cert-bund: CB-K14/0231
cert-bund: CB-K14/0061
cert-bund: CB-K14/0002
cert-bund: CB-K13/1067
cert-bund: CB-K13/1039
cert-bund: CB-K13/1021
cert-bund: CB-K13/0981
cert-bund: CB-K13/0918
cert-bund: CB-K13/0731
dfn-cert: DFN-CERT-2017-0643
dfn-cert: DFN-CERT-2017-0642
dfn-cert: DFN-CERT-2017-0638
dfn-cert: DFN-CERT-2017-0637
dfn-cert: DFN-CERT-2014-1667
dfn-cert: DFN-CERT-2014-1086
dfn-cert: DFN-CERT-2014-1085
dfn-cert: DFN-CERT-2014-0755
dfn-cert: DFN-CERT-2014-0693
dfn-cert: DFN-CERT-2014-0612
dfn-cert: DFN-CERT-2014-0607
dfn-cert: DFN-CERT-2014-0596

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2014-0589
dfn-cert: DFN-CERT-2014-0550
dfn-cert: DFN-CERT-2014-0475
dfn-cert: DFN-CERT-2014-0474
dfn-cert: DFN-CERT-2014-0454
dfn-cert: DFN-CERT-2014-0292
dfn-cert: DFN-CERT-2014-0059
dfn-cert: DFN-CERT-2013-2129
dfn-cert: DFN-CERT-2013-2106
dfn-cert: DFN-CERT-2013-2049
dfn-cert: DFN-CERT-2013-2046
dfn-cert: DFN-CERT-2013-1995
dfn-cert: DFN-CERT-2013-1934
dfn-cert: DFN-CERT-2013-1729

```

High (CVSS: 8.8)**NVT: Microsoft Windows Monthly Rollup (KB4019264)****Summary**

This host is missing a critical security update (monthly rollup) according to Microsoft KB4019264.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

File checked: C:\Windows\system32\0le32.dll
 File version: 6.1.7601.17514
 Vulnerable range: Less than 6.1.7601.23775

Impact

Successful exploitation will allow an attacker to execute code or elevate user privileges, take control of the affected system, bypass security restrictions, conduct denial-of-service condition, gain access to potentially sensitive information and spoof content by tricking a user by redirecting the user to a specially crafted website.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

... continues on next page ...

...continued from previous page ...

This monthly rollup,
 - Addressed issue where applications that use msado15.dll stop working after installing security update 4015550.
 - Deprecated SHA-1 Microsoft Edge and Internet Explorer 11 for SSL/TLS Server Authentication.
 - Updated Internet Explorer 11's New Tab Page with an integrated newsfeed.
 - Includes security updates to Microsoft Graphics Component, Microsoft Windows DNS, Windows COM, Windows Server, Windows kernel, and Internet Explorer.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
 Details: Microsoft Windows Monthly Rollup (KB4019264)
 OID:1.3.6.1.4.1.25623.1.0.811114
 Version used: 2024-07-25T10:35:41+05:30

References

cve: CVE-2017-0064
 cve: CVE-2017-0077
 cve: CVE-2017-0171
 cve: CVE-2017-0175
 cve: CVE-2017-0190
 cve: CVE-2017-0213
 cve: CVE-2017-0214
 cve: CVE-2017-0220
 cve: CVE-2017-0222
 cve: CVE-2017-0231
 cve: CVE-2017-0242
 cve: CVE-2017-0244
 cve: CVE-2017-0245
 cve: CVE-2017-0246
 cve: CVE-2017-0258
 cve: CVE-2017-0263
 cve: CVE-2017-0267
 cve: CVE-2017-0268
 cve: CVE-2017-0269
 cve: CVE-2017-0270
 cve: CVE-2017-0271
 cve: CVE-2017-0272
 cve: CVE-2017-0273
 cve: CVE-2017-0274
 cve: CVE-2017-0275
 cve: CVE-2017-0276
 cve: CVE-2017-0277
 cve: CVE-2017-0278
 cve: CVE-2017-0279
 cve: CVE-2017-0280
 cve: CVE-2017-8552

...continues on next page ...

...continued from previous page ...

cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/4019264>
url: <http://www.securityfocus.com/bid/98121>
url: <http://www.securityfocus.com/bid/98114>
url: <http://www.securityfocus.com/bid/98097>
url: <http://www.securityfocus.com/bid/98110>
url: <http://www.securityfocus.com/bid/98298>
url: <http://www.securityfocus.com/bid/98102>
url: <http://www.securityfocus.com/bid/98103>
url: <http://www.securityfocus.com/bid/98111>
url: <http://www.securityfocus.com/bid/98127>
url: <http://www.securityfocus.com/bid/98173>
url: <http://www.securityfocus.com/bid/98275>
url: <http://www.securityfocus.com/bid/98109>
url: <http://www.securityfocus.com/bid/98115>
url: <http://www.securityfocus.com/bid/98108>
url: <http://www.securityfocus.com/bid/98112>
url: <http://www.securityfocus.com/bid/98258>
url: <http://www.securityfocus.com/bid/98259>
url: <http://www.securityfocus.com/bid/98261>
url: <http://www.securityfocus.com/bid/98263>
url: <http://www.securityfocus.com/bid/98264>
url: <http://www.securityfocus.com/bid/98265>
url: <http://www.securityfocus.com/bid/98260>
url: <http://www.securityfocus.com/bid/98274>
url: <http://www.securityfocus.com/bid/98266>
url: <http://www.securityfocus.com/bid/98267>
url: <http://www.securityfocus.com/bid/98268>
url: <http://www.securityfocus.com/bid/98270>
url: <http://www.securityfocus.com/bid/98271>
url: <http://www.securityfocus.com/bid/98272>
url: <http://www.securityfocus.com/bid/98273>
cert-bund: CB-K17/0786
cert-bund: CB-K17/0782
cert-bund: CB-K17/0781
dfn-cert: DFN-CERT-2017-0813
dfn-cert: DFN-CERT-2017-0810
dfn-cert: DFN-CERT-2017-0809

High (CVSS: 8.8)

NVT: Microsoft Uniscribe Multiple Vulnerabilities (4013076)

Summary

... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft Bulletin MS17-011.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Usp10.dll File version: 1.626.7601.17514 Vulnerable range: Less than 1.626.7601.23688
Impact Successful exploitation will allow an attacker to take control of the affected system, also to obtain information to further compromise the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight Multiple flaws exist due to: - The way Windows Uniscribe handles objects in memory. - When Windows Uniscribe improperly discloses the contents of its memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Uniscribe Multiple Vulnerabilities (4013076) OID:1.3.6.1.4.1.25623.1.0.810812 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2017-0072 cve: CVE-2017-0083 cve: CVE-2017-0084 cve: CVE-2017-0085 cve: CVE-2017-0086
... continues on next page ...

...continued from previous page ...

cve: CVE-2017-0087
cve: CVE-2017-0088
cve: CVE-2017-0089
cve: CVE-2017-0090
cve: CVE-2017-0091
cve: CVE-2017-0092
cve: CVE-2017-0111
cve: CVE-2017-0112
cve: CVE-2017-0113
cve: CVE-2017-0114
cve: CVE-2017-0115
cve: CVE-2017-0116
cve: CVE-2017-0117
cve: CVE-2017-0118
cve: CVE-2017-0119
cve: CVE-2017-0120
cve: CVE-2017-0121
cve: CVE-2017-0122
cve: CVE-2017-0123
cve: CVE-2017-0124
cve: CVE-2017-0125
cve: CVE-2017-0126
cve: CVE-2017-0127
cve: CVE-2017-0128
url: <https://support.microsoft.com/en-us/kb/>
url: <http://www.securityfocus.com/bid/96599>
url: <http://www.securityfocus.com/bid/96608>
url: <http://www.securityfocus.com/bid/96610>
url: <http://www.securityfocus.com/bid/96652>
url: <http://www.securityfocus.com/bid/96603>
url: <http://www.securityfocus.com/bid/96604>
url: <http://www.securityfocus.com/bid/96605>
url: <http://www.securityfocus.com/bid/96606>
url: <http://www.securityfocus.com/bid/96607>
url: <http://www.securityfocus.com/bid/96657>
url: <http://www.securityfocus.com/bid/96676>
url: <http://www.securityfocus.com/bid/96658>
url: <http://www.securityfocus.com/bid/96659>
url: <http://www.securityfocus.com/bid/96660>
url: <http://www.securityfocus.com/bid/96661>
url: <http://www.securityfocus.com/bid/96663>
url: <http://www.securityfocus.com/bid/96665>
url: <http://www.securityfocus.com/bid/96679>
url: <http://www.securityfocus.com/bid/96680>
url: <http://www.securityfocus.com/bid/96666>
url: <http://www.securityfocus.com/bid/96667>
url: <http://www.securityfocus.com/bid/96678>

...continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/96668 url: http://www.securityfocus.com/bid/96669 url: http://www.securityfocus.com/bid/96670 url: http://www.securityfocus.com/bid/96672 url: http://www.securityfocus.com/bid/96673 url: http://www.securityfocus.com/bid/96674 url: http://www.securityfocus.com/bid/96675 url: https://technet.microsoft.com/library/security/MS17-011 cert-bund: CB-K17/0443 dfn-cert: DFN-CERT-2017-0451

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB5015861)

Summary

This host is missing an important security update according to Microsoft KB5015861

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: 6.1.7601.0 - 6.1.7601.26021
File checked: C:\Windows\system32\Ntoskrnl.exe
File version: 6.1.7601.18741

Impact

Successful exploitation will allow an attacker to elevate privileges, execute arbitrary commands, disclose information, bypass security restrictions and conduct DoS attacks.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit Systems Service Pack 1
- Microsoft Windows 7 for x64-based Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- An elevation of privilege vulnerability in Windows Fax Service.
 - A Remote Code Execution Vulnerability in Windows Graphics Component.
 - A Denial of Service Vulnerability in Windows Security Account Manager.
- Please see the references for more information about the vulnerabilities.

... continues on next page ...

...continued from previous page ...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB5015861)

OID:1.3.6.1.4.1.25623.1.0.821171

Version used: 2025-11-14T21:11:06+05:30

References

cve: CVE-2022-22026

cve: CVE-2022-21845

cve: CVE-2022-22022

cve: CVE-2022-22023

cve: CVE-2022-22024

cve: CVE-2022-22025

cve: CVE-2022-22027

cve: CVE-2022-22028

cve: CVE-2022-22029

cve: CVE-2022-22034

cve: CVE-2022-22036

cve: CVE-2022-22037

cve: CVE-2022-22039

cve: CVE-2022-22040

cve: CVE-2022-22042

cve: CVE-2022-22043

cve: CVE-2022-22047

cve: CVE-2022-22048

cve: CVE-2022-22049

cve: CVE-2022-22050

cve: CVE-2022-30202

cve: CVE-2022-30203

cve: CVE-2022-30205

cve: CVE-2022-30206

cve: CVE-2022-30208

cve: CVE-2022-30209

cve: CVE-2022-30211

cve: CVE-2022-30213

cve: CVE-2022-30220

cve: CVE-2022-30221

cve: CVE-2022-30223

cve: CVE-2022-30224

cve: CVE-2022-30225

cve: CVE-2022-30226

cisa: Known Exploited Vulnerability (KEV) catalog

url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

url: <https://support.microsoft.com/en-us/help/5015861>

cert-bund: WID-SEC-2022-0649

dfn-cert: DFN-CERT-2022-1553

dfn-cert: DFN-CERT-2022-1293

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5018454)
Summary This host is missing an important security update according to Microsoft KB5018454
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.26174 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privilege, execute arbitrary code and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - A Remote Code Execution Vulnerability in Windows Point-to-Point Tunneling Protocol. - An elevation of privilege vulnerability in Active Directory Domain Services. - A Denial of Service Vulnerability in Windows TCP/IP Driver. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5018454) OID:1.3.6.1.4.1.25623.1.0.826570 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-22035 cve: CVE-2022-24504 cve: CVE-2022-30198 cve: CVE-2022-33634 cve: CVE-2022-33635 ... continues on next page ...

...continued from previous page ...

cve: CVE-2022-33645
cve: CVE-2022-35770
cve: CVE-2022-37975
cve: CVE-2022-37976
cve: CVE-2022-37977
cve: CVE-2022-37978
cve: CVE-2022-37981
cve: CVE-2022-37982
cve: CVE-2022-37985
cve: CVE-2022-37986
cve: CVE-2022-37987
cve: CVE-2022-37988
cve: CVE-2022-37989
cve: CVE-2022-37990
cve: CVE-2022-37991
cve: CVE-2022-37993
cve: CVE-2022-37994
cve: CVE-2022-37997
cve: CVE-2022-37999
cve: CVE-2022-38000
cve: CVE-2022-38022
cve: CVE-2022-38026
cve: CVE-2022-38029
cve: CVE-2022-38031
cve: CVE-2022-38032
cve: CVE-2022-38033
cve: CVE-2022-38034
cve: CVE-2022-38037
cve: CVE-2022-38038
cve: CVE-2022-38040
cve: CVE-2022-38041
cve: CVE-2022-38042
cve: CVE-2022-38043
cve: CVE-2022-38044
cve: CVE-2022-38047
cve: CVE-2022-38051
cve: CVE-2022-41033
cve: CVE-2022-41081
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/en-us/help/5018454>
cert-bund: WID-SEC-2022-1682
dfn-cert: DFN-CERT-2022-2249

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5011552)
Summary This host is missing an important security update according to Microsoft KB5011552
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.25895 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, disclose sensitive information, conduct remote code execution, bypass security restrictions, and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Fax and Scan Service. - An elevation of privilege vulnerability in Windows ALPC. - An elevation of privilege vulnerability in Windows Installer. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5011552) OID:1.3.6.1.4.1.25623.1.0.818979 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-21973 cve: CVE-2022-21990 cve: CVE-2022-23253 cve: CVE-2022-23281 cve: CVE-2022-23283 ... continues on next page ...

...continued from previous page ...
cve: CVE-2022-23285 cve: CVE-2022-23290 cve: CVE-2022-23293 cve: CVE-2022-23296 cve: CVE-2022-23297 cve: CVE-2022-23298 cve: CVE-2022-23299 cve: CVE-2022-24454 cve: CVE-2022-24459 cve: CVE-2022-24502 cve: CVE-2022-24503 url: https://support.microsoft.com/en-us/help/5011552 cert-bund: CB-K22/0290 dfn-cert: DFN-CERT-2022-0517

High (CVSS: 8.8)

NVT: Microsoft Windows Print Spooler RCE Vulnerability (KB5005010, PrintNightmare)

Summary

This host is missing a critical security update according to Microsoft KB5005010. The flaw is dubbed 'PrintNightmare'.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 6.1.7601.17514

Fixed version: 6.1.7601.25633

In order to secure your system, please also confirm that the following registry ↪keys are set to 0 (zero) or are not present:

HKEY_LOCAL_MACHINE\SOFTWARE\Policies\Microsoft\Windows NT\Printers\PointAndPrint

- NoWarningNoElevationOnInstall = 0 (DWORD) or not defined (default setting)
- UpdatePromptSettings = 0 (DWORD) or not defined (default setting)

Impact

Successful exploitation allow attackers to execute arbitrary code with SYSTEM privileges on a vulnerable system.

Solution:

Solution type: Workaround

The vendor has released updates.

In addition to installing the updates users are recommended to either disable the Print Spooler service, or to Disable inbound remote printing through Group Policy.

Please see the references for more information.

... continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2019 - Microsoft Windows Server 2016 - Microsoft Windows 7 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2008 x32 - Microsoft Windows Server 2008 R2 x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight The flaw is due to the Microsoft Windows Print Spooler service which fails to restrict access to functionality that allows users to add printers and related drivers.
Vulnerability Detection Method Checks if a vulnerable file and registry configuration is present on the target host. Details: Microsoft Windows Print Spooler RCE Vulnerability (KB5005010, PrintNightmare) OID:1.3.6.1.4.1.25623.1.0.818162 Version used: 2024-09-25T10:36:11+05:30
References cve: CVE-2021-34527 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5005010 url: https://msrc-blog.microsoft.com/2021/07/08/clarified-guidance-for-cve-2021-34527-windows-print-spooler-vulnerability/ cert-bund: CB-K21/0708 dfn-cert: DFN-CERT-2021-1437

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB5009610)

Summary

This host is missing a critical security update according to Microsoft KB5009610

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.25827

File checked: C:\Windows\system32\advapi32.dll

File version: 6.1.7600.16385

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to elevate privileges, disclose sensitive information, conduct remote code execution, bypass security restrictions, conduct DoS attacks and conduct spoofing attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Active Directory Domain Services. - An elevation of privilege vulnerability in Virtual Machine IDE Drive. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5009610) OID:1.3.6.1.4.1.25623.1.0.818952 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-21833 cve: CVE-2022-21834 cve: CVE-2022-21835 cve: CVE-2022-21836 cve: CVE-2022-21838 cve: CVE-2022-21843 cve: CVE-2022-21848 cve: CVE-2022-21850 cve: CVE-2022-21851 cve: CVE-2022-21857 cve: CVE-2022-21859 cve: CVE-2022-21862 cve: CVE-2022-21880 cve: CVE-2022-21883 cve: CVE-2022-21884 cve: CVE-2022-21885 cve: CVE-2022-21889 cve: CVE-2022-21890 cve: CVE-2022-21893 cve: CVE-2022-21897
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-21899
cve: CVE-2022-21900
cve: CVE-2022-21903
cve: CVE-2022-21904
cve: CVE-2022-21905
cve: CVE-2022-21908
cve: CVE-2022-21913
cve: CVE-2022-21914
cve: CVE-2022-21915
cve: CVE-2022-21916
cve: CVE-2022-21919
cve: CVE-2022-21920
cve: CVE-2022-21922
cve: CVE-2022-21924
cve: CVE-2022-21925
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5009610
cert-bund: WID-SEC-2023-0839
cert-bund: CB-K22/0030
dfn-cert: DFN-CERT-2022-0052

```

High (CVSS: 8.8)

NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3204059)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS16-144.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

File checked:      C:\Windows\system32\Mshtml.dll
File version:      8.0.7601.17514
Vulnerable range:  Less than 11.0.9600.18538

```

Impact

Successful exploitation will allow remote attackers to execute arbitrary code in the context of the current user, also could gain the same user rights as the current user, and obtain information to further compromise the user's system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

...continues on next page ...

...continued from previous page ...
Affected Software/OS Microsoft Internet Explorer version 9.x/10.x/11.x.
Vulnerability Insight Multiple flaws exist due to: - The way that the affected components handle objects in memory. - Microsoft browsers improperly accesses objects in memory. - Microsoft browsers fail to correctly apply Same Origin Policy for scripts running inside Web Workers.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3204059) OID:1.3.6.1.4.1.25623.1.0.809833 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-7202 cve: CVE-2016-7278 cve: CVE-2016-7279 cve: CVE-2016-7281 cve: CVE-2016-7282 cve: CVE-2016-7283 cve: CVE-2016-7284 cve: CVE-2016-7287 url: https://support.microsoft.com/en-sg/kb/3204059 url: https://technet.microsoft.com/library/security/MS16-144 cert-bund: CB-K16/1949 cert-bund: CB-K16/1948 cert-bund: CB-K16/1744 dfn-cert: DFN-CERT-2016-2060 dfn-cert: DFN-CERT-2016-2059 dfn-cert: DFN-CERT-2016-1847

High (CVSS: 8.8)
NVT: Oracle Java SE Security Update (Apr 2024) -02 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor
... continues on next page ...

...continued from previous page ...	
Installation	
path / port:	C:\Program Files\Java\jre1.8.0_251
Impact	Successful exploitation allows an attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	Oracle Java SE 8u401 and prior on Windows.
Vulnerability Insight	These vulnerabilities exist: - CVE-2024-21003: An error in the JavaFX component of Oracle Java SE. - CVE-2024-21005: An error in the JavaFX component of Oracle Java SE. Please see the references for more information on the vulnerabilities.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2024) -02 - Windows OID:1.3.6.1.4.1.25623.1.0.832953 Version used: 2024-08-15T10:35:37+05:30
References	cve: CVE-2023-41993 cve: CVE-2024-21003 cve: CVE-2024-21005 cve: CVE-2024-21002 cve: CVE-2024-21004 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://www.oracle.com/security-alerts/cpuapr2024.html#AppendixJAVA cert-bund: WID-SEC-2025-0001 cert-bund: WID-SEC-2024-0895 cert-bund: WID-SEC-2023-2705 cert-bund: WID-SEC-2023-2454 cert-bund: WID-SEC-2023-2453 cert-bund: WID-SEC-2023-2452 cert-bund: WID-SEC-2023-2427 cert-bund: WID-SEC-2023-2424 dfn-cert: DFN-CERT-2025-1798 dfn-cert: DFN-CERT-2024-1413 dfn-cert: DFN-CERT-2024-1005
... continues on next page ...	

...continued from previous page ...
dfn-cert: DFN-CERT-2024-1004
dfn-cert: DFN-CERT-2023-2645
dfn-cert: DFN-CERT-2023-2334
dfn-cert: DFN-CERT-2023-2333
dfn-cert: DFN-CERT-2023-2297
dfn-cert: DFN-CERT-2023-2296
dfn-cert: DFN-CERT-2023-2246
dfn-cert: DFN-CERT-2023-2245

High (CVSS: 8.8)
NVT: Microsoft Internet Explorer Multiple Vulnerabilities (4013073)
Summary This host is missing a critical security update according to Microsoft Bulletin MS17-006.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\mshtml.dll File version: 8.0.7601.17514 Vulnerable range: Less than 11.0.9600.18618
Impact Successful exploitation will allow remote attackers to gain elevated privileges, gain access to potentially sensitive information, execute arbitrary code in the context of the current user and conduct spoofing attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 9.x/10.x/11.x.
Vulnerability Insight Multiple flaws exist due to: - Multiple errors in the components handling objects in memory. - Microsoft browsers improperly access objects in memory. - An error in Microsoft browser which does not properly parse HTTP responses. - Multiple errors in JScript and VBScript engines rendering when handling objects in memory. - An error in Internet Explorer which does not properly enforce cross-domain policies.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: Microsoft Internet Explorer Multiple Vulnerabilities (4013073) OID:1.3.6.1.4.1.25623.1.0.810625 Version used: 2024-07-04T10:35:37+05:30
References cve: CVE-2017-0008 cve: CVE-2017-0009 cve: CVE-2017-0012 cve: CVE-2017-0018 cve: CVE-2017-0033 cve: CVE-2017-0037 cve: CVE-2017-0040 cve: CVE-2017-0049 cve: CVE-2017-0059 cve: CVE-2017-0130 cve: CVE-2017-0149 cve: CVE-2017-0154 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4013073 url: https://technet.microsoft.com/library/security/MS17-006 cert-bund: CB-K17/0439 cert-bund: CB-K17/0436 cert-bund: CB-K17/0338 dfn-cert: DFN-CERT-2017-0450 dfn-cert: DFN-CERT-2017-0444 dfn-cert: DFN-CERT-2017-0348

High (CVSS: 8.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5020000)
Summary This host is missing a critical security update according to Microsoft KB5020000
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 11.0.9600.20671 File checked: C:\Windows\system32\urlmon.dll File version: 8.0.7601.17514
Impact Successful exploitation will allow an attacker to disclose sensitive information, perform remote code execution, cause denial of service condition and elevate privileges.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Windows Point-to-Point Tunneling Protocol Remote Code Execution Vulnerability. - An elevation of privilege vulnerability in Windows Kerberos RC4-HMAC. - Windows Point-to-Point Tunneling Protocol Denial of Service Vulnerability. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5020000) OID:1.3.6.1.4.1.25623.1.0.826613 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-23824 cve: CVE-2022-37966 cve: CVE-2022-37967 cve: CVE-2022-37992 cve: CVE-2022-38023 cve: CVE-2022-41039 cve: CVE-2022-41044 cve: CVE-2022-41045 cve: CVE-2022-41047 cve: CVE-2022-41048 cve: CVE-2022-41053 cve: CVE-2022-41056 cve: CVE-2022-41057 cve: CVE-2022-41058 cve: CVE-2022-41073 cve: CVE-2022-41086 cve: CVE-2022-41090 cve: CVE-2022-41095 cve: CVE-2022-41097 cve: CVE-2022-41098 cve: CVE-2022-41109 cve: CVE-2022-41116 cve: CVE-2022-41118
...continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-41128
cisa: Known Exploited Vulnerability (KEV) catalog
url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog
url: https://support.microsoft.com/en-us/help/5020000
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-1737
cert-bund: WID-SEC-2022-2365
cert-bund: WID-SEC-2022-2001
cert-bund: WID-SEC-2022-1983
dfn-cert: DFN-CERT-2023-1592
dfn-cert: DFN-CERT-2023-1311
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-0665
dfn-cert: DFN-CERT-2023-0286
dfn-cert: DFN-CERT-2023-0201
dfn-cert: DFN-CERT-2023-0199
dfn-cert: DFN-CERT-2023-0176
dfn-cert: DFN-CERT-2023-0153
dfn-cert: DFN-CERT-2023-0089
dfn-cert: DFN-CERT-2022-2870
dfn-cert: DFN-CERT-2022-2526
dfn-cert: DFN-CERT-2022-2429

```

High (CVSS: 8.8)

NVT: Microsoft Internet Explorer Multiple Vulnerabilities (KB4018271)

Summary

This host is missing a critical security update according to Microsoft security updates KB4018271.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

File checked:      C:\Windows\system32\Mshtml.dll
File version:      8.0.7601.17514
Vulnerable range:  Less than 11.0.9600.18666

```

Impact

Successful exploitation will allow attacker to trick a user by redirecting the user to a specially crafted website, loading of unsecure content (HTTP) from secure locations (HTTPS) and to execute arbitrary code in the context of the current user. If the current user is logged on with administrative user rights, an attacker who successfully exploited the vulnerability could take control of an affected system. An attacker could then install programs, view, change, or delete data or create new accounts with full user rights.

Solution:

... continues on next page ...

...continued from previous page ...	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	Microsoft Internet Explorer version 9.x, 10.x and 11.x.
Vulnerability Insight	Multiple flaws exist due to: - An error in the way JavaScript scripting engines handle objects in memory in Microsoft browsers. - An error when Microsoft browsers render SmartScreen Filter. - An error when Internet Explorer improperly accesses objects in memory. - An unspecified error.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (KB4018271) OID:1.3.6.1.4.1.25623.1.0.811032 Version used: 2024-07-25T10:35:41+05:30
References	cve: CVE-2017-0064 cve: CVE-2017-0222 cve: CVE-2017-0226 cve: CVE-2017-0228 cve: CVE-2017-0231 cve: CVE-2017-0238 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4018271 url: http://www.securityfocus.com/bid/98121 url: http://www.securityfocus.com/bid/98127 url: http://www.securityfocus.com/bid/98139 url: http://www.securityfocus.com/bid/98164 url: http://www.securityfocus.com/bid/98173 url: http://www.securityfocus.com/bid/98237 url: https://portal.msrmc.microsoft.com/en-US/security-guidance/advisory/CVE-2017-0222 url: https://portal.msrmc.microsoft.com/en-US/security-guidance/advisory/CVE-2017-0064 url: https://portal.msrmc.microsoft.com/en-US/security-guidance/advisory/CVE-2017-0226 url: https://portal.msrmc.microsoft.com/en-US/security-guidance/advisory/CVE-2017-0228 url: https://portal.msrmc.microsoft.com/en-US/security-guidance/advisory/CVE-2017-0231
... continues on next page ...	

...continued from previous page ...
url: https://portal.msrc.microsoft.com/en-US/security-guidance/advisory/CVE-2017-0238
cert-bund: CB-K17/1378
cert-bund: CB-K17/0786
cert-bund: CB-K17/0781
dfn-cert: DFN-CERT-2017-1437
dfn-cert: DFN-CERT-2017-0810
dfn-cert: DFN-CERT-2017-0809

High (CVSS: 8.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4561643)

Summary

This host is missing a critical security update according to Microsoft KB4561643

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.24556

File checked: C:\Windows\system32\Kernel32.dll

File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker to execute arbitrary code, elevate privileges, disclose sensitive information, conduct spoofing and denial of service attacks.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- Multiple errors in Windows when the Windows kernel-mode driver fails to properly handle objects in memory.
- An error when the Windows Background Intelligent Transfer Service (BITS) IIS module improperly handles uploaded content.
- An error when Windows Modules Installer Service improperly handles class object members.
- An error in the way that the VBScript engine handles objects in memory.
- An error when the Windows kernel fails to properly handle objects in memory.

... continues on next page ...

...continued from previous page ...
- An error in the way Windows Error Reporting (WER) handles objects in memory. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4561643) OID:1.3.6.1.4.1.25623.1.0.817158 Version used: 2024-06-26T10:35:39+05:30
References cve: CVE-2020-1160 cve: CVE-2020-1194 cve: CVE-2020-1196 cve: CVE-2020-1207 cve: CVE-2020-1208 cve: CVE-2020-1212 cve: CVE-2020-1213 cve: CVE-2020-1214 cve: CVE-2020-1215 cve: CVE-2020-1216 cve: CVE-2020-1219 cve: CVE-2020-1220 cve: CVE-2020-1230 cve: CVE-2020-1236 cve: CVE-2020-1239 cve: CVE-2020-1246 cve: CVE-2020-1247 cve: CVE-2020-1251 cve: CVE-2020-1253 cve: CVE-2020-1254 cve: CVE-2020-1255 cve: CVE-2020-1260 cve: CVE-2020-1262 cve: CVE-2020-1263 cve: CVE-2020-1270 cve: CVE-2020-1271 cve: CVE-2020-1272 cve: CVE-2020-1281 cve: CVE-2020-1287 cve: CVE-2020-1291 cve: CVE-2020-1299 cve: CVE-2020-1300 cve: CVE-2020-1301 cve: CVE-2020-1302 cve: CVE-2020-1311 cve: CVE-2020-1314 cve: CVE-2020-1315
...continues on next page ...

...continued from previous page ...
cve: CVE-2020-1317
cve: CVE-2020-1348
url: https://support.microsoft.com/en-us/help/4561643
cert-bund: CB-K20/0568
cert-bund: CB-K20/0565
cert-bund: CB-K20/0561
dfn-cert: DFN-CERT-2020-1227
dfn-cert: DFN-CERT-2020-1226
dfn-cert: DFN-CERT-2020-1225
dfn-cert: DFN-CERT-2020-1224
dfn-cert: DFN-CERT-2020-1223

High (CVSS: 8.6)
NVT: Oracle Java SE Security Update (oct2021) 01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability, integrity and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u301 (1.8.0.301) and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'JavaFX' and 'Deployment' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.818827
... continues on next page ...

...continued from previous page ...
Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-3517 cve: CVE-2021-35560 cve: CVE-2021-3522 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2023-1614 cert-bund: WID-SEC-2023-1152 cert-bund: WID-SEC-2023-0395 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-1113 cert-bund: WID-SEC-2022-0196 cert-bund: CB-K22/0239 cert-bund: CB-K22/0061 cert-bund: CB-K21/1082 cert-bund: CB-K21/0647 cert-bund: CB-K21/0450 dfn-cert: DFN-CERT-2023-2306 dfn-cert: DFN-CERT-2022-0899 dfn-cert: DFN-CERT-2022-0213 dfn-cert: DFN-CERT-2022-0121 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2022-0024 dfn-cert: DFN-CERT-2021-2530 dfn-cert: DFN-CERT-2021-2438 dfn-cert: DFN-CERT-2021-2195 dfn-cert: DFN-CERT-2021-2194 dfn-cert: DFN-CERT-2021-1802 dfn-cert: DFN-CERT-2021-1690 dfn-cert: DFN-CERT-2021-1102 dfn-cert: DFN-CERT-2021-1058 dfn-cert: DFN-CERT-2021-1049 dfn-cert: DFN-CERT-2021-0989 dfn-cert: DFN-CERT-2021-0969

High (CVSS: 8.6)

NVT: Oracle Java SE Security Update (oct2021) 01 - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...
Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability, integrity and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u301 (1.8.0.301) and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'JavaFX' and 'Deployment' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.818827 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-3517 cve: CVE-2021-35560 cve: CVE-2021-3522 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2023-1614 cert-bund: WID-SEC-2023-1152 cert-bund: WID-SEC-2023-0395 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-1113 cert-bund: WID-SEC-2022-0196 cert-bund: CB-K22/0239 cert-bund: CB-K22/0061 cert-bund: CB-K21/1082 cert-bund: CB-K21/0647 cert-bund: CB-K21/0450 dfn-cert: DFN-CERT-2023-2306 dfn-cert: DFN-CERT-2022-0899 dfn-cert: DFN-CERT-2022-0213 dfn-cert: DFN-CERT-2022-0121 dfn-cert: DFN-CERT-2022-0107
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2022-0024
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194
dfn-cert: DFN-CERT-2021-1802
dfn-cert: DFN-CERT-2021-1690
dfn-cert: DFN-CERT-2021-1102
dfn-cert: DFN-CERT-2021-1058
dfn-cert: DFN-CERT-2021-1049
dfn-cert: DFN-CERT-2021-0989
dfn-cert: DFN-CERT-2021-0969
```

High (CVSS: 8.5)**NVT: Microsoft Windows Multiple Vulnerabilities (KB5021291)****Summary**

This host is missing an important security update according to Microsoft KB5021291

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.26262

File checked: C:\Windows\system32\Ntoskrnl.exe

File version: 6.1.7601.18741

Impact

Successful exploitation will allow an attacker to elevate privileges, disclose sensitive information, conduct remote code execution, bypass security restrictions, and conduct DoS attacks.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
- Microsoft Windows 7 for x64-based Systems Service Pack 1
- Microsoft Windows 7 for 32-bit Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- An elevation of privilege vulnerability in Windows Fax Compose Form.
- An elevation of privilege vulnerability in Windows Graphics Component.
- A Remote Code Execution vulnerability in Windows Contacts.

... continues on next page ...

...continued from previous page ...
Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5021291) OID:1.3.6.1.4.1.25623.1.0.826811 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-41074 cve: CVE-2022-41077 cve: CVE-2022-41121 cve: CVE-2022-44666 cve: CVE-2022-44667 cve: CVE-2022-44668 cve: CVE-2022-44670 cve: CVE-2022-44673 cve: CVE-2022-44675 cve: CVE-2022-44676 cve: CVE-2022-44678 cve: CVE-2022-44681 cve: CVE-2022-44697 cve: CVE-2022-41076 cve: CVE-2022-41094 url: https://support.microsoft.com/en-us/help/5021291 cert-bund: WID-SEC-2022-2307 cert-bund: WID-SEC-2022-2303 dfn-cert: DFN-CERT-2022-2854 dfn-cert: DFN-CERT-2022-2847

High (CVSS: 8.3)
NVT: Oracle Java SE Security Updates - 03 - (cpujul2020) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact
... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u261 (1.7.0.261) and earlier, 8u251 (1.8.0.251) and earlier, 11.0.7 and earlier, 14.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to errors in components Libraries, 2D, JAXP and JSSE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 03 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118166 Version used: 2024-02-26T20:06:40+05:30
References cve: CVE-2020-14583 cve: CVE-2020-14593 cve: CVE-2020-14621 cve: CVE-2020-14577 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1522 cert-bund: WID-SEC-2022-1285 cert-bund: CB-K20/1075 cert-bund: CB-K20/0715 cert-bund: CB-K20/0706 dfn-cert: DFN-CERT-2021-0949 dfn-cert: DFN-CERT-2020-2571 dfn-cert: DFN-CERT-2020-1762 dfn-cert: DFN-CERT-2020-1531 dfn-cert: DFN-CERT-2020-1529

High (CVSS: 8.3)

NVT: Oracle Java SE Security Updates - 01 - (cpujul2020) - Windows

Summary

Oracle Java SE is prone to a security vulnerability.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u251 (1.8.0.251) and earlier.
Vulnerability Insight The flaw exists due to an error in the 'JavaFX' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 01 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118162 Version used: 2024-02-26T20:06:40+05:30
References cve: CVE-2020-14664 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2022-1522 cert-bund: CB-K20/0715 dfn-cert: DFN-CERT-2020-1531

High (CVSS: 8.3)

NVT: Oracle Java SE Security Updates - 01 - (cpujul2020) - Windows

Summary

Oracle Java SE is prone to a security vulnerability.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...
Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u251 (1.8.0.251) and earlier.
Vulnerability Insight The flaw exists due to an error in the 'JavaFX' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 01 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118162 Version used: 2024-02-26T20:06:40+05:30
References cve: CVE-2020-14664 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2022-1522 cert-bund: CB-K20/0715 dfn-cert: DFN-CERT-2020-1531

High (CVSS: 8.3)

NVT: Oracle Java SE Security Updates - 03 - (cpujul2020) - Windows

Summary

Oracle Java SE is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251
 Fixed version: Apply the patch
 Installation

... continues on next page ...

...continued from previous page ...	
path / port:	C:\Program Files\Java\jre1.8.0_251
Impact	Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution:	
Solution type:	VendorFix
	The vendor has released updates. Please see the references for more information.
Affected Software/OS	Oracle Java SE version 7u261 (1.7.0.261) and earlier, 8u251 (1.8.0.251) and earlier, 11.0.7 and earlier, 14.0.1 and earlier on Windows.
Vulnerability Insight	Multiple flaws are due to errors in components Libraries, 2D, JAXP and JSSE.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 03 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118166 Version used: 2024-02-26T20:06:40+05:30
References	cve: CVE-2020-14583 cve: CVE-2020-14593 cve: CVE-2020-14621 cve: CVE-2020-14577 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1522 cert-bund: WID-SEC-2022-1285 cert-bund: CB-K20/1075 cert-bund: CB-K20/0715 cert-bund: CB-K20/0706 dfn-cert: DFN-CERT-2021-0949 dfn-cert: DFN-CERT-2020-2571 dfn-cert: DFN-CERT-2020-1762 dfn-cert: DFN-CERT-2020-1531 dfn-cert: DFN-CERT-2020-1529

High (CVSS: 8.3) NVT: Oracle Java SE Security Update (cpuapr2020 - 01) - Linux
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.8.0update_211 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jdk1.8.0_211
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u251 (1.7.0.251) and earlier, 8u241 (1.8.0.241) and earlier, 11.0.6 and earlier, 14.
Vulnerability Insight Multiple flaws are due to errors in components Libraries, JSSE, Concurrency, Lightweight HTTP Server, Serialization and Security.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (cpuapr2020 - 01) - Linux OID:1.3.6.1.4.1.25623.1.0.816859 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2020-2803 cve: CVE-2020-2805 cve: CVE-2020-2781 cve: CVE-2020-2830 cve: CVE-2020-2800 cve: CVE-2020-2773 cve: CVE-2020-2756 cve: CVE-2020-2757 ... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixJAVA
cert-bund: WID-SEC-2023-0016
cert-bund: WID-SEC-2022-1639
cert-bund: CB-K21/0279
cert-bund: CB-K20/0319
cert-bund: CB-K20/0312
dfn-cert: DFN-CERT-2021-0543
dfn-cert: DFN-CERT-2021-0352
dfn-cert: DFN-CERT-2021-0332
dfn-cert: DFN-CERT-2021-0095
dfn-cert: DFN-CERT-2020-2571
dfn-cert: DFN-CERT-2020-1685
dfn-cert: DFN-CERT-2020-1425
dfn-cert: DFN-CERT-2020-0778
dfn-cert: DFN-CERT-2020-0771

High (CVSS: 8.3)

NVT: Microsoft Group Policy Remote Code Execution Vulnerability (3000483)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS15-011.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow context-dependent to execute arbitrary code. Failed exploit attempts will result in a denial-of-service condition.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 2003 x32/x64 Service Pack 2
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 x32 Service Pack 2
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows Server 2008 x64 Service Pack 2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows 8 x32/x64
- Microsoft Windows 8.1 x32/x64

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2012/2012R2
Vulnerability Insight The flaw is due to remote code execution vulnerability in the way Group Policy receives and applies policy data if a domain-joined system is connected to a domain controller
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Group Policy Remote Code Execution Vulnerability (3000483) OID:1.3.6.1.4.1.25623.1.0.805448 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0008 url: https://support.microsoft.com/kb/3000483 url: http://www.securityfocus.com/bid/72477 url: https://technet.microsoft.com/library/security/ms15-011 cert-bund: CB-K15/0171 dfn-cert: DFN-CERT-2015-0175

High (CVSS: 8.1)
NVT: Microsoft Windows Multiple Vulnerabilities (3124901)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-007.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Advapi32.dll File version: 6.1.7600.16385 Vulnerable range: Less than 6.1.7601.19091
Impact Successful exploitation will allow an attacker to gain access to the remote host as another user, possibly with elevated privileges and to take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 10 x32/x64
... continues on next page ...

...continued from previous page ...
- Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - A security feature bypass vulnerability exists in Windows Remote Desktop Protocol, that is caused when Windows hosts running RDP services fail to prevent remote logon to accounts that have no passwords set. - Multiple elevation of privilege vulnerabilities exist when Windows improperly validates input before loading dynamic link library (DLL) files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (3124901) OID:1.3.6.1.4.1.25623.1.0.807029 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-0014 cve: CVE-2016-0015 cve: CVE-2016-0016 cve: CVE-2016-0018 cve: CVE-2016-0019 cve: CVE-2016-0020 url: https://support.microsoft.com/en-us/kb/3121918 url: https://support.microsoft.com/en-us/kb/3109560 url: https://support.microsoft.com/en-us/kb/3110329 url: https://support.microsoft.com/en-us/kb/3108664 url: https://technet.microsoft.com/library/security/MS16-007 cert-bund: CB-K16/0057 dfn-cert: DFN-CERT-2016-0064
High (CVSS: 8.1) NVT: Microsoft Windows Multiple Vulnerabilities (KB4592471)
Summary This host is missing a critical security update according to Microsoft KB4592471
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24563 File checked: C:\Windows\system32\Localspl.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to elevate privileges and disclose sensitive information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error in the Backup Engine allows a local authenticated malicious user to gain elevated privileges on the system. - An error in Kerberos Security Feature. - An error in the GDI+ component. - An error in the SMBv2 component. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4592471) OID:1.3.6.1.4.1.25623.1.0.817545 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2020-16958 cve: CVE-2020-16959 cve: CVE-2020-16960 cve: CVE-2020-16961 cve: CVE-2020-16962 cve: CVE-2020-16963 cve: CVE-2020-16964 cve: CVE-2020-17049 cve: CVE-2020-17098 cve: CVE-2020-17140 url: https://support.microsoft.com/en-us/help/4592471 cert-bund: WID-SEC-2023-1542
...continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2022-2280
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0302
cert-bund: CB-K21/1126
cert-bund: CB-K20/1214
cert-bund: CB-K20/1109
dfn-cert: DFN-CERT-2024-0078
dfn-cert: DFN-CERT-2023-1053
dfn-cert: DFN-CERT-2022-1686
dfn-cert: DFN-CERT-2022-0332
dfn-cert: DFN-CERT-2020-2669
dfn-cert: DFN-CERT-2020-2464

High (CVSS: 8.1)

NVT: Microsoft Windows Group Policy Elevation of Privilege Vulnerability (3163622)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-072

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Gpapi.dll

File version: 6.1.7600.16385

Vulnerable range:

Impact

Successful exploitation will allow an attacker to potentially escalate permissions or perform additional privileged actions on the target machine.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/2012R2
- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 x32/x64 Service Pack 2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows 10 x32/x64
- Microsoft Windows 10 Version 1511 x32/x64

... continues on next page ...

...continued from previous page ...
Vulnerability Insight An elevation of privilege flaw exists when Microsoft Windows processes group policy updates.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Group Policy Elevation of Privilege Vulnerability (3163622) OID:1.3.6.1.4.1.25623.1.0.808162 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3223 url: https://support.microsoft.com/en-us/kb/3159398 url: https://technet.microsoft.com/library/security/MS16-072 cert-bund: CB-K16/0914 dfn-cert: DFN-CERT-2016-0969

High (CVSS: 8.1)
NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3096441)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-106.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Mshtml.dll File version: 8.0.7601.17514 Vulnerable range: 8.0.7601.17000 - 8.0.7601.19002
Impact Successful exploitation will allow remote attackers to corrupt memory and potentially execute arbitrary code in the context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws are due to: - Multiple improper handling memory objects, - Improper permissions validation, allowing a script to be run with elevated privileges.
... continues on next page ...

...continued from previous page ...
- An error in 'CAttrArray' object implementation.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3096441) OID:1.3.6.1.4.1.25623.1.0.805761 Version used: 2023-11-02T10:35:26+05:30
References cve: CVE-2015-2482 cve: CVE-2015-6042 cve: CVE-2015-6044 cve: CVE-2015-6046 cve: CVE-2015-6047 cve: CVE-2015-6048 cve: CVE-2015-6049 cve: CVE-2015-6050 cve: CVE-2015-6051 cve: CVE-2015-6052 cve: CVE-2015-6053 cve: CVE-2015-6055 cve: CVE-2015-6056 cve: CVE-2015-6059 cve: CVE-2015-6184 url: https://support.microsoft.com/en-us/kb/3096441 url: https://technet.microsoft.com/en-us/library/security/MS15-106 cert-bund: CB-K15/1507 cert-bund: CB-K15/1504 dfn-cert: DFN-CERT-2015-1586 dfn-cert: DFN-CERT-2015-1583

High (CVSS: 8.1)

NVT: Microsoft Edge and Internet Explorer Type Confusion RCE Vulnerability

Summary

Microsoft Edge or Internet Explorer is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\mshtml.dll

File version: 8.0.7601.17514

Vulnerable range: 11.0.9600.18538 and prior

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to execute arbitrary code in the context of the currently logged-in user. Failed attacks will cause denial of service conditions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012R2 - Microsoft Windows 10 Version 1511, 1607 x32/x64 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
Vulnerability Insight The flaw exists due to a type confusion issue in the 'Layout::MultiColumnBoxBuilder::HandleColumnBreakOnColumnSpanningElement' function in mshtml.dll.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Edge and Internet Explorer Type Confusion RCE Vulnerability OID:1.3.6.1.4.1.25623.1.0.810577 Version used: 2024-07-17T10:35:38+05:30
References cve: CVE-2017-0037 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://bugs.chromium.org/p/project-zero/issues/detail?id=1011 url: http://www.securityfocus.com/bid/96088 url: https://www.exploit-db.com/exploits/41454 url: http://securitytracker.com/id/1037906 url: https://technet.microsoft.com/library/security/MS17-007 url: https://technet.microsoft.com/library/security/MS17-006 cert-bund: CB-K17/0439 cert-bund: CB-K17/0436 cert-bund: CB-K17/0338 dfn-cert: DFN-CERT-2017-0450 dfn-cert: DFN-CERT-2017-0444 dfn-cert: DFN-CERT-2017-0348

High (CVSS: 8.1)
NVT: Microsoft .NET Framework Multiple Vulnerabilities (KB4338417)
Summary This host is missing an important security update according to Microsoft KB4338417
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 4.0.30319.30000 - 4.0.30319.36449 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.IdentityModel.dll File version: 4.0.30319.34209
Impact Successful exploitation will allow an attacker to gain elevated privileges, bypass security restrictions and take control of an affected system allowing to install programs or view data, change data, delete data or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 4.5.2 for Microsoft Windows 7 SP1, Server 2008 R2 SP1, and Microsoft Windows Server 2008.
Vulnerability Insight Multiple flaws exist due to: - An error when Microsoft .NET Framework components do not correctly validate certificates. - An error in the way how .NET Framework activates COM objects. - An error when the Microsoft .NET Framework fails to validate input properly.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (KB4338417) OID:1.3.6.1.4.1.25623.1.0.813485 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-8356 cve: CVE-2018-8284 cve: CVE-2018-8202 url: https://support.microsoft.com/en-us/help/4338417 cert-bund: CB-K18/0774
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2018-1345
 dfn-cert: DFN-CERT-2018-1344

High (CVSS: 8.1)

NVT: Oracle Java SE Multiple Vulnerabilities (Jul 2025) - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation allows an attacker to gain unauthorized access to critical data and take control of Oracle Java SE.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u451 and prior, 11.0.x through 11.0.27, 17.0.x through 17.0.15, 21.0.x through 21.0.7 and 24.0.x through 24.0.1 on Windows

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Multiple Vulnerabilities (Jul 2025) - Windows

OID:1.3.6.1.4.1.25623.1.0.836518

Version used: 2025-07-18T21:13:33+05:30

References

cve: CVE-2025-30749

cve: CVE-2025-50106

cve: CVE-2025-30754

url: <https://www.oracle.com/security-alerts/cpujul2025.html>

cert-bund: WID-SEC-2025-2853

cert-bund: WID-SEC-2025-1850

cert-bund: WID-SEC-2025-1569

dfn-cert: DFN-CERT-2026-0243

... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2026-0078
dfn-cert: DFN-CERT-2025-3541
dfn-cert: DFN-CERT-2025-3170
dfn-cert: DFN-CERT-2025-2550
dfn-cert: DFN-CERT-2025-2158
dfn-cert: DFN-CERT-2025-2099
dfn-cert: DFN-CERT-2025-2048
dfn-cert: DFN-CERT-2025-1900
dfn-cert: DFN-CERT-2025-1899

High (CVSS: 8.1)
NVT: Microsoft Windows Print Spooler Components Multiple Vulnerabilities (3170005)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-087
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Win32spl.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23488
Impact Successful exploitation will allow an attacker to execute arbitrary code and take control of an affected system, also allows local users to gain privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 for 32-bit/64-bit
Vulnerability Insight Multiple flaws exist due to - When the Windows Print Spooler service improperly allows arbitrary writing to the file system.
... continues on next page ...

...continued from previous page ...
- An improper validation of print drivers while installing a printer from servers.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Print Spooler Components Multiple Vulnerabilities (3170005) OID:1.3.6.1.4.1.25623.1.0.808194 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3238 cve: CVE-2016-3239 url: https://support.microsoft.com/en-us/kb/3170005 url: http://www.securityfocus.com/bid/91609 url: http://www.securityfocus.com/bid/91612 url: https://technet.microsoft.com/library/security/MS16-087 cert-bund: CB-K16/1057 dfn-cert: DFN-CERT-2016-1125

High (CVSS: 8.1)
NVT: Oracle Java SE Multiple Vulnerabilities (Jul 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to gain unauthorized access to critical data and take control of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u451 and prior, 11.0.x through 11.0.27, 17.0.x through 17.0.15, 21.0.x through 21.0.7 and 24.0.x through 24.0.1 on Windows
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Multiple Vulnerabilities (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836518 Version used: 2025-07-18T21:13:33+05:30
References cve: CVE-2025-30749 cve: CVE-2025-50106 cve: CVE-2025-30754 url: https://www.oracle.com/security-alerts/cpujul2025.html cert-bund: WID-SEC-2025-2853 cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1569 dfn-cert: DFN-CERT-2026-0243 dfn-cert: DFN-CERT-2026-0078 dfn-cert: DFN-CERT-2025-3541 dfn-cert: DFN-CERT-2025-3170 dfn-cert: DFN-CERT-2025-2550 dfn-cert: DFN-CERT-2025-2158 dfn-cert: DFN-CERT-2025-2099 dfn-cert: DFN-CERT-2025-2048 dfn-cert: DFN-CERT-2025-1900 dfn-cert: DFN-CERT-2025-1899

High (CVSS: 8.1)
NVT: Microsoft Windows Multiple Vulnerabilities (4013078)
Summary This host is missing a critical security update according to Microsoft Bulletin MS17-012.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Gdi32.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23688
Impact Successful exploitation will allow an attacker to bypass security, obtain sensitive information, run arbitrary code, cause the affected system to stop responding until it is manually restarted, take control of the affected system. An attacker could then: - install programs - view, change, or delete data
... continues on next page ...

...continued from previous page ...
- create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight Multiple flaws are due to: - The Device Guard does not properly validate certain elements of a signed PowerShell script. - An improper handling of certain requests sent by a malicious SMB server to the client. - Microsoft Windows fails to properly validate input before loading certain dynamic link library (DLL) files. - Windows dnscntent fails to properly handle requests. - A DCOM object in Helppane.exe configured to run as the interactive user fails to properly authenticate the client. - iSNS Server service fails to properly validate input from the client, leading to an integer overflow.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (4013078) OID:1.3.6.1.4.1.25623.1.0.810593 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2017-0007 cve: CVE-2017-0016 cve: CVE-2017-0039 cve: CVE-2017-0057 cve: CVE-2017-0100 cve: CVE-2017-0104 url: https://support.microsoft.com/en-us/kb/4013078 url: http://www.securityfocus.com/bid/96018 url: http://www.securityfocus.com/bid/95969 url: http://www.securityfocus.com/bid/96024
... continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/96695
url: http://www.securityfocus.com/bid/96700
url: http://www.securityfocus.com/bid/96697
url: https://technet.microsoft.com/library/security/MS17-012
url: https://technet.microsoft.com/library/security/MS17-012
cert-bund: CB-K17/0443
cert-bund: CB-K17/0197
dfn-cert: DFN-CERT-2017-0451
dfn-cert: DFN-CERT-2017-0200

```

High (CVSS: 8.1)**NVT: Microsoft Windows Multiple Vulnerabilities (KB4284826)****Summary**

This host is missing a critical security update according to Microsoft KB4284826

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.24150
 File checked: C:\Windows\system32\appidsvc.dll
 File version: 6.1.7601.18741

Impact

Successful exploitation will allow an attacker to obtain information to further compromise the user's system, run processes in an elevated context, inject code into a trusted PowerShell process, execute arbitrary code, read privileged data, force the browser to send restricted data, install programs and create a denial of service condition.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to errors,

- When Internet Explorer improperly accesses objects in memory.
- When the Windows kernel improperly handles objects in memory.
- When Windows improperly handles objects in memory.
- When the (Human Interface Device) HID Parser Library driver improperly handles objects in memory.

... continues on next page ...

...continued from previous page ...
- When NTFS improperly checks access. - When Windows Media Foundation improperly handles objects in memory. - In the way that the scripting engine handles objects in memory in Internet Explorer. - When the Windows kernel fails to properly handle objects in memory. - In Windows Domain Name System (DNS) DNSAPI. - In the way that the Windows Code Integrity Module performs hashing.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4284826) OID:1.3.6.1.4.1.25623.1.0.813533 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-0978 cve: CVE-2018-1036 cve: CVE-2018-1040 cve: CVE-2018-8169 cve: CVE-2018-8205 cve: CVE-2018-8207 cve: CVE-2018-8224 cve: CVE-2018-8225 cve: CVE-2018-8249 cve: CVE-2018-8251 cve: CVE-2018-8267 url: https://support.microsoft.com/en-us/help/4284826 cert-bund: CB-K18/0726 cert-bund: CB-K18/0724 dfn-cert: DFN-CERT-2018-1141 dfn-cert: DFN-CERT-2018-1137

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel Mode Drivers Multiple Vulnerabilities (3205651)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-151

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Win32k.sys

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23591

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to run arbitrary code in kernel mode and run processes in an elevated context.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2016 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Multiple flaws exist due to: - The Windows Graphics Component improperly handles objects in memory. - The Windows kernel-mode driver fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Mode Drivers Multiple Vulnerabilities (3205651) OID:1.3.6.1.4.1.25623.1.0.810308 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-7259 cve: CVE-2016-7260 url: https://support.microsoft.com/en-us/kb/3205651 url: http://www.securityfocus.com/bid/94785 url: http://www.securityfocus.com/bid/94771 url: https://technet.microsoft.com/en-us/library/security/ms16-151 cert-bund: CB-K16/1959 dfn-cert: DFN-CERT-2016-2066
High (CVSS: 7.8) NVT: Microsoft Remote Desktop Protocol Security Advisory (2861855)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft advisory (2861855).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to bypass the security.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to security issue in Network-level Authentication (NLA) method in Remote Desktop Sessions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Remote Desktop Protocol Security Advisory (2861855) OID:1.3.6.1.4.1.25623.1.0.803867 Version used: 2021-08-05T17:50:54+05:30
References url: https://support.microsoft.com/kb/2861855 url: https://technet.microsoft.com/en-us/security/advisory/2861855

High (CVSS: 7.8)

NVT: Microsoft Windows Network Policy Server Denial-of-Service Vulnerability (3014029)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-007.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...	
The target host was found to be vulnerable	
Impact Successful exploitation could allow remote attackers to cause a DoS (Denial of Service).	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2012/R2	
Vulnerability Insight The flaw is due to an error within the RADIUS implementation related to Internet Authentication Service (IAS) and Network Policy Server (NPS).	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Network Policy Server Denial-of-Service Vulnerability (301402. ↪.. OID:1.3.6.1.4.1.25623.1.0.805241 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-0015 url: https://support.microsoft.com/kb/3014029 url: http://www.securityfocus.com/bid/71933 url: https://technet.microsoft.com/library/security/MS15-007 cert-bund: CB-K15/0038 dfn-cert: DFN-CERT-2015-0036	

High (CVSS: 7.8)

NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (KB4566517)

Summary

This host is missing a critical security update according to Microsoft KB4566517

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: 4.0 - 4.0.30319.36644

... continues on next page ...

...continued from previous page ...	
File checked:	C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.data.d ↔11
File version:	4.0.30319.34209
Impact Successful exploitation will allow an attacker to run arbitrary code in the context of the process responsible for deserialization of the XML content.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.	
Vulnerability Insight The flaw exists due to an error in .NET Framework when the software fails to check the source markup of XML file input.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Remote Code Execution Vulnerability (KB4566517) OID:1.3.6.1.4.1.25623.1.0.817308 Version used: 2022-08-09T15:41:17+05:30	
References cve: CVE-2020-1147 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4566517 cert-bund: CB-K20/0704 cert-bund: CB-K20/0694 dfn-cert: DFN-CERT-2020-1522 dfn-cert: DFN-CERT-2020-1521 dfn-cert: DFN-CERT-2020-1516	

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel Privilege Escalation Vulnerability (4013081)

Summary

This host is missing an important security update according to Microsoft Bulletin MS17-017

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23677
Impact Successful exploitation will allow an attacker to gain elevated privileges on a targeted system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight Multiple flaws exist as, - Windows kernel API enforces permissions. - Windows Transaction Manager improperly handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Privilege Escalation Vulnerability (4013081) OID:1.3.6.1.4.1.25623.1.0.810814 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-0050 cve: CVE-2017-0101 cve: CVE-2017-0102 cve: CVE-2017-0103 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/4013081 url: http://www.securityfocus.com/bid/96025
... continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/96625
url: http://www.securityfocus.com/bid/96627
url: http://www.securityfocus.com/bid/96623
url: https://technet.microsoft.com/en-us/library/security/MS17-017
url: https://technet.microsoft.com/library/security/MS17-017
cert-bund: CB-K17/0443
dfn-cert: DFN-CERT-2017-0451

High (CVSS: 7.8)

NVT: Microsoft ATM Font Driver Privilege Elevation Vulnerability (3077657)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-077.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.1.2.230

Fixed version: 5.1.2.242

Installation

path / port: C:\Windows

Impact

Successful exploitation will allow remote attackers to execute arbitrary code with kernel-mode privileges and take complete control of the affected system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8 x32/x64
- Microsoft Windows Server 2012/R2
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012
- Microsoft Windows Server 2012R2
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
An elevation of privilege vulnerability exists in Adobe Type Manager Font Driver (ATMFD) when it fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft ATM Font Driver Privilege Elevation Vulnerability (3077657) OID:1.3.6.1.4.1.25623.1.0.805073 Version used: 2024-07-17T10:35:38+05:30
References cve: CVE-2015-2387 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3077657 url: http://www.securityfocus.com/bid/75587 url: https://technet.microsoft.com/library/security/MS15-077 cert-bund: CB-K15/1013 dfn-cert: DFN-CERT-2015-1060

High (CVSS: 7.8)
NVT: Microsoft Windows OLE Object Handling Code Execution Vulnerabilities (3011443)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-064.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attacker to execute arbitrary code and compromise a user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight A flaw exists due to unspecified errors when handling OLE objects within Microsoft Office files and Internet Explorer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows OLE Object Handling Code Execution Vulnerabilities (3011443) OID:1.3.6.1.4.1.25623.1.0.805015 Version used: 2024-07-25T10:35:41+05:30
References cve: CVE-2014-6332 cve: CVE-2014-6352 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/3011443 url: http://www.securityfocus.com/bid/70690 url: http://www.securityfocus.com/bid/70952 url: https://support.microsoft.com/kb/3010788 url: https://support.microsoft.com/kb/3006226 url: https://technet.microsoft.com/library/security/ms14-064 cert-bund: CB-K14/1402 cert-bund: CB-K14/1321 dfn-cert: DFN-CERT-2014-1473 dfn-cert: DFN-CERT-2014-1390

High (CVSS: 7.8)

NVT: Microsoft Windows OLE Remote Code Execution Vulnerability (3146706)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-044.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\ole32.dll

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23392

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow attackers to execute malicious code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012R2
Vulnerability Insight The flaw is due to Microsoft Windows OLE fails to properly validate user input.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows OLE Remote Code Execution Vulnerability (3146706) OID:1.3.6.1.4.1.25623.1.0.807789 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0153 url: https://support.microsoft.com/en-us/kb/3146706 url: https://support.microsoft.com/en-us/kb/2919355 url: https://technet.microsoft.com/en-us/library/security/MS16-044 cert-bund: CB-K16/0546 dfn-cert: DFN-CERT-2016-0589

High (CVSS: 7.8)

NVT: Microsoft Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3143145)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-034.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Win32k.sys

File version: 6.1.7601.17514

... continues on next page ...

...continued from previous page ...
Vulnerable range: Less than 6.1.7601.19145
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight The flaws exist in Windows when the Windows kernel-mode driver fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3143145) OID:1.3.6.1.4.1.25623.1.0.807308 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0093 cve: CVE-2016-0094 cve: CVE-2016-0095 cve: CVE-2016-0096 url: https://support.microsoft.com/en-us/kb/3143145 url: https://technet.microsoft.com/en-us/library/security/MS16-034 cert-bund: CB-K16/0383 dfn-cert: DFN-CERT-2016-0412
High (CVSS: 7.8) NVT: Microsoft Graphics Component Multiple Vulnerabilities (3164036)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft Bulletin MS16-074.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Gdi32.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23452
Impact Successful exploitation will allow an attacker to retrieve information that could lead to an Address Space Layout Randomization (ASLR) bypass, and to run processes in an elevated context, and execute arbitrary code and take control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - the Windows Graphics Component (GDI32.dll) fails to properly handle objects in memory. - the Windows improperly handles objects in memory. - Adobe Type Manager Font Driver (ATMFD.dll) when it fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Multiple Vulnerabilities (3164036) OID:1.3.6.1.4.1.25623.1.0.808086 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3216 cve: CVE-2016-3219 cve: CVE-2016-3220
... continues on next page ...

...continued from previous page ...
url: https://support.microsoft.com/en-us/kb/3164036
url: https://technet.microsoft.com/library/security/MS16-074
cert-bund: CB-K16/0914
dfn-cert: DFN-CERT-2016-0969

High (CVSS: 7.8)
NVT: Microsoft Graphics Component Multiple Vulnerabilities (3185848)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-106.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23528
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode, to retrieve information from a targeted system, also could take control of the affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - The way that certain Windows kernel-mode drivers handle objects in memory. - The way that the Windows Graphics Device Interface handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Multiple Vulnerabilities (3185848)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.809307 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-3348 cve: CVE-2016-3349 cve: CVE-2016-3354 cve: CVE-2016-3355 cve: CVE-2016-3356 url: https://support.microsoft.com/en-us/kb/3185911 url: http://www.securityfocus.com/bid/92782 url: http://www.securityfocus.com/bid/92783 url: http://www.securityfocus.com/bid/92784 url: http://www.securityfocus.com/bid/92787 url: https://technet.microsoft.com/library/security/MS16-106 cert-bund: CB-K16/1406 dfn-cert: DFN-CERT-2016-1483

High (CVSS: 7.8)

NVT: Microsoft Graphics Component Multiple Vulnerabilities (4013075)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS17-013.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Win32k.sys
File version: 6.1.7601.17514
Vulnerable range: Less than 6.1.7601.23677

Impact

Successful exploitation will allow an attacker to perform remote code execution, gain access to potentially sensitive information and gain elevated privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8 x86/x64
- Microsoft Windows XP SP2 x64 / SP3 x86
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows 10/1511/1607 x32/x64

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2012/2012R2/2016 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Multiple flaws are due to - The way the Windows Graphics Device Interface (GDI) handles objects in memory. - The Windows GDI component improperly discloses the contents of its memory. - The way that the Color Management Module (ICM32.dll) handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Multiple Vulnerabilities (4013075) OID:1.3.6.1.4.1.25623.1.0.810811 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2017-0001 cve: CVE-2017-0005 cve: CVE-2017-0025 cve: CVE-2017-0047 cve: CVE-2017-0060 cve: CVE-2017-0062 cve: CVE-2017-0073 cve: CVE-2017-0061 cve: CVE-2017-0063 cve: CVE-2017-0038 cve: CVE-2017-0108 cve: CVE-2017-0014 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/4013075 url: https://technet.microsoft.com/library/security/MS17-013 cert-bund: CB-K17/0443 cert-bund: CB-K17/0441 dfn-cert: DFN-CERT-2017-0454 dfn-cert: DFN-CERT-2017-0451
High (CVSS: 7.8) NVT: Microsoft Windows Multiple Vulnerabilities (3199172)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft Bulletin MS16-130.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23584
Impact Successful exploitation will allow an attacker to run arbitrary code with elevated system privileges or run a specially crafted application.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64
Vulnerability Insight Multiple flaws exist due to - The Windows Input Method Editor (IME) improperly handles DLL loading. - The Windows Task Scheduler improperly schedule a new task. - The Windows image file loading functionality does not properly handle malformed image files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (3199172) OID:1.3.6.1.4.1.25623.1.0.809465 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-7221 cve: CVE-2016-7222 cve: CVE-2016-7212 url: https://support.microsoft.com/en-us/kb/3199172 url: http://www.securityfocus.com/bid/94021 url: http://www.securityfocus.com/bid/94023 url: http://www.securityfocus.com/bid/94027
... continues on next page ...

...continued from previous page ...
url: https://technet.microsoft.com/en-us/library/security/MS16-130
url: https://technet.microsoft.com/library/security/MS16-130
cert-bund: CB-K16/1747
dfn-cert: DFN-CERT-2016-1852

High (CVSS: 7.8)
NVT: Microsoft Kernel-Mode Drivers Elevation of Privilege Vulnerabilities (3136082)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-018.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19113
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight The flaw exists in Windows when the Windows kernel-mode driver fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Kernel-Mode Drivers Elevation of Privilege Vulnerabilities (3136082) OID:1.3.6.1.4.1.25623.1.0.807242
... continues on next page ...

...continued from previous page ...
Version used: 2023-07-21T10:35:22+05:30
References url: https://support.microsoft.com/en-us/kb/3136082 cve: CVE-2016-0048 url: https://technet.microsoft.com/en-us/library/security/MS16-018 cert-bund: CB-K16/0220 dfn-cert: DFN-CERT-2016-0242

High (CVSS: 7.8)
NVT: Microsoft Kernel-Mode Drivers Multiple Privilege Elevation Vulnerabilities (3178466)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-098.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23497
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode, and obtain information to further compromise the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight Multiple flaws exist when the Windows kernel-mode driver fails to properly handle objects in memory.
... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Kernel-Mode Drivers Multiple Privilege Elevation Vulnerabilities (317. ↔... OID:1.3.6.1.4.1.25623.1.0.808784 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-3308 cve: CVE-2016-3309 cve: CVE-2016-3310 cve: CVE-2016-3311 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3178466 url: http://www.securityfocus.com/bid/92295 url: http://www.securityfocus.com/bid/92297 url: http://www.securityfocus.com/bid/92298 url: http://www.securityfocus.com/bid/92299 url: https://technet.microsoft.com/en-us/library/security/MS16-098 url: https://technet.microsoft.com/library/security/MS16-098 cert-bund: CB-K16/1216 dfn-cert: DFN-CERT-2016-1300	

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel Multiple Vulnerabilities (3186973)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-111

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Ntoskrnl.exe

File version: 6.1.7601.18741

Vulnerable range: Less than 6.1.7601.23539

Impact

Successful exploitation will allow local attackers to hijack the session of another user and to gain access to information that is not intended for the user and to impersonate processes, interject cross-process communication, or interrupt ssystem functionality.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

... continues on next page ...

...continued from previous page ...

Affected Software/OS

- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 x32/x64 Service Pack 2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/2012R2
- Microsoft Windows 10 x32/x64
- Microsoft Windows 10 Version 1511 x32/x64

Vulnerability Insight

Multiple flaws exist due to:

- The kernel API improperly allows a user to access sensitive registry information.
- The kernel API improperly enforces permissions.
- Windows improperly handles session objects

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Kernel Multiple Vulnerabilities (3186973)

OID:1.3.6.1.4.1.25623.1.0.809220

Version used: 2023-07-20T10:35:17+05:30

References

cve: CVE-2016-3305

cve: CVE-2016-3306

cve: CVE-2016-3371

cve: CVE-2016-3372

cve: CVE-2016-3373

url: <https://support.microsoft.com/en-us/kb/3186973>

url: <http://www.securityfocus.com/bid/92812>

url: <http://www.securityfocus.com/bid/92813>

url: <http://www.securityfocus.com/bid/92814>

url: <http://www.securityfocus.com/bid/92815>

url: <http://www.securityfocus.com/bid/92845>

url: <https://technet.microsoft.com/en-us/library/security/MS16-111>

url: <https://technet.microsoft.com/library/security/MS16-111>

cert-bund: CB-K16/1406

dfn-cert: DFN-CERT-2016-1483

High (CVSS: 7.8)

NVT: Microsoft Windows Multiple Vulnerabilities (3134228)

Summary

... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft Bulletin MS16-014.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Mtxoci.dll File version: 2001.12.8530.16385 Vulnerable range: 2001.12.8531.19135
Impact Successful exploitation will allow an attacker to execute arbitrary code in kernel mode, to cause denial of service conditions, to bypass authentication and can launch further attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - Windows kernel improperly handles objects in memory. - Windows improperly validates input before loading dynamic link library (DLL) files. - Insufficient validation of input by Microsoft Sync Framework. - Kerberos fails to check the password change of a user signing into a workstation. - A security feature bypass vulnerability exists in Windows Remote Desktop Protocol, that is caused when Windows hosts running RDP services fail to prevent remote logon to accounts that have no passwords set. - Multiple elevation of privilege vulnerabilities exist when Windows improperly validates input before loading dynamic link library (DLL) files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (3134228) OID:1.3.6.1.4.1.25623.1.0.807065 Version used: 2023-07-21T10:35:22+05:30
References
... continues on next page ...

...continued from previous page ...
cve: CVE-2016-0040 cve: CVE-2016-0041 cve: CVE-2016-0042 cve: CVE-2016-0044 cve: CVE-2016-0049 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3126587 url: https://support.microsoft.com/en-us/kb/3126593 url: https://support.microsoft.com/en-us/kb/3126434 url: https://support.microsoft.com/en-us/kb/3135174 url: https://technet.microsoft.com/library/security/MS16-014 cert-bund: CB-K16/0222 cert-bund: CB-K16/0220 dfn-cert: DFN-CERT-2016-0249 dfn-cert: DFN-CERT-2016-0242

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (2850851)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS13-053.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to cause a buffer overflow and execute arbitrary code with kernel privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8
- Microsoft Windows Server 2012
- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior

... continues on next page ...

...continued from previous page ...	
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior	
Vulnerability Insight Multiple flaws are due to: - Unspecified errors within the Windows kernel-mode driver (win32k.sys) when processing certain objects and can be exploited to cause a crash or execute arbitrary code with the kernel privilege. - An error exists within the GDI+ subsystem.	
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Remote Code Execution Vulnerabilities (28. ↔.. OID:1.3.6.1.4.1.25623.1.0.902978 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2013-1300 cve: CVE-2013-1340 cve: CVE-2013-1345 cve: CVE-2013-3129 cve: CVE-2013-3167 cve: CVE-2013-3172 cve: CVE-2013-3173 cve: CVE-2013-3660 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: http://support.microsoft.com/kb/2850851 url: http://www.securityfocus.com/bid/60051 url: http://www.securityfocus.com/bid/60946 url: http://www.securityfocus.com/bid/60947 url: http://www.securityfocus.com/bid/60948 url: http://www.securityfocus.com/bid/60949 url: http://www.securityfocus.com/bid/60950 url: http://www.securityfocus.com/bid/60951 url: http://www.securityfocus.com/bid/60978 url: http://www.securitytracker.com/id/1028746 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-053 dfn-cert: DFN-CERT-2013-1267 dfn-cert: DFN-CERT-2013-1264 dfn-cert: DFN-CERT-2013-1262	

High (CVSS: 7.8)
NVT: Microsoft Windows Multiple Vulnerabilities (3134228)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-014.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Ntdll.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19117
Impact Successful exploitation will allow an attacker to execute arbitrary code in kernel mode, to cause denial of service conditions, to bypass authentication and can launch further attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - Windows kernel improperly handles objects in memory. - Windows improperly validates input before loading dynamic link library (DLL) files. - Insufficient validation of input by Microsoft Sync Framework. - Kerberos fails to check the password change of a user signing into a workstation. - A security feature bypass vulnerability exists in Windows Remote Desktop Protocol, that is caused when Windows hosts running RDP services fail to prevent remote logon to accounts that have no passwords set. - Multiple elevation of privilege vulnerabilities exist when Windows improperly validates input before loading dynamic link library (DLL) files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: Microsoft Windows Multiple Vulnerabilities (3134228) OID:1.3.6.1.4.1.25623.1.0.807065 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-0040 cve: CVE-2016-0041 cve: CVE-2016-0042 cve: CVE-2016-0044 cve: CVE-2016-0049 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3126587 url: https://support.microsoft.com/en-us/kb/3126593 url: https://support.microsoft.com/en-us/kb/3126434 url: https://support.microsoft.com/en-us/kb/3135174 url: https://technet.microsoft.com/library/security/MS16-014 cert-bund: CB-K16/0222 cert-bund: CB-K16/0220 dfn-cert: DFN-CERT-2016-0249 dfn-cert: DFN-CERT-2016-0242

High (CVSS: 7.8)
NVT: Microsoft Kernel-Mode Drivers Multiple Privilege Elevation Vulnerabilities (3171481)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-090.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23471
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode, and obtain information to further compromise the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
- Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight Multiple flaws exist due to: - When the Windows kernel-mode driver fails to properly handle objects in memory. - When the Windows GDI component improperly discloses kernel memory addresses.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Kernel-Mode Drivers Multiple Privilege Elevation Vulnerabilities (317. ↪.. OID:1.3.6.1.4.1.25623.1.0.808577 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-3249 cve: CVE-2016-3250 cve: CVE-2016-3251 cve: CVE-2016-3252 cve: CVE-2016-3254 cve: CVE-2016-3286 url: https://support.microsoft.com/en-us/kb/3171481 url: http://www.securityfocus.com/bid/91597 url: http://www.securityfocus.com/bid/91613 url: http://www.securityfocus.com/bid/91600 url: http://www.securityfocus.com/bid/91614 url: http://www.securityfocus.com/bid/91615 url: http://www.securityfocus.com/bid/91616 url: https://technet.microsoft.com/en-us/library/security/MS16-090 url: https://technet.microsoft.com/library/security/MS16-090 cert-bund: CB-K16/1057 dfn-cert: DFN-CERT-2016-1125

High (CVSS: 7.8)
NVT: Microsoft Windows Privilege Elevation Vulnerabilities (3124605)
Summary
... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft Bulletin MS16-008
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741 Vulnerable range: Less than 6.1.7601.19110
Impact Successful exploitation will allow an authenticated user to execute code with elevated privileges that would allow them to install programs.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 10 x32/x64
Vulnerability Insight Multiple flaws are due to improper validation of reparse points being set by sandbox applications
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Privilege Elevation Vulnerabilities (3124605) OID:1.3.6.1.4.1.25623.1.0.806818 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-0006 cve: CVE-2016-0007 url: https://support.microsoft.com/en-us/kb/3124605 url: https://support.microsoft.com/en-us/kb/3121212 url: https://technet.microsoft.com/library/security/MS16-008 cert-bund: CB-K16/0057 dfn-cert: DFN-CERT-2016-0064

High (CVSS: 7.8)
NVT: Microsoft Windows Authentication Methods Multiple Vulnerabilities (3199173)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-137.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23584
Impact Successful exploitation will allow a locally-authenticated to read sensitive information on the target system, cause the target system to become non-responsive and elevate their permissions from unprivileged to administrator which thereby allows him/her to install programs, view, change or delete data, or create new accounts.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Multiple flaws exist due to: - The windows Virtual Secure Mode improperly handles objects in memory. - A denial of service vulnerability in the Local Security Authority Subsystem Service (LSASS). - The windows fails to properly handle NTLM password change requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Authentication Methods Multiple Vulnerabilities (3199173) OID:1.3.6.1.4.1.25623.1.0.809093 Version used: 2023-07-20T10:35:17+05:30
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2016-7238

cve: CVE-2016-7237

cve: CVE-2016-7220

url: <https://support.microsoft.com/en-us/kb/3199173>url: <http://www.securityfocus.com/bid/92835>url: <https://technet.microsoft.com/en-us/library/security/ms16-137>

cert-bund: CB-K16/1747

dfn-cert: DFN-CERT-2016-1852

High (CVSS: 7.8)

NVT: Microsoft Windows Privilege Elevation Vulnerability (3140410)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-031

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

File checked: C:\Windows\system32\Ntoskrnl.exe

File version: 6.1.7601.18741

Vulnerable range:

Impact

Successful exploitation will allow an attacker to run arbitrary code as system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Vista x32/x64 Edition Service Pack 2
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2
- Microsoft Windows 7 x32/x64 Edition Service Pack 1
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1

Vulnerability Insight

The flaw is due to an improper sanitization of handles in memory.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Privilege Elevation Vulnerability (3140410)

OID:1.3.6.1.4.1.25623.1.0.807467

... continues on next page ...

...continued from previous page ...
Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0087 url: https://support.microsoft.com/en-us/kb/3140410 url: https://technet.microsoft.com/en-us/library/security/MS16-031 url: https://technet.microsoft.com/library/security/MS16-031 cert-bund: CB-K16/0383 dfn-cert: DFN-CERT-2016-0412

High (CVSS: 7.8)
NVT: Microsoft Windows Privilege Elevation Vulnerability (3154846)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-060
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741 Vulnerable range:
Impact Successful exploitation will allow an attacker to elevate the privilege if an attacker logs on to an affected system and runs a specially crafted application.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The flaw exists when the Windows kernel fails to properly handle parsing of certain symbolic links.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Privilege Elevation Vulnerability (3154846) OID:1.3.6.1.4.1.25623.1.0.807324 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0180 url: https://support.microsoft.com/en-us/kb/3154846 url: https://support.microsoft.com/en-us/kb/3153171 url: https://technet.microsoft.com/en-us/library/security/MS16-060 url: https://technet.microsoft.com/library/security/MS16-060 cert-bund: CB-K16/0701 dfn-cert: DFN-CERT-2016-0759

High (CVSS: 7.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4534310)
Summary This host is missing a critical security update according to Microsoft KB4534310
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 11.0.9600.19597 File checked: C:\Windows\system32\Mshtml.dll File version: 8.0.7601.17514
Impact Successful exploitation will allow an attacker to execute arbitrary code, obtain information to further compromise the user's system, gain elevated privileges and break out of the Edge App-Container sandbox and run processes in an elevated context.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
... continues on next page ...

...continued from previous page ...	
Vulnerability Insight	
Multiple flaws exist in Microsoft Scripting Engine, Windows Input and Composition, Windows Media, Windows Storage and Filesystems, and Windows Server. Please see the references for more information on the vulnerabilities.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4534310) OID:1.3.6.1.4.1.25623.1.0.815560 Version used: 2023-10-20T21:39:12+05:30	
References	
cve: CVE-2020-0607 cve: CVE-2020-0608 cve: CVE-2020-0611 cve: CVE-2020-0615 cve: CVE-2020-0620 cve: CVE-2020-0625 cve: CVE-2020-0626 cve: CVE-2020-0627 cve: CVE-2020-0628 cve: CVE-2020-0629 cve: CVE-2020-0630 cve: CVE-2020-0631 cve: CVE-2020-0632 cve: CVE-2020-0634 cve: CVE-2020-0635 cve: CVE-2020-0637 cve: CVE-2020-0639 cve: CVE-2020-0640 cve: CVE-2020-0642 cve: CVE-2020-0643 url: https://support.microsoft.com/en-us/help/4534310 cert-bund: CB-K20/0049 cert-bund: CB-K20/0047 dfn-cert: DFN-CERT-2020-0082 dfn-cert: DFN-CERT-2020-0080	
High (CVSS: 7.8)	
NVT: Microsoft Windows Common Log File System Driver Elevation of Privilege Vulnerability (3193706)	
Summary	
This host is missing an important security update according to Microsoft Bulletin MS16-134.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\clfs.sys File version: 6.1.7600.16385 Vulnerable range: Less than 6.1.7601.23572
Impact Successful exploitation will allow an attacker to run processes in an elevated context.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64
Vulnerability Insight The flaw exists due to windows common log file system (CLFS) driver improperly handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Common Log File System Driver Elevation of Privilege Vulnerab. ↔.. OID:1.3.6.1.4.1.25623.1.0.809801 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3342 cve: CVE-2016-0026 cve: CVE-2016-3332 cve: CVE-2016-3333 cve: CVE-2016-3334 cve: CVE-2016-3335 cve: CVE-2016-3338 cve: CVE-2016-3340 cve: CVE-2016-3343
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2016-7184
url: https://support.microsoft.com/en-us/kb/3193706
url: http://www.securityfocus.com/bid/93998
url: http://www.securityfocus.com/bid/94008
url: http://www.securityfocus.com/bid/94009
url: http://www.securityfocus.com/bid/94012
url: http://www.securityfocus.com/bid/94011
url: http://www.securityfocus.com/bid/94014
url: http://www.securityfocus.com/bid/94010
url: http://www.securityfocus.com/bid/94013
url: http://www.securityfocus.com/bid/94007
url: http://www.securityfocus.com/bid/94015
url: https://technet.microsoft.com/en-us/library/security/MS16-134
cert-bund: CB-K16/1747
dfn-cert: DFN-CERT-2016-1852

```

High (CVSS: 7.8)

NVT: Microsoft Windows Privilege Escalation Vulnerabilities (3178465)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-101.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```

File checked:      C:\Windows\System32\Lsasrv.dll
File version:      6.1.7601.18741
Vulnerable range:  Less than 6.1.7601.23497

```

Impact

Successful exploitation will allow attackers to bypass certain security restrictions and perform unauthorized actions by conducting a man-in-the-middle attack. This may lead to other attacks.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 10 x32/x64
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/2012R2
- Microsoft Windows 10 Version 1511 x32/x64
- Microsoft Windows 10 Version 1607 x32/x64
- Microsoft Windows Vista x32/x64 Service Pack 2

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - An elevation of privilege vulnerability exists when Windows Netlogon improperly establishes a secure communications channel to a domain controller. - An elevation of privilege vulnerability exists in Windows when Kerberos improperly handles a password change request and falls back to NT LAN Manager (NTLM) Authentication Protocol as the default authentication protocol.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Privilege Escalation Vulnerabilities (3178465) OID:1.3.6.1.4.1.25623.1.0.808291 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3237 cve: CVE-2016-3300 url: https://support.microsoft.com/en-us/kb/3167679 url: http://www.securityfocus.com/bid/92290 url: http://www.securityfocus.com/bid/92296 url: https://support.microsoft.com/en-us/kb/3177108 url: https://technet.microsoft.com/library/security/MS16-101 cert-bund: CB-K16/1216 dfn-cert: DFN-CERT-2016-1300

High (CVSS: 7.8)
NVT: Microsoft Windows Components Privilege Elevation Vulnerability (3025421)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-005.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain restricted privileges.
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight The flaw is due to an error when handling directory traversal sequences within the TS WebProxy Windows component, which can be exploited to gain otherwise restricted privileges.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Components Privilege Elevation Vulnerability (3025421) OID:1.3.6.1.4.1.25623.1.0.805037 Version used: 2024-07-04T10:35:37+05:30
References cve: CVE-2015-0016 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/3025421 url: http://www.securityfocus.com/bid/71965 url: https://technet.microsoft.com/library/security/MS15-004 cert-bund: CB-K15/0038 dfn-cert: DFN-CERT-2015-0036

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (4013083)

Summary

This host is missing an important security update according to Microsoft Bulletin MS17-018.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Gdi32.dll

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23688

... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation will allow an attacker to run arbitrary code in kernel mode. An attacker could then:
	- install programs - view, change, or delete data - create new accounts with full user rights.
Solution:	
Solution type: VendorFix	
	The vendor has released updates. Please see the references for more information.
Affected Software/OS	
	- Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight	
	Multiple flaws exist when the Windows kernel-mode driver fails to properly handle objects in memory.
Vulnerability Detection Method	
	Checks if a vulnerable version is present on the target host.
	Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (4013. ↪...
	OID:1.3.6.1.4.1.25623.1.0.810594
	Version used: 2023-07-14T21:39:27+05:30
References	
	cve: CVE-2017-0024
	cve: CVE-2017-0026
	cve: CVE-2017-0056
	cve: CVE-2017-0078
	cve: CVE-2017-0079
	cve: CVE-2017-0080
	cve: CVE-2017-0081
	cve: CVE-2017-0082
	url: https://support.microsoft.com/en-us/kb/4013083
	url: http://www.securityfocus.com/bid/96029
	url: http://www.securityfocus.com/bid/96032
...continues on next page ...	

...continued from previous page ...
url: http://www.securityfocus.com/bid/96630
url: http://www.securityfocus.com/bid/96631
url: http://www.securityfocus.com/bid/96632
url: http://www.securityfocus.com/bid/96633
url: http://www.securityfocus.com/bid/96634
url: http://www.securityfocus.com/bid/96635
url: https://technet.microsoft.com/library/security/MS17-018
url: https://technet.microsoft.com/library/security/MS17-018
cert-bund: CB-K17/0443
dfn-cert: DFN-CERT-2017-0451

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3192892)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-123.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\win32k.sys

File version: 6.1.7601.17514

Vulnerable range: Less than 6.1.7601.23545

Impact

Successful exploitation will allow an attacker could run arbitrary code in kernel mode. An attacker could then install programs view, change, or delete data, or create new accounts with full user rights, and take control over the affected system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 x32/x64 Service Pack 2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/2012R2
- Microsoft Windows 10 x32/x64
- Microsoft Windows 10 Version 1511 x32/x64
- Microsoft Windows 10 Version 1607 x32/x64

... continues on next page ...

...continued from previous page ...	
Vulnerability Insight Multiple flaws exist due to: - The kernel-mode driver fails to properly handle objects in memory. - The Windows Transaction Manager improperly handles objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3192. ↪.. OID:1.3.6.1.4.1.25623.1.0.809343 Version used: 2023-11-03T10:35:46+05:30	
References cve: CVE-2016-3266 cve: CVE-2016-3376 cve: CVE-2016-7185 cve: CVE-2016-7211 cve: CVE-2016-3341 url: https://support.microsoft.com/en-us/kb/3192892 url: http://www.securityfocus.com/bid/93384 url: http://www.securityfocus.com/bid/93388 url: http://www.securityfocus.com/bid/93389 url: http://www.securityfocus.com/bid/93391 url: https://technet.microsoft.com/library/security/MS16-123 cert-bund: CB-K16/1582 dfn-cert: DFN-CERT-2016-1672	

High (CVSS: 7.8)	
NVT: Microsoft Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3164028)	
Summary This host is missing an important security update according to Microsoft Bulletin MS16-073.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23452	
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode, and potentially disclose contents of memory to which they should not have access.	
Solution: ... continues on next page ...	

...continued from previous page ...
Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight Multiple flaws exist due to: - When the Windows kernel-mode driver fails to properly handle objects in memory. - When the Windows Virtual PCI (VPCI) virtual service provider (VSP) fails to properly handle uninitialized memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3164028) OID:1.3.6.1.4.1.25623.1.0.808084 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-3218 cve: CVE-2016-3221 cve: CVE-2016-3232 url: https://support.microsoft.com/en-us/kb/3164028 url: https://technet.microsoft.com/en-us/library/security/MS16-073 url: https://technet.microsoft.com/library/security/MS16-073 cert-bund: CB-K16/0914 dfn-cert: DFN-CERT-2016-0969
High (CVSS: 7.8) NVT: Microsoft .NET Framework Multiple Vulnerabilities (KB4579977)
Summary This host is missing a critical security update according to Microsoft KB4579977
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...	
Vulnerable range:	4.0.30319.30000 - 4.0.30319.36683
File checked:	C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.data.d ↔ll
File version:	4.0.30319.34209
Impact Successful exploitation will allow an attacker to gain access to sensitive information and run arbitrary code in the context of the process responsible for deserialization of the XML content.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.	
Vulnerability Insight Multiple flaws exist due to: - An error in .NET Framework when the software fails to check the source markup of XML file input. - An error when the .NET Framework improperly handles objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (KB4579977) OID:1.3.6.1.4.1.25623.1.0.817393 Version used: 2022-08-09T15:41:17+05:30	
References cve: CVE-2020-1147 cve: CVE-2020-16937 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4579977 cert-bund: CB-K20/0983 cert-bund: CB-K20/0704 cert-bund: CB-K20/0694 dfn-cert: DFN-CERT-2020-2236 dfn-cert: DFN-CERT-2020-1522 dfn-cert: DFN-CERT-2020-1521 dfn-cert: DFN-CERT-2020-1516	

High (CVSS: 7.8)
NVT: Windows IExpress Untrusted Search Path Vulnerability
Summary This host has IExpress bundled with Microsoft Windows and is prone to an untrusted search path vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Fixed version: Workaround File checked: C:\Windows\system32\IEXPRESS.EXE File version: 8.0.7600.16385
Impact Successful exploitation will allow an attacker to execute arbitrary code with the privilege of the user invoking a vulnerable self-extracting archive file.
Solution: Solution type: Workaround As a workaround save self-extracting archive files into a newly created directory, and confirm there are no unrelated files in the directory and make sure there are no suspicious files in the directory where self-extracting archive files are saved.
Affected Software/OS IExpress bundled with Microsoft Windows
Vulnerability Insight The flaw exists due to an untrusted search path error in self-extracting archive files created by IExpress bundled with Microsoft Windows.
Vulnerability Detection Method Check for the presence of IExpress (IEXPRESS.EXE). Details: Windows IExpress Untrusted Search Path Vulnerability OID:1.3.6.1.4.1.25623.1.0.813808 Version used: 2023-07-20T10:35:18+05:30
References cve: CVE-2018-0598 url: http://jvn.jp/en/jp/JVN72748502/index.html url: https://blogs.technet.microsoft.com/srd/2018/04/04/triaging-a-dll-planting-vulnerability

High (CVSS: 7.8) NVT: Microsoft Windows ICMPv6 Packet Denial of Service Vulnerability (2868623)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-065.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to cause denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight Flaw is due to an error within the TCP/IP stack when handling ICMPv6 packets.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows ICMPv6 Packet Denial of Service Vulnerability (2868623) OID:1.3.6.1.4.1.25623.1.0.903316 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3183 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-065 url: http://www.securityfocus.com/bid/61666 dfn-cert: DFN-CERT-2013-1468

High (CVSS: 7.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4471318)
Summary This host is missing a critical security update according to Microsoft KB4471318
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24313 File checked: C:\Windows\system32\Win32k.sys File version: 6.1.7601.17514
Impact Successful exploitation will allow attackers to run arbitrary code, elevate privileges and obtain information to further compromise the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
Vulnerability Insight Multiple flaws are due to: - Windows kernel improperly handles objects in memory. - Internet Explorer VBScript execution policy does not properly restrict VBScript under specific conditions. - Scripting engine improperly handles objects in memory in Internet Explorer. - Windows kernel-mode driver fails to properly handle objects in memory. - Internet Explorer improperly accesses objects in memory. - Windows GDI component improperly discloses the contents of its memory. - Windows Domain Name System (DNS) servers when they fail to properly handle requests. - Windows Win32k component fails to properly handle objects in memory. - VBScript engine improperly handles objects in memory. - Remote Procedure Call runtime improperly initializes objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4471318) OID:1.3.6.1.4.1.25623.1.0.814619 Version used: 2023-11-03T21:40:08+05:30
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2018-8477
 cve: CVE-2018-8514
 cve: CVE-2018-8611
 cve: CVE-2018-8619
 cve: CVE-2018-8621
 cve: CVE-2018-8622
 cve: CVE-2018-8625
 cve: CVE-2018-8631
 cve: CVE-2018-8639
 cve: CVE-2018-8641
 cve: CVE-2018-8643
 cve: CVE-2018-8595
 cve: CVE-2018-8596
 cisa: Known Exploited Vulnerability (KEV) catalog
 url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
 url: <https://support.microsoft.com/en-us/help/4471318>
 cert-bund: CB-K18/1171
 cert-bund: CB-K18/1166
 dfn-cert: DFN-CERT-2018-2523
 dfn-cert: DFN-CERT-2018-2520

High (CVSS: 7.8)

NVT: Microsoft Windows IME (Japanese) Privilege Elevation Vulnerability (2992719)

Summary

This host is missing a moderate security update according to Microsoft Bulletin MS14-078.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attacker to bypass a sandbox protection mechanism via a crafted PDF document.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight Error in 'IMJPDCT.EXE', which allow remote attackers to bypass a sandbox protection mechanism via a crafted PDF document. Aka 'Microsoft IME (Japanese) Elevation of Privilege Vulnerability' as exploited in the wild in 2014.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows IME (Japanese) Privilege Elevation Vulnerability (2992719) OID:1.3.6.1.4.1.25623.1.0.802088 Version used: 2024-07-01T10:35:39+05:30
References cve: CVE-2014-4077 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/kb/2991963 url: http://www.securityfocus.com/bid/70944 url: https://technet.microsoft.com/library/security/MS14-078 url: http://blogs.technet.com/b/srd/archive/2014/11/11/assessing-risk-for-the-no ↪vember-2014-security-updates.aspx cert-bund: CB-K14/1402 cert-bund: CB-K14/1397 dfn-cert: DFN-CERT-2014-1473 dfn-cert: DFN-CERT-2014-1470

High (CVSS: 7.8)
NVT: Microsoft Windows Information Disclosure And Elevation of Privilege Vulnerabilities (3205655)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-149.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\msi.dll File version: 5.0.7601.17514 Vulnerable range: Less than 5.0.7601.23593
Impact ... continues on next page ...

...continued from previous page...
Successful exploitation will allow attackers to obtain information to further compromise the user's system, run arbitrary code with elevated system privileges. An attacker could then install programs, view, change, or delete data or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2016 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Service Pack 2
Vulnerability Insight Multiple flaws exist due to: - The windows Crypto driver running in kernel mode improperly handles objects in memory. - The windows Installer fails to properly sanitize input leading to an insecure library loading behavior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Information Disclosure And Elevation of Privilege Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.810238 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-7219 cve: CVE-2016-7292 url: https://support.microsoft.com/en-us/kb/3205655 url: http://www.securityfocus.com/bid/94768 url: http://www.securityfocus.com/bid/94764 url: https://technet.microsoft.com/en-us/library/security/MS16-149 url: https://technet.microsoft.com/library/security/MS16-149 cert-bund: CB-K16/1959 dfn-cert: DFN-CERT-2016-2066

High (CVSS: 7.8) NVT: Microsoft Windows Kernel Elevation of Privilege Vulnerability (KB4100480)
Summary This host is missing a critical security update according to Microsoft KB4100480
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24059 File checked: C:\Windows\system32\kernel32.dll File version: 6.1.7601.17514
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode which will empower them to install programs, view, change, delete data or create new accounts with full user rights.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight The flaw exists due to Windows kernel failing to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Elevation of Privilege Vulnerability (KB4100480) OID:1.3.6.1.4.1.25623.1.0.812848 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-1038 url: https://support.microsoft.com/en-us/help/4100480 url: http://www.securityfocus.com/bid/103549 cert-bund: CB-K18/0558 dfn-cert: DFN-CERT-2018-0609

High (CVSS: 7.8)
NVT: Microsoft Windows Secondary Logon Privilege Elevation Vulnerability (3143141)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-032.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Seclogon.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19148
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight The flaw exists in Windows when the Secondary Logon Service fails to properly manage request handles in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Secondary Logon Privilege Elevation Vulnerability (3143141) OID:1.3.6.1.4.1.25623.1.0.807309 Version used: 2024-07-25T10:35:41+05:30
References cve: CVE-2016-0099 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3143141
... continues on next page ...

...continued from previous page ...
url: https://technet.microsoft.com/en-us/library/security/MS16-032
url: https://technet.microsoft.com/en-us/library/security/MS16-034
cert-bund: CB-K16/0383
dfn-cert: DFN-CERT-2016-0412

High (CVSS: 7.8)
NVT: Microsoft .NET Framework Multiple Vulnerabilities (KB4570506)
Summary This host is missing an important security update according to Microsoft KB4570506
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 4.0 - 4.0.30319.36659 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\Webengine.dll File version: 4.0.30319.34209
Impact Successful exploitation will allow an attacker to gain access to restricted files and take control of an affected system
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.
Vulnerability Insight Multiple flaws exist due to - An error when ASP.NET or .NET web applications running on IIS improperly allow access to cached files. - An error when Microsoft .NET Framework processes input.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple Vulnerabilities (KB4570506) OID:1.3.6.1.4.1.25623.1.0.817320 Version used: 2021-08-11T14:26:08+05:30
References cve: CVE-2020-1476
... continues on next page ...

...continued from previous page ...

cve: CVE-2020-1046
url: <https://support.microsoft.com/en-us/help/4570506>
cert-bund: CB-K20/0811
dfn-cert: DFN-CERT-2020-1773

High (CVSS: 7.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4338818)

Summary

This host is missing a critical security update according to Microsoft KB4338818

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: Less than 6.1.7601.24168
File checked: C:\Windows\system32\Kernel32.dll
File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker to bypass security, cause a target system to stop responding, execute arbitrary code in the context of the current user and elevate privileges on an affected system.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to errors,

- When Internet Explorer improperly accesses objects in memory.
- When Windows improperly handles File Transfer Protocol (FTP) connections.
- When the scripting engine improperly handles objects in memory in Internet Explorer.
- When Windows kernel-mode driver fails to properly handle objects in memory.
- When Windows Domain Name System (DNS) DNSAPI.dll fails to properly handle DNS responses.
- When Microsoft WordPad improperly handles embedded OLE objects.
- When Windows fails a check, allowing a sandbox escape.
- Involving side channel speculative execution, known as Lazy FP State Restore.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Multiple Vulnerabilities (KB4338818)

OID:1.3.6.1.4.1.25623.1.0.813645

Version used: 2023-11-03T21:40:08+05:30

References

cve: CVE-2018-8282

cve: CVE-2018-0949

cve: CVE-2018-8206

cve: CVE-2018-8242

cve: CVE-2018-8287

cve: CVE-2018-8288

cve: CVE-2018-8291

cve: CVE-2018-8296

cve: CVE-2018-8304

cve: CVE-2018-8307

cve: CVE-2018-8308

cve: CVE-2018-8309

cve: CVE-2018-8314

cve: CVE-2018-3665

url: <https://support.microsoft.com/en-us/help/4338818>

cert-bund: CB-K19/0271

cert-bund: CB-K18/0778

cert-bund: CB-K18/0774

cert-bund: CB-K18/0773

cert-bund: CB-K18/0772

cert-bund: CB-K18/0765

cert-bund: CB-K18/0730

dfn-cert: DFN-CERT-2019-0987

dfn-cert: DFN-CERT-2019-0069

dfn-cert: DFN-CERT-2018-2441

dfn-cert: DFN-CERT-2018-2399

dfn-cert: DFN-CERT-2018-2349

dfn-cert: DFN-CERT-2018-1734

dfn-cert: DFN-CERT-2018-1722

dfn-cert: DFN-CERT-2018-1468

dfn-cert: DFN-CERT-2018-1452

dfn-cert: DFN-CERT-2018-1446

dfn-cert: DFN-CERT-2018-1385

dfn-cert: DFN-CERT-2018-1357

dfn-cert: DFN-CERT-2018-1356

dfn-cert: DFN-CERT-2018-1355

dfn-cert: DFN-CERT-2018-1352

dfn-cert: DFN-CERT-2018-1351

dfn-cert: DFN-CERT-2018-1349

dfn-cert: DFN-CERT-2018-1346

dfn-cert: DFN-CERT-2018-1332

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2018-1293
dfn-cert: DFN-CERT-2018-1290
dfn-cert: DFN-CERT-2018-1279
dfn-cert: DFN-CERT-2018-1270
dfn-cert: DFN-CERT-2018-1260
dfn-cert: DFN-CERT-2018-1228
dfn-cert: DFN-CERT-2018-1206
dfn-cert: DFN-CERT-2018-1205
dfn-cert: DFN-CERT-2018-1190
dfn-cert: DFN-CERT-2018-1170
dfn-cert: DFN-CERT-2018-1150

```

High (CVSS: 7.8)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4074598)

Summary

This host is missing a critical security update according to Microsoft KB4074598

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.24023

File checked: C:\Windows\system32\Win32k.sys

File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker who successfully exploited the vulnerability to run arbitrary code in the context of the current user, read data that was not intended to be disclosed, gain the same user rights as the current user, obtain information to further compromise the user's system, spoof content, perform phishing attacks, or otherwise manipulate content of a document.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1

Vulnerability Insight

Multiple flaws exist due to:

- The software fails to properly handle objects in memory.
- The Microsoft Windows Embedded OpenType (EOT) font engine fails to properly parse specially crafted embedded fonts.

... continues on next page ...

...continued from previous page ...
- The scripting engine improperly handles objects in memory. - The Windows Common Log File System (CLFS) driver improperly handles objects in memory. - The VBScript improperly discloses the contents of its memory. - The Windows Kernel handles objects in memory. - The Windows kernel fails to properly initialize a memory address. - Microsoft has deprecated the Document Signing functionality in XPS Viewer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4074598) OID:1.3.6.1.4.1.25623.1.0.812767 Version used: 2023-11-03T21:40:08+05:30
References cve: CVE-2018-0742 cve: CVE-2018-0755 cve: CVE-2018-0757 cve: CVE-2018-0760 cve: CVE-2018-0761 cve: CVE-2018-0810 cve: CVE-2018-0820 cve: CVE-2018-0825 cve: CVE-2018-0829 cve: CVE-2018-0830 cve: CVE-2018-0840 cve: CVE-2018-0842 cve: CVE-2018-0844 cve: CVE-2018-0846 cve: CVE-2018-0847 cve: CVE-2018-0855 cve: CVE-2018-0866 url: https://support.microsoft.com/en-us/help/4074598 cert-bund: CB-K18/0282 cert-bund: CB-K18/0279 cert-bund: CB-K18/0278 cert-bund: CB-K18/0276 dfn-cert: DFN-CERT-2018-0301 dfn-cert: DFN-CERT-2018-0300 dfn-cert: DFN-CERT-2018-0299 dfn-cert: DFN-CERT-2018-0295
High (CVSS: 7.8) NVT: Microsoft Windows Multiple Vulnerabilities (KB4056897)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft KB4056897
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24000 File checked: C:\Windows\system32\Advapi32.dll File version: 6.1.7600.16385
Impact Successful exploitation will allow an attacker to execute arbitrary code and take control of an affected system, elevate their user rights, gain access to sensitive data, bypass certain security checks, impersonate processes, interject cross-process communication, interrupt system functionality and conduct bounds check bypass, branch target injection, rogue data cache load.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - Multiple errors in Windows Adobe Type Manager Font Driver (ATMFD.dll) when it fails to properly handle objects in memory. - An error in the Windows GDI component which improperly discloses kernel memory addresses. - An error in the Microsoft Server Message Block (SMB) Server when an attacker with valid credentials attempts to open a specially crafted file over the SMB protocol on the same machine. - An error in the way that the Windows Kernel API enforces permissions. - An error in the Windows kernel that could allow an attacker to retrieve information that could lead to a Kernel Address Space Layout Randomization (ASLR) bypass. - An error in the way that the Color Management Module (ICM32.dll) handles objects in memory. - Multiple errors leading to 'speculative execution side-channel attacks' that affect many modern processors and operating systems including Intel, AMD, and ARM.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4056897) OID:1.3.6.1.4.1.25623.1.0.812384 Version used: 2023-11-03T21:40:08+05:30
References cve: CVE-2018-0741 cve: CVE-2018-0747
... continues on next page ...

...continued from previous page ...

cve: CVE-2018-0748
cve: CVE-2018-0749
cve: CVE-2018-0750
cve: CVE-2018-0754
cve: CVE-2018-0788
cve: CVE-2017-5753
cve: CVE-2017-5715
cve: CVE-2017-5754
url: <https://support.microsoft.com/en-us/help/4056897>
cert-bund: WID-SEC-2025-1212
cert-bund: WID-SEC-2024-2008
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-0103
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0532
cert-bund: CB-K20/0324
cert-bund: CB-K19/0774
cert-bund: CB-K18/1140
cert-bund: CB-K18/0898
cert-bund: CB-K18/0654
cert-bund: CB-K18/0651
cert-bund: CB-K18/0635
cert-bund: CB-K18/0601
cert-bund: CB-K18/0557
cert-bund: CB-K18/0551
cert-bund: CB-K18/0518
cert-bund: CB-K18/0472
cert-bund: CB-K18/0463
cert-bund: CB-K18/0398
cert-bund: CB-K18/0381
cert-bund: CB-K18/0370
cert-bund: CB-K18/0367
cert-bund: CB-K18/0356
cert-bund: CB-K18/0348
cert-bund: CB-K18/0347
cert-bund: CB-K18/0346
cert-bund: CB-K18/0338
cert-bund: CB-K18/0283
cert-bund: CB-K18/0257
cert-bund: CB-K18/0250
cert-bund: CB-K18/0244
cert-bund: CB-K18/0207
cert-bund: CB-K18/0184
cert-bund: CB-K18/0177
cert-bund: CB-K18/0165
cert-bund: CB-K18/0153
cert-bund: CB-K18/0148

... continues on next page ...

...continued from previous page ...

cert-bund: CB-K18/0129
cert-bund: CB-K18/0099
cert-bund: CB-K18/0094
cert-bund: CB-K18/0054
cert-bund: CB-K18/0051
cert-bund: CB-K18/0049
cert-bund: CB-K18/0046
cert-bund: CB-K18/0040
cert-bund: CB-K18/0039
cert-bund: CB-K18/0023
cert-bund: CB-K18/0022
cert-bund: CB-K18/0021
cert-bund: CB-K18/0020
cert-bund: CB-K18/0017
cert-bund: CB-K18/0016
cert-bund: CB-K18/0011
cert-bund: CB-K18/0010
cert-bund: CB-K18/0009
cert-bund: CB-K17/2117
cert-bund: CB-K17/2113
dfn-cert: DFN-CERT-2025-1705
dfn-cert: DFN-CERT-2025-0942
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1568
dfn-cert: DFN-CERT-2023-1377
dfn-cert: DFN-CERT-2023-1164
dfn-cert: DFN-CERT-2023-0879
dfn-cert: DFN-CERT-2023-0877
dfn-cert: DFN-CERT-2023-0876
dfn-cert: DFN-CERT-2023-0848
dfn-cert: DFN-CERT-2023-0795
dfn-cert: DFN-CERT-2023-0794
dfn-cert: DFN-CERT-2023-0793
dfn-cert: DFN-CERT-2023-0507
dfn-cert: DFN-CERT-2022-0531
dfn-cert: DFN-CERT-2021-2537
dfn-cert: DFN-CERT-2021-1829
dfn-cert: DFN-CERT-2020-1783
dfn-cert: DFN-CERT-2019-2374
dfn-cert: DFN-CERT-2019-1987
dfn-cert: DFN-CERT-2019-1985
dfn-cert: DFN-CERT-2019-1837
dfn-cert: DFN-CERT-2019-1415
dfn-cert: DFN-CERT-2019-1235
dfn-cert: DFN-CERT-2019-1150
dfn-cert: DFN-CERT-2019-0622
dfn-cert: DFN-CERT-2019-0613

... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2465
dfn-cert: DFN-CERT-2018-2399
dfn-cert: DFN-CERT-2018-1869
dfn-cert: DFN-CERT-2018-1819
dfn-cert: DFN-CERT-2018-1794
dfn-cert: DFN-CERT-2018-1734
dfn-cert: DFN-CERT-2018-1726
dfn-cert: DFN-CERT-2018-1550
dfn-cert: DFN-CERT-2018-1504
dfn-cert: DFN-CERT-2018-1500
dfn-cert: DFN-CERT-2018-1494
dfn-cert: DFN-CERT-2018-1493
dfn-cert: DFN-CERT-2018-1446
dfn-cert: DFN-CERT-2018-1435
dfn-cert: DFN-CERT-2018-1386
dfn-cert: DFN-CERT-2018-1385
dfn-cert: DFN-CERT-2018-1364
dfn-cert: DFN-CERT-2018-1117
dfn-cert: DFN-CERT-2018-1108
dfn-cert: DFN-CERT-2018-1032
dfn-cert: DFN-CERT-2018-1008
dfn-cert: DFN-CERT-2018-0991
dfn-cert: DFN-CERT-2018-0988
dfn-cert: DFN-CERT-2018-0933
dfn-cert: DFN-CERT-2018-0931
dfn-cert: DFN-CERT-2018-0878
dfn-cert: DFN-CERT-2018-0857
dfn-cert: DFN-CERT-2018-0821
dfn-cert: DFN-CERT-2018-0819
dfn-cert: DFN-CERT-2018-0818
dfn-cert: DFN-CERT-2018-0815
dfn-cert: DFN-CERT-2018-0808
dfn-cert: DFN-CERT-2018-0799
dfn-cert: DFN-CERT-2018-0796
dfn-cert: DFN-CERT-2018-0794
dfn-cert: DFN-CERT-2018-0760
dfn-cert: DFN-CERT-2018-0728
dfn-cert: DFN-CERT-2018-0682
dfn-cert: DFN-CERT-2018-0663
dfn-cert: DFN-CERT-2018-0631
dfn-cert: DFN-CERT-2018-0625
dfn-cert: DFN-CERT-2018-0605
dfn-cert: DFN-CERT-2018-0598
dfn-cert: DFN-CERT-2018-0552
dfn-cert: DFN-CERT-2018-0510
dfn-cert: DFN-CERT-2018-0499

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2018-0427
dfn-cert: DFN-CERT-2018-0410
dfn-cert: DFN-CERT-2018-0397
dfn-cert: DFN-CERT-2018-0394
dfn-cert: DFN-CERT-2018-0382
dfn-cert: DFN-CERT-2018-0377
dfn-cert: DFN-CERT-2018-0375
dfn-cert: DFN-CERT-2018-0372
dfn-cert: DFN-CERT-2018-0367
dfn-cert: DFN-CERT-2018-0310
dfn-cert: DFN-CERT-2018-0276
dfn-cert: DFN-CERT-2018-0267
dfn-cert: DFN-CERT-2018-0262
dfn-cert: DFN-CERT-2018-0224
dfn-cert: DFN-CERT-2018-0200
dfn-cert: DFN-CERT-2018-0194
dfn-cert: DFN-CERT-2018-0181
dfn-cert: DFN-CERT-2018-0167
dfn-cert: DFN-CERT-2018-0163
dfn-cert: DFN-CERT-2018-0137
dfn-cert: DFN-CERT-2018-0104
dfn-cert: DFN-CERT-2018-0096
dfn-cert: DFN-CERT-2018-0066
dfn-cert: DFN-CERT-2018-0058
dfn-cert: DFN-CERT-2018-0054
dfn-cert: DFN-CERT-2018-0053
dfn-cert: DFN-CERT-2018-0045
dfn-cert: DFN-CERT-2018-0044
dfn-cert: DFN-CERT-2018-0031
dfn-cert: DFN-CERT-2018-0030
dfn-cert: DFN-CERT-2018-0029
dfn-cert: DFN-CERT-2018-0026
dfn-cert: DFN-CERT-2018-0025
dfn-cert: DFN-CERT-2018-0024
dfn-cert: DFN-CERT-2018-0022
dfn-cert: DFN-CERT-2018-0020
dfn-cert: DFN-CERT-2018-0019
dfn-cert: DFN-CERT-2017-2211
dfn-cert: DFN-CERT-2017-2210

```

High (CVSS: 7.8)

NVT: Microsoft Windows TCP/IP Denial of Service Vulnerability (2790655)

Summary

...continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft Bulletin MS13-018.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow attackers to exhaust the non-paged pool and render the system unusable or trigger a restart.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight The flaw is due to an error within the TCP/IP stack, which remains in TCP FIN_WAIT_2 state after receiving an ACK to the FIN packet when handling a tear down sequence.
Vulnerability Detection Method Details: Microsoft Windows TCP/IP Denial of Service Vulnerability (2790655) OID:1.3.6.1.4.1.25623.1.0.902945 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-0075 url: http://support.microsoft.com/kb/2790655 url: http://www.securityfocus.com/bid/57858 url: http://www.securitytracker.com/id/1028128 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv-13-018 dfn-cert: DFN-CERT-2013-0293
High (CVSS: 7.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB4048957)
Summary
... continues on next page ...

...continued from previous page ...
This host is missing a critical security update according to Microsoft KB4048957
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.23915 File checked: C:\Windows\system32\advapi32.dll File version: 6.1.7600.16385
Impact Successful exploitation will allow an attacker to read data that was not intended to be disclosed, and obtain information to further compromise the user's system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
Vulnerability Insight Multiple flaws exist as, - This security update includes improvements and resolves the following issues: Addressed issue where applications based on the Microsoft JET Database Engine (Microsoft Access 2007 and older or non-Microsoft applications) fail when creating or opening Microsoft Excel .xls files. - Security updates to Microsoft Windows Search Component, Microsoft Graphics Component, Windows kernel-mode drivers, Windows Media Player, and Windows kernel.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4048957) OID:1.3.6.1.4.1.25623.1.0.812149 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2017-11869 cve: CVE-2017-11768 cve: CVE-2017-11788 cve: CVE-2017-11880 cve: CVE-2017-11791 cve: CVE-2017-11827 cve: CVE-2017-11834 cve: CVE-2017-11835 cve: CVE-2017-11837 cve: CVE-2017-11838
... continues on next page ...

...continued from previous page...

cve: CVE-2017-11843
cve: CVE-2017-11846
cve: CVE-2017-11847
cve: CVE-2017-11848
cve: CVE-2017-11849
cve: CVE-2017-11851
cve: CVE-2017-11852
cve: CVE-2017-11853
cve: CVE-2017-11855
cve: CVE-2017-11856
cve: CVE-2017-11858
cve: CVE-2017-11831
cve: CVE-2017-11832
url: <https://support.microsoft.com/en-us/help/4048957>
url: <http://www.securityfocus.com/bid/101742>
url: <http://www.securityfocus.com/bid/101705>
url: <http://www.securityfocus.com/bid/101711>
url: <http://www.securityfocus.com/bid/101755>
url: <http://www.securityfocus.com/bid/101715>
url: <http://www.securityfocus.com/bid/101703>
url: <http://www.securityfocus.com/bid/101725>
url: <http://www.securityfocus.com/bid/101736>
url: <http://www.securityfocus.com/bid/101722>
url: <http://www.securityfocus.com/bid/101737>
url: <http://www.securityfocus.com/bid/101740>
url: <http://www.securityfocus.com/bid/101741>
url: <http://www.securityfocus.com/bid/101729>
url: <http://www.securityfocus.com/bid/101709>
url: <http://www.securityfocus.com/bid/101762>
url: <http://www.securityfocus.com/bid/101763>
url: <http://www.securityfocus.com/bid/101739>
url: <http://www.securityfocus.com/bid/101764>
url: <http://www.securityfocus.com/bid/101751>
url: <http://www.securityfocus.com/bid/101753>
url: <http://www.securityfocus.com/bid/101716>
url: <http://www.securityfocus.com/bid/101721>
url: <http://www.securityfocus.com/bid/101726>
cert-bund: CB-K17/1955
cert-bund: CB-K17/1951
cert-bund: CB-K17/1949
dfn-cert: DFN-CERT-2017-2040
dfn-cert: DFN-CERT-2017-2039
dfn-cert: DFN-CERT-2017-2031

High (CVSS: 7.8) NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (KB4014984)
Summary This host is missing a critical security update according to Microsoft Security Updates KB4014984
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.managem ^{ent} .dll File version: 4.0.30319.34209 Vulnerable range: 4.0.30319.30000 - 4.0.30319.36387
Impact Successful exploitation will allow remote attackers to take control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6
Vulnerability Insight Flaw exists as .NET Framework fails to properly validate input before loading libraries.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Remote Code Execution Vulnerability (KB4014984) OID:1.3.6.1.4.1.25623.1.0.810868 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-0160 url: https://support.microsoft.com/en-us/help/4014984 cert-bund: CB-K17/0617 dfn-cert: DFN-CERT-2017-0639

High (CVSS: 7.8)	
NVT: Microsoft .NET Framework Remote Code Execution Vulnerability (KB4014981)	
Summary This host is missing a critical security update according to Microsoft Security Updates KB4014981	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.management.dll File version: 4.0.30319.34209 Vulnerable range: 4.0.30319.30000 - 4.0.30319.36387	
Impact Successful exploitation will allow remote attackers to take control of an affected system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6/4.6.1 - Microsoft .NET Framework 4.6.2	
Vulnerability Insight Flaw exists as .NET Framework fails to properly validate input before loading libraries.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Remote Code Execution Vulnerability (KB4014981) OID:1.3.6.1.4.1.25623.1.0.810861 Version used: 2024-03-05T10:35:54+05:30	
References cve: CVE-2017-0160 url: https://support.microsoft.com/en-us/help/4014981 cert-bund: CB-K17/0617 dfn-cert: DFN-CERT-2017-0639	

High (CVSS: 7.8)
NVT: Microsoft Windows Kernel-Mode Drivers Code Execution Vulnerability (3119075)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-135.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\User32.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19061
Impact Successful exploitation will allow an attacker to execute arbitrary code in kernel mode with elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Multiple flaws are due to: - Multiple local privilege escalation vulnerabilities. - Multiple remote code execution vulnerabilities when the Windows font library improperly handles specially crafted embedded fonts
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Code Execution Vulnerability (3119075) OID:1.3.6.1.4.1.25623.1.0.806776 Version used: 2025-01-17T21:09:18+05:30
References ... continues on next page ...

...continued from previous page ...
cve: CVE-2015-6171 cve: CVE-2015-6173 cve: CVE-2015-6174 cve: CVE-2015-6175 cve: CVE-2015-6106 cve: CVE-2015-6107 cve: CVE-2015-6108 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3119075 url: http://www.securityfocus.com/bid/78509 url: http://www.securityfocus.com/bid/78510 url: http://www.securityfocus.com/bid/78513 url: http://www.securityfocus.com/bid/78514 url: http://www.securityfocus.com/bid/78497 url: http://www.securityfocus.com/bid/78498 url: http://www.securityfocus.com/bid/78499 url: https://technet.microsoft.com/library/security/MS15-135 url: https://technet.microsoft.com/library/security/MS15-128 cert-bund: CB-K15/1804 dfn-cert: DFN-CERT-2015-1903

High (CVSS: 7.8)

NVT: Microsoft Windows Kernel-Mode Drivers Multiple Vulnerabilities (3199135)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-135

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\drivers\Bowser.sys

File version: 6.1.7600.16385

Vulnerable range: Less than 6.1.7601.23567

Impact

Successful exploitation will allow an attacker to retrieve the memory address of a kernel object, run arbitrary code in kernel mode and to log on to an affected system and runs a specially crafted application that could exploit the vulnerabilities and take control of an affected system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

...continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Multiple flaws exist due to: - A kernel Address Space Layout Randomization (ASLR) bypass error. - The windows kernel-mode driver fails to properly handle objects in memory. - The windows bowser.sys kernel-mode driver fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Multiple Vulnerabilities (3199135) OID:1.3.6.1.4.1.25623.1.0.809092 Version used: 2024-07-26T10:35:35+05:30
References cve: CVE-2016-7214 cve: CVE-2016-7215 cve: CVE-2016-7218 cve: CVE-2016-7246 cve: CVE-2016-7255 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3199135 url: http://www.securityfocus.com/bid/92835 url: https://technet.microsoft.com/en-us/library/security/ms16-135 cert-bund: CB-K16/1747 dfn-cert: DFN-CERT-2016-1852
High (CVSS: 7.8) NVT: Windows Modules Installer Elevation of Privilege Vulnerability (KB4565354)
Summary This host is missing an important security update according to Microsoft KB4565354
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24557 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741	
Impact Successful exploitation will allow an attacker to gain elevated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight The flaw exists due to Windows Modules Installer fails to properly handle file operations. Please see the references for more information on the vulnerabilities.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Windows Modules Installer Elevation of Privilege Vulnerability (KB4565354) OID:1.3.6.1.4.1.25623.1.0.817234 Version used: 2021-08-11T14:26:08+05:30	
References cve: CVE-2020-1346 url: https://support.microsoft.com/en-us/help/4565354 cert-bund: CB-K20/0692 dfn-cert: DFN-CERT-2020-1515	

High (CVSS: 7.8)

NVT: Microsoft .NET Framework 4.5.2 Security Feature Bypass And DoS Vulnerabilities

Summary

This host is missing an important security update according to Microsoft KB4096495

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: 4.0.30319.30000 - 4.0.30319.36439
File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\mscorlib.dll

... continues on next page ...

...continued from previous page ...	
File version:	4.0.30319.34209
Impact Successful exploitation will allow an attacker to cause a denial of service and circumvent a User Mode Code Integrity (UMCI) policy on the machine.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Multiple flaws exist due to: - An error when .NET and .NET Core improperly process XML documents. - An error In .Net Framework which could allow an attacker to bypass Device Guard.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework 4.5.2 Security Feature Bypass And DoS Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.813184 Version used: 2023-11-03T21:40:08+05:30	
References cve: CVE-2018-0765 cve: CVE-2018-1039 url: https://support.microsoft.com/en-us/help/4096495 cert-bund: CB-K18/0656 dfn-cert: DFN-CERT-2018-0870	
High (CVSS: 7.8) NVT: Microsoft Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3158222)	
Summary This host is missing an important security update according to Microsoft Bulletin MS16-062.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514	
...continues on next page ...	

...continued from previous page ...
Vulnerable range: Less than 6.1.7601.23418
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode, and to take control over the affected system, also could retrieve the memory address of a kernel object.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight Multiple flaws exist due to: - When the Windows kernel-mode driver fails to properly handle objects in memory and incorrectly maps kernel memory - When the DirectX Graphics kernel subsystem (dxgkrnl.sys) improperly handles objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Kernel-Mode Drivers Privilege Elevation Vulnerabilities (3158222) OID:1.3.6.1.4.1.25623.1.0.808018 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0171 cve: CVE-2016-0173 cve: CVE-2016-0174 cve: CVE-2016-0196 cve: CVE-2016-0175 cve: CVE-2016-0176 cve: CVE-2016-0197 url: https://support.microsoft.com/en-us/kb/3158222 url: https://technet.microsoft.com/en-us/library/security/MS16-062 url: https://technet.microsoft.com/library/security/MS16-062 cert-bund: CB-K16/0701 dfn-cert: DFN-CERT-2016-0759

High (CVSS: 7.8)
NVT: Microsoft Windows Multiple Vulnerabilities (KB5010404)
Summary This host is missing an important security update according to Microsoft KB5010404
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.25860 File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741
Impact Successful exploitation will allow an attacker to elevate privileges, disclose sensitive information, and conduct DoS attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An elevation of privilege vulnerability in Windows Print Spooler. - An information disclosure vulnerability in Windows Common Log File System Driver. - An elevation of privilege vulnerability in Windows Common Log File System Driver. Please see the references for more information about the vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB5010404) OID:1.3.6.1.4.1.25623.1.0.818968 Version used: 2025-11-14T21:11:06+05:30
References cve: CVE-2022-21981 cve: CVE-2022-21985 cve: CVE-2022-21989 cve: CVE-2022-21997 cve: CVE-2022-21998 ... continues on next page ...

...continued from previous page ...
cve: CVE-2022-21999 cve: CVE-2022-22000 cve: CVE-2022-22710 cve: CVE-2022-22717 cve: CVE-2022-22718 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/5010404 cert-bund: WID-SEC-2022-1174 cert-bund: CB-K22/0160 dfn-cert: DFN-CERT-2022-0306

High (CVSS: 7.8) NVT: Microsoft Video Control Remote Code Execution Vulnerability (3199151)
Summary This host is missing a critical security update according to Microsoft Bulletin MS16-131.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23584
Impact Successful exploitation will allow an attacker to run arbitrary code in the context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The flaw exists due to microsoft video control fails to properly handle objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Video Control Remote Code Execution Vulnerability (3199151) OID:1.3.6.1.4.1.25623.1.0.809800 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-7248 url: https://support.microsoft.com/en-us/kb/3193706 url: http://www.securityfocus.com/bid/94028 url: https://technet.microsoft.com/en-us/library/security/MS16-131 url: https://technet.microsoft.com/library/security/MS16-131 cert-bund: CB-K16/1747 dfn-cert: DFN-CERT-2016-1852

High (CVSS: 7.8)
NVT: Microsoft Windows SMB Server Elevation of Privilege Vulnerability (3164038)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-075.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\drivers\mrxsmb10.sys File version: 6.1.7601.17514 Vulnerable range:
Impact Successful exploitation will allow remote attackers to execute arbitrary code with elevated permissions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 R2 - Microsoft Windows 7 x32/x64 Service Pack 1
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Service Pack 2
Vulnerability Insight An elevation of privilege flaw exists in the Microsoft Server Message Block (SMB) when an attacker forwards an authentication request intended for another service running on the same machine.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows SMB Server Elevation of Privilege Vulnerability (3164038) OID:1.3.6.1.4.1.25623.1.0.807340 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3225 url: https://support.microsoft.com/en-us/kb/3164038 url: https://technet.microsoft.com/library/security/MS16-075 cert-bund: CB-K16/0914 dfn-cert: DFN-CERT-2016-0969

High (CVSS: 7.6)
NVT: Microsoft Windows On-Screen Keyboard Privilege Escalation Vulnerability (2975685)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-039
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain escalated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2
... continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight The flaw is triggered when executing the On-Screen keyboard from within the context of a low integrity process.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows On-Screen Keyboard Privilege Escalation Vulnerability (297568). ↔.. OID:1.3.6.1.4.1.25623.1.0.804472 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-2781 url: https://support.microsoft.com/kb/2973201 url: http://www.securityfocus.com/bid/68397 url: https://support.microsoft.com/kb/2973906 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-039 cert-bund: CB-K14/0838 dfn-cert: DFN-CERT-2014-0878

High (CVSS: 7.5)

NVT: Microsoft .NET Framework Authentication Bypass and Spoofing Vulnerabilities (2836440)

Summary

This host is missing an important security update according to Microsoft Bulletin MS13-040.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation could allow an attacker to bypass security mechanism and gain access to restricted endpoint functions.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

... continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft .NET Framework 4 - Microsoft .NET Framework 4.5 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 2.0 Service Pack 2
Vulnerability Insight The flaws are due to - Improper validation of XML signatures by the CLR - Error within the WCF endpoint authentication mechanism when handling queries
Vulnerability Detection Method Details: Microsoft .NET Framework Authentication Bypass and Spoofing Vulnerabilities (28. ↔.. OID:1.3.6.1.4.1.25623.1.0.903308 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-1336 cve: CVE-2013-1337 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms ↔13-040 url: http://www.securityfocus.com/bid/59789 url: http://www.securityfocus.com/bid/59790 dfn-cert: DFN-CERT-2013-0895

High (CVSS: 7.5)

NVT: Microsoft .NET Framework Denial of Service Vulnerabilities (3137893)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-019.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Xml.dll
File version: 2.0.50727.5420
Vulnerable range: Less than 2.0.50727.5495

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to gain access to sensitive information or disrupt the availability of applications that use the .NET framework.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6 and 4.6.1
Vulnerability Insight Multiple flaws exist as, - Application fails to properly handle certain Extensible Stylesheet Language Transformations (XSLT). - The .NET's Windows Forms (WinForms) improperly handles icon data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Denial of Service Vulnerabilities (3137893) OID:1.3.6.1.4.1.25623.1.0.806681 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-0033 cve: CVE-2016-0047 url: https://support.microsoft.com/en-us/kb/3137893 url: https://technet.microsoft.com/library/security/MS16-019 cert-bund: CB-K16/0220 dfn-cert: DFN-CERT-2016-0242

High (CVSS: 7.5)

NVT: Microsoft .NET Framework Denial of Service Vulnerabilities (3137893)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-019.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Drawing.

... continues on next page ...

...continued from previous page ...
↔dll File version: 2.0.50727.5420 Vulnerable range: Less than 2.0.50727.5495
Impact Successful exploitation will allow remote attackers to gain access to sensitive information or disrupt the availability of applications that use the .NET framework.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6 and 4.6.1
Vulnerability Insight Multiple flaws exist as, - Application fails to properly handle certain Extensible Stylesheet Language Transformations (XSLT). - The .NET's Windows Forms (WinForms) improperly handles icon data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Denial of Service Vulnerabilities (3137893) OID:1.3.6.1.4.1.25623.1.0.806681 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2016-0033 cve: CVE-2016-0047 url: https://support.microsoft.com/en-us/kb/3137893 url: https://technet.microsoft.com/library/security/MS16-019 cert-bund: CB-K16/0220 dfn-cert: DFN-CERT-2016-0242
High (CVSS: 7.5) NVT: Microsoft .NET Framework DoS Vulnerability (KB5009719)
Summary ... continues on next page ...

...continued from previous page ...
This host is missing an important security update according to Microsoft KB5009719
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 4.0.30319.30000 - 4.0.30319.36719 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.web.dll ↔ File version: 4.0.30319.34209
Impact Successful exploitation will allow an attacker to conduct a denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.
Vulnerability Insight The flaw exists due to an error in .NET Framework which allows an unauthenticated attacker to cause a denial of service on an affected system.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework DoS Vulnerability (KB5009719) OID:1.3.6.1.4.1.25623.1.0.818943 Version used: 2022-01-24T08:34:40+05:30
References cve: CVE-2022-21911 url: https://support.microsoft.com/en-us/help/5009719 cert-bund: WID-SEC-2022-1251 cert-bund: CB-K22/0041 dfn-cert: DFN-CERT-2022-0048
High (CVSS: 7.5)
NVT: Microsoft .NET Framework Information Disclosure Vulnerability (KB4344149)
Summary This host is missing an important security update according to Microsoft KB4344149
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 4.0.30319.30000 - 4.0.30319.36459 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.dll File version: 4.0.30319.34209
Impact Successful exploitation will allow an attacker to access information in multi-tenant environments.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS .NET Framework 4.5.2 for Windows 7 SP1, Server 2008 R2 SP1, and Server 2008 SP2
Vulnerability Insight The flaw exists when .NET Framework is used in high-load/high-density network connections where content from one stream can blend into another stream.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Information Disclosure Vulnerability (KB4344149) OID:1.3.6.1.4.1.25623.1.0.813763 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2018-8360 url: https://support.microsoft.com/en-us/help/4344149 cert-bund: CB-K18/0861 dfn-cert: DFN-CERT-2018-1604

High (CVSS: 7.5)

NVT: Microsoft .NET Framework Information Disclosure Vulnerability (3170048)

Summary

This host is missing an important security update according to Microsoft Bulletin MS16-091.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.Data.d
↪ll

...continues on next page ...

...continued from previous page...	
File version:	4.0.30319.34209
Vulnerable range:	4.0.30319.30000 - 4.0.30319.34296
Impact Successful exploitation will allow remote attackers to gain access to potentially sensitive information.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6/4.6.1	
Vulnerability Insight Flaw exists as .NET Framework improperly parses XML input containing a reference to an external entity.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Information Disclosure Vulnerability (3170048) OID:1.3.6.1.4.1.25623.1.0.807856 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-3255 url: https://support.microsoft.com/en-us/kb/3170048 url: https://support.microsoft.com/en-us/kb/3163912 url: https://support.microsoft.com/en-us/kb/3172985 url: https://technet.microsoft.com/library/security/MS16-091 cert-bund: CB-K16/1057 dfn-cert: DFN-CERT-2016-1125	

High (CVSS: 7.5)

NVT: Microsoft .NET Framework DoS Vulnerability (KB5012329)

Summary

This host is missing an important security update according to Microsoft KB5012329

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 4.0.30319.30000 - 4.0.30319.36729 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.web.d ↔ll File version: 4.0.30319.34209
Impact Successful exploitation will allow an attacker to cause a denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.
Vulnerability Insight The flaw exists due to an input validation error in an unknown processing in .NET Framework.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework DoS Vulnerability (KB5012329) OID:1.3.6.1.4.1.25623.1.0.820062 Version used: 2022-04-28T08:34:10+05:30
References cve: CVE-2022-26832 url: https://support.microsoft.com/en-us/help/5012329 cert-bund: WID-SEC-2022-1251 cert-bund: CB-K22/0433 dfn-cert: DFN-CERT-2022-0812

High (CVSS: 7.5)

NVT: Microsoft Windows RPC Security Feature Bypass Vulnerability (2978668)

Summary

This host is missing an important security update according to Microsoft Bulletin MS14-047

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...
The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to bypass the ASLR security feature in conjunction with another vulnerability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight The flaw is due to RPC improperly frees messages that the server rejects as malformed, allowing an attacker to fill up the address space of a process.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows RPC Security Feature Bypass Vulnerability (2978668) OID:1.3.6.1.4.1.25623.1.0.802078 Version used: 2023-07-26T10:35:09+05:30
References cve: CVE-2014-0316 url: https://support.microsoft.com/kb/2978668 url: http://www.securityfocus.com/bid/69097 url: https://technet.microsoft.com/library/security/MS14-047 cert-bund: CB-K14/1013 dfn-cert: DFN-CERT-2014-1053

High (CVSS: 7.5)

NVT: Microsoft Internet Explorer Multiple Vulnerabilities (3124903)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS16-001.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page ...	
File checked:	C:\Windows\system32\Mshtml.dll
File version:	8.0.7601.17514
Vulnerable range:	8.0.7601.17000 - 8.0.7601.19103
Impact Successful exploitation will allow remote attackers to execute arbitrary code and gain elevated privileges on the affected system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Microsoft Internet Explorer version 7.x/8.x/9.x/10.x/11.x.	
Vulnerability Insight Multiple flaws exist due to: - An error due to improper handling of objects in memory, - Improper enforcing of cross-domain policies.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Vulnerabilities (3124903) OID:1.3.6.1.4.1.25623.1.0.806659 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-0002 cve: CVE-2016-0005 url: https://support.microsoft.com/en-us/kb/3124903 url: https://support.microsoft.com/en-us/kb/3124275 url: https://support.microsoft.com/en-us/kb/3124263 url: https://technet.microsoft.com/library/security/MS16-001 cert-bund: CB-K16/0052 dfn-cert: DFN-CERT-2016-0063	

High (CVSS: 7.5)

NVT: Microsoft Windows Multiple Vulnerabilities (KB4088875)

Summary

This host is missing a critical security update according to Microsoft KB4088875

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24059 File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514	
Impact Successful exploitation will allow attacker to gain access to information, crash server and run arbitrary code in system mode.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Multiple flaws exist due to: - When Windows Hyper-V on a host operating system fails to properly validate input from an authenticated user on a guest operating system. - The way that the scripting engine handles objects in memory in Internet Explorer. - When Microsoft Hyper-V Network Switch on a host server fails to properly validate input from a privileged user on a guest operating system. - The Credential Security Support Provider protocol (CredSSP). - Windows when the Microsoft Video Control mishandles objects in memory. - When Windows Shell does not properly validate file copy destinations. - When Internet Explorer fails a check, allowing sandbox escape. - The Windows kernel that could allow an attacker to retrieve information that could lead to a Kernel Address Space Layout Randomization (ASLR) bypass. - The Windows Installer when the Windows Installer fails to properly sanitize input leading to an insecure library loading behavior. - When the Windows kernel improperly initializes objects in memory. - When Windows Remote Assistance incorrectly processes XML External Entities (XXE). - The way that the Windows Graphics Device Interface (GDI) handles objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4088875) OID:1.3.6.1.4.1.25623.1.0.812829 Version used: 2023-11-03T21:40:08+05:30	
References cve: CVE-2018-0811 cve: CVE-2018-0813 cve: CVE-2018-0814	
... continues on next page ...	

...continued from previous page ...

cve: CVE-2018-0815
cve: CVE-2018-0886
cve: CVE-2018-0888
cve: CVE-2018-0889
cve: CVE-2018-0891
cve: CVE-2018-0894
cve: CVE-2018-0895
cve: CVE-2018-0896
cve: CVE-2018-0897
cve: CVE-2018-0898
cve: CVE-2018-0899
cve: CVE-2018-0900
cve: CVE-2018-0901
cve: CVE-2018-0904
cve: CVE-2018-0927
cve: CVE-2018-0929
cve: CVE-2018-0932
cve: CVE-2018-0935
cve: CVE-2018-0942
cve: CVE-2018-0816
cve: CVE-2018-0817
cve: CVE-2018-0868
cve: CVE-2018-0878
cve: CVE-2018-0881
cve: CVE-2018-0883
cve: CVE-2018-0885
url: <https://support.microsoft.com/en-us/help/4088875>
url: <http://www.securityfocus.com/bid/103232>
url: <http://www.securityfocus.com/bid/103250>
url: <http://www.securityfocus.com/bid/103251>
url: <http://www.securityfocus.com/bid/103234>
url: <http://www.securityfocus.com/bid/103265>
url: <http://www.securityfocus.com/bid/103262>
url: <http://www.securityfocus.com/bid/103295>
url: <http://www.securityfocus.com/bid/103309>
url: <http://www.securityfocus.com/bid/103231>
url: <http://www.securityfocus.com/bid/103238>
url: <http://www.securityfocus.com/bid/103240>
url: <http://www.securityfocus.com/bid/103241>
url: <http://www.securityfocus.com/bid/103242>
url: <http://www.securityfocus.com/bid/103243>
url: <http://www.securityfocus.com/bid/103244>
url: <http://www.securityfocus.com/bid/103245>
url: <http://www.securityfocus.com/bid/103246>
url: <http://www.securityfocus.com/bid/103310>
url: <http://www.securityfocus.com/bid/103299>
url: <http://www.securityfocus.com/bid/103307>

...continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/103298
url: http://www.securityfocus.com/bid/103312
url: http://www.securityfocus.com/bid/103248
url: http://www.securityfocus.com/bid/103249
url: http://www.securityfocus.com/bid/103236
url: http://www.securityfocus.com/bid/103230
url: http://www.securityfocus.com/bid/103256
url: http://www.securityfocus.com/bid/103259
url: http://www.securityfocus.com/bid/103261
cert-bund: CB-K18/0461
cert-bund: CB-K18/0456
cert-bund: CB-K18/0455
cert-bund: CB-K18/0454
dfn-cert: DFN-CERT-2020-1810
dfn-cert: DFN-CERT-2019-0142
dfn-cert: DFN-CERT-2018-0494
dfn-cert: DFN-CERT-2018-0493
dfn-cert: DFN-CERT-2018-0491
dfn-cert: DFN-CERT-2018-0487

```

High (CVSS: 7.5)**NVT: Microsoft Windows Multiple Vulnerabilities (KB4054518)****Summary**

This host is missing a critical security update according to Microsoft KB4054518

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerable range: Less than 6.1.7601.23963
 File checked: C:\Windows\system32\Win32k.sys
 File version: 6.1.7601.17514

Impact

Successful exploitation will allow an attacker who successfully exploited this vulnerability to execute code on the target system, gain the same user rights as the current user, obtain information to further compromise the user's system and could attempt a brute-force attack to disclose the password.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1 - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1
Vulnerability Insight Multiple flaws exist due to: - An error in RPC if the server has Routing and Remote Access enabled. - Internet Explorer improperly accesses objects in memory. - Internet Explorer improperly handles objects in memory. - Scripting engine handles objects in memory in Microsoft browsers. - Windows its:// protocol handler unnecessarily sends traffic to a remote site in order to determine the zone of a provided URL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Multiple Vulnerabilities (KB4054518) OID:1.3.6.1.4.1.25623.1.0.812245 Version used: 2023-11-03T10:35:46+05:30
References cve: CVE-2017-11885 cve: CVE-2017-11886 cve: CVE-2017-11887 cve: CVE-2017-11890 cve: CVE-2017-11894 cve: CVE-2017-11895 cve: CVE-2017-11901 cve: CVE-2017-11903 cve: CVE-2017-11906 cve: CVE-2017-11907 cve: CVE-2017-11912 cve: CVE-2017-11913 cve: CVE-2017-11919 cve: CVE-2017-11927 cve: CVE-2017-11930 url: https://support.microsoft.com/en-us/help/4054518 url: http://www.securityfocus.com/bid/102055 url: http://www.securityfocus.com/bid/102062 url: http://www.securityfocus.com/bid/102063 url: http://www.securityfocus.com/bid/102082 url: http://www.securityfocus.com/bid/102053 url: http://www.securityfocus.com/bid/102054 url: http://www.securityfocus.com/bid/102046 url: http://www.securityfocus.com/bid/102047 url: http://www.securityfocus.com/bid/102078 url: http://www.securityfocus.com/bid/102045 url: http://www.securityfocus.com/bid/102092 url: http://www.securityfocus.com/bid/102091
... continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/102093
url: http://www.securityfocus.com/bid/102095
url: http://www.securityfocus.com/bid/102058
cert-bund: CB-K17/2153
cert-bund: CB-K17/2152
cert-bund: CB-K17/2151
cert-bund: CB-K17/2149
dfn-cert: DFN-CERT-2017-2254
dfn-cert: DFN-CERT-2017-2253
dfn-cert: DFN-CERT-2017-2252
dfn-cert: DFN-CERT-2017-2248

```

High (CVSS: 7.5)

NVT: Microsoft Windows LSASS Local Denial of Service Vulnerability (3216771)

Summary

This host is missing an important security update according to Microsoft Bulletin MS17-004.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```

File checked:      C:\Windows\System32\lsass.exe
File version:      6.1.7601.18741
Vulnerable range:  Less than 6.1.7601.23642

```

Impact

Successful exploitation will allow attackers to cause a denial of service on the target system's LSASS service, which triggers an automatic reboot of the system.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows Vista x32/x64 Edition Service Pack 2
- Microsoft Windows 7 x32/x64 Edition Service Pack 1
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2

Vulnerability Insight

The flaw exists in the way the Local Security Authority Subsystem Service (LSASS) handles authentication requests.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Microsoft Windows LSASS Local Denial of Service Vulnerability (3216771) OID:1.3.6.1.4.1.25623.1.0.809861 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-0004 url: https://support.microsoft.com/en-us/kb/3216771 url: http://www.securityfocus.com/bid/95318 url: https://technet.microsoft.com/en-us/library/security/MS16-004 url: https://technet.microsoft.com/library/security/MS17-004 cert-bund: CB-K17/0038 dfn-cert: DFN-CERT-2017-0040

High (CVSS: 7.5) NVT: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check
Summary Apache Log4j is prone to a remote code execution (RCE) vulnerability in JMSAppender.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.2.17 Fixed version: None Installation path / port: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\struts2-rest-showcase\WEB-INF\lib\log4j-1.2.17.jar
Solution: Solution type: WillNotFix No solution was made available by the vendor. Note: Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.
Affected Software/OS Apache Log4j version 1.2.x.
Vulnerability Insight JMSAppender in Log4j 1.2 is vulnerable to deserialization of untrusted data when the attacker has write access to the Log4j configuration. The attacker can provide TopicBindingName and TopicConnectionFactoryBindingName configurations causing JMSAppender to perform JNDI requests that result in remote code execution in a similar fashion to CVE-2021-44228.
... continues on next page ...

...continued from previous page...

Note this issue only affects Log4j 1.2 when specifically configured to use JMSAppender, which is not the default.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check
OID:1.3.6.1.4.1.25623.1.0.117843

Version used: 2025-09-04T11:09:49+05:30

References

cve: CVE-2021-4104

url: <https://github.com/apache/logging-log4j2/pull/608#issuecomment-990494126>

cert-bund: WID-SEC-2024-1926

cert-bund: WID-SEC-2024-0794

cert-bund: WID-SEC-2024-0107

cert-bund: WID-SEC-2023-1807

cert-bund: WID-SEC-2023-0063

cert-bund: WID-SEC-2022-1770

cert-bund: WID-SEC-2022-1189

cert-bund: WID-SEC-2022-1015

cert-bund: WID-SEC-2022-0927

cert-bund: WID-SEC-2022-0628

cert-bund: WID-SEC-2022-0520

cert-bund: CB-K22/0066

cert-bund: CB-K21/1291

dfn-cert: DFN-CERT-2025-2802

dfn-cert: DFN-CERT-2024-3126

dfn-cert: DFN-CERT-2024-2222

dfn-cert: DFN-CERT-2023-1648

dfn-cert: DFN-CERT-2022-1813

dfn-cert: DFN-CERT-2022-1472

dfn-cert: DFN-CERT-2022-0805

dfn-cert: DFN-CERT-2022-0325

dfn-cert: DFN-CERT-2022-0292

dfn-cert: DFN-CERT-2022-0204

dfn-cert: DFN-CERT-2022-0119

dfn-cert: DFN-CERT-2022-0074

dfn-cert: DFN-CERT-2022-0015

dfn-cert: DFN-CERT-2021-2666

dfn-cert: DFN-CERT-2021-2643

dfn-cert: DFN-CERT-2021-2641

dfn-cert: DFN-CERT-2021-2633

dfn-cert: DFN-CERT-2021-2624

dfn-cert: DFN-CERT-2021-2598

High (CVSS: 7.5)
NVT: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check
Summary Apache Log4j is prone to a remote code execution (RCE) vulnerability in JMSAppender.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.2.15 Fixed version: None Installation path / port: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\axis2\WEB-INF\lib\log4j-1.2.15.jar
Solution: Solution type: WillNotFix No solution was made available by the vendor. Note: Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.
Affected Software/OS Apache Log4j version 1.2.x.
Vulnerability Insight JMSAppender in Log4j 1.2 is vulnerable to deserialization of untrusted data when the attacker has write access to the Log4j configuration. The attacker can provide TopicBindingName and TopicConnectionFactoryBindingName configurations causing JMSAppender to perform JNDI requests that result in remote code execution in a similar fashion to CVE-2021-44228. Note this issue only affects Log4j 1.2 when specifically configured to use JMSAppender, which is not the default.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check OID:1.3.6.1.4.1.25623.1.0.117843 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2021-4104 url: https://github.com/apache/logging-log4j2/pull/608#issuecomment-990494126 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0107 cert-bund: WID-SEC-2023-1807
... continues on next page ...

...continued from previous page ...

```

cert-bund: WID-SEC-2023-0063
cert-bund: WID-SEC-2022-1770
cert-bund: WID-SEC-2022-1189
cert-bund: WID-SEC-2022-1015
cert-bund: WID-SEC-2022-0927
cert-bund: WID-SEC-2022-0628
cert-bund: WID-SEC-2022-0520
cert-bund: CB-K22/0066
cert-bund: CB-K21/1291
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-3126
dfn-cert: DFN-CERT-2024-2222
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2022-1813
dfn-cert: DFN-CERT-2022-1472
dfn-cert: DFN-CERT-2022-0805
dfn-cert: DFN-CERT-2022-0325
dfn-cert: DFN-CERT-2022-0292
dfn-cert: DFN-CERT-2022-0204
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2022-0015
dfn-cert: DFN-CERT-2021-2666
dfn-cert: DFN-CERT-2021-2643
dfn-cert: DFN-CERT-2021-2641
dfn-cert: DFN-CERT-2021-2633
dfn-cert: DFN-CERT-2021-2624
dfn-cert: DFN-CERT-2021-2598

```

High (CVSS: 7.5)

NVT: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check

Summary

Apache Log4j is prone to a remote code execution (RCE) vulnerability in JMSAppender.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.2.15

Fixed version: None

Installation

path / port: C:\ManageEngine\DesktopCentral_Server\lib\log4j-1.2.15.jar

Solution:**Solution type:** WillNotFix

... continues on next page ...

...continued from previous page ...
No solution was made available by the vendor. Note: Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.
Affected Software/OS Apache Log4j version 1.2.x.
Vulnerability Insight JMSAppender in Log4j 1.2 is vulnerable to deserialization of untrusted data when the attacker has write access to the Log4j configuration. The attacker can provide TopicBindingName and TopicConnectionFactoryBindingName configurations causing JMSAppender to perform JNDI requests that result in remote code execution in a similar fashion to CVE-2021-44228. Note this issue only affects Log4j 1.2 when specifically configured to use JMSAppender, which is not the default.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check OID:1.3.6.1.4.1.25623.1.0.117843 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2021-4104 url: https://github.com/apache/logging-log4j2/pull/608#issuecomment-990494126 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0107 cert-bund: WID-SEC-2023-1807 cert-bund: WID-SEC-2023-0063 cert-bund: WID-SEC-2022-1770 cert-bund: WID-SEC-2022-1189 cert-bund: WID-SEC-2022-1015 cert-bund: WID-SEC-2022-0927 cert-bund: WID-SEC-2022-0628 cert-bund: WID-SEC-2022-0520 cert-bund: CB-K22/0066 cert-bund: CB-K21/1291 dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2024-3126 dfn-cert: DFN-CERT-2024-2222 dfn-cert: DFN-CERT-2023-1648 dfn-cert: DFN-CERT-2022-1813 dfn-cert: DFN-CERT-2022-1472 dfn-cert: DFN-CERT-2022-0805 dfn-cert: DFN-CERT-2022-0325 dfn-cert: DFN-CERT-2022-0292
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-0204
dfn-cert: DFN-CERT-2022-0119
dfn-cert: DFN-CERT-2022-0074
dfn-cert: DFN-CERT-2022-0015
dfn-cert: DFN-CERT-2021-2666
dfn-cert: DFN-CERT-2021-2643
dfn-cert: DFN-CERT-2021-2641
dfn-cert: DFN-CERT-2021-2633
dfn-cert: DFN-CERT-2021-2624
dfn-cert: DFN-CERT-2021-2598

High (CVSS: 7.5)
NVT: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check
Summary Apache Log4j is prone to a remote code execution (RCE) vulnerability in JMSAppender.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.2.17 Fixed version: None Installation path / port: C:\Program Files\elasticsearch-1.1.1\lib\log4j-1.2.17.jar
Solution: Solution type: WillNotFix No solution was made available by the vendor. Note: Apache Log4j 1.2 reached end of life in August 2015. Users should upgrade to Log4j 2 as it addresses numerous other issues from the previous versions.
Affected Software/OS Apache Log4j version 1.2.x.
Vulnerability Insight JMSAppender in Log4j 1.2 is vulnerable to deserialization of untrusted data when the attacker has write access to the Log4j configuration. The attacker can provide TopicBindingName and TopicConnectionFactoryBindingName configurations causing JMSAppender to perform JNDI requests that result in remote code execution in a similar fashion to CVE-2021-44228. Note this issue only affects Log4j 1.2 when specifically configured to use JMSAppender, which is not the default.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: Apache Log4j 1.2.x RCE Vulnerability (Windows, Dec 2021) - Version Check OID:1.3.6.1.4.1.25623.1.0.117843 Version used: 2025-09-04T11:09:49+05:30
References cve: CVE-2021-4104 url: https://github.com/apache/logging-log4j2/pull/608#issuecomment-990494126 cert-bund: WID-SEC-2024-1926 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0107 cert-bund: WID-SEC-2023-1807 cert-bund: WID-SEC-2023-0063 cert-bund: WID-SEC-2022-1770 cert-bund: WID-SEC-2022-1189 cert-bund: WID-SEC-2022-1015 cert-bund: WID-SEC-2022-0927 cert-bund: WID-SEC-2022-0628 cert-bund: WID-SEC-2022-0520 cert-bund: CB-K22/0066 cert-bund: CB-K21/1291 dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2024-3126 dfn-cert: DFN-CERT-2024-2222 dfn-cert: DFN-CERT-2023-1648 dfn-cert: DFN-CERT-2022-1813 dfn-cert: DFN-CERT-2022-1472 dfn-cert: DFN-CERT-2022-0805 dfn-cert: DFN-CERT-2022-0325 dfn-cert: DFN-CERT-2022-0292 dfn-cert: DFN-CERT-2022-0204 dfn-cert: DFN-CERT-2022-0119 dfn-cert: DFN-CERT-2022-0074 dfn-cert: DFN-CERT-2022-0015 dfn-cert: DFN-CERT-2021-2666 dfn-cert: DFN-CERT-2021-2643 dfn-cert: DFN-CERT-2021-2641 dfn-cert: DFN-CERT-2021-2633 dfn-cert: DFN-CERT-2021-2624 dfn-cert: DFN-CERT-2021-2598

High (CVSS: 7.5)
NVT: Oracle Java SE Multiple Vulnerabilities (Oct 2025) - Windows
Summary
... continues on next page ...

...continued from previous page ...
Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information and conduct denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 11.0.x through 11.0.28, 17.0.x through 17.0.16, 21.0.x through 21.0.8, 25, 8u461 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Multiple Vulnerabilities (Oct 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836784 Version used: 2025-10-24T11:09:31+05:30
References cve: CVE-2025-53066 cve: CVE-2025-53057 url: https://www.oracle.com/security-alerts/cpuoct2025.html cert-bund: WID-SEC-2026-0778 cert-bund: WID-SEC-2026-0559 cert-bund: WID-SEC-2026-0349 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-2853 cert-bund: WID-SEC-2025-2365 dfn-cert: DFN-CERT-2026-0936 dfn-cert: DFN-CERT-2026-0078 dfn-cert: DFN-CERT-2025-3541 dfn-cert: DFN-CERT-2025-3313 dfn-cert: DFN-CERT-2025-3055 dfn-cert: DFN-CERT-2025-2943 dfn-cert: DFN-CERT-2025-2942

High (CVSS: 7.5)
NVT: Oracle Java SE Multiple Vulnerabilities (Oct 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information and conduct denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 11.0.x through 11.0.28, 17.0.x through 17.0.16, 21.0.x through 21.0.8, 25, 8u461 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Multiple Vulnerabilities (Oct 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836784 Version used: 2025-10-24T11:09:31+05:30
References cve: CVE-2025-53066 cve: CVE-2025-53057 url: https://www.oracle.com/security-alerts/cpuoct2025.html cert-bund: WID-SEC-2026-0778 cert-bund: WID-SEC-2026-0559 cert-bund: WID-SEC-2026-0349 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-2853 cert-bund: WID-SEC-2025-2365 dfn-cert: DFN-CERT-2026-0936 dfn-cert: DFN-CERT-2026-0078 dfn-cert: DFN-CERT-2025-3541
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2025-3313
dfn-cert: DFN-CERT-2025-3055
dfn-cert: DFN-CERT-2025-2943
dfn-cert: DFN-CERT-2025-2942
```

High (CVSS: 7.5)**NVT: Oracle Java SE Security Update (apr2022) - Windows****Summary**

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files (x86)\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u321 (1.8.0.321) and earlier, 7u331 (1.7.0.331) and earlier, 11.x through 11.0.14, 17.x through 17.0.2, 18 on Windows.

Vulnerability Insight

Multiple flaws are due to unspecified errors in 'Libraries', 'JAXP' and 'JNDI' components.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (apr2022) - Windows

OID:1.3.6.1.4.1.25623.1.0.820086

Version used: 2025-01-21T11:07:33+05:30

References

cve: CVE-2022-21449

cve: CVE-2022-21476

cve: CVE-2022-21426

... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-21496
cve: CVE-2022-21434
cve: CVE-2022-21443
url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixJAVA
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-2164
cert-bund: WID-SEC-2023-0840
cert-bund: WID-SEC-2022-1434
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1321
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1066
cert-bund: WID-SEC-2022-0987
cert-bund: WID-SEC-2022-0871
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0446
cert-bund: WID-SEC-2022-0398
cert-bund: WID-SEC-2022-0300
cert-bund: WID-SEC-2022-0287
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0028
cert-bund: CB-K22/0470
dfn-cert: DFN-CERT-2024-2151
dfn-cert: DFN-CERT-2023-1425
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-1174
dfn-cert: DFN-CERT-2023-1139
dfn-cert: DFN-CERT-2023-0846
dfn-cert: DFN-CERT-2023-0819
dfn-cert: DFN-CERT-2022-1955
dfn-cert: DFN-CERT-2022-1704
dfn-cert: DFN-CERT-2022-1648
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1323
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0871

```

High (CVSS: 7.5)

NVT: Oracle Java SE Security Update (apr2022) - Windows

... continues on next page ...

...continued from previous page ...
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u321 (1.8.0.321) and earlier, 7u331 (1.7.0.331) and earlier, 11.x through 11.0.14, 17.x through 17.0.2, 18 on Windows.
Vulnerability Insight Multiple flaws are due to unspecified errors in 'Libraries', 'JAXP' and 'JNDI' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (apr2022) - Windows OID:1.3.6.1.4.1.25623.1.0.820086 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-21449 cve: CVE-2022-21476 cve: CVE-2022-21426 cve: CVE-2022-21496 cve: CVE-2022-21434 cve: CVE-2022-21443 url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixJAVA cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2164 cert-bund: WID-SEC-2023-0840 cert-bund: WID-SEC-2022-1434 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1321
... continues on next page ...

...continued from previous page ...

```

cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-1066
cert-bund: WID-SEC-2022-0987
cert-bund: WID-SEC-2022-0871
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0446
cert-bund: WID-SEC-2022-0398
cert-bund: WID-SEC-2022-0300
cert-bund: WID-SEC-2022-0287
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0028
cert-bund: CB-K22/0470
dfn-cert: DFN-CERT-2024-2151
dfn-cert: DFN-CERT-2023-1425
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2023-1174
dfn-cert: DFN-CERT-2023-1139
dfn-cert: DFN-CERT-2023-0846
dfn-cert: DFN-CERT-2023-0819
dfn-cert: DFN-CERT-2022-1955
dfn-cert: DFN-CERT-2022-1704
dfn-cert: DFN-CERT-2022-1648
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1323
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0871

```

High (CVSS: 7.5)

NVT: Microsoft VBScript Scripting Engine OLE Automation Memory Corruption Vulnerability (3188724)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS16-116

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

File checked:      C:\Windows\system32\oleaut32.dll
File version:      6.1.7601.17514

```

...continues on next page ...

...continued from previous page ...
Vulnerable range: Less than 6.1.7601.23512
Impact Successful exploitation will allow remote attacker to execute arbitrary code in the context of the current user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight The flaw is due to an improper way of accessing objects in the memory by Microsoft OLE Automation mechanism and the VBScript Scripting Engine in Internet Explorer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft VBScript Scripting Engine OLE Automation Memory Corruption Vulnerabil. ↔.. OID:1.3.6.1.4.1.25623.1.0.809040 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-3375 url: https://support.microsoft.com/en-us/kb/3188724 url: http://www.securityfocus.com/bid/92835 url: https://technet.microsoft.com/en-us/library/security/ms16-116 cert-bund: CB-K16/1406 cert-bund: CB-K16/1403 dfn-cert: DFN-CERT-2016-1484 dfn-cert: DFN-CERT-2016-1483

High (CVSS: 7.5)
NVT: Oracle Java SE Security Update (jul2021) 02 - Windows
Summary This host is missing a security update according to Oracle.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on integrity, availability and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u291 (1.8.0.291) and earlier, 11.0.11 and earlier, 16.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'Libraries' and 'Networking' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2021) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.818169 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-2388 url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixJAVA cert-bund: WID-SEC-2023-0063 cert-bund: WID-SEC-2022-0464 cert-bund: CB-K21/0981 cert-bund: CB-K21/0783 dfn-cert: DFN-CERT-2022-0366 dfn-cert: DFN-CERT-2022-0074 dfn-cert: DFN-CERT-2021-2310
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2021-1825
dfn-cert: DFN-CERT-2021-1728
dfn-cert: DFN-CERT-2021-1534
dfn-cert: DFN-CERT-2021-1533

High (CVSS: 7.5)
NVT: Microsoft .NET Framework Security Feature Bypass And DoS Vulnerabilities (KB4054995)
Summary This host is missing a critical security update according to Microsoft Security Updates KB4054995.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.runtime.remoting.dll File version: 4.0.30319.34209 Vulnerable range: 4.0.30319.30000 - 4.0.30319.36414
Impact Successful exploitation will allow an attacker who successfully exploited this vulnerability to cause a denial of service against a .NET application and also to bypass security.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 4.5.2.
Vulnerability Insight Multiple flaws exist due to: - .NET, and .NET core, improperly process XML documents. - Microsoft .NET Framework (and .NET Core) components do not completely validate certificates.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Security Feature Bypass And DoS Vulnerabilities (KB405. ... OID:1.3.6.1.4.1.25623.1.0.812709 Version used: 2023-11-03T21:40:08+05:30
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2018-0764

cve: CVE-2018-0786

url: <https://support.microsoft.com/en-us/help/4054995>

cert-bund: CB-K18/0375

cert-bund: CB-K18/0053

dfn-cert: DFN-CERT-2018-0405

dfn-cert: DFN-CERT-2018-0061

High (CVSS: 7.5)**NVT: Oracle Java SE Security Update (jul2021) 02 - Windows****Summary**

This host is missing a security update according to Oracle.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on integrity, availability and confidentiality.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u291 (1.8.0.291) and earlier, 11.0.11 and earlier, 16.0.1 and earlier on Windows.

Vulnerability Insight

Multiple flaws are due to multiple errors in 'Libraries' and 'Networking' components.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (jul2021) 02 - Windows

OID:1.3.6.1.4.1.25623.1.0.818169

Version used: 2025-01-21T11:07:33+05:30

... continues on next page ...

...continued from previous page ...

References

cve: CVE-2021-2388

url: <https://www.oracle.com/security-alerts/cpujul2021.html#AppendixJAVA>

cert-bund: WID-SEC-2023-0063

cert-bund: WID-SEC-2022-0464

cert-bund: CB-K21/0981

cert-bund: CB-K21/0783

dfn-cert: DFN-CERT-2022-0366

dfn-cert: DFN-CERT-2022-0074

dfn-cert: DFN-CERT-2021-2310

dfn-cert: DFN-CERT-2021-1825

dfn-cert: DFN-CERT-2021-1728

dfn-cert: DFN-CERT-2021-1534

dfn-cert: DFN-CERT-2021-1533

High (CVSS: 7.5)**NVT: Oracle Java SE Security Update (jul2022) - Windows****Summary**

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_211

Fixed version: Apply the patch

Installation

path / port: C:\Program Files\Java\jdk1.8.0_211

Impact

Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 7u343 (1.7.0.343) and earlier, 8u333 (1.8.0.333) and earlier, 11.x through 11.0.15.1, 17.x through 17.0.3.1, 18.x through 18.0.1.1 on Windows.

Vulnerability Insight

Multiple flaws are due to unspecified errors in 'Libraries', 'JAXP' and 'Hotspot' components.

... continues on next page ...

...continued from previous page ...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (jul2022) - Windows

OID:1.3.6.1.4.1.25623.1.0.821189

Version used: 2025-01-21T11:07:33+05:30

References

cve: CVE-2022-34169

cve: CVE-2022-21541

cve: CVE-2022-21540

cve: CVE-2022-21549

url: <https://www.oracle.com/security-alerts/cpujul2022.html#AppendixJAVA>

cert-bund: WID-SEC-2025-1565

cert-bund: WID-SEC-2025-1563

cert-bund: WID-SEC-2025-0144

cert-bund: WID-SEC-2024-1659

cert-bund: WID-SEC-2024-1653

cert-bund: WID-SEC-2024-1652

cert-bund: WID-SEC-2024-1642

cert-bund: WID-SEC-2024-1622

cert-bund: WID-SEC-2024-0899

cert-bund: WID-SEC-2024-0890

cert-bund: WID-SEC-2024-0870

cert-bund: WID-SEC-2024-0794

cert-bund: WID-SEC-2024-0788

cert-bund: WID-SEC-2024-0671

cert-bund: WID-SEC-2024-0124

cert-bund: WID-SEC-2023-2368

cert-bund: WID-SEC-2023-1032

cert-bund: WID-SEC-2023-1017

cert-bund: WID-SEC-2023-0553

cert-bund: WID-SEC-2023-0122

cert-bund: WID-SEC-2022-1244

cert-bund: WID-SEC-2022-0759

cert-bund: WID-SEC-2022-0746

dfn-cert: DFN-CERT-2024-3126

dfn-cert: DFN-CERT-2024-3125

dfn-cert: DFN-CERT-2024-2928

dfn-cert: DFN-CERT-2024-2713

dfn-cert: DFN-CERT-2024-1000

dfn-cert: DFN-CERT-2023-0899

dfn-cert: DFN-CERT-2023-0082

dfn-cert: DFN-CERT-2022-2660

dfn-cert: DFN-CERT-2022-2321

dfn-cert: DFN-CERT-2022-1955

dfn-cert: DFN-CERT-2022-1837

dfn-cert: DFN-CERT-2022-1714

... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2022-1661
 dfn-cert: DFN-CERT-2022-1607
 dfn-cert: DFN-CERT-2022-1606

High (CVSS: 7.5)

NVT: Oracle Java SE Security Update (jul2022) - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files (x86)\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 7u343 (1.7.0.343) and earlier, 8u333 (1.8.0.333) and earlier, 11.x through 11.0.15.1, 17.x through 17.0.3.1, 18.x through 18.0.1.1 on Windows.

Vulnerability Insight

Multiple flaws are due to unspecified errors in 'Libraries', 'JAXP' and 'Hotspot' components.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (jul2022) - Windows

OID:1.3.6.1.4.1.25623.1.0.821189

Version used: 2025-01-21T11:07:33+05:30

References

cve: CVE-2022-34169

cve: CVE-2022-21541

cve: CVE-2022-21540

cve: CVE-2022-21549

... continues on next page ...

...continued from previous page ...

```

url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixJAVA
cert-bund: WID-SEC-2025-1565
cert-bund: WID-SEC-2025-1563
cert-bund: WID-SEC-2025-0144
cert-bund: WID-SEC-2024-1659
cert-bund: WID-SEC-2024-1653
cert-bund: WID-SEC-2024-1652
cert-bund: WID-SEC-2024-1642
cert-bund: WID-SEC-2024-1622
cert-bund: WID-SEC-2024-0899
cert-bund: WID-SEC-2024-0890
cert-bund: WID-SEC-2024-0870
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0788
cert-bund: WID-SEC-2024-0671
cert-bund: WID-SEC-2024-0124
cert-bund: WID-SEC-2023-2368
cert-bund: WID-SEC-2023-1032
cert-bund: WID-SEC-2023-1017
cert-bund: WID-SEC-2023-0553
cert-bund: WID-SEC-2023-0122
cert-bund: WID-SEC-2022-1244
cert-bund: WID-SEC-2022-0759
cert-bund: WID-SEC-2022-0746
dfn-cert: DFN-CERT-2024-3126
dfn-cert: DFN-CERT-2024-3125
dfn-cert: DFN-CERT-2024-2928
dfn-cert: DFN-CERT-2024-2713
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2023-0899
dfn-cert: DFN-CERT-2023-0082
dfn-cert: DFN-CERT-2022-2660
dfn-cert: DFN-CERT-2022-2321
dfn-cert: DFN-CERT-2022-1955
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1714
dfn-cert: DFN-CERT-2022-1661
dfn-cert: DFN-CERT-2022-1607
dfn-cert: DFN-CERT-2022-1606

```

High (CVSS: 7.5)

NVT: Oracle Java SE Security Update (jul2022) - Windows

Summary

... continues on next page ...

...continued from previous page ...
Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u343 (1.7.0.343) and earlier, 8u333 (1.8.0.333) and earlier, 11.x through 11.0.15.1, 17.x through 17.0.3.1, 18.x through 18.0.1.1 on Windows.
Vulnerability Insight Multiple flaws are due to unspecified errors in 'Libraries', 'JAXP' and 'Hotspot' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2022) - Windows OID:1.3.6.1.4.1.25623.1.0.821189 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-34169 cve: CVE-2022-21541 cve: CVE-2022-21540 cve: CVE-2022-21549 url: https://www.oracle.com/security-alerts/cpujul2022.html#AppendixJAVA cert-bund: WID-SEC-2025-1565 cert-bund: WID-SEC-2025-1563 cert-bund: WID-SEC-2025-0144 cert-bund: WID-SEC-2024-1659 cert-bund: WID-SEC-2024-1653 cert-bund: WID-SEC-2024-1652 cert-bund: WID-SEC-2024-1642 cert-bund: WID-SEC-2024-1622 cert-bund: WID-SEC-2024-0899
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2024-0890
cert-bund: WID-SEC-2024-0870
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0788
cert-bund: WID-SEC-2024-0671
cert-bund: WID-SEC-2024-0124
cert-bund: WID-SEC-2023-2368
cert-bund: WID-SEC-2023-1032
cert-bund: WID-SEC-2023-1017
cert-bund: WID-SEC-2023-0553
cert-bund: WID-SEC-2023-0122
cert-bund: WID-SEC-2022-1244
cert-bund: WID-SEC-2022-0759
cert-bund: WID-SEC-2022-0746
dfn-cert: DFN-CERT-2024-3126
dfn-cert: DFN-CERT-2024-3125
dfn-cert: DFN-CERT-2024-2928
dfn-cert: DFN-CERT-2024-2713
dfn-cert: DFN-CERT-2024-1000
dfn-cert: DFN-CERT-2023-0899
dfn-cert: DFN-CERT-2023-0082
dfn-cert: DFN-CERT-2022-2660
dfn-cert: DFN-CERT-2022-2321
dfn-cert: DFN-CERT-2022-1955
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1714
dfn-cert: DFN-CERT-2022-1661
dfn-cert: DFN-CERT-2022-1607
dfn-cert: DFN-CERT-2022-1606

High (CVSS: 7.5)
NVT: Microsoft .NET Framework Security Bypass Vulnerability (4019115)
Summary This host is missing an important security update according to Microsoft KB4019115
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.managem↵ent.dll File version: 4.0.30319.34209 Vulnerable range: 4.0.30319.30000 - 4.0.30319.36391
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to bypass certain security restrictions and perform unauthorized actions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6
Vulnerability Insight Flaw exists when Microsoft .NET Framework (and .NET Core) components do not completely validate certificates.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Security Bypass Vulnerability (4019115) OID:1.3.6.1.4.1.25623.1.0.811036 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-0248 url: https://support.microsoft.com/en-us/help/4019115 url: http://www.securityfocus.com/bid/98117 url: https://support.microsoft.com/en-us/help/4019115 cert-bund: CB-K17/0788 dfn-cert: DFN-CERT-2017-0815

High (CVSS: 7.5)
NVT: Microsoft .NET Framework Security Bypass Vulnerability (4019112)
Summary This host is missing an important security update according to Microsoft KB4019112
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.dll File version: 4.0.30319.34209 Vulnerable range: 4.0.30319.30000 - 4.0.30319.36391
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to bypass certain security restrictions and perform unauthorized actions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4.5.2 - Microsoft .NET Framework 4.6/4.6.1 - Microsoft .NET Framework 4.6.2
Vulnerability Insight Flaw exists when Microsoft .NET Framework (and .NET Core) components do not completely validate certificates.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Security Bypass Vulnerability (4019112) OID:1.3.6.1.4.1.25623.1.0.811039 Version used: 2024-03-05T10:35:54+05:30
References cve: CVE-2017-0248 url: https://support.microsoft.com/en-us/help/4019112 url: http://www.securityfocus.com/bid/98117 cert-bund: CB-K17/0788 dfn-cert: DFN-CERT-2017-0815

High (CVSS: 7.5)

NVT: Microsoft .NET Framework Multiple DoS Vulnerabilities (KB4499406)

Summary

This host is missing an important security update according to Microsoft KB4499406

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerable range: 4.0.30319.30000 - 4.0.30319.36542

File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\System.dll

File version: 4.0.30319.34209

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to cause a denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 on Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.
Vulnerability Insight Multiple flaws exist due to: - Multiple errors when .NET Framework or .NET Core improperly handle web requests. - An error when .NET Framework improperly handles objects in heap memory. - An error when .NET Framework and .NET Core improperly process RegEx strings.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Multiple DoS Vulnerabilities (KB4499406) OID:1.3.6.1.4.1.25623.1.0.815110 Version used: 2023-10-27T21:41:32+05:30
References cve: CVE-2019-0864 cve: CVE-2019-0820 cve: CVE-2019-0980 cve: CVE-2019-0981 url: https://support.microsoft.com/en-us/help/4499406 url: http://www.securityfocus.com/bid/108241 url: http://www.securityfocus.com/bid/108245 url: http://www.securityfocus.com/bid/108232 url: http://www.securityfocus.com/bid/108207 url: https://support.microsoft.com/en-us/help/4495606 url: https://support.microsoft.com/en-us/help/4495596 url: https://support.microsoft.com/en-us/help/4495588 url: https://support.microsoft.com/en-us/help/4495626 cert-bund: CB-K19/0419 dfn-cert: DFN-CERT-2019-1049 dfn-cert: DFN-CERT-2019-1048 dfn-cert: DFN-CERT-2019-1007 dfn-cert: DFN-CERT-2019-0962

High (CVSS: 7.5)
NVT: Microsoft .NET Framework Information Disclosure Vulnerability (KB4480059)
Summary This host is missing an important security update according to Microsoft KB4480059
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 4.0.30319.30000 - 4.0.30319.36489 File checked: C:\Windows\Microsoft.NET\Framework64\v4.0.30319\system.dll File version: 4.0.30319.34209
Impact Successful exploitation will allow an attacker who successfully exploited the vulnerability to retrieve content, that is normally restricted, from a web application.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 4.5.2 on Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight The flaw exists due to an error which allows to bypass CORS configuration.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Information Disclosure Vulnerability (KB4480059) OID:1.3.6.1.4.1.25623.1.0.814720 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2019-0545 url: https://support.microsoft.com/en-us/help/4480059 url: http://www.securityfocus.com/bid/106405 cert-bund: CB-K19/0020 dfn-cert: DFN-CERT-2019-0052 dfn-cert: DFN-CERT-2019-0049

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (jan2024) 02 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to critical data or all Oracle Java SE
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u391 and earlier 11.0.21, 17.0.9, 21.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in the multiple components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2024) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.832788 Version used: 2024-01-24T10:36:24+05:30
References cve: CVE-2024-20918 cve: CVE-2024-20952 cve: CVE-2024-20919 cve: CVE-2024-20921 cve: CVE-2024-20945 url: https://www.oracle.com/security-alerts/cpujan2024.html#AppendixJAVA cert-bund: WID-SEC-2025-0001 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0121
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-2971
dfn-cert: DFN-CERT-2024-0533
dfn-cert: DFN-CERT-2024-0502
dfn-cert: DFN-CERT-2024-0501
dfn-cert: DFN-CERT-2024-0500
dfn-cert: DFN-CERT-2024-0494
dfn-cert: DFN-CERT-2024-0491
dfn-cert: DFN-CERT-2024-0422
dfn-cert: DFN-CERT-2024-0417
dfn-cert: DFN-CERT-2024-0361
dfn-cert: DFN-CERT-2024-0354
dfn-cert: DFN-CERT-2024-0129
dfn-cert: DFN-CERT-2024-0128

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (jan2024) 02 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to critical data or all Oracle Java SE
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u391 and earlier 11.0.21, 17.0.9, 21.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in the multiple components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...
Details: Oracle Java SE Security Update (jan2024) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.832788 Version used: 2024-01-24T10:36:24+05:30
References cve: CVE-2024-20918 cve: CVE-2024-20952 cve: CVE-2024-20919 cve: CVE-2024-20921 cve: CVE-2024-20945 url: https://www.oracle.com/security-alerts/cpujan2024.html#AppendixJAVA cert-bund: WID-SEC-2025-0001 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0121 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-0533 dfn-cert: DFN-CERT-2024-0502 dfn-cert: DFN-CERT-2024-0501 dfn-cert: DFN-CERT-2024-0500 dfn-cert: DFN-CERT-2024-0494 dfn-cert: DFN-CERT-2024-0491 dfn-cert: DFN-CERT-2024-0422 dfn-cert: DFN-CERT-2024-0417 dfn-cert: DFN-CERT-2024-0361 dfn-cert: DFN-CERT-2024-0354 dfn-cert: DFN-CERT-2024-0129 dfn-cert: DFN-CERT-2024-0128

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (Apr 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information and cause denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u441 and prior, 17.0.x through 17.0.14, 11.0.x through 11.0.26, 21.0.x through 21.0.6 and 24 on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836146 Version used: 2025-04-17T11:09:39+05:30
References cve: CVE-2025-21587 cve: CVE-2025-30698 url: https://www.oracle.com/security-alerts/cpuapr2025.html cert-bund: WID-SEC-2025-1035 cert-bund: WID-SEC-2025-0815 dfn-cert: DFN-CERT-2025-3170 dfn-cert: DFN-CERT-2025-3168 dfn-cert: DFN-CERT-2025-2784 dfn-cert: DFN-CERT-2025-2550 dfn-cert: DFN-CERT-2025-1788 dfn-cert: DFN-CERT-2025-1414 dfn-cert: DFN-CERT-2025-1350 dfn-cert: DFN-CERT-2025-1319 dfn-cert: DFN-CERT-2025-1285 dfn-cert: DFN-CERT-2025-1265 dfn-cert: DFN-CERT-2025-0985 dfn-cert: DFN-CERT-2025-0982

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (Apr 2025) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251	
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information and cause denial of service attacks.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u441 and prior, 17.0.x through 17.0.14, 11.0.x through 11.0.26, 21.0.x through 21.0.6 and 24 on Windows.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836146 Version used: 2025-04-17T11:09:39+05:30	
References cve: CVE-2025-21587 cve: CVE-2025-30698 url: https://www.oracle.com/security-alerts/cpuapr2025.html cert-bund: WID-SEC-2025-1035 cert-bund: WID-SEC-2025-0815 dfn-cert: DFN-CERT-2025-3170 dfn-cert: DFN-CERT-2025-3168 dfn-cert: DFN-CERT-2025-2784 dfn-cert: DFN-CERT-2025-2550 dfn-cert: DFN-CERT-2025-1788 dfn-cert: DFN-CERT-2025-1414 dfn-cert: DFN-CERT-2025-1350 dfn-cert: DFN-CERT-2025-1319 dfn-cert: DFN-CERT-2025-1285 dfn-cert: DFN-CERT-2025-1265 dfn-cert: DFN-CERT-2025-0985 dfn-cert: DFN-CERT-2025-0982	

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (apr2023) 01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u361 and earlier, 11.0.18, 17.0.6, 20.0.0 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in the networking components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (apr2023) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.832045 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-21930 cve: CVE-2023-21937 cve: CVE-2023-21938 cve: CVE-2023-21939 cve: CVE-2023-21967 cve: CVE-2023-21968 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2112
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2023-1846
cert-bund: WID-SEC-2023-1011
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2493
dfn-cert: DFN-CERT-2023-2249
dfn-cert: DFN-CERT-2023-2240
dfn-cert: DFN-CERT-2023-1955
dfn-cert: DFN-CERT-2023-1909
dfn-cert: DFN-CERT-2023-1879
dfn-cert: DFN-CERT-2023-1605
dfn-cert: DFN-CERT-2023-1418
dfn-cert: DFN-CERT-2023-1336
dfn-cert: DFN-CERT-2023-1304
dfn-cert: DFN-CERT-2023-0897
dfn-cert: DFN-CERT-2023-0896

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (Jul 2024) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u411 and prior, 17.0.x through 17.0.11, 11.0.x through 11.0.23, 21.0.x through 21.0.3 and 22.0.x through 22.0.1 on Windows.
Vulnerability Insight These vulnerabilities exist:
... continues on next page ...

...continued from previous page ...
- CVE-2024-21147: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21068: An error in the 2D component of Oracle Java SE. - CVE-2024-21140: An error in the Hotspot component of Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Jul 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.834262 Version used: 2024-07-19T10:35:32+05:30
References cve: CVE-2024-21147 cve: CVE-2024-21145 cve: CVE-2024-21140 cve: CVE-2024-21131 cve: CVE-2024-21138 url: https://www.oracle.com/security-alerts/cpujul2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1658 cert-bund: WID-SEC-2024-1648 cert-bund: WID-SEC-2024-1647 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-2191 dfn-cert: DFN-CERT-2024-2140 dfn-cert: DFN-CERT-2024-2119 dfn-cert: DFN-CERT-2024-1860 dfn-cert: DFN-CERT-2024-1859

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (apr2023) 01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u361 and earlier, 11.0.18, 17.0.6, 20.0.0 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in the networking components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (apr2023) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.832045 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-21930 cve: CVE-2023-21937 cve: CVE-2023-21938 cve: CVE-2023-21939 cve: CVE-2023-21967 cve: CVE-2023-21968 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2112 cert-bund: WID-SEC-2023-1846 cert-bund: WID-SEC-2023-1011 dfn-cert: DFN-CERT-2024-0147 dfn-cert: DFN-CERT-2023-2493 dfn-cert: DFN-CERT-2023-2249 dfn-cert: DFN-CERT-2023-2240 dfn-cert: DFN-CERT-2023-1955 dfn-cert: DFN-CERT-2023-1909 dfn-cert: DFN-CERT-2023-1879 dfn-cert: DFN-CERT-2023-1605 dfn-cert: DFN-CERT-2023-1418 dfn-cert: DFN-CERT-2023-1336 dfn-cert: DFN-CERT-2023-1304 dfn-cert: DFN-CERT-2023-0897 dfn-cert: DFN-CERT-2023-0896

High (CVSS: 7.4)
NVT: Oracle Java SE Security Update (Jul 2024) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u411 and prior, 17.0.x through 17.0.11, 11.0.x through 11.0.23, 21.0.x through 21.0.3 and 22.0.x through 22.0.1 on Windows.
Vulnerability Insight These vulnerabilities exist: - CVE-2024-21147: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21068: An error in the 2D component of Oracle Java SE. - CVE-2024-21140: An error in the Hotspot component of Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Jul 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.834262 Version used: 2024-07-19T10:35:32+05:30
References cve: CVE-2024-21147 cve: CVE-2024-21145 cve: CVE-2024-21140 cve: CVE-2024-21131 cve: CVE-2024-21138 url: https://www.oracle.com/security-alerts/cpujul2024.html#AppendixJAVA
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2024-1658
cert-bund: WID-SEC-2024-1648
cert-bund: WID-SEC-2024-1647
dfn-cert: DFN-CERT-2024-2971
dfn-cert: DFN-CERT-2024-2789
dfn-cert: DFN-CERT-2024-2788
dfn-cert: DFN-CERT-2024-2191
dfn-cert: DFN-CERT-2024-2140
dfn-cert: DFN-CERT-2024-2119
dfn-cert: DFN-CERT-2024-1860
dfn-cert: DFN-CERT-2024-1859

High (CVSS: 7.3)
NVT: Oracle Java SE <= 8u451 Security Update (Jul 2025) - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to take control of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u451 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE <= 8u451 Security Update (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836514 Version used: 2025-07-18T21:13:33+05:30
References cve: CVE-2025-50063
... continues on next page ...

...continued from previous page...

url: <https://www.oracle.com/security-alerts/cpujul2025.html>
 cert-bund: WID-SEC-2025-1569
 dfn-cert: DFN-CERT-2025-1899

High (CVSS: 7.3)**NVT: Oracle Java SE <= 8u451 Security Update (Jul 2025) - Windows****Summary**

Oracle Java SE is prone to an unspecified vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation allows an attacker to take control of Oracle Java SE.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u451 and prior on Windows.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE <= 8u451 Security Update (Jul 2025) - Windows

OID:1.3.6.1.4.1.25623.1.0.836514

Version used: 2025-07-18T21:13:33+05:30

References

cve: CVE-2025-50063

url: <https://www.oracle.com/security-alerts/cpujul2025.html>

cert-bund: WID-SEC-2025-1569

dfn-cert: DFN-CERT-2025-1899

High (CVSS: 7.2)
NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerability (2778930)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-005.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain escalated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight The flaw is due to an error in 'win32k.sys' when handling window broadcast messages.
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerability (277893. ↪.. OID:1.3.6.1.4.1.25623.1.0.902938 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-0008 url: http://support.microsoft.com/kb/2778930 url: http://www.securityfocus.com/bid/57135 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms↪13-005 dfn-cert: DFN-CERT-2013-0045

High (CVSS: 7.2)	
NVT: Microsoft Windows Shell Handler Privilege Escalation Vulnerability (2962488)	
Summary	This host is missing an important security update according to Microsoft Bulletin MS14-027.
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation will allow attackers to gain elevated privileges and execute code in the context of the LocalSystem account.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight	Flaw is due to an error in the 'ShellExecute' function within the Windows Shell API when handling file associations.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Shell Handler Privilege Escalation Vulnerability (2962488) OID:1.3.6.1.4.1.25623.1.0.804295 Version used: 2023-07-26T10:35:09+05:30
References	cve: CVE-2014-1807 url: https://support.microsoft.com/kb/2926765 url: http://www.securityfocus.com/bid/67276 url: https://support.microsoft.com/kb/2962123 url: https://docs.microsoft.com/en-us/security-updates/SecurityBulletins/2014/ms ... continues on next page ...

...continued from previous page ...

↔14-027

cert-bund: CB-K14/0568

dfn-cert: DFN-CERT-2014-0597

High (CVSS: 7.2)

NVT: Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2709162)

Summary

This host is missing an important security update according to Microsoft Bulletin MS12-041.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation could allow remote attackers to execute arbitrary code with kernel-mode privileges

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior

Vulnerability Insight

Multiple flaws are due to:

- An error in win32k.sys within the string atom class name and lipboard format atom name handling and can be exploited to execute arbitrary code.
- An integer overflow error when handling the reference counter for font resources when loading TrueType fonts.
- A race condition error in win32k.sys when handling particular thread creation attempts and can be exploited to execute arbitrary code.

Vulnerability Detection Method

Details: Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2709162)

OID:1.3.6.1.4.1.25623.1.0.902917

... continues on next page ...

...continued from previous page ...
Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-1864 cve: CVE-2012-1865 cve: CVE-2012-1866 cve: CVE-2012-1867 cve: CVE-2012-1868 url: http://support.microsoft.com/kb/2709162 url: http://www.securityfocus.com/bid/53815 url: http://www.securityfocus.com/bid/53816 url: http://www.securityfocus.com/bid/53817 url: http://www.securityfocus.com/bid/53819 url: http://www.securityfocus.com/bid/53820 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-041 dfn-cert: DFN-CERT-2012-1124

High (CVSS: 7.2)
NVT: Microsoft Windows Graphics Component Privilege Elevation Vulnerability (3069392)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-072.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2
Vulnerability Insight Flaw exists due to error when windows graphics component fails to properly process bitmap conversions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Graphics Component Privilege Elevation Vulnerability (3069392) OID:1.3.6.1.4.1.25623.1.0.805920 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2364 url: https://support.microsoft.com/en-us/kb/3069392 url: https://technet.microsoft.com/en-us/library/security/MS15-072 cert-bund: CB-K15/1013 dfn-cert: DFN-CERT-2015-1060

High (CVSS: 7.2) NVT: Microsoft Windows Client/Server Run-time Subsystem Privilege Escalation Vulnerability (2790113)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-019.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to gain escalated privileges and execute the code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 Edition Service Pack 1 and prior
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The flaw is due to an error in the Client/Server Run-time Subsystem (CSRSS) when handling the reference counter for certain objects in memory and can be execute code with escalated privileges.
Vulnerability Detection Method Details: Microsoft Windows Client/Server Run-time Subsystem Privilege Escalation Vulnera. ↪.. OID:1.3.6.1.4.1.25623.1.0.902946 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-0076 url: http://support.microsoft.com/kb/2790113 url: http://www.securityfocus.com/bid/57821 url: http://www.securitytracker.com/id/1028127 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms↪13-019 dfn-cert: DFN-CERT-2013-0296

High (CVSS: 7.2)
NVT: Microsoft Windows Ancillary Function Driver Elevation of Privilege Vulnerability (2975684)
Summary This host is missing a critical security update according to Microsoft Bulletin MS14-040.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to gain elevated privileges and execute arbitrary code and take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 2003 x32 Service Pack 3 and prior - Microsoft Windows 2003 x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior ... continues on next page ...

...continued from previous page ...
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight Flaw is due to a double-free error in the Ancillary Function Driver within 'afd.sys'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Ancillary Function Driver Elevation of Privilege Vulnerabilit. ↩... OID:1.3.6.1.4.1.25623.1.0.804671 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-1767 url: https://support.microsoft.com/kb/2961072 url: http://www.securityfocus.com/bid/68394 url: https://support.microsoft.com/kb/2973408 url: https://technet.microsoft.com/library/security/ms14-040 cert-bund: CB-K14/0838 dfn-cert: DFN-CERT-2014-0878

High (CVSS: 7.2)
NVT: Microsoft Windows User Profile Service Privilege Escalation (3021674)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-003.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow local attacker to perform certain actions with higher privileges and potentially gain elevated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2
Vulnerability Insight Flaw is due to some weaknesses when creating directories and mounting user hives during the login process.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows User Profile Service Privilege Escalation (3021674) OID:1.3.6.1.4.1.25623.1.0.805126 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0004 url: https://support.microsoft.com/kb/3021674 url: http://www.securityfocus.com/bid/71967 url: https://technet.microsoft.com/library/security/MS15-003 cert-bund: CB-K15/0038 dfn-cert: DFN-CERT-2015-0036

High (CVSS: 7.2)
NVT: Microsoft Windows Mount Manager Privilege Elevation Vulnerability (3082487)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-085.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow a local attacker to elevate privileges.
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012R2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to improper symbolic link processing by the Mount Manager component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Mount Manager Privilege Elevation Vulnerability (3082487) OID:1.3.6.1.4.1.25623.1.0.806011 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1769 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3071756 url: http://www.securityfocus.com/bid/76222 url: https://technet.microsoft.com/library/security/MS15-085 cert-bund: CB-K15/1174 dfn-cert: DFN-CERT-2015-1236
High (CVSS: 7.2) NVT: Microsoft Windows Winsock Elevation of Privilege Vulnerability (3104521)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-119.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windowssystem32\Drivers\afd.sys File version: 6.1.7601.17514
...continues on next page ...

...continued from previous page ...
Vulnerable range: less than 6.1.7601.19031
Impact Successful exploitation will allow attackers to gain elevated privileges of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Edge on Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Flaw is due to a double-free error in the Ancillary Function Driver within 'afd.sys'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Winsock Elevation of Privilege Vulnerability (3104521) OID:1.3.6.1.4.1.25623.1.0.805774 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2478 url: https://support.microsoft.com/kb/3092601 url: https://technet.microsoft.com/library/security/ms15-119 cert-bund: CB-K15/1649 dfn-cert: DFN-CERT-2015-1742
High (CVSS: 7.2) NVT: Microsoft Windows Kernel Privilege Escalation Vulnerabilities (2930275)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-015.
... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to cause a DoS (Denial of Service) and gain escalated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows XP x32 Service Pack 3 and prior - Microsoft Windows XP x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior	
Vulnerability Insight Multiple flaws are due to an information disclosure and an elevation of privilege vulnerability because the Windows kernel-mode driver improperly handles objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Privilege Escalation Vulnerabilities (2930275) OID:1.3.6.1.4.1.25623.1.0.804409 Version used: 2023-07-26T10:35:09+05:30	
References cve: CVE-2014-0300 cve: CVE-2014-0323 url: https://support.microsoft.com/kb/2930275 url: http://www.securityfocus.com/bid/66003 url: http://www.securityfocus.com/bid/66007 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-015 cert-bund: CB-K14/0296 dfn-cert: DFN-CERT-2014-0300	

High (CVSS: 7.2)	
NVT: Microsoft Windows Prtition Manager Privilege Elevation Vulnerability (2690533)	
Summary	This host is missing an important security update according to Microsoft Bulletin MS12-033.
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation could allow attackers to gain escalated privileges.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 7 Service Pack 1 and prior - Microsoft Windows Vista Service Pack 2 and prior - Microsoft Windows Server 2008 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 Service Pack 1 and prior
Vulnerability Insight	The flaw is due to the way Windows Partition Manager (partmgr.sys) allocates objects in memory, when two or more processes or threads call Plug and Play (PnP) Configuration Manager functions at the same time.
Vulnerability Detection Method	Details: Microsoft Windows Prtition Manager Privilege Elevation Vulnerability (2690533) OID:1.3.6.1.4.1.25623.1.0.902677 Version used: 2025-03-05T11:08:53+05:30
References	cve: CVE-2012-0178 url: http://support.microsoft.com/kb/2690533 url: http://www.securityfocus.com/bid/53378 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms12-033 dfn-cert: DFN-CERT-2012-0894

High (CVSS: 7.2)	
NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2876315)	
Summary This host is missing an important security update according to Microsoft Bulletin MS13-076.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to gain escalated privileges, read arbitrary kernel memory and cause a DoS (Denial of Service).	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior	
Vulnerability Insight Multiple flaws are due to error related to multiple fetch within the kernel-mode driver (win32k.sys).	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2876. ↔.. OID:1.3.6.1.4.1.25623.1.0.902994 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2013-1341 cve: CVE-2013-1342 cve: CVE-2013-1343	
... continues on next page ...	

...continued from previous page ...
cve: CVE-2013-1344 cve: CVE-2013-3864 cve: CVE-2013-3865 cve: CVE-2013-3866 url: http://support.microsoft.com/kb/2876315 url: http://www.securityfocus.com/bid/62180 url: http://www.securityfocus.com/bid/62193 url: http://www.securityfocus.com/bid/62195 url: http://www.securityfocus.com/bid/62196 url: http://www.securityfocus.com/bid/62197 url: http://www.securityfocus.com/bid/62198 url: http://www.securityfocus.com/bid/62199 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-076 cert-bund: CB-K13/0638 dfn-cert: DFN-CERT-2013-1634

High (CVSS: 7.2)

NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2840221)

Summary

This host is missing an important security update according to Microsoft Bulletin MS13-046.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to gain escalated privileges or cause buffer overflow and execute arbitrary code.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8
- Microsoft Windows Server 2012
- Microsoft Windows XP x32 Edition Service Pack 3 and prior
- Microsoft Windows XP x64 Edition Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior

... continues on next page ...

...continued from previous page ...	
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior	
Vulnerability Insight Multiple flaws are due to: - A race condition error within the DirectX graphics kernel subsystem. - An unspecified error within the Windows kernel-mode driver (win32k.sys)	
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2840. ↔... OID:1.3.6.1.4.1.25623.1.0.903208 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2013-1332 cve: CVE-2013-1333 cve: CVE-2013-1334 url: http://support.microsoft.com/kb/2829361 url: http://www.securityfocus.com/bid/59749 url: http://www.securityfocus.com/bid/59750 url: http://www.securityfocus.com/bid/59782 url: http://support.microsoft.com/kb/2830290 url: http://www.securelist.com/en/advisories/53385 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-046 dfn-cert: DFN-CERT-2013-0891	

High (CVSS: 7.2)
NVT: Microsoft Windows Remote Procedure Call Privilege Elevation Vulnerability (3067505)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-076.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attacker to gain privileged access.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...	
Affected Software/OS	
- Microsoft Windows 2003 x32/x64 Service Pack 2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2	
Vulnerability Insight	
The flaw occurs when Windows RPC inadvertently allows DCE/RPC connection reflection.	
Vulnerability Detection Method	
Checks if a vulnerable version is present on the target host.	
Details: Microsoft Windows Remote Procedure Call Privilege Elevation Vulnerability (3067. ↪...	
OID:1.3.6.1.4.1.25623.1.0.805921	
Version used: 2023-07-25T10:35:58+05:30	
References	
cve: CVE-2015-2370	
url: https://support.microsoft.com/en-us/kb/3067505	
url: https://technet.microsoft.com/en-us/library/security/MS15-076	
cert-bund: CB-K15/1013	
dfn-cert: DFN-CERT-2015-1060	

High (CVSS: 7.2)	
NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2807986)	
Summary	
This host is missing an important security update according to Microsoft Bulletin MS13-027.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
The target host was found to be vulnerable	
Impact	
Successful exploitation could allow remote attackers to compromise the affected system and possibly execute arbitrary code with System-level privileges.	
Solution:	
Solution type: VendorFix	
The vendor has released updates. Please see the references for more information.	
... continues on next page ...	

...continued from previous page ...	
Affected Software/OS - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior	
Vulnerability Insight Multiple flaws are due to improper handling of objects in memory by the kernel-mode driver, which can be exploited by inserting a malicious USB device into the system.	
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2807. ↪.. OID:1.3.6.1.4.1.25623.1.0.903200 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2013-1285 cve: CVE-2013-1286 cve: CVE-2013-1287 url: http://support.microsoft.com/kb/2807986 url: http://www.securityfocus.com/bid/58359 url: http://www.securityfocus.com/bid/58360 url: http://www.securityfocus.com/bid/58361 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms ↪13-027 dfn-cert: DFN-CERT-2013-0535	
High (CVSS: 7.2) NVT: Microsoft Windows Remote Code Execution Vulnerability (3116162)	
Summary This host is missing an important security update according to Microsoft Bulletin MS15-132.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\System32\Catsrvut.dll File version: 2001.12.8530.16385	
...continues on next page ...	

...continued from previous page...
Vulnerable range: Less than 2001.12.8531.19062
Impact Successful exploitation will allow an attacker to take complete control of an affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight Flaw exists due to an error in the windows which improperly validates input before loading libraries.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Remote Code Execution Vulnerability (3116162) OID:1.3.6.1.4.1.25623.1.0.806645 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-6128 cve: CVE-2015-6132 cve: CVE-2015-6133 url: https://support.microsoft.com/en-us/kb/3108371 url: http://www.securityfocus.com/bid/78612 url: http://www.securityfocus.com/bid/78614 url: http://www.securityfocus.com/bid/78615 url: https://support.microsoft.com/en-us/kb/3108347 url: https://support.microsoft.com/en-us/kb/3108381 url: https://support.microsoft.com/en-us/kb/3108371 url: https://technet.microsoft.com/library/security/MS15-132 cert-bund: CB-K15/1804 dfn-cert: DFN-CERT-2015-1903

High (CVSS: 7.2)
NVT: Microsoft Windows Task Management Privilege Elevation Vulnerabilities (3089657)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-102.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Schedsvc.dll File version: 6.1.7601.17514 Vulnerable range: Version Less than 6.1.7601.18951
Impact Successful exploitation will allow attacker to gain elevated privileges to perform arbitrary administration functions such as add users and install applications on the targeted machine.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012R2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight Multiple flaws are due to: - Task Management failing to validate and enforce impersonation levels. - Task Scheduler failing to properly verify certain file system interactions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Task Management Privilege Elevation Vulnerabilities (3089657) OID:1.3.6.1.4.1.25623.1.0.806045 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2524
... continues on next page ...

...continued from previous page ...
cve: CVE-2015-2525 cve: CVE-2015-2528 url: https://support.microsoft.com/en-us/kb/3082089 url: https://support.microsoft.com/en-us/kb/3084135 url: https://technet.microsoft.com/library/security/MS15-102 cert-bund: CB-K15/1321 dfn-cert: DFN-CERT-2015-1385

High (CVSS: 7.2)
NVT: Microsoft Windows Kernel-Mode Drivers Privilege Escalation Vulnerability (2913602)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-003
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain escalated privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to the improper use of window handle thread-owned objects in memory. This may allow local attacker to gain elevated privileges.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Drivers Privilege Escalation Vulnerability (2913602) ↔.. OID:1.3.6.1.4.1.25623.1.0.903424 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2014-0262 url: https://support.microsoft.com/kb/2913602
...continues on next page ...

...continued from previous page ...

url: <http://www.securityfocus.com/bid/64725>
url: <https://technet.microsoft.com/en-us/security/bulletin/ms14-003>
cert-bund: CB-K14/0048
dfn-cert: DFN-CERT-2014-0051

High (CVSS: 7.2)

NVT: Microsoft Windows Privilege Elevation Vulnerabilities (3096447)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-111.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\system32\Ntoskrnl.exe
File version: 6.1.7601.18741
Vulnerable range: Version Less than - 6.1.7601.19018

Impact

Successful exploitation will allow local users to gain privileges via a crafted application.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8 x32/x64
- Microsoft Windows 10 x32/x64
- Microsoft Windows Server 2012/R2
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior

Vulnerability Insight

Multiple flaws are due to windows kernel is not handling objects in memory properly.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows Privilege Elevation Vulnerabilities (3096447)

OID:1.3.6.1.4.1.25623.1.0.805762

Version used: 2023-07-25T10:35:58+05:30

... continues on next page ...

...continued from previous page ...
References cve: CVE-2015-2549 cve: CVE-2015-2550 cve: CVE-2015-2552 cve: CVE-2015-2553 cve: CVE-2015-2554 url: https://support.microsoft.com/kb/3088195 url: https://technet.microsoft.com/library/security/MS15-111 cert-bund: CB-K15/1507 dfn-cert: DFN-CERT-2015-1586

High (CVSS: 7.2) NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2718523)
Summary This host has important security update missing according to Microsoft Bulletin MS12-047.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow remote attackers to execute arbitrary code with kernel-mode privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Windows kernel-mode driver improperly validates parameters (when creating a hook procedure) and specific keyboard layouts, which can be exploited to execute arbitrary code.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...	
Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities ↪..	(2718.
OID:1.3.6.1.4.1.25623.1.0.903033	
Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2012-1890 cve: CVE-2012-1893 url: http://support.microsoft.com/kb/2718523 url: http://www.securityfocus.com/bid/54285 url: http://www.securityfocus.com/bid/54302 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms↪12-047 dfn-cert: DFN-CERT-2012-1330	

High (CVSS: 7.2)	
NVT: Microsoft Windows TCP/IP Privilege Elevation Vulnerabilities (2688338)	
Summary This host is missing an important security update according to Microsoft Bulletin MS12-032.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation could allow attackers to bypass certain security restrictions and gain escalated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 Service Pack 1 - Microsoft Windows Vista Service Pack 2 and prior - Microsoft Windows Server 2008 Service Pack 2 and prior	
Vulnerability Insight The flaws are due to the way, - Windows Firewall handles outbound broadcast packets.	
... continues on next page ...	

...continued from previous page ...
- Windows TCP/IP stack handles the binding of an IPv6 address to a local interface.
Vulnerability Detection Method Details: Microsoft Windows TCP/IP Privilege Elevation Vulnerabilities (2688338) OID:1.3.6.1.4.1.25623.1.0.902676 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-0174 cve: CVE-2012-0179 url: http://support.microsoft.com/kb/2688338 url: http://www.securityfocus.com/bid/53349 url: http://www.securityfocus.com/bid/53352 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-032 dfn-cert: DFN-CERT-2012-0898

High (CVSS: 7.2)
NVT: Microsoft Windows Privilege Elevation Vulnerabilities (3049576)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-038.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow local users to gain privileges via a crafted application.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Flaws are due to: - A type confusion flaw related to NtCreateTransactionManager that may result in the operating system failing to properly validate and enforce impersonation levels. - The operating system failing to properly validate and enforce impersonation levels when handling an MS-DOS device name. This may allow a local attacker to gain elevated privileges.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Privilege Elevation Vulnerabilities (3049576) OID:1.3.6.1.4.1.25623.1.0.805065 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1643 cve: CVE-2015-1644 url: https://support.microsoft.com/kb/3045685 url: https://support.microsoft.com/kb/3045999 url: https://technet.microsoft.com/library/security/MS15-038 cert-bund: CB-K15/0527 dfn-cert: DFN-CERT-2015-0545

High (CVSS: 7.2)
NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerability (2731847)
Summary This host is missing an important security update according to Microsoft Bulletin MS12-055.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow remote attackers to execute arbitrary code with kernel-mode privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
- Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight The flaw is due to a use-after-free error in win32k.sys when accessing objects in memory.
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerability (273184. ↪... OID:1.3.6.1.4.1.25623.1.0.903035 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-2527 url: http://support.microsoft.com/kb/2731847 url: http://www.securityfocus.com/bid/54873 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms ↪12-055 dfn-cert: DFN-CERT-2012-1570

High (CVSS: 7.2)
NVT: Microsoft Windows Kernel-Mode Driver RCE Vulnerabilities (3036220)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-010.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to bypass security and gain restricted privileges.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...	
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior	
Vulnerability Insight The flaw is due to an error within the WebDAV kernel-mode driver (mrxdav.sys).	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver RCE Vulnerabilities (3036220) OID:1.3.6.1.4.1.25623.1.0.805337 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-0003 cve: CVE-2015-0010 cve: CVE-2015-0057 cve: CVE-2015-0058 cve: CVE-2015-0059 cve: CVE-2015-0060 url: https://support.microsoft.com/kb/3013455 url: http://www.securityfocus.com/bid/72457 url: http://www.securityfocus.com/bid/72461 url: http://www.securityfocus.com/bid/72466 url: http://www.securityfocus.com/bid/72468 url: http://www.securityfocus.com/bid/72470 url: http://www.securityfocus.com/bid/72472 url: https://support.microsoft.com/kb/3023562 url: https://technet.microsoft.com/library/security/MS15-010 cert-bund: CB-K15/0171 dfn-cert: DFN-CERT-2015-0175	
High (CVSS: 7.2) NVT: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerabilities (3070102)	
Summary This host is missing an important security update according to Microsoft Bulletin MS15-073.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to bypass security, gain elevated privileges and execute arbitrary code on affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight Multiple flaws exist due to: - An improper handling of buffer elements by windows kernel-mode driver under certain conditions. - An improper freeing of an object in memory by windows kernel-mode driver. - Improper handling of buffer elements by windows kernel-mode driver under certain conditions. - Improper freeing of an object in memory by windows kernel-mode driver. - Insufficient validation of certain data passed from user mode by the windows kernel-mode driver. - Windows kernel-mode driver when it accesses an object in memory that has either not been correctly initialized or deleted. - Windows kernel-mode driver when it improperly validates user input. - Windows kernel-mode driver 'Win32k.sys' fails to properly free memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerabilities (30701. ↪.. OID:1.3.6.1.4.1.25623.1.0.805074 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2363 cve: CVE-2015-2365
... continues on next page ...

...continued from previous page ...
cve: CVE-2015-2366 cve: CVE-2015-2367 cve: CVE-2015-2381 cve: CVE-2015-2382 url: https://support.microsoft.com/en-us/kb/3070102 url: https://technet.microsoft.com/en-us/library/security/MS15-073 url: https://technet.microsoft.com/en-us/library/security/ms15-073 cert-bund: CB-K15/1013 dfn-cert: DFN-CERT-2015-1060

High (CVSS: 7.2) NVT: Microsoft Windows PGM UAF Elevation of Privilege Vulnerability (3116130)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-133
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Rmcast.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19055
Impact Successful exploitation will allow an authenticated user to execute code with elevated privileges that would allow them to install programs.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Edge on Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The flaw is due to some unspecified weakness in the Windows Pragmatic General Multicast (PGM) protocol.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows PGM UAF Elevation of Privilege Vulnerability (3116130) OID:1.3.6.1.4.1.25623.1.0.806775 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-6126 url: https://support.microsoft.com/en-us/kb/3116130 url: http://www.securityfocus.com/bid/78509 url: https://support.microsoft.com/en-us/kb/3109103 url: https://technet.microsoft.com/library/security/MS15-133 cert-bund: CB-K15/1804 dfn-cert: DFN-CERT-2015-1903

High (CVSS: 7.2)
NVT: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerabilities (3057839)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-061.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to bypass security, gain elevated privileges and execute arbitrary code on affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
... continues on next page ...

...continued from previous page ...	
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior	
Vulnerability Insight Multiple flaws exist due to: - Improper handling of buffer elements by windows kernel-mode driver under certain conditions. - Improper freeing of an object in memory by windows kernel-mode driver. - Insufficient validation of certain data passed from user mode by the windows kernel-mode driver. - Windows kernel-mode driver when it accesses an object in memory that has either not been correctly initialized or deleted. - Windows kernel-mode driver when it improperly validates user input. - Windows kernel-mode driver 'Win32k.sys' fails to properly free memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerabilities (30578. ↪.. OID:1.3.6.1.4.1.25623.1.0.805582 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-1719 cve: CVE-2015-1720 cve: CVE-2015-1721 cve: CVE-2015-1722 cve: CVE-2015-1723 cve: CVE-2015-1724 cve: CVE-2015-1725 cve: CVE-2015-1726 cve: CVE-2015-1727 cve: CVE-2015-1768 cve: CVE-2015-2360 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3057839 url: http://www.securityfocus.com/bid/74999 url: http://www.securityfocus.com/bid/75000 url: http://www.securityfocus.com/bid/74998 url: http://www.securityfocus.com/bid/75005 url: http://www.securityfocus.com/bid/75009 url: http://www.securityfocus.com/bid/75010 url: http://www.securityfocus.com/bid/75006 url: http://www.securityfocus.com/bid/75012 url: http://www.securityfocus.com/bid/75008 url: http://www.securityfocus.com/bid/75024 url: http://www.securityfocus.com/bid/75025 url: https://technet.microsoft.com/en-us/library/security/ms15-061.aspx	
... continues on next page ...	

...continued from previous page ...

cert-bund: CB-K15/0783
dfn-cert: DFN-CERT-2015-0827

High (CVSS: 7.2)

NVT: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerabilities (3034344)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-023.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow remote attackers to bypass security and gain restricted privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8 x32/x64
- Microsoft Windows Server 2012/R2
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior
- Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior

Vulnerability Insight

Multiple flaws exist:

- In the Windows kernel-mode driver that could allow the disclosure of kernel memory contents to an attacker.
- In the Windows kernel-mode driver that is caused when the kernel-mode driver fails to properly validate the calling threads token.
- In the Windows kernel-mode driver that could allow the disclosure of kernel memory contents to an attacker.
- In the Windows kernel-mode driver that could allow the disclosure of kernel memory contents to an attacker. This vulnerability is caused when the Windows kernel-mode driver dereferences a NULL pointer.

... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerabilities (30343. ↔... OID:1.3.6.1.4.1.25623.1.0.805351 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-0077 cve: CVE-2015-0078 cve: CVE-2015-0094 cve: CVE-2015-0095 url: https://support.microsoft.com/kb/3034344 url: https://technet.microsoft.com/library/security/MS15-023 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324	

High (CVSS: 7.2)	
NVT: Microsoft Windows Kernel Local Privilege Escalation Vulnerabilities (2880430)	
Summary This host is missing an important security update according to Microsoft Bulletin MS13-101	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to cause a DoS (Denial of Service) and gain escalated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows XP x32 Service Pack 3 and prior - Microsoft Windows XP x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior	
... continues on next page ...	

...continued from previous page ...
- Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight Multiple flaws are due to: - An error within the win32k.sys driver can be exploited to corrupt memory. - A use-after-free error exists within the win32k.sys driver. - An error when processing TrueType font files can be exploited to cause a crash. - A double fetch error exists within the portcls.sys driver. - An integer overflow error exists within the win32k.sys driver.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Local Privilege Escalation Vulnerabilities (2880430) OID:1.3.6.1.4.1.25623.1.0.903417 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3899 cve: CVE-2013-3902 cve: CVE-2013-3903 cve: CVE-2013-3907 cve: CVE-2013-5058 url: http://support.microsoft.com/kb/2893984 url: http://www.securityfocus.com/bid/64080 url: http://www.securityfocus.com/bid/64084 url: http://www.securityfocus.com/bid/64087 url: http://www.securityfocus.com/bid/64090 url: http://www.securityfocus.com/bid/64091 url: http://support.microsoft.com/kb/2887069 url: http://www.securitytracker.com/id/1029461 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-101 cert-bund: CB-K13/1027 dfn-cert: DFN-CERT-2013-2048

High (CVSS: 7.2)
NVT: Microsoft Windows NDIS Elevation of Privilege Vulnerability (3101722)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-117.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
File checked: C:\Windows\system32\Drivers\Ndis.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19030
Impact Successful exploitation will allow an attacker to gain elevated privileges on a targeted system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
Vulnerability Insight The error exists as NDIS fails to check the length of a buffer prior to copying memory into it.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows NDIS Elevation of Privilege Vulnerability (3101722) OID:1.3.6.1.4.1.25623.1.0.806615 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-6098 url: https://support.microsoft.com/en-us/kb/3101722 url: https://technet.microsoft.com/library/security/MS15-117 cert-bund: CB-K15/1649 dfn-cert: DFN-CERT-2015-1742
High (CVSS: 7.2) NVT: Microsoft Windows Installer Service Privilege Escalation Vulnerability (2962490)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-049
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
...continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation will allow attackers to gain escalated privileges.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2
Vulnerability Insight	Flaw exists due to an error within the Windows Installer Service when handling a repair of a previously installed application
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Installer Service Privilege Escalation Vulnerability (2962490) OID:1.3.6.1.4.1.25623.1.0.804808 Version used: 2023-07-26T10:35:09+05:30
References	cve: CVE-2014-1814 url: https://support.microsoft.com/kb/2918614 url: http://www.securityfocus.com/bid/69112 url: https://technet.microsoft.com/library/security/MS14-049 cert-bund: CB-K14/1013 dfn-cert: DFN-CERT-2014-1053

High (CVSS: 7.1)

NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2829996)

Summary

This host is missing an important security update according to Microsoft Bulletin MS13-036.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

... continues on next page ...

...continued from previous page...	
The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to gain escalated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior	
Vulnerability Insight Multiple flaws are due to: - Improper handling of certain objects in kernel memory. - Improper parsing of crafted OpenType font files.	
Vulnerability Detection Method Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2829. ↔.. OID:1.3.6.1.4.1.25623.1.0.903202 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2013-1283 cve: CVE-2013-1291 cve: CVE-2013-1292 cve: CVE-2013-1293 url: http://support.microsoft.com/kb/2808735 url: http://www.securityfocus.com/bid/58853 url: http://www.securityfocus.com/bid/58858 url: http://www.securityfocus.com/bid/58859 url: http://www.securityfocus.com/bid/58860 url: http://www.securitytracker.com/id/1028402 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-036 dfn-cert: DFN-CERT-2013-0748	

High (CVSS: 7.1) NVT: Microsoft DirectAccess Security Advisory (2862152)
Summary This host is missing an important security update according to Microsoft advisory (2862152).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow an attacker to intercept the target user's network traffic and potentially determine their encrypted domain credentials.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows 8 - Microsoft Windows Server 2012 - Microsoft Windows 8.1 x32/x64
Vulnerability Insight The flaw is due to improper verification of DirectAccess server connections to DirectAccess clients by DirectAccess.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft DirectAccess Security Advisory (2862152) OID:1.3.6.1.4.1.25623.1.0.804143 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2013-3876 url: http://www.securityfocus.com/bid/63666 url: https://docs.microsoft.com/en-us/security-updates/SecurityAdvisories/2014/2 ... continues on next page ...

↔862152	...continued from previous page ...
---------	-------------------------------------

High (CVSS: 7.1)	
NVT: Microsoft Window XML Core Services Information Disclosure Vulnerability (2916036)	
Summary This host is missing an important security update according to Microsoft Bulletin MS14-005.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to read files on the local file system of the user or read content of web domains where the user is currently authenticated.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior	
Vulnerability Insight The flaw is due to an unspecified error which improperly enforce cross-domain policies.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Window XML Core Services Information Disclosure Vulnerability (291603. ↔.. OID:1.3.6.1.4.1.25623.1.0.903510 Version used: 2025-03-05T11:08:53+05:30	
... continues on next page ...	

...continued from previous page ...

References

cve: CVE-2014-0266
 url: <https://support.microsoft.com/kb/2916036>
 url: <http://www.securityfocus.com/bid/65407>
 url: <https://technet.microsoft.com/en-us/security/bulletin/ms14-005>
 cert-bund: CB-K14/0168
 dfn-cert: DFN-CERT-2014-0174

High (CVSS: 7.1)

NVT: Microsoft Windows Kernel-Mode Driver Denial of Service Vulnerability (2845690)

Summary

This host is missing an important security update according to Microsoft Bulletin MS13-049.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation could allow attackers to cause a denial of service.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 8
- Microsoft Windows Server 2012
- Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior
- Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior
- Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
- Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior

Vulnerability Insight

The flaw is due to an integer overflow error within Windows TCP/IP driver when handling packets during TCP connection, which can be exploited to cause the system to stop responding.

Vulnerability Detection Method

Details: Microsoft Windows Kernel-Mode Driver Denial of Service Vulnerability (2845690)

OID:1.3.6.1.4.1.25623.1.0.902975

Version used: 2025-03-05T11:08:53+05:30

References

... continues on next page ...

...continued from previous page ...
cve: CVE-2013-3138 url: http://www.securitytracker.com/id/1028655 url: http://www.securityfocus.com/bid/60358 url: http://support.microsoft.com/kb/2845690 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-049 dfn-cert: DFN-CERT-2013-1112

High (CVSS: 7.1)
NVT: Microsoft Windows Kernel-Mode Driver TrueType Font DoS Vulnerability (3002885)
Summary This host is missing a moderate security update according to Microsoft Bulletin MS14-079.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow an attacker to conduct denial-of-service attack.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2
Vulnerability Insight The flaw is due to an integer underflow error in the 'vFill_IFIMETRICS' function within the win32k.sys module when processing font files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver TrueType Font DoS Vulnerability (3002885) OID:1.3.6.1.4.1.25623.1.0.804878
... continues on next page ...

...continued from previous page ...
Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-6317 url: https://support.microsoft.com/kb/3002885 url: http://www.securityfocus.com/bid/70949 url: https://technet.microsoft.com/library/security/MS14-079 cert-bund: CB-K14/1402 dfn-cert: DFN-CERT-2014-1473

[\[return to 192.168.56.6 \]](#)

2.1.19 High 8383/tcp

High (CVSS: 7.5)
NVT: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0. ↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service where attack vectors exists only on HTTPS services.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Vulnerable' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) 'Vulnerable' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32) TLS_RSA_WITH_3DES_EDE_CBC_SHA (SWEET32)
Impact ... continues on next page ...

...continued from previous page ...
This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services accepting vulnerable SSL/TLS cipher suites via HTTPS.
Vulnerability Insight These rules are applied for the evaluation of the vulnerable cipher suites: - 64-bit block cipher 3DES vulnerable to the SWEET32 attack (CVE-2016-2183).
Vulnerability Detection Method Checks previous collected cipher suites. Details: SSL/TLS: Report Vulnerable Cipher Suites for HTTPS OID:1.3.6.1.4.1.25623.1.0.108031 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2016-2183 cve: CVE-2016-6329 cve: CVE-2020-12872 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLSProtokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014 url: https://sweet32.info cert-bund: WID-SEC-2026-0180
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2024-1277
cert-bund: WID-SEC-2024-0209
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2022-2226
cert-bund: WID-SEC-2022-1955
cert-bund: CB-K21/1094
cert-bund: CB-K20/1023
cert-bund: CB-K20/0321
cert-bund: CB-K20/0314
cert-bund: CB-K20/0157
cert-bund: CB-K19/0618
cert-bund: CB-K19/0615
cert-bund: CB-K18/0296
cert-bund: CB-K17/1980
cert-bund: CB-K17/1871
cert-bund: CB-K17/1803
cert-bund: CB-K17/1753
cert-bund: CB-K17/1750
cert-bund: CB-K17/1709
cert-bund: CB-K17/1558
cert-bund: CB-K17/1273
cert-bund: CB-K17/1202
cert-bund: CB-K17/1196
cert-bund: CB-K17/1055
cert-bund: CB-K17/1026
cert-bund: CB-K17/0939
cert-bund: CB-K17/0917
cert-bund: CB-K17/0915
cert-bund: CB-K17/0877
cert-bund: CB-K17/0796
cert-bund: CB-K17/0724
cert-bund: CB-K17/0661
cert-bund: CB-K17/0657
cert-bund: CB-K17/0582
cert-bund: CB-K17/0581
cert-bund: CB-K17/0506
cert-bund: CB-K17/0504
cert-bund: CB-K17/0467
cert-bund: CB-K17/0345
cert-bund: CB-K17/0098
cert-bund: CB-K17/0089
cert-bund: CB-K17/0086
cert-bund: CB-K17/0082
cert-bund: CB-K16/1837
cert-bund: CB-K16/1830
cert-bund: CB-K16/1635
cert-bund: CB-K16/1630

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K16/1624
cert-bund: CB-K16/1622
cert-bund: CB-K16/1500
cert-bund: CB-K16/1465
cert-bund: CB-K16/1307
cert-bund: CB-K16/1296
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2021-1618
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2021-0770
dfn-cert: DFN-CERT-2021-0274
dfn-cert: DFN-CERT-2020-2141
dfn-cert: DFN-CERT-2020-0368
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1296
dfn-cert: DFN-CERT-2018-0323
dfn-cert: DFN-CERT-2017-2070
dfn-cert: DFN-CERT-2017-1954
dfn-cert: DFN-CERT-2017-1885
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2017-1785
dfn-cert: DFN-CERT-2017-1626
dfn-cert: DFN-CERT-2017-1326
dfn-cert: DFN-CERT-2017-1239
dfn-cert: DFN-CERT-2017-1238
dfn-cert: DFN-CERT-2017-1090
dfn-cert: DFN-CERT-2017-1060
dfn-cert: DFN-CERT-2017-0968
dfn-cert: DFN-CERT-2017-0947
dfn-cert: DFN-CERT-2017-0946
dfn-cert: DFN-CERT-2017-0904
dfn-cert: DFN-CERT-2017-0816
dfn-cert: DFN-CERT-2017-0746
dfn-cert: DFN-CERT-2017-0677
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0611
dfn-cert: DFN-CERT-2017-0609
dfn-cert: DFN-CERT-2017-0522
dfn-cert: DFN-CERT-2017-0519
dfn-cert: DFN-CERT-2017-0482
dfn-cert: DFN-CERT-2017-0351
dfn-cert: DFN-CERT-2017-0090
dfn-cert: DFN-CERT-2017-0089
dfn-cert: DFN-CERT-2017-0088
dfn-cert: DFN-CERT-2017-0086

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1937
dfn-cert: DFN-CERT-2016-1732
dfn-cert: DFN-CERT-2016-1726
dfn-cert: DFN-CERT-2016-1715
dfn-cert: DFN-CERT-2016-1714
dfn-cert: DFN-CERT-2016-1588
dfn-cert: DFN-CERT-2016-1555
dfn-cert: DFN-CERT-2016-1391
dfn-cert: DFN-CERT-2016-1378

[\[return to 192.168.56.6 \]](#)

2.1.20 High 4848/tcp

High (CVSS: 7.5)
NVT: Oracle GlassFish Server <= 4.1.1 Directory Traversal Vulnerability - Active Check
Summary GlassFish server is prone to a directory traversal vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerable URL: https://192.168.56.6:4848/theme/META-INF/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/%c0%ae%c0%ae/windows/win.ini
Impact Successful exploitation will allow remote attackers to gain access to sensitive information.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS Oracle GlassFish Server version 4.1.1 and probably prior.
Vulnerability Insight The flaw is due to - Improper sanitization of parameter 'META-INF' in 'theme.php' file.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Method

Sends a crafted HTTP GET request and checks the response.

Details: Oracle GlassFish Server <= 4.1.1 Directory Traversal Vulnerability - Active Che.

↔...

OID:1.3.6.1.4.1.25623.1.0.806848

Version used: 2025-04-15T11:24:49+05:30

References

cve: CVE-2017-1000028

url: <https://www.exploit-db.com/exploits/39241>[\[return to 192.168.56.6 \]](#)**2.1.21 High 445/tcp**

High (CVSS: 8.8)

NVT: Microsoft Windows SMB Server Multiple Vulnerabilities-Remote (4013389)

Summary

This host is missing a critical security update according to Microsoft Bulletin MS17-010.

Quality of Detection (QoD): 95%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow remote attackers to gain the ability to execute code on the target server, also could lead to information disclosure from the server.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 10 x32/x64
- Microsoft Windows Server 2012
- Microsoft Windows Server 2016
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012 R2
- Microsoft Windows 7 x32/x64 Service Pack 1
- Microsoft Windows Vista x32/x64 Service Pack 2

... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Service Pack 2
Vulnerability Insight Multiple flaws exist due to the way that the Microsoft Server Message Block 1.0 (SMBv1) server handles certain requests.
Vulnerability Detection Method Send the crafted SMB transaction request with fid = 0 and check the response to confirm the vulnerability. Details: Microsoft Windows SMB Server Multiple Vulnerabilities-Remote (4013389) OID:1.3.6.1.4.1.25623.1.0.810676 Version used: 2024-07-17T10:35:38+05:30
References cve: CVE-2017-0143 cve: CVE-2017-0144 cve: CVE-2017-0145 cve: CVE-2017-0146 cve: CVE-2017-0147 cve: CVE-2017-0148 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/4013078 url: http://www.securityfocus.com/bid/96703 url: http://www.securityfocus.com/bid/96704 url: http://www.securityfocus.com/bid/96705 url: http://www.securityfocus.com/bid/96707 url: http://www.securityfocus.com/bid/96709 url: http://www.securityfocus.com/bid/96706 url: https://technet.microsoft.com/library/security/MS17-010 url: https://github.com/rapid7/metasploit-framework/pull/8167/files cert-bund: CB-K17/0435 dfn-cert: DFN-CERT-2017-0448

[\[return to 192.168.56.6 \]](#)

2.1.22 High 8282/tcp

High (CVSS: 7.8) NVT: Apache Tomcat DoS Vulnerability (Jul 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33
... continues on next page ...

...continued from previous page ...
Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↔7652)
Summary Apache Tomcat is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.90 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.90, 10.1.25, 11.0.0-M21 or later.
Affected Software/OS Apache Tomcat versions prior to 9.0.90, 10.x through 10.1.24 and 11.0.0-M1 through 11.0.0-M20. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by this flaw. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight When processing an HTTP/2 stream, Tomcat did not handle some cases of excessive HTTP headers correctly. This led to a miscounting of active HTTP/2 streams which in turn led to the use of an incorrect infinite timeout which allowed connections to remain open which should have been closed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat DoS Vulnerability (Jul 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.152544 Version used: 2024-12-19T10:35:34+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-34750
... continues on next page ...

...continued from previous page ...
url: https://lists.apache.org/thread/4kqf0bc9gxymjc2x7v3p7dvpln177y81
url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M2 ↪1
url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.25
url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.90
cert-bund: WID-SEC-2025-0163
cert-bund: WID-SEC-2025-0161
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0144
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2024-3197
cert-bund: WID-SEC-2024-3195
cert-bund: WID-SEC-2024-2100
cert-bund: WID-SEC-2024-1905
cert-bund: WID-SEC-2024-1522
dfn-cert: DFN-CERT-2025-2098
dfn-cert: DFN-CERT-2025-1991
dfn-cert: DFN-CERT-2025-1517
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0146
dfn-cert: DFN-CERT-2024-2192
dfn-cert: DFN-CERT-2024-2031
dfn-cert: DFN-CERT-2024-1723

High (CVSS: 7.8)
NVT: Apache Tomcat DoS Vulnerability (Jul 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.107 Installation path / port: 8282/tcp
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix Update to version 9.0.107 or later.
Affected Software/OS Apache Tomcat version 9.0.106 and prior. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight A race condition on connection close could trigger a JVM crash when using the APR/Native connector leading to a DoS. This was particularly noticeable with client initiated closes of HTTP/2 connections.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat DoS Vulnerability (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154918 Version used: 2025-07-11T21:13:14+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-52434 url: https://lists.apache.org/thread/gxgh65004f25y8519coth6w7vchww030 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.107 cert-bund: WID-SEC-2026-0177 cert-bund: WID-SEC-2025-1905 cert-bund: WID-SEC-2025-1468 dfn-cert: DFN-CERT-2025-2957 dfn-cert: DFN-CERT-2025-2390 dfn-cert: DFN-CERT-2025-2299 dfn-cert: DFN-CERT-2025-2056 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1789

High (CVSS: 7.8)
NVT: Apache Tomcat HTTP/2 Protocol DoS Vulnerability (MadeYouReset) - Windows
Product detection result
... continues on next page ...

...continued from previous page ...
cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to is prone to a denial of service (DoS) vulnerability in the HTTP/2 protocol dubbed 'MadeYouReset'.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.108 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.108, 10.1.44, 11.0.10 or later.
Affected Software/OS Apache Tomcat version 9.0.107 and prior, 10.x through 10.1.43 and 11.0.0-M1 through 11.0.9. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight A mismatch caused by client-triggered server-sent stream resets between HTTP/2 specifications and the internal architectures of some HTTP/2 implementations may result in excessive server resource consumption leading to denial-of-service (DoS). By opening streams and then rapidly triggering the server to reset them, using malformed frames or flow control errors, an attacker can exploit incorrect stream accounting. Streams reset by the server are considered closed at the protocol level, even though backend processing continues. This allows a client to cause the server to handle an unbounded number of concurrent streams on a single connection.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat HTTP/2 Protocol DoS Vulnerability (MadeYouReset) - Windows OID:1.3.6.1.4.1.25623.1.0.171673 Version used: 2025-08-26T11:09:52+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-8671 cve: CVE-2025-48989 url: https://lists.apache.org/thread/9ydfg0xr0tchmg1cprhxgwhj0hfwxlyf url: https://lists.apache.org/thread/p09775q0rd185m6zz98krg0fp45j8kr0 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.108 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.44 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.10 url: https://galbarnahum.com/posts/made-you-reset-intro url: https://deepness-lab.org/publications/madeyoureset/ url: https://kb.cert.org/vuls/id/767506 url: https://thehackernews.com/2025/08/new-http2-madeyoureset-vulnerability.html cert-bund: WID-SEC-2026-0351 cert-bund: WID-SEC-2026-0177 cert-bund: WID-SEC-2026-0175 cert-bund: WID-SEC-2026-0173 cert-bund: WID-SEC-2026-0165 cert-bund: WID-SEC-2025-2853 cert-bund: WID-SEC-2025-2373 cert-bund: WID-SEC-2025-2361 cert-bund: WID-SEC-2025-2360 cert-bund: WID-SEC-2025-2357 cert-bund: WID-SEC-2025-2356 cert-bund: WID-SEC-2025-1830 dfn-cert: DFN-CERT-2026-0972 dfn-cert: DFN-CERT-2026-0543 dfn-cert: DFN-CERT-2026-0452 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-3431 dfn-cert: DFN-CERT-2025-2957 dfn-cert: DFN-CERT-2025-2390 dfn-cert: DFN-CERT-2025-2299 dfn-cert: DFN-CERT-2025-2224 dfn-cert: DFN-CERT-2025-2219

High (CVSS: 7.8)
NVT: Apache Tomcat Multiple Vulnerabilities (Jun 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
...continues on next page ...

...continued from previous page ...
Summary Apache Tomcat is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.106 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.106, 10.1.42, 11.0.8 or later.
Affected Software/OS Apache Tomcat version 9.0.105 and prior, 10.x through 10.1.41 and 11.0.0-M1 through 11.0.7. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: - CVE-2025-48976: Denial of service (DoS) in Apache Commons FileUpload - CVE-2025-48988: DoS in multipart upload - CVE-2025-49125: Security constraint bypass for pre/post-resources
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple Vulnerabilities (Jun 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154755 Version used: 2025-06-24T11:11:22+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-48976 cve: CVE-2025-48988 cve: CVE-2025-49125
... continues on next page ...

...continued from previous page...

```

url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.8
url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.42
url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.106
url: https://lists.apache.org/thread/nzkqsok8t42qofgqfmck536mtzyzyp18
url: https://lists.apache.org/thread/m66cytbfrty9k7dc4cg6tl1czhsnbywk
url: https://www.openwall.com/lists/oss-security/2025/06/16/1
url: https://www.openwall.com/lists/oss-security/2025/06/16/2
url: https://github.com/Samb102/POC-CVE-2025-48988-CVE-2025-48976
cert-bund: WID-SEC-2026-0438
cert-bund: WID-SEC-2026-0177
cert-bund: WID-SEC-2026-0175
cert-bund: WID-SEC-2026-0165
cert-bund: WID-SEC-2026-0163
cert-bund: WID-SEC-2026-0162
cert-bund: WID-SEC-2026-0153
cert-bund: WID-SEC-2025-2853
cert-bund: WID-SEC-2025-2768
cert-bund: WID-SEC-2025-2373
cert-bund: WID-SEC-2025-2372
cert-bund: WID-SEC-2025-2371
cert-bund: WID-SEC-2025-2369
cert-bund: WID-SEC-2025-2366
cert-bund: WID-SEC-2025-2362
cert-bund: WID-SEC-2025-2361
cert-bund: WID-SEC-2025-2360
cert-bund: WID-SEC-2025-2359
cert-bund: WID-SEC-2025-2357
cert-bund: WID-SEC-2025-2356
cert-bund: WID-SEC-2025-2355
cert-bund: WID-SEC-2025-2353
cert-bund: WID-SEC-2025-2351
cert-bund: WID-SEC-2025-1562
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1559
cert-bund: WID-SEC-2025-1335
cert-bund: WID-SEC-2025-1334
dfn-cert: DFN-CERT-2026-0936
dfn-cert: DFN-CERT-2026-0622
dfn-cert: DFN-CERT-2026-0452
dfn-cert: DFN-CERT-2026-0451
dfn-cert: DFN-CERT-2026-0205
dfn-cert: DFN-CERT-2025-3541
dfn-cert: DFN-CERT-2025-3168
dfn-cert: DFN-CERT-2025-2941
dfn-cert: DFN-CERT-2025-2939
dfn-cert: DFN-CERT-2025-2390
dfn-cert: DFN-CERT-2025-2335

```

...continues on next page...

...continued from previous page ...
dfn-cert: DFN-CERT-2025-2299
dfn-cert: DFN-CERT-2025-2291
dfn-cert: DFN-CERT-2025-2098
dfn-cert: DFN-CERT-2025-2088
dfn-cert: DFN-CERT-2025-2056
dfn-cert: DFN-CERT-2025-1992
dfn-cert: DFN-CERT-2025-1991
dfn-cert: DFN-CERT-2025-1780
dfn-cert: DFN-CERT-2025-1739
dfn-cert: DFN-CERT-2025-1588

High (CVSS: 7.8)
NVT: Apache Tomcat Multiple DoS Vulnerabilities (Jul 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.107 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.107, 10.1.43, 11.0.9 or later.
Affected Software/OS Apache Tomcat version 9.0.106 and prior, 10.x through 10.1.42 and 11.0.0-M1 through 11.0.8. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: ... continues on next page ...

...continued from previous page ...
- CVE-2025-52520: DoS due to overflow in file upload limit - CVE-2025-53506: DoS via excessive HTTP/2 streams
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple DoS Vulnerabilities (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154896 Version used: 2025-07-11T21:13:14+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-52520 cve: CVE-2025-53506 url: https://lists.apache.org/thread/trqq01bbxw6c92zx69kx2mw2qgmfy0o5 url: https://lists.apache.org/thread/p09775q0rd185m6zz98krg0fp45j8kr0 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.107 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.43 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.9 cert-bund: WID-SEC-2025-1905 cert-bund: WID-SEC-2025-1468 dfn-cert: DFN-CERT-2026-0452 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-2390 dfn-cert: DFN-CERT-2025-2335 dfn-cert: DFN-CERT-2025-2299 dfn-cert: DFN-CERT-2025-2219 dfn-cert: DFN-CERT-2025-2168 dfn-cert: DFN-CERT-2025-2088 dfn-cert: DFN-CERT-2025-2056 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1789
High (CVSS: 7.8) NVT: Apache Tomcat Session Fixation Vulnerability (Aug 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
...continues on next page ...

...continued from previous page ...
Summary Apache Tomcat is prone to a session fixation vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.106 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.106, 10.1.42, 11.0.8 or later.
Affected Software/OS Apache Tomcat versions prior to 9.0.106, 10.1.0-M1 through 10.1.41 and 11.0.0-M1 through 11.0.7.
Vulnerability Insight If the rewrite valve was enabled for a web application, an attacker was able to craft a URL that, if a victim clicked on it, would cause the victim's interaction with that resource to occur in the context of the attacker's session.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Session Fixation Vulnerability (Aug 2025) - Windows OID: 1.3.6.1.4.1.25623.1.0.127943 Version used: 2025-08-21T11:10:06+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-55668 url: https://lists.apache.org/thread/v6bknr96r1711qxkl1c03v0qdvbbqs47 cert-bund: WID-SEC-2025-1905 cert-bund: WID-SEC-2025-1826 dfn-cert: DFN-CERT-2026-0452 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-1588

High (CVSS: 7.5)
NVT: Apache Tomcat 'Hostname Verification' Security Bypass Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.53 Installation path / port: 8282/tcp
Impact Successful exploitation will allow an attacker to bypass certain security restrictions and perform unauthorized actions.
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.10 or 8.5.32 or 8.0.53 or 7.0.90 or later. Please see the references for more information.
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.9, 8.5.0 to 8.5.31, 8.0.0.RC1 to 8.0.52 and 7.0.35 to 7.0.88 on Windows.
Vulnerability Insight The flaw exists due to a missing host name verification when using TLS with the WebSocket client.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'Hostname Verification' Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813742 Version used: 2025-09-17T11:09:26+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33
... continues on next page ...

...continued from previous page ...
Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-8034 url: http://mail-archives.us.apache.org/mod_mbox/www-announce/201807.mbox/%3C20180722091057.GA70283@minotaur.apache.org%3E url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.10 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.53 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.32 url: http://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.90 cert-bund: WID-SEC-2024-1682 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K19/0907 cert-bund: CB-K19/0616 cert-bund: CB-K19/0320 cert-bund: CB-K18/1005 cert-bund: CB-K18/0809 dfn-cert: DFN-CERT-2019-2418 dfn-cert: DFN-CERT-2019-1627 dfn-cert: DFN-CERT-2019-1237 dfn-cert: DFN-CERT-2019-0951 dfn-cert: DFN-CERT-2019-0451 dfn-cert: DFN-CERT-2019-0147 dfn-cert: DFN-CERT-2018-2165 dfn-cert: DFN-CERT-2018-2142 dfn-cert: DFN-CERT-2018-1753 dfn-cert: DFN-CERT-2018-1471 dfn-cert: DFN-CERT-2018-1443 dfn-cert: DFN-CERT-2018-1262
High (CVSS: 7.5) NVT: Apache Tomcat 'MultipartStream' Class DoS Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.107652)
Summary Apache Tomcat is prone to a denial of service (DoS) vulnerability.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.36 Installation path / port: 8282/tcp
Impact Successful exploitation will allow remote attackers to cause a denial of service (CPU consumption).
Solution: Solution type: VendorFix Upgrade to version 7.0.70, or 8.0.36, or 8.5.3, or 9.0.0.M7, or later.
Affected Software/OS Apache Tomcat 7.x before 7.0.70, 8.0.0.RC1 before 8.0.36, 8.5.x before 8.5.3, and 9.0.0.M1 before 9.0.0.M7.
Vulnerability Insight The flaw is due to an error in the 'MultipartStream' class in Apache Commons Fileupload when processing multi-part requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'MultipartStream' Class DoS Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.808197 Version used: 2022-04-13T18:47:10+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2016-3092 url: http://tomcat.apache.org/security-7.html url: http://www.securityfocus.com/bid/91453 url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-9.html cert-bund: WID-SEC-2023-0644 cert-bund: WID-SEC-2022-1537 cert-bund: WID-SEC-2022-1375 cert-bund: CB-K18/0605
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K17/1750
cert-bund: CB-K17/1198
cert-bund: CB-K17/1060
cert-bund: CB-K17/0657
cert-bund: CB-K17/0397
cert-bund: CB-K16/1993
cert-bund: CB-K16/1799
cert-bund: CB-K16/1758
cert-bund: CB-K16/1322
cert-bund: CB-K16/1002
cert-bund: CB-K16/0993
dfn-cert: DFN-CERT-2023-0574
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-0729
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2017-1236
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2016-2104
dfn-cert: DFN-CERT-2016-1905
dfn-cert: DFN-CERT-2016-1823
dfn-cert: DFN-CERT-2016-1407
dfn-cert: DFN-CERT-2016-1068
dfn-cert: DFN-CERT-2016-1059

```

High (CVSS: 7.5)

NVT: Apache Tomcat NIO HTTP connector Information Disclosure Vulnerability - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.41

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	8282/tcp
Impact Successful exploitation will allow remote attackers to gain access to potentially sensitive information.	
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.0.M15 or 8.5.9 or 8.0.41 or 7.0.75 or 6.0.50 or later.	
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M13, Apache Tomcat versions 8.5.0 to 8.5.8, Apache Tomcat versions 8.0.0.RC1 to 8.0.39, Apache Tomcat versions 7.0.0 to 7.0.73, and Apache Tomcat versions 6.0.16 to 6.0.48 on Windows.	
Vulnerability Insight The flaw exists due to error handling of the send file code for the NIO HTTP connector in Apache Tomcat resulting in the current Processor object being added to the Processor cache multiple times. This in turn means that the same Processor could be used for concurrent requests. Sharing a Processor can result in information leakage between requests including, not not limited to, session ID and the response body.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat NIO HTTP connector Information Disclosure Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.811296 Version used: 2024-02-15T10:35:40+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2016-8745 url: https://bz.apache.org/bugzilla/show_bug.cgi?id=60409 url: http://www.securityfocus.com/bid/94828 url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M15 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.41 url: http://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.75 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.9 url: http://tomcat.apache.org/security-6.html#Fixed_in_Apache_Tomcat_6.0.50 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2022-1375 cert-bund: CB-K18/0605	
... continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K17/1746
cert-bund: CB-K17/1060
cert-bund: CB-K17/1033
cert-bund: CB-K17/0801
cert-bund: CB-K17/0444
cert-bund: CB-K17/0397
cert-bund: CB-K17/0303
cert-bund: CB-K17/0133
cert-bund: CB-K17/0090
cert-bund: CB-K16/1929
dfn-cert: DFN-CERT-2018-0729
dfn-cert: DFN-CERT-2017-1822
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-0828
dfn-cert: DFN-CERT-2017-0456
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2017-0308
dfn-cert: DFN-CERT-2017-0137
dfn-cert: DFN-CERT-2017-0095
dfn-cert: DFN-CERT-2016-2037

```

High (CVSS: 7.5)

NVT: Apache Tomcat 'pipelined' Requests Information Disclosure Vulnerability (Apr 2017) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)

Summary

Apache Tomcat is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.43

Installation

path / port: 8282/tcp

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attackers to obtain sensitive information from requests other than their own.
Solution: Solution type: VendorFix Upgrade to version 9.0.0.M19, 8.5.13, 8.0.43, 7.0.77, 6.0.53 or later.
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M18, Apache Tomcat versions 8.5.0 to 8.5.12, Apache Tomcat versions 8.0.0.RC1 to 8.0.42, Apache Tomcat versions 7.0.0 to 7.0.76 and Apache Tomcat versions 6.0.0 to 6.0.52 on Windows.
Vulnerability Insight A bug in the handling of the pipelined requests when send file was used resulted in the pipelined request being lost when send file processing of the previous request completed.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'pipelined' Requests Information Disclosure Vulnerability (Apr 20. ↩.. OID:1.3.6.1.4.1.25623.1.0.810762 Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2017-5647 url: http://tomcat.apache.org/security-9.html url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html url: http://tomcat.apache.org/security-6.html url: https://lists.apache.org/thread.html/5796678c5a773c6f3ff57c178ac247d85ceca0 ↩dee9190ba48171451a0%3Cusers.tomcat.apache.org%3E cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0047 cert-bund: CB-K17/1831 cert-bund: CB-K17/1423 cert-bund: CB-K17/1246 cert-bund: CB-K17/1205 cert-bund: CB-K17/1060 cert-bund: CB-K17/1033 cert-bund: CB-K17/0801
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K17/0604
dfn-cert: DFN-CERT-2018-0051
dfn-cert: DFN-CERT-2017-1914
dfn-cert: DFN-CERT-2017-1485
dfn-cert: DFN-CERT-2017-1288
dfn-cert: DFN-CERT-2017-1243
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-0828
dfn-cert: DFN-CERT-2017-0624

```

High (CVSS: 7.5)

NVT: Apache Tomcat Reverse Proxy Information Disclosure Vulnerability (Mar 2017) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.39

Installation

path / port: 8282/tcp

Impact

Successful exploitation will allow remote attackers to obtain sensitive information from requests other than their own.

Solution:**Solution type:** VendorFix

Upgrade to version 9.0.0.M17, 8.5.11 or later.

Affected Software/OS

Apache Tomcat versions 9.0.0.M11 to 9.0.0.M15 and Apache Tomcat versions 8.5.0 to 8.5.9 on Windows.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The refactoring to make wider use of ByteBuffer introduced a regression that could cause information to leak between requests on the same connection. When running behind a reverse proxy, this could result in information leakage between users.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Reverse Proxy Information Disclosure Vulnerability (Mar 2017) - W. ↪.. OID:1.3.6.1.4.1.25623.1.0.810719 Version used: 2025-12-12T21:11:28+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2016-8747 url: http://svn.apache.org/viewvc?view=revision&revision=1774161 url: http://www.securityfocus.com/bid/96895 url: http://svn.apache.org/viewvc?view=revision&revision=1774166 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.11 url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M17 cert-bund: CB-K17/0426 dfn-cert: DFN-CERT-2017-0433
High (CVSS: 7.5) NVT: Apache Tomcat Security Bypass Vulnerability - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.44 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	8282/tcp
Impact Successful exploitation will allow an attacker to exploit this issue to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.	
Solution: Solution type: VendorFix Upgrade to version 9.0.0.M21, or 8.5.15, or 8.0.44, or 7.0.78 or later.	
Affected Software/OS Apache Tomcat 9.0.0.M1 to 9.0.0.M20, Apache Tomcat 8.5.0 to 8.5.14, Apache Tomcat 8.0.0.RC1 to 8.0.43 and Apache Tomcat 7.0.0 to 7.0.77 on Windows	
Vulnerability Insight The error page mechanism of the Java Servlet Specification requires that, when an error occurs and an error page is configured for the error that occurred, the original request and response are forwarded to the error page. This means that the request is presented to the error page with the original HTTP method. If the error page is a static file, expected behaviour is to serve content of the file as if processing a GET request, regardless of the actual HTTP method. Tomcat's Default Servlet did not do this. Depending on the original request this could lead to unexpected and undesirable results for static error pages including, if the DefaultServlet is configured to permit writes, the replacement or removal of the custom error page	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Security Bypass Vulnerability - Windows OID: 1.3.6.1.4.1.25623.1.0.811140 Version used: 2024-02-15T10:35:40+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2017-5664 url: https://lists.apache.org/thread.html/a42c48e37398d76334e17089e43ccab945238b↪8b7896538478d760660%3Cannounce.tomcat.apache.org%3E url: http://www.securityfocus.com/bid/98888 cert-bund: WID-SEC-2025-1212 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0605 cert-bund: CB-K18/0603 cert-bund: CB-K18/0478	
... continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K18/0066
cert-bund: CB-K18/0047
cert-bund: CB-K17/2024
cert-bund: CB-K17/2017
cert-bund: CB-K17/1831
cert-bund: CB-K17/1748
cert-bund: CB-K17/1492
cert-bund: CB-K17/1423
cert-bund: CB-K17/1257
cert-bund: CB-K17/1246
cert-bund: CB-K17/0977
dfn-cert: DFN-CERT-2018-1274
dfn-cert: DFN-CERT-2018-0729
dfn-cert: DFN-CERT-2018-0513
dfn-cert: DFN-CERT-2018-0077
dfn-cert: DFN-CERT-2018-0051
dfn-cert: DFN-CERT-2017-2116
dfn-cert: DFN-CERT-2017-2106
dfn-cert: DFN-CERT-2017-1914
dfn-cert: DFN-CERT-2017-1827
dfn-cert: DFN-CERT-2017-1558
dfn-cert: DFN-CERT-2017-1485
dfn-cert: DFN-CERT-2017-1300
dfn-cert: DFN-CERT-2017-1288
dfn-cert: DFN-CERT-2017-1011

```

High (CVSS: 7.5)

NVT: Apache Tomcat 'UTF-8 Decoder' Denial of Service Vulnerability - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.0.52

Installation

... continues on next page ...

...continued from previous page...	
path / port:	8282/tcp
Impact Successful exploitation will allow an attacker to conduct a denial-of-service condition.	
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.8 or 8.5.31 or 8.0.52 or 7.0.90 or later. Please see the references for more information.	
Affected Software/OS Apache Tomcat 9.0.0.M9 to 9.0.7 Apache Tomcat 8.5.0 to 8.5.30 Apache Tomcat 8.0.0.RC1 to 8.0.51 Apache Tomcat 7.0.28 to 7.0.86 on Windows.	
Vulnerability Insight The flaw exists due to improper handling of overflow in the UTF-8 decoder with supplementary characters.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat 'UTF-8 Decoder' Denial of Service Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813724 Version used: 2025-09-17T11:09:26+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References cve: CVE-2018-1336 url: http://mail-archives.us.apache.org/mod_mbox/www-announce/201807.mbox/%3C20180722090435.GA60759%40minotaur.apache.org%3E url: http://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.8 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.31 url: http://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.52 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K18/0809 dfn-cert: DFN-CERT-2020-0048 dfn-cert: DFN-CERT-2018-2474 dfn-cert: DFN-CERT-2018-2165 dfn-cert: DFN-CERT-2018-2142 dfn-cert: DFN-CERT-2018-2133 dfn-cert: DFN-CERT-2018-2125 dfn-cert: DFN-CERT-2018-2097	
... continues on next page ...	

...continued from previous page ...

```
dfn-cert: DFN-CERT-2018-1928
dfn-cert: DFN-CERT-2018-1753
dfn-cert: DFN-CERT-2018-1541
dfn-cert: DFN-CERT-2018-1471
dfn-cert: DFN-CERT-2018-1443
dfn-cert: DFN-CERT-2018-1262
```

High (CVSS: 7.5)

NVT: Apache Tomcat DoS Vulnerability (Feb 2023) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
↪7652)**Summary**

Apache Tomcat is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.5.85

Installation

path / port: 8282/tcp

Solution:**Solution type:** VendorFix

Update to version 8.5.85, 9.0.71, 10.1.5, 11.0.0-M3 or later.

Affected Software/OS

Apache Tomcat versions through 8.5.84, 9.0.0-M1 through 9.0.70, 10.x through 10.1.4 and 11.0.0-M1 only.

Vulnerability Insight

Apache Tomcat uses a packaged renamed copy of Apache Commons FileUpload to provide the file upload functionality defined in the Jakarta Servlet specification. Apache Tomcat was, therefore, also vulnerable to the Apache Commons FileUpload vulnerability CVE-2023-24998 as there was no limit to the number of request parts processed. This resulted in the possibility of an attacker triggering a DoS with a malicious upload or series of uploads.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

... continues on next page ...

...continued from previous page ...
Details: Apache Tomcat DoS Vulnerability (Feb 2023) - Windows OID:1.3.6.1.4.1.25623.1.0.104551 Version used: 2025-01-21T11:07:33+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2023-24998 url: https://lists.apache.org/thread/g16kv0xpp272htz107molwbbgdrqrdk1 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M3 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.5 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.71 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.85 url: https://lists.apache.org/thread/4xl4l09mhwg4vgsk7dxqogcjrobrdoy cert-bund: WID-SEC-2025-0810 cert-bund: WID-SEC-2024-1652 cert-bund: WID-SEC-2024-1642 cert-bund: WID-SEC-2024-1637 cert-bund: WID-SEC-2024-1622 cert-bund: WID-SEC-2024-1238 cert-bund: WID-SEC-2024-0890 cert-bund: WID-SEC-2024-0888 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0124 cert-bund: WID-SEC-2024-0117 cert-bund: WID-SEC-2024-0054 cert-bund: WID-SEC-2023-2688 cert-bund: WID-SEC-2023-2675 cert-bund: WID-SEC-2023-2674 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2309 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1817 cert-bund: WID-SEC-2023-1815 cert-bund: WID-SEC-2023-1813 cert-bund: WID-SEC-2023-1812 cert-bund: WID-SEC-2023-1811 cert-bund: WID-SEC-2023-1809 cert-bund: WID-SEC-2023-1808 cert-bund: WID-SEC-2023-1807 cert-bund: WID-SEC-2023-1794 cert-bund: WID-SEC-2023-1792 cert-bund: WID-SEC-2023-1791
...continues on next page ...

...continued from previous page ...

```

cert-bund: WID-SEC-2023-1784
cert-bund: WID-SEC-2023-1783
cert-bund: WID-SEC-2023-1782
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-1142
cert-bund: WID-SEC-2023-1021
cert-bund: WID-SEC-2023-1017
cert-bund: WID-SEC-2023-1016
cert-bund: WID-SEC-2023-1012
cert-bund: WID-SEC-2023-1007
cert-bund: WID-SEC-2023-1005
cert-bund: WID-SEC-2023-0609
cert-bund: WID-SEC-2023-0433
dfn-cert: DFN-CERT-2025-1992
dfn-cert: DFN-CERT-2024-2151
dfn-cert: DFN-CERT-2024-1865
dfn-cert: DFN-CERT-2024-1006
dfn-cert: DFN-CERT-2024-0059
dfn-cert: DFN-CERT-2024-0048
dfn-cert: DFN-CERT-2023-2778
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2469
dfn-cert: DFN-CERT-2023-2054
dfn-cert: DFN-CERT-2023-1648
dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1362
dfn-cert: DFN-CERT-2023-1109
dfn-cert: DFN-CERT-2023-0902
dfn-cert: DFN-CERT-2023-0886
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0763
dfn-cert: DFN-CERT-2023-0574
dfn-cert: DFN-CERT-2023-0540
dfn-cert: DFN-CERT-2023-0414

```

High (CVSS: 7.1)

NVT: Apache Tomcat HTTP Request Line Information Disclosure Vulnerability (Nov 2016) - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10)

...continues on next page ...

...continued from previous page ...	
↔7652)	
Summary Apache Tomcat is prone to an information disclosure vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.39 Installation path / port: 8282/tcp	
Impact Successful exploitation will allow remote attackers to poison a web-cache, perform an XSS attack and/or obtain sensitive information from requests other than their own.	
Solution: Solution type: VendorFix Upgrade to version 9.0.0.M13, 8.5.8, 8.0.39, 7.0.73, 6.0.48 or later.	
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.0.M11, Apache Tomcat versions 8.5.0 to 8.5.6, Apache Tomcat versions 8.0.0.RC1 to 8.0.38, Apache Tomcat versions 7.0.0 to 7.0.72, and Apache Tomcat versions 6.0.0 to 6.0.47 on Windows.	
Vulnerability Insight The code that parsed the HTTP request line permitted invalid characters. This could be exploited, in conjunction with a proxy that also permitted the invalid characters but with a different interpretation, to inject data into the HTTP response.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat HTTP Request Line Information Disclosure Vulnerability (Nov 2016). ↔.. OID:1.3.6.1.4.1.25623.1.0.810717 Version used: 2025-12-12T21:11:28+05:30	
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)	
References	
... continues on next page ...	

...continued from previous page ...
cve: CVE-2016-6816
url: https://tomcat.apache.org/security-6.html#Fixed_in_Apache_Tomcat_6.0.48
url: http://www.securityfocus.com/bid/94461
url: https://tomcat.apache.org/security-7.html#Fixed_in_Apache_Tomcat_7.0.73
url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.0.39
url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.8
url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.0.M13
url: https://qnalist.com/questions/7885204/security-cve-2016-6816-apache-tomcat- ↪information-disclosure
cert-bund: WID-SEC-2025-0215
cert-bund: WID-SEC-2024-0528
cert-bund: CB-K17/1746
cert-bund: CB-K17/1060
cert-bund: CB-K17/1033
cert-bund: CB-K17/0444
cert-bund: CB-K17/0397
cert-bund: CB-K17/0198
cert-bund: CB-K17/0133
cert-bund: CB-K17/0090
cert-bund: CB-K16/1976
cert-bund: CB-K16/1927
cert-bund: CB-K16/1815
dfn-cert: DFN-CERT-2017-1822
dfn-cert: DFN-CERT-2017-1095
dfn-cert: DFN-CERT-2017-1068
dfn-cert: DFN-CERT-2017-0456
dfn-cert: DFN-CERT-2017-0404
dfn-cert: DFN-CERT-2017-0203
dfn-cert: DFN-CERT-2017-0137
dfn-cert: DFN-CERT-2017-0095
dfn-cert: DFN-CERT-2016-2090
dfn-cert: DFN-CERT-2016-2035
dfn-cert: DFN-CERT-2016-1922

[\[return to 192.168.56.6 \]](#)

2.1.23 High 21/tcp

High (CVSS: 7.5)
NVT: FTP Brute Force Logins With Default Credentials Reporting
Summary
It was possible to login into the remote FTP server using weak/known credentials.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 95%
Vulnerability Detection Result It was possible to login with the following credentials <User>:<Password> vagrant:vagrant
Impact This issue may be exploited by a remote attacker to e.g. gain access to sensitive information or modify system configuration.
Solution: Solution type: Mitigation Change the password as soon as possible.
Vulnerability Insight The following devices are / software is known to be affected: - CVE-2001-1594: Codonics printer FTP service as used in GE Healthcare eNTEGRA P&R - CVE-2013-7404: GE Healthcare Discovery NM 750b - CVE-2014-9198: Schneider Electric ETG3000 FactoryCast HMI gateways - CVE-2015-7261: QNAP iArtist Lite distributed with QNAP Signage Station - CVE-2016-8731: Foscam C1 devices - CVE-2017-8218: vsftpd on TP-Link C2 and C20i devices - CVE-2018-9068: IMM2 for IBM and Lenovo System x - CVE-2018-17771: Ingenico Telium 2 PoS terminals - CVE-2018-19063, CVE-2018-19064: Foscam C2 and Opticam i5 devices - CVE-2018-25147: Microhard Systems IPn4G - CVE-2020-36915: Adtec Digital SignEdge Digital Signage Player Note: As the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717) might run into a timeout the actual reporting of this vulnerability takes place in this VT instead.
Vulnerability Detection Method Reports weak/known credentials detected by the VT 'FTP Brute Force Logins With Default Credentials' (OID: 1.3.6.1.4.1.25623.1.0.108717). Details: FTP Brute Force Logins With Default Credentials Reporting OID:1.3.6.1.4.1.25623.1.0.108718 Version used: 2026-01-16T21:12:49+05:30
References cve: CVE-1999-0501 cve: CVE-1999-0502 cve: CVE-1999-0507 cve: CVE-1999-0508 cve: CVE-2001-1594 cve: CVE-2013-7404 cve: CVE-2014-9198
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2015-7261
cve: CVE-2016-8731
cve: CVE-2017-8218
cve: CVE-2018-9068
cve: CVE-2018-17771
cve: CVE-2018-19063
cve: CVE-2018-19064
cve: CVE-2018-25147
cve: CVE-2020-36915

```

[\[return to 192.168.56.6 \]](#)

2.1.24 High 3306/tcp

High (CVSS: 8.1)

NVT: Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (cpu-jul2016) - Windows

Product detection result

```

cpe:/a:mysql:mysql:5.5.20-log
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

```

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

```

Installed version: 5.5.20
Fixed version:      See the referenced vendor advisory
Installation
path / port:        3306/tcp

```

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server versions 5.5.49 and prior, 5.6 through 5.6.30 and 5.7 through 5.7.12.
Vulnerability Insight Multiple unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.49 / 5.6 <= 5.6.30 / 5.7 <= 5.7.12 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.808588 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3477 cve: CVE-2016-3521 cve: CVE-2016-3615 cve: CVE-2016-5440 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/91902 url: http://www.securityfocus.com/bid/91932 url: http://www.securityfocus.com/bid/91960 url: http://www.securityfocus.com/bid/91953 advisory-id: cpujul2016 cert-bund: CB-K16/1755 cert-bund: CB-K16/1742 cert-bund: CB-K16/1448 cert-bund: CB-K16/1146 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1849 dfn-cert: DFN-CERT-2016-1540 dfn-cert: DFN-CERT-2016-1217 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169

High (CVSS: 8.1) NVT: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.39 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.39, 8.0.30 or later.
Affected Software/OS Oracle MySQL Server version 5.7.38 and prior and 8.0 through 8.0.29.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.38 / 8.0 <= 8.0.29 Security Update (cpujul2022) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.148511 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-1292 cve: CVE-2022-27778 cve: CVE-2018-25032 cve: CVE-2022-21515
... continues on next page ...

...continued from previous page...	
url:	https://www.oracle.com/security-alerts/cpujul2022.html#AppendixMSQL
advisory-id:	cpujul2022
cert-bund:	WID-SEC-2026-0180
cert-bund:	WID-SEC-2024-1186
cert-bund:	WID-SEC-2024-0794
cert-bund:	WID-SEC-2023-2723
cert-bund:	WID-SEC-2023-2229
cert-bund:	WID-SEC-2023-1969
cert-bund:	WID-SEC-2023-1784
cert-bund:	WID-SEC-2023-1542
cert-bund:	WID-SEC-2023-1432
cert-bund:	WID-SEC-2023-1424
cert-bund:	WID-SEC-2023-1350
cert-bund:	WID-SEC-2023-1021
cert-bund:	WID-SEC-2023-0141
cert-bund:	WID-SEC-2023-0132
cert-bund:	WID-SEC-2022-1775
cert-bund:	WID-SEC-2022-1772
cert-bund:	WID-SEC-2022-1767
cert-bund:	WID-SEC-2022-1461
cert-bund:	WID-SEC-2022-1438
cert-bund:	WID-SEC-2022-1335
cert-bund:	WID-SEC-2022-1245
cert-bund:	WID-SEC-2022-1228
cert-bund:	WID-SEC-2022-1068
cert-bund:	WID-SEC-2022-1057
cert-bund:	WID-SEC-2022-0833
cert-bund:	WID-SEC-2022-0826
cert-bund:	WID-SEC-2022-0767
cert-bund:	WID-SEC-2022-0755
cert-bund:	WID-SEC-2022-0736
cert-bund:	WID-SEC-2022-0735
cert-bund:	WID-SEC-2022-0677
cert-bund:	WID-SEC-2022-0554
cert-bund:	WID-SEC-2022-0393
cert-bund:	WID-SEC-2022-0277
cert-bund:	WID-SEC-2022-0071
cert-bund:	WID-SEC-2022-0005
cert-bund:	CB-K22/0619
cert-bund:	CB-K22/0570
cert-bund:	CB-K22/0536
cert-bund:	CB-K22/0386
dfn-cert:	DFN-CERT-2024-2686
dfn-cert:	DFN-CERT-2024-2451
dfn-cert:	DFN-CERT-2024-0998
dfn-cert:	DFN-CERT-2024-0790
dfn-cert:	DFN-CERT-2024-0147
...continues on next page...	

...continued from previous page ...

dfn-cert: DFN-CERT-2023-3028
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-2600
dfn-cert: DFN-CERT-2023-2599
dfn-cert: DFN-CERT-2023-2571
dfn-cert: DFN-CERT-2023-0553
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0121
dfn-cert: DFN-CERT-2023-0119
dfn-cert: DFN-CERT-2023-0100
dfn-cert: DFN-CERT-2022-2799
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2323
dfn-cert: DFN-CERT-2022-2309
dfn-cert: DFN-CERT-2022-2305
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2254
dfn-cert: DFN-CERT-2022-2150
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2066
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1992
dfn-cert: DFN-CERT-2022-1905
dfn-cert: DFN-CERT-2022-1875
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1646
dfn-cert: DFN-CERT-2022-1614
dfn-cert: DFN-CERT-2022-1609
dfn-cert: DFN-CERT-2022-1520
dfn-cert: DFN-CERT-2022-1476
dfn-cert: DFN-CERT-2022-1425
dfn-cert: DFN-CERT-2022-1310
dfn-cert: DFN-CERT-2022-1304
dfn-cert: DFN-CERT-2022-1267
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1103
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-1076

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-1054
dfn-cert: DFN-CERT-2022-1049
dfn-cert: DFN-CERT-2022-0986
dfn-cert: DFN-CERT-2022-0768
dfn-cert: DFN-CERT-2022-0716

High (CVSS: 8.1)
NVT: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.35 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.35, 8.0.26 or later.
Affected Software/OS Oracle MySQL Server version 5.7.34 and prior and 8.0 through 8.0.25.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.34 / 8.0 <= 8.0.25 Security Update (cpujul2021) - Wi. ↪.. OID:1.3.6.1.4.1.25623.1.0.146355 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2021-22901

cve: CVE-2019-17543

cve: CVE-2021-2389

cve: CVE-2021-2390

cve: CVE-2021-2356

cve: CVE-2021-2385

cve: CVE-2021-2342

cve: CVE-2021-2372

cve: CVE-2021-22897

cve: CVE-2021-22898

url: <https://www.oracle.com/security-alerts/cpujul2021.html#AppendixMSQL>

advisory-id: cpujul2021

cert-bund: WID-SEC-2026-0180

cert-bund: WID-SEC-2025-2364

cert-bund: WID-SEC-2025-1905

cert-bund: WID-SEC-2025-1550

cert-bund: WID-SEC-2024-2180

cert-bund: WID-SEC-2024-1591

cert-bund: WID-SEC-2023-2229

cert-bund: WID-SEC-2023-1350

cert-bund: WID-SEC-2023-0063

cert-bund: WID-SEC-2022-1963

cert-bund: WID-SEC-2022-0873

cert-bund: CB-K22/0044

cert-bund: CB-K21/0813

cert-bund: CB-K21/0770

dfn-cert: DFN-CERT-2025-2944

dfn-cert: DFN-CERT-2022-1892

dfn-cert: DFN-CERT-2022-1692

dfn-cert: DFN-CERT-2022-1597

dfn-cert: DFN-CERT-2022-1241

dfn-cert: DFN-CERT-2022-0933

dfn-cert: DFN-CERT-2022-0872

dfn-cert: DFN-CERT-2022-0666

dfn-cert: DFN-CERT-2022-0076

dfn-cert: DFN-CERT-2022-0074

dfn-cert: DFN-CERT-2021-2527

dfn-cert: DFN-CERT-2021-2438

dfn-cert: DFN-CERT-2021-2369

dfn-cert: DFN-CERT-2021-2185

dfn-cert: DFN-CERT-2021-2155

dfn-cert: DFN-CERT-2021-1743

dfn-cert: DFN-CERT-2021-1677

... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2021-1593
dfn-cert: DFN-CERT-2021-1580
dfn-cert: DFN-CERT-2021-1537
dfn-cert: DFN-CERT-2021-1329
dfn-cert: DFN-CERT-2021-1174
dfn-cert: DFN-CERT-2021-1165
dfn-cert: DFN-CERT-2021-1157
dfn-cert: DFN-CERT-2021-1151
dfn-cert: DFN-CERT-2021-1148
dfn-cert: DFN-CERT-2021-1045
dfn-cert: DFN-CERT-2019-2216
```

High (CVSS: 7.7)**NVT: Oracle Mysql Security Updates (apr2018-3678067) 04 - Windows****Product detection result**

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow remote attackers to have an impact on confidentiality, integrity and availability.

Solution:**Solution type:** VendorFix

Apply the latest patch from vendor. Please see the references for more information.

Affected Software/OS

Oracle MySQL version 5.5.59 and earlier, 5.6.39 and earlier, 5.7.21 and earlier on Windows

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
Multiple flaws exist due to - Multiple errors in the 'Client programs' component of MySQL Server. - An error in the 'Server: Locking' component of MySQL Server. - An error in the 'Server: Optimizer' component of MySQL Server. - Multiple errors in the 'Server: DDL' component of MySQL Server. - Multiple errors in the 'Server: Replication' component of MySQL Server. - An error in the 'InnoDB' component of MySQL Server. - An error in the 'Server : Security : Privileges' component of MySQL Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2018-3678067) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.813148 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2761 cve: CVE-2018-2771 cve: CVE-2018-2781 cve: CVE-2018-2773 cve: CVE-2018-2817 cve: CVE-2018-2813 cve: CVE-2018-2755 cve: CVE-2018-2819 cve: CVE-2018-2818 url: http://www.oracle.com/technetwork/security-advisory/cpuapr2018-3678067.html cert-bund: WID-SEC-2023-1594 cert-bund: CB-K18/0608 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0913 dfn-cert: DFN-CERT-2018-0723
High (CVSS: 7.7) NVT: Oracle Mysql Security Updates (apr2017-3236618) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to have impact on availability, confidentiality and integrity.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.54 and earlier, 5.6.35 and earlier, 5.7.17 and earlier on Windows
Vulnerability Insight Multiple flaws exist due to multiple unspecified errors in the 'Server: DML', 'Server: Optimizer', 'Server: Thread Pooling', 'Client mysqldump', 'Server: Security: Privileges' components of the application.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2017-3236618) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.810882 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3309 cve: CVE-2017-3308
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2017-3329
cve: CVE-2017-3456
cve: CVE-2017-3453
cve: CVE-2017-3600
cve: CVE-2017-3462
cve: CVE-2017-3463
cve: CVE-2017-3461
cve: CVE-2017-3464
url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html
url: http://www.securityfocus.com/bid/97742
url: http://www.securityfocus.com/bid/97725
url: http://www.securityfocus.com/bid/97763
url: http://www.securityfocus.com/bid/97831
url: http://www.securityfocus.com/bid/97776
url: http://www.securityfocus.com/bid/97765
url: http://www.securityfocus.com/bid/97851
url: http://www.securityfocus.com/bid/97849
url: http://www.securityfocus.com/bid/97812
url: http://www.securityfocus.com/bid/97818
cert-bund: CB-K18/0224
cert-bund: CB-K17/1732
cert-bund: CB-K17/1604
cert-bund: CB-K17/1563
cert-bund: CB-K17/1401
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0927
cert-bund: CB-K17/0657
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1806
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1630
dfn-cert: DFN-CERT-2017-1465
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0959
dfn-cert: DFN-CERT-2017-0675

```

High (CVSS: 7.5)

NVT: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.

...continues on next page ...

...continued from previous page ...
↔25623.1.0.100152)
Summary Oracle MySQL is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.21 Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow attackers to cause crash of applications using that MySQL client.
Solution: Solution type: VendorFix Upgrade to Oracle MySQL version 5.6.21 or 5.7.5 or later.
Affected Software/OS Oracle MySQL version before 5.6.21 and 5.7.x before 5.7.5 on Windows
Vulnerability Insight Multiple errors exist as, - In sql-common/client.c script 'mysql_prune_stmt_list' function, the for loop adds elements to pruned_list without removing it from the existing list. - If application gets disconnected just before it tries to prepare a new statement, 'mysql_prune_stmt_list' tries to detach all previously prepared statements.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Denial Of Service Vulnerability (Feb 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.810603 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3302
... continues on next page ...

...continued from previous page ...
url: https://bugs.mysql.com/bug.php?id=63363
url: https://bugs.mysql.com/bug.php?id=70429
url: http://www.openwall.com/lists/oss-security/2017/02/11/11
cert-bund: CB-K18/0224
cert-bund: CB-K17/1604
cert-bund: CB-K17/1298
cert-bund: CB-K17/1239
cert-bund: CB-K17/0657
cert-bund: CB-K17/0423
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0242
dfn-cert: DFN-CERT-2017-1675
dfn-cert: DFN-CERT-2017-1341
dfn-cert: DFN-CERT-2017-1282
dfn-cert: DFN-CERT-2017-0675
dfn-cert: DFN-CERT-2017-0430

High (CVSS: 7.5)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-01 (Feb 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

... continues on next page ...

...continued from previous page ...
Oracle MySQL Server version 5.5.40 and earlier, and 5.6.21 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server:-Security:Encryption, InnoDB:DML, Replication, and Security:Privileges:Foreign Key.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-01 (Feb 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805132 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-0411 cve: CVE-2014-6568 cve: CVE-2015-0382 cve: CVE-2015-0381 cve: CVE-2015-0374 url: http://secunia.com/advisories/62525 url: http://www.securityfocus.com/bid/72191 url: http://www.securityfocus.com/bid/72210 url: http://www.securityfocus.com/bid/72200 url: http://www.securityfocus.com/bid/72214 url: http://www.securityfocus.com/bid/72227 url: http://www.oracle.com/technetwork/topics/security/cpujan2015-1972971.html cert-bund: CB-K15/1193 cert-bund: CB-K15/0964 cert-bund: CB-K15/0567 cert-bund: CB-K15/0415 cert-bund: CB-K15/0073 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1016 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2015-0427 dfn-cert: DFN-CERT-2015-0074

High (CVSS: 7.5) NVT: Oracle Mysql Security Updates (apr2017-3236618) 01 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to cause the affected application to crash, resulting in a denial-of-service condition.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.54 and earlier, 5.6.20 and earlier on Windows
Vulnerability Insight The flaw exists due to some unspecified error in the 'Server: C API' component due to failure to handle exceptional conditions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2017-3236618) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.810880 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3302 url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html url: http://www.securityfocus.com/bid/96162 cert-bund: CB-K18/0224 cert-bund: CB-K17/1604 cert-bund: CB-K17/1298 cert-bund: CB-K17/1239 cert-bund: CB-K17/0657 cert-bund: CB-K17/0423 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1341 dfn-cert: DFN-CERT-2017-1282 dfn-cert: DFN-CERT-2017-0675 dfn-cert: DFN-CERT-2017-0430

High (CVSS: 7.5) NVT: Oracle MySQL Server <= 5.5.39 / 5.6 <= 5.6.20 Security Update (cpuoct2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.40 Installation path / port: 3306/tcp
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Update to version 5.5.40, 5.6.21 or later.
Affected Software/OS Oracle MySQL Server versions 5.5.39 and prior and 5.6 through 5.6.20.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to C API SSL CERTIFICATE HANDLING, SERVER:DML, SERVER:SSL:yaSSL, SERVER:OPTIMIZER, SERVER:INNODB DML FOREIGN KEYS.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.39 / 5.6 <= 5.6.20 Security Update (cpuoct2014) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.804781 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-6507 cve: CVE-2014-6491 cve: CVE-2014-6500 cve: CVE-2014-6469 cve: CVE-2014-6555 cve: CVE-2014-6559 cve: CVE-2014-6494 cve: CVE-2014-6496 cve: CVE-2014-6464 url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL url: http://www.securityfocus.com/bid/70444 url: http://www.securityfocus.com/bid/70446 url: http://www.securityfocus.com/bid/70451 url: http://www.securityfocus.com/bid/70469 url: http://www.securityfocus.com/bid/70478 url: http://www.securityfocus.com/bid/70487
...continues on next page ...

...continued from previous page ...

```

url: http://www.securityfocus.com/bid/70497
url: http://www.securityfocus.com/bid/70530
url: http://www.securityfocus.com/bid/70550
advisory-id: cpuoct2014
cert-bund: CB-K15/1518
cert-bund: CB-K15/0964
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K14/1482
cert-bund: CB-K14/1420
cert-bund: CB-K14/1299
dfn-cert: DFN-CERT-2015-1604
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2014-1567
dfn-cert: DFN-CERT-2014-1500
dfn-cert: DFN-CERT-2014-1357

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujul2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:**Solution type:** VendorFix

... continues on next page ...

...continued from previous page ...
Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.45 and prior and 5.6 through 5.6.26.
Vulnerability Insight An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Option' sub-component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujul2016) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.808591 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3471 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/91913 advisory-id: cpujul2016 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.49 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.49 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.48 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.48 Security Update (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.144286 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-1967 cve: CVE-2020-14539 cve: CVE-2020-14559 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixMSQL advisory-id: cpujul2020 cert-bund: WID-SEC-2026-0205 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-3080 cert-bund: CB-K21/1088 cert-bund: CB-K21/0070 cert-bund: CB-K20/1023 cert-bund: CB-K20/1017 cert-bund: CB-K20/0711 cert-bund: CB-K20/0708 cert-bund: CB-K20/0357 dfn-cert: DFN-CERT-2021-2192 dfn-cert: DFN-CERT-2021-0830 dfn-cert: DFN-CERT-2021-0826
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2021-0444
dfn-cert: DFN-CERT-2021-0140
dfn-cert: DFN-CERT-2020-2295
dfn-cert: DFN-CERT-2020-2286
dfn-cert: DFN-CERT-2020-2006
dfn-cert: DFN-CERT-2020-1827
dfn-cert: DFN-CERT-2020-1788
dfn-cert: DFN-CERT-2020-1508
dfn-cert: DFN-CERT-2020-0956
dfn-cert: DFN-CERT-2020-0930
dfn-cert: DFN-CERT-2020-0841
dfn-cert: DFN-CERT-2020-0824
dfn-cert: DFN-CERT-2020-0822

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.34 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.34, 8.0.24 or later.
Affected Software/OS Oracle MySQL Server version 5.7.33 and prior and 8.0 through 8.0.23.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.33 / 8.0 <= 8.0.23 Security Update (cpuapr2021) - Wi.
... continues on next page ...

...continued from previous page ...
↔... OID:1.3.6.1.4.1.25623.1.0.145796 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-3449 cve: CVE-2021-3450 cve: CVE-2021-23840 cve: CVE-2021-23841 cve: CVE-2021-2307 cve: CVE-2021-2304 cve: CVE-2021-2180 cve: CVE-2021-2194 cve: CVE-2021-2166 cve: CVE-2021-2179 cve: CVE-2021-2226 cve: CVE-2021-2169 cve: CVE-2021-2146 cve: CVE-2021-2174 cve: CVE-2021-2171 cve: CVE-2021-2162 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2025-0227 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-0065 cert-bund: WID-SEC-2022-1894 cert-bund: WID-SEC-2022-1320 cert-bund: WID-SEC-2022-1303 cert-bund: WID-SEC-2022-1294 cert-bund: WID-SEC-2022-0751 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0671 cert-bund: WID-SEC-2022-0669 cert-bund: WID-SEC-2022-0602 cert-bund: CB-K22/0476 cert-bund: CB-K22/0061 cert-bund: CB-K21/1097 cert-bund: CB-K21/1095 cert-bund: CB-K21/1065
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K21/0785
 cert-bund: CB-K21/0770
 cert-bund: CB-K21/0573
 cert-bund: CB-K21/0572
 cert-bund: CB-K21/0565
 cert-bund: CB-K21/0421
 cert-bund: CB-K21/0412
 cert-bund: CB-K21/0409
 cert-bund: CB-K21/0389
 cert-bund: CB-K21/0317
 cert-bund: CB-K21/0185
 dfn-cert: DFN-CERT-2024-2451
 dfn-cert: DFN-CERT-2022-1582
 dfn-cert: DFN-CERT-2022-1571
 dfn-cert: DFN-CERT-2022-1241
 dfn-cert: DFN-CERT-2022-1215
 dfn-cert: DFN-CERT-2022-0933
 dfn-cert: DFN-CERT-2022-0666
 dfn-cert: DFN-CERT-2022-0121
 dfn-cert: DFN-CERT-2022-0076
 dfn-cert: DFN-CERT-2022-0024
 dfn-cert: DFN-CERT-2021-2527
 dfn-cert: DFN-CERT-2021-2394
 dfn-cert: DFN-CERT-2021-2223
 dfn-cert: DFN-CERT-2021-2216
 dfn-cert: DFN-CERT-2021-2214
 dfn-cert: DFN-CERT-2021-2197
 dfn-cert: DFN-CERT-2021-2196
 dfn-cert: DFN-CERT-2021-2190
 dfn-cert: DFN-CERT-2021-2155
 dfn-cert: DFN-CERT-2021-2126
 dfn-cert: DFN-CERT-2021-1996
 dfn-cert: DFN-CERT-2021-1825
 dfn-cert: DFN-CERT-2021-1803
 dfn-cert: DFN-CERT-2021-1740
 dfn-cert: DFN-CERT-2021-1670
 dfn-cert: DFN-CERT-2021-1660
 dfn-cert: DFN-CERT-2021-1549
 dfn-cert: DFN-CERT-2021-1547
 dfn-cert: DFN-CERT-2021-1537
 dfn-cert: DFN-CERT-2021-1500
 dfn-cert: DFN-CERT-2021-1418
 dfn-cert: DFN-CERT-2021-1330
 dfn-cert: DFN-CERT-2021-1132
 dfn-cert: DFN-CERT-2021-1129
 dfn-cert: DFN-CERT-2021-1128
 dfn-cert: DFN-CERT-2021-1098

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2021-1070
dfn-cert: DFN-CERT-2021-1061
dfn-cert: DFN-CERT-2021-0984
dfn-cert: DFN-CERT-2021-0884
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0829
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0818
dfn-cert: DFN-CERT-2021-0813
dfn-cert: DFN-CERT-2021-0807
dfn-cert: DFN-CERT-2021-0806
dfn-cert: DFN-CERT-2021-0740
dfn-cert: DFN-CERT-2021-0696
dfn-cert: DFN-CERT-2021-0656
dfn-cert: DFN-CERT-2021-0630
dfn-cert: DFN-CERT-2021-0629
dfn-cert: DFN-CERT-2021-0409
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0379
dfn-cert: DFN-CERT-2021-0363

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.37

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.37, 8.0.28 or later.

... continues on next page ...

...continued from previous page ...	
Affected Software/OS Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpujan2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.147465 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2021-22946 cve: CVE-2022-21367 cve: CVE-2022-21270 cve: CVE-2022-21304 cve: CVE-2022-21344 cve: CVE-2022-21303 cve: CVE-2022-21245 cve: CVE-2021-22947 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixMSQL advisory-id: cpujan2022 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2022-1908 cert-bund: WID-SEC-2022-1461 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-1056 cert-bund: WID-SEC-2022-0875 cert-bund: WID-SEC-2022-0751 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0393 cert-bund: WID-SEC-2022-0101 cert-bund: CB-K22/0316 cert-bund: CB-K22/0077 cert-bund: CB-K22/0062 cert-bund: CB-K22/0030	
...continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K21/0991
cert-bund: CB-K21/0969
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2086
dfn-cert: DFN-CERT-2022-2073
dfn-cert: DFN-CERT-2022-2072
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1892
dfn-cert: DFN-CERT-2022-1692
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1143
dfn-cert: DFN-CERT-2022-0835
dfn-cert: DFN-CERT-2022-0586
dfn-cert: DFN-CERT-2022-0118
dfn-cert: DFN-CERT-2022-0112
dfn-cert: DFN-CERT-2022-0052
dfn-cert: DFN-CERT-2021-2527
dfn-cert: DFN-CERT-2021-1931

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.38

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.38, 8.0.29 or later.

Affected Software/OS

... continues on next page ...

...continued from previous page ...	
Oracle MySQL Server version 5.7.37 and prior and 8.0 through 8.0.28.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.37 / 8.0 <= 8.0.28 Security Update (cpuapr2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.113944 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2022-0778 cve: CVE-2022-21454 cve: CVE-2022-21417 cve: CVE-2022-21427 cve: CVE-2022-21451 cve: CVE-2022-21444 cve: CVE-2022-21460 url: https://www.oracle.com/security-alerts/cpuapr2022.html#AppendixMSQL advisory-id: cpuapr2022 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-2086 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-1186 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-1969 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-1081 cert-bund: WID-SEC-2022-1057 cert-bund: WID-SEC-2022-0836 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0767 cert-bund: WID-SEC-2022-0677 cert-bund: WID-SEC-2022-0551 cert-bund: WID-SEC-2022-0530 cert-bund: WID-SEC-2022-0515 cert-bund: WID-SEC-2022-0432 cert-bund: WID-SEC-2022-0393 cert-bund: WID-SEC-2022-0302 cert-bund: WID-SEC-2022-0270	
...continues on next page ...	

...continued from previous page ...

cert-bund: WID-SEC-2022-0261
cert-bund: WID-SEC-2022-0200
cert-bund: WID-SEC-2022-0190
cert-bund: WID-SEC-2022-0169
cert-bund: WID-SEC-2022-0065
cert-bund: CB-K22/0619
cert-bund: CB-K22/0470
cert-bund: CB-K22/0468
cert-bund: CB-K22/0321
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2023-2667
dfn-cert: DFN-CERT-2023-0081
dfn-cert: DFN-CERT-2022-2668
dfn-cert: DFN-CERT-2022-2376
dfn-cert: DFN-CERT-2022-2268
dfn-cert: DFN-CERT-2022-2111
dfn-cert: DFN-CERT-2022-2094
dfn-cert: DFN-CERT-2022-2059
dfn-cert: DFN-CERT-2022-2047
dfn-cert: DFN-CERT-2022-1928
dfn-cert: DFN-CERT-2022-1837
dfn-cert: DFN-CERT-2022-1667
dfn-cert: DFN-CERT-2022-1597
dfn-cert: DFN-CERT-2022-1469
dfn-cert: DFN-CERT-2022-1370
dfn-cert: DFN-CERT-2022-1294
dfn-cert: DFN-CERT-2022-1264
dfn-cert: DFN-CERT-2022-1205
dfn-cert: DFN-CERT-2022-1116
dfn-cert: DFN-CERT-2022-1115
dfn-cert: DFN-CERT-2022-1114
dfn-cert: DFN-CERT-2022-1081
dfn-cert: DFN-CERT-2022-0955
dfn-cert: DFN-CERT-2022-0902
dfn-cert: DFN-CERT-2022-0899
dfn-cert: DFN-CERT-2022-0898
dfn-cert: DFN-CERT-2022-0873
dfn-cert: DFN-CERT-2022-0866
dfn-cert: DFN-CERT-2022-0865
dfn-cert: DFN-CERT-2022-0779
dfn-cert: DFN-CERT-2022-0759
dfn-cert: DFN-CERT-2022-0627
dfn-cert: DFN-CERT-2022-0625
dfn-cert: DFN-CERT-2022-0610
dfn-cert: DFN-CERT-2022-0603

High (CVSS: 7.5)	
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.31 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.30.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.30 Security Update (cpuapr2023) - Win.↵.. OID:1.3.6.1.4.1.25623.1.0.149534 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-21912 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMySQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2024-1591	
... continues on next page ...	

...continued from previous page ...
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1033
dfn-cert: DFN-CERT-2023-1058
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0885

High (CVSS: 7.5)
NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.33 or later.
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpuapr2023) - Win.↵.. OID:1.3.6.1.4.1.25623.1.0.149538 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2023-0215 cve: CVE-2022-43551 cve: CVE-2023-21980 cve: CVE-2022-4304 cve: CVE-2022-4450 cve: CVE-2023-0286 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2025-1365 cert-bund: WID-SEC-2024-3377 cert-bund: WID-SEC-2024-2086 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0114 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2229 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1886 cert-bund: WID-SEC-2023-1812 cert-bund: WID-SEC-2023-1793 cert-bund: WID-SEC-2023-1790 cert-bund: WID-SEC-2023-1614 cert-bund: WID-SEC-2023-1553 cert-bund: WID-SEC-2023-1432 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-1350 cert-bund: WID-SEC-2023-1033 cert-bund: WID-SEC-2023-1016 cert-bund: WID-SEC-2023-0777 cert-bund: WID-SEC-2023-0304 cert-bund: WID-SEC-2022-2375 dfn-cert: DFN-CERT-2025-3324 dfn-cert: DFN-CERT-2024-1799 dfn-cert: DFN-CERT-2024-1188 dfn-cert: DFN-CERT-2024-0593 dfn-cert: DFN-CERT-2024-0454 dfn-cert: DFN-CERT-2024-0147 dfn-cert: DFN-CERT-2024-0126 dfn-cert: DFN-CERT-2024-0016 dfn-cert: DFN-CERT-2023-2192 dfn-cert: DFN-CERT-2023-1760 dfn-cert: DFN-CERT-2023-1697 dfn-cert: DFN-CERT-2023-1656
...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2023-1643
dfn-cert: DFN-CERT-2023-1590
dfn-cert: DFN-CERT-2023-1522
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1297
dfn-cert: DFN-CERT-2023-1256
dfn-cert: DFN-CERT-2023-1162
dfn-cert: DFN-CERT-2023-1043
dfn-cert: DFN-CERT-2023-1037
dfn-cert: DFN-CERT-2023-0898
dfn-cert: DFN-CERT-2023-0885
dfn-cert: DFN-CERT-2023-0884
dfn-cert: DFN-CERT-2023-0881
dfn-cert: DFN-CERT-2023-0774
dfn-cert: DFN-CERT-2023-0685
dfn-cert: DFN-CERT-2023-0662
dfn-cert: DFN-CERT-2023-0661
dfn-cert: DFN-CERT-2023-0639
dfn-cert: DFN-CERT-2023-0618
dfn-cert: DFN-CERT-2023-0543
dfn-cert: DFN-CERT-2023-0471
dfn-cert: DFN-CERT-2023-0430
dfn-cert: DFN-CERT-2023-0329
dfn-cert: DFN-CERT-2023-0318
dfn-cert: DFN-CERT-2023-0310
dfn-cert: DFN-CERT-2023-0299
dfn-cert: DFN-CERT-2023-0288
dfn-cert: DFN-CERT-2023-0284
dfn-cert: DFN-CERT-2023-0283
dfn-cert: DFN-CERT-2022-2902

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

...continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.43 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.43, 8.0.34 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpuoct2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.151214 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-2650 cve: CVE-2023-0464 cve: CVE-2023-0465 cve: CVE-2023-0466 cve: CVE-2023-1255 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL advisory-id: cpuoct2023 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0120 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2024-0053 cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2690 cert-bund: WID-SEC-2023-2674 cert-bund: WID-SEC-2023-1794 cert-bund: WID-SEC-2023-1781	
... continues on next page ...	

...continued from previous page ...

```

cert-bund: WID-SEC-2023-1614
cert-bund: WID-SEC-2023-1432
cert-bund: WID-SEC-2023-1323
cert-bund: WID-SEC-2023-1130
cert-bund: WID-SEC-2023-1053
cert-bund: WID-SEC-2023-0782
cert-bund: WID-SEC-2023-0732
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2024-1799
dfn-cert: DFN-CERT-2024-1067
dfn-cert: DFN-CERT-2024-0565
dfn-cert: DFN-CERT-2024-0147
dfn-cert: DFN-CERT-2024-0125
dfn-cert: DFN-CERT-2023-3071
dfn-cert: DFN-CERT-2023-3070
dfn-cert: DFN-CERT-2023-2749
dfn-cert: DFN-CERT-2023-2545
dfn-cert: DFN-CERT-2023-2536
dfn-cert: DFN-CERT-2023-2116
dfn-cert: DFN-CERT-2023-1947
dfn-cert: DFN-CERT-2023-1903
dfn-cert: DFN-CERT-2023-1720
dfn-cert: DFN-CERT-2023-1649
dfn-cert: DFN-CERT-2023-1642
dfn-cert: DFN-CERT-2023-1462
dfn-cert: DFN-CERT-2023-1428
dfn-cert: DFN-CERT-2023-1423
dfn-cert: DFN-CERT-2023-1332
dfn-cert: DFN-CERT-2023-1246
dfn-cert: DFN-CERT-2023-1245
dfn-cert: DFN-CERT-2023-1233
dfn-cert: DFN-CERT-2023-0999
dfn-cert: DFN-CERT-2023-0960
dfn-cert: DFN-CERT-2023-0929
dfn-cert: DFN-CERT-2023-0904
dfn-cert: DFN-CERT-2023-0782
dfn-cert: DFN-CERT-2023-0700
dfn-cert: DFN-CERT-2023-0645

```

High (CVSS: 7.5)

NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuoct2024)
- Windows

Product detection result

... continues on next page ...

...continued from previous page ...
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.40, 8.4.3, 9.0.2 or later.
Affected Software/OS Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.2 and 9.0 through 9.0.1.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.2, 9.0 <= 9.0.1 Security Update (cpuo. ↔.. OID:1.3.6.1.4.1.25623.1.0.170877 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2024-5535 cve: CVE-2024-6119 cve: CVE-2024-21230 cve: CVE-2024-7264 cve: CVE-2024-21196 cve: CVE-2024-21194 cve: CVE-2024-21199 cve: CVE-2024-21218 cve: CVE-2024-21236
... continues on next page ...

...continued from previous page ...

cve: CVE-2024-21239
cve: CVE-2024-21198
cve: CVE-2024-21219
cve: CVE-2024-21203
cve: CVE-2024-21197
cve: CVE-2024-21201
cve: CVE-2024-21241
cve: CVE-2024-21193
cve: CVE-2024-21213
cve: CVE-2024-21231
cve: CVE-2024-21237
url: <https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL>
advisory-id: cpuoct2024
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2025-2838
cert-bund: WID-SEC-2025-2836
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0814
cert-bund: WID-SEC-2025-0612
cert-bund: WID-SEC-2025-0225
cert-bund: WID-SEC-2025-0166
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0143
cert-bund: WID-SEC-2025-0001
cert-bund: WID-SEC-2024-3674
cert-bund: WID-SEC-2024-3412
cert-bund: WID-SEC-2024-3201
cert-bund: WID-SEC-2024-3196
cert-bund: WID-SEC-2024-3192
cert-bund: WID-SEC-2024-3188
cert-bund: WID-SEC-2024-2112
cert-bund: WID-SEC-2024-2040
cert-bund: WID-SEC-2024-1736
cert-bund: WID-SEC-2024-1469
dfn-cert: DFN-CERT-2026-0015
dfn-cert: DFN-CERT-2025-3495
dfn-cert: DFN-CERT-2025-3494
dfn-cert: DFN-CERT-2025-3493
dfn-cert: DFN-CERT-2025-3492
dfn-cert: DFN-CERT-2025-3491
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-1659
dfn-cert: DFN-CERT-2025-1474
dfn-cert: DFN-CERT-2025-1454
dfn-cert: DFN-CERT-2025-0975
dfn-cert: DFN-CERT-2025-0854

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2025-0474
dfn-cert: DFN-CERT-2025-0446
dfn-cert: DFN-CERT-2025-0179
dfn-cert: DFN-CERT-2025-0175
dfn-cert: DFN-CERT-2025-0170
dfn-cert: DFN-CERT-2025-0041
dfn-cert: DFN-CERT-2024-3300
dfn-cert: DFN-CERT-2024-3152
dfn-cert: DFN-CERT-2024-3013
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2783
dfn-cert: DFN-CERT-2024-2734
dfn-cert: DFN-CERT-2024-2732
dfn-cert: DFN-CERT-2024-2381
dfn-cert: DFN-CERT-2024-2322
dfn-cert: DFN-CERT-2024-2285
dfn-cert: DFN-CERT-2024-2168
dfn-cert: DFN-CERT-2024-2025
dfn-cert: DFN-CERT-2024-1978
dfn-cert: DFN-CERT-2024-1968
dfn-cert: DFN-CERT-2024-1967
dfn-cert: DFN-CERT-2024-1681

High (CVSS: 7.2)
NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-06 (Oct 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server Server 5.5.44 and earlier, and 5.6.25 and earlier
Vulnerability Insight Unspecified errors exist in the MySQL Server component via unknown vectors related to Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-06 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805769 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4879 cve: CVE-2015-4819 url: http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html url: http://www.securityfocus.com/bid/77140 url: http://www.securityfocus.com/bid/77196 cert-bund: WID-SEC-2024-1483 cert-bund: CB-K16/1122 cert-bund: CB-K16/0791 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K15/1844 cert-bund: CB-K15/1600 cert-bund: CB-K15/1554 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2015-1946
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-1692
 dfn-cert: DFN-CERT-2015-1638

High (CVSS: 7.2)

NVT: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 / 5.7.9 Security Update (cpujan2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:

Solution type: VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.46 and prior, 5.6 through 5.6.27 and version 5.7.9.

Vulnerability Insight

Unspecified errors exist in the 'MySQL Server' component via unknown vectors.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 / 5.7.9 Security Update (cpujan20.↪..

OID:1.3.6.1.4.1.25623.1.0.806876

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0609 cve: CVE-2016-0608 cve: CVE-2016-0606 cve: CVE-2016-0600 cve: CVE-2016-0598 cve: CVE-2016-0597 cve: CVE-2016-0546 cve: CVE-2016-0505 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/81258 url: http://www.securityfocus.com/bid/81226 url: http://www.securityfocus.com/bid/81188 url: http://www.securityfocus.com/bid/81182 url: http://www.securityfocus.com/bid/81151 url: http://www.securityfocus.com/bid/81066 url: http://www.securityfocus.com/bid/81088 advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0646 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0133 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0695 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0143 dfn-cert: DFN-CERT-2016-0104

High (CVSS: 7.2) NVT: Oracle MySQL Unspecified Vulnerability-03 (Sep 2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.52 Installation path / port: 3306/tcp
Impact Successful exploitation will allow an remote attacker to gain elevated privileges on the affected system, also could allow buffer overflow attacks.
Solution: Solution type: VendorFix Upgrade to Oracle MySQL Server 5.5.52 or later.
Affected Software/OS Oracle MySQL Server 5.5.x to 5.5.51 on windows
Vulnerability Insight Multiple errors exist. Please see the references for more information.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Unspecified Vulnerability-03 (Sep 2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809300 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

Referencesurl: <http://dev.mysql.com/doc/relnotes/mysql/5.5/en/news-5-5-52.html>

High (CVSS: 7.2)

NVT: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to a vulnerability in the parser.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.30

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.30, 8.0.20 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.29 and prior and 8.0 through 8.0.19.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.7.29 / 8.0 <= 8.0.19 Security Update (cpuapr2021) - Wi.
↵..

OID:1.3.6.1.4.1.25623.1.0.145800

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

... continues on next page ...

...continued from previous page ...

References

cve: CVE-2021-2144
 url: <https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMySQL>
 advisory-id: cpuapr2021
 cert-bund: WID-SEC-2023-0065
 cert-bund: CB-K21/0421
 dfn-cert: DFN-CERT-2021-0821

High (CVSS: 7.1)

NVT: Oracle Mysql Security Updates (jan2018-3236628) 04 - Windows

Product detection result

cpe: /a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20
 Fixed version: Apply the patch
 Installation
 path / port: 3306/tcp

Impact

Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service attack and partially modify data.

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.58 and earlier, 5.6.38 and earlier, 5.7.19 and earlier on Windows

Vulnerability Insight

The flaw exists due to an error in 'Server:Partition' component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

... continues on next page ...

...continued from previous page ...
Details: Oracle Mysql Security Updates (jan2018-3236628) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.812650 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2562 url: http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html cert-bund: CB-K18/0480 cert-bund: CB-K18/0392 cert-bund: CB-K18/0265 cert-bund: CB-K18/0096 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0733 dfn-cert: DFN-CERT-2018-0515 dfn-cert: DFN-CERT-2018-0424 dfn-cert: DFN-CERT-2018-0286 dfn-cert: DFN-CERT-2018-0101

High (CVSS: 7.1)

NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpu-jan2019) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data and unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server.	
Solution: Solution type: VendorFix Updates are available. Apply the necessary patch from the referenced link.	
Affected Software/OS Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.	
Vulnerability Insight The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server. For further information refer to the official advisory via the referenced link.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.112489 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2019-2534 cve: CVE-2019-2529 cve: CVE-2019-2482 cve: CVE-2019-2455 cve: CVE-2019-2503 cve: CVE-2018-0734 cve: CVE-2019-2537 cve: CVE-2019-2481 cve: CVE-2019-2507 cve: CVE-2019-2531 cve: CVE-2018-5407 url: https://www.oracle.com/security-alerts/cpujan2019.html#AppendixMSQL advisory-id: cpujan2019	
...continues on next page ...	

...continued from previous page ...	
cert-bund:	WID-SEC-2025-2349
cert-bund:	WID-SEC-2025-1212
cert-bund:	WID-SEC-2023-3083
cert-bund:	WID-SEC-2023-1594
cert-bund:	WID-SEC-2022-1696
cert-bund:	WID-SEC-2022-0673
cert-bund:	WID-SEC-2022-0517
cert-bund:	CB-K22/0045
cert-bund:	CB-K20/0324
cert-bund:	CB-K20/0136
cert-bund:	CB-K19/1121
cert-bund:	CB-K19/0696
cert-bund:	CB-K19/0622
cert-bund:	CB-K19/0615
cert-bund:	CB-K19/0321
cert-bund:	CB-K19/0320
cert-bund:	CB-K19/0319
cert-bund:	CB-K19/0318
cert-bund:	CB-K19/0316
cert-bund:	CB-K19/0314
cert-bund:	CB-K19/0050
cert-bund:	CB-K19/0044
cert-bund:	CB-K18/1173
cert-bund:	CB-K18/1065
cert-bund:	CB-K18/1039
dfn-cert:	DFN-CERT-2020-0326
dfn-cert:	DFN-CERT-2019-2457
dfn-cert:	DFN-CERT-2019-2456
dfn-cert:	DFN-CERT-2019-2305
dfn-cert:	DFN-CERT-2019-2300
dfn-cert:	DFN-CERT-2019-2046
dfn-cert:	DFN-CERT-2019-1996
dfn-cert:	DFN-CERT-2019-1897
dfn-cert:	DFN-CERT-2019-1746
dfn-cert:	DFN-CERT-2019-1713
dfn-cert:	DFN-CERT-2019-1617
dfn-cert:	DFN-CERT-2019-1614
dfn-cert:	DFN-CERT-2019-1600
dfn-cert:	DFN-CERT-2019-1588
dfn-cert:	DFN-CERT-2019-1562
dfn-cert:	DFN-CERT-2019-1455
dfn-cert:	DFN-CERT-2019-1450
dfn-cert:	DFN-CERT-2019-1240
dfn-cert:	DFN-CERT-2019-1152
dfn-cert:	DFN-CERT-2019-1047
dfn-cert:	DFN-CERT-2019-0782
dfn-cert:	DFN-CERT-2019-0781
...continues on next page ...	

...continued from previous page ...

```

dfn-cert: DFN-CERT-2019-0778
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0772
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0232
dfn-cert: DFN-CERT-2019-0204
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2019-0104
dfn-cert: DFN-CERT-2019-0103
dfn-cert: DFN-CERT-2019-0102
dfn-cert: DFN-CERT-2018-2541
dfn-cert: DFN-CERT-2018-2539
dfn-cert: DFN-CERT-2018-2513
dfn-cert: DFN-CERT-2018-2456
dfn-cert: DFN-CERT-2018-2444
dfn-cert: DFN-CERT-2018-2396
dfn-cert: DFN-CERT-2018-2360
dfn-cert: DFN-CERT-2018-2338
dfn-cert: DFN-CERT-2018-2214

```

High (CVSS: 7.0)

NVT: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (cpuoct2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation of these vulnerabilities will allow remote authenticated attackers to cause denial of service conditions and gain elevated privileges.

...continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.51 and prior, 5.6 through 5.6.32 and 5.7 through 5.7.14.
Vulnerability Insight Multiple flaws exist due to multiple unspecified errors in the 'Server:GIS', 'Server:Federated', 'Server:Optimizer', 'Server:Types', 'Server:Error Handling' and 'Server:MyISAM' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.51 / 5.6 <= 5.6.32 / 5.7 <= 5.7.14 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.809372 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3492 cve: CVE-2016-5626 cve: CVE-2016-5629 cve: CVE-2016-5616 cve: CVE-2016-5617 cve: CVE-2016-8283 cve: CVE-2016-6663 cve: CVE-2016-6664 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL advisory-id: cpuoct2016 cert-bund: CB-K18/0224 cert-bund: CB-K17/1298 cert-bund: CB-K17/0139 cert-bund: CB-K16/1979 cert-bund: CB-K16/1846 cert-bund: CB-K16/1755 cert-bund: CB-K16/1714 cert-bund: CB-K16/1624 dfn-cert: DFN-CERT-2020-1473 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1341
...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2017-0138
dfn-cert: DFN-CERT-2016-2089
dfn-cert: DFN-CERT-2016-1950
dfn-cert: DFN-CERT-2016-1859
dfn-cert: DFN-CERT-2016-1790
dfn-cert: DFN-CERT-2016-1714
```

[\[return to 192.168.56.6 \]](#)**2.1.25 High 22/tcp****High (CVSS: 7.8)****NVT: OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Windows****Product detection result**

cpe:/a:openbsd:openssh:7.1

Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary

OpenSSH is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 7.1

Fixed version: 7.4

Installation

path / port: 22/tcp

Impact

Successfully exploiting this issue allows local users to obtain sensitive private-key information, to gain privileges, conduct a denial-of-service condition and allows remote attackers to execute arbitrary local PKCS#11 modules.

Solution:**Solution type:** VendorFix

Update to version 7.4 or later.

Affected Software/OS

OpenSSH versions before 7.4 on Windows.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
Multiple flaws exist due to: - An 'authfile.c' script does not properly consider the effects of realloc on buffer contents. - The shared memory manager (associated with pre-authentication compression) does not ensure that a bounds check is enforced by all compilers. - The sshd in OpenSSH creates forwarded Unix-domain sockets as root, when privilege separation is not used. - An untrusted search path vulnerability in ssh-agent.c in ssh-agent. - NULL pointer dereference error due to an out-of-sequence NEWKEYS message.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.4 Multiple Vulnerabilities (Jan 2017) - Windows OID:1.3.6.1.4.1.25623.1.0.810325 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2016-10009 cve: CVE-2016-10010 cve: CVE-2016-10011 cve: CVE-2016-10012 cve: CVE-2016-10708 url: https://www.openssh.com/txt/release-7.4 url: http://www.securityfocus.com/bid/94968 url: http://www.securityfocus.com/bid/94972 url: http://www.securityfocus.com/bid/94977 url: http://www.securityfocus.com/bid/94975 url: http://www.openwall.com/lists/oss-security/2016/12/19/2 url: http://blog.swiecki.net/2018/01/fuzzing-tcp-servers.html url: https://anongit.mindrot.org/openssh.git/commit/?id=28652bca29046f62c7045e93↵3e6b931de1d16737 cert-bund: WID-SEC-2023-1996 cert-bund: CB-K18/0919 cert-bund: CB-K18/0591 cert-bund: CB-K18/0137 cert-bund: CB-K18/0041 cert-bund: CB-K17/2219 cert-bund: CB-K17/2112 cert-bund: CB-K17/1292 cert-bund: CB-K17/1061 cert-bund: CB-K17/0527 cert-bund: CB-K17/0377
...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K17/0127
cert-bund: CB-K17/0041
cert-bund: CB-K16/1991
dfn-cert: DFN-CERT-2021-0776
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-2259
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-1432
dfn-cert: DFN-CERT-2018-1112
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-1068
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2018-0046
dfn-cert: DFN-CERT-2017-2320
dfn-cert: DFN-CERT-2017-2208
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-1096
dfn-cert: DFN-CERT-2017-0532
dfn-cert: DFN-CERT-2017-0386
dfn-cert: DFN-CERT-2017-0130
dfn-cert: DFN-CERT-2017-0042
dfn-cert: DFN-CERT-2016-2099

```

High (CVSS: 7.5)

NVT: OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Windows

Product detection result

cpe:/a:openbsd:openssh:7.1

Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)

Summary

OpenSSH is prone to denial of service (DoS) and user enumeration vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 7.1

Fixed version: 7.3

Installation

path / port: 22/tcp

... continues on next page ...

...continued from previous page ...	
Impact	Successfully exploiting this issue allows remote attackers to cause a denial of service (crypt CPU consumption) and to enumerate users by leveraging the timing difference between responses when a large password is provided.
Solution: Solution type: VendorFix	Update to version 7.3 or later.
Affected Software/OS	OpenSSH versions before 7.3 on Windows.
Vulnerability Insight	Multiple flaws exist due to: - The auth_password function in 'auth-passwd.c' script does not limit password lengths for password authentication. - The sshd in OpenSSH, when SHA256 or SHA512 are used for user password hashing uses BLOWFISH hashing on a static password when the username does not exist and it takes much longer to calculate SHA256/SHA512 hash than BLOWFISH hash.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.3 DoS and User Enumeration Vulnerabilities - Windows OID:1.3.6.1.4.1.25623.1.0.809121 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result	Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References	cve: CVE-2016-6515 cve: CVE-2016-6210 url: http://www.openssh.com/txt/release-7.3 url: http://www.securityfocus.com/bid/92212 url: http://seclists.org/fulldisclosure/2016/Jul/51 url: https://security-tracker.debian.org/tracker/CVE-2016-6210 url: http://openwall.com/lists/oss-security/2016/08/01/2 cert-bund: WID-SEC-2023-0450 cert-bund: WID-SEC-2023-0449 cert-bund: CB-K18/0041 cert-bund: CB-K17/2219 cert-bund: CB-K17/2112 cert-bund: CB-K17/1753
... continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K17/1349
cert-bund: CB-K17/1292
cert-bund: CB-K17/0055
cert-bund: CB-K16/1837
cert-bund: CB-K16/1629
cert-bund: CB-K16/1487
cert-bund: CB-K16/1485
cert-bund: CB-K16/1252
cert-bund: CB-K16/1221
cert-bund: CB-K16/1082
dfn-cert: DFN-CERT-2023-1920
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1070
dfn-cert: DFN-CERT-2018-0046
dfn-cert: DFN-CERT-2017-2320
dfn-cert: DFN-CERT-2017-2208
dfn-cert: DFN-CERT-2017-1831
dfn-cert: DFN-CERT-2017-1407
dfn-cert: DFN-CERT-2017-1340
dfn-cert: DFN-CERT-2017-0060
dfn-cert: DFN-CERT-2016-1943
dfn-cert: DFN-CERT-2016-1729
dfn-cert: DFN-CERT-2016-1576
dfn-cert: DFN-CERT-2016-1574
dfn-cert: DFN-CERT-2016-1331
dfn-cert: DFN-CERT-2016-1243
dfn-cert: DFN-CERT-2016-1149

```

[\[return to 192.168.56.6 \]](#)**2.1.26 High 9200/tcp****High (CVSS: 8.8)****NVT: Elastic Elasticsearch 'CVE-2018-3831' Information Disclosure Vulnerability - Windows****Summary**

Elasticsearch is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.1.1

Fixed version: 5.6.12

... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation would allow an authenticated attacker to acquire valid login credentials.
Solution: Solution type: VendorFix	Update to version 5.6.12 or 6.4.1 respectively.
Affected Software/OS	Elasticsearch versions through 5.6.11 and 6.0.0 through 6.4.0.
Vulnerability Insight	The <code>_cluster/settings</code> API, when queried, could leak sensitive configuration information such as passwords, tokens or usernames.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch 'CVE-2018-3831' Information Disclosure Vulnerability - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.113276 Version used: 2025-09-03T13:56:15+05:30
References	cve: CVE-2018-3831 url: https://discuss.elastic.co/t/elastic-stack-6-4-1-and-5-6-12-security-update/149035 url: https://www.elastic.co/community/security dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2020-1653

[\[return to 192.168.56.6 \]](#)

2.1.27 Medium 8181/tcp

Medium (CVSS: 5.0)
NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
... continues on next page ...

...continued from previous page ...	
Summary The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).	
Quality of Detection (QoD): 99%	
Vulnerability Detection Result The certificate of the remote service is signed by the following untrusted and/or dangerous CA: Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=California,C=US Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Impact An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.	
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service expired on 2023-05-13 05:33:38. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)

NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)

Summary

The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.

Quality of Detection (QoD): 70%**Vulnerability Detection Result**

The following indicates that the remote SSL/TLS service is affected:

Protocol Version | Successful re-done SSL/TLS handshakes (Renegotiation) over an
↔ existing / already established SSL/TLS connection

```

-----
↔-----
TLSv1.0          | 10
TLSv1.1          | 10
TLSv1.2          | 10

```

Impact

The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.

Solution:**Solution type:** VendorFix

Users should contact their vendors for specific patch information.

A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.

Affected Software/OS

Every SSL/TLS service which does not properly restrict client-initiated renegotiation.

Vulnerability Insight

The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols.

Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale:

> It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment.

... continues on next page ...

...continued from previous page ...
Both CVEs are still kept in this VT as a reference to the origin of this flaw.
Vulnerability Detection Method Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094) OID:1.3.6.1.4.1.25623.1.0.117761 Version used: 2026-03-13T11:24:58+05:30
References cve: CVE-2011-1473 cve: CVE-2011-5094 url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/ url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/ url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation url: https://www.openwall.com/lists/oss-security/2011/07/08/2 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0796 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K17/0980 cert-bund: CB-K17/0979 cert-bund: CB-K14/0772 cert-bund: CB-K13/0915 cert-bund: CB-K13/0462 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2017-1013 dfn-cert: DFN-CERT-2017-1012 dfn-cert: DFN-CERT-2014-0809 dfn-cert: DFN-CERT-2013-1928 dfn-cert: DFN-CERT-2012-1112
Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References
... continues on next page ...

...continued from previous page ...

cve: CVE-2011-3389
 cve: CVE-2015-0204
 cve: CVE-2023-41928
 cve: CVE-2024-41270
 cve: CVE-2025-3200
 url: <https://ssl-config.mozilla.org>
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel
 ↪ines/TG02102/BSI-TR-02102-1.html](https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html)
 url: [https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/
 ↪TLS-Protokoll/TLS-Protokoll_node.html](https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/↪TLS-Protokoll/TLS-Protokoll_node.html)
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch
 ↪eRichtlinien/TR03116/BSI-TR-03116-4.html](https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch↪eRichtlinien/TR03116/BSI-TR-03116-4.html)
 url: [https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes
 ↪tstandard_BSI_TLS_Version_2_4.html](https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes↪tstandard_BSI_TLS_Version_2_4.html)
 url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>
 url: [https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
 ↪-report-2014](https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters↪-report-2014)
 url: <https://datatracker.ietf.org/doc/rfc8996/>
 url: <https://vnhacker.blogspot.com/2011/09/beast.html>
 url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>
 url: <https://certvde.com/en/advisories/VDE-2025-031/>
 url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>
 url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>
 cert-bund: WID-SEC-2026-0180
 cert-bund: WID-SEC-2023-1435
 cert-bund: CB-K18/0799
 cert-bund: CB-K16/1289
 cert-bund: CB-K16/1096
 cert-bund: CB-K15/1751
 cert-bund: CB-K15/1266
 cert-bund: CB-K15/0850
 cert-bund: CB-K15/0764
 cert-bund: CB-K15/0720
 cert-bund: CB-K15/0548
 cert-bund: CB-K15/0526
 cert-bund: CB-K15/0509
 cert-bund: CB-K15/0493
 cert-bund: CB-K15/0384
 cert-bund: CB-K15/0365
 cert-bund: CB-K15/0364
 cert-bund: CB-K15/0302
 cert-bund: CB-K15/0192
 cert-bund: CB-K15/0079
 cert-bund: CB-K15/0016
 cert-bund: CB-K14/1342
 cert-bund: CB-K14/0231
 cert-bund: CB-K13/0845

...continues on next page ...

...continued from previous page ...

cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary

The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Server Temporary Key Size: 1024 bits

Impact

An attacker might be able to decrypt the SSL/TLS communication offline.

... continues on next page ...

...continued from previous page...

Solution:**Solution type:** Workaround

- Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task.
- For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.

Affected Software/OS

All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.

Vulnerability Insight

The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.

Vulnerability Detection Method

Checks the DHE temporary public key size.

Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability.
↪..

OID:1.3.6.1.4.1.25623.1.0.106223

Version used: 2026-03-13T11:24:58+05:30

References

url: <https://weakdh.org>

url: <https://weakdh.org/sysadmin.html>

url: <https://ssl-config.mozilla.org>

url: <https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html>

url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html

url: <https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html>

url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html

url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>

url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-2014-report>

url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

[\[return to 192.168.56.6 \]](#)

2.1.28 Medium 8020/tcp

Medium (CVSS: 5.0)

NVT: '/WEB-INF../' Information Disclosure Vulnerability (HTTP)

Summary

Various application or web servers / products are prone to an information disclosure vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

Vulnerable URL: `http://192.168.56.6:8020/WEB-INF../web.xml`

Response (truncated):

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<web-app xmlns="http://java.sun.com/xml/ns/j2ee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/
ns/j2ee/web-app_2_4.xsd" version="2.4">
<!-- $Id$ -->
<!-- Added for MickeyClient Pdf Generation -->
<context-param>
  <param-name>ContextPath</param-name>
  <param-value>/</param-value>
</context-param>
<context-param>
  <param-name>defaultSkin</param-name>
  <param-value>woody</param-value>
</context-param>
<context-param>
  <param-name>useInstantFeedback</param-name>
  <param-value>true</param-value>
</context-param>
<context-param>
  <param-name>mailServerName</param-name>
  <param-value>smtp.india.adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>instantFeedbackAddress</param-name>
  <param-value>sym-issues@adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>AUTO_IMPORT_USER</param-name>
  <param-value>false</param-value>
</context-param>
<context-param>
  <param-name>PARAMETER-ENCODING</param-name>
  <param-value>UTF-8</param-value>
</context-param>
<listener>
```

... continues on next page ...

...continued from previous page ... <pre> <listener-class>com.adventnet.sym.webclient.configurations.SymHttpSessionBindi ↵ngListener</listener-class> </listener> <!-- SDP-DC integration --> <listener> <listener-class>com.adventnet.sym.webclient.common.DCSessionListener</listener ↵-class> </listener> <!-- SDP-DC integra </pre>
Impact Based on the information provided in this file an attacker might be able to gather additional info and / or sensitive data about the application / the application / web server.
Solution: Solution type: VendorFix Please contact the vendor for more information on possible fixes.
Affected Software/OS The following products are known to be affected: - Caucho Resin version 2.1.12 on Apache HTTP server version 1.3.29 Other products and versions might be affected as well.
Vulnerability Insight The servlet specification prohibits servlet containers from serving resources in the '/WEB-INF' and '/META-INF' directories of a web application archive directly to clients. This means that URLs like: http://example.com/WEB-INF/web.xml will return an error message, rather than the contents of the deployment descriptor. However, some application or web servers / products are prone to a vulnerability that exposes this information if the client requests a URL like this instead: http://example.com/WEB-INF../web.xml http://example.com/web-inf../web.xml (note the double dot ('..') after 'WEB-INF').
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response. Details: '/WEB-INF../' Information Disclosure Vulnerability (HTTP) OID:1.3.6.1.4.1.25623.1.0.117221 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2004-0281 url: http://marc.info/?l=bugtraq&m=107635084830547&w=2 url: http://www.securityfocus.com/bid/9617

Medium (CVSS: 5.0)

NVT: '/WEB-INF/' Information Disclosure Vulnerability (HTTP)

Summary

Various application or web servers / products are prone to an information disclosure vulnerability.

Quality of Detection (QoD): 99%

Vulnerability Detection Result

Vulnerable URL: `http://192.168.56.6:8020/WEB-INF/web.xml`

Response (truncated):

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<web-app xmlns="http://java.sun.com/xml/ns/j2ee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://java.sun.com/xml/ns/j2ee http://java.sun.com/xml/
ns/j2ee/web-app_2_4.xsd" version="2.4">
<!-- $Id$ -->
<!-- Added for MickeyClient Pdf Generation -->
<context-param>
  <param-name>ContextPath</param-name>
  <param-value>/</param-value>
</context-param>
<context-param>
  <param-name>defaultSkin</param-name>
  <param-value>woody</param-value>
</context-param>
<context-param>
  <param-name>useInstantFeedback</param-name>
  <param-value>true</param-value>
</context-param>
<context-param>
  <param-name>mailServerName</param-name>
  <param-value>smtp.india.adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>instantFeedbackAddress</param-name>
  <param-value>sym-issues@adventnet.com</param-value>
</context-param>
<context-param>
  <param-name>AUTO_IMPORT_USER</param-name>
  <param-value>>false</param-value>
</context-param>
<context-param>
  <param-name>PARAMETER-ENCODING</param-name>
  <param-value>UTF-8</param-value>
</context-param>
<listener>
```

... continues on next page ...

...continued from previous page...	
<pre> <listener-class>com.adventnet.sym.webclient.configurations.SymHttpSessionBindi ↵ngListener</listener-class> </listener> <!-- SDP-DC integration --> <listener> <listener-class>com.adventnet.sym.webclient.common.DCSessionListener</listener ↵-class> </listener> <!-- SDP-DC integra </pre>	
Impact	Based on the information provided in this file an attacker might be able to gather additional info and / or sensitive data about the application / the application / web server.
Solution:	
Solution type: VendorFix	Please contact the vendor for more information on possible fixes.
Affected Software/OS	The following products are known to be affected: - A misconfigured reverse proxy. Other products might be affected as well.
Vulnerability Insight	The servlet specification prohibits servlet containers from serving resources in the '/WEB-INF' and '/META-INF' directories of a web application archive directly to clients. This means that URLs like: <code>http://example.com/WEB-INF/web.xml</code> will return an error message, rather than the contents of the deployment descriptor. However, some application or web servers / products are prone to a vulnerability that exposes this information if the client requests a URL like this instead: <code>http://example.com/META-INF./web.xml</code> (note the 'f.' in 'WEB-INF').
Vulnerability Detection Method	Sends a crafted HTTP GET request and checks the response. Details: '/WEB-INF./' Information Disclosure Vulnerability (HTTP) OID:1.3.6.1.4.1.25623.1.0.117225 Version used: 2023-03-06T15:49:58+05:30
References	url: https://bz.apache.org/bugzilla/show_bug.cgi?id=60667

[[return to 192.168.56.6](#)]

2.1.29 Medium general/tcp

Medium (CVSS: 6.9)
NVT: Microsoft Windows Installer Service Privilege Escalation Vulnerability (3072630)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-074.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\msi.dll File version: 5.0.7601.17514 Vulnerable range: Less than 5.0.7601.18896
Impact Successful exploitation will allow attackers to elevate privileges on a targeted system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight An elevation of privilege vulnerability exists in some cases in the Windows Installer service when it improperly runs custom action scripts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Installer Service Privilege Escalation Vulnerability (3072630) OID:1.3.6.1.4.1.25623.1.0.805078 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2371 url: https://support.microsoft.com/en-us/kb/3072630 url: https://technet.microsoft.com/en-us/library/security/MS15-074
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/1037
 cert-bund: CB-K15/1013
 dfn-cert: DFN-CERT-2015-1094
 dfn-cert: DFN-CERT-2015-1060

Medium (CVSS: 6.9)

NVT: Microsoft Windows SCM Privilege_Escalation Vulnerability (3055642)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-050.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The target host was found to be vulnerable

Impact

Successful exploitation will allow local attacker to gain elevated privileges.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

- Microsoft Windows 7 x32/x64 Service Pack 1 and prior
- Microsoft Windows Vista x32/x64 Service Pack 2
- Microsoft Windows Server 2008 x32/x64 Service Pack 2
- Microsoft Windows Server 2008 R2 x64 Service Pack 1
- Microsoft Windows 8 x32/x64
- Microsoft Windows 8.1 x32/x64
- Microsoft Windows Server 2012/R2

Vulnerability Insight

Flaw is due to an error in Service Control Manager (SCM) that is due to a failure to properly verify impersonation levels.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Microsoft Windows SCM Privilege_Escalation Vulnerability (3055642)

OID:1.3.6.1.4.1.25623.1.0.805615

Version used: 2023-07-25T10:35:58+05:30

References

cve: CVE-2015-1702

... continues on next page ...

...continued from previous page ...
url: https://support.microsoft.com/kb/3055642
url: http://www.securityfocus.com/bid/74492
url: https://technet.microsoft.com/library/security/MS15-050
cert-bund: CB-K15/0668
dfn-cert: DFN-CERT-2015-0689

Medium (CVSS: 6.9)
NVT: Microsoft Windows Service Control Manager Privilege Elevation Vulnerability (2872339)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-077.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to execute arbitrary code with kernel-mode privileges within the context of the Service Control Manager or corrupt memory.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to a double-free error in the Service Control Manager (services.exe) when handling service descriptions from the registry.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Service Control Manager Privilege Elevation Vulnerability (28. ↵.. OID:1.3.6.1.4.1.25623.1.0.902993 Version used: 2025-09-05T21:10:40+05:30
References cve: CVE-2013-3862 url: http://support.microsoft.com/kb/2872339 url: http://www.securityfocus.com/bid/62182
...continues on next page ...

...continued from previous page ...
url: https://technet.microsoft.com/en-us/security/bulletin/ms13-077 cert-bund: CB-K13/0631 dfn-cert: DFN-CERT-2013-1623
Medium (CVSS: 6.9) NVT: Microsoft Windows Kernel Privilege Elevation Vulnerability (3063858)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-063.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to gain elevated privileges on affected system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw exists in the Windows LoadLibrary as it fails to properly validate user input.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Privilege Elevation Vulnerability (3063858) OID:1.3.6.1.4.1.25623.1.0.805583 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1758 url: https://support.microsoft.com/en-us/kb/3063858 url: http://www.securityfocus.com/bid/75004 url: https://technet.microsoft.com/library/security/MS15-063
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0783
dfn-cert: DFN-CERT-2015-0827

Medium (CVSS: 6.9)

NVT: Microsoft Windows HID Functionality (Over USB) Code Execution Vulnerability (Jan 2011)

Summary

A USB device driver software is prone to a code execution vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

File checked for existence: C:\Windows\system32\hidserv.dll

Impact

Successful exploitation will allow user-assisted attackers to execute arbitrary programs via crafted USB data.

Solution:**Solution type:** Workaround

No solution or patch was made available for at least one year since disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

A workaround is to introduce device filtering on the target host to only allow trusted USB devices to be enabled automatically. Once this workaround is in place an overwrite for this vulnerability can be created to mark it as a false positive.

Affected Software/OS

All Microsoft Windows systems with an enabled USB device driver and no local protection mechanism against the automatic enabling of additional Human Interface Device (HID).

Vulnerability Insight

The flaw is due to error in USB device driver (hidserv.dll), which does not properly warn the user before enabling additional Human Interface Device (HID) functionality.

Vulnerability Detection Method

Checks via SMB if a specific device driver (hidserv.dll) exists on the target system.

Details: Microsoft Windows HID Functionality (Over USB) Code Execution Vulnerability (Ja.
↪..

OID:1.3.6.1.4.1.25623.1.0.801581

Version used: 2023-01-12T15:42:15+05:30

References

... continues on next page ...

...continued from previous page ...	
cve: CVE-2011-0638 url: http://www.cs.gmu.edu/~astavrou/publications.html url: http://news.cnet.com/8301-27080_3-20028919-245.html url: http://www.blackhat.com/html/bh-dc-11/bh-dc-11-briefings.html#Stavrou	
Medium (CVSS: 6.9)	
NVT: Microsoft File Handling Component Remote Code Execution Vulnerability (2922229)	
Summary This host is missing an important security update according to Microsoft Bulletin MS14-019.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow attackers to execute arbitrary code and potentially compromise user's system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2 - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior	
Vulnerability Insight Flaw is due to an improper path restrictions when processing .bat and .cmd files related to the 'CreateProcess' function.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft File Handling Component Remote Code Execution Vulnerability (2922229)	
... continues on next page ...	

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.804375 Version used: 2023-07-26T10:35:09+05:30
References cve: CVE-2014-0315 url: http://xforce.iss.net/xforce/xfdb/91356 url: http://www.securityfocus.com/bid/66619 url: https://support.microsoft.com/kb/2922229 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-019 cert-bund: CB-K14/0408 dfn-cert: DFN-CERT-2014-0426

Medium (CVSS: 6.8)
NVT: Microsoft USB Mass Storage Class Driver Privilege Elevation Vulnerability (3143142)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-033
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Drivers\Usbstor.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.19144
Impact Successful exploitation will allow an attacker to run arbitrary code in kernel mode.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 10 x32/x64
Vulnerability Insight ... continues on next page ...

...continued from previous page ...	
The flaw is due to Windows USB Mass Storage Class driver fails to properly validate objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft USB Mass Storage Class Driver Privilege Elevation Vulnerability (3143. ↪.. OID:1.3.6.1.4.1.25623.1.0.806898 Version used: 2023-07-20T10:35:17+05:30	
References cve: CVE-2016-0133 url: https://support.microsoft.com/en-us/kb/3139398 url: https://support.microsoft.com/en-us/kb/3124266 url: https://technet.microsoft.com/library/security/MS16-033 cert-bund: CB-K16/0546 cert-bund: CB-K16/0383 dfn-cert: DFN-CERT-2016-0589 dfn-cert: DFN-CERT-2016-0412	

Medium (CVSS: 6.8)	
NVT: Oracle Java SE Security Update (oct2021) 02 - Windows	
Summary Oracle Java SE is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 97%	
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251	
Impact Successful exploitation will allow remote attacker to have an impact on availability and confidentiality.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS	
... continues on next page ...	

...continued from previous page ...
Oracle Java SE version 8u301 (1.8.0.301) and earlier, 11.0.12 and earlier, 17 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'Libraries' and 'JSSE' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.818828 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-35567 cve: CVE-2021-35578 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2023-0426 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0908 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0196 cert-bund: CB-K22/0310 cert-bund: CB-K22/0239 cert-bund: CB-K21/1082 dfn-cert: DFN-CERT-2022-1721 dfn-cert: DFN-CERT-2022-1571 dfn-cert: DFN-CERT-2022-0580 dfn-cert: DFN-CERT-2022-0366 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2021-2566 dfn-cert: DFN-CERT-2021-2530 dfn-cert: DFN-CERT-2021-2498 dfn-cert: DFN-CERT-2021-2310 dfn-cert: DFN-CERT-2021-2195 dfn-cert: DFN-CERT-2021-2194
Medium (CVSS: 6.8)
NVT: Oracle Java SE Security Update (oct2021) 02 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u301 (1.8.0.301) and earlier, 11.0.12 and earlier, 17 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'Libraries' and 'JSSE' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.818828 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-35567 cve: CVE-2021-35578 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2023-0426 cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0908 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0196 cert-bund: CB-K22/0310 cert-bund: CB-K22/0239 cert-bund: CB-K21/1082 dfn-cert: DFN-CERT-2022-1721 dfn-cert: DFN-CERT-2022-1571
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-0580
dfn-cert: DFN-CERT-2022-0366
dfn-cert: DFN-CERT-2022-0107
dfn-cert: DFN-CERT-2021-2566
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2498
dfn-cert: DFN-CERT-2021-2310
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194

Medium (CVSS: 6.8)
NVT: Microsoft Windows SAM and LSAD Privilege Elevation Vulnerability (3148527)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-047
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Samsrv.dll File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23390
Impact Successful exploitation will allow an authenticated user to execute code with elevated privileges that could gain access to the SAM database.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 10 x32/x64
Vulnerability Insight Multiple flaws are due to the way the SAM and LSAD remote protocols establish the Remote Procedure Call (RPC) channel.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows SAM and LSAD Privilege Elevation Vulnerability (3148527) OID:1.3.6.1.4.1.25623.1.0.807660 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0128 url: https://support.microsoft.com/en-us/kb/3148527 url: https://technet.microsoft.com/library/security/MS16-047 cert-bund: CB-K16/0546 dfn-cert: DFN-CERT-2016-0589

Medium (CVSS: 6.5)
NVT: Microsoft Internet Messaging API Information Disclosure Vulnerability (3196067)
Summary This host is missing a moderate security update according to Microsoft Bulletin MS16-126.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23545
Impact Successful exploitation will allow an attacker to test for the presence of files on disk.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64
... continues on next page ...

...continued from previous page ...	
Vulnerability Insight	An information disclosure vulnerability exists when the Microsoft Internet Messaging API improperly handles objects in memory.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Messaging API Information Disclosure Vulnerability (3196067) OID:1.3.6.1.4.1.25623.1.0.809345 Version used: 2024-07-04T10:35:37+05:30
References	cve: CVE-2016-3298 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/kb/3196067 url: http://www.securityfocus.com/bid/93392 url: https://technet.microsoft.com/library/security/MS16-126 url: https://technet.microsoft.com/en-us/library/security/MS16-126 cert-bund: CB-K16/1582 cert-bund: CB-K16/1572 dfn-cert: DFN-CERT-2016-1672 dfn-cert: DFN-CERT-2016-1667

Medium (CVSS: 6.5)	
NVT: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3034682)	
Summary	This host is missing a critical security update according to Microsoft Bulletin MS15-009.
Quality of Detection (QoD):	80%
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation will allow context - dependent attacker to corrupt memory, execute arbitrary code and compromise a user's system.
Solution:	
Solution type:	VendorFix
The vendor has released updates. Please see the references for more information.	
Affected Software/OS	
... continues on next page ...	

...continued from previous page ...
Microsoft Internet Explorer version 6.x/7.x/8.x/9.x/10.x/11.x.
Vulnerability Insight Multiple flaws are due to an error related to display:run-in handling, user supplied input is not properly validated and multiple unspecified vulnerabilities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Internet Explorer Multiple Memory Corruption Vulnerabilities (3034682) OID:1.3.6.1.4.1.25623.1.0.805136 Version used: 2024-07-04T10:35:37+05:30
References cve: CVE-2014-8967 cve: CVE-2015-0017 cve: CVE-2015-0018 cve: CVE-2015-0019 cve: CVE-2015-0020 cve: CVE-2015-0021 cve: CVE-2015-0022 cve: CVE-2015-0023 cve: CVE-2015-0025 cve: CVE-2015-0026 cve: CVE-2015-0027 cve: CVE-2015-0028 cve: CVE-2015-0029 cve: CVE-2015-0030 cve: CVE-2015-0031 cve: CVE-2015-0035 cve: CVE-2015-0036 cve: CVE-2015-0037 cve: CVE-2015-0038 cve: CVE-2015-0039 cve: CVE-2015-0040 cve: CVE-2015-0041 cve: CVE-2015-0042 cve: CVE-2015-0043 cve: CVE-2015-0044 cve: CVE-2015-0045 cve: CVE-2015-0046 cve: CVE-2015-0048 cve: CVE-2015-0049 cve: CVE-2015-0050 cve: CVE-2015-0051 cve: CVE-2015-0052 cve: CVE-2015-0053 cve: CVE-2015-0054
... continues on next page ...

...continued from previous page ...

cve: CVE-2015-0055
cve: CVE-2015-0066
cve: CVE-2015-0067
cve: CVE-2015-0068
cve: CVE-2015-0069
cve: CVE-2015-0070
cve: CVE-2015-0071
cisa: Known Exploited Vulnerability (KEV) catalog
url: <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
url: <https://support.microsoft.com/kb/3034682>
url: <http://www.securityfocus.com/bid/71483>
url: <http://www.securityfocus.com/bid/72402>
url: <http://www.securityfocus.com/bid/72403>
url: <http://www.securityfocus.com/bid/72425>
url: <http://www.securityfocus.com/bid/72426>
url: <http://www.securityfocus.com/bid/72436>
url: <http://www.securityfocus.com/bid/72437>
url: <http://www.securityfocus.com/bid/72438>
url: <http://www.securityfocus.com/bid/72439>
url: <http://www.securityfocus.com/bid/72440>
url: <http://www.securityfocus.com/bid/72441>
url: <http://www.securityfocus.com/bid/72442>
url: <http://www.securityfocus.com/bid/72443>
url: <http://www.securityfocus.com/bid/72444>
url: <http://www.securityfocus.com/bid/72445>
url: <http://www.securityfocus.com/bid/72447>
url: <http://www.securityfocus.com/bid/72446>
url: <http://www.securityfocus.com/bid/72448>
url: <http://www.securityfocus.com/bid/72404>
url: <http://www.securityfocus.com/bid/72409>
url: <http://www.securityfocus.com/bid/72410>
url: <http://www.securityfocus.com/bid/72411>
url: <http://www.securityfocus.com/bid/72412>
url: <http://www.securityfocus.com/bid/72413>
url: <http://www.securityfocus.com/bid/72414>
url: <http://www.securityfocus.com/bid/72415>
url: <http://www.securityfocus.com/bid/72416>
url: <http://www.securityfocus.com/bid/72417>
url: <http://www.securityfocus.com/bid/72418>
url: <http://www.securityfocus.com/bid/72419>
url: <http://www.securityfocus.com/bid/72453>
url: <http://www.securityfocus.com/bid/72420>
url: <http://www.securityfocus.com/bid/72421>
url: <http://www.securityfocus.com/bid/72478>
url: <http://www.securityfocus.com/bid/72479>
url: <http://www.securityfocus.com/bid/72422>
url: <http://www.securityfocus.com/bid/72423>

...continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/72424
url: http://www.securityfocus.com/bid/72454
url: http://www.securityfocus.com/bid/72480
url: http://www.securityfocus.com/bid/72455
url: https://technet.microsoft.com/library/security/MS15-009
cert-bund: CB-K15/0173
cert-bund: CB-K14/1535
dfn-cert: DFN-CERT-2015-0183
dfn-cert: DFN-CERT-2014-1629

Medium (CVSS: 6.5)
NVT: Microsoft Windows XML Core Services Information Disclosure Vulnerability (4010321)
Summary This host is missing an important security update according to Microsoft Bulletin MS17-022.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\msxml3.dll File version: 8.110.7601.17514 Vulnerable range: Less than 8.110.7601.23648
Impact Successful exploitation will allow remote attackers to test for the presence of files on disk.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Server 2016 x64
Vulnerability Insight ... continues on next page ...

...continued from previous page ...	
Flaw exists due to improper handling of objects in memory.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows XML Core Services Information Disclosure Vulnerability (40103. ↪.. OID:1.3.6.1.4.1.25623.1.0.810623 Version used: 2024-07-04T10:35:37+05:30	
References cve: CVE-2017-0022 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: https://support.microsoft.com/en-us/help/4010321 url: https://technet.microsoft.com/library/security/MS17-022 cert-bund: CB-K17/0443 dfn-cert: DFN-CERT-2017-0451	

Medium (CVSS: 6.1)	
NVT: Microsoft Windows IIS Privilege Escalation Vulnerability (4013074)	
Summary This host is missing an important security update according to Microsoft Bulletin MS17-016	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23677	
Impact Successful exploitation will allow an attacker to perform cross-site scripting attacks on affected systems and run script in the security context of the current user. These attacks could allow the attacker to read content that the attacker is not authorized to read, use the victim's identity to take actions on behalf of the victim, and inject malicious content in the victim's browser.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64	
... continues on next page ...	

...continued from previous page ...
- Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight The flaw exists due to Microsoft IIS Server fails to properly sanitize a specially crafted request.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows IIS Privilege Escalation Vulnerability (4013074) OID:1.3.6.1.4.1.25623.1.0.810815 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2017-0055 url: https://support.microsoft.com/en-us/kb/4013074 url: http://www.securityfocus.com/bid/96622 url: https://technet.microsoft.com/en-us/library/security/MS17-016 url: https://technet.microsoft.com/library/security/MS17-016 cert-bund: CB-K17/0440 dfn-cert: DFN-CERT-2017-0447
Medium (CVSS: 6.1) NVT: Microsoft Windows Network Location Awareness Service Security Bypass Vulnerability (3022777)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-005.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to relax the firewall policy and/or configuration of certain services by spoofing responses of DNS or LDAP traffic via a Man-in-the-Middle attack.
Solution: ... continues on next page ...

...continued from previous page ...	
Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior	
Vulnerability Insight The flaw is due to an error within the Network Location Awareness (NLA) service when validating if a domain-connected computer is connected to the domain.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Network Location Awareness Service Security Bypass Vulnerabil. ↪.. OID:1.3.6.1.4.1.25623.1.0.805036 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-0006 url: https://support.microsoft.com/en-us/topic/ms15-005-vulnerability-in-network-location-awareness-service-could-allow-security-feature-bypass-january-13-2015-5a2f60a5-f721-4e2c-2a52-c4a8dd4c3b95 url: http://www.securityfocus.com/bid/71930 url: https://docs.microsoft.com/en-us/security-updates/SecurityBulletins/2015/ms15-005 cert-bund: CB-K15/0038 dfn-cert: DFN-CERT-2015-0036	
Medium (CVSS: 5.9) NVT: Oracle Java SE Security Update (jul2023) 02 - Windows	
Summary Oracle Java SE is prone to remote code execution (RCE) vulnerability.	
Quality of Detection (QoD): 97%	
Vulnerability Detection Result ... continues on next page ...	

...continued from previous page ...
Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u371 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of networking protocols within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.832160 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-22043 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2681 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-1947 dfn-cert: DFN-CERT-2023-1653

Medium (CVSS: 5.9)
NVT: Oracle Java SE Unknown Vulnerability (Jul 2025) - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 11.0.x through 11.0.27, 8u451 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Unknown Vulnerability (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836512 Version used: 2025-07-18T21:13:33+05:30
References cve: CVE-2025-30761 url: https://www.oracle.com/security-alerts/cpujul2025.html cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1569 dfn-cert: DFN-CERT-2025-3541 dfn-cert: DFN-CERT-2025-3170 dfn-cert: DFN-CERT-2025-2550 dfn-cert: DFN-CERT-2025-2099 dfn-cert: DFN-CERT-2025-1900 dfn-cert: DFN-CERT-2025-1899
Medium (CVSS: 5.9) NVT: Oracle Java SE Security Update (jul2023) 02 - Windows
Summary Oracle Java SE is prone to remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251
... continues on next page ...

...continued from previous page ...	
Fixed version:	Apply patch from vendor
Installation path / port:	C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u371 and earlier on Windows.	
Vulnerability Insight The flaw is due to improper application of networking protocols within the Java SE engine component in Oracle Java SE.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.832160 Version used: 2023-10-13T10:36:10+05:30	
References cve: CVE-2023-22043 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2681 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-1947 dfn-cert: DFN-CERT-2023-1653	

Medium (CVSS: 5.9)

NVT: Oracle Java SE Security Update (oct2021) 03 - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251

... continues on next page ...

...continued from previous page ...	
Fixed version:	Apply the patch
Installation path / port:	C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability and confidentiality.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u301 (1.8.0.301) and earlier, 7u311 (1.7.0.311) and earlier, 11.0.12 and earlier on Windows.	
Vulnerability Insight Multiple flaws are due to multiple errors in 'JSSE' component.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.818829 Version used: 2025-01-21T11:07:33+05:30	
References cve: CVE-2021-35550 cve: CVE-2021-35565 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0908 cert-bund: WID-SEC-2022-0871 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0745 cert-bund: WID-SEC-2022-0712 cert-bund: WID-SEC-2022-0677 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0674 cert-bund: WID-SEC-2022-0515 cert-bund: WID-SEC-2022-0484 cert-bund: WID-SEC-2022-0472 cert-bund: WID-SEC-2022-0447 cert-bund: WID-SEC-2022-0446 cert-bund: WID-SEC-2022-0386	
... continues on next page ...	

...continued from previous page ...
cert-bund: WID-SEC-2022-0300
cert-bund: WID-SEC-2022-0203
cert-bund: WID-SEC-2022-0196
cert-bund: WID-SEC-2022-0024
cert-bund: CB-K22/0675
cert-bund: CB-K22/0239
cert-bund: CB-K21/1082
dfn-cert: DFN-CERT-2023-1197
dfn-cert: DFN-CERT-2022-1721
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1456
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1247
dfn-cert: DFN-CERT-2022-0451
dfn-cert: DFN-CERT-2022-0438
dfn-cert: DFN-CERT-2022-0107
dfn-cert: DFN-CERT-2022-0106
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2310
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194

Medium (CVSS: 5.9)

NVT: Oracle Java SE Security Update (oct2021) 03 - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files (x86)\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on availability and confidentiality.

Solution:

Solution type: VendorFix

The vendor has released updates. Please see the references for more information.

...continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle Java SE version 8u301 (1.8.0.301) and earlier, 7u311 (1.7.0.311) and earlier, 11.0.12 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'JSSE' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.818829 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-35550 cve: CVE-2021-35565 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0908 cert-bund: WID-SEC-2022-0871 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0745 cert-bund: WID-SEC-2022-0712 cert-bund: WID-SEC-2022-0677 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0674 cert-bund: WID-SEC-2022-0515 cert-bund: WID-SEC-2022-0484 cert-bund: WID-SEC-2022-0472 cert-bund: WID-SEC-2022-0447 cert-bund: WID-SEC-2022-0446 cert-bund: WID-SEC-2022-0386 cert-bund: WID-SEC-2022-0300 cert-bund: WID-SEC-2022-0203 cert-bund: WID-SEC-2022-0196 cert-bund: WID-SEC-2022-0024 cert-bund: CB-K22/0675 cert-bund: CB-K22/0239 cert-bund: CB-K21/1082 dfn-cert: DFN-CERT-2023-1197 dfn-cert: DFN-CERT-2022-1721 dfn-cert: DFN-CERT-2022-1571 dfn-cert: DFN-CERT-2022-1456
...continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1247
dfn-cert: DFN-CERT-2022-0451
dfn-cert: DFN-CERT-2022-0438
dfn-cert: DFN-CERT-2022-0107
dfn-cert: DFN-CERT-2022-0106
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2438
dfn-cert: DFN-CERT-2021-2310
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194
```

Medium (CVSS: 5.9)

NVT: Oracle Java SE Security Update (apr2021) - Windows

Summary

Oracle Java SE is prone to multiple security vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on integrity.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 7u291 (1.7.0.291) and earlier, 8u281 (1.8.0.281) and earlier, 11.0.10 and earlier, 16 on Windows.

Vulnerability Insight

Multiple flaws are due to multiple errors in 'Libraries' component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (apr2021) - Windows

OID:1.3.6.1.4.1.25623.1.0.818127

... continues on next page ...

...continued from previous page ...
Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-2161 cve: CVE-2021-2163 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixJAVA cert-bund: WID-SEC-2025-0227 cert-bund: WID-SEC-2023-1125 cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1894 cert-bund: WID-SEC-2022-1303 cert-bund: WID-SEC-2022-1261 cert-bund: WID-SEC-2022-1244 cert-bund: CB-K21/0981 cert-bund: CB-K21/0412 dfn-cert: DFN-CERT-2023-1197 dfn-cert: DFN-CERT-2022-1934 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2022-0106 dfn-cert: DFN-CERT-2021-2310 dfn-cert: DFN-CERT-2021-2223 dfn-cert: DFN-CERT-2021-1504 dfn-cert: DFN-CERT-2021-1116 dfn-cert: DFN-CERT-2021-1061 dfn-cert: DFN-CERT-2021-0978 dfn-cert: DFN-CERT-2021-0818 dfn-cert: DFN-CERT-2021-0815 dfn-cert: DFN-CERT-2021-0812

Medium (CVSS: 5.9)
NVT: Oracle Java SE Security Update (apr2021) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote attacker to have an impact on integrity.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u291 (1.7.0.291) and earlier, 8u281 (1.8.0.281) and earlier, 11.0.10 and earlier, 16 on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'Libraries' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (apr2021) - Windows OID:1.3.6.1.4.1.25623.1.0.818127 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-2161 cve: CVE-2021-2163 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixJAVA cert-bund: WID-SEC-2025-0227 cert-bund: WID-SEC-2023-1125 cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1894 cert-bund: WID-SEC-2022-1303 cert-bund: WID-SEC-2022-1261 cert-bund: WID-SEC-2022-1244 cert-bund: CB-K21/0981 cert-bund: CB-K21/0412 dfn-cert: DFN-CERT-2023-1197 dfn-cert: DFN-CERT-2022-1934 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2022-0106 dfn-cert: DFN-CERT-2021-2310 dfn-cert: DFN-CERT-2021-2223 dfn-cert: DFN-CERT-2021-1504 dfn-cert: DFN-CERT-2021-1116 dfn-cert: DFN-CERT-2021-1061 dfn-cert: DFN-CERT-2021-0978 dfn-cert: DFN-CERT-2021-0818 dfn-cert: DFN-CERT-2021-0815 dfn-cert: DFN-CERT-2021-0812

Medium (CVSS: 5.9)
NVT: Oracle Java SE Security Update (apr2023) 02 - Windows
Summary Oracle Java SE is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u361 and earlier, 11.0.18, 17.0.6 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of networking protocols within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (apr2023) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.832048 Version used: 2024-06-28T21:08:46+05:30
References cve: CVE-2023-21954 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2112 cert-bund: WID-SEC-2023-1011 dfn-cert: DFN-CERT-2023-2493 dfn-cert: DFN-CERT-2023-2249 dfn-cert: DFN-CERT-2023-1955
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2023-1909
dfn-cert: DFN-CERT-2023-1879
dfn-cert: DFN-CERT-2023-1418
dfn-cert: DFN-CERT-2023-1336
dfn-cert: DFN-CERT-2023-0897
dfn-cert: DFN-CERT-2023-0896
```

Medium (CVSS: 5.9)

NVT: Oracle Java SE Security Update (apr2023) 02 - Windows

Summary

Oracle Java SE is prone to a remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch from vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u361 and earlier, 11.0.18, 17.0.6 and earlier on Windows.

Vulnerability Insight

The flaw is due to improper application of networking protocols within the Java SE engine component in Oracle Java SE.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (apr2023) 02 - Windows

OID:1.3.6.1.4.1.25623.1.0.832048

Version used: 2024-06-28T21:08:46+05:30

References

cve: CVE-2023-21954

url: <https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixJAVA>

... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-2112
cert-bund: WID-SEC-2023-1011
dfn-cert: DFN-CERT-2023-2493
dfn-cert: DFN-CERT-2023-2249
dfn-cert: DFN-CERT-2023-1955
dfn-cert: DFN-CERT-2023-1909
dfn-cert: DFN-CERT-2023-1879
dfn-cert: DFN-CERT-2023-1418
dfn-cert: DFN-CERT-2023-1336
dfn-cert: DFN-CERT-2023-0897
dfn-cert: DFN-CERT-2023-0896

Medium (CVSS: 5.9)
NVT: Oracle Java SE Unknown Vulnerability (Jul 2025) - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to perform unauthorized modifications to data, disclose information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 11.0.x through 11.0.27, 8u451 and prior on Windows.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Unknown Vulnerability (Jul 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.836512
... continues on next page ...

...continued from previous page ...
Version used: 2025-07-18T21:13:33+05:30
References cve: CVE-2025-30761 url: https://www.oracle.com/security-alerts/cpujul2025.html cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1569 dfn-cert: DFN-CERT-2025-3541 dfn-cert: DFN-CERT-2025-3170 dfn-cert: DFN-CERT-2025-2550 dfn-cert: DFN-CERT-2025-2099 dfn-cert: DFN-CERT-2025-1900 dfn-cert: DFN-CERT-2025-1899

Medium (CVSS: 5.9)
NVT: Oracle Java SE Security Update (jan2024) 03 - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized access to critical data or complete access to all Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u391 and earlier 11.0.21 and earlier on Windows.
Vulnerability Insight The flaw exists due to an unspecified vulnerability in Oracle Java SE which can be exploited by using APIs in the specified Component.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2024) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.832789 Version used: 2024-01-24T10:36:24+05:30
References cve: CVE-2024-20926 url: https://www.oracle.com/security-alerts/cpujan2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0121 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-0500 dfn-cert: DFN-CERT-2024-0494 dfn-cert: DFN-CERT-2024-0422 dfn-cert: DFN-CERT-2024-0361 dfn-cert: DFN-CERT-2024-0354 dfn-cert: DFN-CERT-2024-0129 dfn-cert: DFN-CERT-2024-0128

Medium (CVSS: 5.9)
NVT: Oracle Java SE Security Update (jan2024) 03 - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized access to critical data or complete access to all Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
Oracle Java SE version 8u391 and earlier 11.0.21 and earlier on Windows.
Vulnerability Insight The flaw exists due to an unspecified vulnerability in Oracle Java SE which can be exploited by using APIs in the specified Component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2024) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.832789 Version used: 2024-01-24T10:36:24+05:30
References cve: CVE-2024-20926 url: https://www.oracle.com/security-alerts/cpujan2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0121 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-0500 dfn-cert: DFN-CERT-2024-0494 dfn-cert: DFN-CERT-2024-0422 dfn-cert: DFN-CERT-2024-0361 dfn-cert: DFN-CERT-2024-0354 dfn-cert: DFN-CERT-2024-0129 dfn-cert: DFN-CERT-2024-0128

Medium (CVSS: 5.8)
NVT: Microsoft Windows IP-HTTPS Component Security Feature Bypass Vulnerability (2765809)
Summary This host is missing an important security update according to Microsoft Bulletin MS12-083.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow attacker to bypass certain security restrictions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...	
Affected Software/OS Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior.	
Vulnerability Insight The flaw is due to error in the IP-HTTPS component, which fails to validate the certificates. This can lead to a revoked certificate being considered as valid.	
Vulnerability Detection Method Details: Microsoft Windows IP-HTTPS Component Security Feature Bypass Vulnerability (276.↵.. OID:1.3.6.1.4.1.25623.1.0.901305 Version used: 2025-03-05T11:08:53+05:30	
References cve: CVE-2012-2549 url: http://support.microsoft.com/kb/2765809 url: http://www.securityfocus.com/bid/56840 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms↵12-083 dfn-cert: DFN-CERT-2012-2231	

Medium (CVSS: 5.8)	
NVT: Microsoft Schannel Security Bypass Vulnerability (3081320)	
Summary This host is missing an important security update according to Microsoft Bulletin MS15-121.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\system32\schannel.dll File version: 6.1.7601.18741 Vulnerable range: Less than 6.1.7601.19044	
Impact Successful exploitation will allow attackers to perform unauthorized actions by conducting a man-in-the-middle attack and this may lead to other attacks.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
...continues on next page ...	

...continued from previous page ...
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight The flaw is due to some weakness in the Transport Layer Security (TLS) implementation.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Schannel Security Bypass Vulnerability (3081320) OID:1.3.6.1.4.1.25623.1.0.806555 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-6112 url: https://support.microsoft.com/en-us/kb/3081320 url: https://technet.microsoft.com/library/security/MS15-121 cert-bund: CB-K15/1649 dfn-cert: DFN-CERT-2015-1742

Medium (CVSS: 5.8)
NVT: Microsoft Root Certificate Program SHA-1 Deprecation Advisory (3123479)
Summary This host is missing an important security update according to Microsoft advisory (3123479).
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23584
Impact Successful exploitation will allow attackers to take advantage of weakness of the SHA-1 hashing algorithm that exposes it to collision attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
Vulnerability Insight An update is available that aims to warn customers in assessing the risk of certain applications that use X.509 digital certificates that are signed using the SHA-1 hashing algorithm.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Root Certificate Program SHA-1 Deprecation Advisory (3123479) OID:1.3.6.1.4.1.25623.1.0.806663 Version used: 2023-07-21T10:35:22+05:30
References url: https://support.microsoft.com/en-us/help/3197869 url: https://support.microsoft.com/en-us/help/3197875 url: https://support.microsoft.com/en-us/help/3198585 url: https://support.microsoft.com/en-us/help/3198586 url: https://support.microsoft.com/en-us/help/3200970 url: https://support.microsoft.com/en-us/kb/3123479 url: https://technet.microsoft.com/en-us/library/security/3123479 url: http://social.technet.microsoft.com/wiki/contents/articles/32288.windows-enforcement-of-authenticode-code-signing-and-timestamping.aspx

Medium (CVSS: 5.5)

NVT: Microsoft Graphics Component 'gdi32.dll' Information Disclosure Vulnerability (MS17-013)

Summary

'gdi32.dll' Graphics Device Interface is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

File checked: C:\Windows\System32\Gdi32.dll

File version: 6.1.7601.17514

... continues on next page ...

...continued from previous page ...
Vulnerable range: Version 6.1.7601.23457 and prior
Impact Successful exploitation will allow an attacker to obtain sensitive information from process heap memory.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511, 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
Vulnerability Insight The flaw exists due to multiple bugs related to the handling of DIBs (Device Independent Bitmaps) embedded in EMF records.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component 'gdi32.dll' Information Disclosure Vulnerability (. ↩... OID:1.3.6.1.4.1.25623.1.0.809889 Version used: 2023-06-23T21:39:17+05:30
References cve: CVE-2017-0038 url: https://bugs.chromium.org/p/project-zero/issues/detail?id=992 url: https://technet.microsoft.com/library/security/MS17-013 cert-bund: CB-K17/0443 dfn-cert: DFN-CERT-2017-0451
Medium (CVSS: 5.5)
NVT: Microsoft Windows Registry Multiple Vulnerabilities (3193227)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-124
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\toskrnl.exe File version: 6.1.7601.18741 Vulnerable range: Less than 6.1.7601.23564
Impact Successful exploitation will allow attacker to gain access to information not intended to be available to the user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64
Vulnerability Insight Multiple elevation of privilege vulnerabilities exist in Microsoft Windows when a Windows kernel API improperly allows a user to access sensitive registry information.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Registry Multiple Vulnerabilities (3193227) OID:1.3.6.1.4.1.25623.1.0.809440 Version used: 2023-09-22T21:38:59+05:30
References cve: CVE-2016-0070 cve: CVE-2016-0073 cve: CVE-2016-0075 cve: CVE-2016-0079 url: https://support.microsoft.com/en-us/kb/3193227 url: http://www.securityfocus.com/bid/93354 url: http://www.securityfocus.com/bid/93355 url: http://www.securityfocus.com/bid/93356
... continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/93357 url: https://technet.microsoft.com/en-us/library/security/MS16-124 url: https://technet.microsoft.com/library/security/MS16-124 cert-bund: CB-K16/1582 dfn-cert: DFN-CERT-2016-1672
Medium (CVSS: 5.5) NVT: Microsoft Windows Common Log File System Driver Information Disclosure Vulnerability (3207328)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-153.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\clfs.sys File version: 6.1.7600.16385 Vulnerable range: Less than 6.1.7601.23598
Impact Successful exploitation will allow an attacker to run a specially crafted application to bypass security measures on the affected system allowing further exploitation.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2016 x64 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64
Vulnerability Insight The flaw exists due to the Windows Common Log File System (CLFS) driver improperly handles objects in memory.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Common Log File System Driver Information Disclosure Vulnerab. ↔.. OID:1.3.6.1.4.1.25623.1.0.810310 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-7295 url: https://support.microsoft.com/en-us/kb/3207328 url: http://www.securityfocus.com/bid/94787 url: https://technet.microsoft.com/en-us/library/security/MS16-153 url: https://technet.microsoft.com/library/security/MS16-0153 cert-bund: CB-K16/1959 dfn-cert: DFN-CERT-2016-2066

Medium (CVSS: 5.5)
NVT: Microsoft Windows Kernel Elevation of Privilege Vulnerability (3199720)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-139.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Ntoskrnl.exe File version: 6.1.7601.18741 Vulnerable range: Less than 6.1.7601.23569
Impact Successful exploitation will allow an attacker could gain access to information that is not intended for the user.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The flaw exists in the way that the Windows Kernel API enforces permissions.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel Elevation of Privilege Vulnerability (3199720) OID:1.3.6.1.4.1.25623.1.0.809467 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-7216 url: https://support.microsoft.com/en-us/kb/3199720 url: http://www.securityfocus.com/bid/94048 url: https://technet.microsoft.com/library/security/MS16-139 url: https://technet.microsoft.com/en-us/library/security/MS16-139 cert-bund: CB-K16/1747 dfn-cert: DFN-CERT-2016-1852

Medium (CVSS: 5.5)
NVT: Microsoft WinVerifyTrust Signature Validation Vulnerability (2893294)
Summary This host is missing a critical security update according to Microsoft Bulletin MS13-098.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to execute arbitrary code or cause a denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
... continues on next page ...

...continued from previous page ...
- Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight Flaw is due to WinVerifyTrust function which does not properly handles the Windows Authenticode signature verification for portable executable(PE) files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft WinVerifyTrust Signature Validation Vulnerability (2893294) OID:1.3.6.1.4.1.25623.1.0.903228 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3900 cisa: Known Exploited Vulnerability (KEV) catalog url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog url: http://support.microsoft.com/kb/2893294 url: http://www.securityfocus.com/bid/64079 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-098 cert-bund: CB-K13/1027 dfn-cert: DFN-CERT-2013-2048

Medium (CVSS: 5.4)
NVT: Microsoft Windows SAMR Protocol Security Bypass Vulnerability (2934418)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-016.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to bypass certain security features.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
- Microsoft Windows XP Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2012 - Microsoft Windows Server 2012 R2
Vulnerability Insight Flaw is due to improper validation of user lockout state by Security Account Manager Remote (SAMR) protocol.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows SAMR Protocol Security Bypass Vulnerability (2934418) OID:1.3.6.1.4.1.25623.1.0.804245 Version used: 2024-06-28T10:35:33+05:30
References cve: CVE-2014-0317 url: http://support.microsoft.com/kb/2934418 url: http://www.securityfocus.com/bid/66012 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-016 cert-bund: CB-K14/0296 dfn-cert: DFN-CERT-2014-0300

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (jan2022) 04 - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability.
Solution: ... continues on next page ...

...continued from previous page ...	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	Oracle Java SE version 8u311 (1.8.0.311) and earlier, 7u321 (1.7.0.321) and earlier and 11.x through 11.0.13 on Windows.
Vulnerability Insight	The flaw is due to an error in 'Libraries' component.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2022) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.819967 Version used: 2025-01-21T11:07:33+05:30
References	cve: CVE-2022-21271 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixJAVA cert-bund: WID-SEC-2022-0432 cert-bund: WID-SEC-2022-0302 cert-bund: WID-SEC-2022-0100 cert-bund: CB-K22/0078 cert-bund: CB-K22/0061 dfn-cert: DFN-CERT-2025-0509 dfn-cert: DFN-CERT-2022-0369 dfn-cert: DFN-CERT-2022-0320 dfn-cert: DFN-CERT-2022-0121 dfn-cert: DFN-CERT-2022-0111

Medium (CVSS: 5.3)	
NVT: Oracle Java SE Security Update (jan2022) 01 - Windows	
Summary	Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%	
Vulnerability Detection Result	Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
... continues on next page ...	

...continued from previous page ...
Impact Successful exploitation will allow remote attacker to have an impact on availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u311 (1.8.0.311) and earlier, 7u321 (1.7.0.321) and earlier on Windows.
Vulnerability Insight The flaw is due to an error in '2D' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2022) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.819964 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-21349 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixJAVA cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-0839 cert-bund: WID-SEC-2023-0838 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-0812 cert-bund: WID-SEC-2022-0799 cert-bund: WID-SEC-2022-0447 cert-bund: WID-SEC-2022-0432 cert-bund: WID-SEC-2022-0431 cert-bund: WID-SEC-2022-0302 cert-bund: WID-SEC-2022-0100 cert-bund: CB-K22/0078 dfn-cert: DFN-CERT-2022-0438 dfn-cert: DFN-CERT-2022-0111

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (jan2022) 01 - Windows

Summary

Oracle Java SE is prone to an unspecified vulnerability.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u311 (1.8.0.311) and earlier, 7u321 (1.7.0.321) and earlier on Windows.
Vulnerability Insight The flaw is due to an error in '2D' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2022) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.819964 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-21349 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixJAVA cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-0839 cert-bund: WID-SEC-2023-0838 cert-bund: WID-SEC-2022-1335 cert-bund: WID-SEC-2022-1228 cert-bund: WID-SEC-2022-0812 cert-bund: WID-SEC-2022-0799 cert-bund: WID-SEC-2022-0447 cert-bund: WID-SEC-2022-0432 cert-bund: WID-SEC-2022-0431 cert-bund: WID-SEC-2022-0302 cert-bund: WID-SEC-2022-0100 cert-bund: CB-K22/0078 dfn-cert: DFN-CERT-2022-0438 dfn-cert: DFN-CERT-2022-0111

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (jan2022) 02 - Windows
Summary Oracle Java SE is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: See vendor advisory Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability, integrity and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u311 (1.8.0.311) and earlier, 7u321 (1.7.0.321) and earlier, 11.x through 11.0.13 and 17.x through 17.0.1 on Windows.
Vulnerability Insight Multiple flaws are due to multiple unspecified errors in components 'Serialization', 'Libraries', 'JAXP', 'ImageIO' and 'Hotspot'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2022) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.819965 Version used: 2023-10-19T10:35:21+05:30
References cve: CVE-2022-21291 cve: CVE-2022-21305 cve: CVE-2022-21360 cve: CVE-2022-21365 cve: CVE-2022-21282 cve: CVE-2022-21296 cve: CVE-2022-21299 cve: CVE-2022-21293
... continues on next page ...

...continued from previous page ...

```

cve: CVE-2022-21294
cve: CVE-2022-21340
cve: CVE-2022-21341
cve: CVE-2022-21248
url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixJAVA
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0839
cert-bund: WID-SEC-2023-0838
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0987
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0812
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0745
cert-bund: WID-SEC-2022-0712
cert-bund: WID-SEC-2022-0472
cert-bund: WID-SEC-2022-0447
cert-bund: WID-SEC-2022-0446
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0431
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0300
cert-bund: WID-SEC-2022-0287
cert-bund: WID-SEC-2022-0203
cert-bund: WID-SEC-2022-0100
cert-bund: WID-SEC-2022-0028
cert-bund: CB-K22/0078
dfn-cert: DFN-CERT-2022-1648
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1323
dfn-cert: DFN-CERT-2022-1266
dfn-cert: DFN-CERT-2022-0451
dfn-cert: DFN-CERT-2022-0438
dfn-cert: DFN-CERT-2022-0320
dfn-cert: DFN-CERT-2022-0111

```

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (jan2022) 02 - Windows

Summary

Oracle Java SE is prone to multiple unspecified vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: See vendor advisory Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability, integrity and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u311 (1.8.0.311) and earlier, 7u321 (1.7.0.321) and earlier, 11.x through 11.0.13 and 17.x through 17.0.1 on Windows.
Vulnerability Insight Multiple flaws are due to multiple unspecified errors in components 'Serialization', 'Libraries', 'JAXP', 'ImageIO' and 'Hotspot'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2022) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.819965 Version used: 2023-10-19T10:35:21+05:30
References cve: CVE-2022-21291 cve: CVE-2022-21305 cve: CVE-2022-21360 cve: CVE-2022-21365 cve: CVE-2022-21282 cve: CVE-2022-21296 cve: CVE-2022-21299 cve: CVE-2022-21293 cve: CVE-2022-21294 cve: CVE-2022-21340 cve: CVE-2022-21341 cve: CVE-2022-21248 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixJAVA cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-0839
... continues on next page ...

...continued from previous page ...

```

cert-bund: WID-SEC-2023-0838
cert-bund: WID-SEC-2022-1335
cert-bund: WID-SEC-2022-1228
cert-bund: WID-SEC-2022-0987
cert-bund: WID-SEC-2022-0858
cert-bund: WID-SEC-2022-0833
cert-bund: WID-SEC-2022-0826
cert-bund: WID-SEC-2022-0812
cert-bund: WID-SEC-2022-0799
cert-bund: WID-SEC-2022-0745
cert-bund: WID-SEC-2022-0712
cert-bund: WID-SEC-2022-0472
cert-bund: WID-SEC-2022-0447
cert-bund: WID-SEC-2022-0446
cert-bund: WID-SEC-2022-0432
cert-bund: WID-SEC-2022-0431
cert-bund: WID-SEC-2022-0302
cert-bund: WID-SEC-2022-0300
cert-bund: WID-SEC-2022-0287
cert-bund: WID-SEC-2022-0203
cert-bund: WID-SEC-2022-0100
cert-bund: WID-SEC-2022-0028
cert-bund: CB-K22/0078
dfn-cert: DFN-CERT-2022-1648
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1323
dfn-cert: DFN-CERT-2022-1266
dfn-cert: DFN-CERT-2022-0451
dfn-cert: DFN-CERT-2022-0438
dfn-cert: DFN-CERT-2022-0320
dfn-cert: DFN-CERT-2022-0111

```

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (jan2022) 04 - Windows

Summary

Oracle Java SE is prone to an unspecified vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

...continues on next page ...

...continued from previous page ...	
path / port:	C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u311 (1.8.0.311) and earlier, 7u321 (1.7.0.321) and earlier and 11.x through 11.0.13 on Windows.	
Vulnerability Insight The flaw is due to an error in 'Libraries' component.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2022) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.819967 Version used: 2025-01-21T11:07:33+05:30	
References cve: CVE-2022-21271 url: https://www.oracle.com/security-alerts/cpujan2022.html#AppendixJAVA cert-bund: WID-SEC-2022-0432 cert-bund: WID-SEC-2022-0302 cert-bund: WID-SEC-2022-0100 cert-bund: CB-K22/0078 cert-bund: CB-K22/0061 dfn-cert: DFN-CERT-2025-0509 dfn-cert: DFN-CERT-2022-0369 dfn-cert: DFN-CERT-2022-0320 dfn-cert: DFN-CERT-2022-0121 dfn-cert: DFN-CERT-2022-0111	

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (jan2023) 02 - Windows

Summary

Oracle Java SE is prone to an input validation vulnerability.

Quality of Detection (QoD): 97%

... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251	
Impact Successful exploitation will allow remote attacker to manipulate data.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u351 and earlier on Windows.	
Vulnerability Insight The flaw is due to an improper input validation within the Serialization component in Oracle Java SE.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2023) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.826785 Version used: 2025-01-21T11:07:33+05:30	
References cve: CVE-2023-21830 url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixJAVA cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2164 cert-bund: WID-SEC-2023-1813 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-0840 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2023-0128 dfn-cert: DFN-CERT-2024-2151 dfn-cert: DFN-CERT-2023-1425 dfn-cert: DFN-CERT-2023-1174 dfn-cert: DFN-CERT-2023-1139 dfn-cert: DFN-CERT-2023-0846 dfn-cert: DFN-CERT-2023-0717 dfn-cert: DFN-CERT-2023-0605	
... continues on next page ...	

...continued from previous page ...

dfn-cert: DFN-CERT-2023-0372
 dfn-cert: DFN-CERT-2023-0125
 dfn-cert: DFN-CERT-2023-0124

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (jan2023) 02 - Windows

Summary

Oracle Java SE is prone to an input validation vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch from vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to manipulate data.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u351 and earlier on Windows.

Vulnerability Insight

The flaw is due to an improper input validation within the Serialization component in Oracle Java SE.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (jan2023) 02 - Windows

OID:1.3.6.1.4.1.25623.1.0.826785

Version used: 2025-01-21T11:07:33+05:30

References

cve: CVE-2023-21830

url: <https://www.oracle.com/security-alerts/cpujan2023.html#AppendixJAVA>

cert-bund: WID-SEC-2024-1591

cert-bund: WID-SEC-2024-0794

cert-bund: WID-SEC-2024-0064

... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-2164
cert-bund: WID-SEC-2023-1813
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0840
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0128
dfn-cert: DFN-CERT-2024-2151
dfn-cert: DFN-CERT-2023-1425
dfn-cert: DFN-CERT-2023-1174
dfn-cert: DFN-CERT-2023-1139
dfn-cert: DFN-CERT-2023-0846
dfn-cert: DFN-CERT-2023-0717
dfn-cert: DFN-CERT-2023-0605
dfn-cert: DFN-CERT-2023-0372
dfn-cert: DFN-CERT-2023-0125
dfn-cert: DFN-CERT-2023-0124

Medium (CVSS: 5.3)
NVT: Microsoft Windows NPS RADIUS Server Denial of Service Vulnerability (3133043)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-021
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Iassam.dll File version: 6.1.7600.16385 Vulnerable range: Less than 6.1.7601.19114
Impact Successful exploitation will allow a remote attacker to send specially crafted username strings to a Network Policy Server (NPS) causing a denial of service condition for RADIUS authentication on the NPS.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1
... continues on next page ...

...continued from previous page ...
- Microsoft Windows Server 2012/2012R2
Vulnerability Insight The flaw is due to an improper handling of a Remote Authentication Dial-In User Service (RADIUS) authentication request in Network Policy Server (NPS).
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows NPS RADIUS Server Denial of Service Vulnerability (3133043) OID:1.3.6.1.4.1.25623.1.0.806864 Version used: 2023-07-20T10:35:17+05:30
References cve: CVE-2016-0050 url: https://support.microsoft.com/en-us/kb/3133043 url: https://technet.microsoft.com/library/security/MS16-021 cert-bund: CB-K16/0220 dfn-cert: DFN-CERT-2016-0242

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2021) 04 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
Oracle Java SE version 8u301 (1.8.0.301) and earlier, 7u311 (1.7.0.311) and earlier, 11.0.12 and earlier and 17.0.0.
Vulnerability Insight Multiple flaws are due to multiple errors in the 'ImageIO', 'Keytool', 'Swing', 'Utility' and 'JSSE' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.818830 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-35586 cve: CVE-2021-35564 cve: CVE-2021-35556 cve: CVE-2021-35559 cve: CVE-2021-35561 cve: CVE-2021-35603 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-1162 cert-bund: WID-SEC-2022-0987 cert-bund: WID-SEC-2022-0908 cert-bund: WID-SEC-2022-0871 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0745 cert-bund: WID-SEC-2022-0712 cert-bund: WID-SEC-2022-0677 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0674 cert-bund: WID-SEC-2022-0515 cert-bund: WID-SEC-2022-0472 cert-bund: WID-SEC-2022-0446 cert-bund: WID-SEC-2022-0398 cert-bund: WID-SEC-2022-0300 cert-bund: WID-SEC-2022-0203 cert-bund: WID-SEC-2022-0196 cert-bund: WID-SEC-2022-0028 cert-bund: WID-SEC-2022-0024 cert-bund: CB-K22/0675 cert-bund: CB-K22/0239 cert-bund: CB-K21/1082 dfn-cert: DFN-CERT-2023-1197
... continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2022-1721
dfn-cert: DFN-CERT-2022-1704
dfn-cert: DFN-CERT-2022-1648
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1456
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1247
dfn-cert: DFN-CERT-2022-0451
dfn-cert: DFN-CERT-2022-0438
dfn-cert: DFN-CERT-2022-0107
dfn-cert: DFN-CERT-2022-0106
dfn-cert: DFN-CERT-2021-2566
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2498
dfn-cert: DFN-CERT-2021-2310
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194

```

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (oct2021) 04 - Windows

Summary

Oracle Java SE is prone to multiple vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on availability and confidentiality.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u301 (1.8.0.301) and earlier, 7u311 (1.7.0.311) and earlier, 11.0.12 and earlier and 17.0.0.

... continues on next page ...

...continued from previous page ...
Vulnerability Insight Multiple flaws are due to multiple errors in the 'ImageIO', 'Keytool', 'Swing', 'Utility' and 'JSSE' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.818830 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-35586 cve: CVE-2021-35564 cve: CVE-2021-35556 cve: CVE-2021-35559 cve: CVE-2021-35561 cve: CVE-2021-35603 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-1162 cert-bund: WID-SEC-2022-0987 cert-bund: WID-SEC-2022-0908 cert-bund: WID-SEC-2022-0871 cert-bund: WID-SEC-2022-0833 cert-bund: WID-SEC-2022-0826 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0745 cert-bund: WID-SEC-2022-0712 cert-bund: WID-SEC-2022-0677 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0674 cert-bund: WID-SEC-2022-0515 cert-bund: WID-SEC-2022-0472 cert-bund: WID-SEC-2022-0446 cert-bund: WID-SEC-2022-0398 cert-bund: WID-SEC-2022-0300 cert-bund: WID-SEC-2022-0203 cert-bund: WID-SEC-2022-0196 cert-bund: WID-SEC-2022-0028 cert-bund: WID-SEC-2022-0024 cert-bund: CB-K22/0675 cert-bund: CB-K22/0239 cert-bund: CB-K21/1082 dfn-cert: DFN-CERT-2023-1197 dfn-cert: DFN-CERT-2022-1721 dfn-cert: DFN-CERT-2022-1704 dfn-cert: DFN-CERT-2022-1648
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-1571
dfn-cert: DFN-CERT-2022-1456
dfn-cert: DFN-CERT-2022-1339
dfn-cert: DFN-CERT-2022-1247
dfn-cert: DFN-CERT-2022-0451
dfn-cert: DFN-CERT-2022-0438
dfn-cert: DFN-CERT-2022-0107
dfn-cert: DFN-CERT-2022-0106
dfn-cert: DFN-CERT-2021-2566
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2498
dfn-cert: DFN-CERT-2021-2310
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2022) 01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u341 and earlier, 11.x through 11.0.16.1, 17.x through 17.0.4.1, 19 on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in components 'JNDI', 'Security' and 'JNDI'.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2022) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.826589 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-21628 cve: CVE-2022-21619 cve: CVE-2022-21624 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-0809 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2022-1789 dfn-cert: DFN-CERT-2023-0616 dfn-cert: DFN-CERT-2023-0256 dfn-cert: DFN-CERT-2023-0217 dfn-cert: DFN-CERT-2023-0082 dfn-cert: DFN-CERT-2022-2696 dfn-cert: DFN-CERT-2022-2660 dfn-cert: DFN-CERT-2022-2600 dfn-cert: DFN-CERT-2022-2547 dfn-cert: DFN-CERT-2022-2313 dfn-cert: DFN-CERT-2022-2312

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2022) 01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle Java SE version 8u341 and earlier, 11.x through 11.0.16.1, 17.x through 17.0.4.1, 19 on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in components 'JNDI', 'Security' and 'JNDI'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2022) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.826589 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-21628 cve: CVE-2022-21619 cve: CVE-2022-21624 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-0809 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2022-1789 dfn-cert: DFN-CERT-2023-0616 dfn-cert: DFN-CERT-2023-0256 dfn-cert: DFN-CERT-2023-0217 dfn-cert: DFN-CERT-2023-0082 dfn-cert: DFN-CERT-2022-2696 dfn-cert: DFN-CERT-2022-2660 dfn-cert: DFN-CERT-2022-2600 dfn-cert: DFN-CERT-2022-2547 dfn-cert: DFN-CERT-2022-2313 dfn-cert: DFN-CERT-2022-2312
Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2022) 04 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251
...continues on next page ...

...continued from previous page...	
Fixed version:	Apply the patch
Installation path / port:	C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u341 and earlier, 11.x through 11.0.16.1 on Windows.	
Vulnerability Insight The flaw exists due to an error in component 'Security'.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2022) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.826593 Version used: 2025-01-21T11:07:33+05:30	
References cve: CVE-2022-21626 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-0809 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2022-1789 dfn-cert: DFN-CERT-2023-0616 dfn-cert: DFN-CERT-2023-0608 dfn-cert: DFN-CERT-2023-0607 dfn-cert: DFN-CERT-2023-0217 dfn-cert: DFN-CERT-2023-0082 dfn-cert: DFN-CERT-2022-2696 dfn-cert: DFN-CERT-2022-2660 dfn-cert: DFN-CERT-2022-2600 dfn-cert: DFN-CERT-2022-2547 dfn-cert: DFN-CERT-2022-2313 dfn-cert: DFN-CERT-2022-2312	

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2022) 04 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u341 and earlier, 11.x through 11.0.16.1 on Windows.
Vulnerability Insight The flaw exists due to an error in component 'Security'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2022) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.826593 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2022-21626 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixJAVA cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-0809 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2022-1789 dfn-cert: DFN-CERT-2023-0616 dfn-cert: DFN-CERT-2023-0608 dfn-cert: DFN-CERT-2023-0607 dfn-cert: DFN-CERT-2023-0217 dfn-cert: DFN-CERT-2023-0082
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-2696
dfn-cert: DFN-CERT-2022-2660
dfn-cert: DFN-CERT-2022-2600
dfn-cert: DFN-CERT-2022-2547
dfn-cert: DFN-CERT-2022-2313
dfn-cert: DFN-CERT-2022-2312

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2023) 01 - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE. It can result in unauthorized update, insert or delete access to some of Oracle Java SE accessible data.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u381 and earlier, on Windows.
Vulnerability Insight The flaw exists due to an unspecified vulnerability in Oracle Java SE which can only be exploited by supplying data to APIs in the specified Component without using Untrusted Java Web Start applications or Untrusted Java applets.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2023) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.832602 Version used: 2023-10-20T21:39:12+05:30
References ... continues on next page ...

...continued from previous page ...
cve: CVE-2023-22067 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixJAVA cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2692 dfn-cert: DFN-CERT-2023-3177 dfn-cert: DFN-CERT-2023-3009 dfn-cert: DFN-CERT-2023-3006 dfn-cert: DFN-CERT-2023-2999 dfn-cert: DFN-CERT-2023-2975 dfn-cert: DFN-CERT-2023-2941 dfn-cert: DFN-CERT-2023-2939 dfn-cert: DFN-CERT-2023-2886 dfn-cert: DFN-CERT-2023-2562 dfn-cert: DFN-CERT-2023-2557 dfn-cert: DFN-CERT-2023-2534

Medium (CVSS: 5.3)
NVT: Oracle Java SE Security Update (oct2023) 01 - Windows
Summary Oracle Java SE is prone to an unspecified vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE. It can result in unauthorized update, insert or delete access to some of Oracle Java SE accessible data.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u381 and earlier, on Windows.
... continues on next page ...

...continued from previous page ...

Vulnerability Insight

The flaw exists due to an unspecified vulnerability in Oracle Java SE which can only be exploited by supplying data to APIs in the specified Component without using Untrusted Java Web Start applications or Untrusted Java applets.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (oct2023) 01 - Windows

OID:1.3.6.1.4.1.25623.1.0.832602

Version used: 2023-10-20T21:39:12+05:30

References

cve: CVE-2023-22067

url: <https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixJAVA>

cert-bund: WID-SEC-2024-1591

cert-bund: WID-SEC-2024-0769

cert-bund: WID-SEC-2024-0528

cert-bund: WID-SEC-2023-2917

cert-bund: WID-SEC-2023-2692

dfn-cert: DFN-CERT-2023-3177

dfn-cert: DFN-CERT-2023-3009

dfn-cert: DFN-CERT-2023-3006

dfn-cert: DFN-CERT-2023-2999

dfn-cert: DFN-CERT-2023-2975

dfn-cert: DFN-CERT-2023-2941

dfn-cert: DFN-CERT-2023-2939

dfn-cert: DFN-CERT-2023-2886

dfn-cert: DFN-CERT-2023-2562

dfn-cert: DFN-CERT-2023-2557

dfn-cert: DFN-CERT-2023-2534

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (oct2023) 03 - Windows

Summary

Oracle Java SE is prone to an unspecified vulnerability.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files (x86)\Java\jre1.8.0_251

... continues on next page ...

...continued from previous page ...
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized ability to cause a partial denial of service (partial DOS) of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u381, 11.0.20, 17.0.8, 20.0.2 on Windows.
Vulnerability Insight The flaw exists due to an unspecified vulnerability in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2023) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.832605 Version used: 2023-10-20T21:39:12+05:30
References cve: CVE-2023-22081 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixJAVA cert-bund: WID-SEC-2024-1653 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2024-0521 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2917 cert-bund: WID-SEC-2023-2692 dfn-cert: DFN-CERT-2024-0169 dfn-cert: DFN-CERT-2023-3177 dfn-cert: DFN-CERT-2023-3009 dfn-cert: DFN-CERT-2023-3006 dfn-cert: DFN-CERT-2023-2999 dfn-cert: DFN-CERT-2023-2975 dfn-cert: DFN-CERT-2023-2939 dfn-cert: DFN-CERT-2023-2886 dfn-cert: DFN-CERT-2023-2562 dfn-cert: DFN-CERT-2023-2561 dfn-cert: DFN-CERT-2023-2560 dfn-cert: DFN-CERT-2023-2559 dfn-cert: DFN-CERT-2023-2558 dfn-cert: DFN-CERT-2023-2557
...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2023-2535
 dfn-cert: DFN-CERT-2023-2534

Medium (CVSS: 5.3)

NVT: Oracle Java SE Security Update (oct2023) 03 - Windows

Summary

Oracle Java SE is prone to an unspecified vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch provided by the vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized ability to cause a partial denial of service (partial DOS) of Oracle Java SE.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u381, 11.0.20, 17.0.8, 20.0.2 on Windows.

Vulnerability Insight

The flaw exists due to an unspecified vulnerability in Oracle Java SE.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (oct2023) 03 - Windows

OID:1.3.6.1.4.1.25623.1.0.832605

Version used: 2023-10-20T21:39:12+05:30

References

cve: CVE-2023-22081

url: <https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixJAVA>

cert-bund: WID-SEC-2024-1653

cert-bund: WID-SEC-2024-1591

cert-bund: WID-SEC-2024-0769

... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2024-0528
cert-bund: WID-SEC-2024-0521
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2917
cert-bund: WID-SEC-2023-2692
dfn-cert: DFN-CERT-2024-0169
dfn-cert: DFN-CERT-2023-3177
dfn-cert: DFN-CERT-2023-3009
dfn-cert: DFN-CERT-2023-3006
dfn-cert: DFN-CERT-2023-2999
dfn-cert: DFN-CERT-2023-2975
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2023-2886
dfn-cert: DFN-CERT-2023-2562
dfn-cert: DFN-CERT-2023-2561
dfn-cert: DFN-CERT-2023-2560
dfn-cert: DFN-CERT-2023-2559
dfn-cert: DFN-CERT-2023-2558
dfn-cert: DFN-CERT-2023-2557
dfn-cert: DFN-CERT-2023-2535
dfn-cert: DFN-CERT-2023-2534

Medium (CVSS: 5.3)
NVT: Microsoft Active Directory Federation Services Information Disclosure Vulnerability (4010320)
Summary This host is missing an important security update according to Microsoft Bulletin MS17-019.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\System32\Win32k.sys File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.23677
Impact Successful exploitation will allow an attacker to read sensitive information about the target system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS - Microsoft Windows Server 2012/2012R2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight The flaw exists when Windows Active Directory Federation Services (ADFS) honors XML External Entities.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Active Directory Federation Services Information Disclosure Vulnerability. ↔.. OID:1.3.6.1.4.1.25623.1.0.810813 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2017-0043 url: https://support.microsoft.com/en-us/kb/4010320 url: http://www.securityfocus.com/bid/96628 url: https://technet.microsoft.com/library/security/MS17-019 url: https://technet.microsoft.com/library/security/MS17-019 cert-bund: CB-K17/0443 dfn-cert: DFN-CERT-2017-0451

Medium (CVSS: 5.1)
NVT: Oracle Java SE Security Update (jul2023) 03 - Windows
Summary Oracle Java SE is prone to remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u371 and earlier, 11.0.19, 17.0.7, 20.0.1 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of hotspot module within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.832318 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-22041 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1814 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-1972 dfn-cert: DFN-CERT-2023-1909 dfn-cert: DFN-CERT-2023-1657 dfn-cert: DFN-CERT-2023-1653
Medium (CVSS: 5.1)
NVT: Oracle Java SE Security Update (jul2023) 03 - Windows
Summary Oracle Java SE is prone to remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u371 and earlier, 11.0.19, 17.0.7, 20.0.1 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of hotspot module within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.832318 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-22041 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1814 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-1972 dfn-cert: DFN-CERT-2023-1909 dfn-cert: DFN-CERT-2023-1657 dfn-cert: DFN-CERT-2023-1653

Medium (CVSS: 5.0)
NVT: Microsoft Schannel Information Disclosure Vulnerability (3061518)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-055.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attacker to gain access to potentially sensitive information.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2
Vulnerability Insight The flaw is due to the use of a weak Diffie-Hellman ephemeral (DFE) key length of 512 bits in an encrypted TLS session.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Schannel Information Disclosure Vulnerability (3061518) OID:1.3.6.1.4.1.25623.1.0.805552 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1716 url: https://support.microsoft.com/en-us/kb/3061518 url: http://www.securityfocus.com/bid/74489 url: https://technet.microsoft.com/library/security/MS15-055 cert-bund: CB-K15/0668 dfn-cert: DFN-CERT-2015-0689
Medium (CVSS: 5.0) NVT: Microsoft Windows IIS FTP Service Information Disclosure Vulnerability (2761226)
Summary This host is missing a moderate security update according to Microsoft Bulletin MS12-073.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to gain access to sensitive information that may aid in further attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft FTP Service 7.0 for IIS 7.0 on Microsoft Windows Vista/2008 server Service Pack 2 and prior - Microsoft FTP Service 7.5 for IIS 7.5 on: - Microsoft Windows Vista/2008 server Service Pack 2 and prior - Microsoft Windows 7 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 Service Pack 1 and prior
Vulnerability Insight The flaws are due to - IIS improperly manages the permissions of a log file. - An error within the IIS FTP service when negotiating encrypted communications channels.
Vulnerability Detection Method Details: Microsoft Windows IIS FTP Service Information Disclosure Vulnerability (2761226) OID:1.3.6.1.4.1.25623.1.0.902694 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2012-2531 cve: CVE-2012-2532 url: http://support.microsoft.com/kb/2733829 url: http://www.securityfocus.com/bid/56440 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2012/ms-cv12-073 dfn-cert: DFN-CERT-2012-2112
Medium (CVSS: 5.0)
NVT: Microsoft SHA-2 Code Sign Support Defense in Depth (KB4474419)
Summary This host is missing a defense-in-depth update according to Microsoft KB4474419
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.24382
... continues on next page ...

...continued from previous page ...	
File checked:	C:\Windows\system32\Crypt32.dll
File version:	6.1.7601.18741
Impact Successful exploitation will allow an attacker to bypass defense-in-depth measures and perform exploitation.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 and - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1	
Vulnerability Insight Microsoft has released an update for SHA-2 code signing that introduces SHA-2 code sign support for Windows 7 SP1, and Windows Server 2008 R2 SP1.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft SHA-2 Code Sign Support Defense in Depth (KB4474419) OID:1.3.6.1.4.1.25623.1.0.814764 Version used: 2020-06-04T14:32:37+05:30	
References url: https://support.microsoft.com/en-us/help/4474419	

Medium (CVSS: 5.0)
NVT: Microsoft Windows Search Component Denial of Service Vulnerability (3165270)
Summary This host is missing an important security update according to Microsoft Bulletin MS16-082
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Structuredquery.dll File version: 7.0.7601.17514 Vulnerable range: Less than 7.0.7601.23451
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to potentially escalate permissions or perform additional privileged actions on the target machine.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows 10 x32/x64 - Microsoft Windows 10 Version 1511 x32/x64
Vulnerability Insight The flaw is due to the search component fails to properly handle certain objects in memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Search Component Denial of Service Vulnerability (3165270) OID:1.3.6.1.4.1.25623.1.0.808163 Version used: 2023-07-21T10:35:22+05:30
References cve: CVE-2016-3230 url: https://support.microsoft.com/en-us/kb/3161958 url: https://technet.microsoft.com/library/security/MS16-082 cert-bund: CB-K16/0914 dfn-cert: DFN-CERT-2016-0969

Medium (CVSS: 5.0)
NVT: Microsoft Windows OLE Privilege Elevation Vulnerability (3072633)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-075.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow attackers to bypass security protections on affected systems.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012R2 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to Microsoft Windows incorrectly handles OLE objects in documents.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows OLE Privilege Elevation Vulnerability (3072633) OID:1.3.6.1.4.1.25623.1.0.805677 Version used: 2023-07-14T21:39:27+05:30
References cve: CVE-2015-2416 cve: CVE-2015-2417 url: https://support.microsoft.com/en-us/kb/3072633 url: https://technet.microsoft.com/library/security/MS15-075 cert-bund: CB-K15/1013 dfn-cert: DFN-CERT-2015-1060
Medium (CVSS: 5.0)
NVT: Microsoft .NET Framework Denial of Service Vulnerability (2990931)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-053.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to cause a denial of service.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 1.1, 2.0, 3.0, 3.5, 3.5.1, 4.0, 4.5, 4.5.1 and 4.5.2.
Vulnerability Insight The flaw is due to an error within a hash generation function when hashing requests and can be exploited to cause a hash collision resulting in high CPU consumption via specially crafted requests.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Denial of Service Vulnerability (2990931) OID:1.3.6.1.4.1.25623.1.0.804480 Version used: 2023-07-27T10:35:08+05:30
References cve: CVE-2014-4072 url: https://technet.microsoft.com/library/security/MS14-053 url: http://www.securityfocus.com/bid/69603 cert-bund: CB-K14/1121 dfn-cert: DFN-CERT-2014-1175

Medium (CVSS: 5.0)
NVT: Microsoft Internet Explorer PDF Information Disclosure Vulnerability (Nov 2009)
Summary Internet Explorer is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful attacks may lead to the exposure of system information on the affected system.
... continues on next page ...

...continued from previous page ...	
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.	
Affected Software/OS Microsoft Internet Explorer version 6/7/8.	
Vulnerability Insight The weakness is due to an Internet Explorer including the first 63 bytes of the file path in the 'Title' property when converting local HTML or MHT files to PDF using a PDF printer. This can lead to the exposure of certain system information e.g. the user name.	
Vulnerability Detection Method Details: Microsoft Internet Explorer PDF Information Disclosure Vulnerability (Nov 2009) OID:1.3.6.1.4.1.25623.1.0.900897 Version used: 2025-12-17T11:16:28+05:30	
References cve: CVE-2009-4073 url: http://www.securityfocus.com/archive/1/archive/1/508010/100/0/threaded url: http://www.securityfocus.com/bid/37117 url: http://www.theregister.co.uk/2009/11/23/internet_explorer_file_disclosure_b ↪ug/ url: http://securethoughts.com/2009/11/millions-of-pdf-invisibly-embedded-with-y ↪our-internal-disk-paths/	

Medium (CVSS: 5.0)	
NVT: Microsoft Windows Latest Servicing Stack Updates-Defense in Depth (KB3177467)	
Summary This host is missing an important security update according to Microsoft KB3177467.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Vulnerable range: Less than 6.1.7601.23505 File checked: c:\windows\winsxs\amd64_microsoft-windows-servicingstack_31bf ↪3856ad364e35_6.1.7601.17514_none_678566b7ddea04a5\smiengine.dll File version: 6.1.7601.17514	
Impact ... continues on next page ...	

...continued from previous page ...
Successful exploitation will allow an attacker to bypass a security control or take advantage of a vulnerability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 for 32-bit/x64 Systems Service Pack 1 - Microsoft Windows Server 2008 R2 for x64-based Systems Service Pack 1
Vulnerability Insight Microsoft has released latest servicing stack updates that provides enhanced security as a defense in depth measure.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Latest Servicing Stack Updates-Defense in Depth (KB3177467) OID:1.3.6.1.4.1.25623.1.0.814270 Version used: 2025-02-28T11:08:49+05:30
References url: https://support.microsoft.com/en-us/help/3177467 url: https://portal.msrc.microsoft.com/en-US/security-guidance/advisory/ADV99000 ↩→1

Medium (CVSS: 4.9)
NVT: Microsoft Windows Kerberos Local Security Bypass Vulnerability (3105256)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-122.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Kerberos.dll File version: 6.1.7601.18741 Vulnerable range: Less than 6.1.7601.19043
Impact Successful exploitation will allow local attackers to bypass certain security restrictions and perform unauthorized actions.
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Service Pack 1
Vulnerability Insight The flaw is due to Kerberos fails to check the password change of a user signing into a workstation.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kerberos Local Security Bypass Vulnerability (3105256) OID:1.3.6.1.4.1.25623.1.0.806556 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-6095 url: https://support.microsoft.com/en-us/kb/3105256 url: https://technet.microsoft.com/library/security/MS15-122 cert-bund: CB-K15/1649 dfn-cert: DFN-CERT-2015-1742

Medium (CVSS: 4.9)
NVT: Microsoft Windows Ancillary Function Driver Information Disclosure Vulnerability (2875783)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-093
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow disclosure of potentially sensitive information if an attacker logs on to a user's system and runs a specially crafted application.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2012 - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due an error in Ancillary Function Driver (AFD) which does not properly copies data from kernel memory to user memory.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Ancillary Function Driver Information Disclosure Vulnerabilit. ↔.. OID:1.3.6.1.4.1.25623.1.0.903501 Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2013-3887 url: http://support.microsoft.com/kb/2875783 url: http://www.securityfocus.com/bid/63545 url: https://technet.microsoft.com/en-us/security/bulletin/ms13-093 cert-bund: CB-K13/0909 dfn-cert: DFN-CERT-2013-1921
Medium (CVSS: 4.9)
NVT: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2778344)
Summary This host is missing an important security update according to Microsoft Bulletin MS13-016.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation will allow remote attackers to a specially crafted program to exploit race conditions in 'win32k.sys' and gain System level privileges.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	
	- Microsoft Windows XP x32 Edition Service Pack 3 and prior - Microsoft Windows XP x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight	The flaws due to an error in 'win32k.sys' when handling kernel-mode driver objects in memory.
Vulnerability Detection Method	Details: Microsoft Windows Kernel-Mode Drivers Privilege Elevation Vulnerabilities (2778. ↔.. OID:1.3.6.1.4.1.25623.1.0.902943 Version used: 2025-03-05T11:08:53+05:30
References	- cve: CVE-2013-1248 - cve: CVE-2013-1249 - cve: CVE-2013-1250 - cve: CVE-2013-1264 - cve: CVE-2013-1251 - cve: CVE-2013-1265 - cve: CVE-2013-1252 - cve: CVE-2013-1266 - cve: CVE-2013-1253 - cve: CVE-2013-1267 - cve: CVE-2013-1254 - cve: CVE-2013-1255 - cve: CVE-2013-1256 - cve: CVE-2013-1257 - cve: CVE-2013-1258 - cve: CVE-2013-1259 - cve: CVE-2013-1260 - cve: CVE-2013-1261 - cve: CVE-2013-1262
... continues on next page ...	

...continued from previous page ...

cve: CVE-2013-1263
cve: CVE-2013-1268
cve: CVE-2013-1269
cve: CVE-2013-1270
cve: CVE-2013-1271
cve: CVE-2013-1272
cve: CVE-2013-1273
cve: CVE-2013-1274
cve: CVE-2013-1275
cve: CVE-2013-1276
cve: CVE-2013-1277
url: <http://support.microsoft.com/kb/2778344>
url: <http://www.securityfocus.com/bid/57786>
url: <http://www.securityfocus.com/bid/57791>
url: <http://www.securityfocus.com/bid/57792>
url: <http://www.securityfocus.com/bid/57793>
url: <http://www.securityfocus.com/bid/57794>
url: <http://www.securityfocus.com/bid/57795>
url: <http://www.securityfocus.com/bid/57796>
url: <http://www.securityfocus.com/bid/57797>
url: <http://www.securityfocus.com/bid/57798>
url: <http://www.securityfocus.com/bid/57799>
url: <http://www.securityfocus.com/bid/57800>
url: <http://www.securityfocus.com/bid/57801>
url: <http://www.securityfocus.com/bid/57802>
url: <http://www.securityfocus.com/bid/57803>
url: <http://www.securityfocus.com/bid/57804>
url: <http://www.securityfocus.com/bid/57805>
url: <http://www.securityfocus.com/bid/57806>
url: <http://www.securityfocus.com/bid/57807>
url: <http://www.securityfocus.com/bid/57808>
url: <http://www.securityfocus.com/bid/57809>
url: <http://www.securityfocus.com/bid/57810>
url: <http://www.securityfocus.com/bid/57811>
url: <http://www.securityfocus.com/bid/57812>
url: <http://www.securityfocus.com/bid/57813>
url: <http://www.securityfocus.com/bid/57814>
url: <http://www.securityfocus.com/bid/57815>
url: <http://www.securityfocus.com/bid/57816>
url: <http://www.securityfocus.com/bid/57817>
url: <http://www.securityfocus.com/bid/57818>
url: <http://www.securityfocus.com/bid/57819>
url: <http://www.securitytracker.com/id/1028124>
url: <https://docs.microsoft.com/en-us/security-updates/securitybulletins/2013/ms-cv-13-016>
cert-bund: CB-K14/0283
dfn-cert: DFN-CERT-2013-0288

Medium (CVSS: 4.8)
NVT: Oracle Java SE Security Updates - 04 - (cpujul2020) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some accessible data as well as unauthorized read access to a subset of accessible data.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u251 (1.8.0.251) and earlier, 11.0.7 and earlier, 14.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to errors in the components 'Libraries' and '2D'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 04 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118168 Version used: 2024-02-26T20:06:40+05:30
References cve: CVE-2020-14556 cve: CVE-2020-14581 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1522 cert-bund: CB-K20/1075 cert-bund: CB-K20/0715 dfn-cert: DFN-CERT-2020-1762 dfn-cert: DFN-CERT-2020-1531

Medium (CVSS: 4.8)
NVT: Oracle Java SE Security Update (Oct 2024) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to disclose information and cause partial denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u421 and prior, 17.0.x through 17.0.12, 11.0.x through 11.0.24, 21.0.x through 21.0.4 and 23 on Windows.
Vulnerability Insight These vulnerabilities exist: - CVE-2024-21235: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21210: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21208: An error in the Networking component of Oracle Java SE. - CVE-2024-21217: An error in the Serialization component of Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Oct 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.834686 Version used: 2026-03-12T11:26:11+05:30
References cve: CVE-2024-21235 cve: CVE-2024-21210 cve: CVE-2024-21208 cve: CVE-2024-21217 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixJAVA
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2025-0794
cert-bund: WID-SEC-2025-0580
cert-bund: WID-SEC-2024-3206
cert-bund: WID-SEC-2024-3189
dfn-cert: DFN-CERT-2025-2802
dfn-cert: DFN-CERT-2025-1788
dfn-cert: DFN-CERT-2025-1662
dfn-cert: DFN-CERT-2025-1645
dfn-cert: DFN-CERT-2025-1071
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2025-0927
dfn-cert: DFN-CERT-2025-0835
dfn-cert: DFN-CERT-2025-0619
dfn-cert: DFN-CERT-2024-3323
dfn-cert: DFN-CERT-2024-3259
dfn-cert: DFN-CERT-2024-3247
dfn-cert: DFN-CERT-2024-3219
dfn-cert: DFN-CERT-2024-2971
dfn-cert: DFN-CERT-2024-2760
dfn-cert: DFN-CERT-2024-2739
dfn-cert: DFN-CERT-2024-2738

Medium (CVSS: 4.8)
NVT: Oracle Java SE Security Update (Oct 2024) - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to disclose information and cause partial denial of service attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
...continues on next page ...

...continued from previous page ...	
Affected Software/OS	Oracle Java SE version 8u421 and prior, 17.0.x through 17.0.12, 11.0.x through 11.0.24, 21.0.x through 21.0.4 and 23 on Windows.
Vulnerability Insight	These vulnerabilities exist: - CVE-2024-21235: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21210: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21208: An error in the Networking component of Oracle Java SE. - CVE-2024-21217: An error in the Serialization component of Oracle Java SE.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Oct 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.834686 Version used: 2026-03-12T11:26:11+05:30
References	cve: CVE-2024-21235 cve: CVE-2024-21210 cve: CVE-2024-21208 cve: CVE-2024-21217 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixJAVA cert-bund: WID-SEC-2025-0794 cert-bund: WID-SEC-2025-0580 cert-bund: WID-SEC-2024-3206 cert-bund: WID-SEC-2024-3189 dfn-cert: DFN-CERT-2025-2802 dfn-cert: DFN-CERT-2025-1788 dfn-cert: DFN-CERT-2025-1662 dfn-cert: DFN-CERT-2025-1645 dfn-cert: DFN-CERT-2025-1071 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2025-0927 dfn-cert: DFN-CERT-2025-0835 dfn-cert: DFN-CERT-2025-0619 dfn-cert: DFN-CERT-2024-3323 dfn-cert: DFN-CERT-2024-3259 dfn-cert: DFN-CERT-2024-3247 dfn-cert: DFN-CERT-2024-3219 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2760 dfn-cert: DFN-CERT-2024-2739 dfn-cert: DFN-CERT-2024-2738

Medium (CVSS: 4.8)
NVT: Oracle Java SE Security Updates - 04 - (cpujul2020) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful attacks of this vulnerability can result in unauthorized update, insert or delete access to some accessible data as well as unauthorized read access to a subset of accessible data.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u251 (1.8.0.251) and earlier, 11.0.7 and earlier, 14.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to errors in the components 'Libraries' and '2D'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 04 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118168 Version used: 2024-02-26T20:06:40+05:30
References cve: CVE-2020-14556 cve: CVE-2020-14581 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1522 cert-bund: CB-K20/1075 cert-bund: CB-K20/0715 dfn-cert: DFN-CERT-2020-1762 dfn-cert: DFN-CERT-2020-1531

Medium (CVSS: 4.3)
NVT: Microsoft Windows XML Core Services Information Disclosure Vulnerability (3080129)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-084.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to conduct man-in-the-middle (MiTM) attack and gain access to sensitive data.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012 R2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight Flaw exists due to: - An error in Microsoft XML Core Services which allows forceful use of Secure Sockets Layer (SSL) 2.0. - An error in Microsoft XML Core Services which exposes memory addresses not intended for public disclosure.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows XML Core Services Information Disclosure Vulnerability (30801. ↪.. OID:1.3.6.1.4.1.25623.1.0.805950 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2434 ... continues on next page ...

...continued from previous page ...
cve: CVE-2015-2471 cve: CVE-2015-2440 url: https://support.microsoft.com/en-us/kb/3076895 url: http://www.securityfocus.com/bid/76232 url: http://www.securityfocus.com/bid/76257 url: http://www.securityfocus.com/bid/76229 url: https://support.microsoft.com/en-us/kb/3080129 url: https://technet.microsoft.com/library/security/ms15-084 cert-bund: CB-K15/1174 dfn-cert: DFN-CERT-2015-1236

Medium (CVSS: 4.3)
NVT: Microsoft DES Encryption Security Advisory (3057154)
Summary This host is missing an important security update according to Microsoft advisory (3057154).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow attackers to break certain authentication scenarios.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight An update is available that provides enhanced user protection in environments where DES is still enabled for application compatibility reasons.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft DES Encryption Security Advisory (3057154)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.805678 Version used: 2023-07-25T10:35:58+05:30
References url: https://support.microsoft.com/en-us/kb/3057154 url: https://technet.microsoft.com/library/security/3057154

Medium (CVSS: 4.3)
NVT: Microsoft Graphics Component Information Disclosure Vulnerability (3029944)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-016.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to disclose certain sensitive information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2
Vulnerability Insight Flaw is due to improper handling uninitialized memory when parsing certain, specially crafted TIFF image format files.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Graphics Component Information Disclosure Vulnerability (3029944) OID:1.3.6.1.4.1.25623.1.0.805137
... continues on next page ...

...continued from previous page ...
Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0061 url: https://support.microsoft.com/kb/3029944 url: http://www.securityfocus.com/bid/72456 url: https://technet.microsoft.com/library/security/MS15-016 cert-bund: CB-K15/0171 dfn-cert: DFN-CERT-2015-0175
Medium (CVSS: 4.3)
NVT: Microsoft Windows Photo Decoder Information Disclosure Vulnerability (3035126)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-029.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to gain access to potentially sensitive information in memory.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Flaw exists due to error in the Photo decoder that is triggered as the program fails to handle uninitialized memory when parsing a specially crafted JPEG XR image
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...	
Details: Microsoft Windows Photo Decoder Information Disclosure Vulnerability (3035126)	
OID:1.3.6.1.4.1.25623.1.0.805501	
Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-0076 url: https://support.microsoft.com/kb/3035126 url: https://technet.microsoft.com/library/security/MS15-029 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324	
Medium (CVSS: 4.3)	
NVT: Microsoft JScript and VBScript Scripting Engines Information Disclosure Vulnerability (2475792)	
Summary This host is missing a critical security update according to Microsoft Bulletin MS11-009.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to gain access to sensitive information that may aid in further attacks.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior	
Vulnerability Insight The flaw is caused by a memory corruption error in the JScript and VBScript scripting engines when processing scripts in Web pages.	
Vulnerability Detection Method Details: Microsoft JScript and VBScript Scripting Engines Information Disclosure Vulnerability (2475792) OID:1.3.6.1.4.1.25623.1.0.902336	
... continues on next page ...	

...continued from previous page ...
Version used: 2025-03-05T11:08:53+05:30
References cve: CVE-2011-0031 url: http://www.vupen.com/english/advisories/2011/0322 url: http://www.securityfocus.com/bid/46139 url: https://docs.microsoft.com/en-us/security-updates/securitybulletins/2011/ms-cv11-009 dfn-cert: DFN-CERT-2011-0161

Medium (CVSS: 4.3)
NVT: Microsoft Windows NETLOGON Spoofing Vulnerability (3002657)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-027.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote man-in-the-middle attacker to conduct SMB relay attacks on domain environments utilizing SMB Signing enforcement, and decrypt SMB3 communications intercepted.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2012/R2 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Flaw is due to Netlogon service improperly establishes a secure communications channel belonging to a different machine with a spoofed computer name.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows NETLOGON Spoofing Vulnerability (3002657) OID:1.3.6.1.4.1.25623.1.0.805145
... continues on next page ...

...continued from previous page ...
Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0005 url: https://support.microsoft.com/kb/3002657 url: https://technet.microsoft.com/library/security/MS15-027 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324
Medium (CVSS: 4.3)
NVT: Microsoft .NET Framework Privilege Elevation Vulnerabilities (3104507)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-118.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\System.Deployment.dll File version: 2.0.50727.5420 Vulnerable range: Less than 2.0.50727.5493
Impact Successful exploitation will allow an attacker to gain read access to local files, bypass the security feature and then load additional malicious code, inject client-side script into a users browser and ultimately modify or spoof content, conduct phishing activities, disclose information, or perform any action on the vulnerable website that the target user has permission to perform.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 2.0 Service Pack 2 - Microsoft .NET Framework 3.5 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4 - Microsoft .NET Framework 4.5, 4.5.1, and 4.5.2 - Microsoft .NET Framework 4.6, 4.6 RC
Vulnerability Insight Multiple flaws exist due to: - An error in the .NET Framework DTD parsing of certain specially crafted XML files.
... continues on next page ...

...continued from previous page ...
- ASP.NET improperly validates values in HTTP requests. - An error in the .NET Framework component which does not properly implement the Address Space Layout Randomization (ASLR) security feature.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Privilege Elevation Vulnerabilities (3104507) OID:1.3.6.1.4.1.25623.1.0.806614 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-6096 cve: CVE-2015-6099 cve: CVE-2015-6115 url: https://support.microsoft.com/en-us/kb/3104507 url: https://technet.microsoft.com/library/security/MS15-118 cert-bund: CB-K15/1656 dfn-cert: DFN-CERT-2015-1740

Medium (CVSS: 4.3)
NVT: Oracle Java SE Security Update (jul2021) 01 - Windows
Summary This host is missing a security update according to Oracle.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on integrity and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
Oracle Java SE version 7u301 (1.7.0.301) and earlier, 8u291 (1.8.0.291) and earlier, 11.0.11 and earlier, 16.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'Libraries' and 'Networking' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2021) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.818168 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-2341 cve: CVE-2021-2369 url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixJAVA cert-bund: WID-SEC-2023-0063 cert-bund: WID-SEC-2022-0464 cert-bund: WID-SEC-2022-0024 cert-bund: CB-K22/0675 cert-bund: CB-K22/0239 cert-bund: CB-K21/0981 cert-bund: CB-K21/0783 dfn-cert: DFN-CERT-2022-1247 dfn-cert: DFN-CERT-2022-0366 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2022-0106 dfn-cert: DFN-CERT-2022-0074 dfn-cert: DFN-CERT-2021-2310 dfn-cert: DFN-CERT-2021-1825 dfn-cert: DFN-CERT-2021-1728 dfn-cert: DFN-CERT-2021-1534 dfn-cert: DFN-CERT-2021-1533
Medium (CVSS: 4.3)
NVT: Microsoft PNG Processing Information Disclosure Vulnerability (3035132)
Summary This host is missing a critical security update according to Microsoft Bulletin MS15-024.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
... continues on next page ...

...continued from previous page ...
Impact Successful exploitation will allow remote attacker to access sensitive information that could be used to launch additional attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32 Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2008 x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2
Vulnerability Insight The flaw is due to improper memory operations performed by the affected software when handling crafted content
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft PNG Processing Information Disclosure Vulnerability (3035132) OID:1.3.6.1.4.1.25623.1.0.805489 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0080 url: https://support.microsoft.com/kb/3035132 url: https://technet.microsoft.com/library/security/ms15-024 url: https://technet.microsoft.com/library/security/MS15-024 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324

Medium (CVSS: 4.3)

NVT: Microsoft Schannel Security Feature Bypass Vulnerability (3046049)

Summary

This host is missing an important security update according to Microsoft Bulletin MS15-031.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result	The target host was found to be vulnerable
Impact	Successful exploitation will allow remote attacker to conduct cipher-downgrade attacks to EXPORT_RSA ciphers via crafted TLS traffic.
Solution:	
Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	- Microsoft Windows 2003 x32/x64 Service Pack 2 - Microsoft Windows Vista x32/x64 Service Pack 2 - Microsoft Windows Server 2008 x32 Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Service Pack 1 - Microsoft Windows Server 2008 x64 Service Pack 2 - Microsoft Windows 7 x32/x64 Service Pack 1 - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/2012R2
Vulnerability Insight	The flaw is due to an error in schannel which does not properly restrict TLS state transitions.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Microsoft Schannel Security Feature Bypass Vulnerability (3046049) OID:1.3.6.1.4.1.25623.1.0.805490 Version used: 2023-07-25T10:35:58+05:30
References	cve: CVE-2015-1637 url: https://support.microsoft.com/kb/3046049 url: http://www.securityfocus.com/bid/72965 url: https://technet.microsoft.com/library/security/ms15-031 cert-bund: CB-K15/0319 cert-bund: CB-K15/0290 dfn-cert: DFN-CERT-2015-0324 dfn-cert: DFN-CERT-2015-0300

Medium (CVSS: 4.3)
NVT: Microsoft Windows Command Line Parameter Information Disclosure Vulnerability (3082458)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-088.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\notepad.exe File version: 6.1.7601.17514 Vulnerable range: Less than 6.1.7601.18918
Impact Successful exploitation will allow a local attacker to obtain sensitive information that may aid in further attacks.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows Server 2012R2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to an improper security restrictions on files stored on an affected system.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Command Line Parameter Information Disclosure Vulnerability (↪... OID:1.3.6.1.4.1.25623.1.0.806012 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2423
... continues on next page ...

...continued from previous page ...
url: https://support.microsoft.com/en-us/kb/3046017
url: http://www.securityfocus.com/bid/76202
url: https://support.microsoft.com/en-us/kb/3079757
url: https://technet.microsoft.com/library/security/MS15-088
cert-bund: CB-K15/1174
cert-bund: CB-K15/1172
cert-bund: CB-K15/1169
dfn-cert: DFN-CERT-2015-1236
dfn-cert: DFN-CERT-2015-1235
dfn-cert: DFN-CERT-2015-1231

Medium (CVSS: 4.3)
NVT: Microsoft Cryptographic Cipher Suite Prioritization Advisory (3042058)
Summary This host is missing an important security update according to Microsoft advisory (3042058).
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\schannel.dll File version: 6.1.7601.18741 Vulnerable range: Version Less than - 6.1.7601.18812
Impact Successful exploitation will allow attackers to break certain authentication scenarios.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2012 R2 - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior
Vulnerability Insight An update is available that improves effectiveness of encryption in Windows operating systems by adding cipher suites to the default list on affected systems and thus improving cipher suite priority ordering.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Cryptographic Cipher Suite Prioritization Advisory (3042058) OID:1.3.6.1.4.1.25623.1.0.806091 Version used: 2023-07-25T10:35:58+05:30
References url: https://support.microsoft.com/en-us/kb/3042058 url: https://technet.microsoft.com/library/security/3042058

Medium (CVSS: 4.3)
NVT: Microsoft Windows XML Core Services Security Feature Bypass Vulnerability (3046482)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-039.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to bypass security restrictions and gain access to sensitive user information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2
Vulnerability Insight Flaw exists due to some unspecified error in XML Core services that may allow a context-dependent attacker to bypass the same-origin policy.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows XML Core Services Security Feature Bypass Vulnerability (3046482) ↪...
...continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.805533 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-1646 url: https://support.microsoft.com/kb/3046482 url: https://technet.microsoft.com/library/security/MS15-039 cert-bund: CB-K15/0527 dfn-cert: DFN-CERT-2015-0545

Medium (CVSS: 4.3)
NVT: Oracle Java SE Security Update (jul2021) 01 - Windows
Summary This host is missing a security update according to Oracle.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on integrity and confidentiality.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u301 (1.7.0.301) and earlier, 8u291 (1.8.0.291) and earlier, 11.0.11 and earlier, 16.0.1 and earlier on Windows.
Vulnerability Insight Multiple flaws are due to multiple errors in 'Libraries' and 'Networking' components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2021) 01 - Windows OID:1.3.6.1.4.1.25623.1.0.818168
... continues on next page ...

...continued from previous page ...
Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-2341 cve: CVE-2021-2369 url: https://www.oracle.com/security-alerts/cpujul2021.html#AppendixJAVA cert-bund: WID-SEC-2023-0063 cert-bund: WID-SEC-2022-0464 cert-bund: WID-SEC-2022-0024 cert-bund: CB-K22/0675 cert-bund: CB-K22/0239 cert-bund: CB-K21/0981 cert-bund: CB-K21/0783 dfn-cert: DFN-CERT-2022-1247 dfn-cert: DFN-CERT-2022-0366 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2022-0106 dfn-cert: DFN-CERT-2022-0074 dfn-cert: DFN-CERT-2021-2310 dfn-cert: DFN-CERT-2021-1825 dfn-cert: DFN-CERT-2021-1728 dfn-cert: DFN-CERT-2021-1534 dfn-cert: DFN-CERT-2021-1533

Medium (CVSS: 4.3)
NVT: Microsoft .NET Framework Security Bypass Vulnerability (2984625)
Summary This host is missing an important security update according to Microsoft Bulletin MS14-046.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow an attacker to execute of arbitrary code and bypass certain security mechanism.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS ... continues on next page ...

...continued from previous page ...
Microsoft .NET Framework 2.0 Service Pack 2, 3.0 Service Pack 2, 3.5, 3.5.1.
Vulnerability Insight Flaw is triggered when handling specially crafted website content due to the Address Space Layout Randomization (ASLR) security feature.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework Security Bypass Vulnerability (2984625) OID:1.3.6.1.4.1.25623.1.0.804740 Version used: 2023-07-26T10:35:09+05:30
References cve: CVE-2014-4062 url: https://technet.microsoft.com/en-us/security/bulletin/ms14-046 url: http://www.securityfocus.com/bid/69145 url: http://support.microsoft.com/kb/2984625 cert-bund: CB-K14/1013 dfn-cert: DFN-CERT-2014-1053

Medium (CVSS: 4.2)
NVT: Oracle Java SE Security Update (cpuoct2020 - 01) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
Oracle Java SE version 7u271 (1.7.0.271) and earlier, 8u261 (1.8.0.261) and earlier, 11.0.8 and earlier, 15.
Vulnerability Insight Multiple flaws are due to errors in components Libraries, JSSE, Hotspot, Serialization and JNDI.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (cpuoct2020 - 01) - Windows OID:1.3.6.1.4.1.25623.1.0.817610 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2020-14792 cve: CVE-2020-14781 cve: CVE-2020-14782 cve: CVE-2020-14797 cve: CVE-2020-14779 cve: CVE-2020-14796 cve: CVE-2020-14798 url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-2242 cert-bund: WID-SEC-2022-1285 cert-bund: CB-K21/0927 cert-bund: CB-K21/0279 cert-bund: CB-K20/1014 dfn-cert: DFN-CERT-2021-1839 dfn-cert: DFN-CERT-2021-1798 dfn-cert: DFN-CERT-2021-0862 dfn-cert: DFN-CERT-2021-0543 dfn-cert: DFN-CERT-2021-0352 dfn-cert: DFN-CERT-2021-0332 dfn-cert: DFN-CERT-2020-2682 dfn-cert: DFN-CERT-2020-2290
Medium (CVSS: 4.2)
NVT: Oracle Java SE Security Update (cpuoct2020 - 01) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u271 (1.7.0.271) and earlier, 8u261 (1.8.0.261) and earlier, 11.0.8 and earlier, 15.
Vulnerability Insight Multiple flaws are due to errors in components Libraries, JSSE, Hotspot, Serialization and JNDI.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (cpuoct2020 - 01) - Windows OID:1.3.6.1.4.1.25623.1.0.817610 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2020-14792 cve: CVE-2020-14781 cve: CVE-2020-14782 cve: CVE-2020-14797 cve: CVE-2020-14779 cve: CVE-2020-14796 cve: CVE-2020-14798 url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-2242 cert-bund: WID-SEC-2022-1285 cert-bund: CB-K21/0927 cert-bund: CB-K21/0279 cert-bund: CB-K20/1014 dfn-cert: DFN-CERT-2021-1839 dfn-cert: DFN-CERT-2021-1798 dfn-cert: DFN-CERT-2021-0862 dfn-cert: DFN-CERT-2021-0543 dfn-cert: DFN-CERT-2021-0352
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2021-0332
 dfn-cert: DFN-CERT-2020-2682
 dfn-cert: DFN-CERT-2020-2290

Medium (CVSS: 4.0)

NVT: Microsoft Internet Explorer Information Disclosure and Web Site Spoofing Vulnerabilities

Summary

Microsoft Internet Explorer is prone to information disclosure and web site spoofing vulnerabilities.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

The target host was found to be vulnerable

Impact

Successful exploitation allows attackers to disclose the sensitive information and view the contents of spoofed site or carry out phishing attacks.

Solution:**Solution type:** WillNotFix

No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.

Affected Software/OS

Microsoft Internet Explorer versions 8 and 9.

Vulnerability Insight

The proxy settings configuration has same proxy address and value for HTTP and HTTPS,
 - TCP session to proxy server will not properly be reused. This allows remote attackers to steal cookie information via crafted HTML document.
 - SSL lock consistency with address bar is not ensured. This allows remote attackers to spoof web sites via a crafted HTML document.

Vulnerability Detection Method

Details: Microsoft Internet Explorer Information Disclosure and Web Site Spoofing Vulner.
 ↪...

OID:1.3.6.1.4.1.25623.1.0.803305

Version used: 2025-08-01T11:15:36+05:30

References

cve: CVE-2013-1450

...continues on next page ...

...continued from previous page ...
cve: CVE-2013-1451 url: http://pastebin.com/raw.php?i=rz9BcBey url: http://www.securityfocus.com/bid/57640 url: http://www.securityfocus.com/bid/57641 url: http://cxsecurity.com/cveshow/CVE-2013-1450 url: http://cxsecurity.com/cveshow/CVE-2013-1451 url: http://www.security-database.com/detail.php?alert=CVE-2013-1450 url: http://www.security-database.com/detail.php?alert=CVE-2013-1451

Medium (CVSS: 4.0)
NVT: Microsoft Windows Active Directory Service Denial of Service Vulnerability (3072595)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-096.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Samsrv.dll File version: 6.1.7601.17514 Vulnerable range: 6.1.7601.18000 - 6.1.7601.18956
Impact Successful exploitation will allow an the attacker to cause the service to become non-responsive, resulting in denial-of-service conditions.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2012 - Microsoft Windows Server 2012R2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior
Vulnerability Insight The flaw is due to improper resource management by the affected software while creating multiple machine accounts.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Active Directory Service Denial of Service Vulnerability (307. ↪..
...continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.806044 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2535 url: https://support.microsoft.com/en-us/kb/3072595 url: https://technet.microsoft.com/library/security/MS15-096 cert-bund: CB-K15/1321 dfn-cert: DFN-CERT-2015-1385

[\[return to 192.168.56.6 \]](#)

2.1.30 Medium 8383/tcp

Medium (CVSS: 5.3)
NVT: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048 bits
Summary The remote SSL/TLS server certificate and/or any of the certificates in the certificate chain is using a RSA key with less than 2048 bits.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) with a RSA key w ↳ith less than 2048 bits (public-key-size:public-key-algorithm:serial:issuer): 1024:RSA:00F59CEF71E6DB72A5:1.2.840.113549.1.9.1=#737570706F7274406465736B746F70 ↳63656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corporation,L ↳=Pleasanton,ST=CA,C=US (Server certificate)
Impact Using certificates with weak RSA key size can lead to unauthorized exposure of sensitive information.
Solution: Solution type: Mitigation Replace the certificate with a stronger key and reissue the certificates it signed.
Vulnerability Insight SSL/TLS certificates using RSA keys with less than 2048 bits are considered unsafe.
Vulnerability Detection Method
... continues on next page ...

...continued from previous page ...
Checks the RSA keys size of the server certificate and all certificates in chain for a size < 2048 bit. Details: SSL/TLS: Server Certificate / Certificate in Chain with RSA keys less than 2048. ↪... OID:1.3.6.1.4.1.25623.1.0.150710 Version used: 2021-12-10T18:18:00+05:30
References url: https://www.cabforum.org/wp-content/uploads/Baseline_Requirements_V1.pdf

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service expired on 2020-09-05 12:24:44. Certificate details: fingerprint (SHA-1) 701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315 fingerprint (SHA-256) C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E ↪B135AD83CD7B01A5A5 issued by 1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US public key algorithm RSA public key size (bits) 1024 serial 00F59CEF71E6DB72A5 signature algorithm sha1WithRSAEncryption subject 1.2.840.113549.1.9.1=#737570706F7274406465736B ↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↪tion,L=Pleasanton,ST=CA,C=US subject alternative names (SAN) None valid from 2010-09-08 12:24:44 UTC valid until 2020-09-05 12:24:44 UTC
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: Mitigation Replace the SSL/TLS certificate by a new one.
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↵ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↵an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↵.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
... continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuides/ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLSProtokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org
...continues on next page ...

...continued from previous page ...

url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters>
 ↩-report-2014

url: <https://datatracker.ietf.org/doc/rfc8996/>

url: <https://vnhacker.blogspot.com/2011/09/beast.html>

url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>

url: <https://certvde.com/en/advisories/VDE-2025-031/>

url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>

url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>

cert-bund: WID-SEC-2026-0180

cert-bund: WID-SEC-2023-1435

cert-bund: CB-K18/0799

cert-bund: CB-K16/1289

cert-bund: CB-K16/1096

cert-bund: CB-K15/1751

cert-bund: CB-K15/1266

cert-bund: CB-K15/0850

cert-bund: CB-K15/0764

cert-bund: CB-K15/0720

cert-bund: CB-K15/0548

cert-bund: CB-K15/0526

cert-bund: CB-K15/0509

cert-bund: CB-K15/0493

cert-bund: CB-K15/0384

cert-bund: CB-K15/0365

cert-bund: CB-K15/0364

cert-bund: CB-K15/0302

cert-bund: CB-K15/0192

cert-bund: CB-K15/0079

cert-bund: CB-K15/0016

cert-bund: CB-K14/1342

cert-bund: CB-K14/0231

cert-bund: CB-K13/0845

cert-bund: CB-K13/0796

cert-bund: CB-K13/0790

dfn-cert: DFN-CERT-2020-0177

dfn-cert: DFN-CERT-2020-0111

dfn-cert: DFN-CERT-2019-0068

dfn-cert: DFN-CERT-2018-1441

dfn-cert: DFN-CERT-2018-1408

dfn-cert: DFN-CERT-2016-1372

dfn-cert: DFN-CERT-2016-1164

dfn-cert: DFN-CERT-2016-0388

dfn-cert: DFN-CERT-2015-1853

dfn-cert: DFN-CERT-2015-1332

dfn-cert: DFN-CERT-2015-0884

dfn-cert: DFN-CERT-2015-0800

dfn-cert: DFN-CERT-2015-0758

... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095

...continues on next page ...

...	...continued from previous page ...
dfn-cert:	DFN-CERT-2012-0051
dfn-cert:	DFN-CERT-2012-0047
dfn-cert:	DFN-CERT-2012-0021
dfn-cert:	DFN-CERT-2011-1953
dfn-cert:	DFN-CERT-2011-1946
dfn-cert:	DFN-CERT-2011-1844
dfn-cert:	DFN-CERT-2011-1826
dfn-cert:	DFN-CERT-2011-1774
dfn-cert:	DFN-CERT-2011-1743
dfn-cert:	DFN-CERT-2011-1738
dfn-cert:	DFN-CERT-2011-1706
dfn-cert:	DFN-CERT-2011-1628
dfn-cert:	DFN-CERT-2011-1627
dfn-cert:	DFN-CERT-2011-1619
dfn-cert:	DFN-CERT-2011-1482

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability
Summary The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).
Quality of Detection (QoD): 80%
Vulnerability Detection Result Server Temporary Key Size: 1024 bits
Impact An attacker might be able to decrypt the SSL/TLS communication offline.
Solution: Solution type: Workaround - Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task. - For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile
Medium (CVSS: 4.0)
NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm
Summary The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following certificates are part of the certificate chain but using insecure ↪signature algorithms: Subject: 1.2.840.113549.1.9.1=#737570706F7274406465736B746F7063656E ↪7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corporation,L=Pleasanton,ST=CA,C=US ↪anton,ST=CA,C=US
... continues on next page ...

...continued from previous page ...	
Signature Algorithm:	sha1WithRSAEncryption
Solution: Solution type: Mitigation Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.	
Vulnerability Insight The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use: - Secure Hash Algorithm 1 (SHA-1) - Message Digest 5 (MD5) - Message Digest 4 (MD4) - Message Digest 2 (MD2) Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates. NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive: Fingerprint1 or fingerprint1, Fingerprint2	
Vulnerability Detection Method Check which hashing algorithm was used to sign the remote SSL/TLS certificate. Details: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm OID:1.3.6.1.4.1.25623.1.0.105880 Version used: 2021-10-15T16:43:32+05:30	
References url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-sha-1-based-signature-algorithms/	

[[return to 192.168.56.6](#)]

2.1.31 Medium 3820/tcp

Medium (CVSS: 5.0)
NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)
Summary
... continues on next page ...

...continued from previous page ...
url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/
url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/
url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation
url: https://www.openwall.com/lists/oss-security/2011/07/08/2
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0796
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K17/0980
cert-bund: CB-K17/0979
cert-bund: CB-K14/0772
cert-bund: CB-K13/0915
cert-bund: CB-K13/0462
dfn-cert: DFN-CERT-2025-0933
dfn-cert: DFN-CERT-2017-1013
dfn-cert: DFN-CERT-2017-1012
dfn-cert: DFN-CERT-2014-0809
dfn-cert: DFN-CERT-2013-1928
dfn-cert: DFN-CERT-2012-1112

Medium (CVSS: 5.0)
NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service is signed by the following untrusted and/or dangerous CA: Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=California,C=US Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD5B23381002A885F556
... continues on next page ...

...continued from previous page...	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation ↩,L=Santa Clara,ST=California,C=US
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation ↩,L=Santa Clara,ST=California,C=US
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Impact An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.	
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
Medium (CVSS: 5.0) NVT: SSL/TLS: Certificate Expired	
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↩623.1.0.103692)	
Summary The remote server's SSL/TLS certificate has already expired.	
... continues on next page ...	

...continued from previous page ...	
Quality of Detection (QoD): 99%	
Vulnerability Detection Result The certificate of the remote service expired on 2023-05-13 05:33:38. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.	
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.	
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
Medium (CVSS: 4.3)	
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection	
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)	
... continues on next page ...	

...continued from previous page ...
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result
... continues on next page ...

...continued from previous page ...	
Product: cpe:/a:ietf:transport_layer_security:1.1	
Method: SSL/TLS: Version Detection	
OID: 1.3.6.1.4.1.25623.1.0.105782)	
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel↵ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/↵TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch↵eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes↵tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters↵-report-2014 url: https://datatracker.ietf.org/doc/rfc8996/ url: https://vnhacker.blogspot.com/2011/09/beast.html url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak url: https://certvde.com/en/advisories/VDE-2025-031/ url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751 cert-bund: CB-K15/1266 cert-bund: CB-K15/0850 cert-bund: CB-K15/0764 cert-bund: CB-K15/0720 cert-bund: CB-K15/0548 cert-bund: CB-K15/0526 cert-bund: CB-K15/0509 cert-bund: CB-K15/0493 cert-bund: CB-K15/0384 cert-bund: CB-K15/0365 cert-bund: CB-K15/0364 cert-bund: CB-K15/0302	
... continues on next page ...	

...continued from previous page ...

cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

```

Medium (CVSS: 4.0)

NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability

Summary

The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result Server Temporary Key Size: 1024 bits	
Impact An attacker might be able to decrypt the SSL/TLS communication offline.	
Solution: Solution type: Workaround - Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task. - For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.	
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.	
Vulnerability Insight The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.	
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30	
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html ↪ https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html ↪ https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile	

[\[return to 192.168.56.6 \]](#)

2.1.32 Medium 4848/tcp

Medium (CVSS: 5.0)						
NVT: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094)						
Summary The remote SSL/TLS service is prone to a denial of service (DoS) vulnerability.						
Quality of Detection (QoD): 70%						
Vulnerability Detection Result The following indicates that the remote SSL/TLS service is affected: Protocol Version Successful re-done SSL/TLS handshakes (Renegotiation) over an ↪ existing / already established SSL/TLS connection ----- ↪----- <table><tr><td>TLSv1.0</td><td> 10</td></tr><tr><td>TLSv1.1</td><td> 10</td></tr><tr><td>TLSv1.2</td><td> 10</td></tr></table>	TLSv1.0	10	TLSv1.1	10	TLSv1.2	10
TLSv1.0	10					
TLSv1.1	10					
TLSv1.2	10					
Impact The flaw might make it easier for remote attackers to cause a DoS (CPU consumption) by performing many renegotiations within a single connection.						
Solution: Solution type: VendorFix Users should contact their vendors for specific patch information. A general solution is to remove/disable renegotiation capabilities altogether from/in the affected SSL/TLS service.						
Affected Software/OS Every SSL/TLS service which does not properly restrict client-initiated renegotiation.						
Vulnerability Insight The flaw exists because the remote SSL/TLS service does not properly restrict client-initiated renegotiation within the SSL and TLS protocols. Note: The referenced CVEs are affecting OpenSSL and Mozilla Network Security Services (NSS) but both are in a DISPUTED state with the following rationale: > It can also be argued that it is the responsibility of server deployments, not a security library, to prevent or limit renegotiation when it is inappropriate within a specific environment. Both CVEs are still kept in this VT as a reference to the origin of this flaw.						
Vulnerability Detection Method ... continues on next page ...						

...continued from previous page ...
Checks if the remote service allows to re-do the same SSL/TLS handshake (Renegotiation) over an existing / already established SSL/TLS connection. Details: SSL/TLS: Renegotiation DoS Vulnerability (CVE-2011-1473, CVE-2011-5094) OID:1.3.6.1.4.1.25623.1.0.117761 Version used: 2026-03-13T11:24:58+05:30
References cve: CVE-2011-1473 cve: CVE-2011-5094 url: https://web.archive.org/web/20211201133213/https://orchilles.com/ssl-renegotiation-dos/ url: https://mailarchive.ietf.org/arch/msg/tls/wdg46VE_jkYBbgJ5yE4P9nQ-8IU/ url: https://vincent.bernat.ch/en/blog/2011-ssl-dos-mitigation url: https://www.openwall.com/lists/oss-security/2011/07/08/2 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0796 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K17/0980 cert-bund: CB-K17/0979 cert-bund: CB-K14/0772 cert-bund: CB-K13/0915 cert-bund: CB-K13/0462 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2017-1013 dfn-cert: DFN-CERT-2017-1012 dfn-cert: DFN-CERT-2014-0809 dfn-cert: DFN-CERT-2013-1928 dfn-cert: DFN-CERT-2012-1112
Medium (CVSS: 5.0) NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...	
The certificate of the remote service expired on 2023-05-13 05:33:38. Certificate details: <pre> fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC </pre>	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.	
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.	
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
Medium (CVSS: 5.0) NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection	
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)	
...continues on next page...	

...continued from previous page...	
Summary The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).	
Quality of Detection (QoD): 99%	
Vulnerability Detection Result The certificate of the remote service is signed by the following untrusted and/or dangerous CA: Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=California,C=US Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Impact An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.	
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.	
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidel ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/ ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://datatracker.ietf.org/doc/rfc8996/ url: https://vnhacker.blogspot.com/2011/09/beast.html url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak url: https://certvde.com/en/advisories/VDE-2025-031/ url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751 cert-bund: CB-K15/1266 cert-bund: CB-K15/0850 cert-bund: CB-K15/0764 cert-bund: CB-K15/0720 cert-bund: CB-K15/0548
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability
Summary The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).
Quality of Detection (QoD): 80%
Vulnerability Detection Result Server Temporary Key Size: 1024 bits
Impact An attacker might be able to decrypt the SSL/TLS communication offline.
Solution: Solution type: Workaround - Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task. - For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
Vulnerability Insight The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability. ↪... OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/ ... continues on next page ...

...continued from previous page ...
↔TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/Technisch ↔eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindes ↔tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↔-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

[\[return to 192.168.56.6 \]](#)

2.1.33 Medium 8282/tcp

Medium (CVSS: 6.8) NVT: Apache Tomcat servlet/JSP container default files
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↔7652)
Summary The Apache Tomcat servlet/JSP container has default files installed.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The following default files were found : http://192.168.56.6:8282/examples/servlets/index.html http://192.168.56.6:8282/examples/jsp/snp/snoop.jsp http://192.168.56.6:8282/examples/jsp/index.html
Impact These files should be removed as they may help an attacker to guess the exact version of the Apache Tomcat which is running on this host and may provide other useful information.
Solution: Solution type: Mitigation Remove default files, example JSPs and Servlets from the Tomcat Servlet/JSP container.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
Default files, such as documentation, default Servlets and JSPs were found on the Apache Tomcat servlet/JSP container.
Vulnerability Detection Method Details: Apache Tomcat servlet/JSP container default files OID:1.3.6.1.4.1.25623.1.0.12085 Version used: 2023-08-01T18:59:10+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)

Medium (CVSS: 6.5)
NVT: Apache Tomcat Security Constraint Incorrect Handling Access Bypass Vulnerabilities - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple access bypass vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.0.50 Installation path / port: 8282/tcp
Impact Successfully exploiting these issues will allow remote attackers to bypass security constraints to access ostensibly restricted resources on the target system.
Solution: Solution type: VendorFix Upgrade to Apache Tomcat version 9.0.5, 8.5.28, 8.0.50, 7.0.85 or later.
Affected Software/OS Apache Tomcat versions 9.0.0.M1 to 9.0.4
... continues on next page ...

...continued from previous page ...
Apache Tomcat versions 8.5.0 to 8.5.27 Apache Tomcat versions 8.0.0.RC1 to 8.0.49 Apache Tomcat versions 7.0.0 to 7.0.84 on Windows.
Vulnerability Insight Multiple flaws are due to: - The system does not properly enforce security constraints that defined by annotations of Servlets in certain cases, depending on the order that Servlets are loaded. - The URL pattern of " (the empty string) which exactly maps to the context root was not correctly handled when used as part of a security constraint definition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Security Constraint Incorrect Handling Access Bypass Vulnerabilit. ↪... OID:1.3.6.1.4.1.25623.1.0.812784 Version used: 2025-09-17T11:09:26+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-1305 cve: CVE-2018-1304 url: http://tomcat.apache.org/security-9.html url: http://www.securityfocus.com/bid/103144 url: http://www.securityfocus.com/bid/103170 url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html url: https://lists.apache.org/thread.html/b1d7e2425d6fd2cebed40d318f9365b4454607↪7e10949b01b1f8a0fb0%3Cannounce.tomcat.apache.org%3E cert-bund: WID-SEC-2024-1682 cert-bund: WID-SEC-2024-0528 cert-bund: CB-K19/1121 cert-bund: CB-K19/0321 cert-bund: CB-K18/1007 cert-bund: CB-K18/1006 cert-bund: CB-K18/1005 cert-bund: CB-K18/0790 cert-bund: CB-K18/0420 cert-bund: CB-K18/0349 dfn-cert: DFN-CERT-2019-1627 dfn-cert: DFN-CERT-2019-0772 dfn-cert: DFN-CERT-2018-2165
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2018-2142
dfn-cert: DFN-CERT-2018-2125
dfn-cert: DFN-CERT-2018-2103
dfn-cert: DFN-CERT-2018-1753
dfn-cert: DFN-CERT-2018-1407
dfn-cert: DFN-CERT-2018-1274
dfn-cert: DFN-CERT-2018-1253
dfn-cert: DFN-CERT-2018-1038
dfn-cert: DFN-CERT-2018-0922
dfn-cert: DFN-CERT-2018-0733
dfn-cert: DFN-CERT-2018-0455
dfn-cert: DFN-CERT-2018-0378

Medium (CVSS: 6.4)
NVT: Apache Tomcat Authentication Bypass Vulnerability (Nov 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to an authentication bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.96 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.96, 10.1.31, 11.0.0 or later.
Affected Software/OS Apache Tomcat versions prior to 9.0.96, 10.0.x through 10.1.30 and 11.0.0-M1 through 11.0.0-M26.
... continues on next page ...

...continued from previous page ...
Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by this flaw. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight If Tomcat was configured to use a custom Jakarta Authentication (formerly JASPIC) ServerAuth-Context component which may throw an exception during the authentication process without explicitly setting an HTTP status to indicate failure, the authentication may not have failed, allowing the user to bypass the authentication process. There are no known Jakarta Authentication components that behave in this way.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Authentication Bypass Vulnerability (Nov 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.153463 Version used: 2024-12-19T10:35:34+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-52316 url: https://lists.apache.org/thread/lopz1qh91jj9n334g02om08sbysdb928 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.31 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.96 cert-bund: WID-SEC-2025-0521 cert-bund: WID-SEC-2024-3684 cert-bund: WID-SEC-2024-3486 dfn-cert: DFN-CERT-2025-2285 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-0890 dfn-cert: DFN-CERT-2025-0146 dfn-cert: DFN-CERT-2025-0134 dfn-cert: DFN-CERT-2024-3156 dfn-cert: DFN-CERT-2024-3077
Medium (CVSS: 6.4)
NVT: Apache Axis2 <= 1.6.2 Multiple Vulnerabilities
Summary
... continues on next page ...

...continued from previous page ...
Apache Axis2 is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.6.0 Fixed version: None Installation path / port: /axis2
Impact Successfully exploiting these issues allows attackers to: - CVE-2012-5785: perform man-in-the-middle attacks or impersonate trusted servers, which will aid in further attacks - CVE-2012-4418: may allow unauthenticated attackers to construct specially crafted messages that can be successfully verified and contain arbitrary content. This may aid in further attacks - CVE-2012-5351: allows remote attackers to forge messages and bypass authentication
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS The issue affects versions up to 1.6.2.
Vulnerability Insight The following flaws exist: - CVE-2012-5785: a security bypass vulnerability because the application fails to properly validate SSL certificates from the server - CVE-2012-4418: a security vulnerability involving XML signature wrapping - CVE-2012-5351: a SAML assertion that lacks a Signature element, aka a 'Signature exclusion attack'
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Axis2 <= 1.6.2 Multiple Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.111004 Version used: 2026-02-24T11:27:09+05:30
References cve: CVE-2012-5785 cve: CVE-2012-4418 cve: CVE-2012-5351 url: https://issues.apache.org/jira/browse/AXIS2C-1607
... continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/56408 url: http://www.securityfocus.com/bid/55508
Medium (CVSS: 5.0)
NVT: Apache Tomcat Multiple DoS Vulnerabilities (Mar 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple denial of service (DoS) vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.5.99 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 8.5.99, 9.0.86, 10.1.19, 11.0.0-M17 or later.
Affected Software/OS Apache Tomcat versions prior to 8.5.99, 9.0.0-M1 through 9.0.85, 10.x through 10.1.18 and 11.0.0-M1 through 11.0.0-M16. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 8.5.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: - CVE-2024-23672: WebSocket DoS with incomplete closing handshake - CVE-2024-24549: HTTP/2 header handling DoS
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple DoS Vulnerabilities (Mar 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.114428 ... continues on next page ...

...continued from previous page ...
Version used: 2024-12-19T10:35:34+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-23672 cve: CVE-2024-24549 url: https://lists.apache.org/thread/cmpswfx6tj4s7x0nxxosvfqs11lvdx2f url: https://lists.apache.org/thread/4c50rmomhbbsdgmjsgwlb51xdwfdcvj url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M1 ↪7 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.19 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.86 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.99 url: https://nowotarski.info/http2-continuation-flood/ url: https://nowotarski.info/http2-continuation-flood-technical-details/ cert-bund: WID-SEC-2024-3663 cert-bund: WID-SEC-2024-3508 cert-bund: WID-SEC-2024-3377 cert-bund: WID-SEC-2024-3220 cert-bund: WID-SEC-2024-3219 cert-bund: WID-SEC-2024-3196 cert-bund: WID-SEC-2024-3195 cert-bund: WID-SEC-2024-3191 cert-bund: WID-SEC-2024-1656 cert-bund: WID-SEC-2024-1642 cert-bund: WID-SEC-2024-1638 cert-bund: WID-SEC-2024-1622 cert-bund: WID-SEC-2024-1238 cert-bund: WID-SEC-2024-1214 cert-bund: WID-SEC-2024-1210 cert-bund: WID-SEC-2024-0769 cert-bund: WID-SEC-2024-0630 dfn-cert: DFN-CERT-2025-1517 dfn-cert: DFN-CERT-2024-3096 dfn-cert: DFN-CERT-2024-3078 dfn-cert: DFN-CERT-2024-2743 dfn-cert: DFN-CERT-2024-1846 dfn-cert: DFN-CERT-2024-1372 dfn-cert: DFN-CERT-2024-1235 dfn-cert: DFN-CERT-2024-1036 dfn-cert: DFN-CERT-2024-1011 dfn-cert: DFN-CERT-2024-0723
...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-0722
dfn-cert: DFN-CERT-2024-0697

Medium (CVSS: 5.0)
NVT: Apache Tomcat CGI Security Constraint Bypass Vulnerability (May 2025) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to a CGI security constraint bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.105 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 9.0.105, 10.1.41, 11.0.7 or later.
Affected Software/OS Apache Tomcat version 9.0.104 and prior, 10.x through 10.1.40 and 11.0.0-M1 through 11.0.6. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight When running on a case insensitive file system with security constraints configured for the <code>pathInfo</code> component of a URL that mapped to the CGI servlet, it is possible to bypass those security constraints with a specially crafted URL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat CGI Security Constraint Bypass Vulnerability (May 2025) - Windows OID:1.3.6.1.4.1.25623.1.0.154591
... continues on next page ...

...continued from previous page ...
Version used: 2025-05-30T21:12:19+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2025-46701 url: https://lists.apache.org/thread/xhqqk9w5q45srcdqhogdk04lhdscv30j cert-bund: WID-SEC-2025-1850 cert-bund: WID-SEC-2025-1365 cert-bund: WID-SEC-2025-1165 dfn-cert: DFN-CERT-2026-0452 dfn-cert: DFN-CERT-2026-0451 dfn-cert: DFN-CERT-2025-2285 dfn-cert: DFN-CERT-2025-2098 dfn-cert: DFN-CERT-2025-1991 dfn-cert: DFN-CERT-2025-1905 dfn-cert: DFN-CERT-2025-1780 dfn-cert: DFN-CERT-2025-1384

Medium (CVSS: 5.0)
NVT: Apache Tomcat Multiple Vulnerabilities (Dec 2024) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 9.0.98 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 9.0.98, 10.1.34, 11.0.2 or later. Vendor note: Users running Tomcat on a case insensitive file system with the default servlet write enabled (readonly initialisation parameter set to the non-default value of false) may need additional configuration to fully mitigate CVE-2024-50379 depending on which version of Java they are using with Tomcat: - running on Java 8 or Java 11: the system property sun.io.useCanonCaches must be explicitly set to false (it defaults to true) - running on Java 17: the system property sun.io.useCanonCaches, if set, must be set to false (it defaults to false) - running on Java 21 onwards: no further configuration is required (the system property and the problematic cache have been removed)
Affected Software/OS Apache Tomcat versions prior to 9.0.98, 10.x prior to 10.1.34 and 11.x prior to 11.0.2. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that the whole 10.x branch and all versions prior to 9.x are affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Insight The following flaws exist: - CVE-2024-50379: Remote code execution (RCE) via write-enabled default servlet - CVE-2024-54677: Denial of service (DoS) in examples web application - CVE-2024-56337: RCE via write-enabled default servlet - CVE-2024-50379 mitigation was incomplete
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Multiple Vulnerabilities (Dec 2024) - Windows OID:1.3.6.1.4.1.25623.1.0.114890 Version used: 2024-12-24T10:35:31+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2024-50379 cve: CVE-2024-54677 cve: CVE-2024-56337 url: https://lists.apache.org/thread/y6lj6q1xnp822g6ro70tn19sgtjmr80r url: https://lists.apache.org/thread/tdtbboxpg5trdwc2wnopcth9ccvdf tq2n url: https://lists.apache.org/thread/b2b9qrgjr z1kvo4ym8y2wkfdvwoq6qbp url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.2 ... continues on next page ...

...continued from previous page ...
url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.34
url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.98
cert-bund: WID-SEC-2025-0823
cert-bund: WID-SEC-2025-0819
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0808
cert-bund: WID-SEC-2025-0719
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2024-3744
cert-bund: WID-SEC-2024-3722
dfn-cert: DFN-CERT-2025-2285
dfn-cert: DFN-CERT-2025-2098
dfn-cert: DFN-CERT-2025-1991
dfn-cert: DFN-CERT-2025-1923
dfn-cert: DFN-CERT-2025-1181
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0890
dfn-cert: DFN-CERT-2025-0888
dfn-cert: DFN-CERT-2025-0766
dfn-cert: DFN-CERT-2025-0528
dfn-cert: DFN-CERT-2025-0509
dfn-cert: DFN-CERT-2025-0444
dfn-cert: DFN-CERT-2025-0146
dfn-cert: DFN-CERT-2025-0138
dfn-cert: DFN-CERT-2025-0134
dfn-cert: DFN-CERT-2025-0036
dfn-cert: DFN-CERT-2024-3364

Medium (CVSS: 4.8)
NVT: Cleartext Transmission of Sensitive Information via HTTP
Summary The host / application transmits sensitive information (username, passwords) in cleartext via HTTP.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following URLs requires Basic Authentication (URL:realm name): http://192.168.56.6:8282/host-manager/html:"Tomcat Host Manager Application" http://192.168.56.6:8282/manager/html:"Tomcat Manager Application" http://192.168.56.6:8282/manager/status:"Tomcat Manager Application"
Impact ... continues on next page ...

...continued from previous page ...
An attacker could use this situation to compromise or eavesdrop on the HTTP communication between the client and the server using a man-in-the-middle attack to get access to sensitive data like usernames or passwords.
Solution: Solution type: Workaround Enforce the transmission of sensitive data via an encrypted SSL/TLS connection. Additionally make sure the host / application is redirecting all users to the secured SSL/TLS connection before allowing to input sensitive data into the mentioned functions.
Affected Software/OS Hosts / applications which doesn't enforce the transmission of sensitive data via an encrypted SSL/TLS connection.
Vulnerability Detection Method Evaluate previous collected information and check if the host / application is not enforcing the transmission of sensitive data via an encrypted SSL/TLS connection. The script is currently checking the following: - HTTP Basic Authentication (Basic Auth) - HTTP Forms (e.g. Login) with input field of type 'password' Details: Cleartext Transmission of Sensitive Information via HTTP OID:1.3.6.1.4.1.25623.1.0.108440 Version used: 2023-09-07T10:35:21+05:30
References url: https://www.owasp.org/index.php/Top_10_2013-A2-Broken_Authentication_and_Session_Management url: https://www.owasp.org/index.php/Top_10_2013-A6-Sensitive_Data_Exposure url: https://cwe.mitre.org/data/definitions/319.html

Medium (CVSS: 4.3)
NVT: Apache Tomcat Information Disclosure Vulnerability (Mar 2023) - Windows
Product detection result cpe:/a:apache:tomcat:8.0.33 Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10 ↪7652)
Summary Apache Tomcat is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 8.0.33 Fixed version: 8.5.86 Installation path / port: 8282/tcp
Solution: Solution type: VendorFix Update to version 8.5.86, 9.0.72, 10.1.6, 11.0.0-M3 or later.
Affected Software/OS Apache Tomcat versions through 8.5.85, 9.0.0-M1 through 9.0.71, 10.x through 10.1.5 and 11.0.0-M1 through 11.0.0-M2.
Vulnerability Insight When using the RemoteIpFilter with requests received from a reverse proxy via HTTP that include the X-Forwarded-Proto header set to https, session cookies created by Tomcat did not include the secure attribute. This could result in the user agent transmitting the session cookie over an insecure channel.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Information Disclosure Vulnerability (Mar 2023) - Windows OID:1.3.6.1.4.1.25623.1.0.104654 Version used: 2024-06-07T10:35:42+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2023-28708 url: https://lists.apache.org/thread/hdksc59z3s7tm39x0pp33mtwdrt8qr67 url: https://tomcat.apache.org/security-11.html#Fixed_in_Apache_Tomcat_11.0.0-M3 url: https://tomcat.apache.org/security-10.html#Fixed_in_Apache_Tomcat_10.1.6 url: https://tomcat.apache.org/security-9.html#Fixed_in_Apache_Tomcat_9.0.72 url: https://tomcat.apache.org/security-8.html#Fixed_in_Apache_Tomcat_8.5.86 cert-bund: WID-SEC-2024-1238 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2023-2674 cert-bund: WID-SEC-2023-1812 cert-bund: WID-SEC-2023-1808 cert-bund: WID-SEC-2023-1784 cert-bund: WID-SEC-2023-1783
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2023-1782
 cert-bund: WID-SEC-2023-1424
 cert-bund: WID-SEC-2023-1021
 cert-bund: WID-SEC-2023-1017
 cert-bund: WID-SEC-2023-0717
 dfn-cert: DFN-CERT-2025-1517
 dfn-cert: DFN-CERT-2024-3078
 dfn-cert: DFN-CERT-2023-2778
 dfn-cert: DFN-CERT-2023-2545
 dfn-cert: DFN-CERT-2023-2054
 dfn-cert: DFN-CERT-2023-0772
 dfn-cert: DFN-CERT-2023-0763
 dfn-cert: DFN-CERT-2023-0640

Medium (CVSS: 4.3)

NVT: Apache Tomcat Open Redirect Vulnerability - Windows

Product detection result

cpe:/a:apache:tomcat:8.0.33

Detected by Apache Tomcat Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.10
 ↪7652)**Summary**

When the default servlet in Apache Tomcat returned a redirect to a directory (e.g. redirecting to '/foo/' when the user requested '/foo') a specially crafted URL could be used to cause the redirect to be generated to any URI of the attackers choice.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 8.0.33

Fixed version: 8.5.34

Installation

path / port: 8282/tcp

Solution:**Solution type:** VendorFix

Update to version 7.0.91, 8.5.34, 9.0.12 or later.

Affected Software/OS

Apache Tomcat 9.0.0.M1-9.0.11, 8.5.0-8.5.33, 7.0.23-7.0.90 and probably 8.0.x.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Apache Tomcat Open Redirect Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.141569 Version used: 2024-02-15T10:35:40+05:30
Product Detection Result Product: cpe:/a:apache:tomcat:8.0.33 Method: Apache Tomcat Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.107652)
References cve: CVE-2018-11784 url: http://tomcat.apache.org/security-9.html url: http://tomcat.apache.org/security-8.html url: http://tomcat.apache.org/security-7.html cert-bund: WID-SEC-2025-1212 cert-bund: WID-SEC-2024-1682 cert-bund: WID-SEC-2024-0528 cert-bund: WID-SEC-2023-0531 cert-bund: WID-SEC-2023-0460 cert-bund: CB-K20/0029 cert-bund: CB-K19/1121 cert-bund: CB-K19/0907 cert-bund: CB-K19/0616 cert-bund: CB-K19/0320 cert-bund: CB-K19/0050 cert-bund: CB-K18/0963 dfn-cert: DFN-CERT-2019-2710 dfn-cert: DFN-CERT-2019-2159 dfn-cert: DFN-CERT-2019-1562 dfn-cert: DFN-CERT-2019-1237 dfn-cert: DFN-CERT-2019-0771 dfn-cert: DFN-CERT-2019-0147 dfn-cert: DFN-CERT-2019-0104 dfn-cert: DFN-CERT-2018-2435 dfn-cert: DFN-CERT-2018-2165 dfn-cert: DFN-CERT-2018-2142 dfn-cert: DFN-CERT-2018-2000

[\[return to 192.168.56.6 \]](#)

2.1.34 Medium 3920/tcp

Medium (CVSS: 5.0)
NVT: SSL/TLS: Certificate Expired
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25 ↪623.1.0.103692)
Summary The remote server's SSL/TLS certificate has already expired.
Quality of Detection (QoD): 99%
Vulnerability Detection Result The certificate of the remote service expired on 2023-05-13 05:33:38. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution: Solution type: Mitigation Replace the SSL/TLS certificate by a new one.
Vulnerability Insight This script checks expiry dates of certificates associated with SSL/TLS-enabled services on the target and reports whether any have already expired.
Vulnerability Detection Method Details: SSL/TLS: Certificate Expired OID:1.3.6.1.4.1.25623.1.0.103955 Version used: 2026-03-13T11:24:58+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 5.0)

NVT: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
↪623.1.0.103692)**Summary**

The service is using an SSL/TLS certificate from a known untrusted and/or dangerous certificate authority (CA).

Quality of Detection (QoD): 99%**Vulnerability Detection Result**The certificate of the remote service is signed by the following untrusted and/o
↪r dangerous CA:Issuer: CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Californ
↪ia,C=US

Certificate details:

fingerprint (SHA-1) | 4A5758F59279E82F2A913C83CA658D6964575A72

fingerprint (SHA-256) | AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556issued by | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US

public key algorithm | RSA

public key size (bits) | 2048

serial | 04A9972F

signature algorithm | sha256WithRSAEncryption

subject | CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US

subject alternative names (SAN) | None

valid from | 2013-05-15 05:33:38 UTC

valid until | 2023-05-13 05:33:38 UTC

Impact

An attacker could use this for man-in-the-middle (MITM) attacks, accessing sensible data and other attacks.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation Replace the SSL/TLS certificate with one signed by a trusted CA.
Vulnerability Detection Method The script reads the certificate used by the target host and checks if it was signed by a known untrusted and/or dangerous CA. Details: SSL/TLS: Known Untrusted / Dangerous Certificate Authority (CA) Detection OID:1.3.6.1.4.1.25623.1.0.113054 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)

Medium (CVSS: 4.3)
NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.1 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result In addition to TLSv1.2+ the service is also providing the deprecated TLSv1.0 and ↪ TLSv1.1 protocols and supports one or more ciphers. Those supported ciphers c ↪an be found in the 'SSL/TLS: Report Supported Cipher Suites' (OID: 1.3.6.1.4.1 ↪.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: ... continues on next page ...

...continued from previous page ...
Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.1 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLSProtokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters
...continues on next page ...

...continued from previous page ...

↔-report-2014
url: <https://datatracker.ietf.org/doc/rfc8996/>
url: <https://vnhacker.blogspot.com/2011/09/beast.html>
url: <https://web.archive.org/web/20201108095603/https://censys.io/blog/freak>
url: <https://certvde.com/en/advisories/VDE-2025-031/>
url: <https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc>
url: <https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273>
cert-bund: WID-SEC-2026-0180
cert-bund: WID-SEC-2023-1435
cert-bund: CB-K18/0799
cert-bund: CB-K16/1289
cert-bund: CB-K16/1096
cert-bund: CB-K15/1751
cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567

... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979
dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619
dfn-cert: DFN-CERT-2011-1482

Medium (CVSS: 4.0)
NVT: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability
Summary The SSL/TLS service uses Diffie-Hellman groups with insufficient strength (key size < 2048).
Quality of Detection (QoD): 80%
Vulnerability Detection Result Server Temporary Key Size: 1024 bits
Impact An attacker might be able to decrypt the SSL/TLS communication offline.
Solution: Solution type: Workaround - Deploy (Ephemeral) Elliptic-Curve Diffie-Hellman (ECDHE) or use a 2048-bit or stronger Diffie-Hellman group. Please see the references for more resources supporting you with this task. - For Apache Web Servers: Beginning with version 2.4.7, mod_ssl will use DH parameters which include primes with lengths of more than 1024 bits.
Affected Software/OS All services providing an encrypted communication using Diffie-Hellman groups with insufficient strength.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The Diffie-Hellman group are some big numbers that are used as base for the DH computations. They can be, and often are, fixed. The security of the final secret depends on the size of these parameters. It was found that 512 and 768 bits to be weak, 1024 bits to be breakable by really powerful attackers like governments.
Vulnerability Detection Method Checks the DHE temporary public key size. Details: SSL/TLS: Diffie-Hellman Key Exchange Insufficient DH Group Strength Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.106223 Version used: 2026-03-13T11:24:58+05:30
References url: https://weakdh.org url: https://weakdh.org/sysadmin.html url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html ↪ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/0effentliche-Verwaltung/Mindeststandards/0TLS-Protokoll/TLS-Protokoll_node.html ↪TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html ↪eRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html ↪tstandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters ↪-report-2014 url: https://httpd.apache.org/docs/2.4/mod/mod_ssl.html#sslcertificatefile

[\[return to 192.168.56.6 \]](#)

2.1.35 Medium 135/tcp

Medium (CVSS: 5.0)
NVT: DCE/RPC and MSRPC Services Enumeration Reporting
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration reporting.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Here is the list of DCE/RPC or MSRPC services running on this host via the TCP p ...continues on next page ...

...continued from previous page...	
↔rotocol:	
Port: 49152/tcp	UUID: d95afe70-a6d5-4259-822e-2c84da1ddb0d, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49152]
Port: 49153/tcp	UUID: 30adc50c-5cbc-46ce-9a0e-91914789e23c, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: NRP server endpoint UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d5, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: DHCP Client LRPC Endpoint UUID: 3c4728c5-f0ab-448b-bda1-6ce01eb0a6d6, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: DHCPv6 Client LRPC Endpoint UUID: f6beaff7-1e19-4fbb-9f8f-b89e2018337c, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49153] Annotation: Event log TCPIP
Port: 49154/tcp	UUID: 30b044a5-a225-43f0-b3a4-e060df91f9c1, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] UUID: 552d076a-cb29-4e44-8b6a-d15e59e2c0af, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: IP Transition Configuration endpoint UUID: 86d35949-83c9-4044-b424-db363231fd0c, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] UUID: 98716d03-89ac-44c7-bb8c-285824e51c4a, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: XactSrv service UUID: a398e520-d59a-4bdd-aa7a-3c1e0303a511, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: IKE/Authip API UUID: c9ac6db5-82b7-4e55-ae8a-e464ed7b4277, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49154] Annotation: Impl friendly name
Port: 49189/tcp	UUID: 12345778-1234-abcd-ef00-0123456789ac, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49189] Named pipe : lsass Win32 service or process : lsass.exe Description : SAM access
Port: 49255/tcp	UUID: 367abb81-9844-35f1-ad32-98f038001003, version 2 Endpoint: ncacn_ip_tcp:192.168.56.6[49255]
Port: 49258/tcp	UUID: 12345678-1234-abcd-ef00-0123456789ab, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49258] Annotation: IPSec Policy agent endpoint
...continues on next page...	

...continued from previous page...	
Named pipe : spoolss Win32 service or process : spoolsv.exe Description : Spooler service UUID: 6b5bdd1e-528c-422c-af8c-a4079be4fe48, version 1 Endpoint: ncacn_ip_tcp:192.168.56.6[49258] Annotation: Remote Fw APIs Note: DCE/RPC or MSRPC services running on this host locally were identified. Reporting this list is not enabled by default due to the possible large size of this list. See the script preferences to enable this reporting.	
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.	
Solution: Solution type: Mitigation Filter incoming traffic to this ports.	
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.	
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries.	
Vulnerability Detection Method Reports previously collected (via 'DCE/RPC and MSRPC Services Enumeration' OID: 1.3.6.1.4.1.25623.1.0.108044) DCE/RPC or MSRPC services. This VT is reporting a severity by default. If the scanned network is e.g. a private LAN / private WAN which contains systems not accessible to the public (access restricted) and it is accepted that the service is disclosing information to this network please set the 'Network type' configuration of the following VT to e.g. 'Private LAN' or 'Private WAN': Global variable settings (OID: 1.3.6.1.4.1.25623.1.0.12288) In this case a 'Log' level result is used instead. Details: DCE/RPC and MSRPC Services Enumeration Reporting OID:1.3.6.1.4.1.25623.1.0.10736 Version used: 2025-11-26T11:10:08+05:30	

[\[return to 192.168.56.6 \]](#)

2.1.36 Medium 21/tcp

Medium (CVSS: 4.8)
NVT: FTP Unencrypted Cleartext Login
Summary The remote host is running a FTP service that allows cleartext logins over unencrypted connections.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The remote FTP service accepts logins without a previous sent 'AUTH TLS' command ↩. Response(s): Non-anonymous sessions: 331 Password required for openvasvt. Anonymous sessions: 331 Password required for anonymous.
Impact An attacker can uncover login names and passwords by sniffing traffic to the FTP service.
Solution: Solution type: Mitigation Enable FTPS or enforce the connection via the 'AUTH TLS' command. Please see the manual of the FTP service for more information.
Vulnerability Detection Method Tries to login to a non FTPS enabled FTP service without sending a 'AUTH TLS' command first and checks if the service is accepting the login without enforcing the use of the 'AUTH TLS' command. Details: FTP Unencrypted Cleartext Login OID:1.3.6.1.4.1.25623.1.0.108528 Version used: 2023-12-20T10:35:58+05:30

[\[return to 192.168.56.6 \]](#)

2.1.37 Medium 3306/tcp

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server <= 5.1.65 / 5.5 <= 5.5.27 Security Update (cpujan2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.28 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.1.66, 5.5.28 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.65 and prior and 5.5 through 5.5.27.
Vulnerability Insight The flaw allows remote authenticated users to affect availability, related to GIS Extension.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.65 / 5.5 <= 5.5.27 Security Update (cpujan2013) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.117201 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-5060 url: https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL advisory-id: cpujan2013 dfn-cert: DFN-CERT-2013-0079

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server Multiple Vulnerabilities - 02 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the references or upgrade to latest version.
Affected Software/OS Oracle MySQL version 5.1.x to 5.1.65 and Oracle MySQL version 5.5.x to 5.5.27 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component related to server installation and server optimizer.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 02 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803112 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References ... continues on next page ...

...continued from previous page ...
cve: CVE-2012-3180 cve: CVE-2012-3177 cve: CVE-2012-3160 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56003 url: http://www.securityfocus.com/bid/56005 url: http://www.securityfocus.com/bid/56027 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 dfn-cert: DFN-CERT-2012-2200 dfn-cert: DFN-CERT-2012-2118

Medium (CVSS: 6.8)
NVT: MySQL Server Components Multiple Unspecified Vulnerabilities
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20-log Fixed version: See advisory
Impact Successful exploitation could allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS MySQL version 5.1.x before 5.1.62 and 5.5.x before 5.5.22.
Vulnerability Insight
... continues on next page ...

...continued from previous page ...
Multiple unspecified errors exist in the Server Optimizer and Server DML components.
Vulnerability Detection Method Details: MySQL Server Components Multiple Unspecified Vulnerabilities OID:1.3.6.1.4.1.25623.1.0.803808 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1690 cve: CVE-2012-1688 cve: CVE-2012-1703 url: http://secunia.com/advisories/48890 url: http://www.securityfocus.com/bid/53058 url: http://www.securityfocus.com/bid/53067 url: http://www.securityfocus.com/bid/53074 url: http://www.oracle.com/technetwork/topics/security/cpuapr2012-366314.html#AppendixMySQL dfn-cert: DFN-CERT-2012-2118 dfn-cert: DFN-CERT-2012-1170 dfn-cert: DFN-CERT-2012-0939 dfn-cert: DFN-CERT-2012-0936 dfn-cert: DFN-CERT-2012-0933 dfn-cert: DFN-CERT-2012-0735
Medium (CVSS: 6.8)
NVT: Oracle MySQL Server 5.5.x <= 5.5.23 Security Update (cpujul2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
Installed version: 5.5.20 Fixed version: 5.5.24 Installation path / port: 3306/tcp
Impact The flaws allow remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' and 'InnoDB' package / privilege.
Solution: Solution type: VendorFix Update to version 5.5.24 or later.
Affected Software/OS Oracle MySQL Server 5.5.x through 5.5.23.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5.x <= 5.5.23 Security Update (cpujul2012) - Windows OID:1.3.6.1.4.1.25623.1.0.117267 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1735 cve: CVE-2012-1757 cve: CVE-2012-1756 url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL advisory-id: cpujul2012 dfn-cert: DFN-CERT-2012-1389

Medium (CVSS: 6.8)
NVT: Oracle MySQL Server 5.5 <= 5.5.28 Security Update (cpujan2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.29 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.5.29 or later.
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.28.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.28 Security Update (cpujan2013) - Windows OID:1.3.6.1.4.1.25623.1.0.117205 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-5612 cve: CVE-2013-0386 cve: CVE-2013-0368 cve: CVE-2013-0371 cve: CVE-2012-0578 cve: CVE-2013-0367 cve: CVE-2012-5096 url: https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL advisory-id: cpujan2013 dfn-cert: DFN-CERT-2013-0259 dfn-cert: DFN-CERT-2013-0079

Medium (CVSS: 6.7)
NVT: Oracle Mysql Security Updates (jan2017-2881727) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote to have an impact on availability, confidentiality and integrity.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.53 and earlier, 5.6.34 and earlier, 5.7.16 and earlier on Windows
Vulnerability Insight Multiple flaws exist due to: multiple unspecified errors in sub components 'Error Handling', 'Logging', 'MyISAM', 'Packaging', 'Optimizer', 'DML' and 'DDL'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2017-2881727) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.809865 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2017-3238

cve: CVE-2017-3318

cve: CVE-2017-3291

cve: CVE-2017-3317

cve: CVE-2017-3258

cve: CVE-2017-3312

cve: CVE-2017-3313

cve: CVE-2017-3244

cve: CVE-2017-3265

url: <http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html>url: <http://www.securityfocus.com/bid/95571>url: <http://www.securityfocus.com/bid/95560>url: <http://www.securityfocus.com/bid/95491>url: <http://www.securityfocus.com/bid/95527>url: <http://www.securityfocus.com/bid/95565>url: <http://www.securityfocus.com/bid/95588>url: <http://www.securityfocus.com/bid/95501>url: <http://www.securityfocus.com/bid/95585>url: <http://www.securityfocus.com/bid/95520>

cert-bund: CB-K18/0224

cert-bund: CB-K17/1732

cert-bund: CB-K17/1604

cert-bund: CB-K17/1298

cert-bund: CB-K17/0927

cert-bund: CB-K17/0423

cert-bund: CB-K17/0098

dfn-cert: DFN-CERT-2018-1276

dfn-cert: DFN-CERT-2018-0242

dfn-cert: DFN-CERT-2017-1806

dfn-cert: DFN-CERT-2017-1675

dfn-cert: DFN-CERT-2017-1341

dfn-cert: DFN-CERT-2017-0959

dfn-cert: DFN-CERT-2017-0430

dfn-cert: DFN-CERT-2017-0090

Medium (CVSS: 6.5)

NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpu-jul2019) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.45 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.45, 5.7.27, 8.0.17 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.
Vulnerability Insight Oracle MySQL Server is prone to multiple denial of service vulnerabilities. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (.↪.. OID:1.3.6.1.4.1.25623.1.0.142645 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2805 cve: CVE-2019-2740 cve: CVE-2019-2819 cve: CVE-2019-2739 cve: CVE-2019-2737 cve: CVE-2019-2738
... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL advisory-id: cpujul2019 cert-bund: CB-K19/0620 dfn-cert: DFN-CERT-2020-2620 dfn-cert: DFN-CERT-2020-2180 dfn-cert: DFN-CERT-2020-0658 dfn-cert: DFN-CERT-2020-0517 dfn-cert: DFN-CERT-2019-2695 dfn-cert: DFN-CERT-2019-2656 dfn-cert: DFN-CERT-2019-2300 dfn-cert: DFN-CERT-2019-2008 dfn-cert: DFN-CERT-2019-1713 dfn-cert: DFN-CERT-2019-1683 dfn-cert: DFN-CERT-2019-1568 dfn-cert: DFN-CERT-2019-1453

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server versions 5.5.51 and prior.
Vulnerability Insight The flaw exists due to an unspecified error within the 'Server:DML' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.51 Security Update (cpuoct2016) - Windows OID:1.3.6.1.4.1.25623.1.0.809378 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-5624 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL advisory-id: cpuoct2016 cert-bund: CB-K16/1846 cert-bund: CB-K16/1714 cert-bund: CB-K16/1624 dfn-cert: DFN-CERT-2016-1950 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1714
Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (cpuoct2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...	
Installed version:	5.5.20
Fixed version:	See the referenced vendor advisory
Installation	
path / port:	3306/tcp
Impact Successful exploitation of this vulnerability will allow a remote authenticated user to cause denial of service conditions.	
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.	
Affected Software/OS Oracle MySQL Server versions 5.5.50 and prior, 5.6 through 5.6.31 and 5.7 through 5.7.13.	
Vulnerability Insight The flaw exists due to an unspecified error in the 'Server: DML' component.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.50 / 5.6 <= 5.6.31 / 5.7 <= 5.7.13 Security Update (. ↔... OID:1.3.6.1.4.1.25623.1.0.809374 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2016-5612 url: https://www.oracle.com/security-alerts/cpuoct2016.html#AppendixMSQL advisory-id: cpuoct2016 cert-bund: CB-K16/1979 cert-bund: CB-K16/1755 cert-bund: CB-K16/1742 cert-bund: CB-K16/1714 cert-bund: CB-K16/1624 dfn-cert: DFN-CERT-2016-2089 dfn-cert: DFN-CERT-2016-1859 dfn-cert: DFN-CERT-2016-1849 dfn-cert: DFN-CERT-2016-1790 dfn-cert: DFN-CERT-2016-1714	

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.5.38 / 5.6 <= 5.6.19 Security Update (cpuoct2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.39 Installation path / port: 3306/tcp
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Update to version 5.5.39, 5.6.20 or later.
Affected Software/OS Oracle MySQL Server versions 5.5.38 and prior and 5.6 through 5.6.19.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to CLIENT:MYSQLADMIN, CLIENT:MYSQLDUMP, SERVER:MEMORY STORAGE ENGINE, SERVER:SSL:yaSSL, SERVER:DML, SERVER:SSL:yaSSL, SERVER:REPLICATION ROW FORMAT BINARY LOG DML, SERVER:CHARACTER SETS, and SERVER:MyISAM.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.38 / 5.6 <= 5.6.19 Security Update (cpuoct2014) - Wi.↵.. OID:1.3.6.1.4.1.25623.1.0.804782 Version used: 2025-09-09T11:08:49+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log
 Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
 OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2014-6530
 cve: CVE-2012-5615
 cve: CVE-2014-6495
 cve: CVE-2014-6478
 cve: CVE-2014-4274
 cve: CVE-2014-4287
 cve: CVE-2014-6484
 cve: CVE-2014-6505
 cve: CVE-2014-6463
 cve: CVE-2014-6551
 url: <https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL>
 advisory-id: cpuoct2014
 cert-bund: CB-K15/1518
 cert-bund: CB-K15/0567
 cert-bund: CB-K15/0415
 cert-bund: CB-K14/1482
 cert-bund: CB-K14/1420
 cert-bund: CB-K14/1412
 cert-bund: CB-K14/1299
 dfn-cert: DFN-CERT-2015-1604
 dfn-cert: DFN-CERT-2015-0593
 dfn-cert: DFN-CERT-2015-0427
 dfn-cert: DFN-CERT-2014-1567
 dfn-cert: DFN-CERT-2014-1500
 dfn-cert: DFN-CERT-2014-1489
 dfn-cert: DFN-CERT-2014-1357
 dfn-cert: DFN-CERT-2013-0259

Medium (CVSS: 6.5)

NVT: Oracle MySQL Server <= 5.5.31 / 5.6 <= 5.6.11 Security Update (cpujan2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

... continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.31 and prior and 5.6 through 5.6.11.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.31 / 5.6 <= 5.6.11 Security Update (cpujan2016) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.806878 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0502 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMySQL url: http://www.securityfocus.com/bid/81136 advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0094
... continues on next page ...

...continued from previous page ...	
dfn-cert: DFN-CERT-2016-0266	
dfn-cert: DFN-CERT-2016-0265	
dfn-cert: DFN-CERT-2016-0104	
Medium (CVSS: 6.5)	
NVT: Oracle MySQL Server <= 5.1.68 / 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.31 Installation path / port: 3306/tcp	
Impact Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.	
Solution: Solution type: VendorFix Update to version 5.1.69, 5.5.31, 5.6.11 or later.	
Affected Software/OS Oracle MySQL Server versions 5.1.68 and prior, 5.5 through 5.5.30 and 5.6 through 5.6.10.	
Vulnerability Insight Unspecified error in Server Optimizer, Server Privileges, InnoDB, and in some unspecified vectors.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.68 / 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (↵.. OID:1.3.6.1.4.1.25623.1.0.117207	
... continues on next page ...	

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-2375 cve: CVE-2013-1544 cve: CVE-2013-1532 cve: CVE-2013-2389 cve: CVE-2013-2392 cve: CVE-2013-2391 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59207 url: http://www.securityfocus.com/bid/59209 url: http://www.securityfocus.com/bid/59224 url: http://www.securityfocus.com/bid/59242 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0882 dfn-cert: DFN-CERT-2013-0839 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.30 Installation path / port: 3306/tcp
... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix	Update to version 5.1.68, 5.5.30 or later.
Affected Software/OS	Oracle MySQL Server versions 5.1.67 and prior and 5.5 through 5.5.29.
Vulnerability Insight	Unspecified error in Server Partition and in some unspecified vectors.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 Security Update (cpuapr2013) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.117209 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2013-1521 cve: CVE-2013-1552 cve: CVE-2013-1555 cve: CVE-2012-5614 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59196 url: http://www.securityfocus.com/bid/59210 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0839 dfn-cert: DFN-CERT-2013-0798
Medium (CVSS: 6.5)	
NVT: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Windows	
Product detection result	... continues on next page ...

...continued from previous page ...
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.30 Installation path / port: 3306/tcp
Impact Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Update to version 5.1.68, 5.5.30, 5.6.11 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.67 and prior, 5.5 through 5.5.29 and 5.6 through 5.6.10.
Vulnerability Insight Unspecified error in some unknown vectors related to Information Schema.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.67 / 5.5 <= 5.5.29 / 5.6 <= 5.6.10 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.117206 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-2378 cve: CVE-2013-1506
... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMySQL
url: http://www.securityfocus.com/bid/59188
advisory-id: cpuapr2013
dfn-cert: DFN-CERT-2013-0839
dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpuapr2013) - Windows
Product detection result cpe: /a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.29 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.1.67, 5.5.29 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.66 and prior and 5.5 through 5.5.28.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpuapr2013) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.803459 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe: /a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-1531 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0839 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 6.5)
NVT: Oracle Mysql Security Updates (oct2017-3236626) 04 - Windows
Product detection result cpe: /a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote to compromise availability confidentiality, and integrity of the system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.57 and earlier, 5.6.37 and earlier, 5.7.19 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to: - An error in 'Client programs' component.
... continues on next page ...

...continued from previous page ...
- An error in 'Server: DDL'. - An error in 'Server: Replication'
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (oct2017-3236626) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.811991 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-10379 cve: CVE-2017-10384 cve: CVE-2017-10268 url: http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html url: http://www.securityfocus.com/bid/101415 url: http://www.securityfocus.com/bid/101406 url: http://www.securityfocus.com/bid/101390 cert-bund: CB-K18/0480 cert-bund: CB-K18/0242 cert-bund: CB-K18/0224 cert-bund: CB-K17/2048 cert-bund: CB-K17/1748 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0515 dfn-cert: DFN-CERT-2018-0260 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-2137 dfn-cert: DFN-CERT-2017-1827
Medium (CVSS: 6.5) NVT: Oracle Mysql Security Updates (oct2017-3236626) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to compromise availability of the system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.57 and earlier, 5.6.37 and earlier, 5.7.11 and earlier on Windows.
Vulnerability Insight The flaw exists due to an error in 'Server: Optimizer'
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (oct2017-3236626) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.811986 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-10378 url: http://www.oracle.com/technetwork/security-advisory/cpuoct2017-3236626.html url: http://www.securityfocus.com/bid/101375 cert-bund: CB-K18/0480 cert-bund: CB-K18/0242 cert-bund: CB-K18/0224
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/2048
 cert-bund: CB-K17/1748
 dfn-cert: DFN-CERT-2019-1047
 dfn-cert: DFN-CERT-2018-1276
 dfn-cert: DFN-CERT-2018-1265
 dfn-cert: DFN-CERT-2018-0515
 dfn-cert: DFN-CERT-2018-0260
 dfn-cert: DFN-CERT-2018-0242
 dfn-cert: DFN-CERT-2017-2137
 dfn-cert: DFN-CERT-2017-1827

Medium (CVSS: 6.5)

NVT: Oracle Mysql Security Updates (jan2018-3236628) 02 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple denial of service (DoS) vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation of these vulnerabilities will allow remote attackers to conduct a denial-of-service attack.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.58 and earlier, 5.6.38 and earlier, 5.7.20 and earlier on Windows

Vulnerability Insight

Multiple flaws exist due to:

... continues on next page ...

...continued from previous page ...
- An error in the 'Server: DDL' component. - Multiple errors in the 'Server: Optimizer' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2018-3236628) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.812646 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2668 cve: CVE-2018-2665 cve: CVE-2018-2622 cve: CVE-2018-2640 url: http://www.oracle.com/technetwork/security-advisory/cpujan2018-3236628.html cert-bund: CB-K18/0480 cert-bund: CB-K18/0392 cert-bund: CB-K18/0265 cert-bund: CB-K18/0096 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-1265 dfn-cert: DFN-CERT-2018-0515 dfn-cert: DFN-CERT-2018-0424 dfn-cert: DFN-CERT-2018-0286 dfn-cert: DFN-CERT-2018-0101
Medium (CVSS: 6.5) NVT: Oracle MySQL Security Update (cpujul2018 - 02) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple vulnerabilities.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See reference Installation path / port: 3306/tcp
Impact Successful exploitation will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle MySQL version 5.5.60 and earlier, 5.6.40 and earlier, 5.7.22 and earlier.
Vulnerability Insight Multiple flaws exist due to errors in 'Server: Security: Encryption', 'Server: Options', 'MyISAM', 'Client mysqldump' components of application.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Security Update (cpujul2018 - 02) - Windows OID:1.3.6.1.4.1.25623.1.0.813706 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-2767 cve: CVE-2018-3066 cve: CVE-2018-3058 cve: CVE-2018-3070 url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL advisory-id: cpujul2018 cert-bund: WID-SEC-2023-1594 cert-bund: CB-K18/0795 dfn-cert: DFN-CERT-2019-1614 dfn-cert: DFN-CERT-2019-1588
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2019-1152
dfn-cert: DFN-CERT-2019-1047
dfn-cert: DFN-CERT-2019-0484
dfn-cert: DFN-CERT-2019-0112
dfn-cert: DFN-CERT-2018-1649
dfn-cert: DFN-CERT-2018-1402
dfn-cert: DFN-CERT-2018-1276
dfn-cert: DFN-CERT-2018-0913
```

Medium (CVSS: 6.5)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 02 (May 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.36 and earlier and 5.6.16 and earlier on Windows.

Vulnerability Insight

Unspecified errors in the MySQL Server component via unknown vectors related to Performance Schema, Options, RBR.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Multiple Unspecified vulnerabilities - 02 (May 2014) - Windows

... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.804575 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-2430 cve: CVE-2014-2431 cve: CVE-2014-2436 cve: CVE-2014-2440 url: http://secunia.com/advisories/57940 url: http://www.securityfocus.com/bid/66850 url: http://www.securityfocus.com/bid/66858 url: http://www.securityfocus.com/bid/66890 url: http://www.securityfocus.com/bid/66896 url: http://www.scaprepo.com/view.jsp?id=oval:org.secpod.oval:def:701638 url: http://www.oracle.com/technetwork/topics/security/cpuapr2014-1972952.html cert-bund: CB-K14/0710 cert-bund: CB-K14/0464 cert-bund: CB-K14/0452 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0477 dfn-cert: DFN-CERT-2014-0459
Medium (CVSS: 6.5) NVT: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Jul 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
... continues on next page ...

...continued from previous page ...	
Impact	Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix	Apply the patch from the referenced advisory.
Affected Software/OS	Oracle MySQL version 5.5.37 and earlier and 5.6.17 and earlier on Windows.
Vulnerability Insight	Unspecified errors in the MySQL Server component via unknown vectors related to SRINFOSC and SRCHAR.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Jul 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804722 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2014-4258 cve: CVE-2014-4260 url: http://secunia.com/advisories/59521 url: http://www.securityfocus.com/bid/68564 url: http://www.securityfocus.com/bid/68573 url: http://www.computerworld.com/s/article/9249690/Oracle_to_release_115_security_patches url: http://www.oracle.com/technetwork/topics/security/cpujul2014-1972956.html#AppendixMSQL cert-bund: CB-K15/0567 cert-bund: CB-K14/1420 cert-bund: CB-K14/0891 cert-bund: CB-K14/0868 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2014-1500 dfn-cert: DFN-CERT-2014-0930 dfn-cert: DFN-CERT-2014-0911

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.33 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.33, 8.0.23 or later.
Affected Software/OS Oracle MySQL Server version 5.7.32 and prior and 8.0 through 8.0.22.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpuapr2021) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.145794 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-1971 cve: CVE-2021-2178 cve: CVE-2021-2202 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL ... continues on next page ...

...continued from previous page...

```
advisory-id: cpuapr2021
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2023-0067
cert-bund: WID-SEC-2023-0065
cert-bund: WID-SEC-2022-2047
cert-bund: WID-SEC-2022-1908
cert-bund: WID-SEC-2022-1000
cert-bund: WID-SEC-2022-0585
cert-bund: CB-K21/1065
cert-bund: CB-K21/0788
cert-bund: CB-K21/0615
cert-bund: CB-K21/0421
cert-bund: CB-K21/0111
cert-bund: CB-K21/0062
cert-bund: CB-K21/0006
cert-bund: CB-K20/1217
dfn-cert: DFN-CERT-2022-1582
dfn-cert: DFN-CERT-2022-1215
dfn-cert: DFN-CERT-2022-0076
dfn-cert: DFN-CERT-2021-2190
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-2126
dfn-cert: DFN-CERT-2021-1504
dfn-cert: DFN-CERT-2021-1225
dfn-cert: DFN-CERT-2021-0924
dfn-cert: DFN-CERT-2021-0862
dfn-cert: DFN-CERT-2021-0828
dfn-cert: DFN-CERT-2021-0826
dfn-cert: DFN-CERT-2021-0821
dfn-cert: DFN-CERT-2021-0819
dfn-cert: DFN-CERT-2021-0715
dfn-cert: DFN-CERT-2021-0408
dfn-cert: DFN-CERT-2021-0338
dfn-cert: DFN-CERT-2021-0255
dfn-cert: DFN-CERT-2021-0134
dfn-cert: DFN-CERT-2021-0131
dfn-cert: DFN-CERT-2021-0128
dfn-cert: DFN-CERT-2021-0120
dfn-cert: DFN-CERT-2021-0107
dfn-cert: DFN-CERT-2021-0078
dfn-cert: DFN-CERT-2021-0012
dfn-cert: DFN-CERT-2020-2791
dfn-cert: DFN-CERT-2020-2668
```

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (cpuoct2020) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.50 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.50, 5.7.32, 8.0.22 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.49 and prior, 5.7 through 5.7.31 and 8.0 through 8.0.21.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.49 / 5.7 <= 5.7.31 / 8.0 <= 8.0.21 Security Update (↵.. OID:1.3.6.1.4.1.25623.1.0.108959 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-14765 cve: CVE-2020-14769 cve: CVE-2020-14812 ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2020-14793
cve: CVE-2020-14672
cve: CVE-2020-14867
url: https://www.oracle.com/security-alerts/cpuoct2020.html#AppendixMSQL
advisory-id: cpuoct2020
cert-bund: WID-SEC-2026-0205
cert-bund: CB-K20/1066
cert-bund: CB-K20/1017
dfn-cert: DFN-CERT-2021-2155
dfn-cert: DFN-CERT-2021-0002
dfn-cert: DFN-CERT-2020-2763
dfn-cert: DFN-CERT-2020-2756
dfn-cert: DFN-CERT-2020-2620
dfn-cert: DFN-CERT-2020-2380
dfn-cert: DFN-CERT-2020-2295

```

Medium (CVSS: 6.5)

NVT: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Windows

Product detection result

```

cpe:/a:mysql:mysql:5.5.20-log
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

```

Summary

Oracle MySQL Server is prone to an unspecified denial of service vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

Installed version: 5.5.20
Fixed version:      5.6.47
Installation
path / port:        3306/tcp

```

Solution:

Solution type: VendorFix
Update to version 5.6.47 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.46 and prior.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.46 Security Update (cpujan2020) - Windows OID:1.3.6.1.4.1.25623.1.0.143359 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2020-2579 url: https://www.oracle.com/security-alerts/cpujan2020.html#AppendixMSQL advisory-id: cpujan2020 cert-bund: CB-K20/0038 dfn-cert: DFN-CERT-2020-1827 dfn-cert: DFN-CERT-2020-1078 dfn-cert: DFN-CERT-2020-0096

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (cpuoct2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.46 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.46, 5.7.28, 8.0.18 or later.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server versions 5.6.45 and prior, 5.7 through 5.7.27 and 8.0 through 8.0.17.
Vulnerability Insight Oracle MySQL Server is prone to multiple vulnerabilities. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 / 8.0 <= 8.0.17 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.143030 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2974 cve: CVE-2019-2911 url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL advisory-id: cpuoct2019 cert-bund: CB-K20/1030 cert-bund: CB-K20/0109 cert-bund: CB-K19/0915 dfn-cert: DFN-CERT-2020-2763 dfn-cert: DFN-CERT-2020-2756 dfn-cert: DFN-CERT-2020-2620 dfn-cert: DFN-CERT-2020-2299 dfn-cert: DFN-CERT-2020-2180 dfn-cert: DFN-CERT-2020-1827 dfn-cert: DFN-CERT-2020-0658 dfn-cert: DFN-CERT-2020-0517 dfn-cert: DFN-CERT-2020-0103 dfn-cert: DFN-CERT-2019-2695 dfn-cert: DFN-CERT-2019-2687 dfn-cert: DFN-CERT-2019-2656 dfn-cert: DFN-CERT-2019-2301 dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 6.5)
NVT: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpuapr2025)- Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.42 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.42, 8.4.5, 9.3.0 or later.
Affected Software/OS Oracle MySQL Server version 8.0.41 and prior, 8.1 through 8.4.4 and 9.0 through 9.2.0.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.41, 8.1 <= 8.4.4, 9.0 <= 9.2.0 Security Update (cpua.↵.. OID:1.3.6.1.4.1.25623.1.0.171442 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2025-21577 cve: CVE-2025-30682 cve: CVE-2025-30687 ... continues on next page ...

...continued from previous page ...

cve: CVE-2025-30688
cve: CVE-2025-21574
cve: CVE-2025-21575
cve: CVE-2025-30693
cve: CVE-2025-30695
cve: CVE-2025-30715
cve: CVE-2025-21584
cve: CVE-2025-21580
cve: CVE-2025-21581
cve: CVE-2025-21585
cve: CVE-2025-30689
cve: CVE-2025-21579
cve: CVE-2025-30696
cve: CVE-2025-30705
cve: CVE-2025-30683
cve: CVE-2025-30684
cve: CVE-2025-30685
cve: CVE-2025-30699
cve: CVE-2025-30704
cve: CVE-2024-13176
cve: CVE-2024-9143
cve: CVE-2025-30721
cve: CVE-2025-30703
cve: CVE-2025-30681
url: <https://www.oracle.com/security-alerts/cpuapr2025.html#AppendixMSQL>
advisory-id: cpuapr2025
cert-bund: WID-SEC-2025-2364
cert-bund: WID-SEC-2025-1850
cert-bund: WID-SEC-2025-1572
cert-bund: WID-SEC-2025-1568
cert-bund: WID-SEC-2025-1566
cert-bund: WID-SEC-2025-1564
cert-bund: WID-SEC-2025-1560
cert-bund: WID-SEC-2025-1257
cert-bund: WID-SEC-2025-1035
cert-bund: WID-SEC-2025-0828
cert-bund: WID-SEC-2025-0818
cert-bund: WID-SEC-2025-0813
cert-bund: WID-SEC-2025-0148
cert-bund: WID-SEC-2025-0131
cert-bund: WID-SEC-2024-3230
dfn-cert: DFN-CERT-2026-0037
dfn-cert: DFN-CERT-2025-3583
dfn-cert: DFN-CERT-2025-3324
dfn-cert: DFN-CERT-2025-2944
dfn-cert: DFN-CERT-2025-2602
dfn-cert: DFN-CERT-2025-2523

...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2025-1905
dfn-cert: DFN-CERT-2025-1903
dfn-cert: DFN-CERT-2025-1901
dfn-cert: DFN-CERT-2025-1898
dfn-cert: DFN-CERT-2025-1648
dfn-cert: DFN-CERT-2025-1611
dfn-cert: DFN-CERT-2025-1470
dfn-cert: DFN-CERT-2025-1424
dfn-cert: DFN-CERT-2025-1304
dfn-cert: DFN-CERT-2025-0993
dfn-cert: DFN-CERT-2025-0981
dfn-cert: DFN-CERT-2025-0974
dfn-cert: DFN-CERT-2025-0973
dfn-cert: DFN-CERT-2025-0564
dfn-cert: DFN-CERT-2025-0465
dfn-cert: DFN-CERT-2025-0354
dfn-cert: DFN-CERT-2025-0158
dfn-cert: DFN-CERT-2024-2884
dfn-cert: DFN-CERT-2024-2764

```

Medium (CVSS: 6.4)

NVT: Oracle MySQL Server Multiple Vulnerabilities - 04 - (Nov 2012) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Impact

Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data, and cause a DoS (Denial of Service).

Solution:**Solution type:** VendorFix

Apply the patch from the referenced vendor advisory or upgrade to the latest version.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.5.x to 5.5.26 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component vectors related to MySQL client and server.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 04 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803114 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3147 cve: CVE-2012-3149 cve: CVE-2012-3144 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56006 url: http://www.securityfocus.com/bid/56008 url: http://www.securityfocus.com/bid/56022 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 cert-bund: CB-K13/0919 dfn-cert: DFN-CERT-2013-1937
Medium (CVSS: 6.2) NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (cpuoct2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary ... continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to a local unauthenticated vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.45 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.45, 5.7.27, 8.0.17 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.44 and prior, 5.7 through 5.7.26 and 8.0 through 8.0.16.
Vulnerability Insight Easily exploitable vulnerability allows unauthenticated attacker with logon to the infrastructure where MySQL Server executes to compromise MySQL Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.26 / 8.0 <= 8.0.16 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.143032 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-2969 url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL advisory-id: cpuoct2019 cert-bund: CB-K19/0915 dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 6.1)
NVT: Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (cpuapr2016v3) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.47 and prior, 5.6 through 5.6.28 and 5.7 through 5.7.10.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.47 / 5.6 <= 5.6.28 / 5.7 <= 5.7.10 Security Update (↪.. OID:1.3.6.1.4.1.25623.1.0.807928 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) ... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0649 cve: CVE-2016-0650 cve: CVE-2016-0644 cve: CVE-2016-0646 cve: CVE-2016-0640 cve: CVE-2016-0641 url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL advisory-id: cpuapr2016v3 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0750 cert-bund: CB-K16/0646 cert-bund: CB-K16/0597 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0903 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0803 dfn-cert: DFN-CERT-2016-0695 dfn-cert: DFN-CERT-2016-0644

Medium (CVSS: 5.9)
NVT: Oracle MySQL Backronym Vulnerability (Jun 2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to the backronym vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.3 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact	Successful exploitation will allow man-in-the-middle attackers to spoof servers via a cleartext-downgrade attack.
Solution:	
Solution type:	VendorFix
	Upgrade to version Oracle MySQL Server 5.7.3 or later.
Affected Software/OS	
	Oracle MySQL Server 5.7.2 and earlier on Windows.
Vulnerability Insight	
	The flaw exists due to improper validation of MySQL client library when establishing a secure connection to a MySQL server using the <code>--ssl</code> option.
Vulnerability Detection Method	
	Checks if a vulnerable version is present on the target host.
	Details: Oracle MySQL Backronym Vulnerability (Jun 2016) - Windows
	OID:1.3.6.1.4.1.25623.1.0.808063
	Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	
	Product: <code>cpe:/a:mysql:mysql:5.5.20-log</code>
	Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
	OID: 1.3.6.1.4.1.25623.1.0.100152)
References	
	cve: CVE-2015-3152
	url: http://www.ocert.org/advisories/ocert-2015-003.html
	url: https://duo.com/blog/backronym-mysql-vulnerability
	cert-bund: CB-K18/0871
	cert-bund: CB-K16/0944
	cert-bund: CB-K15/1045
	cert-bund: CB-K15/1042
	cert-bund: CB-K15/1020
	cert-bund: CB-K15/0994
	cert-bund: CB-K15/0964
	cert-bund: CB-K15/0895
	dfn-cert: DFN-CERT-2016-1004
	dfn-cert: DFN-CERT-2015-1105
	dfn-cert: DFN-CERT-2015-1096
	dfn-cert: DFN-CERT-2015-1071
	dfn-cert: DFN-CERT-2015-1051
... continues on next page ...	

...continued from previous page ...

dfn-cert: DFN-CERT-2015-1016
 dfn-cert: DFN-CERT-2015-0942

Medium (CVSS: 5.9)

NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to a unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.7.43

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.43, 8.0.34 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.33.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.33 Security Update (cpujul2023) - Win.
 ↪..

OID:1.3.6.1.4.1.25623.1.0.149981

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

... continues on next page ...

...continued from previous page ...
cve: CVE-2023-22053 url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMySQL advisory-id: cpujul2023 cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2023-1794 dfn-cert: DFN-CERT-2024-1188 dfn-cert: DFN-CERT-2024-0593 dfn-cert: DFN-CERT-2024-0491 dfn-cert: DFN-CERT-2024-0454 dfn-cert: DFN-CERT-2023-1642

Medium (CVSS: 5.9) NVT: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (cpuapr2019) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.44 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.44, 5.7.26, 8.0.16 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.43 and prior, 5.7 through 5.7.25 and 8.0 through 8.0.15.
Vulnerability Insight The attacks range in variety and difficulty. Most of them allow an attacker with network access via multiple protocols to compromise the MySQL Server. For further information refer to the official advisory via the referenced link.
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.43 / 5.7 <= 5.7.25 / 8.0 <= 8.0.15 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.142403 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2019-1559 cve: CVE-2019-2683 cve: CVE-2019-2627 cve: CVE-2019-2614 url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL advisory-id: cpuapr2019 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-2946 cert-bund: WID-SEC-2023-1594 cert-bund: WID-SEC-2022-0673 cert-bund: WID-SEC-2022-0462 cert-bund: CB-K22/0045 cert-bund: CB-K20/0041 cert-bund: CB-K19/0911 cert-bund: CB-K19/0639 cert-bund: CB-K19/0623 cert-bund: CB-K19/0622 cert-bund: CB-K19/0620 cert-bund: CB-K19/0619 cert-bund: CB-K19/0615 cert-bund: CB-K19/0332 cert-bund: CB-K19/0320 cert-bund: CB-K19/0319 cert-bund: CB-K19/0173 dfn-cert: DFN-CERT-2020-2620 dfn-cert: DFN-CERT-2020-2189 dfn-cert: DFN-CERT-2020-2180 dfn-cert: DFN-CERT-2020-0092 dfn-cert: DFN-CERT-2020-0048 dfn-cert: DFN-CERT-2019-2625 dfn-cert: DFN-CERT-2019-2457 dfn-cert: DFN-CERT-2019-2300 dfn-cert: DFN-CERT-2019-2274
...continues on next page ...

...continued from previous page ...

```

dfn-cert: DFN-CERT-2019-2158
dfn-cert: DFN-CERT-2019-2157
dfn-cert: DFN-CERT-2019-2046
dfn-cert: DFN-CERT-2019-2008
dfn-cert: DFN-CERT-2019-1996
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1755
dfn-cert: DFN-CERT-2019-1746
dfn-cert: DFN-CERT-2019-1722
dfn-cert: DFN-CERT-2019-1713
dfn-cert: DFN-CERT-2019-1683
dfn-cert: DFN-CERT-2019-1678
dfn-cert: DFN-CERT-2019-1677
dfn-cert: DFN-CERT-2019-1617
dfn-cert: DFN-CERT-2019-1614
dfn-cert: DFN-CERT-2019-1486
dfn-cert: DFN-CERT-2019-1460
dfn-cert: DFN-CERT-2019-1455
dfn-cert: DFN-CERT-2019-1453
dfn-cert: DFN-CERT-2019-1450
dfn-cert: DFN-CERT-2019-1408
dfn-cert: DFN-CERT-2019-1240
dfn-cert: DFN-CERT-2019-0968
dfn-cert: DFN-CERT-2019-0781
dfn-cert: DFN-CERT-2019-0775
dfn-cert: DFN-CERT-2019-0771
dfn-cert: DFN-CERT-2019-0566
dfn-cert: DFN-CERT-2019-0556
dfn-cert: DFN-CERT-2019-0412

```

Medium (CVSS: 5.9)

NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpuapr2016v3) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow remote users to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.807924 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0666 cve: CVE-2016-0647 cve: CVE-2016-0648 cve: CVE-2016-0642 cve: CVE-2016-0643 cve: CVE-2016-2047 url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL advisory-id: cpuapr2016v3 cert-bund: CB-K16/1129 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791
... continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K16/0750
cert-bund: CB-K16/0646
cert-bund: CB-K16/0597
cert-bund: CB-K16/0493
cert-bund: CB-K16/0133
dfn-cert: DFN-CERT-2016-1204
dfn-cert: DFN-CERT-2016-1192
dfn-cert: DFN-CERT-2016-0994
dfn-cert: DFN-CERT-2016-0903
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0803
dfn-cert: DFN-CERT-2016-0695
dfn-cert: DFN-CERT-2016-0644
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0143

```

Medium (CVSS: 5.9)

NVT: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (cpuapr2019) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to a vulnerability in the libmysqld subcomponent.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 5.6.43

Installation

path / port: 3306/tcp

Solution:

Solution type: VendorFix

Update to version 5.6.43, 5.7.25, 8.0.14 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.42 and prior, 5.7 through 5.7.24 and 8.0 through 8.0.13.

... continues on next page ...

...continued from previous page ...
Vulnerability Insight Difficult to exploit vulnerability allows unauthenticated attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Server accessible data.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.42 / 5.7 <= 5.7.24 / 8.0 <= 8.0.13 Security Update (. ↪... OID:1.3.6.1.4.1.25623.1.0.142405 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2018-3123 url: https://www.oracle.com/security-alerts/cpuapr2019.html#AppendixMSQL advisory-id: cpuapr2019 cert-bund: WID-SEC-2023-1594 cert-bund: CB-K19/0319 dfn-cert: DFN-CERT-2019-0775

Medium (CVSS: 5.9)
NVT: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujan2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a vulnerability in a third party library.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation
...continues on next page ...

...continued from previous page...	
path / port:	3306/tcp
Impact The flaw makes it easier for remote attackers to obtain private RSA keys by capturing TLS handshakes, aka a Lenstra attack.	
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.	
Affected Software/OS Oracle MySQL Server versions 5.5.45 and prior and 5.6 through 5.6.26.	
Vulnerability Insight wolfSSL (formerly CyaSSL) as used in MySQL does not properly handle faults associated with the Chinese Remainder Theorem (CRT) process when allowing ephemeral key exchange without low memory optimizations on a server.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.45 / 5.6 <= 5.6.26 Security Update (cpujan2016) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.117194 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2015-7744 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0104	

Medium (CVSS: 5.7)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Apr 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause a denial of service.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.42 and earlier, and 5.6.23 and earlier on windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server : Optimizer, DDL, Server : Compiling, Server : Federated.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Apr 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805172 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2015-2571
 cve: CVE-2015-0505
 cve: CVE-2015-0501
 cve: CVE-2015-0499
 url: <http://www.oracle.com/technetwork/topics/security/cpuapr2015-2365600.html>
 url: <http://www.securityfocus.com/bid/74095>
 url: <http://www.securityfocus.com/bid/74112>
 url: <http://www.securityfocus.com/bid/74070>
 url: <http://www.securityfocus.com/bid/74115>
 cert-bund: WID-SEC-2023-2068
 cert-bund: CB-K15/1546
 cert-bund: CB-K15/1518
 cert-bund: CB-K15/1202
 cert-bund: CB-K15/1193
 cert-bund: CB-K15/1045
 cert-bund: CB-K15/1042
 cert-bund: CB-K15/0964
 cert-bund: CB-K15/0720
 cert-bund: CB-K15/0531
 dfn-cert: DFN-CERT-2015-1623
 dfn-cert: DFN-CERT-2015-1604
 dfn-cert: DFN-CERT-2015-1272
 dfn-cert: DFN-CERT-2015-1264
 dfn-cert: DFN-CERT-2015-1105
 dfn-cert: DFN-CERT-2015-1096
 dfn-cert: DFN-CERT-2015-1016
 dfn-cert: DFN-CERT-2015-0758
 dfn-cert: DFN-CERT-2015-0551

Medium (CVSS: 5.5)

NVT: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (cpuoct2025) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.44 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.44, 8.4.7, 9.4.1 or later.
Affected Software/OS Oracle MySQL Server versions 8.0.43 and prior, 8.1.x through 8.4.6 and 9.0.0 through 9.4.0. Note: While not explicitly mentioned by the vendor (due to the EOL status of these branches) it is assumed that all versions prior to 8.x and versions like 9.2.x in between are also affected by these flaws. If you disagree with this assessment and want to accept the risk please create an override for this result.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.43, 8.1.x <= 8.4.7, 9.0.0 <= 9.4.0 Security Update (. ↔.. OID:1.3.6.1.4.1.25623.1.0.119199 Version used: 2025-10-24T11:09:31+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2025-53040 cve: CVE-2025-53042 cve: CVE-2025-53054 cve: CVE-2025-53053 cve: CVE-2025-53044 cve: CVE-2025-53045 cve: CVE-2025-53062 cve: CVE-2025-53069 url: https://www.oracle.com/security-alerts/cpuoct2025.html#AppendixMSQL advisory-id: cpuoct2025 cert-bund: WID-SEC-2025-2363 dfn-cert: DFN-CERT-2026-0409 dfn-cert: DFN-CERT-2025-3598
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2025-2945

Medium (CVSS: 5.5)

NVT: Oracle MySQL Server <= 5.5.46 Security Update (cpuapr2016v3) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)**Summary**

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: See the referenced vendor advisory

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow local users to affect availability.

Solution:**Solution type:** VendorFix

Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.46 and prior.

Vulnerability Insight

Unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Optimizer'.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.5.46 Security Update (cpuapr2016v3) - Windows

OID:1.3.6.1.4.1.25623.1.0.807922

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

... continues on next page ...

...continued from previous page ...
Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0651 url: https://www.oracle.com/security-alerts/cpuapr2016v3.html#AppendixMSQL advisory-id: cpuapr2016v3 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0597 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0644

Medium (CVSS: 5.4)
NVT: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpujan2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.29 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.1.67, 5.5.29 or later.
Affected Software/OS Oracle MySQL Server versions 5.1.66 and prior and 5.5 through 5.5.28.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.1.66 / 5.5 <= 5.5.28 Security Update (cpujan2013) - Wi.

↔..

OID:1.3.6.1.4.1.25623.1.0.117203

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2012-5611

cve: CVE-2013-0384

cve: CVE-2013-0389

cve: CVE-2013-0385

cve: CVE-2013-0375

cve: CVE-2012-1702

cve: CVE-2013-0383

cve: CVE-2012-0572

cve: CVE-2012-0574

cve: CVE-2012-1705

cve: CVE-2012-4414

url: <https://www.oracle.com/security-alerts/cpujan2013.html#AppendixMSQL>

advisory-id: cpujan2013

cert-bund: CB-K13/0919

cert-bund: CB-K13/0603

dfn-cert: DFN-CERT-2013-1937

dfn-cert: DFN-CERT-2013-1597

dfn-cert: DFN-CERT-2013-0259

dfn-cert: DFN-CERT-2013-0192

dfn-cert: DFN-CERT-2013-0119

dfn-cert: DFN-CERT-2013-0118

dfn-cert: DFN-CERT-2013-0106

dfn-cert: DFN-CERT-2013-0079

dfn-cert: DFN-CERT-2013-0037

dfn-cert: DFN-CERT-2013-0028

dfn-cert: DFN-CERT-2012-2285

dfn-cert: DFN-CERT-2012-2258

dfn-cert: DFN-CERT-2012-2215

dfn-cert: DFN-CERT-2012-2200

Medium (CVSS: 5.3)
NVT: Oracle Mysql Security Updates (apr2017-3236618) 03 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to bypass certain security restrictions and perform unauthorized actions by conducting a man-in-the-middle attack. This may lead to other attacks also.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.54 and earlier, 5.6.35 and earlier on Windows
Vulnerability Insight The flaw exists due to an incorrect implementation or enforcement of 'ssl-mode=REQUIRED' in MySQL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (apr2017-3236618) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.810884 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3305 url: http://www.oracle.com/technetwork/security-advisory/cpuapr2017-3236618.html url: http://www.securityfocus.com/bid/97023 cert-bund: CB-K17/1604 cert-bund: CB-K17/1239 cert-bund: CB-K17/0657 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1282 dfn-cert: DFN-CERT-2017-0675

Medium (CVSS: 5.3) NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.40, 8.4.2, 9.0.2 or later.
Affected Software/OS Oracle MySQL Server version 8.0.39 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...	
Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo. ↔.. OID:1.3.6.1.4.1.25623.1.0.170873 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-21238 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2025-0446 dfn-cert: DFN-CERT-2024-2732	

Medium (CVSS: 5.3)
NVT: Oracle Mysql Security Updates (jul2017-3236622) 02 - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary Oracle MySQL is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact Successful exploitation of this vulnerability will allow remote attackers to have an impact on confidentiality, integrity and availability.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.5.56 and earlier, 5.6.36 and earlier, 5.7.18 and earlier, on Windows
Vulnerability Insight Multiple flaws exist due to - A flaw in the Client mysqldump component. - A flaw in the Server: DDL component. - A flaw in the C API component. - A flaw in the Connector/C component. - A flaw in the Server: Charsets component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jul2017-3236622) 02 - Windows OID:1.3.6.1.4.1.25623.1.0.811432 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3651 cve: CVE-2017-3653 cve: CVE-2017-3652 cve: CVE-2017-3635 cve: CVE-2017-3648 cve: CVE-2017-3641 url: http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html ↪#AppendixMSQL url: http://www.securityfocus.com/bid/99802 url: http://www.securityfocus.com/bid/99810 url: http://www.securityfocus.com/bid/99805 url: http://www.securityfocus.com/bid/99730 url: http://www.securityfocus.com/bid/99789 url: http://www.securityfocus.com/bid/99767 cert-bund: CB-K18/0224 cert-bund: CB-K17/1870 cert-bund: CB-K17/1732 cert-bund: CB-K17/1604 cert-bund: CB-K17/1453 cert-bund: CB-K17/1401 cert-bund: CB-K17/1298
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K17/1239
 cert-bund: CB-K17/1205
 dfn-cert: DFN-CERT-2018-1276
 dfn-cert: DFN-CERT-2018-0242
 dfn-cert: DFN-CERT-2017-1956
 dfn-cert: DFN-CERT-2017-1806
 dfn-cert: DFN-CERT-2017-1675
 dfn-cert: DFN-CERT-2017-1519
 dfn-cert: DFN-CERT-2017-1465
 dfn-cert: DFN-CERT-2017-1341
 dfn-cert: DFN-CERT-2017-1282
 dfn-cert: DFN-CERT-2017-1243

Medium (CVSS: 5.3)

NVT: Oracle Mysql Security Updates (jul2017-3236622) 03 - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Impact

Successful exploitation of this vulnerability will allow remote attackers to partially access data, partially modify data, and partially deny service.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.56 and earlier, 5.6.36 and earlier, on Windows

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
The flaw exists due to an error in the Client programs component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jul2017-3236622) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.811434 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3636 url: http://www.oracle.com/technetwork/security-advisory/cpujul2017-3236622.html ↪#AppendixMSQL url: http://www.securityfocus.com/bid/99736 cert-bund: CB-K18/0224 cert-bund: CB-K17/1870 cert-bund: CB-K17/1604 cert-bund: CB-K17/1453 cert-bund: CB-K17/1401 cert-bund: CB-K17/1239 cert-bund: CB-K17/1205 dfn-cert: DFN-CERT-2018-1276 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1956 dfn-cert: DFN-CERT-2017-1675 dfn-cert: DFN-CERT-2017-1519 dfn-cert: DFN-CERT-2017-1465 dfn-cert: DFN-CERT-2017-1282 dfn-cert: DFN-CERT-2017-1243
Medium (CVSS: 5.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary ... continues on next page ...

...continued from previous page ...
Oracle MySQL Server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.40, 8.0.31 or later.
Affected Software/OS Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.30.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.30 Security Update (cpuoct2022) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.118388 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-2097 cve: CVE-2022-21617 cve: CVE-2022-21608 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-1186 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1969 cert-bund: WID-SEC-2023-1432 cert-bund: WID-SEC-2022-1777 cert-bund: WID-SEC-2022-1776 cert-bund: WID-SEC-2022-1461 cert-bund: WID-SEC-2022-1245
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2022-1146
 cert-bund: WID-SEC-2022-1068
 cert-bund: WID-SEC-2022-1065
 cert-bund: WID-SEC-2022-0561
 dfn-cert: DFN-CERT-2024-0147
 dfn-cert: DFN-CERT-2023-2667
 dfn-cert: DFN-CERT-2023-2491
 dfn-cert: DFN-CERT-2023-1230
 dfn-cert: DFN-CERT-2023-1058
 dfn-cert: DFN-CERT-2023-0509
 dfn-cert: DFN-CERT-2023-0299
 dfn-cert: DFN-CERT-2023-0100
 dfn-cert: DFN-CERT-2022-2323
 dfn-cert: DFN-CERT-2022-2315
 dfn-cert: DFN-CERT-2022-2306
 dfn-cert: DFN-CERT-2022-2150
 dfn-cert: DFN-CERT-2022-2073
 dfn-cert: DFN-CERT-2022-2072
 dfn-cert: DFN-CERT-2022-1905
 dfn-cert: DFN-CERT-2022-1646
 dfn-cert: DFN-CERT-2022-1536
 dfn-cert: DFN-CERT-2022-1521
 dfn-cert: DFN-CERT-2022-1520
 dfn-cert: DFN-CERT-2022-1515
 dfn-cert: DFN-CERT-2022-1497

Medium (CVSS: 5.3)

NVT: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities in OpenSSL.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.6.47

Installation

... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.47, 5.7.27 or later.	
Affected Software/OS Oracle MySQL Server versions 5.6.46 and prior and 5.7 through 5.7.26.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.46 / 5.7 <= 5.7.26 Security Update (cpuapr2020) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.143735 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2019-1547 cve: CVE-2019-1549 cve: CVE-2019-1552 cve: CVE-2019-1563 url: https://www.oracle.com/security-alerts/cpuapr2020.html#AppendixMSQL advisory-id: cpuapr2020 cert-bund: WID-SEC-2023-3081 cert-bund: WID-SEC-2023-1762 cert-bund: WID-SEC-2023-1049 cert-bund: WID-SEC-2022-0673 cert-bund: CB-K22/0045 cert-bund: CB-K20/1049 cert-bund: CB-K20/1016 cert-bund: CB-K20/0321 cert-bund: CB-K20/0318 cert-bund: CB-K20/0043 cert-bund: CB-K20/0038 cert-bund: CB-K20/0036 cert-bund: CB-K20/0028 cert-bund: CB-K19/1025 cert-bund: CB-K19/0919 cert-bund: CB-K19/0915 cert-bund: CB-K19/0808	
...continues on next page ...	

...continued from previous page ...

```

cert-bund: CB-K19/0675
dfn-cert: DFN-CERT-2023-2709
dfn-cert: DFN-CERT-2020-2014
dfn-cert: DFN-CERT-2020-1729
dfn-cert: DFN-CERT-2020-0895
dfn-cert: DFN-CERT-2020-0776
dfn-cert: DFN-CERT-2020-0775
dfn-cert: DFN-CERT-2020-0772
dfn-cert: DFN-CERT-2020-0716
dfn-cert: DFN-CERT-2020-0277
dfn-cert: DFN-CERT-2020-0101
dfn-cert: DFN-CERT-2020-0096
dfn-cert: DFN-CERT-2020-0091
dfn-cert: DFN-CERT-2020-0090
dfn-cert: DFN-CERT-2019-2164
dfn-cert: DFN-CERT-2019-2149
dfn-cert: DFN-CERT-2019-1900
dfn-cert: DFN-CERT-2019-1897
dfn-cert: DFN-CERT-2019-1559

```

Medium (CVSS: 5.3)

NVT: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.6.46

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.6.46, 5.7.28 or later.

... continues on next page ...

...continued from previous page ...	
Affected Software/OS	Oracle MySQL Server versions 5.6.45 and prior and 5.7 through 5.7.27.
Vulnerability Insight	Oracle MySQL Server is prone to multiple vulnerabilities. For further information refer to the official advisory via the referenced link.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.45 / 5.7 <= 5.7.27 Security Update (cpuoct2019) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.143034 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2019-2922 cve: CVE-2019-2923 cve: CVE-2019-2924 cve: CVE-2019-2910 url: https://www.oracle.com/security-alerts/cpuoct2019.html#AppendixMSQL advisory-id: cpuoct2019 cert-bund: CB-K19/0915 dfn-cert: DFN-CERT-2020-0103 dfn-cert: DFN-CERT-2019-2149

Medium (CVSS: 5.0)	
NVT: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Apr 2015) - Windows	
Product detection result	cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary	Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD):	80%
... continues on next page ...	

...continued from previous page ...
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause a denial of service.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.41 and earlier, and 5.6.22 and earlier on windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to DDL, Server : Security : Privileges, Server : Security : Encryption, InnoDB : DML.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Apr 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805171 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-2573 cve: CVE-2015-2568 cve: CVE-2015-0441 cve: CVE-2015-0433 url: http://www.oracle.com/technetwork/topics/security/cpuapr2015-2365600.html url: http://www.securityfocus.com/bid/74078 url: http://www.securityfocus.com/bid/74073 url: http://www.securityfocus.com/bid/74103 url: http://www.securityfocus.com/bid/74089 cert-bund: WID-SEC-2023-2068 cert-bund: CB-K15/1546 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/1045
 cert-bund: CB-K15/1042
 cert-bund: CB-K15/0964
 cert-bund: CB-K15/0720
 cert-bund: CB-K15/0531
 dfn-cert: DFN-CERT-2015-1623
 dfn-cert: DFN-CERT-2015-1272
 dfn-cert: DFN-CERT-2015-1264
 dfn-cert: DFN-CERT-2015-1105
 dfn-cert: DFN-CERT-2015-1096
 dfn-cert: DFN-CERT-2015-1016
 dfn-cert: DFN-CERT-2015-0758
 dfn-cert: DFN-CERT-2015-0551

Medium (CVSS: 5.0)

NVT: MySQL Unspecified vulnerabilities-03 (Jul 2013) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL 5.5.30 and earlier and 5.6.10 on Windows.

Vulnerability Insight

... continues on next page ...

...continued from previous page ...
Unspecified errors in the MySQL Server component via unknown vectors related to Prepared Statements, Server Options and Server Partition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerabilities-03 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803725 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3801 cve: CVE-2013-3805 cve: CVE-2013-3794 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61222 url: http://www.securityfocus.com/bid/61256 url: http://www.securityfocus.com/bid/61269 cert-bund: CB-K13/0919 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-1937 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478
Medium (CVSS: 4.9)
NVT: Oracle MySQL Security Update (cpujul2018 - 04) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page...	
Installed version:	5.5.20
Fixed version:	See reference
Installation	
path / port:	3306/tcp
Impact Successful exploitation of this vulnerability will allow remote attackers to conduct a denial-of-service condition.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle MySQL version 5.5.60 and earlier.	
Vulnerability Insight Multiple flaws exist due to an error in the 'Server: Security: Privileges' component of MySQL Server.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Security Update (cpujul2018 - 04) - Windows OID:1.3.6.1.4.1.25623.1.0.813710 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2018-3063 url: https://www.oracle.com/security-alerts/cpujul2018.html#AppendixMSQL advisory-id: cpujul2018 cert-bund: WID-SEC-2023-1594 cert-bund: CB-K18/0795 dfn-cert: DFN-CERT-2019-1614 dfn-cert: DFN-CERT-2019-1588 dfn-cert: DFN-CERT-2019-1152 dfn-cert: DFN-CERT-2019-1047 dfn-cert: DFN-CERT-2019-0484 dfn-cert: DFN-CERT-2018-1649 dfn-cert: DFN-CERT-2018-1402	

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpu-jan2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.6.51 Installation path / port: 3306/tcp
Impact Successful attacks of this vulnerability can result in the unauthorized ability to cause a hang or frequently repeatedly crash (complete DOS) the MySQL Server.
Solution: Solution type: VendorFix Update to version 5.6.51, 5.7.31, 8.0.18 or later.
Affected Software/OS Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.30 and 8.0 through 8.0.17.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.30 / 8.0 <= 8.0.17 Security Update (.↵.. OID:1.3.6.1.4.1.25623.1.0.145222 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2021-2001
 url: <https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL>
 advisory-id: cpujan2021
 cert-bund: WID-SEC-2023-0067
 cert-bund: CB-K21/0062
 dfn-cert: DFN-CERT-2021-2155
 dfn-cert: DFN-CERT-2021-0810
 dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)

NVT: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (cpu-jan2021) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to multiple vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20
 Fixed version: 5.6.51
 Installation
 path / port: 3306/tcp

Solution:

Solution type: VendorFix

Update to version 5.6.51, 5.7.33, 8.0.23 or later.

Affected Software/OS

Oracle MySQL Server versions 5.6.50 and prior, 5.7 through 5.7.32 and 8.0 through 8.0.22.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.6.50 / 5.7 <= 5.7.32 / 8.0 <= 8.0.22 Security Update (↪..

OID:1.3.6.1.4.1.25623.1.0.145224

... continues on next page ...

...continued from previous page ...
Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2022 cve: CVE-2021-2060 url: https://www.oracle.com/security-alerts/cpujan2021.html#AppendixMSQL advisory-id: cpujan2021 cert-bund: WID-SEC-2023-0067 cert-bund: CB-K21/0062 dfn-cert: DFN-CERT-2021-2155 dfn-cert: DFN-CERT-2021-0131

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.31 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.31, 8.0.18 or later.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
Oracle MySQL Server version 5.7.30 and prior and 8.0 through 8.0.17.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.30 / 8.0 <= 8.0.17 Security Update (cpuapr2021) - Wi. ↪.. OID:1.3.6.1.4.1.25623.1.0.145804 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2160 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2023-0065 cert-bund: CB-K21/0421 dfn-cert: DFN-CERT-2021-0821

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.34 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix
... continues on next page ...

...continued from previous page ...
Update to version 5.7.34 or later.
Affected Software/OS Oracle MySQL Server version 5.7.33 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.33 Security Update (cpuapr2021) - Windows OID: 1.3.6.1.4.1.25623.1.0.145802 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2021-2154 url: https://www.oracle.com/security-alerts/cpuapr2021.html#AppendixMSQL advisory-id: cpuapr2021 cert-bund: WID-SEC-2023-0065 cert-bund: CB-K21/0421 dfn-cert: DFN-CERT-2022-1241 dfn-cert: DFN-CERT-2022-0933 dfn-cert: DFN-CERT-2022-0666 dfn-cert: DFN-CERT-2021-1660 dfn-cert: DFN-CERT-2021-0984 dfn-cert: DFN-CERT-2021-0821

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

Installed version: 5.5.20

Fixed version: 5.7.41

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.7.41 or later.

Affected Software/OS

Oracle MySQL Server version 5.7.40 and prior.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server <= 5.7.40 Security Update (cpujan2023) - Windows

OID: 1.3.6.1.4.1.25623.1.0.149168

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2023-21840

url: <https://www.oracle.com/security-alerts/cpujan2023.html#AppendixMSQL>

advisory-id: cpujan2023

cert-bund: WID-SEC-2024-1591

cert-bund: WID-SEC-2023-1424

cert-bund: WID-SEC-2023-0126

dfn-cert: DFN-CERT-2023-0105

Medium (CVSS: 4.9)

NVT: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary

... continues on next page ...

...continued from previous page ...	
Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.42 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.42, 8.0.33 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.41 and prior and 8.x through 8.0.32.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.41, 8.x <= 8.0.32 Security Update (cpujul2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149979 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-22007 url: https://www.oracle.com/security-alerts/cpujul2023.html#AppendixMSQL advisory-id: cpujul2023 cert-bund: WID-SEC-2023-1794 dfn-cert: DFN-CERT-2024-1188 dfn-cert: DFN-CERT-2024-0593 dfn-cert: DFN-CERT-2024-0454 dfn-cert: DFN-CERT-2023-1642	
Medium (CVSS: 4.9)	
NVT: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Windows	
Product detection result	
... continues on next page ...	

...continued from previous page...	
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to multiple vulnerabilities.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.43 Installation path / port: 3306/tcp	
Solution: Solution type: VendorFix Update to version 5.7.43, 8.0.32 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.42 and prior and 8.x through 8.0.31.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.42, 8.x <= 8.0.31 Security Update (cpuoct2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.151212 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-22015 cve: CVE-2023-22026 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMSQL advisory-id: cpuoct2023 cert-bund: WID-SEC-2023-2690 dfn-cert: DFN-CERT-2023-2536	

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.44 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.44, 8.0.32 or later.
Affected Software/OS Oracle MySQL Server version 5.7.43 and prior and 8.x through 8.0.31.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.43, 8.x <= 8.0.31 Security Update (cpuoct2023) - Win.↵.. OID:1.3.6.1.4.1.25623.1.0.151216 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2023-22028 url: https://www.oracle.com/security-alerts/cpuoct2023.html#AppendixMySQL advisory-id: cpuoct2023 cert-bund: WID-SEC-2023-2690
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-0108 dfn-cert: DFN-CERT-2023-2536
Medium (CVSS: 4.9) NVT: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.36 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.36 or later.
Affected Software/OS Oracle MySQL Server version 8.0.35 and prior.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.35 Security Update (cpuoct2024) - Windows OID:1.3.6.1.4.1.25623.1.0.170867 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2024-21200
... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL
advisory-id: cpuoct2024
cert-bund: WID-SEC-2024-3188
dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuoct2024) - Windows
Product detection result cpe: /a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 8.0.39 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.39, 8.4.2, 9.0.2 or later.
Affected Software/OS Oracle MySQL Server version 8.0.38 and prior, 8.1 through 8.4.1 and 9.0 through 9.0.1.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.38, 8.1 <= 8.4.1, 9.0 <= 9.0.1 Security Update (cpuo. ↵.. OID:1.3.6.1.4.1.25623.1.0.170869 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2024-21207 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2024-2732

Medium (CVSS: 4.9)
NVT: Oracle MySQL Server Component 'Replication' Unspecified vulnerability (Oct 2013) - Windows
Product detection result cpe: /a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote attackers to disclose sensitive information, manipulate certain data, cause a DoS (Denial of Service) and bypass certain security restrictions.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL versions 5.5.10 through 5.5.32 and 5.6.x through 5.6.12 on Windows
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Replication.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host.
... continues on next page ...

...continued from previous page ...	
Details: Oracle MySQL Server Component 'Replication' Unspecified vulnerability (Oct 2013. ↔.. OID:1.3.6.1.4.1.25623.1.0.804034 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2013-5807 url: http://secunia.com/advisories/55327 url: http://www.securityfocus.com/bid/63105 url: http://www.oracle.com/technetwork/topics/security/cpuoct2013-1899837.html cert-bund: CB-K14/0187 cert-bund: CB-K13/1072 cert-bund: CB-K13/0840 cert-bund: CB-K13/0789 dfn-cert: DFN-CERT-2014-0190 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1846 dfn-cert: DFN-CERT-2013-1795	

Medium (CVSS: 4.6)
NVT: Oracle MySQL Server 5.5 <= 5.5.29 / 5.6 <= 5.6.11 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.30 Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.5.30, 5.6.11 or later.	
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.29 and 5.6 through 5.6.10.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.29 / 5.6 <= 5.6.11 Security Update (cpuapr2013) . ↔.. OID:1.3.6.1.4.1.25623.1.0.117213 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2013-1523 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0798	

Medium (CVSS: 4.4)	
NVT: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20	
... continues on next page ...	

...continued from previous page ...	
Fixed version:	8.0.40
Installation path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 8.0.40, 8.4.1 or later.	
Affected Software/OS Oracle MySQL Server version 8.0.39 and prior and 8.1 through 8.4.0.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 8.0.39, 8.1 <= 8.4.0 Security Update (cpuoct2024) - Wind. ↔.. OID:1.3.6.1.4.1.25623.1.0.170871 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2024-21212 url: https://www.oracle.com/security-alerts/cpuoct2024.html#AppendixMSQL advisory-id: cpuoct2024 cert-bund: WID-SEC-2024-3188 dfn-cert: DFN-CERT-2025-0446 dfn-cert: DFN-CERT-2024-2732	

Medium (CVSS: 4.4)	
NVT: Oracle Mysql Security Updates (jan2017-2881727) 04 - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL is prone to an unspecified vulnerability.	
... continues on next page ...	

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation of this vulnerability will allow remote to have some unspecified impact on availability.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.53 and earlier on Windows
Vulnerability Insight The flaw exists due to an unspecified error in sub component 'Server: Charsets'.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Mysql Security Updates (jan2017-2881727) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.809869 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2017-3243 url: http://www.oracle.com/technetwork/security-advisory/cpujan2017-2881727.html url: http://www.securityfocus.com/bid/95538 cert-bund: CB-K18/0224 cert-bund: CB-K17/1298 cert-bund: CB-K17/0098 dfn-cert: DFN-CERT-2018-0242 dfn-cert: DFN-CERT-2017-1341 dfn-cert: DFN-CERT-2017-0090

Medium (CVSS: 4.4)
NVT: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.37 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.37, 8.0.28 or later.
Affected Software/OS Oracle MySQL Server version 5.7.36 and prior and 8.0 through 8.0.27.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.36 / 8.0 <= 8.0.27 Security Update (cpuoct2022) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.118382 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-21595 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMySQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 ... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2022-1776 dfn-cert: DFN-CERT-2023-0504 dfn-cert: DFN-CERT-2022-2306
Medium (CVSS: 4.3) NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.40, 8.0.30 or later.
Affected Software/OS Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.29.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.29 Security Update (cpuoct2022) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.118386 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
References cve: CVE-2022-21592 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2022-1776 dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.40 Installation path / port: 3306/tcp
Solution: Solution type: VendorFix Update to version 5.7.40, 8.0.17 or later.
Affected Software/OS Oracle MySQL Server version 5.7.39 and prior and 8.0 through 8.0.16.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.39 / 8.0 <= 8.0.16 Security Update (cpuoct2022) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.118384 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result ... continues on next page ...

...continued from previous page ...
Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2022-21589 url: https://www.oracle.com/security-alerts/cpuoct2022.html#AppendixMSQL advisory-id: cpuoct2022 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2022-1776 dfn-cert: DFN-CERT-2022-2306

Medium (CVSS: 4.3)
NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-03 (Jul 2015)
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS
... continues on next page ...

...continued from previous page ...
Oracle MySQL Server 5.5.43 and earlier and 5.6.23 and earlier on Windows
Vulnerability Insight Unspecified errors exist in the MySQL Server component via unknown vectors related to Server : Pluggable Auth and Server : Security : Privileges.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-03 (Jul 2015) OID:1.3.6.1.4.1.25623.1.0.805930 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4737 cve: CVE-2015-2620 url: http://www.oracle.com/technetwork/topics/security/cpujul2015-2367936.html url: http://www.securityfocus.com/bid/75802 url: http://www.securityfocus.com/bid/75837 cert-bund: CB-K15/1518 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193 cert-bund: CB-K15/1045 cert-bund: CB-K15/1020 dfn-cert: DFN-CERT-2015-1604 dfn-cert: DFN-CERT-2015-1272 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1096 dfn-cert: DFN-CERT-2015-1071
Medium (CVSS: 4.0)
NVT: MySQL Server Component Partition Unspecified Vulnerability
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary ... continues on next page ...

MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20-log Fixed version: 5.5.22
Impact Successful exploitation could allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS MySQL version 5.5.x before 5.5.22
Vulnerability Insight Unspecified error in MySQL Server component related to Partition.
Vulnerability Detection Method Details: MySQL Server Component Partition Unspecified Vulnerability OID:1.3.6.1.4.1.25623.1.0.803801 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-1697 url: http://secunia.com/advisories/48890 url: http://www.securityfocus.com/bid/53064 url: http://www.oracle.com/technetwork/topics/security/cpuapr2012-366314.html#AppendixMySQL dfn-cert: DFN-CERT-2012-0939 dfn-cert: DFN-CERT-2012-0735

Medium (CVSS: 4.0)
NVT: MySQL Unspecified vulnerabilities-01 (Jul 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.1.69 and earlier, 5.5.31 and earlier, 5.6.11 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Full Text Search and Server Optimizer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerabilities-01 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803723 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References ... continues on next page ...

...continued from previous page ...
cve: CVE-2013-3804 cve: CVE-2013-3802 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61244 url: http://www.securityfocus.com/bid/61260 cert-bund: CB-K13/1072 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 4.0)
NVT: MySQL Unspecified vulnerabilities-02 (Jul 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect integrity and availability via unknown vectors and cause denial of service.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.5.31 and earlier, 5.6.11 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Server Replication, Audit Log and Data Manipulation Language.
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: MySQL Unspecified vulnerabilities-02 (Jul 2013) - Windows

OID:1.3.6.1.4.1.25623.1.0.803724

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2013-3812

cve: CVE-2013-3809

cve: CVE-2013-3793

url: <http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html>url: <http://www.securityfocus.com/bid/61249>url: <http://www.securityfocus.com/bid/61264>url: <http://www.securityfocus.com/bid/61272>

cert-bund: CB-K13/1072

cert-bund: CB-K13/0620

dfn-cert: DFN-CERT-2013-2099

dfn-cert: DFN-CERT-2013-1599

dfn-cert: DFN-CERT-2013-1553

dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 4.0)

NVT: MySQL Unspecified vulnerability-04 (Jul 2013) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)

Summary

MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

... continues on next page ...

...continued from previous page ...
Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.1.68 and earlier, 5.5.30 and earlier and 5.6.10 on Windows.
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Server Options.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerability-04 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803726 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3808 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61227 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 4.0)
NVT: MySQL Unspecified vulnerability-06 (Jul 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary ... continues on next page ...

MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote authenticated users to affect availability via unknown vectors.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL 5.5.31 and earlier on Windows.
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Server Parser.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: MySQL Unspecified vulnerability-06 (Jul 2013) - Windows OID:1.3.6.1.4.1.25623.1.0.803728 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3783 url: http://www.oracle.com/technetwork/topics/security/cpujuly2013-1899826.html url: http://www.securityfocus.com/bid/61210 cert-bund: CB-K13/1072 cert-bund: CB-K13/0620 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1599 dfn-cert: DFN-CERT-2013-1553 dfn-cert: DFN-CERT-2013-1478

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 01 (May 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.35 and earlier and 5.6.15 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Partition, Replication and XML subcomponent.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 01 (May 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804574 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References ... continues on next page ...

...continued from previous page ...

```

cve: CVE-2014-0384
cve: CVE-2014-2419
cve: CVE-2014-2438
url: http://secunia.com/advisories/57940
url: http://www.securityfocus.com/bid/66835
url: http://www.securityfocus.com/bid/66846
url: http://www.securityfocus.com/bid/66880
url: http://www.scaprepo.com/view.jsp?id=oval:org.secpod.oval:def:701638
url: http://www.oracle.com/technetwork/topics/security/cpuapr2014-1972952.html
cert-bund: CB-K14/0710
cert-bund: CB-K14/0464
cert-bund: CB-K14/0452
dfn-cert: DFN-CERT-2014-0742
dfn-cert: DFN-CERT-2014-0477
dfn-cert: DFN-CERT-2014-0459

```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-01 (Oct 2015) - Windows

Product detection result

```

cpe:/a:mysql:mysql:5.5.20-log
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)

```

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

```

Installed version: 5.5.20
Fixed version:      Apply the patch
Installation
path / port:        3306/tcp

```

Impact

Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL Server 5.5.45 and earlier and 5.6.26 and earlier on windows
Vulnerability Insight Unspecified errors exist in the MySQL Server component via unknown vectors related to Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-01 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805764 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4913 cve: CVE-2015-4830 cve: CVE-2015-4826 cve: CVE-2015-4815 cve: CVE-2015-4807 cve: CVE-2015-4802 cve: CVE-2015-4792 cve: CVE-2015-4870 cve: CVE-2015-4861 cve: CVE-2015-4858 cve: CVE-2015-4836 url: http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html url: http://www.securityfocus.com/bid/77153 url: http://www.securityfocus.com/bid/77228 url: http://www.securityfocus.com/bid/77237 url: http://www.securityfocus.com/bid/77222 url: http://www.securityfocus.com/bid/77205 url: http://www.securityfocus.com/bid/77165 url: http://www.securityfocus.com/bid/77171 url: http://www.securityfocus.com/bid/77208 url: http://www.securityfocus.com/bid/77137 url: http://www.securityfocus.com/bid/77145 url: http://www.securityfocus.com/bid/77190 cert-bund: WID-SEC-2024-1483 cert-bund: CB-K16/1122 cert-bund: CB-K16/0791 cert-bund: CB-K16/0646 cert-bund: CB-K16/0493
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K16/0246
 cert-bund: CB-K16/0245
 cert-bund: CB-K15/1844
 cert-bund: CB-K15/1600
 cert-bund: CB-K15/1554
 dfn-cert: DFN-CERT-2016-1192
 dfn-cert: DFN-CERT-2016-0845
 dfn-cert: DFN-CERT-2016-0695
 dfn-cert: DFN-CERT-2016-0532
 dfn-cert: DFN-CERT-2016-0266
 dfn-cert: DFN-CERT-2016-0265
 dfn-cert: DFN-CERT-2015-1946
 dfn-cert: DFN-CERT-2015-1692
 dfn-cert: DFN-CERT-2015-1638

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Feb 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL Server version 5.5.40 and earlier on Windows.

Vulnerability Insight

... continues on next page ...

...continued from previous page...
Unspecified errors in the MySQL Server component via unknown vectors related to Server:InnoDB:DDL:Foreign Key
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-02 (Feb 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805133 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-0432 url: http://secunia.com/advisories/62525 url: http://www.securityfocus.com/bid/72217 url: http://www.oracle.com/technetwork/topics/security/cpujan2015-1972971.html cert-bund: CB-K15/1193 cert-bund: CB-K15/0964 cert-bund: CB-K15/0567 cert-bund: CB-K15/0415 cert-bund: CB-K15/0073 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1016 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2015-0427 dfn-cert: DFN-CERT-2015-0074

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-02 (Jul 2015)
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause denial-of-service attack.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.43 and earlier, and 5.6.24 and earlier on Windows.
Vulnerability Insight Unspecified errors exist in the MySQL Server component via unknown vectors related to DML, Server : I_S, Server : Optimizer, and GIS.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-02 (Jul 2015) OID:1.3.6.1.4.1.25623.1.0.805929 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-2648 cve: CVE-2015-4752 cve: CVE-2015-2643 cve: CVE-2015-2582 url: http://www.oracle.com/technetwork/topics/security/cpujul2015-2367936.html url: http://www.securityfocus.com/bid/75822 url: http://www.securityfocus.com/bid/75849 url: http://www.securityfocus.com/bid/75830 url: http://www.securityfocus.com/bid/75751 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193 cert-bund: CB-K15/1045
... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/1020
 dfn-cert: DFN-CERT-2015-1272
 dfn-cert: DFN-CERT-2015-1264
 dfn-cert: DFN-CERT-2015-1096
 dfn-cert: DFN-CERT-2015-1071

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 03 (Jan 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.5.33 and earlier on Windows, Oracle MySQL version 5.6.13 and earlier on Windows.

Vulnerability Insight

Unspecified errors in the MySQL Server component via unknown vectors related to Partition.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Multiple Unspecified vulnerabilities - 03 (Jan 2014) - Windows

OID:1.3.6.1.4.1.25623.1.0.804074

Version used: 2025-09-09T11:08:49+05:30

... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log
 Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)
 OID: 1.3.6.1.4.1.25623.1.0.100152)

References

cve: CVE-2013-5891
 url: <http://secunia.com/advisories/56491>
 url: <http://www.securityfocus.com/bid/64891>
 url: <http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html>
 cert-bund: CB-K14/0710
 cert-bund: CB-K14/0187
 cert-bund: CB-K14/0082
 cert-bund: CB-K14/0074
 cert-bund: CB-K14/0055
 dfn-cert: DFN-CERT-2014-0742
 dfn-cert: DFN-CERT-2014-0190
 dfn-cert: DFN-CERT-2014-0085
 dfn-cert: DFN-CERT-2014-0074
 dfn-cert: DFN-CERT-2014-0048

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Jul 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20-log
 Vulnerable range: 5.5 - 5.5.37

Impact

Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).

Solution:

... continues on next page ...

...continued from previous page...	
Solution type: VendorFix	Apply the patch from the referenced advisory.
Affected Software/OS	Oracle MySQL version 5.5.37 and earlier on Windows.
Vulnerability Insight	Unspecified errors in the MySQL Server component via unknown vectors related to ENARC and SROPTZR.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-03 (Jul 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804723 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result	Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References	cve: CVE-2014-2494 cve: CVE-2014-4207 url: http://secunia.com/advisories/59521 url: http://www.securityfocus.com/bid/68579 url: http://www.securityfocus.com/bid/68593 url: http://www.computerworld.com/s/article/9249690/Oracle_to_release_115_security_patches url: http://www.oracle.com/technetwork/topics/security/cpujul2014-1972956.html#AppendixMSQL cert-bund: CB-K15/0567 cert-bund: CB-K14/1420 cert-bund: CB-K14/0891 cert-bund: CB-K14/0868 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2014-1500 dfn-cert: DFN-CERT-2014-0930 dfn-cert: DFN-CERT-2014-0911

Medium (CVSS: 4.0)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities-04 (Feb 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20
Impact Successful exploitation will allow attackers to disclose potentially sensitive information, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server version 5.5.38 and earlier, and 5.6.19 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to DLL.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities-04 (Feb 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805135 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-0391
... continues on next page ...

...continued from previous page ...
url: http://secunia.com/advisories/62525
url: http://www.securityfocus.com/bid/72205
url: http://www.oracle.com/technetwork/topics/security/cpujan2015-1972971.html
cert-bund: CB-K15/1193
cert-bund: CB-K15/0567
cert-bund: CB-K15/0415
cert-bund: CB-K15/0073
dfn-cert: DFN-CERT-2015-1264
dfn-cert: DFN-CERT-2015-0593
dfn-cert: DFN-CERT-2015-0427
dfn-cert: DFN-CERT-2015-0074

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 04 (Jan 2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Vulnerability was detected according to the Vulnerability Detection Method.

Impact

Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).

Solution:

Solution type: VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL version 5.1.72 and earlier, 5.5.34 and earlier, and 5.6.14 and earlier on Windows.

Vulnerability Insight

Unspecified errors in the MySQL Server component via unknown vectors related to InnoDB, Optimizer, Error Handling, and some unknown vectors.

... continues on next page ...

...continued from previous page...	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 04 (Jan 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804075 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2014-0401 cve: CVE-2014-0412 cve: CVE-2014-0437 cve: CVE-2013-5908 url: http://secunia.com/advisories/56491 url: http://www.securityfocus.com/bid/64849 url: http://www.securityfocus.com/bid/64880 url: http://www.securityfocus.com/bid/64896 url: http://www.securityfocus.com/bid/64898 url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html cert-bund: CB-K15/1518 cert-bund: CB-K14/0710 cert-bund: CB-K14/0187 cert-bund: CB-K14/0177 cert-bund: CB-K14/0082 cert-bund: CB-K14/0074 cert-bund: CB-K14/0055 dfn-cert: DFN-CERT-2015-1604 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0190 dfn-cert: DFN-CERT-2014-0180 dfn-cert: DFN-CERT-2014-0085 dfn-cert: DFN-CERT-2014-0074 dfn-cert: DFN-CERT-2014-0048	
Medium (CVSS: 4.0) NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 05 (Jan 2014) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)	
...continues on next page...	

...continued from previous page ...
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.1.71 and earlier, 5.5.33 and earlier, and 5.6.13 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Optimizer, InnoDB, and Locking.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 05 (Jan 2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804076 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-0386 cve: CVE-2014-0393 cve: CVE-2014-0402 url: http://secunia.com/advisories/56491 url: http://www.securityfocus.com/bid/64877 url: http://www.securityfocus.com/bid/64904 url: http://www.securityfocus.com/bid/64908 url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html
...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K14/0710
cert-bund: CB-K14/0187
cert-bund: CB-K14/0177
cert-bund: CB-K14/0082
cert-bund: CB-K14/0074
cert-bund: CB-K14/0055
dfn-cert: DFN-CERT-2014-0742
dfn-cert: DFN-CERT-2014-0190
dfn-cert: DFN-CERT-2014-0180
dfn-cert: DFN-CERT-2014-0085
dfn-cert: DFN-CERT-2014-0074
dfn-cert: DFN-CERT-2014-0048

```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-08 (Oct 2015) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: Apply the patch

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow an authenticated remote attacker to affect availability via unknown vectors.

Solution:**Solution type:** VendorFix

Apply the patch from the referenced advisory.

Affected Software/OS

Oracle MySQL Server 5.5.44 and earlier on windows

... continues on next page ...

...continued from previous page ...
Vulnerability Insight Unspecified error exists in the MySQL Server component via unknown vectors related to Server.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-08 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805771 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4816 url: http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html url: http://www.securityfocus.com/bid/77134 cert-bund: WID-SEC-2024-1483 cert-bund: CB-K16/1122 cert-bund: CB-K16/0791 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K15/1844 cert-bund: CB-K15/1600 cert-bund: CB-K15/1554 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2015-1946 dfn-cert: DFN-CERT-2015-1692 dfn-cert: DFN-CERT-2015-1638
Medium (CVSS: 4.0) NVT: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.23 Security Update (cpujul2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
... continues on next page ...

...continued from previous page ...
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.24 Installation path / port: 3306/tcp
Impact The flaws allow remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' and 'GIS Extension' package / privilege.
Solution: Solution type: VendorFix Update to version 5.1.63, 5.5.24 or later.
Affected Software/OS Oracle MySQL Server 5.1.62 and prior and 5.4.x through 5.5.23.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.23 Security Update (cpujul2012) - . ↔.. OID:1.3.6.1.4.1.25623.1.0.117265 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-0540 cve: CVE-2012-1734 cve: CVE-2012-2749 url: https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL advisory-id: cpujul2012 dfn-cert: DFN-CERT-2013-0106 dfn-cert: DFN-CERT-2012-2118 dfn-cert: DFN-CERT-2012-1389

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.22 Security Update (cpujul2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.23 Installation path / port: 3306/tcp
Impact The flaw allows remote authenticated users to affect availability via unknown vectors related to the 'Server Optimizer' package / privilege.
Solution: Solution type: VendorFix Update to version 5.1.63, 5.5.23 or later.
Affected Software/OS Oracle MySQL Server 5.1.62 and prior and 5.4.x through 5.5.22.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.1.62 / 5.4.x <= 5.5.22 Security Update (cpujul2012) - . ↪.. OID:1.3.6.1.4.1.25623.1.0.117263 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
... continues on next page ...

...continued from previous page ...

References

cve: CVE-2012-1689

url: <https://www.oracle.com/security-alerts/cpujul2012.html#AppendixMSQL>

advisory-id: cpujul2012

dfn-cert: DFN-CERT-2012-2118

dfn-cert: DFN-CERT-2012-1389

Medium (CVSS: 4.0)

NVT: Oracle MySQL Server <= 5.5.38 Security Update (cpuoct2014) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.5.39

Installation

path / port: 3306/tcp

Impact

Successful exploitation will allow attackers to disclose potentially sensitive information, gain escalated privileges, manipulate certain data, cause a DoS (Denial of Service), and compromise a vulnerable system.

Solution:**Solution type:** VendorFix

Update to version 5.5.39 or later.

Affected Software/OS

Oracle MySQL Server versions 5.5.38 and prior.

Vulnerability Insight

Unspecified errors in the MySQL Server component via unknown vectors related to SERVER:DDL.

Vulnerability Detection Method

... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.38 Security Update (cpuoct2014) - Windows OID:1.3.6.1.4.1.25623.1.0.804783 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-6520 url: https://www.oracle.com/security-alerts/cpuoct2014.html#AppendixMSQL url: http://www.securityfocus.com/bid/70510 advisory-id: cpuoct2014 cert-bund: CB-K15/0567 cert-bund: CB-K15/0415 cert-bund: CB-K14/1482 cert-bund: CB-K14/1420 cert-bund: CB-K14/1412 cert-bund: CB-K14/1299 dfn-cert: DFN-CERT-2015-0593 dfn-cert: DFN-CERT-2015-0427 dfn-cert: DFN-CERT-2014-1567 dfn-cert: DFN-CERT-2014-1500 dfn-cert: DFN-CERT-2014-1489 dfn-cert: DFN-CERT-2014-1357
Medium (CVSS: 4.0) NVT: Oracle MySQL Server Component 'Optimizer' Unspecified vulnerability (Oct 2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...
Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow remote attackers to disclose sensitive information, manipulate certain data, cause a DoS (Denial of Service) and bypass certain security restrictions.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL versions 5.1.51 through 5.1.70, 5.5.10 through 5.5.32, and 5.6.x through 5.6.12 on Windows.
Vulnerability Insight Unspecified error in the MySQL Server component via unknown vectors related to Optimizer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server Component 'Optimizer' Unspecified vulnerability (Oct 2013) . ↪.. OID:1.3.6.1.4.1.25623.1.0.804033 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-3839 url: http://secunia.com/advisories/55327 url: http://www.securityfocus.com/bid/63109 url: http://www.oracle.com/technetwork/topics/security/cpuoct2013-1899837.html cert-bund: CB-K14/0187 cert-bund: CB-K13/1072 cert-bund: CB-K13/0840 cert-bund: CB-K13/0806 cert-bund: CB-K13/0789 dfn-cert: DFN-CERT-2014-0190 dfn-cert: DFN-CERT-2013-2099 dfn-cert: DFN-CERT-2013-1846 dfn-cert: DFN-CERT-2013-1815 dfn-cert: DFN-CERT-2013-1795

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 Security Update (cpujan2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.46 and prior and 5.6 through 5.6.27.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.46 / 5.6 <= 5.6.27 Security Update (cpujan2016) - Wi. ↵.. OID:1.3.6.1.4.1.25623.1.0.806877 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) ... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0596 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMySQL url: http://www.securityfocus.com/bid/81176 url: http://www.securityfocus.com/bid/81198 url: http://www.securityfocus.com/bid/81130 advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0646 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0133 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994 dfn-cert: DFN-CERT-2016-0845 dfn-cert: DFN-CERT-2016-0695 dfn-cert: DFN-CERT-2016-0532 dfn-cert: DFN-CERT-2016-0266 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2016-0143 dfn-cert: DFN-CERT-2016-0104
Medium (CVSS: 4.0)
NVT: Oracle MySQL Server <= 5.5.46 Security Update (cpujan2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect availability via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.46 and prior.
Vulnerability Insight Unspecified errors exist in the 'MySQL Server' component via unknown vectors.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.46 Security Update (cpujan2016) - Windows OID:1.3.6.1.4.1.25623.1.0.117190 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-0616 url: https://www.oracle.com/security-alerts/cpujan2016.html#AppendixMSQL advisory-id: cpujan2016 cert-bund: WID-SEC-2024-1482 cert-bund: CB-K16/1122 cert-bund: CB-K16/0936 cert-bund: CB-K16/0791 cert-bund: CB-K16/0493 cert-bund: CB-K16/0246 cert-bund: CB-K16/0245 cert-bund: CB-K16/0133 cert-bund: CB-K16/0094 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-0994
... continues on next page ...

...continued from previous page ...

```
dfn-cert: DFN-CERT-2016-0845
dfn-cert: DFN-CERT-2016-0532
dfn-cert: DFN-CERT-2016-0266
dfn-cert: DFN-CERT-2016-0265
dfn-cert: DFN-CERT-2016-0143
dfn-cert: DFN-CERT-2016-0104
```

Medium (CVSS: 4.0)

NVT: Oracle MySQL Server 5.5 <= 5.5.29 Security Update (cpuapr2013) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log

Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
↪25623.1.0.100152)**Summary**

Oracle MySQL Server is prone to multiple unspecified vulnerabilities.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 5.5.20

Fixed version: 5.5.30

Installation

path / port: 3306/tcp

Solution:**Solution type:** VendorFix

Update to version 5.5.30 or later.

Affected Software/OS

Oracle MySQL Server versions 5.5 through 5.5.29.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle MySQL Server 5.5 <= 5.5.29 Security Update (cpuapr2013) - Windows
OID:1.3.6.1.4.1.25623.1.0.117215

Version used: 2025-09-09T11:08:49+05:30

Product Detection Result

Product: cpe:/a:mysql:mysql:5.5.20-log

Method: MariaDB / Oracle MySQL Detection (MySQL Protocol)

... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-1512 cve: CVE-2013-1526 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL Server is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.31 Installation path / port: 3306/tcp
Impact Successful exploitation could allow remote attackers to affect confidentiality, integrity, and availability via unknown vectors.
Solution: Solution type: VendorFix Update to version 5.5.31, 5.6.11 or later.
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.30 and 5.6 through 5.6.10.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
Unspecified error in some unknown vectors related to Stored Procedure.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.10 Security Update (cpuapr2013) . ↪.. OID:1.3.6.1.4.1.25623.1.0.809815 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-2376 cve: CVE-2013-1511 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59227 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0882 dfn-cert: DFN-CERT-2013-0798

Medium (CVSS: 4.0)
NVT: Oracle MySQL Server Multiple Vulnerabilities - 03 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL server is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact ... continues on next page ...

...continued from previous page ...
Successful exploitation will allow an attacker to disclose potentially sensitive information, manipulate certain data.
Solution: Solution type: VendorFix Apply the patch from the referenced vendor advisory or upgrade to latest version.
Affected Software/OS Oracle MySQL version 5.1.x to 5.1.63 and Oracle MySQL version 5.5.x to 5.5.25 on Windows.
Vulnerability Insight The flaws are due to multiple unspecified errors in MySQL server component vectors related to InnoDB plugin, server full text search and InnoDB.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 03 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803113 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3173 cve: CVE-2012-3167 cve: CVE-2012-3166 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56018 url: http://www.securityfocus.com/bid/56028 url: http://www.securityfocus.com/bid/56041 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1 dfn-cert: DFN-CERT-2012-2200 dfn-cert: DFN-CERT-2012-2118

[\[return to 192.168.56.6 \]](#)

2.1.38 Medium 22/tcp

Medium (CVSS: 5.3)
NVT: OpenSSH 'auth2-gss.c' User Enumeration Vulnerability - Windows
Product detection result cpe:/a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a user enumeration vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: None Installation path / port: 22/tcp
Impact Successfully exploitation will allow a remote attacker to harvest valid user accounts, which may aid in brute-force attacks.
Solution: Solution type: WillNotFix No known solution was made available for at least one year since the disclosure of this vulnerability. Likely none will be provided anymore. General solution options are to upgrade to a newer release, disable respective features, remove the product or replace the product by another one.
Affected Software/OS OpenSSH version 5.9 through 7.8.
Vulnerability Insight The flaw exists in the 'auth-gss2.c' source code file of the affected software and is due to insufficient validation of an authentication request packet when the Guide Star Server II (GSS2) component is used on an affected system.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH 'auth2-gss.c' User Enumeration Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813887 Version used: 2021-05-28T12:36:21+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1
... continues on next page ...

...continued from previous page ...
Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2018-15919 url: https://bugzilla.novell.com/show_bug.cgi?id=1106163 url: https://seclists.org/oss-sec/2018/q3/180 cert-bund: WID-SEC-2024-1082 cert-bund: CB-K18/0885 dfn-cert: DFN-CERT-2024-1260 dfn-cert: DFN-CERT-2018-2293 dfn-cert: DFN-CERT-2018-2191

Medium (CVSS: 5.3)
NVT: OpenSSH < 7.8 User Enumeration Vulnerability - Windows
Product detection result cpe: /a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
Summary OpenSSH is prone to a user enumeration vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: 7.8 Installation path / port: 22/tcp
Impact Successfully exploitation will allow remote attacker to test whether a certain user exists or not (username enumeration) on a target OpenSSH server.
Solution: Solution type: VendorFix Update to version 7.8 or later.
Affected Software/OS OpenSSH versions 7.7 and prior.
... continues on next page ...

...continued from previous page...	
Vulnerability Insight	The flaw is due to not delaying bailout for an invalid authenticating user until after the packet containing the request has been fully parsed, related to auth2-gss.c, auth2-hostbased.c, and auth2-pubkey.c
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.8 User Enumeration Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.813863 Version used: 2023-07-20T10:35:18+05:30
Product Detection Result	Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References	cve: CVE-2018-15473 url: https://0day.city/cve-2018-15473.html url: https://github.com/openbsd/src/commit/779974d35b4859c07bc3cb8a12c74b43b0a7d ↪1e0 cert-bund: WID-SEC-2024-1082 cert-bund: CB-K20/0041 cert-bund: CB-K18/1031 cert-bund: CB-K18/0873 dfn-cert: DFN-CERT-2024-1260 dfn-cert: DFN-CERT-2021-2178 dfn-cert: DFN-CERT-2020-2189 dfn-cert: DFN-CERT-2020-0228 dfn-cert: DFN-CERT-2019-2046 dfn-cert: DFN-CERT-2019-0857 dfn-cert: DFN-CERT-2019-0362 dfn-cert: DFN-CERT-2018-2293 dfn-cert: DFN-CERT-2018-2259 dfn-cert: DFN-CERT-2018-2191 dfn-cert: DFN-CERT-2018-1806 dfn-cert: DFN-CERT-2018-1696
Medium (CVSS: 5.3)	
NVT: OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Windows	
Product detection result	cpe:/a:openbsd:openssh:7.1 Detected by OpenSSH Detection Consolidation (OID: 1.3.6.1.4.1.25623.1.0.108577)
...continues on next page...	

...continued from previous page ...
Summary OpenSSH is prone to a security bypass vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 7.1 Fixed version: 7.6 Installation path / port: 22/tcp
Impact Successfully exploiting this issue allows local users to bypass certain security restrictions and perform unauthorized actions. This may lead to further attacks.
Solution: Solution type: VendorFix Update to version 7.6 or later.
Affected Software/OS OpenSSH versions prior to 7.6 on Windows.
Vulnerability Insight The flaw exists in the 'process_open' function in sftp-server.c script which does not properly prevent write operations in readonly mode.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: OpenSSH < 7.6 'sftp-server' Security Bypass Vulnerability - Windows OID:1.3.6.1.4.1.25623.1.0.812050 Version used: 2024-12-13T10:35:32+05:30
Product Detection Result Product: cpe:/a:openbsd:openssh:7.1 Method: OpenSSH Detection Consolidation OID: 1.3.6.1.4.1.25623.1.0.108577)
References cve: CVE-2017-15906 url: https://www.openssh.com/txt/release-7.6 url: http://www.securityfocus.com/bid/101552 url: https://github.com/openbsd/src/commit/a6981567e8e cert-bund: WID-SEC-2024-1082
...continues on next page ...

...continued from previous page ...

```

cert-bund: CB-K20/0041
cert-bund: CB-K18/0137
cert-bund: CB-K17/2126
cert-bund: CB-K17/2014
cert-bund: CB-K17/2002
dfn-cert: DFN-CERT-2024-1260
dfn-cert: DFN-CERT-2019-0362
dfn-cert: DFN-CERT-2018-2554
dfn-cert: DFN-CERT-2018-2191
dfn-cert: DFN-CERT-2018-2068
dfn-cert: DFN-CERT-2018-1828
dfn-cert: DFN-CERT-2018-1568
dfn-cert: DFN-CERT-2018-0150
dfn-cert: DFN-CERT-2017-2217
dfn-cert: DFN-CERT-2017-2100
dfn-cert: DFN-CERT-2017-2093

```

[\[return to 192.168.56.6 \]](#)**2.1.39 Medium 3389/tcp**

Medium (CVSS: 5.9)

NVT: SSL/TLS: Report Weak Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)**Summary**

This routine reports all weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_RSA_WITH_RC4_128_MD5

TLS_RSA_WITH_RC4_128_SHA

Impact

This could allow remote attackers to obtain sensitive information or have other, unspecified impacts.

... continues on next page ...

...continued from previous page ...
Solution: Solution type: Mitigation The configuration of this services should be changed so that it does not accept the listed weak cipher suites anymore. Please see the references for more resources supporting you with this task.
Affected Software/OS All services providing an encrypted communication using weak SSL/TLS cipher suites.
Vulnerability Insight These rules are applied for the evaluation of the cryptographic strength: - RC4 is considered to be weak (CVE-2013-2566, CVE-2015-2808) - Ciphers using 64 bit or less are considered to be vulnerable to brute force methods and therefore considered as weak (CVE-2015-4000) - 1024 bit RSA authentication is considered to be insecure and therefore as weak - Any cipher considered to be secure for only the next 10 years is considered as medium - Any other cipher is considered as strong
Vulnerability Detection Method Checks previous collected cipher suites. NOTE: No severity for SMTP services with 'Opportunistic TLS' and weak cipher suites on port 25/tcp is reported. If too strong cipher suites are configured for this service the alternative would be to fall back to an even more insecure cleartext communication. Details: SSL/TLS: Report Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103440 Version used: 2025-03-27T11:08:50+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
References cve: CVE-2013-2566 cve: CVE-2015-2808 cve: CVE-2015-4000 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuides/ines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TL-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html
...continues on next page ...

...continued from previous page ...

url: <https://web.archive.org/web/20240113175943/https://www.bettercrypto.org>
 url: <https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters>
 ↔-report-2014

cert-bund: WID-SEC-2026-0180

cert-bund: CB-K21/0067

cert-bund: CB-K19/0812

cert-bund: CB-K17/1750

cert-bund: CB-K16/1593

cert-bund: CB-K16/1552

cert-bund: CB-K16/1102

cert-bund: CB-K16/0617

cert-bund: CB-K16/0599

cert-bund: CB-K16/0168

cert-bund: CB-K16/0121

cert-bund: CB-K16/0090

cert-bund: CB-K16/0030

cert-bund: CB-K15/1751

cert-bund: CB-K15/1591

cert-bund: CB-K15/1550

cert-bund: CB-K15/1517

cert-bund: CB-K15/1514

cert-bund: CB-K15/1464

cert-bund: CB-K15/1442

cert-bund: CB-K15/1334

cert-bund: CB-K15/1269

cert-bund: CB-K15/1136

cert-bund: CB-K15/1090

cert-bund: CB-K15/1059

cert-bund: CB-K15/1022

cert-bund: CB-K15/1015

cert-bund: CB-K15/0986

cert-bund: CB-K15/0964

cert-bund: CB-K15/0962

cert-bund: CB-K15/0932

cert-bund: CB-K15/0927

cert-bund: CB-K15/0926

cert-bund: CB-K15/0907

cert-bund: CB-K15/0901

cert-bund: CB-K15/0896

cert-bund: CB-K15/0889

cert-bund: CB-K15/0877

cert-bund: CB-K15/0850

cert-bund: CB-K15/0849

cert-bund: CB-K15/0834

cert-bund: CB-K15/0827

cert-bund: CB-K15/0802

cert-bund: CB-K15/0764

... continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/0733
cert-bund: CB-K15/0667
cert-bund: CB-K14/0935
cert-bund: CB-K13/0942
dfn-cert: DFN-CERT-2023-2939
dfn-cert: DFN-CERT-2021-0775
dfn-cert: DFN-CERT-2020-1561
dfn-cert: DFN-CERT-2020-1276
dfn-cert: DFN-CERT-2017-1821
dfn-cert: DFN-CERT-2016-1692
dfn-cert: DFN-CERT-2016-1648
dfn-cert: DFN-CERT-2016-1168
dfn-cert: DFN-CERT-2016-0665
dfn-cert: DFN-CERT-2016-0642
dfn-cert: DFN-CERT-2016-0184
dfn-cert: DFN-CERT-2016-0135
dfn-cert: DFN-CERT-2016-0101
dfn-cert: DFN-CERT-2016-0035
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1679
dfn-cert: DFN-CERT-2015-1632
dfn-cert: DFN-CERT-2015-1608
dfn-cert: DFN-CERT-2015-1542
dfn-cert: DFN-CERT-2015-1518
dfn-cert: DFN-CERT-2015-1406
dfn-cert: DFN-CERT-2015-1341
dfn-cert: DFN-CERT-2015-1194
dfn-cert: DFN-CERT-2015-1144
dfn-cert: DFN-CERT-2015-1113
dfn-cert: DFN-CERT-2015-1078
dfn-cert: DFN-CERT-2015-1067
dfn-cert: DFN-CERT-2015-1038
dfn-cert: DFN-CERT-2015-1016
dfn-cert: DFN-CERT-2015-1012
dfn-cert: DFN-CERT-2015-0980
dfn-cert: DFN-CERT-2015-0977
dfn-cert: DFN-CERT-2015-0976
dfn-cert: DFN-CERT-2015-0960
dfn-cert: DFN-CERT-2015-0956
dfn-cert: DFN-CERT-2015-0944
dfn-cert: DFN-CERT-2015-0937
dfn-cert: DFN-CERT-2015-0925
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0881
dfn-cert: DFN-CERT-2015-0879
dfn-cert: DFN-CERT-2015-0866
dfn-cert: DFN-CERT-2015-0844

...continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2015-0800 dfn-cert: DFN-CERT-2015-0737 dfn-cert: DFN-CERT-2015-0696 dfn-cert: DFN-CERT-2014-0977
Medium (CVSS: 4.3) NVT: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection
Product detection result cpe:/a:ietf:transport_layer_security:1.0 Detected by SSL/TLS: Version Detection (OID: 1.3.6.1.4.1.25623.1.0.105782)
Summary It was possible to detect the usage of the deprecated TLSv1.0 and/or TLSv1.1 protocol on this system.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The service is only providing the deprecated TLSv1.0 protocol and supports one o ↪r more ciphers. Those supported ciphers can be found in the 'SSL/TLS: Report S ↪upported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.802067) VT.
Impact An attacker might be able to use the known cryptographic flaws to eavesdrop the connection between clients and the service to get access to sensitive data transferred within the secured connection. Furthermore newly uncovered vulnerabilities in this protocols won't receive security updates anymore.
Solution: Solution type: Mitigation It is recommended to disable the deprecated TLSv1.0 and/or TLSv1.1 protocols in favor of the TLSv1.2+ protocols. Please see the references for more resources supporting you with this task.
Affected Software/OS - All services providing an encrypted communication using the TLSv1.0 and/or TLSv1.1 protocols - CVE-2023-41928: Kiloview P1 4G and P2 4G Video Encoder - CVE-2024-41270: Gorush v1.18.4 - CVE-2025-3200: Multiple products from Wiesemann & Theis
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The TLSv1.0 and TLSv1.1 protocols contain known cryptographic flaws like: - CVE-2011-3389: Browser Exploit Against SSL/TLS (BEAST) - CVE-2015-0204: Factoring Attack on RSA-EXPORT Keys Padding Oracle On Downgraded Legacy Encryption (FREAK)
Vulnerability Detection Method Checks the used TLS protocols of the services provided by this system. Details: SSL/TLS: Deprecated TLSv1.0 and TLSv1.1 Protocol Detection OID:1.3.6.1.4.1.25623.1.0.117274 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security:1.0 Method: SSL/TLS: Version Detection OID: 1.3.6.1.4.1.25623.1.0.105782)
References cve: CVE-2011-3389 cve: CVE-2015-0204 cve: CVE-2023-41928 cve: CVE-2024-41270 cve: CVE-2025-3200 url: https://ssl-config.mozilla.org url: https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.html url: https://www.bsi.bund.de/EN/Themen/Oeffentliche-Verwaltung/Mindeststandards/TLS-Protokoll/TLS-Protokoll_node.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Publikationen/TechnischeRichtlinien/TR03116/BSI-TR-03116-4.html url: https://www.bsi.bund.de/SharedDocs/Downloads/DE/BSI/Mindeststandards/Mindeststandard_BSI_TLS_Version_2_4.html url: https://web.archive.org/web/20240113175943/https://www.bettercrypto.org url: https://www.enisa.europa.eu/publications/algorithms-key-size-and-parameters-report-2014 url: https://datatracker.ietf.org/doc/rfc8996/ url: https://vnhacker.blogspot.com/2011/09/beast.html url: https://web.archive.org/web/20201108095603/https://censys.io/blog/freak url: https://certvde.com/en/advisories/VDE-2025-031/ url: https://gist.github.com/nyxfqq/cfae38fada582a0f576d154be1aeb1fc url: https://advisories.ncsc.nl/advisory?id=NCSC-2024-0273 cert-bund: WID-SEC-2026-0180 cert-bund: WID-SEC-2023-1435 cert-bund: CB-K18/0799 cert-bund: CB-K16/1289 cert-bund: CB-K16/1096 cert-bund: CB-K15/1751
...continues on next page ...

...continued from previous page ...

cert-bund: CB-K15/1266
cert-bund: CB-K15/0850
cert-bund: CB-K15/0764
cert-bund: CB-K15/0720
cert-bund: CB-K15/0548
cert-bund: CB-K15/0526
cert-bund: CB-K15/0509
cert-bund: CB-K15/0493
cert-bund: CB-K15/0384
cert-bund: CB-K15/0365
cert-bund: CB-K15/0364
cert-bund: CB-K15/0302
cert-bund: CB-K15/0192
cert-bund: CB-K15/0079
cert-bund: CB-K15/0016
cert-bund: CB-K14/1342
cert-bund: CB-K14/0231
cert-bund: CB-K13/0845
cert-bund: CB-K13/0796
cert-bund: CB-K13/0790
dfn-cert: DFN-CERT-2020-0177
dfn-cert: DFN-CERT-2020-0111
dfn-cert: DFN-CERT-2019-0068
dfn-cert: DFN-CERT-2018-1441
dfn-cert: DFN-CERT-2018-1408
dfn-cert: DFN-CERT-2016-1372
dfn-cert: DFN-CERT-2016-1164
dfn-cert: DFN-CERT-2016-0388
dfn-cert: DFN-CERT-2015-1853
dfn-cert: DFN-CERT-2015-1332
dfn-cert: DFN-CERT-2015-0884
dfn-cert: DFN-CERT-2015-0800
dfn-cert: DFN-CERT-2015-0758
dfn-cert: DFN-CERT-2015-0567
dfn-cert: DFN-CERT-2015-0544
dfn-cert: DFN-CERT-2015-0530
dfn-cert: DFN-CERT-2015-0396
dfn-cert: DFN-CERT-2015-0375
dfn-cert: DFN-CERT-2015-0374
dfn-cert: DFN-CERT-2015-0305
dfn-cert: DFN-CERT-2015-0199
dfn-cert: DFN-CERT-2015-0079
dfn-cert: DFN-CERT-2015-0021
dfn-cert: DFN-CERT-2014-1414
dfn-cert: DFN-CERT-2013-1847
dfn-cert: DFN-CERT-2013-1792
dfn-cert: DFN-CERT-2012-1979

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2012-1829
dfn-cert: DFN-CERT-2012-1530
dfn-cert: DFN-CERT-2012-1380
dfn-cert: DFN-CERT-2012-1377
dfn-cert: DFN-CERT-2012-1292
dfn-cert: DFN-CERT-2012-1214
dfn-cert: DFN-CERT-2012-1213
dfn-cert: DFN-CERT-2012-1180
dfn-cert: DFN-CERT-2012-1156
dfn-cert: DFN-CERT-2012-1155
dfn-cert: DFN-CERT-2012-1039
dfn-cert: DFN-CERT-2012-0956
dfn-cert: DFN-CERT-2012-0908
dfn-cert: DFN-CERT-2012-0868
dfn-cert: DFN-CERT-2012-0867
dfn-cert: DFN-CERT-2012-0848
dfn-cert: DFN-CERT-2012-0838
dfn-cert: DFN-CERT-2012-0776
dfn-cert: DFN-CERT-2012-0722
dfn-cert: DFN-CERT-2012-0638
dfn-cert: DFN-CERT-2012-0627
dfn-cert: DFN-CERT-2012-0451
dfn-cert: DFN-CERT-2012-0418
dfn-cert: DFN-CERT-2012-0354
dfn-cert: DFN-CERT-2012-0234
dfn-cert: DFN-CERT-2012-0221
dfn-cert: DFN-CERT-2012-0177
dfn-cert: DFN-CERT-2012-0170
dfn-cert: DFN-CERT-2012-0146
dfn-cert: DFN-CERT-2012-0142
dfn-cert: DFN-CERT-2012-0126
dfn-cert: DFN-CERT-2012-0123
dfn-cert: DFN-CERT-2012-0095
dfn-cert: DFN-CERT-2012-0051
dfn-cert: DFN-CERT-2012-0047
dfn-cert: DFN-CERT-2012-0021
dfn-cert: DFN-CERT-2011-1953
dfn-cert: DFN-CERT-2011-1946
dfn-cert: DFN-CERT-2011-1844
dfn-cert: DFN-CERT-2011-1826
dfn-cert: DFN-CERT-2011-1774
dfn-cert: DFN-CERT-2011-1743
dfn-cert: DFN-CERT-2011-1738
dfn-cert: DFN-CERT-2011-1706
dfn-cert: DFN-CERT-2011-1628
dfn-cert: DFN-CERT-2011-1627
dfn-cert: DFN-CERT-2011-1619

...continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2011-1482

Medium (CVSS: 4.0)

NVT: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

Summary

The remote service is using a SSL/TLS certificate in the certificate chain that has been signed using a cryptographically weak hashing algorithm.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following certificates are part of the certificate chain but using insecure ↔signature algorithms:

Subject: CN=metasploitable3-win2k8

Signature Algorithm: sha1WithRSAEncryption

Solution:

Solution type: Mitigation

Servers that use SSL/TLS certificates signed with a weak SHA-1, MD5, MD4 or MD2 hashing algorithm will need to obtain new SHA-2 signed SSL/TLS certificates to avoid web browser SSL/TLS certificate warnings.

Vulnerability Insight

The following hashing algorithms used for signing SSL/TLS certificates are considered cryptographically weak and not secure enough for ongoing use:

- Secure Hash Algorithm 1 (SHA-1)
- Message Digest 5 (MD5)
- Message Digest 4 (MD4)
- Message Digest 2 (MD2)

Beginning as late as January 2017 and as early as June 2016, browser developers such as Microsoft and Google will begin warning users when visiting web sites that use SHA-1 signed Secure Socket Layer (SSL) certificates.

NOTE: The script preference allows to set one or more custom SHA-1 fingerprints of CA certificates which are trusted by this routine. The fingerprints needs to be passed comma-separated and case-insensitive:

Fingerprint1

or

fingerprint1, Fingerprint2

Vulnerability Detection Method

Check which hashing algorithm was used to sign the remote SSL/TLS certificate.

Details: SSL/TLS: Certificate Signed Using A Weak Signature Algorithm

OID:1.3.6.1.4.1.25623.1.0.105880

... continues on next page ...

...continued from previous page ...
Version used: 2021-10-15T16:43:32+05:30
References url: https://blog.mozilla.org/security/2014/09/23/phasing-out-certificates-with-sha-1-based-signature-algorithms/

[\[return to 192.168.56.6 \]](#)

2.1.40 Medium 9200/tcp

Medium (CVSS: 6.8)
NVT: Elastic Elasticsearch < 1.2 RCE Vulnerability - Active Check
Summary Elastic Elasticsearch is prone to a remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 99%
Vulnerability Detection Result Vulnerable URL: http://192.168.56.6:9200/_search?source=%27%22size%22%3A1%2C%22query%22%3A%27%22filtered%22%3A%27%22query%22%3A%27%22match_all%22%3A%27%22script_fields%22%3A%27%22VTest%22%3A%27%22script%22%3A%22import%20java.util.%27%27%3B%27%22%20java.io.%27%27%3B%27%22%20Scanner(new%20File(%27%22%2Fwindows%2Fwin.ini%27%22)).useDelimiter(%27%22%5C%5C%5C%5CZ%5C%22%27%22).next()%27%22%27%22%27%22&callback=?
Impact An attacker can exploit this issue to execute arbitrary code.
Solution: Solution type: VendorFix Update to version 1.2 or later which disables 'dynamic scripting' by default. If the system was already updated make sure that this option is kept disabled.
Affected Software/OS Elastic Elasticsearch versions prior to 1.2.
Vulnerability Insight Elastic Elasticsearch has a flaw in its default configuration which makes it possible for any webpage to execute arbitrary code on visitors with Elasticsearch installed.
Vulnerability Detection Method Sends a crafted HTTP GET request and checks the response.
... continues on next page ...

...continued from previous page ...
Details: Elastic Elastisearch < 1.2 RCE Vulnerability - Active Check OID:1.3.6.1.4.1.25623.1.0.105032 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2014-3120 url: https://bou.ke/blog/elasticsearch-rce/ url: https://www.elastic.co/blog/found-elasticsearch-security#staying-safe-while-developing-with-elasticsearch url: https://www.cisa.gov/known-exploited-vulnerabilities-catalog cisa: Known Exploited Vulnerability (KEV) catalog cert-bund: CB-K14/1131 dfn-cert: DFN-CERT-2014-1188

Medium (CVSS: 6.5) NVT: Elastic Elasticsearch DoS Vulnerability (ESA-2021-15)
Summary Elasticsearch is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.17 Installation path / port: /
Solution: Solution type: VendorFix Update to version 6.8.17, 7.13.3 or later.
Affected Software/OS Elasticsearch prior to version 6.8.17 and 7.x prior to 7.13.3.
Vulnerability Insight An uncontrolled recursion vulnerability that could lead to a denial of service attack was identified in the Elasticsearch Grok parser. A user with the ability to submit arbitrary queries to Elasticsearch could create a malicious Grok query that will crash the Elasticsearch node.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch DoS Vulnerability (ESA-2021-15) OID:1.3.6.1.4.1.25623.1.0.146386
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2021-22144 url: https://discuss.elastic.co/t/elasticsearch-7-13-3-and-6-8-17-security-updat↪e/278100 cert-bund: WID-SEC-2022-1777 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2022-2315

Medium (CVSS: 6.5)
NVT: Elastic Elasticsearch < 6.8.12, 7.x < 7.9.0 Information Disclosure Vulnerability - Windows
Summary Elasticsearch is prone to a field disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.12 Installation path / port: /
Impact An attacker could gain additional permissions against a restricted index.
Solution: Solution type: VendorFix Update to version 6.8.12, 7.9.1 or later.
Affected Software/OS Elasticsearch prior to version 6.8.12 and 7.9.0.
Vulnerability Insight A field disclosure flaw was found in Elasticsearch when running a scrolling search with Field Level Security. If a user runs the same query another more privileged user recently ran, the scrolling search can leak fields that should be hidden.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch < 6.8.12, 7.x < 7.9.0 Information Disclosure Vulnerabilit. ↪.. OID:1.3.6.1.4.1.25623.1.0.144431
... continues on next page ...

...continued from previous page ...
Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2020-7019 url: https://discuss.elastic.co/t/elastic-stack-7-9-0-and-6-8-12-security-update ↪/245456

Medium (CVSS: 5.9)
NVT: Elastic Elasticsearch < 6.8.2, 7.x < 7.2.1 Information Disclosure Vulnerability (ESA-2019-07) - Windows
Summary Elasticsearch is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.2 Installation path / port: /
Impact On a system with multiple users submitting requests, it could be possible for an attacker to gain access to response header containing sensitive data from another user.
Solution: Solution type: VendorFix Update to version 6.8.2 or 7.2.1 respectively.
Affected Software/OS Elasticsearch through version 6.8.1 and version 7.0.0 through 7.2.0.
Vulnerability Insight A race condition flaw was found in the response headers Elasticsearch returns to a request.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch < 6.8.2, 7.x < 7.2.1 Information Disclosure Vulnerability. ↪.. OID:1.3.6.1.4.1.25623.1.0.117162 Version used: 2025-09-03T13:56:15+05:30
References ... continues on next page ...

...continued from previous page ...
cve: CVE-2019-7614
url: https://discuss.elastic.co/t/elastic-stack-6-8-2-and-7-2-1-security-update/↵192963
url: https://www.elastic.co/community/security/
cert-bund: WID-SEC-2024-3184

Medium (CVSS: 5.3)
NVT: Elastic Elasticsearch Multiple Vulnerabilities (ESA-2021-06, ESA-2021-08)
Summary Elasticsearch is prone to multiple vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.15 Installation path / port: /
Impact This could lead to disclosing the existence of documents and fields the attacker should not be able to view or result in an attacker gaining additional insight into potentially sensitive indices.
Solution: Solution type: VendorFix Update to version 6.8.15, 7.12.0 or later.
Affected Software/OS Elasticsearch versions prior to versions 6.8.15 or 7.12.0.
Vulnerability Insight The following vulnerabilities exist: - CVE-2021-22135: Suggester & Profile API information disclosure flaw - CVE-2021-22137: Field disclosure flaw
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Elastic Elasticsearch Multiple Vulnerabilities (ESA-2021-06, ESA-2021-08) OID:1.3.6.1.4.1.25623.1.0.145940 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2021-22135
... continues on next page ...

...continued from previous page ...

cve: CVE-2021-22137
 url: <https://discuss.elastic.co/t/elastic-stack-7-12-0-and-6-8-15-security-updat↵e/268125>
 cert-bund: WID-SEC-2022-0720
 dfn-cert: DFN-CERT-2025-0933

Medium (CVSS: 4.9)

NVT: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2021-03)

Summary

Elasticsearch is prone to an information disclosure vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.1.1

Fixed version: 6.8.14

Installation

path / port: /

Impact

This could allow an Elasticsearch administrator to view sensitive details.

Solution:**Solution type:** VendorFix

Update to version 6.8.14, 7.10.0 or later.

Affected Software/OS

Elasticsearch versions prior to 6.8.14 and 7.0.0 prior to 7.10.0.

Vulnerability Insight

Elasticsearch has an information disclosure issue when audit logging and the emit_request_body option is enabled. The Elasticsearch audit log could contain sensitive information such as password hashes or authentication tokens.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2021-03)

OID:1.3.6.1.4.1.25623.1.0.145383

Version used: 2025-09-03T13:56:15+05:30

References

cve: CVE-2020-7021

url: <https://discuss.elastic.co/t/elastic-stack-7-11-0-and-6-8-14-security-updat>

... continues on next page ...

...continued from previous page ...

↔e/263915
url: <https://www.elastic.co/community/security>
dfn-cert: DFN-CERT-2025-0933

Medium (CVSS: 4.3)

NVT: Elasticsearch Cross-site Scripting (XSS) Vulnerability - Windows

Summary

Elasticsearch is prone to a cross-site scripting (XSS) vulnerability.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Installed version: 1.1.1

Fixed version: 1.4.0.Beta1

Impact

Successful exploitation will allow remote attackers to inject arbitrary web script or HTML.

Solution:**Solution type:** VendorFix

Update to Elasticsearch version 1.4.0.Beta1, or later.

Affected Software/OS

Elasticsearch version 1.3.x and prior on Windows.

Vulnerability Insight

The Flaw is due to an error in the CORS functionality.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Elasticsearch Cross-site Scripting (XSS) Vulnerability - Windows

OID:1.3.6.1.4.1.25623.1.0.808092

Version used: 2025-09-03T13:56:15+05:30

References

cve: CVE-2014-6439

url: <https://www.elastic.co/community/security/>url: <http://www.securityfocus.com/bid/70233>url: <http://www.securityfocus.com/archive/1/archive/1/533602/100/0/threaded>[\[return to 192.168.56.6 \]](#)**2.1.41 Low general/icmp**

Low (CVSS: 2.1)
NVT: ICMP Timestamp Reply Information Disclosure
Summary The remote host responded to an ICMP timestamp request.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following response / ICMP packet has been received: - ICMP Type: 14 - ICMP Code: 0
Impact This information could theoretically be used to exploit weak time-based random number generators in other services.
Solution: Solution type: Mitigation Various mitigations are possible: - Disable the support for ICMP timestamp on the remote host completely - Protect the remote host by a firewall, and block ICMP packets passing through the firewall in either direction (either completely or only for untrusted networks)
Vulnerability Insight The Timestamp Reply is an ICMP message which replies to a Timestamp message. It consists of the originating timestamp sent by the sender of the Timestamp as well as a receive timestamp and a transmit timestamp.
Vulnerability Detection Method Sends an ICMP Timestamp (Type 13) request and checks if a Timestamp Reply (Type 14) is received. Details: ICMP Timestamp Reply Information Disclosure OID:1.3.6.1.4.1.25623.1.0.103190 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-1999-0524 url: https://datatracker.ietf.org/doc/html/rfc792 url: https://datatracker.ietf.org/doc/html/rfc2780 cert-bund: CB-K15/1514 cert-bund: CB-K14/0632 dfn-cert: DFN-CERT-2014-0658

[\[return to 192.168.56.6 \]](#)

2.1.42 Low general/tcp

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (Jul 2024) -1 - Windows
Summary Oracle Java SE is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to cause a partial denial of service.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u411 and prior, 11.0.x through 11.0.23 on Windows.
Vulnerability Insight The flaw exists due to an error in the Concurrency component of Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Jul 2024) -1 - Windows OID:1.3.6.1.4.1.25623.1.0.834264 Version used: 2024-07-19T10:35:32+05:30
References cve: CVE-2024-21144 url: https://www.oracle.com/security-alerts/cpujul2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1658 cert-bund: WID-SEC-2024-1648 cert-bund: WID-SEC-2024-1647 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-2140 ... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2024-2119 dfn-cert: DFN-CERT-2024-1860 dfn-cert: DFN-CERT-2024-1859
Low (CVSS: 3.7) NVT: Oracle Java SE Security Updates - 02 - (cpujul2020) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful attacks of these vulnerabilities can result in unauthorized ability to cause a partial denial of service.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 7u261 (1.7.0.261) and earlier, 8u251 (1.8.0.251) and earlier on Windows.
Vulnerability Insight The flaws exist due to errors in the 'Libraries' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 02 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118164 Version used: 2024-02-26T20:06:40+05:30
References cve: CVE-2020-14578 cve: CVE-2020-14579 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1522
... continues on next page ...

...continued from previous page ...

cert-bund: WID-SEC-2022-1285
 cert-bund: CB-K20/1075
 cert-bund: CB-K20/0715
 dfn-cert: DFN-CERT-2021-0949
 dfn-cert: DFN-CERT-2020-2571
 dfn-cert: DFN-CERT-2020-1762
 dfn-cert: DFN-CERT-2020-1531

Low (CVSS: 3.7)

NVT: Oracle Java SE Security Update (jul2023) 04 - Windows

Summary

Oracle Java SE is prone to remote code execution (RCE) vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply patch from vendor

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u371 and earlier, 11.0.19, 20.0.1 and earlier on Windows.

Vulnerability Insight

The flaw is due to improper application of hotspot module within the Java SE engine component in Oracle Java SE.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (jul2023) 04 - Windows

OID:1.3.6.1.4.1.25623.1.0.832319

Version used: 2023-10-13T10:36:10+05:30

References

cve: CVE-2023-22044

... continues on next page ...

...continued from previous page ...
url: https://www.oracle.com/security-alerts/cpujul2023.html
cert-bund: WID-SEC-2023-2031
cert-bund: WID-SEC-2023-1796
dfn-cert: DFN-CERT-2023-2179
dfn-cert: DFN-CERT-2023-1972
dfn-cert: DFN-CERT-2023-1657
dfn-cert: DFN-CERT-2023-1653

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (jan2023) 03 - Windows
Summary Oracle Java SE is prone to an input validation vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u351 and earlier, 11.0.17, 17.0.5, 19.0.1 and earlier on Windows.
Vulnerability Insight The flaw is due to an improper input validation within the Sound component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2023) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.826783 Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2023-21843 url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixJAVA
... continues on next page ...

...continued from previous page ...
cert-bund: WID-SEC-2024-1591
cert-bund: WID-SEC-2024-0794
cert-bund: WID-SEC-2024-0064
cert-bund: WID-SEC-2023-2625
cert-bund: WID-SEC-2023-2164
cert-bund: WID-SEC-2023-1424
cert-bund: WID-SEC-2023-0561
cert-bund: WID-SEC-2023-0128
dfn-cert: DFN-CERT-2024-2151
dfn-cert: DFN-CERT-2023-1174
dfn-cert: DFN-CERT-2023-1139
dfn-cert: DFN-CERT-2023-0846
dfn-cert: DFN-CERT-2023-0717
dfn-cert: DFN-CERT-2023-0605
dfn-cert: DFN-CERT-2023-0256
dfn-cert: DFN-CERT-2023-0217
dfn-cert: DFN-CERT-2023-0125
dfn-cert: DFN-CERT-2023-0124

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (Apr 2024) -03 - Windows
Summary Oracle Java SE is prone to a denial of service vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to cause a partial denial of service (partial DOS)
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE 8u401 and prior and 11.0.x through 11.0.22 on Windows.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
The flaw exists due to a NativeUnpack class did not properly validate the memory size when allocating a buffer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2024) -03 - Windows OID:1.3.6.1.4.1.25623.1.0.832955 Version used: 2025-01-13T14:02:03+05:30
References cve: CVE-2024-21085 url: https://www.oracle.com/security-alerts/cpuapr2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2024-1226 cert-bund: WID-SEC-2024-0895 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2795 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-1436 dfn-cert: DFN-CERT-2024-1251 dfn-cert: DFN-CERT-2024-1032 dfn-cert: DFN-CERT-2024-1005 dfn-cert: DFN-CERT-2024-1004

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (Apr 2024) -03 - Windows
Summary Oracle Java SE is prone to a denial of service vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to cause a partial denial of service (partial DOS)
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle Java SE 8u401 and prior and 11.0.x through 11.0.22 on Windows.
Vulnerability Insight The flaw exists due to a NativeUnpack class did not properly validate the memory size when allocating a buffer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2024) -03 - Windows OID:1.3.6.1.4.1.25623.1.0.832955 Version used: 2025-01-13T14:02:03+05:30
References cve: CVE-2024-21085 url: https://www.oracle.com/security-alerts/cpuapr2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2024-1226 cert-bund: WID-SEC-2024-0895 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2795 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-1436 dfn-cert: DFN-CERT-2024-1251 dfn-cert: DFN-CERT-2024-1032 dfn-cert: DFN-CERT-2024-1005 dfn-cert: DFN-CERT-2024-1004

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (Apr 2024) -01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
... continues on next page ...

...continued from previous page...	
Impact	Successful exploitation allows an attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix	The vendor has released updates. Please see the references for more information.
Affected Software/OS	Oracle Java SE version 8u401 and prior, 17.0.x through 17.0.10, 11.0.x through 11.0.22, 21.0.x through 21.0.2 and 22.0 on Windows.
Vulnerability Insight	These vulnerabilities exist: - CVE-2024-21011: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21094: An error in the Hotspot component of Oracle Java SE.
Vulnerability Detection Method	Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2024) -01 - Windows OID:1.3.6.1.4.1.25623.1.0.832952 Version used: 2024-04-25T10:35:14+05:30
References	cve: CVE-2024-21011 cve: CVE-2024-21094 url: https://www.oracle.com/security-alerts/cpuapr2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2024-1226 cert-bund: WID-SEC-2024-0895 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2795 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-1436 dfn-cert: DFN-CERT-2024-1272 dfn-cert: DFN-CERT-2024-1251 dfn-cert: DFN-CERT-2024-1032 dfn-cert: DFN-CERT-2024-1005 dfn-cert: DFN-CERT-2024-1004

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (jul2023) 05 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u371 and earlier, 11.0.19, 17.0.7, 20.0.1 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of hotspot module and libraries within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 05 - Windows OID:1.3.6.1.4.1.25623.1.0.832322 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-22045 cve: CVE-2023-22049 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1814 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-3167 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-2042
... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2023-2031
dfn-cert: DFN-CERT-2023-1990
dfn-cert: DFN-CERT-2023-1972
dfn-cert: DFN-CERT-2023-1935
dfn-cert: DFN-CERT-2023-1909
dfn-cert: DFN-CERT-2023-1657
dfn-cert: DFN-CERT-2023-1653

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (Apr 2024) -01 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u401 and prior, 17.0.x through 17.0.10, 11.0.x through 11.0.22, 21.0.x through 21.0.2 and 22.0 on Windows.
Vulnerability Insight These vulnerabilities exist: - CVE-2024-21011: An error in the Hotspot component of Oracle Java SE. - CVE-2024-21094: An error in the Hotspot component of Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Apr 2024) -01 - Windows OID:1.3.6.1.4.1.25623.1.0.832952
... continues on next page ...

...continued from previous page ...
Version used: 2024-04-25T10:35:14+05:30
References cve: CVE-2024-21011 cve: CVE-2024-21094 url: https://www.oracle.com/security-alerts/cpuapr2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1248 cert-bund: WID-SEC-2024-1226 cert-bund: WID-SEC-2024-0895 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2795 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-1436 dfn-cert: DFN-CERT-2024-1272 dfn-cert: DFN-CERT-2024-1251 dfn-cert: DFN-CERT-2024-1032 dfn-cert: DFN-CERT-2024-1005 dfn-cert: DFN-CERT-2024-1004

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (Jul 2024) -1 - Windows
Summary Oracle Java SE is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation allows an attacker to cause a partial denial of service.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u411 and prior, 11.0.x through 11.0.23 on Windows.
... continues on next page ...

...continued from previous page ...
Vulnerability Insight The flaw exists due to an error in the Concurrency component of Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (Jul 2024) -1 - Windows OID:1.3.6.1.4.1.25623.1.0.834264 Version used: 2024-07-19T10:35:32+05:30
References cve: CVE-2024-21144 url: https://www.oracle.com/security-alerts/cpujul2024.html#AppendixJAVA cert-bund: WID-SEC-2024-1658 cert-bund: WID-SEC-2024-1648 cert-bund: WID-SEC-2024-1647 dfn-cert: DFN-CERT-2024-2971 dfn-cert: DFN-CERT-2024-2789 dfn-cert: DFN-CERT-2024-2788 dfn-cert: DFN-CERT-2024-2140 dfn-cert: DFN-CERT-2024-2119 dfn-cert: DFN-CERT-2024-1860 dfn-cert: DFN-CERT-2024-1859

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (jul2023) 04 - Windows
Summary Oracle Java SE is prone to remote code execution (RCE) vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle Java SE version 8u371 and earlier, 11.0.19, 20.0.1 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of hotspot module within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.832319 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-22044 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-1972 dfn-cert: DFN-CERT-2023-1657 dfn-cert: DFN-CERT-2023-1653

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Update (jul2023) 05 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to manipulate data and execute arbitrary code.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle Java SE version 8u371 and earlier, 11.0.19, 17.0.7, 20.0.1 and earlier on Windows.
Vulnerability Insight The flaw is due to improper application of hotspot module and libraries within the Java SE engine component in Oracle Java SE.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jul2023) 05 - Windows OID:1.3.6.1.4.1.25623.1.0.832322 Version used: 2023-10-13T10:36:10+05:30
References cve: CVE-2023-22045 cve: CVE-2023-22049 url: https://www.oracle.com/security-alerts/cpujul2023.html cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2031 cert-bund: WID-SEC-2023-1814 cert-bund: WID-SEC-2023-1796 dfn-cert: DFN-CERT-2023-3167 dfn-cert: DFN-CERT-2023-2179 dfn-cert: DFN-CERT-2023-2042 dfn-cert: DFN-CERT-2023-2031 dfn-cert: DFN-CERT-2023-1990 dfn-cert: DFN-CERT-2023-1972 dfn-cert: DFN-CERT-2023-1935 dfn-cert: DFN-CERT-2023-1909 dfn-cert: DFN-CERT-2023-1657 dfn-cert: DFN-CERT-2023-1653

Low (CVSS: 3.7)
NVT: Oracle Java SE Security Updates - 02 - (cpujul2020) - Windows
Summary Oracle Java SE is prone to multiple security vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation
... continues on next page ...

...continued from previous page ...	
path / port:	C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful attacks of these vulnerabilities can result in unauthorized ability to cause a partial denial of service.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 7u261 (1.7.0.261) and earlier, 8u251 (1.8.0.251) and earlier on Windows.	
Vulnerability Insight The flaws exist due to errors in the 'Libraries' component.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Updates - 02 - (cpujul2020) - Windows OID:1.3.6.1.4.1.25623.1.0.118164 Version used: 2024-02-26T20:06:40+05:30	
References cve: CVE-2020-14578 cve: CVE-2020-14579 url: https://www.oracle.com/security-alerts/cpujul2020.html#AppendixJAVA cert-bund: WID-SEC-2023-0016 cert-bund: WID-SEC-2022-1522 cert-bund: WID-SEC-2022-1285 cert-bund: CB-K20/1075 cert-bund: CB-K20/0715 dfn-cert: DFN-CERT-2021-0949 dfn-cert: DFN-CERT-2020-2571 dfn-cert: DFN-CERT-2020-1762 dfn-cert: DFN-CERT-2020-1531	

Low (CVSS: 3.7)

NVT: Oracle Java SE Security Update (jan2023) 03 - Windows

Summary

Oracle Java SE is prone to an input validation vulnerability.

Quality of Detection (QoD): 97%

... continues on next page ...

...continued from previous page...	
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch from vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251	
Impact Successful exploitation will allow remote attacker to manipulate data.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS Oracle Java SE version 8u351 and earlier, 11.0.17, 17.0.5, 19.0.1 and earlier on Windows.	
Vulnerability Insight The flaw is due to an improper input validation within the Sound component in Oracle Java SE.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2023) 03 - Windows OID:1.3.6.1.4.1.25623.1.0.826783 Version used: 2025-01-21T11:07:33+05:30	
References cve: CVE-2023-21843 url: https://www.oracle.com/security-alerts/cpujan2023.html#AppendixJAVA cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2024-0794 cert-bund: WID-SEC-2024-0064 cert-bund: WID-SEC-2023-2625 cert-bund: WID-SEC-2023-2164 cert-bund: WID-SEC-2023-1424 cert-bund: WID-SEC-2023-0561 cert-bund: WID-SEC-2023-0128 dfn-cert: DFN-CERT-2024-2151 dfn-cert: DFN-CERT-2023-1174 dfn-cert: DFN-CERT-2023-1139 dfn-cert: DFN-CERT-2023-0846 dfn-cert: DFN-CERT-2023-0717 dfn-cert: DFN-CERT-2023-0605 dfn-cert: DFN-CERT-2023-0256 dfn-cert: DFN-CERT-2023-0217 dfn-cert: DFN-CERT-2023-0125 dfn-cert: DFN-CERT-2023-0124	

Low (CVSS: 3.3)
NVT: Microsoft .NET Framework DoS Vulnerability (KB5013870)
Summary This host is missing an important security update according to Microsoft KB5013870
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerable range: 2.0.50727 - 2.0.50727.8963 File checked: C:\Windows\Microsoft.NET\Framework64\v2.0.50727\mscorlib.dll File version: 2.0.50727.5420
Impact Successful exploitation will allow an attacker to cause a denial of service condition.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Microsoft .NET Framework 3.5.1, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Microsoft Windows 7 SP1 and Microsoft Windows Server 2008 R2 SP1.
Vulnerability Insight The flaw exists due to an error in .NET Framework which allows a local attacker to cause a denial of service on an affected system.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft .NET Framework DoS Vulnerability (KB5013870) OID:1.3.6.1.4.1.25623.1.0.821227 Version used: 2023-06-08T10:35:11+05:30
References cve: CVE-2022-30130 url: https://support.microsoft.com/en-us/help/5013870 cert-bund: WID-SEC-2022-1251 cert-bund: WID-SEC-2022-0539 cert-bund: CB-K22/0588 dfn-cert: DFN-CERT-2022-1039

Low (CVSS: 3.3)
NVT: Microsoft Windows NETLOGON Privilege Elevation Vulnerability (3068457)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-071.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote man-in-the-middle attacker to conduct SMB relay attacks on domain environments utilizing SMB Signing enforcement, and decrypt SMB3 communications intercepted.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows Server 2012/R2 - Microsoft Windows 2003 x32/x64 Edition Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 and prior
Vulnerability Insight Flaw is due to Netlogon service improperly establishes a secure communications channel belonging to a different machine with a spoofed computer name.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows NETLOGON Privilege Elevation Vulnerability (3068457) OID:1.3.6.1.4.1.25623.1.0.805075 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-2374 url: https://support.microsoft.com/en-us/kb/3068457 url: http://www.securityfocus.com/bid/75633 url: https://technet.microsoft.com/en-us/library/security/MS15-071 cert-bund: CB-K15/1013 dfn-cert: DFN-CERT-2015-1060

Low (CVSS: 3.3)
NVT: Microsoft Windows Group Policy Security Feature Bypass Vulnerability (3004361)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-014.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation could allow remote attackers to modify domain controller responses to client requests and revert the Group Policy settings on a system back to default.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior
Vulnerability Insight The flaw is due to an error in the Group Policy application of Security Configuration policies.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Group Policy Security Feature Bypass Vulnerability (3004361) OID:1.3.6.1.4.1.25623.1.0.805273 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2015-0009 url: https://support.microsoft.com/kb/3004361 url: http://www.securityfocus.com/bid/72476 url: https://technet.microsoft.com/library/security/MS15-014 url: http://blogs.technet.com/b/srd/archive/2015/02/10/ms15-011-amp-ms15-014-hardening-group-policy.aspx ... continues on next page ...

...continued from previous page ...
cert-bund: CB-K15/0171 dfn-cert: DFN-CERT-2015-0175
Low (CVSS: 3.1) NVT: Oracle Java SE Security Update (jan2024) 04 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u391 and earlier on Windows.
Vulnerability Insight Multiple flaws exist due to multiple errors in the multiple components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2024) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.832790 Version used: 2024-02-19T10:35:57+05:30
References cve: CVE-2024-20923 cve: CVE-2024-20925 cve: CVE-2024-20922 url: https://www.oracle.com/security-alerts/cpujan2024.html#AppendixJAVA cert-bund: WID-SEC-2024-0121 dfn-cert: DFN-CERT-2024-0129
... continues on next page ...

...continued from previous page ...

dfn-cert: DFN-CERT-2024-0128

Low (CVSS: 3.1)

NVT: Oracle Java SE Security Update (oct2021) 05 - Windows

Summary

Oracle Java SE is prone to a denial of service vulnerability.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

Installed version: 1.8.0update_251

Fixed version: Apply the patch

Installation

path / port: C:\Program Files\Java\jre1.8.0_251

Impact

Successful exploitation will allow remote attacker to have an impact on availability.

Solution:**Solution type:** VendorFix

The vendor has released updates. Please see the references for more information.

Affected Software/OS

Oracle Java SE version 8u301 (1.8.0.301) and earlier, 7u311 (1.7.0.311) and earlier on Windows.

Vulnerability Insight

The flaw is due to an error in 'Hotspot' component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.

Details: Oracle Java SE Security Update (oct2021) 05 - Windows

OID:1.3.6.1.4.1.25623.1.0.818831

Version used: 2025-01-21T11:07:33+05:30

References

cve: CVE-2021-35588

url: <https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA>

cert-bund: WID-SEC-2022-1375

cert-bund: WID-SEC-2022-0809

cert-bund: WID-SEC-2022-0676

cert-bund: WID-SEC-2022-0196

cert-bund: CB-K21/1082

dfn-cert: DFN-CERT-2022-1571

... continues on next page ...

...continued from previous page ...
dfn-cert: DFN-CERT-2022-0366
dfn-cert: DFN-CERT-2022-0107
dfn-cert: DFN-CERT-2022-0106
dfn-cert: DFN-CERT-2021-2530
dfn-cert: DFN-CERT-2021-2195
dfn-cert: DFN-CERT-2021-2194

Low (CVSS: 3.1)
NVT: Microsoft Windows DirectShow Information Disclosure Vulnerability (4010318)
Summary This host is missing an important security update according to Microsoft Bulletin MS17-021.
Quality of Detection (QoD): 80%
Vulnerability Detection Result File checked: C:\Windows\system32\Quartz.dll File version: 6.6.7601.18741 Vulnerable range: Less than 6.6.7601.23643
Impact Successful exploitation will allow an attacker to obtain information to further compromise a target system.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft Windows 8.1 x32/x64 - Microsoft Windows 10 x32/x64 - Microsoft Windows Server 2012/2012R2 - Microsoft Windows 10 Version 1511 x32/x64 - Microsoft Windows 10 Version 1607 x32/x64 - Microsoft Windows Vista x32/x64 Edition Service Pack 2 - Microsoft Windows Server 2008 x32/x64 Edition Service Pack 2 - Microsoft Windows 7 x32/x64 Edition Service Pack 1 - Microsoft Windows Server 2008 R2 x64 Edition Service Pack 1 - Microsoft Windows Server 2016
Vulnerability Insight The flaw exists when windows DirectShow handles objects in memory.
Vulnerability Detection Method ... continues on next page ...

...continued from previous page ...
Checks if a vulnerable version is present on the target host. Details: Microsoft Windows DirectShow Information Disclosure Vulnerability (4010318) OID:1.3.6.1.4.1.25623.1.0.810596 Version used: 2023-07-25T10:35:58+05:30
References cve: CVE-2017-0042 url: https://support.microsoft.com/en-us/kb/4010318 url: http://www.securityfocus.com/bid/96098 url: https://technet.microsoft.com/library/security/MS17-021 cert-bund: CB-K17/0443 dfn-cert: DFN-CERT-2017-0451

Low (CVSS: 3.1)
NVT: Oracle Java SE Security Update (oct2021) 05 - Windows
Summary Oracle Java SE is prone to a denial of service vulnerability.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply the patch Installation path / port: C:\Program Files (x86)\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to have an impact on availability.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u301 (1.8.0.301) and earlier, 7u311 (1.7.0.311) and earlier on Windows.
Vulnerability Insight The flaw is due to an error in 'Hotspot' component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (oct2021) 05 - Windows OID:1.3.6.1.4.1.25623.1.0.818831
... continues on next page ...

...continued from previous page ...
Version used: 2025-01-21T11:07:33+05:30
References cve: CVE-2021-35588 url: https://www.oracle.com/security-alerts/cpuoct2021.html#AppendixJAVA cert-bund: WID-SEC-2022-1375 cert-bund: WID-SEC-2022-0809 cert-bund: WID-SEC-2022-0676 cert-bund: WID-SEC-2022-0196 cert-bund: CB-K21/1082 dfn-cert: DFN-CERT-2022-1571 dfn-cert: DFN-CERT-2022-0366 dfn-cert: DFN-CERT-2022-0107 dfn-cert: DFN-CERT-2022-0106 dfn-cert: DFN-CERT-2021-2530 dfn-cert: DFN-CERT-2021-2195 dfn-cert: DFN-CERT-2021-2194

Low (CVSS: 3.1)
NVT: Oracle Java SE Security Update (jan2024) 04 - Windows
Summary Oracle Java SE is prone to multiple vulnerabilities.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Installed version: 1.8.0update_251 Fixed version: Apply patch provided by the vendor Installation path / port: C:\Program Files\Java\jre1.8.0_251
Impact Successful exploitation will allow remote attacker to compromise Oracle Java SE, which can result in unauthorized update, insert or delete access to some of Oracle Java SE.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS Oracle Java SE version 8u391 and earlier on Windows.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...
Multiple flaws exist due to multiple errors in the multiple components.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle Java SE Security Update (jan2024) 04 - Windows OID:1.3.6.1.4.1.25623.1.0.832790 Version used: 2024-02-19T10:35:57+05:30
References cve: CVE-2024-20923 cve: CVE-2024-20925 cve: CVE-2024-20922 url: https://www.oracle.com/security-alerts/cpujan2024.html#AppendixJAVA cert-bund: WID-SEC-2024-0121 dfn-cert: DFN-CERT-2024-0129 dfn-cert: DFN-CERT-2024-0128

Low (CVSS: 2.6)
NVT: TCP Timestamps Information Disclosure
Summary The remote host implements TCP timestamps and therefore allows to compute the uptime.
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was detected that the host implements RFC1323/RFC7323. The following timestamps were retrieved with a delay of 1 seconds in-between: Packet 1: 442017 Packet 2: 442125
Impact A side effect of this feature is that the uptime of the remote host can sometimes be computed.
Solution: Solution type: Mitigation To disable TCP timestamps on linux add the line 'net.ipv4.tcp_timestamps = 0' to /etc/sysctl.conf. Execute 'sysctl -p' to apply the settings at runtime. To disable TCP timestamps on Windows execute 'netsh int tcp set global timestamps=disabled' Starting with Windows Server 2008 and Vista, the timestamp can not be completely disabled. The default behavior of the TCP/IP stack on this Systems is to not use the Timestamp options when initiating TCP connections, but use them if the TCP peer that is initiating communication includes them in their synchronize (SYN) segment. See the references for more information.
... continues on next page ...

...continued from previous page ...
Affected Software/OS TCP implementations that implement RFC1323/RFC7323.
Vulnerability Insight The remote host implements TCP timestamps, as defined by RFC1323/RFC7323.
Vulnerability Detection Method Special IP packets are forged and sent with a little delay in between to the target IP. The responses are searched for a timestamps. If found, the timestamps are reported. Details: TCP Timestamps Information Disclosure OID:1.3.6.1.4.1.25623.1.0.80091 Version used: 2023-12-15T21:40:08+05:30
References url: https://datatracker.ietf.org/doc/html/rfc1323 url: https://datatracker.ietf.org/doc/html/rfc7323 url: https://web.archive.org/web/20151213072445/http://www.microsoft.com/en-us/download/details.aspx?id=9152 url: https://www.fortiguard.com/psirt/FG-IR-16-090

Low (CVSS: 2.6)
NVT: Microsoft Windows .NET Framework Information Disclosure Vulnerability (3048010)
Summary This host is missing an important security update according to Microsoft Bulletin MS15-041.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The target host was found to be vulnerable
Impact Successful exploitation will allow remote attackers to view parts of a web configuration file, which could expose sensitive information.
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.
Affected Software/OS - Microsoft .NET Framework 4 - Microsoft .NET Framework 3.5
...continues on next page ...

...continued from previous page ...	
- Microsoft .NET Framework 2.0 - Microsoft .NET Framework 1.1 - Microsoft .NET Framework 3.5.1 - Microsoft .NET Framework 4.5, 4.5.1, and 4.5.2	
Vulnerability Insight The flaw exists when ASP.NET improperly handles certain requests on systems that have custom error messages disabled.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows .NET Framework Information Disclosure Vulnerability (3048010) OID:1.3.6.1.4.1.25623.1.0.805060 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-1648 url: https://support.microsoft.com/en-us/kb/3048010 url: https://technet.microsoft.com/library/security/MS15-041 cert-bund: CB-K15/0527 dfn-cert: DFN-CERT-2015-0545	

Low (CVSS: 2.1)	
NVT: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerability (3045171)	
Summary This host is missing an important security update according to Microsoft Bulletin MS15-051.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The target host was found to be vulnerable	
Impact Successful exploitation will allow remote attackers to gain access to kernel memory contents that contain sensitive information about the system.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 8 x32/x64 - Microsoft Windows Server 2012/R2	
... continues on next page ...	

...continued from previous page ...	
- Microsoft Windows 8.1 x32/x64 - Microsoft Windows 2003 x32/x64 Service Pack 2 and prior - Microsoft Windows Vista x32/x64 Service Pack 2 and prior - Microsoft Windows Server 2008 x32/x64 Service Pack 2 and prior - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior	
Vulnerability Insight The flaw is due to the kernel-mode driver leaking private address information during a function call	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Kernel-Mode Driver Privilege Elevation Vulnerability (3045171) OID:1.3.6.1.4.1.25623.1.0.805381 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-1676 cve: CVE-2015-1677 cve: CVE-2015-1678 cve: CVE-2015-1679 cve: CVE-2015-1680 url: https://support.microsoft.com/kb/3045171 url: http://www.securityfocus.com/bid/74483 url: http://www.securityfocus.com/bid/74494 url: http://www.securityfocus.com/bid/74495 url: http://www.securityfocus.com/bid/74496 url: http://www.securityfocus.com/bid/74497 url: https://technet.microsoft.com/library/security/MS15-051 cert-bund: CB-K15/0668 dfn-cert: DFN-CERT-2015-0689	

Low (CVSS: 2.1)	
NVT: Microsoft Windows Task Scheduler security Feature Bypass Vulnerability (3030377)	
Summary This host is missing an important security update according to Microsoft Bulletin MS15-028.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result File checked: C:\Windows\Ubp.m.dll File version: 6.1.7600.16385	
...continues on next page ...	

...continued from previous page ...	
Vulnerable range:	
Impact Successful exploitation will allow local attacker to gain elevated privileges.	
Solution: Solution type: VendorFix The vendor has released updates. Please see the references for more information.	
Affected Software/OS - Microsoft Windows 7 x32/x64 Service Pack 1 and prior - Microsoft Windows Server 2008 R2 x64 Service Pack 1 and prior - Microsoft Windows 8 x32/x64 - Microsoft Windows 8.1 x32/x64 - Microsoft Windows Server 2012/R2	
Vulnerability Insight Flaw exists as Windows Task Scheduler fails to properly validate and enforce impersonation levels.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Microsoft Windows Task Scheduler security Feature Bypass Vulnerability (3030377) OID:1.3.6.1.4.1.25623.1.0.805144 Version used: 2023-07-25T10:35:58+05:30	
References cve: CVE-2015-0084 url: https://support.microsoft.com/kb/3030377 url: https://technet.microsoft.com/library/security/MS15-028 cert-bund: CB-K15/0319 dfn-cert: DFN-CERT-2015-0324	

[\[return to 192.168.56.6 \]](#)

2.1.43 Low 3306/tcp

Low (CVSS: 3.7)
NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (cpu-jul2016) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log
... continues on next page ...

...continued from previous page ...
Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: See the referenced vendor advisory Installation path / port: 3306/tcp
Impact Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.
Solution: Solution type: VendorFix Updates are available. Please see the references for more information.
Affected Software/OS Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.10.
Vulnerability Insight An unspecified error exists in the 'MySQL Server' component via unknown vectors related to the 'Security Encryption' sub-component.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.10 Security Update (. ↪.. OID:1.3.6.1.4.1.25623.1.0.808594 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-3452 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/91999
... continues on next page ...

...continued from previous page ...

advisory-id: cpujul2016
 cert-bund: CB-K16/1122
 cert-bund: CB-K16/1100
 dfn-cert: DFN-CERT-2016-1192
 dfn-cert: DFN-CERT-2016-1169

Low (CVSS: 3.7)

NVT: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (cpu-jul2016) - Windows

Product detection result

cpe:/a:mysql:mysql:5.5.20-log
 Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.
 ↪25623.1.0.100152)

Summary

Oracle MySQL Server is prone to an unspecified vulnerability.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Installed version: 5.5.20
 Fixed version: See the referenced vendor advisory
 Installation
 path / port: 3306/tcp

Impact

Successful exploitation will allow a remote attacker to affect confidentiality via unknown vectors.

Solution:

Solution type: VendorFix
 Updates are available. Please see the references for more information.

Affected Software/OS

Oracle MySQL Server versions 5.5.48 and prior, 5.6 through 5.6.29 and 5.7 through 5.7.11.

Vulnerability Insight

An unspecified error exists in the 'MySQL Server' component via unknown vectors related to 'Connection' sub-component.

Vulnerability Detection Method

Checks if a vulnerable version is present on the target host.
 Details: Oracle MySQL Server <= 5.5.48 / 5.6 <= 5.6.29 / 5.7 <= 5.7.11 Security Update (.
 ... continues on next page ...

...continued from previous page ...
↩... OID:1.3.6.1.4.1.25623.1.0.808593 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2016-5444 url: https://www.oracle.com/security-alerts/cpujul2016.html#AppendixMSQL url: http://www.securityfocus.com/bid/91987 advisory-id: cpujul2016 cert-bund: CB-K16/1122 cert-bund: CB-K16/1100 dfn-cert: DFN-CERT-2016-1192 dfn-cert: DFN-CERT-2016-1169

Low (CVSS: 3.5)
NVT: Oracle MySQL Server Multiple Vulnerabilities - 05 - (Nov 2012) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↩25623.1.0.100152)
Summary Oracle MySQL server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch
Impact Successful exploitation will allow an attacker to disclose potentially sensitive information and manipulate certain data.
Solution: Solution type: VendorFix Apply the patch from the linked references or upgrade to latest version.
... continues on next page ...

...continued from previous page ...
Affected Software/OS Oracle MySQL version 5.5.x to 5.5.25 on Windows.
Vulnerability Insight The flaw is due to unspecified error in MySQL server component vectors server.
Vulnerability Detection Method Details: Oracle MySQL Server Multiple Vulnerabilities - 05 - (Nov 2012) - Windows OID:1.3.6.1.4.1.25623.1.0.803115 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2012-3156 url: http://secunia.com/advisories/51008/ url: http://www.securityfocus.com/bid/56013 url: http://www.securelist.com/en/advisories/51008 url: http://www.oracle.com/technetwork/topics/security/cpuoct2012-1515893.html url: https://support.oracle.com/rs?type=doc&id=1475188.1

Low (CVSS: 3.5)
NVT: Oracle MySQL Multiple Unspecified Vulnerabilities-07 (Oct 2015) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation
... continues on next page ...

...continued from previous page ...	
path / port:	3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to affect integrity via unknown vectors.	
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.	
Affected Software/OS Oracle MySQL Server 5.5.43 and earlier, and 5.6.24 and earlier on windows	
Vulnerability Insight Unspecified error exists in the MySQL Server component via unknown vectors related to Server.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified Vulnerabilities-07 (Oct 2015) - Windows OID:1.3.6.1.4.1.25623.1.0.805770 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2015-4864 url: http://www.oracle.com/technetwork/topics/security/cpuoct2015-2367953.html url: http://www.securityfocus.com/bid/77187 cert-bund: WID-SEC-2024-1483 cert-bund: CB-K16/0245 cert-bund: CB-K15/1844 cert-bund: CB-K15/1554 dfn-cert: DFN-CERT-2016-0265 dfn-cert: DFN-CERT-2015-1946 dfn-cert: DFN-CERT-2015-1638	

Low (CVSS: 3.5)

NVT: Oracle MySQL Unspecified Vulnerability-04 (Jul 2015)

Product detection result

... continues on next page ...

...continued from previous page ...
cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1. ↔25623.1.0.100152)
Summary Oracle MySQL is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: Apply the patch Installation path / port: 3306/tcp
Impact Successful exploitation will allow an authenticated remote attacker to cause denial of service attack.
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL Server 5.5.42 and earlier, and 5.6.23 and earlier on Windows.
Vulnerability Insight Unspecified error exists in the MySQL Server component via unknown vectors related to Server : Optimizer.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Unspecified Vulnerability-04 (Jul 2015) OID:1.3.6.1.4.1.25623.1.0.805931 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2015-4757 url: http://www.oracle.com/technetwork/topics/security/cpujul2015-2367936.html ... continues on next page ...

...continued from previous page ...
url: http://www.securityfocus.com/bid/75759 cert-bund: CB-K15/1202 cert-bund: CB-K15/1193 cert-bund: CB-K15/1045 cert-bund: CB-K15/1020 dfn-cert: DFN-CERT-2015-1272 dfn-cert: DFN-CERT-2015-1264 dfn-cert: DFN-CERT-2015-1096 dfn-cert: DFN-CERT-2015-1071

Low (CVSS: 2.8)
NVT: Oracle MySQL Multiple Unspecified vulnerabilities - 06 (Jan 2014) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↵25623.1.0.100152)
Summary Oracle MySQL is prone to multiple unspecified vulnerabilities.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Impact Successful exploitation will allow attackers to manipulate certain data and cause a DoS (Denial of Service).
Solution: Solution type: VendorFix Apply the patch from the referenced advisory.
Affected Software/OS Oracle MySQL version 5.5.34 and earlier, and 5.6.14 and earlier on Windows.
Vulnerability Insight Unspecified errors in the MySQL Server component via unknown vectors related to Replication.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Multiple Unspecified vulnerabilities - 06 (Jan 2014) - Windows
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.804077 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2014-0420 url: http://secunia.com/advisories/56491 url: http://www.securityfocus.com/bid/64888 url: http://www.oracle.com/technetwork/topics/security/cpujan2014-1972949.html cert-bund: CB-K14/0710 cert-bund: CB-K14/0187 cert-bund: CB-K14/0082 cert-bund: CB-K14/0074 cert-bund: CB-K14/0055 dfn-cert: DFN-CERT-2014-0742 dfn-cert: DFN-CERT-2014-0190 dfn-cert: DFN-CERT-2014-0085 dfn-cert: DFN-CERT-2014-0074 dfn-cert: DFN-CERT-2014-0048

Low (CVSS: 2.7)
NVT: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Windows
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↪25623.1.0.100152)
Summary Oracle MySQL Server is prone to a denial of service (DoS) vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.7.41 Installation path / port: 3306/tcp
... continues on next page ...

...continued from previous page ...	
Solution: Solution type: VendorFix Update to version 5.7.41, 8.0.32 or later.	
Affected Software/OS Oracle MySQL Server version 5.7.40 and prior and 8.x through 8.0.31.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.7.40, 8.x <= 8.0.31 Security Update (cpuapr2023) - Win. ↔.. OID:1.3.6.1.4.1.25623.1.0.149532 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2023-21963 url: https://www.oracle.com/security-alerts/cpuapr2023.html#AppendixMSQL advisory-id: cpuapr2023 cert-bund: WID-SEC-2024-1591 cert-bund: WID-SEC-2023-1033 dfn-cert: DFN-CERT-2023-0885	

Low (CVSS: 2.7)	
NVT: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary Oracle MySQL Server is prone to an unspecified vulnerability.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Installed version: 5.5.20	
... continues on next page ...	

...continued from previous page ...	
Fixed version:	5.6.45
Installation path / port:	3306/tcp
Solution: Solution type: VendorFix Update to version 5.6.45, 5.7.19 or later.	
Affected Software/OS Oracle MySQL Server versions 5.6.44 and prior and 5.7 through 5.7.18.	
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server <= 5.6.44 / 5.7 <= 5.7.18 Security Update (cpujul2019) - Wi. ↔.. OID:1.3.6.1.4.1.25623.1.0.142643 Version used: 2025-09-09T11:08:49+05:30	
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)	
References cve: CVE-2019-2730 url: https://www.oracle.com/security-alerts/cpujul2019.html#AppendixMSQL advisory-id: cpujul2019 cert-bund: CB-K19/0620 dfn-cert: DFN-CERT-2019-2169 dfn-cert: DFN-CERT-2019-1453	

Low (CVSS: 1.5)	
NVT: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.9 Security Update (cpuapr2013) - Windows	
Product detection result cpe:/a:mysql:mysql:5.5.20-log Detected by MariaDB / Oracle MySQL Detection (MySQL Protocol) (OID: 1.3.6.1.4.1.↔25623.1.0.100152)	
Summary ...continues on next page ...	

...continued from previous page ...
Oracle MySQL Server is prone to an unspecified vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 5.5.20 Fixed version: 5.5.31 Installation path / port: 3306/tcp
Impact Successful exploitation will allow local users to affect availability.
Solution: Solution type: VendorFix Update to version 5.5.31, 5.6.10 or later.
Affected Software/OS Oracle MySQL Server versions 5.5 through 5.5.30 and 5.6 through 5.6.9.
Vulnerability Insight An unspecified error exists in the MySQL Server component via unknown vectors related to Server Partition.
Vulnerability Detection Method Checks if a vulnerable version is present on the target host. Details: Oracle MySQL Server 5.5 <= 5.5.30 / 5.6 <= 5.6.9 Security Update (cpuapr2013) -. ↔.. OID:1.3.6.1.4.1.25623.1.0.809813 Version used: 2025-09-09T11:08:49+05:30
Product Detection Result Product: cpe:/a:mysql:mysql:5.5.20-log Method: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID: 1.3.6.1.4.1.25623.1.0.100152)
References cve: CVE-2013-1502 url: https://www.oracle.com/security-alerts/cpuapr2013.html#AppendixMSQL url: http://www.securityfocus.com/bid/59239 advisory-id: cpuapr2013 dfn-cert: DFN-CERT-2013-0882 dfn-cert: DFN-CERT-2013-0798

2.1.44 Low 22/tcp

Low (CVSS: 2.6)
NVT: Weak MAC Algorithm(s) Supported (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↩)
Summary The remote SSH server is configured to allow / support weak MAC algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server supports the following weak client-to-server MAC algorithm ↩(s): umac-64-etm@openssh.com umac-64@openssh.com The remote SSH server supports the following weak server-to-client MAC algorithm ↩(s): umac-64-etm@openssh.com umac-64@openssh.com
Solution: Solution type: Mitigation Disable the reported weak MAC algorithm(s).
Vulnerability Detection Method Checks the supported MAC algorithms (client-to-server and server-to-client) of the remote SSH server. Currently weak MAC algorithms are defined as the following: - MD5 based algorithms - 96-bit based algorithms - 64-bit based algorithms - 'none' algorithm Details: Weak MAC Algorithm(s) Supported (SSH) OID:1.3.6.1.4.1.25623.1.0.105610 Version used: 2024-06-14T10:35:48+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported
... continues on next page ...

...continued from previous page ...
OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://www.rfc-editor.org/rfc/rfc6668 url: https://www.rfc-editor.org/rfc/rfc4253#section-6.4

[\[return to 192.168.56.6 \]](#)

2.1.45 Low 9200/tcp

Low (CVSS: 3.1)
NVT: Elastic Elasticsearch Information Disclosure Vulnerability (ESA-2020-13)
Summary Elasticsearch is prone to an information disclosure vulnerability.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Installed version: 1.1.1 Fixed version: 6.8.13 Installation path / port: /
Impact This could result in the search disclosing the existence of documents the attacker should not be able to view. This could result in an attacker gaining additional insight into potentially sensitive indices.
Solution: Solution type: VendorFix Update to version 6.8.13, 7.9.2 or later.
Affected Software/OS Elasticsearch versions before 6.8.13 and 7.x before 7.9.2.
Vulnerability Insight A document disclosure flaw was found in Elasticsearch when Document or Field Level Security is used. Search queries do not properly preserve security permissions when executing certain complex queries.
Vulnerability Detection Method
... continues on next page ...

...continued from previous page...
Checks if a vulnerable version is present on the target host. Details: Elasticsearch Information Disclosure Vulnerability (ESA-2020-13) OID:1.3.6.1.4.1.25623.1.0.117181 Version used: 2025-09-03T13:56:15+05:30
References cve: CVE-2020-7020 url: https://discuss.elastic.co/t/elastic-stack-7-9-3-and-6-8-13-security-update/253033 url: https://www.elastic.co/community/security cert-bund: WID-SEC-2022-0607 dfn-cert: DFN-CERT-2025-0933 dfn-cert: DFN-CERT-2022-1530

[\[return to 192.168.56.6 \]](#)

2.1.46 Log 8181/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...
'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA256
 TLS_RSA_WITH_AES_128_GCM_SHA256
 TLS_RSA_WITH_AES_256_CBC_SHA

... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None
... continues on next page ...

...continued from previous page ...	
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)	
NVT: HTTP Security Headers Detection	
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Missing Headers More Information ----- ↪----- ↪----- ↪----- Content-Security-Policy https://owasp.org/www-project-secure-headers ↪/#content-security-policy Cross-Origin-Embedder-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↪e: This is an upcoming header Cross-Origin-Opener-Policy https://scotthelme.co.uk/coop-and-coep/ , Not ↪e: This is an upcoming header	
... continues on next page ...	

...continued from previous page...	
Cross-Origin-Resource-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Document-Policy ↪cy/document-policy#document-policy-http-header	https://w3c.github.io/webappsec-feature-policy/document-policy-http-header
Expect-CT ↪/#expect-ct, Note: This is an upcoming header	https://owasp.org/www-project-secure-headers
Feature-Policy ↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissions Policy	https://owasp.org/www-project-secure-headers
Permissions-Policy ↪cy/#permissions-policy-http-header-field	https://w3c.github.io/webappsec-feature-policy/permissions-policy-http-header-field
Public-Key-Pins ↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration header ↪lp. Note: Most major browsers have dropped / deprecated support for this header ↪r in 2020.	Please check the output of the VTs including
Referrer-Policy ↪/#referrer-policy	https://owasp.org/www-project-secure-headers
Sec-Fetch-Dest ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Mode ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Site ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-User ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Strict-Transport-Security ↪ 'SSL/TLS:' and 'HSTS' in their name for more information and configuration header ↪lp.	Please check the output of the VTs including
X-Content-Type-Options ↪/#x-content-type-options	https://owasp.org/www-project-secure-headers
X-Frame-Options ↪/#x-frame-options	https://owasp.org/www-project-secure-headers
X-Permitted-Cross-Domain-Policies ↪/#x-permitted-cross-domain-policies	https://owasp.org/www-project-secure-headers
X-XSS-Protection ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.	https://owasp.org/www-project-secure-headers
Solution:	
Log Method	
Details: HTTP Security Headers Detection	
...continues on next page...	

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.2 protocol: KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521) TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA
... continues on next page ...

...continued from previous page ...

```

TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384

```

```

No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
Server Key Exchange Group(s):
TLSv1.2 128 bits secp256r1 (NIST P-256)
TLSv1.2 192 bits secp384r1 (NIST P-384)
TLSv1.2 256 bits secp521r1 (NIST P-521)

```

Solution:**Vulnerability Insight**

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method

```

Details: SSL/TLS: Report Supported Cipher Suites
OID:1.3.6.1.4.1.25623.1.0.802067
Version used: 2026-03-13T11:24:58+05:30

```

Log (CVSS: 0.0)

NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary

... continues on next page ...

...continued from previous page ...
Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLSv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLSv1.1 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLSv1.2 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLSv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)

NVT: SSL/TLS: Untrusted Certificate Detection

Summary

Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↵ verification against the system wide trust store (serial:issuer): 04A9972F:CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Califor ↵nia,C=US (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner ↵ Enumeration technique ----- ↵ ----- Server: GlassFish Server Open Source Edition 4.0 ↵ Valid HTTP 0.9 GET request to '/index.html' X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Ja ↵va/Oracle Corporation/1.8) Valid HTTP 0.9 GET request to '/index.html'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: GlassFish Server Open Source Edition 4.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Eclipse GlassFish Detection (HTTP)
Summary HTTP based detection of Eclipse GlassFish.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Eclipse GlassFish Version: 4.0 Location: / CPE: cpe:/a:eclipse:glassfish:4.0 Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: https://192.168.56.6:8181/index.html
Solution:
Log Method Details: Eclipse GlassFish Detection (HTTP)
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page ...	
The following certificate details of the remote service were collected.	
Certificate details:	
fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method ... continues on next page ...

...continued from previous page ...
Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ↔----- https://192.168.56.6:8181/ GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS (obtai ... continues on next page ...

...continued from previous page ...
↪ned via HTTP OPTIONS method)
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ... The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: https://192.168.56.6:8181/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing
Summary The remote web server is not enforcing HTTP Strict Transport Security (HSTS).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HSTS. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0
... continues on next page ...

...continued from previous page ...	
Accept-Ranges: bytes ETag: W/"***replaced***" Last-Modified: ***replaced*** Content-Type: text/html Date: ***replaced*** Connection: close Content-Length: ***replaced***	
Solution: Solution type: Workaround Enable HSTS or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.	
Log Method Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing OID:1.3.6.1.4.1.25623.1.0.105879 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-cheat-sheets/cheatsheets/HTTP_Strict_Transpor ↪t_Security_Cheat_Sheet.html url: https://owasp.org/www-project-secure-headers/#http-strict-transport-securit ↪y-hsts url: https://tools.ietf.org/html/rfc6797 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header	
Log (CVSS: 0.0) NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing	
Summary The remote web server is not enforcing HTTP Public Key Pinning (HPKP). Note: Most major browsers have dropped / deprecated support for this header in 2020.	
...continues on next page ...	

...continued from previous page...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote web server is not enforcing HPKP. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0 Accept-Ranges: bytes ETag: W/"***replaced***" Last-Modified: ***replaced*** Content-Type: text/html Date: ***replaced*** Connection: close Content-Length: ***replaced***	
Solution: Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.	
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp url: https://tools.ietf.org/html/rfc7469 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header	

[\[return to 192.168.56.6 \]](#)

2.1.47 Log 1617/tcp

Log (CVSS: 0.0)
NVT: RMI Registry Service Detection
Summary Detection of a Remote Method Invocation (RMI) registry service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A RMI registry service is running at this port. The following remote registry objects have been extracted: rmi://192.168.56.6:49155/jmxrmi
Solution:
Log Method Details: RMI Registry Service Detection OID:1.3.6.1.4.1.25623.1.0.105839 Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.48 Log 139/tcp

Log (CVSS: 0.0)
NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A SMB server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 ... continues on next page ...

...continued from previous page ...

Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)**2.1.49 Log 5985/tcp**

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.
 On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Missing Headers

| [More Information](#)

```

-----
↪-----
↪-----
Content-Security-Policy          | https://owasp.org/www-project-secure-headers
↪/#content-security-policy
Cross-Origin-Embedder-Policy    | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Opener-Policy      | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Cross-Origin-Resource-Policy    | https://scotthelme.co.uk/coop-and-coep/, Not
↪e: This is an upcoming header
Document-Policy                 | https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header
Feature-Policy                  | https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi
↪ons Policy
Permissions-Policy              | https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field
Referrer-Policy                 | https://owasp.org/www-project-secure-headers
↪/#referrer-policy
Sec-Fetch-Dest                  | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90
Sec-Fetch-Mode                  | https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo
↪rted only in newer browsers like e.g. Firefox 90

```

...continues on next page ...

...continued from previous page...	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
X-Content-Type-Options	https://owasp.org/www-project-secure-headers/#x-content-type-options
X-Frame-Options	https://owasp.org/www-project-secure-headers/#x-frame-options
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies
X-XSS-Protection	https://owasp.org/www-project-secure-headers/#x-xss-protection , Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Microsoft-HTTPAPI/2.0
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection (HTTP)
Summary HTTP based detection of Web Services Management (WS-Man) / Windows Remote Management (WinRM).
Quality of Detection (QoD): 80%
Vulnerability Detection Result A WS-Man service is running at this port. The service supports Windows Remote Management (WinRM). The following information was extracted: Product Vendor: Microsoft Corporation Product Version: OS: 0.0.0 SP: 0.0 Stack: 3.0 The following information was extracted from the NTLM challenge: OS Version: 6.1.45341 Concluded from version/product identification location: http://192.168.56.6:5985 ↪/wsman
Solution:
Log Method Details: Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection . ↪.. OID:1.3.6.1.4.1.25623.1.0.103923 Version used: 2023-10-11T10:35:54+05:30
References url: https://www.dmtf.org/standards/ws-man url: https://learn.microsoft.com/en-us/windows/win32/winrm/portal

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
...continues on next page ...

...continued from previous page ...
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↔----- Server: Microsoft-HTTPAPI/2.0 Invalid HTTP 00.5 GET request (non-existent HTTP ↔ version) to '/'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

http://192.168.56.6:5985/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards

Solution:

Log Method

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-02-24T11:27:09+05:30

... continues on next page ...

...continued from previous page ...

Referencesurl: <https://forum.greenbone.net/c/vulnerability-tests/7>[\[return to 192.168.56.6 \]](#)**2.1.50 Log 80/tcp**

Log (CVSS: 0.0)

NVT: Microsoft Internet Information Services (IIS) Detection (HTTP)

Summary

HTTP based detection of Microsoft Internet Information Services (IIS) and the underlying Microsoft Windows operating system version.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Microsoft Internet Information Services (IIS)

Version: 7.5

Location: 80/tcp

CPE: cpe:/a:microsoft:internet_information_services:7.5

Concluded from version/product identification result:

Server: Microsoft-IIS/7.5

Solution:**Log Method**

Details: Microsoft Internet Information Services (IIS) Detection (HTTP)

OID:1.3.6.1.4.1.25623.1.0.900710

Version used: 2026-03-10T15:45:11+05:30

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

... continues on next page ...

...continued from previous page ...	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result	
Missing Headers	More Information

↔-----	
↔-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↔/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↔e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↔e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↔e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-policy
↔cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↔/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↔ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy
↔cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↔/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↔rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↔rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↔rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↔/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↔rted only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↔/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↔/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↔/#x-permitted-cross-domain-policies	
X-XSS-Protection	https://owasp.org/www-project-secure-headers
↔/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor	
↔t for this header in 2020.	
Solution:	
...continues on next page ...	

...continued from previous page ...

Log Method

Details: HTTP Security Headers Detection

OID:1.3.6.1.4.1.25623.1.0.112081

Version used: 2025-03-21T21:10:43+05:30

Referencesurl: <https://owasp.org/www-project-secure-headers/>url: <https://owasp.org/www-project-secure-headers/#div-headers>url: <https://securityheaders.com/>

Log (CVSS: 0.0)

NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote HTTP Server banner is:

Server: Microsoft-IIS/7.5

Solution:**Log Method**

Details: HTTP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10107

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)

- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)

... continues on next page ...

...continued from previous page ...
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)

NVT: HTTP Server Banner Enumeration

Summary

... continues on next page ...

...continued from previous page ...
Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ↪----- http://192.168.56.6/ OPTIONS, TRACE, GET, HEAD, POST (obtained via HTTP OPTION ↪S method)
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

[\[return to 192.168.56.6 \]](#)

2.1.51 Log 3700/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A GIOP-enabled service is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.52 Log 8020/tcp

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Missing Headers More Information ----- ↪----- ↪----- -----
... continues on next page ...

...continued from previous page ...	
Content-Security-Policy ↪/#content-security-policy	https://owasp.org/www-project-secure-headers
Cross-Origin-Embedder-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Opener-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Cross-Origin-Resource-Policy ↪e: This is an upcoming header	https://scotthelme.co.uk/coop-and-coep/ , Not
Document-Policy ↪cy/document-policy#document-policy-http-header	https://w3c.github.io/webappsec-feature-poli
Feature-Policy ↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi ↪ons Policy	https://owasp.org/www-project-secure-headers
Permissions-Policy ↪cy/#permissions-policy-http-header-field	https://w3c.github.io/webappsec-feature-poli
Referrer-Policy ↪/#referrer-policy	https://owasp.org/www-project-secure-headers
Sec-Fetch-Dest ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Mode ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-Site ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
Sec-Fetch-User ↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo ↪rted only in newer browsers like e.g. Firefox 90	https://developer.mozilla.org/en-US/docs/Web
X-Content-Type-Options ↪/#x-content-type-options	https://owasp.org/www-project-secure-headers
X-Frame-Options ↪/#x-frame-options	https://owasp.org/www-project-secure-headers
X-Permitted-Cross-Domain-Policies ↪/#x-permitted-cross-domain-policies	https://owasp.org/www-project-secure-headers
X-XSS-Protection ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor ↪t for this header in 2020.	https://owasp.org/www-project-secure-headers
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
...continues on next page ...	

...continued from previous page ...
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪- Server: Apache Invalid HTTP 00.5 GET request (non-existent HTTP version) to '/ ↪'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache
... continues on next page ...

...continued from previous page ...

Solution:**Log Method**

Details: HTTP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10107

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

http://192.168.56.6:8020/

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standard

...continues on next page ...

...continued from previous page ...
↔s
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[[return to 192.168.56.6](#)]

2.1.53 Log general/tcp

Log (CVSS: 0.0)

NVT: Authenticated Scan / LSC Info Consolidation (Windows SMB Login)

Summary

Consolidation and reporting of various technical information about authenticated scans / local security checks (LSC) via SMB for Windows targets.

Quality of Detection (QoD): 97%

Vulnerability Detection Result

Description (Knowledge base entry)

↪ : Value/Content

 ↪-----
 ↪-----

Access to the registry possible (SMB/registry_access)

↪ : TRUE

Access via WMI possible (WMI/access_successful)

↪ : FALSE

Architecture of the OS (SMB/Windows/Arch)

↪ : x64

Build number of the OS (SMB/WindowsBuild)

↪ : 7601

Disable file search via WMI on Windows (win/lsc/disable_wmi_search)

↪ : FALSE

Disable the usage of win_cmd_exec for remote commands on Windows (win/lsc/disable_win_cmd_exec) : FALSE

Domain used for authenticated scans (kb_smb_domain())

↪ : Empty/None

Enable Detection of Portable Apps on Windows (win/lsc/search_portable_apps)

↪ : FALSE

Extended SMB support available via openvas-smb module (Tools/Present/smb)

↪ : FALSE

Extended WMI support available via openvas-smb module (Tools/Present/wmi)

↪ : FALSE

Full Windows build number (Microsoft/Windows/FullBuild)

↪ : Empty/None

Full Windows name (Microsoft/Windows/FullName)

↪ : Empty/None

Hostname used for authenticated scans (kb_smb_hostname())

↪ : Empty/None

KDC used for authenticated scans (kb_smb_kdc())

↪ : Empty/None

Kerberos support available (krb5_gss_init() scanner function available)

↪ : TRUE

Login via SMB failed (login/SMB/failed)

↪ : FALSE

... continues on next page ...

...continued from previous page...	
Login via SMB successful (login/SMB/success)	
↪	: TRUE
Message for the successful login via SMB	
↪	: It was possible to log into the remote host using the SMB pr
↪otocol via the given NTLM credentials and NTLM protocol.	
Missing access permissions to the registry (SMB/registry_access_missing_permissi	
↪ons)	: FALSE
Name of the most recent service pack installed (SMB/CSDVersion)	
↪	: Service Pack 1
Never send SMB credentials in clear text (SMB/dont_send_in_cleartext)	
↪	: TRUE
Only use NTLMv2 (SMB/dont_send_ntlmv1)	
↪	: FALSE
Path to the OS SystemRoot (smb_get_systemroot())	
↪	: C:\Windows
Path to the OS SystemRoot for 32bit (smb_get_system32root())	
↪	: C:\Windows\system32
Port configured for authenticated scans (kb_smb_transport())	
↪	: 445/tcp
Port used for the successful login via SMB	
↪	: 445/tcp
Product name of the OS (SMB/WindowsName)	
↪	: Windows Server 2008 R2 Standard
SMB name used for authenticated scans (kb_smb_name())	
↪	: 192.168.56.6
User used for authenticated scans (kb_smb_login())	
↪	: administrator
Version number of the OS (SMB/WindowsVersion)	
↪	: 6.1
Version string of the OS (SMB/WindowsVersionString)	
↪	: FALSE
Windows Extended Support Update(ESU) Status (Microsoft/Windows/ESUStatus)	
↪	: There is no active ESU program for this OS
Workgroup of the SMB server (SMB/workgroup)	
↪	: WORKGROUP
Solution:	
Log Method	
Details: Authenticated Scan / LSC Info Consolidation (Windows SMB Login)	
OID:1.3.6.1.4.1.25623.1.0.108442	
Version used: 2025-12-01T11:15:26+05:30	
References	
url: https://docs.greenbone.net/GSM-Manual/gos-24.10/en/scanning.html#requiremen	
↪ts-on-target-systems-with-microsoft-windows	
...continues on next page...	

...continued from previous page ...
url: https://docs.greenbone.net/GSM-Manual/gos-22.04/en/scanning.html#requirements-on-target-systems-with-microsoft-windows

Log (CVSS: 0.0)
NVT: Hostname Determination Reporting
Summary The script reports information on how the hostname of the target was determined.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Hostname determination for IP 192.168.56.6: Hostname Source 192.168.56.6 IP-address
Solution:
Log Method Details: Hostname Determination Reporting OID:1.3.6.1.4.1.25623.1.0.108449 Version used: 2022-07-27T15:41:28+05:30

Log (CVSS: 0.0)
NVT: OS Detection Consolidation and Reporting
Summary This script consolidates the OS information detected by several VTs and tries to find the best matching OS. Furthermore it reports all previously collected information leading to this best matching OS. It also reports possible additional information which might help to improve the OS detection. If any of this information is wrong or could be improved please consider to report these to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Best matching OS: OS: Windows Server 2008 R2 Standard r2 Version: r2 CPE: cpe:/o:microsoft:windows_server_2008:r2:sp1:x64
... continues on next page ...

...continued from previous page...	
Found by VT: 1.3.6.1.4.1.25623.1.0.103621 (Windows Version Detection (SMB Login ↷))	
Concluded from Registry access via SMB	
Setting key "Host/runs_windows" based on this information	
Other OS detections (in order of reliability):	
OS: Microsoft Windows	
CPE: cpe:/o:microsoft:windows	
Found by VT: 1.3.6.1.4.1.25623.1.0.105355 (Operating System (OS) Detection (FTP ↷))	
Concluded from FTP banner on port 21/tcp: 220 Microsoft FTP Service	
OS: Windows Server 2008 R2 Standard 7601 Service Pack 1	
CPE: cpe:/o:microsoft:windows_server_2008:r2:sp1	
Found by VT: 1.3.6.1.4.1.25623.1.0.102011 (SMB NativeLanMan)	
Concluded from SMB/Samba banner on port 445/tcp:	
OS String: Windows Server 2008 R2 Standard 7601 Service Pack 1	
SMB String: Windows Server 2008 R2 Standard 6.1	
OS: Microsoft Windows Server 2008 R2	
CPE: cpe:/o:microsoft:windows_server_2008:r2	
Found by VT: 1.3.6.1.4.1.25623.1.0.900710 (Microsoft Internet Information Servi ↷ces (IIS) Detection (HTTP))	
Concluded from Microsoft IIS HTTP Server banner on port 80/tcp: Server: Microsof ↷t-IIS/7.5	
OS: Microsoft Windows 7	
CPE: cpe:/o:microsoft:windows_7	
Found by VT: 1.3.6.1.4.1.25623.1.0.900710 (Microsoft Internet Information Servi ↷ces (IIS) Detection (HTTP))	
Concluded from Microsoft IIS HTTP Server banner on port 80/tcp: Server: Microsof ↷t-IIS/7.5	
OS: Microsoft Windows	
CPE: cpe:/o:microsoft:windows	
Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↷P))	
Concluded from HTTP Server banner on port 5985/tcp: Server: Microsoft-HTTPAPI/2. ↷0	
OS: Microsoft Windows	
CPE: cpe:/o:microsoft:windows	
Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↷P))	
Concluded from HTTP Server banner on port 47001/tcp: Server: Microsoft-HTTPAPI/2 ↷.0	
OS: Microsoft Windows	
CPE: cpe:/o:microsoft:windows	
Found by VT: 1.3.6.1.4.1.25623.1.0.111067 (Operating System (OS) Detection (HTT ↷P))	
Concluded from HTTP Server banner on port 80/tcp: Server: Microsoft-IIS/7.5	
OS: Microsoft Windows	
CPE: cpe:/o:microsoft:windows	
...continues on next page...	

...continued from previous page...
Found by VT: 1.3.6.1.4.1.25623.1.0.100062 (Microsoft Remote Desktop Protocol (RDP) Detection) Concluded from Microsoft Remote Desktop Protocol (RDP) on port 3389/tcp: Windows ↩, possible Windows 7 or Server 2008 based on binary response fingerprinting: 0 ↩30000130ed000001234000201080002000000 OS: Microsoft Windows CPE: cpe:/o:microsoft:windows Found by VT: 1.3.6.1.4.1.25623.1.0.108044 (DCE/RPC and MSRPC Services Enumeration ↩on) Concluded from DCE/RPC and MSRPC Services Enumeration on port 135/tcp OS: Microsoft Windows CPE: cpe:/o:microsoft:windows:6.1.45341 Found by VT: 1.3.6.1.4.1.25623.1.0.103923 (Web Services Management (WS-Man) / Windows Remote Management (WinRM) Detection (HTTP))
Solution:
Log Method Details: OS Detection Consolidation and Reporting OID:1.3.6.1.4.1.25623.1.0.105937 Version used: 2026-03-20T22:03:06+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Apache Tomcat Detection Consolidation
Summary Consolidation of Apache Tomcat detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Tomcat Version: 8.0.33 Location: 8282/tcp CPE: cpe:/a:apache:tomcat:8.0.33 Concluded from version/product identification result: Apache Tomcat Version 8.0.33 Concluded from version/product identification location: http://192.168.56.6:8282/RELEASE-NOTES.txt http://192.168.56.6:8282/host-manager/html http://192.168.56.6:8282/manager/html
... continues on next page ...

...continued from previous page ...
http://192.168.56.6:8282/manager/status
Solution:
Log Method Details: Apache Tomcat Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.107652 Version used: 2021-02-17T18:01:13+05:30
References url: http://tomcat.apache.org/

Log (CVSS: 9.8)
NVT: Microsoft Windows Unquoted Path Vulnerability (SMB Login)
Summary The script tries to detect Windows 'Uninstall' registry entries and 'Services' using an unquoted path containing at least one whitespace.
Quality of Detection (QoD): 97%
Vulnerability Detection Result The following 'Uninstall' registry entries are using an 'unquoted' path: DisplayName Value Oracle VirtualBox Guest Additions 7.2.4 C:\Program Files\Oracle\VirtualBox Guest Additions\uninst.exe
Impact A local attacker could gain elevated privileges by inserting an executable file in the path of the affected service or uninstall entry.
Solution: Solution type: Workaround Either put the listed vulnerable paths in quotation by manually using the onboard Registry editor or contact your vendor to get an update for the specified software that fixes this vulnerability.
Affected Software/OS Software installing an 'Uninstall' registry entry or 'Service' on Microsoft Windows using an unquoted path containing at least one whitespace.
Vulnerability Insight ... continues on next page ...

...continued from previous page ...

If the path contains spaces and is not surrounded by quotation marks, the Windows API has to guess where to find the referenced program. If e.g. a service is using the following unquoted path:

C:\Program Files\Folder\service.exe

then a start of the service would first try to run:

C:\Program.exe

and if not found:

C:\Program Files\Folder\service.exe

afterwards. In this example the behavior allows a local attacker with low privileges and write permissions on C:\ to place a malicious Program.exe which is then executed on a service/host restart or during the uninstallation of a software.

NOTE: Currently only 'Services' using an unquoted path are reported as a vulnerability. The 'Uninstall' vulnerability requires an Administrator / User to actively uninstall the affected software to trigger this vulnerability.

Vulnerability Detection Method

Details: Microsoft Windows Unquoted Path Vulnerability (SMB Login)

OID:1.3.6.1.4.1.25623.1.0.107303

Version used: 2026-03-18T11:29:10+05:30

References

cve: CVE-2005-2936

cve: CVE-2007-5618

cve: CVE-2009-2761

cve: CVE-2012-4350

cve: CVE-2013-0513

cve: CVE-2013-1092

cve: CVE-2013-1609

cve: CVE-2013-1610

cve: CVE-2013-2151

cve: CVE-2013-2152

cve: CVE-2013-2176

cve: CVE-2013-2231

cve: CVE-2013-5011

cve: CVE-2013-6182

cve: CVE-2013-6773

cve: CVE-2014-0759

cve: CVE-2014-4634

cve: CVE-2014-5455

cve: CVE-2014-9646

cve: CVE-2015-0884

cve: CVE-2015-1484

cve: CVE-2015-2789

cve: CVE-2015-3987

cve: CVE-2015-4173

cve: CVE-2015-7866

cve: CVE-2015-8156

...continues on next page ...

...continued from previous page ...

cve: CVE-2015-8988
cve: CVE-2016-3161
cve: CVE-2016-4158
cve: CVE-2016-5793
cve: CVE-2016-5852
cve: CVE-2016-6803
cve: CVE-2016-6935
cve: CVE-2016-7165
cve: CVE-2016-8102
cve: CVE-2016-8225
cve: CVE-2016-8769
cve: CVE-2016-9356
cve: CVE-2016-15003
cve: CVE-2017-3005
cve: CVE-2017-3141
cve: CVE-2017-3751
cve: CVE-2017-3756
cve: CVE-2017-3757
cve: CVE-2017-5873
cve: CVE-2017-6005
cve: CVE-2017-7180
cve: CVE-2017-9247
cve: CVE-2017-9644
cve: CVE-2017-12730
cve: CVE-2017-14019
cve: CVE-2017-14030
cve: CVE-2017-15383
cve: CVE-2017-20218
cve: CVE-2017-1000475
cve: CVE-2018-0594
cve: CVE-2018-0595
cve: CVE-2018-2406
cve: CVE-2018-3668
cve: CVE-2018-3683
cve: CVE-2018-3684
cve: CVE-2018-3687
cve: CVE-2018-3688
cve: CVE-2018-5470
cve: CVE-2018-6016
cve: CVE-2018-6321
cve: CVE-2018-6384
cve: CVE-2018-11063
cve: CVE-2018-20341
cve: CVE-2019-7201
cve: CVE-2019-7590
cve: CVE-2019-11093
cve: CVE-2019-14599

...continues on next page ...

...continued from previous page ...

cve: CVE-2019-14685
cve: CVE-2019-17658
cve: CVE-2019-20362
cve: CVE-2019-25231
cve: CVE-2019-25261
cve: CVE-2019-25266
cve: CVE-2019-25267
cve: CVE-2019-25269
cve: CVE-2019-25271
cve: CVE-2019-25272
cve: CVE-2019-25273
cve: CVE-2019-25274
cve: CVE-2019-25275
cve: CVE-2019-25276
cve: CVE-2019-25281
cve: CVE-2019-25283
cve: CVE-2019-25285
cve: CVE-2019-25286
cve: CVE-2019-25287
cve: CVE-2019-25288
cve: CVE-2019-25292
cve: CVE-2019-25293
cve: CVE-2019-25302
cve: CVE-2019-25304
cve: CVE-2019-25305
cve: CVE-2019-25306
cve: CVE-2019-25307
cve: CVE-2019-25308
cve: CVE-2019-25309
cve: CVE-2019-25310
cve: CVE-2019-25345
cve: CVE-2020-0507
cve: CVE-2020-0546
cve: CVE-2020-13884
cve: CVE-2020-5147
cve: CVE-2020-5569
cve: CVE-2020-7252
cve: CVE-2020-7316
cve: CVE-2020-7331
cve: CVE-2020-8326
cve: CVE-2020-9292
cve: CVE-2020-15261
cve: CVE-2020-22809
cve: CVE-2020-28209
cve: CVE-2020-35152
cve: CVE-2020-36879
cve: CVE-2020-36903

...continues on next page ...

...continued from previous page ...

cve: CVE-2020-36927
cve: CVE-2020-36928
cve: CVE-2020-36929
cve: CVE-2020-36930
cve: CVE-2020-37016
cve: CVE-2020-37017
cve: CVE-2020-37020
cve: CVE-2020-37021
cve: CVE-2020-37030
cve: CVE-2020-37037
cve: CVE-2020-37045
cve: CVE-2020-37047
cve: CVE-2020-37048
cve: CVE-2020-37055
cve: CVE-2020-37058
cve: CVE-2020-37059
cve: CVE-2020-37060
cve: CVE-2020-37061
cve: CVE-2020-37062
cve: CVE-2020-37063
cve: CVE-2020-37064
cve: CVE-2020-37098
cve: CVE-2020-37099
cve: CVE-2020-37100
cve: CVE-2020-37101
cve: CVE-2020-37102
cve: CVE-2021-0112
cve: CVE-2021-21078
cve: CVE-2021-23197
cve: CVE-2021-23879
cve: CVE-2021-25269
cve: CVE-2021-27608
cve: CVE-2021-29218
cve: CVE-2021-33095
cve: CVE-2021-35230
cve: CVE-2021-35231
cve: CVE-2021-35469
cve: CVE-2021-37363
cve: CVE-2021-37364
cve: CVE-2021-42563
cve: CVE-2021-43454
cve: CVE-2021-43455
cve: CVE-2021-43456
cve: CVE-2021-43457
cve: CVE-2021-43458
cve: CVE-2021-43460
cve: CVE-2021-43463

...continues on next page ...

...continued from previous page ...

cve: CVE-2021-45819
cve: CVE-2021-46443
cve: CVE-2021-47739
cve: CVE-2021-47762
cve: CVE-2021-47767
cve: CVE-2021-47773
cve: CVE-2021-47780
cve: CVE-2021-47787
cve: CVE-2021-47790
cve: CVE-2021-47792
cve: CVE-2021-47803
cve: CVE-2021-47804
cve: CVE-2021-47805
cve: CVE-2021-47806
cve: CVE-2021-47807
cve: CVE-2021-47809
cve: CVE-2021-47810
cve: CVE-2021-47822
cve: CVE-2021-47823
cve: CVE-2021-47825
cve: CVE-2021-47826
cve: CVE-2021-47828
cve: CVE-2021-47829
cve: CVE-2021-47833
cve: CVE-2021-47845
cve: CVE-2021-47847
cve: CVE-2021-47859
cve: CVE-2021-47861
cve: CVE-2021-47862
cve: CVE-2021-47863
cve: CVE-2021-47864
cve: CVE-2021-47866
cve: CVE-2021-47867
cve: CVE-2021-47868
cve: CVE-2021-47869
cve: CVE-2021-47874
cve: CVE-2021-47878
cve: CVE-2021-47879
cve: CVE-2021-47880
cve: CVE-2021-47882
cve: CVE-2021-47883
cve: CVE-2021-47884
cve: CVE-2021-47886
cve: CVE-2021-47887
cve: CVE-2022-2147
cve: CVE-2022-4429
cve: CVE-2022-23909

...continues on next page ...

...continued from previous page ...

cve: CVE-2022-25031
cve: CVE-2022-26634
cve: CVE-2022-27050
cve: CVE-2022-27052
cve: CVE-2022-27088
cve: CVE-2022-27089
cve: CVE-2022-27092
cve: CVE-2022-27094
cve: CVE-2022-27095
cve: CVE-2022-29320
cve: CVE-2022-31591
cve: CVE-2022-33035
cve: CVE-2022-35292
cve: CVE-2022-35899
cve: CVE-2022-37197
cve: CVE-2022-44264
cve: CVE-2022-50688
cve: CVE-2022-50693
cve: CVE-2022-50808
cve: CVE-2022-50900
cve: CVE-2022-50901
cve: CVE-2022-50902
cve: CVE-2022-50903
cve: CVE-2022-50904
cve: CVE-2022-50913
cve: CVE-2022-50914
cve: CVE-2022-50915
cve: CVE-2022-50917
cve: CVE-2022-50918
cve: CVE-2022-50920
cve: CVE-2022-50921
cve: CVE-2022-50923
cve: CVE-2022-50924
cve: CVE-2022-50928
cve: CVE-2022-50929
cve: CVE-2022-50930
cve: CVE-2022-50933
cve: CVE-2022-50935
cve: CVE-2022-50938
cve: CVE-2023-3438
cve: CVE-2023-6631
cve: CVE-2023-7043
cve: CVE-2023-24671
cve: CVE-2023-26911
cve: CVE-2023-31747
cve: CVE-2023-36658
cve: CVE-2023-37537

...continues on next page ...

...continued from previous page ...

```

cve: CVE-2023-53912
cve: CVE-2023-53946
cve: CVE-2023-53947
cve: CVE-2023-53954
cve: CVE-2023-53965
cve: CVE-2023-53984
cve: CVE-2023-54331
cve: CVE-2023-54336
cve: CVE-2023-54338
cve: CVE-2024-1618
cve: CVE-2024-25552
cve: CVE-2024-58288
cve: CVE-2024-58315
cve: CVE-2025-5191
cve: CVE-2025-10714
cve: CVE-2025-39246
cve: CVE-2025-34499
cve: CVE-2025-57227
cve: CVE-2025-60320
cve: CVE-2025-66575
cve: CVE-2026-1585
cve: CVE-2026-24466
url: https://www.zeroscience.mk/en/vulnerabilities/ZSL-2019-5506.php
url: https://web.archive.org/web/20201111194349/https://gallery.technet.microsoft.com/scriptcenter/Windows-Unquoted-Service-190f0341
url: http://www.ryanandjeffshow.com/blog/2013/04/11/powershell-fixing-unquoted-service-paths-complete/
url: https://www.tecklyfe.com/remediation-microsoft-windows-unquoted-service-path-enumeration-vulnerability/
url: https://blogs.technet.microsoft.com/srd/2018/04/04/triaging-a-dll-planting-vulnerability
cert-bund: WID-SEC-2025-2829
cert-bund: WID-SEC-2024-2191
cert-bund: WID-SEC-2024-0242
cert-bund: WID-SEC-2022-2382
cert-bund: WID-SEC-2022-1670
cert-bund: WID-SEC-2022-1400
cert-bund: WID-SEC-2022-0651
cert-bund: CB-K21/1184
cert-bund: CB-K21/0635
cert-bund: CB-K21/0252
cert-bund: CB-K20/1157
cert-bund: CB-K20/0549
cert-bund: CB-K20/0222
cert-bund: CB-K19/0752
cert-bund: CB-K17/0996
cert-bund: CB-K17/0615

```

...continues on next page ...

...continued from previous page ...

```
cert-bund: CB-K16/1113
cert-bund: CB-K15/1688
cert-bund: CB-K14/0038
dfn-cert: DFN-CERT-2020-0534
dfn-cert: DFN-CERT-2020-0507
dfn-cert: DFN-CERT-2017-1030
dfn-cert: DFN-CERT-2017-0636
dfn-cert: DFN-CERT-2016-1182
dfn-cert: DFN-CERT-2015-1786
dfn-cert: DFN-CERT-2013-1329
```

Log (CVSS: 0.0)

NVT: Get Windows File-Shares, shared for Everyone

Summary

Get Windows File-Shares, shared for Everyone.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

The following File-Shares are shared for Everyone (local name: 'Everyone'):

Name|Path|Access|Description

C\$|C:\|Everyone, FULL|Default share

Solution:**Log Method**

Details: Get Windows File-Shares, shared for Everyone

OID:1.3.6.1.4.1.25623.1.0.96198

Version used: 2025-03-06T11:08:27+05:30

Log (CVSS: 0.0)

NVT: Get Windows File-Shares over WMI

Summary

Get Windows File-Shares over WMI.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**

The following File-Shares were found:

... continues on next page ...

...continued from previous page ...
Remote Admin ADMIN\$ C:\Windows Default share C\$ C:\ Remote IPC IPC\$
Solution:
Log Method Details: Get Windows File-Shares over WMI OID:1.3.6.1.4.1.25623.1.0.96199 Version used: 2025-03-06T11:08:27+05:30

Log (CVSS: 0.0)
NVT: Microsoft Internet Information Services (IIS) Detection (Windows SMB Login)
Summary SMB login-based detection of Microsoft Internet Information Services (IIS).
Quality of Detection (QoD): 97%
Vulnerability Detection Result Detected Microsoft Internet Information Services (IIS) Version: 7.5 Location: %windir%\system32\inetsrv CPE: cpe:/a:microsoft:internet_information_services:7.5 Concluded from version/product identification result: 7.5
Solution:
Log Method Details: Microsoft Internet Information Services (IIS) Detection (Windows SMB Login) OID:1.3.6.1.4.1.25623.1.0.802432 Version used: 2023-07-25T10:35:58+05:30

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154)
... continues on next page ...

...continued from previous page ...
- Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) If you know any of the information reported here, please send the full output to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Unknown banners have been collected which might help to identify the OS running on this host. If these banners containing information about the host OS please report the following information to https://forum.greenbone.net/c/vulnerability-tests/7: Banner: Server: GlassFish Server Open Source Edition 4.0 Identified from: HTTP Server banner on port 4848/tcp Banner: X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Identified from: X-Powered-By Server banner on port 4848/tcp Banner: Server: GlassFish Server Open Source Edition 4.0 Identified from: HTTP Server banner on port 8080/tcp Banner: X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Identified from: X-Powered-By Server banner on port 8080/tcp Banner: Server: GlassFish Server Open Source Edition 4.0 Identified from: HTTP Server banner on port 8181/tcp Banner: X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Identified from: X-Powered-By Server banner on port 8181/tcp
Solution:
Log Method Details: Unknown OS and Service Banner Reporting OID:1.3.6.1.4.1.25623.1.0.108441 Version used: 2023-06-22T16:04:15+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)

NVT: SMBv1 enabled (Local Windows Check)

Summary

... continues on next page ...

...continued from previous page ...
The host has enabled SMBv1 for the SMB Client or Server.
Quality of Detection (QoD): 97%
Vulnerability Detection Result - SMBv1 is enabled for the SMB Server
Solution:
Log Method Checks if SMBv1 is enabled for the SMB Client or Server based on the information provided by the following two VTs: - SMBv1 Client Detection (OID: 1.3.6.1.4.1.25623.1.0.810550) - SMBv1 Server Detection (OID: 1.3.6.1.4.1.25623.1.0.810549). Details: SMBv1 enabled (Local Windows Check) OID:1.3.6.1.4.1.25623.1.0.810554 Version used: 2023-07-26T10:35:09+05:30
References url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-Practices url: https://support.microsoft.com/en-us/kb/2696547 url: https://support.microsoft.com/en-us/kb/204279

Log (CVSS: 0.0)
NVT: SMBv1 Server Detection
Summary Detecting if SMBv1 is enabled for the SMB Server or not. The script logs in via SMB, searches for key specific to the SMB Server in the registry and gets the value from the 'SMB1' string.
Quality of Detection (QoD): 97%
Vulnerability Detection Result SMBv1 is enabled for the SMB Server
Solution:
Log Method Details: SMBv1 Server Detection OID:1.3.6.1.4.1.25623.1.0.810549 Version used: 2020-08-14T17:14:26+05:30

Log (CVSS: 0.0)

NVT: VMware Spring Framework Detection Consolidation

Summary

Consolidation of VMware Spring Framework (and its components) detections.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Detected VMware Spring Framework (Component: aop)

Version: unknown

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-aop-2.5.6.SEC03.jar

CPE: cpe:/a:vmware:spring_framework_aop

Detected VMware Spring Framework (Component: beans)

Version: unknown

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-beans-2.5.6.SEC03.jar

CPE: cpe:/a:vmware:spring_framework_beans

Detected VMware Spring Framework (Component: context)

Version: unknown

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-context-2.5.6.SEC03.jar

CPE: cpe:/a:vmware:spring_framework_context

Detected VMware Spring Framework (Component: context-support)

Version: unknown

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-context-support-2.5.6.SEC03.jar

CPE: cpe:/a:vmware:spring_framework_context_support

Detected VMware Spring Framework (Component: core)

Version: unknown

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-core-2.5.6.SEC03.jar

CPE: cpe:/a:vmware:spring_framework

Detected VMware Spring Framework (Component: jdbc)

Version: 1.2.9

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-jdbc-1.2.9.jar

CPE: cpe:/a:vmware:spring_framework_jdbc:1.2.9

Concluded from version/product identification result:

\spring-jdbc-1.2.9.jar

Detected VMware Spring Framework (Component: web)

Version: unknown

Location: C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\
 ↪spring-web-2.5.6.SEC03.jar

CPE: cpe:/a:vmware:spring_framework_web

Detected VMware Spring Framework (Component: webmvc)

... continues on next page ...

...continued from previous page ...	
Version:	unknown
Location:	C:\Windows\ServiceProfiles\LocalService\.jenkins\war\WEB-INF\lib\↵spring-webmvc-2.5.6.SEC03.jar
CPE:	cpe:/a:vmware:spring_framework_webmvc
Solution:	
Log Method Details: VMware Spring Framework Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.113863 Version used: 2022-04-11T18:41:11+05:30	
References url: https://spring.io/projects/spring-framework	

Log (CVSS: 0.0)	
NVT: Elastic Elasticsearch Detection Consolidation	
Summary Consolidation of Elastic Elasticsearch detections.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Detected Elastic Elasticsearch Version: 1.1.1 Location: / CPE: cpe:/a:elastic:elasticsearch:1.1.1 Concluded from version/product identification result: number" : "1.1.1", Extra information: Collected information (truncated) from http://192.168.56.6:9200/_cat/indices?v : health index pri rep docs.count docs.deleted store.size pri.store.siz ↵e yellow index.cfm 5 1 0 0 495b 495 ↵b yellow ajaxfilemanager 5 1 0 0 495b 495 ↵b yellow index.action 5 1 0 0 495b 495 ↵b yellow index.aspx 5 1 0 0 495b 495 ↵b yellow index.do 5 1 0 0 495b 495 ↵b	
... continues on next page ...	

...continued from previous page ...						
yellow index.htm	5	1	0	0	495b	495
↔b						
yellow cgi-bin	5	1	0	0	495b	495
↔b						
yellow index.asp	5	1	0	0	495b	495
↔b						
yellow admin	5	1	0	0	495b	495
↔b						
yellow index.pl	5	1	0	0	495b	495
↔b						
yellow index.py	5	1	0	0	495b	495
↔b						
yello						
Solution:						
Log Method Details: Elastic Elasticsearch Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.125293 Version used: 2025-09-05T21:10:40+05:30						
References url: https://www.elastic.co/						

Log (CVSS: 0.0)	
NVT: Apache HTTP Server Detection Consolidation	
Summary Consolidation of Apache HTTP Server detections.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result Detected Apache HTTP Server Version: unknown Location: 8020/tcp CPE: cpe:/a:apache:http_server Concluded from version/product identification result: Server: Apache	
Solution:	
Log Method ... continues on next page ...	

...continued from previous page ...
Details: Apache HTTP Server Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.117232 Version used: 2024-03-08T21:07:10+05:30
References url: https://httpd.apache.org

Log (CVSS: 0.0)
NVT: OpenSSL Detection Consolidation
Summary Consolidation of OpenSSL detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected OpenSSL Version: unknown Location: c:\manageengine\desktopcentral_server\apache\bin\ CPE: cpe:/a:openssl:openssl Concluded from version/product identification result: File at c:\manageengine\desktopcentral_server\apache\bin\openssl.exe Detected OpenSSL Version: unknown Location: c:\wamp\bin\apache\apache2.2.21\bin\ CPE: cpe:/a:openssl:openssl Concluded from version/product identification result: File at c:\wamp\bin\apache\apache2.2.21\bin\openssl.exe
Solution:
Log Method Note: Depending on the install method of OpenSSL on the target host multiple detection and vulnerability results for the same version / installation needs to be expected. Details: OpenSSL Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.145462 Version used: 2025-07-09T11:13:50+05:30
References url: https://openssl-library.org/

Log (CVSS: 0.0)
NVT: Apache Log4j Detection Consolidation
Summary Consolidation of Apache Log4j detections.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Log4j (JAR file) Version: 1.2.15 Location: C:\ManageEngine\DesktopCentral_Server\lib\log4j-1.2.15.jar CPE: cpe:/a:apache:log4j:1.2.15 Concluded from version/product identification result: log4j-1.2.15.jar Detected Apache Log4j (JAR file) Version: 1.2.15 Location: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\axis2\WEB-INF\lib\log4j-1.2.15.jar CPE: cpe:/a:apache:log4j:1.2.15 Concluded from version/product identification result: log4j-1.2.15.jar Detected Apache Log4j (JAR file) Version: 1.2.17 Location: C:\Program Files\Apache Software Foundation\tomcat\apache-tomcat-8.0.33\webapps\struts2-rest-showcase\WEB-INF\lib\log4j-1.2.17.jar CPE: cpe:/a:apache:log4j:1.2.17 Concluded from version/product identification result: log4j-1.2.17.jar Detected Apache Log4j (JAR file) Version: 1.2.17 Location: C:\Program Files\elasticsearch-1.1.1\lib\log4j-1.2.17.jar CPE: cpe:/a:apache:log4j:1.2.17 Concluded from version/product identification result: log4j-1.2.17.jar
Solution:
Log Method Details: Apache Log4j Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.117820 Version used: 2022-01-21T16:11:17+05:30
References url: https://logging.apache.org/log4j/

Log (CVSS: 0.0)
NVT: Microsoft Remote Desktop Protocol Detection (Windows SMB Login)
Summary Detects the installed version of Remote Desktop Protocol. The script logs in via smb and check the version of mstscax.dll file.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Microsoft Remote Desktop Protocol Version: 6.1.7601.17514 Location: C:\Windows\System32\Mstscax.dll CPE: cpe:/a:microsoft:rdp:6.1.7601.17514 Concluded from version/product identification result: 6.1.7601.17514
Solution:
Log Method Details: Microsoft Remote Desktop Protocol Detection (Windows SMB Login) OID:1.3.6.1.4.1.25623.1.0.808281 Version used: 2024-02-08T20:06:53+05:30

Log (CVSS: 0.0)
NVT: 7zip Detection (Windows SMB Login)
Summary Detects the installed version of 7zip on Windows. The script logs in via smb, searches for 7zip in the registry and gets the version from 'Display-Name' string in registry.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Detected 7-Zip 25.01 (x64) Version: 25.01 Location: C:\Program Files\7-Zip\ CPE: cpe:/a:7-zip:7-zip:x64:25.01 Concluded from version/product identification result: 25.01
Solution:
... continues on next page ...

...continued from previous page ...

Log Method

Details: 7zip Detection (Windows SMB Login)

OID:1.3.6.1.4.1.25623.1.0.800260

Version used: 2024-02-08T20:06:53+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Hostname discovery from server certificate

Summary

It was possible to discover an additional hostname of this server from its certificate Common or Subject Alt Name.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The following additional but not resolvable hostnames were detected:

metasploitable3-win2k8

Solution:**Log Method**

Details: SSL/TLS: Hostname discovery from server certificate

OID:1.3.6.1.4.1.25623.1.0.111010

Version used: 2021-11-22T21:02:39+05:30

Log (CVSS: 0.0)

NVT: OpenSSH Detection Consolidation

Summary

Consolidation of OpenSSH detections.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected OpenSSH Server

Version: 7.1

Location: 22/tcp

CPE: cpe:/a:openbsd:openssh:7.1

Concluded from version/product identification result:

... continues on next page ...

SSH-2.0-OpenSSH_7.1
Solution:
Log Method Details: OpenSSH Detection Consolidation OID:1.3.6.1.4.1.25623.1.0.108577 Version used: 2024-12-13T10:35:32+05:30
References url: https://www.openssh.com/

Log (CVSS: 0.0)
NVT: Microsoft Internet Explorer Detection (Windows SMB Login)
Summary Detects the installed version of Microsoft Internet Explorer. The script logs in via smb, detects the version of Microsoft Internet Explorer on remote host and sets the KB.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Microsoft Internet Explorer Version: 8.0.7601.17514 Location: C:\Program Files (x86)\Internet Explorer CPE: cpe:/a:microsoft:ie:8.0.7601.17514 Concluded from version/product identification result: Version Registry Key: SOFTWARE\Microsoft\Internet Explorer!Version Registry Key Content: 8.0.7601.17514 Path Registry Key: SOFTWARE\Microsoft\Windows\CurrentVersion\App Paths\IEXPLORE.EXE!Path Registry Key Content: C:\Program Files (x86)\Internet Explorer;
Solution:
Log Method Details: Microsoft Internet Explorer Detection (Windows SMB Login) OID:1.3.6.1.4.1.25623.1.0.800209 Version used: 2024-02-08T20:06:53+05:30

Log (CVSS: 0.0)
NVT: Sun/Oracle Java Products Detection (Windows SMB Login)
Summary Detects the installed version of Java Products. The script logs in via smb, searches for Java Products in the registry and gets the version from 'Version' string in registry.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Detected Oracle Java JDK 64-bit Version: 1.8.0_211 Location: C:\Program Files\Java\jdk1.8.0_211 CPE: cpe:/a:oracle:jdk:x64:1.8.0:update_211 Concluded from version/product identification result: 1.8.0_211
Solution:
Log Method Details: Sun/Oracle Java Products Detection (Windows SMB Login) OID:1.3.6.1.4.1.25623.1.0.800383 Version used: 2024-02-08T20:06:53+05:30

Log (CVSS: 0.0)
NVT: Sun/Oracle Java Products Detection (Windows SMB Login)
Summary Detects the installed version of Java Products. The script logs in via smb, searches for Java Products in the registry and gets the version from 'Version' string in registry.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Detected Oracle Java JRE 32-bit Version: 1.8.0_251 Location: C:\Program Files (x86)\Java\jre1.8.0_251 CPE: cpe:/a:oracle:jre:1.8.0:update_251 Concluded from version/product identification result: 1.8.0_251
... continues on next page ...

...continued from previous page ...
Solution:
Log Method Details: Sun/Oracle Java Products Detection (Windows SMB Login) OID:1.3.6.1.4.1.25623.1.0.800383 Version used: 2024-02-08T20:06:53+05:30

Log (CVSS: 0.0)
NVT: Sun/Oracle Java Products Detection (Windows SMB Login)
Summary Detects the installed version of Java Products. The script logs in via smb, searches for Java Products in the registry and gets the version from 'Version' string in registry.
Quality of Detection (QoD): 97%
Vulnerability Detection Result Detected Oracle Java JRE 64-bit Version: 1.8.0_251 Location: C:\Program Files\Java\jre1.8.0_251 CPE: cpe:/a:oracle:jre:x64:1.8.0:update_251 Concluded from version/product identification result: 1.8.0_251
Solution:
Log Method Details: Sun/Oracle Java Products Detection (Windows SMB Login) OID:1.3.6.1.4.1.25623.1.0.800383 Version used: 2024-02-08T20:06:53+05:30

Log (CVSS: 0.0)
NVT: SMB Registry : Windows Build Number and Service Pack Version
Summary Detection of the installed Windows build number and Service Pack version. The script logs in via SMB, reads various registry keys to retrieve the Windows build number and Service Pack version.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 97%
Vulnerability Detection Result Windows Server 2008 R2 Standard 6.1 is installed with Service Pack 1
Solution:
Log Method Details: SMB Registry : Windows Build Number and Service Pack Version OID:1.3.6.1.4.1.25623.1.0.10401 Version used: 2025-03-28T21:11:52+05:30
References url: https://docs.greenbone.net/GSM-Manual/gos-22.04/en/scanning.html#requirements-on-target-systems-with-microsoft-windows

Log (CVSS: 0.0)
NVT: Traceroute
Summary Collect information about the network route and network distance between the scanner host and the target host.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Network route from scanner (192.168.56.1) to target (192.168.56.6): 192.168.56.1 192.168.56.6 Network distance between scanner and target: 2
Solution:
Vulnerability Insight For internal networks, the distances are usually small, often less than 4 hosts between scanner and target. For public targets the distance is greater and might be 10 hosts or more.
Log Method A combination of the protocols ICMP and TCP is used to determine the route. This method is applicable for IPv4 only and it is also known as 'traceroute'. Details: Traceroute OID:1.3.6.1.4.1.25623.1.0.51662 Version used: 2022-10-17T16:43:19+05:30

[\[return to 192.168.56.6 \]](#)

2.1.54 Log 9300/tcp

Log (CVSS: 0.0)
NVT: Unknown OS and Service Banner Reporting
Summary This VT consolidates and reports the information collected by the following VTs: - Collect banner of unknown services (OID: 1.3.6.1.4.1.25623.1.0.11154) - Service Detection (unknown) with nmap (OID: 1.3.6.1.4.1.25623.1.0.66286) - Service Detection (wrapped) with nmap (OID: 1.3.6.1.4.1.25623.1.0.108525) - OS Detection Consolidation and Reporting (OID: 1.3.6.1.4.1.25623.1.0.105937) If you know any of the information reported here, please send the full output to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Nmap service detection (unknown) result for this port: vrace This is a guess. A confident identification of the service was not possible. Hint: If you're running a recent nmap version try to run nmap with the following ↪ command: 'nmap -sV -Pn -p 9300 192.168.56.6' and submit a possible collected ↪fingerprint to the nmap database.
Solution:
Log Method Details: Unknown OS and Service Banner Reporting OID:1.3.6.1.4.1.25623.1.0.108441 Version used: 2023-06-22T16:04:15+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 192.168.56.6 \]](#)

2.1.55 Log 7676/tcp

Log (CVSS: 0.0)
NVT: Service Detection (3 ASCII digit codes like FTP, SMTP, NNTP...)
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A Message Queue broker is running at this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It attempts to identify services that return 3 ASCII digit codes (ie: FTP, SMTP, NNTP, ...).
Log Method Details: Service Detection (3 ASCII digit codes like FTP, SMTP, NNTP...) OID:1.3.6.1.4.1.25623.1.0.14773 Version used: 2023-06-14T10:35:19+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

[\[return to 192.168.56.6 \]](#)

2.1.56 Log 8383/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
... continues on next page ...

...continued from previous page...	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this server via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this server via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this server via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384	
Solution:	
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites	
...continues on next page...	

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
 TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA

... continues on next page ...

...continued from previous page ...
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_CAMELLIA_128_CBC_SHA TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
... continues on next page ...

...continued from previous page ...

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1)	701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315
fingerprint (SHA-256)	C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E
↪B135AD83CD7B01A5A5	
issued by	1.2.840.113549.1.9.1=#737570706F7274406465736B
↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora	
↪tion,L=Pleasanton,ST=CA,C=US	
public key algorithm	RSA
public key size (bits)	1024
serial	00F59CEF71E6DB72A5
signature algorithm	sha1WithRSAEncryption
subject	1.2.840.113549.1.9.1=#737570706F7274406465736B
↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora	
↪tion,L=Pleasanton,ST=CA,C=US	
subject alternative names (SAN)	None
valid from	2010-09-08 12:24:44 UTC
valid until	2020-09-05 12:24:44 UTC

Solution:**Log Method**

Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.

Details: SSL/TLS: Certificate - Self-Signed Certificate Detection

OID:1.3.6.1.4.1.25623.1.0.103140

Version used: 2026-03-13T11:24:58+05:30

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Collect and Report Certificate Details

OID: 1.3.6.1.4.1.25623.1.0.103692)

References

url: http://en.wikipedia.org/wiki/Self-signed_certificate

url: <https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1>

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Supported Cipher Suites

Summary

This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_3DES_EDE_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_CAMELLIA_128_CBC_SHA

TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.

'Strong' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA

TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA

TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_3DES_EDE_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_CAMELLIA_128_CBC_SHA

TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.

'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:

KEX groups: secp256r1 (NIST P-256)

... continues on next page ...

...continued from previous page...

```

TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_DHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_DHE_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_DHE_RSA_WITH_CAMELLIA_256_CBC_SHA
TLS_ECDHE_RSA_WITH_3DES_EDE_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_3DES_EDE_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
TLS_RSA_WITH_CAMELLIA_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
Server Key Exchange Group(s):
TLSv1.2 128 bits secp256r1 (NIST P-256)

```

Solution:**Vulnerability Insight**

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method

Details: SSL/TLS: Report Supported Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.802067

Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLSv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.1 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.2 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. ↪----- TLSv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↪ verification against the system wide trust store (serial:issuer): 00F59CEF71E6DB72A5:1.2.840.113549.1.9.1=#737570706F7274406465736B746F7063656E747 ↪2616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corporation,L=Pleasant ↪on,ST=CA,C=US (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: Response Time / No 404 Error Code Check
Summary This VT tests if the remote web server does not reply with a 404 error code and checks if it is replying to the scanners requests in a reasonable amount of time.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is very slow - it took 261 seconds (Maximum response time ↪configured in 'Response Time / No 404 Error Code Check' (OID: 1.3.6.1.4.1.2562 ↪3.1.0.10386) preferences: 60 seconds) to execute the plugin no404.nasl (it usu ↪ally only takes a few seconds). In order to keep the scan total time to a reasonable amount, the remote web serv ↪er has not been tested. If the remote server should be tested it has to be fixed to have it reply to the ↪ scanners requests in a reasonable amount of time. Alternatively the 'Maximum ↪response time (in seconds)' preference could be raised to a higher value if lo ↪nger scan times are accepted.
... continues on next page ...

...continued from previous page ...

Solution:**Vulnerability Insight**

This web server might show the following issues:

- it is [mis]configured in that it does not return '404 Not Found' error codes when a non-existent file is requested, perhaps returning a site map, search page, authentication page or redirect instead.

The Scanner might enabled some counter measures for that, however they might be insufficient. If a great number of security issues are reported for this port, they might not all be accurate.

- it doesn't response in a reasonable amount of time to various HTTP requests sent by this VT. In order to keep the scan total time to a reasonable amount, the remote web server might not be tested. If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time.

Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

Log Method

Details: Response Time / No 404 Error Code Check

OID:1.3.6.1.4.1.25623.1.0.10386

Version used: 2025-04-11T21:15:04+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Collect and Report Certificate Details

Summary

This script collects and reports the details of all SSL/TLS certificates.

This data will be used by other tests to verify server certificates.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The following certificate details of the remote service were collected.

Certificate details:

fingerprint (SHA-1)	701E2E6DF8854C4F0B298DFF03A2C6F0BAC7D315
fingerprint (SHA-256)	C1DF756862FA17582C31E8F8EBDA084D1A1341815B716E
↪B135AD83CD7B01A5A5	
issued by	1.2.840.113549.1.9.1=#737570706F7274406465736B
↪746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora	
↪tion,L=Pleasanton,ST=CA,C=US	
public key algorithm	RSA
public key size (bits)	1024
serial	00F59CEF71E6DB72A5
signature algorithm	sha1WithRSAEncryption

...continues on next page ...

...continued from previous page...	
subject	1.2.840.113549.1.9.1=#737570706F7274406465736B ↔746F7063656E7472616C2E636F6D,CN=Desktop Central,OU=ManageEngine,O=Zoho Corpora ↔tion,L=Pleasanton,ST=CA,C=US
subject alternative names (SAN)	None
valid from	2010-09-08 12:24:44 UTC
valid until	2020-09-05 12:24:44 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)	
NVT: SSL/TLS: Version Detection	
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.	
Quality of Detection (QoD): 80%	
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2	
Solution:	
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

This service is marked as broken and no web application scanning is launched against it. Reason(s):

- The remote web server is very slow - it took 261 seconds (Maximum response time configured in 'Response Time / No 404 Error Code Check' (OID: 1.3.6.1.4.1.25623.1.0.10386) preferences: 60 seconds) to execute the plugin no404.nasl (it usually only takes a few seconds).

In order to keep the scan total time to a reasonable amount, the remote web server has not been tested.

If the remote server should be tested it has to be fixed to have it reply to the scanners requests in a reasonable amount of time. Alternatively the 'Maximum response time (in seconds)' preference could be raised to a higher value if longer scan times are accepted.

This service seems to be able to host PHP scripts.

This service seems to be NOT able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

The following directories were used for web application scanning:

... continues on next page ...

...continued from previous page ...
https://192.168.56.6:8383/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standard ↪s
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.57 Log 3820/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384

Solution:**Log Method**

Details: SSL/TLS: Report Non Weak Cipher Suites

OID:1.3.6.1.4.1.25623.1.0.103441

Version used: 2024-09-27T10:35:23+05:30

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security

Method: SSL/TLS: Report Supported Cipher Suites

OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Supported Cipher Suites

Summary

This routine reports all SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Strong' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.

'Strong' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.

No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.

No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.

'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:

KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521) ↪1)

TLS_DHE_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA256

TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

TLS_DHE_RSA_WITH_AES_256_CBC_SHA256

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

... continues on next page ...

...continued from previous page ...
<pre> TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384 No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol. Server Key Exchange Group(s): TLSv1.2 128 bits secp256r1 (NIST P-256) TLSv1.2 192 bits secp384r1 (NIST P-384) TLSv1.2 256 bits secp521r1 (NIST P-521) </pre>
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...	
The certificate of the remote service is self signed. Certificate details: <pre>fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC</pre>	
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)

NVT: SSL/TLS: Safe/Secure Renegotiation Support Status

Summary

Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.

Quality of Detection (QoD): 98%

... continues on next page ...

...continued from previous page ...	
Vulnerability Detection Result	
Protocol Version Safe/Secure Renegotiation Support Status	

↩-----	
↩-----	
SSLv3	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
TLSv1.0	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.1	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.2	Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all.
TLSv1.3	Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:	
Log Method	
Details: SSL/TLS: Safe/Secure Renegotiation Support Status	
OID:1.3.6.1.4.1.25623.1.0.117757	
Version used: 2026-03-13T11:24:58+05:30	
References	
url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html	
url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation	
url: https://datatracker.ietf.org/doc/html/rfc5746	

Log (CVSS: 0.0)

NVT: SSL/TLS: Untrusted Certificate Detection

Summary

Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The remote SSL/TLS server is using the following certificate(s) which failed the ... continues on next page ...

...continued from previous page ...
↔ verification against the system wide trust store (serial:issuer): 04A9972F:CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Califor ↔nia,C=US (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: Services
Summary
... continues on next page ...

...continued from previous page ...
This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A GIOP-enabled service is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution:
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
...
... continues on next page ...

...continued from previous page ...
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
↪802067)

Summary

This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%

Vulnerability Detection Result

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA

TLS_DHE_RSA_WITH_AES_128_CBC_SHA256

TLS_DHE_RSA_WITH_AES_128_GCM_SHA256

TLS_DHE_RSA_WITH_AES_256_CBC_SHA256

TLS_DHE_RSA_WITH_AES_256_GCM_SHA384

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384

TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384

TLS_RSA_WITH_AES_128_CBC_SHA

TLS_RSA_WITH_AES_128_CBC_SHA256

TLS_RSA_WITH_AES_128_GCM_SHA256

TLS_RSA_WITH_AES_256_CBC_SHA

TLS_RSA_WITH_AES_256_CBC_SHA256

TLS_RSA_WITH_AES_256_GCM_SHA384

... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

[\[return to 192.168.56.6 \]](#)

2.1.58 Log general/CPE-T

Log (CVSS: 0.0)
NVT: CPE Inventory
Summary This routine uses information collected by other routines about CPE identities of operating systems, services and applications detected during the scan. Note: Some CPEs for specific products might show up twice or more in the output. Background: After a product got renamed or a specific vendor was acquired by another one it might happen that a product gets a new CPE within the NVD CPE Dictionary but older entries are kept with the older CPE.
Quality of Detection (QoD): 80%
Vulnerability Detection Result 192.168.56.6 cpe:/a:7-zip:7-zip:x64:25.01 192.168.56.6 cpe:/a:apache:axis2:1.6.0 192.168.56.6 cpe:/a:apache:http_server 192.168.56.6 cpe:/a:apache:log4j:1.2.15 192.168.56.6 cpe:/a:apache:log4j:1.2.17 192.168.56.6 cpe:/a:apache:tomcat:8.0.33 192.168.56.6 cpe:/a:eclipse:glassfish:4.0 192.168.56.6 cpe:/a:elastic:elasticsearch:1.1.1 192.168.56.6 cpe:/a:elasticsearch:elasticsearch:1.1.1 192.168.56.6 cpe:/a:ietf:secure_shell_protocol:2.0
... continues on next page ...

...continued from previous page...	
192.168.56.6	cpe:/a:ietf:transport_layer_security:1.0
192.168.56.6	cpe:/a:ietf:transport_layer_security:1.1
192.168.56.6	cpe:/a:ietf:transport_layer_security:1.2
192.168.56.6	cpe:/a:microsoft:ftp_service
192.168.56.6	cpe:/a:microsoft:ie:8.0.7601.17514
192.168.56.6	cpe:/a:microsoft:internet_information_services:7.5
192.168.56.6	cpe:/a:microsoft:rdp:6.1.7601.17514
192.168.56.6	cpe:/a:mysql:mysql:5.5.20-log
192.168.56.6	cpe:/a:openbsd:openssh:7.1
192.168.56.6	cpe:/a:openssl:openssl
192.168.56.6	cpe:/a:oracle:glassfish_server:4.0
192.168.56.6	cpe:/a:oracle:jdk:x64:1.8.0:update_211
192.168.56.6	cpe:/a:oracle:jre:1.8.0:update_251
192.168.56.6	cpe:/a:oracle:jre:x64:1.8.0:update_251
192.168.56.6	cpe:/a:oracle:mysql:5.5.20
192.168.56.6	cpe:/a:vmware:spring_framework
192.168.56.6	cpe:/a:vmware:spring_framework_aop
192.168.56.6	cpe:/a:vmware:spring_framework_beans
192.168.56.6	cpe:/a:vmware:spring_framework_context
192.168.56.6	cpe:/a:vmware:spring_framework_context_support
192.168.56.6	cpe:/a:vmware:spring_framework_jdbc:1.2.9
192.168.56.6	cpe:/a:vmware:spring_framework_web
192.168.56.6	cpe:/a:vmware:spring_framework_webmvc
192.168.56.6	cpe:/o:microsoft:windows_server_2008:r2:sp1:x64
Solution:	
Log Method Details: CPE Inventory OID:1.3.6.1.4.1.25623.1.0.810002 Version used: 2022-07-27T15:41:28+05:30	
References url: https://nvd.nist.gov/products/cpe	

[\[return to 192.168.56.6 \]](#)

2.1.59 Log 4848/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result
... continues on next page ...

...continued from previous page ...
cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0. ↪802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↪ice via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↪ice via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↪ice via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security
 Method: SSL/TLS: Report Supported Cipher Suites
 OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Medium Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security
 Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
 ↪802067)

Summary

This routine reports all Medium SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Medium' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_RSA_WITH_AES_128_CBC_SHA

... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Client Certificate Required
Summary The remote SSL/TLS service requires an SSL/TLS client certificate.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service requires a client certificate when accessing it via the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote SSL/TLS service and attempts to determine if the service requires an SSL/TLS client certificate. Details: SSL/TLS: Client Certificate Required OID:1.3.6.1.4.1.25623.1.0.117810
... continues on next page ...

...continued from previous page ...
Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA
... continues on next page ...

...continued from previous page ...
TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page...

```

TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521)
↪1)
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
Server Key Exchange Group(s):
TLSv1.2 128 bits secp256r1 (NIST P-256)
TLSv1.2 192 bits secp384r1 (NIST P-384)
TLSv1.2 256 bits secp521r1 (NIST P-521)

```

Solution:**Vulnerability Insight**

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.

Log Method

... continues on next page ...

...continued from previous page ...

Details: SSL/TLS: Report Supported Cipher Suites
 OID:1.3.6.1.4.1.25623.1.0.802067
 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)

NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection

Product detection result

cpe:/a:ietf:transport_layer_security

Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25
 ↪623.1.0.103692)

Summary

The SSL/TLS certificate on this port is self-signed.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

The certificate of the remote service is self signed.

Certificate details:

fingerprint (SHA-1)	4A5758F59279E82F2A913C83CA658D6964575A72
fingerprint (SHA-256)	AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD
↪5B23381002A885F556	
issued by	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
public key algorithm	RSA
public key size (bits)	2048
serial	04A9972F
signature algorithm	sha256WithRSAEncryption
subject	CN=localhost,OU=GlassFish,O=Oracle Corporation
↪,L=Santa Clara,ST=California,C=US	
subject alternative names (SAN)	None
valid from	2013-05-15 05:33:38 UTC
valid until	2023-05-13 05:33:38 UTC

Solution:**Log Method**

Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name.

Details: SSL/TLS: Certificate - Self-Signed Certificate Detection

OID:1.3.6.1.4.1.25623.1.0.103140

... continues on next page ...

...continued from previous page ...
Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLSv1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLSv1.1 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLSv1.2 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLSv1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method
... continues on next page ...

...continued from previous page ...
Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↪ verification against the system wide trust store (serial:issuer): 04A9972F:CN=localhost,OU=GlassFish,O=Oracle Corporation,L=Santa Clara,ST=Califor ↪nia,C=US (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
... continues on next page ...

...continued from previous page ...

Vulnerability Detection Result

Missing Headers	More Information
-----	-----
↪-----	
↪-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/document-policy#document-policy-http-header	
Expect-CT	https://owasp.org/www-project-secure-headers
↪/#expect-ct, Note: This is an upcoming header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↪ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli
↪cy/#permissions-policy-http-header-field	
Public-Key-Pins	Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HPKP' in their name for more information and configuration he	
↪lp. Note: Most major browsers have dropped / deprecated support for this heade	
↪r in 2020.	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	
Strict-Transport-Security	Please check the output of the VTs including
↪ 'SSL/TLS:' and 'HSTS' in their name for more information and configuration he	
↪lp.	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↪/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
... continues on next page ...	

...continued from previous page...
<pre> ↪/#x-frame-options X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers ↪/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support ↪t for this header in 2020. </pre>
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: GlassFish Server Open Source Edition 4.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)
NVT: Eclipse GlassFish Detection (HTTP)
Summary HTTP based detection of Eclipse GlassFish.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Eclipse GlassFish Version: 4.0 Location: / CPE: cpe:/a:eclipse:glassfish:4.0 Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: https://192.168.56.6:4848/index.html Extra information: The GlassFish Administration Console is running at this port.
Solution:
Log Method Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use ... continues on next page ...

...continued from previous page ...
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following files/directories require authentication and are tested (if enabled) by the script "HTTP Brute Force Logins With Default Credentials (OID: 1.3.6.1.4.1.25623.1.0.108041)": https://192.168.56.6:4848/basic https://192.168.56.6:4848/nubuilder The following directories were used for web application scanning: https://192.168.56.6:4848/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards The following directories were excluded from web application scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was: "/(index\.php image img css js\$ js/ javascript style theme icon jquery graphic grafik picture bilder thumbnail media/ skins?/)" https://192.168.56.6:4848/resource/community-theme/images https://192.168.56.6:4848/resource/css https://192.168.56.6:4848/resource/js https://192.168.56.6:4848/theme/META-INF https://192.168.56.6:4848/theme/META-INF/dojo https://192.168.56.6:4848/theme/META-INF/json https://192.168.56.6:4848/theme/META-INF/prototype https://192.168.56.6:4848/theme/com/sun/webui/jsf/suntheme/css The following CGIs were discovered: Syntax : cginame (arguments [default value]) https://192.168.56.6:4848/j_security_check (j_username [] j_password [] loginBut
...continues on next page ...

...continued from previous page ...
↩ton [Login] loginButton.DisabledHiddenField [true])
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↩5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↩,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↩,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution:
Log Method Details: SSL/TLS: Collect and Report Certificate Details
... continues on next page ...

...continued from previous page ...
OID:1.3.6.1.4.1.25623.1.0.103692
Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner ↪ Enumeration technique ----- ↪----- Server: GlassFish Server Open Source Edition 4.0 ↪ Valid HTTP 0.9 GET request to '/index.html' X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Valid HTTP 0.9 GET request to '/index.html'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0
... continues on next page ...

...continued from previous page ...
TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port through SSL/TLS
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0) NVT: Services
... continues on next page ...

...continued from previous page ...
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- https://192.168.56.6:4848/ GET,HEAD,POST,PUT,DELETE,CONNECT,OPTIONS
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE ... continues on next page ...

...continued from previous page ...
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTION, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing
Summary The remote web server is not enforcing HTTP Strict Transport Security (HSTS).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HSTS. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0 Set-Cookie: ***replaced*** Content-Type: text/html; charset=UTF-8 Date: ***replaced*** Connection: close Transfer-Encoding: chunked
Solution: Solution type: Workaround Enable HSTS or add / configure the required directives correctly following the guides linked in the references.
... continues on next page ...

...continued from previous page ...
Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Strict Transport Security (HSTS) Missing OID:1.3.6.1.4.1.25623.1.0.105879 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html url: https://owasp.org/www-project-secure-headers/#http-strict-transport-security-hsts url: https://tools.ietf.org/html/rfc6797 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/ngx_http_headers_module.html#add_header

Log (CVSS: 0.0)
NVT: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing
Summary The remote web server is not enforcing HTTP Public Key Pinning (HPKP). Note: Most major browsers have dropped / deprecated support for this header in 2020.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote web server is not enforcing HPKP. HTTP-Banner: HTTP/1.1 200 OK X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Server: GlassFish Server Open Source Edition 4.0 Set-Cookie: ***replaced*** Content-Type: text/html; charset=UTF-8 Date: ***replaced*** Connection: close
...continues on next page ...

...continued from previous page ...
Transfer-Encoding: chunked
Solution: Solution type: Workaround Enable HPKP or add / configure the required directives correctly following the guides linked in the references. Note: Some web servers are not sending headers on specific status codes by default. Please review your web server or application configuration to always send these headers on every response independently from the status code. - Apache: Use 'Header always set' instead of 'Header set'. - nginx: Append the 'always' keyword to each 'add_header' directive. For different applications or web servers please refer to the related documentation for a similar configuration possibility.
Log Method Details: SSL/TLS: HTTP Public Key Pinning (HPKP) Missing OID:1.3.6.1.4.1.25623.1.0.108247 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#public-key-pinning-extension-for-http-hpkp url: https://tools.ietf.org/html/rfc7469 url: https://securityheaders.io/ url: https://httpd.apache.org/docs/current/mod/mod_headers.html#header url: https://nginx.org/en/docs/http/nginx_http_headers_module.html#add_header

[\[return to 192.168.56.6 \]](#)

2.1.60 Log 47001/tcp

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is:
... continues on next page ...

...continued from previous page ...
Server: Microsoft-HTTPAPI/2.0
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107 Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.
On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Missing Headers	More Information

↪-----	
↪-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-policy
↪cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↪/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↪ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy
↪cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↪/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↪rted only in newer browsers like e.g. Firefox 90	

... continues on next page ...

...continued from previous page...	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers , Note: This is a new header supported only in newer browsers like e.g. Firefox 90
X-Content-Type-Options	https://owasp.org/www-project-secure-headers/#x-content-type-options
X-Frame-Options	https://owasp.org/www-project-secure-headers/#x-frame-options
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies
X-XSS-Protection	https://owasp.org/www-project-secure-headers/#x-xss-protection , Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:	
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30	
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/	

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use

... continues on next page ...

...continued from previous page ...
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts. The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6:47001/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)

NVT: HTTP Server Banner Enumeration

Summary

This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Microsoft-HTTPAPI/2.0 Invalid HTTP 00.5 GET request (non-existent HTTP ↪ version) to ''
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.61 Log 445/tcp

Log (CVSS: 0.0)
NVT: SMB Remote Version Detection
Summary Detection of Server Message Block(SMB). This script sends SMB Negotiation request and try to get the version from the response.
Quality of Detection (QoD): 80%
Vulnerability Detection Result SMBv1 and SMBv2 are enabled on remote target
Solution:
Log Method Details: SMB Remote Version Detection OID:1.3.6.1.4.1.25623.1.0.807830 Version used: 2023-07-26T10:35:09+05:30

Log (CVSS: 0.0)
NVT: SMB Login Successful For Authenticated Checks
Summary It was possible to login using the provided SMB credentials. Hence authenticated checks are enabled.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Solution:
Log Method Details: SMB Login Successful For Authenticated Checks OID:1.3.6.1.4.1.25623.1.0.108539 Version used: 2023-07-28T21:39:07+05:30

Log (CVSS: 0.0)
NVT: SMBv1 Enabled - Active Check
Summary The host has enabled SMBv1 for the SMB Server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result SMBv1 is enabled for the SMB Server
Solution:
Log Method Checks if SMBv1 is enabled for the SMB Server based on the information provided by the following VT: - SMB Remote Version Detection (OID: 1.3.6.1.4.1.25623.1.0.807830). Details: SMBv1 Enabled - Active Check OID:1.3.6.1.4.1.25623.1.0.140151 Version used: 2024-01-09T10:36:46+05:30
References url: https://www.us-cert.gov/ncas/current-activity/2017/01/16/SMB-Security-Best-Practices url: https://support.microsoft.com/en-us/kb/2696547 url: https://support.microsoft.com/en-us/kb/204279

Log (CVSS: 0.0)
NVT: Microsoft Windows SMB Accessible Shares
Summary The script detects the Windows SMB Accessible Shares and sets the result into KB.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following shares were found C\$ ADMIN\$ IPC\$
Solution:
... continues on next page ...

...continued from previous page ...

Log Method

Details: Microsoft Windows SMB Accessible Shares

OID:1.3.6.1.4.1.25623.1.0.902425

Version used: 2026-03-18T11:29:10+05:30

Log (CVSS: 0.0)

NVT: SMB log in

Summary

This script attempts to logon into the remote host using login/password credentials.

Quality of Detection (QoD): 97%**Vulnerability Detection Result**It was possible to log into the remote host using the SMB protocol via the given
↪ NTLM credentials and NTLM protocol.**Solution:****Log Method**

Details: SMB log in

OID:1.3.6.1.4.1.25623.1.0.10394

Version used: 2025-09-25T11:09:09+05:30

Log (CVSS: 0.0)

NVT: SMB NativeLanMan

Summary

It is possible to extract OS, domain and SMB server information from the Session Setup AndX Response packet which is generated during NTLM authentication.

Quality of Detection (QoD): 95%**Vulnerability Detection Result**

Detected SMB workgroup: WORKGROUP

Detected SMB server: Windows Server 2008 R2 Standard 6.1

Detected OS: Windows Server 2008 R2 Standard 7601 Service Pack 1

Solution:

... continues on next page ...

...continued from previous page ...
Log Method Details: SMB NativeLanMan OID:1.3.6.1.4.1.25623.1.0.102011 Version used: 2024-06-25T10:35:27+05:30

Log (CVSS: 0.0) NVT: SMB/CIFS Server Detection
Summary This script detects whether port 445 and 139 are open and if they are running a CIFS/SMB server.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A CIFS server is running on this port
Solution:
Log Method Details: SMB/CIFS Server Detection OID:1.3.6.1.4.1.25623.1.0.11011 Version used: 2023-08-01T18:59:10+05:30

[\[return to 192.168.56.6 \]](#)

2.1.62 Log 8282/tcp

Log (CVSS: 0.0) NVT: HTTP Security Headers Detection
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.
Quality of Detection (QoD): 80%
Vulnerability Detection Result ... continues on next page ...

...continued from previous page...	
Missing Headers	More Information

↩-----	
↩-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↩/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↩e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↩e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↩e: This is an upcoming header	
Document-Policy	https://w3c.github.io/webappsec-feature-policy
↩cy/document-policy#document-policy-http-header	
Feature-Policy	https://owasp.org/www-project-secure-headers
↩/#feature-policy, Note: The Feature Policy header has been renamed to Permissi	
↩ons Policy	
Permissions-Policy	https://w3c.github.io/webappsec-feature-policy
↩cy/#permissions-policy-http-header-field	
Referrer-Policy	https://owasp.org/www-project-secure-headers
↩/#referrer-policy	
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↩rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↩rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↩rted only in newer browsers like e.g. Firefox 90	
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo	
↩rted only in newer browsers like e.g. Firefox 90	
X-Content-Type-Options	https://owasp.org/www-project-secure-headers
↩/#x-content-type-options	
X-Frame-Options	https://owasp.org/www-project-secure-headers
↩/#x-frame-options	
X-Permitted-Cross-Domain-Policies	https://owasp.org/www-project-secure-headers
↩/#x-permitted-cross-domain-policies	
X-XSS-Protection	https://owasp.org/www-project-secure-headers
↩/#x-xss-protection, Note: Most major browsers have dropped / deprecated suppor	
↩t for this header in 2020.	
Solution:	
Log Method	
...continues on next page...	

...continued from previous page ...
Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: Apache Axis2 Detection (HTTP)
Summary HTTP based detection of Apache Axis2, a Web Services / SOAP / WSDL engine, the successor to the widely used Apache Axis SOAP stack.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Apache Axis2 Version: 1.6.0 Location: /axis2 CPE: cpe:/a:apache:axis2:1.6.0 Concluded from version/product identification result: version is 1.6.0 Concluded from version/product identification location: http://192.168.56.6:8282/axis2/services/Version/getVersion http://192.168.56.6:8282/axis2/axis2-admin/ http://192.168.56.6:8282/axis2/axis2-web/index.jsp http://192.168.56.6:8282/axis2/services/version/getVersion http://192.168.56.6:8282/axis2/axis2-web/HappyAxis.jsp http://192.168.56.6:8282/axis2/axis2-admin/welcome http://192.168.56.6:8282/axis2/
Solution:
Log Method Details: Apache Axis2 Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100813 Version used: 2024-12-06T21:11:14+05:30
References url: https://axis.apache.org/axis2/java/core/ url: https://axis.apache.org/axis2/c/core/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner Enumeration technique ----- ↪----- Server: Apache-Coyote/1.1 Invalid HTTP 00.5 GET request (non-existent HTTP ver ↪sion) to '/'
Solution:
Log Method Details: HTTP Server Banner Enumeration OID:1.3.6.1.4.1.25623.1.0.108708 Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)
NVT: HTTP Server type and version
Summary This script detects and reports the HTTP Server's banner which might provide the type and version of it.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote HTTP Server banner is: Server: Apache-Coyote/1.1
Solution:
Log Method Details: HTTP Server type and version OID:1.3.6.1.4.1.25623.1.0.10107
... continues on next page ...

...continued from previous page ...

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: 'favicon.ico' Based Fingerprinting (HTTP)

Summary

HTTP based fingerprinting of web applications based on an exposed 'favicon.ico' file.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The following apps/services were identified:

"Apache Tomcat (5.5.26), Alfresco Community" fingerprinted by the file: "http://
↪192.168.56.6:8282/favicon.ico"**Solution:****Log Method**

Details: 'favicon.ico' Based Fingerprinting (HTTP)

OID:1.3.6.1.4.1.25623.1.0.20108

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: Apache Axis2 Web Services Detection (HTTP)

Summary

HTTP based detection of Apache Axis2 Web Services.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**The following services were detected at 'http://192.168.56.6:8282/axis2/services
↪/listServices':

- Version (URL: /axis2/services/Version?wsdl)

Solution:**Log Method**

Details: Apache Axis2 Web Services Detection (HTTP)

OID:1.3.6.1.4.1.25623.1.0.111008

... continues on next page ...

...continued from previous page ...

Version used: 2023-10-09T10:35:36+05:30

Referencesurl: <https://axis.apache.org/axis2/java/core/>url: <https://axis.apache.org/axis2/c/core/>

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use.

A possible recursion was detected during web application scanning:

The service is using a relative URL in one or more HTML references where e.g. /file1.html contains and a subsequent request for subdir/file2.html is linking to subdir/file2.html. This would resolve to subdir/subdir/file2.html causing a recursion. To work around this counter-measures have been enabled but the service should be fixed as well to not use such prob

...continues on next page ...

...continued from previous page...

↪lematic links. Below an excerpt of URLs is shown to help identify those issues
↪.

Syntax : URL (HTML link)

<http://192.168.56.6:8282/axis2/?D=A> (axis2-web/css/axis-style.css)

<http://192.168.56.6:8282/axis2/?D=A> (axis2-web/images/asf-logo.gif)

<http://192.168.56.6:8282/axis2/?D=A> (axis2-web/images/axis_1.jpg)

<http://192.168.56.6:8282/axis2/axis2-admin/> (axis2-web/css/axis-style.css)

<http://192.168.56.6:8282/axis2/axis2-admin/> (axis2-web/images/asf-logo.gif)

The following files/directories require authentication and are tested (if enable
↪d) by the script "HTTP Brute Force Logins With Default Credentials (OID: 1.3.6
↪.1.4.1.25623.1.0.108041)":

<http://192.168.56.6:8282/host-manager/html>

<http://192.168.56.6:8282/manager/html>

<http://192.168.56.6:8282/manager/status>

The following directories were used for web application scanning:

<http://192.168.56.6:8282/>

<http://192.168.56.6:8282/axis2>

<http://192.168.56.6:8282/axis2/axis2-admin>

<http://192.168.56.6:8282/axis2/axis2-web>

<http://192.168.56.6:8282/axis2/services/Version>

<http://192.168.56.6:8282/docs>

<http://192.168.56.6:8282/docs/api>

<http://192.168.56.6:8282/docs/api/org/apache/catalina>

<http://192.168.56.6:8282/docs/api/org/apache/catalina/core>

<http://192.168.56.6:8282/docs/api/org/apache/catalina/manager>

<http://192.168.56.6:8282/docs/api/org/apache/catalina/tribes>

<http://192.168.56.6:8282/docs/api/org/apache/juli>

<http://192.168.56.6:8282/docs/appdev>

<http://192.168.56.6:8282/docs/appdev/sample>

<http://192.168.56.6:8282/docs/architecture>

<http://192.168.56.6:8282/docs/architecture/requestProcess>

<http://192.168.56.6:8282/docs/architecture/startup>

<http://192.168.56.6:8282/docs/config>

<http://192.168.56.6:8282/docs/elapi>

<http://192.168.56.6:8282/docs/funcspects>

<http://192.168.56.6:8282/docs/jspapi>

<http://192.168.56.6:8282/docs/servletapi>

<http://192.168.56.6:8282/docs/tribes>

<http://192.168.56.6:8282/docs/websocketapi>

<http://192.168.56.6:8282/examples>

<http://192.168.56.6:8282/examples/jsp>

<http://192.168.56.6:8282/examples/servlets>

<http://192.168.56.6:8282/examples/websocket>

<http://192.168.56.6:8282/host-manager>

<http://192.168.56.6:8282/manager>

<http://192.168.56.6:8282/struts2-rest-showcase>

<http://192.168.56.6:8282/struts2-rest-showcase/orders>

...continues on next page...

...continued from previous page...

While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standard

The following directories were excluded from web application scanning because the "Regex pattern to exclude directories from CGI scanning" setting of the VT "Global variable settings" (OID: 1.3.6.1.4.1.25623.1.0.12288) for this scan was: `"/(index\.php|image|img|css|js$|js/|javascript|style|theme|icon|jquery|graphic|grafik|picture|bilder|thumbnail|media/|skins?/)"`

`http://192.168.56.6:8282/axis2/axis2-web/css`

`http://192.168.56.6:8282/axis2/axis2-web/images`

`http://192.168.56.6:8282/docs/images`

`http://192.168.56.6:8282/struts2-rest-showcase/css`

The "Number of pages to mirror" setting (Current: 200) of the VT "Web mirroring" (OID: 1.3.6.1.4.1.25623.1.0.10662) was reached. Raising this limit allows to mirror this host more thoroughly but might increase the scanning time.

The following CGIs were discovered:

Syntax : `cginame (arguments [default value])`

`http://192.168.56.6:8282/axis2/axis2-admin/axis2-admin/login (userName [] password [] cancel [] Clear ] submit [ Login ] )`

`http://192.168.56.6:8282/axis2/axis2-admin/login (userName [] password [] cancel [ Clear ] submit [ Login ] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders/3 (_method [DELETE] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders/3;jsessionid=651E15D1E0926A30083138639D92A1A1 (_method [put] id [3] clientName [Bob] amount [33] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders/4 (_method [DELETE] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders/4;jsessionid=81B810730F7D29A1B3A59A914EAF34F (_method [put] id [4] clientName [Sarah] amount [44] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders/5 (_method [DELETE] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders/5;jsessionid=2A15DEE0B714D4FF448182EE00501151 (_method [put] id [5] clientName [Jim] amount [66] )`

`http://192.168.56.6:8282/struts2-rest-showcase/orders;jsessionid=F22E1CF9E9B8861AB577312A95F629CB (clientName [] amount [0] )`

Solution:

Log Method

Details: Web Application Scanning Consolidation / Info Reporting

OID:1.3.6.1.4.1.25623.1.0.111038

Version used: 2026-02-24T11:27:09+05:30

References

url: <https://forum.greenbone.net/c/vulnerability-tests/7>

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- http://192.168.56.6:8282/ GET,HEAD,POST
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE ... continues on next page ...

...continued from previous page ...
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTION, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

[\[return to 192.168.56.6 \]](#)

2.1.63 Log 3920/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
... continues on next page ...

...continued from previous page ...
Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)
Log (CVSS: 0.0) NVT: SSL/TLS: Report Medium Cipher Suites Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.802067)
Summary ... continues on next page ...

...continued from previous page ...
This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.2 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
... continues on next page ...

...continued from previous page ...

Product Detection Result

Product: cpe:/a:ietf:transport_layer_security
 Method: SSL/TLS: Report Supported Cipher Suites
 OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)

NVT: SSL/TLS: Report Non Weak Cipher Suites

Product detection result

cpe:/a:ietf:transport_layer_security
 Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.
 ↪802067)

Summary

This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.

Quality of Detection (QoD): 98%**Vulnerability Detection Result**

'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.1 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
 TLS_RSA_WITH_AES_128_CBC_SHA
 TLS_RSA_WITH_AES_256_CBC_SHA

'Non Weak' cipher suites accepted by this service via the TLSv1.2 protocol:

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
 TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA
 TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
 TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
 TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
 TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
 TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA

... continues on next page ...

...continued from previous page ...
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA256 TLS_RSA_WITH_AES_128_GCM_SHA256 TLS_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA256 TLS_RSA_WITH_AES_256_GCM_SHA384
Solution:
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_DHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA No 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol. 'Strong' cipher suites accepted by this service via the TLSv1.1 protocol: TLS_DHE_RSA_WITH_AES_256_CBC_SHA 'Medium' cipher suites accepted by this service via the TLSv1.1 protocol: ... continues on next page ...

...continued from previous page...

```

TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA
No 'Weak' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.1 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.1 protocol.
'Strong' cipher suites accepted by this service via the TLSv1.2 protocol:
KEX groups: secp256r1 (NIST P-256), secp384r1 (NIST P-384), secp521r1 (NIST P-521)
↔1)
TLS_DHE_RSA_WITH_AES_256_CBC_SHA
'Medium' cipher suites accepted by this service via the TLSv1.2 protocol:
TLS_DHE_RSA_WITH_AES_128_CBC_SHA
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_RSA_WITH_AES_128_CBC_SHA
TLS_RSA_WITH_AES_128_CBC_SHA256
TLS_RSA_WITH_AES_128_GCM_SHA256
TLS_RSA_WITH_AES_256_CBC_SHA
TLS_RSA_WITH_AES_256_CBC_SHA256
TLS_RSA_WITH_AES_256_GCM_SHA384
No 'Weak' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Null' cipher suites accepted by this service via the TLSv1.2 protocol.
No 'Anonymous' cipher suites accepted by this service via the TLSv1.2 protocol.
Server Key Exchange Group(s):
TLSv1.2 128 bits secp256r1 (NIST P-256)
TLSv1.2 192 bits secp384r1 (NIST P-384)
TLSv1.2 256 bits secp521r1 (NIST P-521)

```

Solution:**Vulnerability Insight**

Notes:

- As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead.

...continues on next page...

...continued from previous page ...
- SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Client Certificate Required
Summary The remote SSL/TLS service requires an SSL/TLS client certificate.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service requires a client certificate when accessing it via the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote SSL/TLS service and attempts to determine if the service requires an SSL/TLS client certificate. Details: SSL/TLS: Client Certificate Required OID:1.3.6.1.4.1.25623.1.0.117810 Version used: 2024-09-27T10:35:23+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
... continues on next page ...

...continued from previous page ...	
Summary The SSL/TLS certificate on this port is self-signed.	
Quality of Detection (QoD): 98%	
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC	
Solution:	
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30	
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)	
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1	

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLStls1.0 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLStls1.1 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLStls1.2 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLStls1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 4A5758F59279E82F2A913C83CA658D6964575A72 fingerprint (SHA-256) AB48B2E6C44C50867FB3703083F1CEE806F4B575F0E3AD ↪5B23381002A885F556 issued by CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US public key algorithm RSA public key size (bits) 2048 serial 04A9972F signature algorithm sha256WithRSAEncryption subject CN=localhost,OU=GlassFish,O=Oracle Corporation ↪,L=Santa Clara,ST=California,C=US subject alternative names (SAN) None valid from 2013-05-15 05:33:38 UTC valid until 2023-05-13 05:33:38 UTC
Solution:
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result
... continues on next page ...

...continued from previous page ...
The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0 TLSv1.1 TLSv1.2
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: Service Detection with 'GET' Request
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A service responding with an SSL/TLS alert seems to be running on this port.
Solution:
Vulnerability Insight This plugin is a complement of the plugin 'Services' (OID: 1.3.6.1.4.1.25623.1.0.10330). It sends a HTTP 'GET' request to the remaining unknown services and tries to identify them.
Log Method Details: Service Detection with 'GET' Request OID:1.3.6.1.4.1.25623.1.0.17975 Version used: 2025-09-12T21:09:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.64 Log 135/tcp

Log (CVSS: 0.0)
NVT: DCE/RPC and MSRPC Services Enumeration
Summary Distributed Computing Environment / Remote Procedure Calls (DCE/RPC) or MSRPC based service enumeration.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A DCE endpoint resolution service seems to be running on this port.
Impact An attacker may use this information to gain more knowledge about the remote host and to conduct further attacks based on it.
Solution: Solution type: Mitigation Filter incoming traffic to this port.
Affected Software/OS All systems exposing / disclosing information via DCE/RPC or MSRPC services.
Vulnerability Insight DCE/RPC or MSRPC services running on the remote host can be enumerated by connecting on port 135 and doing the appropriate queries. The actual reporting takes place in the VT 'DCE/RPC and MSRPC Services Enumeration Reporting' (OID: 1.3.6.1.4.1.25623.1.0.10736)
Log Method Sends multiple crafted DCE/RPC requests and checks the responses. Details: DCE/RPC and MSRPC Services Enumeration OID:1.3.6.1.4.1.25623.1.0.108044 Version used: 2025-11-25T11:10:35+05:30

[\[return to 192.168.56.6 \]](#)

2.1.65 Log 21/tcp

Log (CVSS: 0.0)
NVT: Microsoft IIS FTP Server Version Detection
... continues on next page ...

...continued from previous page ...
Summary Detection of Microsoft IIS FTP Server. The script sends a connection request to the server and attempts to extract the version number from the reply.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Microsoft IIS FTP Server Version: unknown Location: 21/tcp CPE: cpe:/a:microsoft:ftp_service
Solution:
Log Method Details: Microsoft IIS FTP Server Version Detection OID:1.3.6.1.4.1.25623.1.0.900875 Version used: 2021-09-01T19:34:04+05:30

Log (CVSS: 0.0)
NVT: FTP Banner Detection
Summary This script detects and reports a FTP Server Banner.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote FTP server banner: 220 Microsoft FTP Service This is probably (a): - Microsoft IIS FTP Server Server operating system information collected via "SYST" command: 215 Windows_NT
Solution:
Log Method Details: FTP Banner Detection OID:1.3.6.1.4.1.25623.1.0.10092 Version used: 2026-02-18T11:27:21+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result An FTP server is running on this port. Here is its banner : 220 Microsoft FTP Service
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: FTP Missing Support For AUTH TLS
Summary The remote FTP server does not support the 'AUTH TLS' command.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote FTP server does not support the 'AUTH TLS' command.
Solution:
Log Method Details: SSL/TLS: FTP Missing Support For AUTH TLS OID:1.3.6.1.4.1.25623.1.0.108553 Version used: 2021-03-19T13:43:38+05:30

[\[return to 192.168.56.6 \]](#)

2.1.66 Log 8080/tcp

Log (CVSS: 0.0)																																																															
NVT: HTTP Security Headers Detection																																																															
Summary All known security headers are being checked on the remote web server. On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.																																																															
Quality of Detection (QoD): 80%																																																															
Vulnerability Detection Result <table> <thead> <tr> <th>Missing Headers</th><th>More Information</th></tr> </thead> <tbody> <tr> <td colspan="2">-----</td></tr> <tr> <td colspan="2">↩-----</td></tr> <tr> <td colspan="2">↩-----</td></tr> <tr> <td>Content-Security-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↩/#content-security-policy</td><td></td></tr> <tr> <td>Cross-Origin-Embedder-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↩e: This is an upcoming header</td><td></td></tr> <tr> <td>Cross-Origin-Opener-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↩e: This is an upcoming header</td><td></td></tr> <tr> <td>Cross-Origin-Resource-Policy</td><td> https://scotthelme.co.uk/coop-and-coep/, Not</td></tr> <tr> <td>↩e: This is an upcoming header</td><td></td></tr> <tr> <td>Document-Policy</td><td> https://w3c.github.io/webappsec-feature-poli</td></tr> <tr> <td>↩cy/document-policy#document-policy-http-header</td><td></td></tr> <tr> <td>Feature-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↩/#feature-policy, Note: The Feature Policy header has been renamed to Permissi</td><td></td></tr> <tr> <td>↩ons Policy</td><td></td></tr> <tr> <td>Permissions-Policy</td><td> https://w3c.github.io/webappsec-feature-poli</td></tr> <tr> <td>↩cy/#permissions-policy-http-header-field</td><td></td></tr> <tr> <td>Referrer-Policy</td><td> https://owasp.org/www-project-secure-headers</td></tr> <tr> <td>↩/#referrer-policy</td><td></td></tr> <tr> <td>Sec-Fetch-Dest</td><td> https://developer.mozilla.org/en-US/docs/Web</td></tr> <tr> <td>↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo</td><td></td></tr> <tr> <td>↩rted only in newer browsers like e.g. Firefox 90</td><td></td></tr> <tr> <td>Sec-Fetch-Mode</td><td> https://developer.mozilla.org/en-US/docs/Web</td></tr> <tr> <td>↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo</td><td></td></tr> <tr> <td>↩rted only in newer browsers like e.g. Firefox 90</td><td></td></tr> <tr> <td>Sec-Fetch-Site</td><td> https://developer.mozilla.org/en-US/docs/Web</td></tr> <tr> <td>↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo</td><td></td></tr> <tr> <td>↩rted only in newer browsers like e.g. Firefox 90</td><td></td></tr> <tr> <td>Sec-Fetch-User</td><td> https://developer.mozilla.org/en-US/docs/Web</td></tr> </tbody> </table>		Missing Headers	More Information	-----		↩-----		↩-----		Content-Security-Policy	https://owasp.org/www-project-secure-headers	↩/#content-security-policy		Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↩e: This is an upcoming header		Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↩e: This is an upcoming header		Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not	↩e: This is an upcoming header		Document-Policy	https://w3c.github.io/webappsec-feature-poli	↩cy/document-policy#document-policy-http-header		Feature-Policy	https://owasp.org/www-project-secure-headers	↩/#feature-policy, Note: The Feature Policy header has been renamed to Permissi		↩ons Policy		Permissions-Policy	https://w3c.github.io/webappsec-feature-poli	↩cy/#permissions-policy-http-header-field		Referrer-Policy	https://owasp.org/www-project-secure-headers	↩/#referrer-policy		Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web	↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo		↩rted only in newer browsers like e.g. Firefox 90		Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web	↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo		↩rted only in newer browsers like e.g. Firefox 90		Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web	↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo		↩rted only in newer browsers like e.g. Firefox 90		Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web
Missing Headers	More Information																																																														

↩-----																																																															
↩-----																																																															
Content-Security-Policy	https://owasp.org/www-project-secure-headers																																																														
↩/#content-security-policy																																																															
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																																																														
↩e: This is an upcoming header																																																															
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																																																														
↩e: This is an upcoming header																																																															
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not																																																														
↩e: This is an upcoming header																																																															
Document-Policy	https://w3c.github.io/webappsec-feature-poli																																																														
↩cy/document-policy#document-policy-http-header																																																															
Feature-Policy	https://owasp.org/www-project-secure-headers																																																														
↩/#feature-policy, Note: The Feature Policy header has been renamed to Permissi																																																															
↩ons Policy																																																															
Permissions-Policy	https://w3c.github.io/webappsec-feature-poli																																																														
↩cy/#permissions-policy-http-header-field																																																															
Referrer-Policy	https://owasp.org/www-project-secure-headers																																																														
↩/#referrer-policy																																																															
Sec-Fetch-Dest	https://developer.mozilla.org/en-US/docs/Web																																																														
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo																																																															
↩rted only in newer browsers like e.g. Firefox 90																																																															
Sec-Fetch-Mode	https://developer.mozilla.org/en-US/docs/Web																																																														
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo																																																															
↩rted only in newer browsers like e.g. Firefox 90																																																															
Sec-Fetch-Site	https://developer.mozilla.org/en-US/docs/Web																																																														
↩/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header suppo																																																															
↩rted only in newer browsers like e.g. Firefox 90																																																															
Sec-Fetch-User	https://developer.mozilla.org/en-US/docs/Web																																																														
... continues on next page ...																																																															

...continued from previous page ...
↪/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90 X-Content-Type-Options https://owasp.org/www-project-secure-headers ↪/#x-content-type-options X-Frame-Options https://owasp.org/www-project-secure-headers ↪/#x-frame-options X-Permitted-Cross-Domain-Policies https://owasp.org/www-project-secure-headers ↪/#x-permitted-cross-domain-policies X-XSS-Protection https://owasp.org/www-project-secure-headers ↪/#x-xss-protection, Note: Most major browsers have dropped / deprecated support for this header in 2020.
Solution:
Log Method Details: HTTP Security Headers Detection OID:1.3.6.1.4.1.25623.1.0.112081 Version used: 2025-03-21T21:10:43+05:30
References url: https://owasp.org/www-project-secure-headers/ url: https://owasp.org/www-project-secure-headers/#div-headers url: https://securityheaders.com/

Log (CVSS: 0.0)
NVT: HTTP Server Banner Enumeration
Summary This script tries to detect / enumerate different HTTP server banner (e.g. from a frontend, backend or proxy server) by sending various different HTTP requests (valid and invalid ones).
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was possible to enumerate the following HTTP server banner(s): Server banner ↪ Enumeration technique ----- ↪----- Server: GlassFish Server Open Source Edition 4.0 ↪ Valid HTTP 0.9 GET request to '/index.html' X-Powered-By: Servlet/3.1 JSP/2.3 (GlassFish Server Open Source Edition 4.0 Java/Oracle Corporation/1.8) Valid HTTP 0.9 GET request to '/index.html'
... continues on next page ...

...continued from previous page ...

Solution:**Log Method**

Details: HTTP Server Banner Enumeration

OID:1.3.6.1.4.1.25623.1.0.108708

Version used: 2025-01-31T21:09:24+05:30

Log (CVSS: 0.0)

NVT: HTTP Server type and version

Summary

This script detects and reports the HTTP Server's banner which might provide the type and version of it.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

The remote HTTP Server banner is:

Server: GlassFish Server Open Source Edition 4.0

Solution:**Log Method**

Details: HTTP Server type and version

OID:1.3.6.1.4.1.25623.1.0.10107

Version used: 2023-08-01T18:59:10+05:30

Log (CVSS: 0.0)

NVT: Eclipse GlassFish Detection (HTTP)

Summary

HTTP based detection of Eclipse GlassFish.

Quality of Detection (QoD): 80%**Vulnerability Detection Result**

Detected Eclipse GlassFish

Version: 4.0

Location: /

CPE: cpe:/a:eclipse:glassfish:4.0

... continues on next page ...

...continued from previous page ...
Concluded from version/product identification result: GlassFish Server Open Source Edition 4.0 Concluded from version/product identification location: http://192.168.56.6:8080/index.html
Solution:
Log Method Details: Eclipse GlassFish Detection (HTTP) OID:1.3.6.1.4.1.25623.1.0.100190 Version used: 2025-01-30T11:08:01+05:30
References url: https://glassfish.org/

Log (CVSS: 0.0)

NVT: Web Application Scanning Consolidation / Info Reporting

Summary

The script consolidates and reports various information for web application (formerly called 'CGI') scanning.

This information is based on the following scripts / settings:

- HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034)
- No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386)
- Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662)
- Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032)
- The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use
- The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use

If you think any of this information is wrong please report it to the referenced community forum.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

The Hostname/IP "192.168.56.6" was used to access the remote host.

Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use.

Requests to this service are done via HTTP/1.1.

This service seems to be able to host PHP scripts.

This service seems to be able to host ASP scripts.

The User-Agent "Mozilla/5.0 [en] (X11; U; OpenVAS-VT <version replaced>)" was used to access the remote host.

...continues on next page ...

...continued from previous page ... Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6:8080/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0) NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- ↪----- http://192.168.56.6:8080/ GET, HEAD, POST, PUT, DELETE, TRACE, OPTIONS (obtain ↪ed via HTTP OPTIONS method)
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE - Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTIVITY, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

[\[return to 192.168.56.6 \]](#)

2.1.67 Log 3306/tcp

Log (CVSS: 0.0)
NVT: Database Open Access Information Disclosure Vulnerability
Summary Various Database server might be prone to an information disclosure vulnerability if accessible to remote systems.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Oracle MySQL can be accessed by remote attackers
Impact Successful exploitation could allow an attacker to obtain sensitive information from the database.
Solution: Solution type: Workaround Restrict database access to remote systems. Please see the manual of the affected database server for more information.
Affected Software/OS - Oracle MySQL - MariaDB - IBM DB2 - PostgreSQL - IBM solidDB - Oracle Database - Microsoft SQL Server
Vulnerability Insight The remote database server is not restricting direct access from remote systems.
Log Method Checks the result of various database server detections and evaluates their results. Details: Database Open Access Information Disclosure Vulnerability OID:1.3.6.1.4.1.25623.1.0.902799 Version used: 2025-09-09T11:08:49+05:30
References url: https://www.pcisecuritystandards.org/security_standards/index.php?id=pci_ds_v1-2.pdf

Log (CVSS: 0.0)
NVT: MariaDB / Oracle MySQL Detection (MySQL Protocol)
Summary MySQL protocol-based detection of MariaDB / Oracle MySQL.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Detected Oracle MySQL Version: 5.5.20-log Location: 3306/tcp CPE: cpe:/a:oracle:mysql:5.5.20 Concluded from version/product identification result: 5.5.20-log
Solution:
Log Method Details: MariaDB / Oracle MySQL Detection (MySQL Protocol) OID:1.3.6.1.4.1.25623.1.0.100152 Version used: 2025-09-09T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A MySQL/MariaDB server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method
... continues on next page ...

...continued from previous page ...

Details: **Services**
OID:1.3.6.1.4.1.25623.1.0.10330
Version used: 2025-03-05T11:08:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.68 Log 8686/tcp

Log (CVSS: 0.0)

NVT: RMI Registry Service Detection

Summary

Detection of a Remote Method Invocation (RMI) registry service.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

A RMI registry service is running at this port.

The following remote registry objects have been extracted:

rmi://192.168.56.6:53964/metasploitable3-win2k8/7676/jmxrmi

rmi://192.168.56.6:8686/jmxrmi

Solution:

Log Method

Details: RMI Registry Service Detection

OID:1.3.6.1.4.1.25623.1.0.105839

Version used: 2025-04-25T21:11:53+05:30

[\[return to 192.168.56.6 \]](#)

2.1.69 Log 22/tcp

Log (CVSS: 0.0)

NVT: SSH Login Failed For Authenticated Checks

Summary

It was NOT possible to login using the provided SSH credentials. Hence authenticated checks are NOT enabled.

... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result It was not possible to switch user with the provided SSH 'su' credentials. Hence ↪ authenticated checks are not enabled.
Solution: Recheck the SSH credentials for authenticated checks or evaluate the script output for the required algorithms on the remote SSH server or the scanner.
Log Method Details: SSH Login Failed For Authenticated Checks OID:1.3.6.1.4.1.25623.1.0.105936 Version used: 2025-06-11T11:10:41+05:30
References url: https://docs.greenbone.net/GSM-Manual/gos-22.04/en/scanning.html#requiremen ↪ts-on-target-systems-with-linux-unix

Log (CVSS: 0.0)
NVT: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH)
Product detection result cpe:/a:ietf:secure_shell_protocol Detected by SSH Protocol Algorithms Supported (OID: 1.3.6.1.4.1.25623.1.0.105565 ↪)
Summary The remote SSH server is configured to NOT allow / support at least ONE Post-Quantum Cryptography (PQC) key exchange (KEX) algorithm(s).
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSH server is NOT supporting at least ONE PQC KEX algorithm.
Impact The connection may be vulnerable to 'store now, decrypt later' attacks.
Solution: Solution type: Mitigation
... continues on next page ...

...continued from previous page...
Update the remote SSH server to a version supporting PQC KEX algorithms (e.g. OpenSSH 8.9 or later) and enable relevant PQC KEX algorithms accordingly. Please see the references/manual of the remote SSH server and/or contact the vendor of it for more support.
Log Method Checks the (previously collected) supported KEX algorithms of the remote SSH server. Currently the following PQC KEX algorithms are defined / getting used for this check: - sntrup761x25519-sha512@openssh.com - sntrup761x25519-sha512 - mlkem768x25519-sha256 - sntrup4591761x25519-sha512@tinyssh.org - ecdh-nistp256-kyber-512r3-sha256-d00@openquantumsafe.org - ecdh-nistp384-kyber-768r3-sha384-d00@openquantumsafe.org - ecdh-nistp521-kyber-1024r3-sha512-d00@openquantumsafe.org - x25519-kyber-512r3-sha256-d00@amazon.com - mlkem1024nistp384-sha384 - mlkem768nistp256-sha256 - curve25519-frodokem1344-sha512@ssh.com - ecdh-nistp521-kyber1024-sha512@ssh.com Details: PQC Key Exchange (KEX) Algorithm(s) Missing (SSH) OID:1.3.6.1.4.1.25623.1.0.119214 Version used: 2026-03-06T21:19:04+05:30
Product Detection Result Product: cpe:/a:ietf:secure_shell_protocol Method: SSH Protocol Algorithms Supported OID: 1.3.6.1.4.1.25623.1.0.105565)
References url: https://openssh.com/pq.html url: https://quantumcomputingreport.com/openssh-10-0-introduces-default-post-quantum-key-exchange-algorithm/ url: https://www.nist.gov/news-events/news/2024/08/nist-releases-first-3-finalized-post-quantum-encryption-standards url: https://csrc.nist.gov/News/2024/postquantum-cryptography-fips-approved url: https://www.forescout.com/blog/post-quantum-cryptography-the-real-risks-of-not-adopting-it/ url: https://supportportal.juniper.net/s/article/2026-03-Reference-Advisory-OpenSSH-client-new-warning-in-versions-10-1-and-higher-connection-is-not-using-a-post-quantum-key-exchange-algorithm

Log (CVSS: 0.0)
NVT: SSH Protocol Versions Supported
Summary Identification of SSH protocol versions supported by the remote SSH Server. Also reads the corresponding fingerprints from the service.
Quality of Detection (QoD): 95%
Vulnerability Detection Result The remote SSH Server supports the following SSH Protocol Versions: 1.99 2.0 SSHv2 Fingerprint(s): ecdsa-sha2-nistp521: 82:4e:9a:a4:e0:2a:6e:8b:d1:b1:a7:98:83:27:ce:5b ssh-rsa: 2e:63:30:a5:4c:84:64:97:05:b4:42:fb:e0:fa:9b:6a
Solution:
Log Method The following versions are tried: 1.33, 1.5, 1.99 and 2.0. Details: SSH Protocol Versions Supported OID:1.3.6.1.4.1.25623.1.0.100259 Version used: 2024-06-17T14:01:37+05:30

Log (CVSS: 0.0)
NVT: SSH Protocol Algorithms Supported
Summary This script detects which algorithms are supported by the remote SSH service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The following options are supported by the remote SSH service: kex_algorithms: curve25519-sha256@libssh.org,ecdh-sha2-nistp256,ecdh-sha2-nistp384,ecdh-sha2-nistp521,diffie-hellman-group-exchange-sha256,diffie-hellman-group14-sha1 server_host_key_algorithms: ssh-rsa,ecdsa-sha2-nistp521 encryption_algorithms_client_to_server: chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr,aes128-gcm@openssh.com,aes256-gcm@openssh.com ... continues on next page ...

...continued from previous page ...
<pre> encryption_algorithms_server_to_client: chacha20-poly1305@openssh.com,aes128-ctr,aes192-ctr,aes256-ctr,aes128-gcm@openss ↪h.com,aes256-gcm@openssh.com mac_algorithms_client_to_server: umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,h ↪mac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,uma ↪c-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1 mac_algorithms_server_to_client: umac-64-etm@openssh.com,umac-128-etm@openssh.com,hmac-sha2-256-etm@openssh.com,h ↪mac-sha2-512-etm@openssh.com,hmac-sha1-etm@openssh.com,umac-64@openssh.com,uma ↪c-128@openssh.com,hmac-sha2-256,hmac-sha2-512,hmac-sha1 compression_algorithms_client_to_server: none,zlib@openssh.com compression_algorithms_server_to_client: none,zlib@openssh.com </pre>
Solution:
Log Method Details: SSH Protocol Algorithms Supported OID:1.3.6.1.4.1.25623.1.0.105565 Version used: 2026-01-21T11:20:46+05:30

Log (CVSS: 0.0)
NVT: SSH Server type and version
Summary This detects the SSH Server's type and version by connecting to the server and processing the buffer received.
Quality of Detection (QoD): 80%
Vulnerability Detection Result Remote SSH server banner: SSH-2.0-OpenSSH_7.1 Remote SSH supported authentication: password,publickey,keyboard-interactive Remote SSH text/login banner: (not available) This is probably (a): - OpenSSH Concluded from remote connection attempt with credentials: Login: vagrant Password: SSH password/private key configured for this task
Solution:
... continues on next page ...

...continued from previous page ...

Vulnerability Insight

This information gives potential attackers additional information about the system they are attacking. Versions and Types should be omitted where possible.

Log Method

Details: SSH Server type and version

OID:1.3.6.1.4.1.25623.1.0.10267

Version used: 2026-02-13T21:19:08+05:30

Log (CVSS: 0.0)

NVT: SSH Authorization Check

Summary

This script tries to login with provided credentials.

If the login was successful, it marks this port as available for any authenticated tests.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

It was not possible to switch user with the provided SSH 'su' credentials. Hence ↪ authenticated checks are not enabled.

Solution:**Log Method**

Details: SSH Authorization Check

OID:1.3.6.1.4.1.25623.1.0.90022

Version used: 2023-07-28T21:39:07+05:30

Log (CVSS: 0.0)

NVT: Services

Summary

This plugin performs service detection.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

An ssh server is running on this port

... continues on next page ...

...continued from previous page ...
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

[[return to 192.168.56.6](#)]

2.1.70 Log 3389/tcp

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Non Weak Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↔802067)
Summary This routine reports all Non Weak SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA 'Non Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Details: SSL/TLS: Report Non Weak Cipher Suites OID:1.3.6.1.4.1.25623.1.0.103441 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Certificate - Self-Signed Certificate Detection
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Collect and Report Certificate Details (OID: 1.3.6.1.4.1.25623.1.0.103692)
Summary The SSL/TLS certificate on this port is self-signed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The certificate of the remote service is self signed. Certificate details: fingerprint (SHA-1) 3F55CBA53C83C24E921496DC72269B1E504EC80C fingerprint (SHA-256) D45D70EAC51AB03D26C0A28B3F899AD6EC42B4095B780F ↪3B9F9EC2125808139B issued by CN=metasploitable3-win2k8 public key algorithm RSA public key size (bits) 2048 serial 757792EA564BA5B84886807274D11CC3 signature algorithm sha1WithRSAEncryption subject CN=metasploitable3-win2k8 subject alternative names (SAN) None valid from 2026-02-12 04:35:16 UTC valid until 2026-08-14 04:35:16 UTC
Solution:
... continues on next page ...

...continued from previous page ...
Log Method Detects and reports if the issuer's distinguished name of the certificate is exactly the same as the subject's distinguished name. Details: SSL/TLS: Certificate - Self-Signed Certificate Detection OID:1.3.6.1.4.1.25623.1.0.103140 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Collect and Report Certificate Details OID: 1.3.6.1.4.1.25623.1.0.103692)
References url: http://en.wikipedia.org/wiki/Self-signed_certificate url: https://datatracker.ietf.org/doc/html/rfc5280#appendix-C.1

Log (CVSS: 0.0)
NVT: SSL/TLS: Safe/Secure Renegotiation Support Status
Summary Checks and reports if a remote SSL/TLS service supports safe/secure renegotiation.
Quality of Detection (QoD): 98%
Vulnerability Detection Result Protocol Version Safe/Secure Renegotiation Support Status ----- ↪----- ↪----- SSLv3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ↪----- TLStls1.0 Enabled, Note: While the remote service announces the support of safe/secure renegotiation it still might not support / accept renegotiation at all. TLStls1.1 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLStls1.2 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). TLStls1.3 Unknown, Reason: Scanner failed to negotiate an SSL/TLS connection (Either the scanner or the remote host is probably not supporting / accepting this SSL/TLS protocol version). ...continues on next page ...

...continued from previous page ...
↪pting this SSL/TLS protocol version).
Solution:
Log Method Details: SSL/TLS: Safe/Secure Renegotiation Support Status OID:1.3.6.1.4.1.25623.1.0.117757 Version used: 2026-03-13T11:24:58+05:30
References url: https://www.gnutls.org/manual/html_node/Safe-renegotiation.html url: https://wiki.openssl.org/index.php/TLS1.3#Renegotiation url: https://datatracker.ietf.org/doc/html/rfc5746

Log (CVSS: 0.0)
NVT: SSL/TLS: Untrusted Certificate Detection
Summary Checks and reports if a remote SSL/TLS service is using a certificate which is untrusted / the verification against the system wide trust store has failed.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The remote SSL/TLS server is using the following certificate(s) which failed the ↪ verification against the system wide trust store (serial:issuer): 757792EA564BA5B84886807274D11CC3:CN=metasploitable3-win2k8 (Server certificate)
Solution:
Log Method Details: SSL/TLS: Untrusted Certificate Detection OID:1.3.6.1.4.1.25623.1.0.117764 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Supported Cipher Suites
Summary This routine reports all SSL/TLS cipher suites accepted by a service.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 98%
Vulnerability Detection Result No 'Strong' cipher suites accepted by this service via the TLSv1.0 protocol. 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA 'Weak' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_RSA_WITH_RC4_128_MD5 TLS_RSA_WITH_RC4_128_SHA No 'Null' cipher suites accepted by this service via the TLSv1.0 protocol. No 'Anonymous' cipher suites accepted by this service via the TLSv1.0 protocol.
Solution:
Vulnerability Insight Notes: - As the VT 'SSL/TLS: Check Supported Cipher Suites' (OID: 1.3.6.1.4.1.25623.1.0.900234) might run into a timeout the actual reporting of all accepted cipher suites takes place in this VT instead. - SSLv2 ciphers are not getting reported as the protocol itself is deprecated, needs to be considered as weak and is reported separately as deprecated.
Log Method Details: SSL/TLS: Report Supported Cipher Suites OID:1.3.6.1.4.1.25623.1.0.802067 Version used: 2026-03-13T11:24:58+05:30
Log (CVSS: 0.0)
NVT: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↵802067)
Summary
... continues on next page ...

...continued from previous page ...
This routine reports all SSL/TLS cipher suites accepted by a service which are supporting Perfect Forward Secrecy (PFS).
Quality of Detection (QoD): 98%
Vulnerability Detection Result Cipher suites supporting Perfect Forward Secrecy (PFS) are accepted by this serv ↪ice via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA
Solution:
Log Method Details: SSL/TLS: Report Perfect Forward Secrecy (PFS) Cipher Suites OID:1.3.6.1.4.1.25623.1.0.105018 Version used: 2026-03-13T11:24:58+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

Log (CVSS: 0.0)
NVT: SSL/TLS: Collect and Report Certificate Details
Summary This script collects and reports the details of all SSL/TLS certificates. This data will be used by other tests to verify server certificates.
Quality of Detection (QoD): 98%
Vulnerability Detection Result The following certificate details of the remote service were collected. Certificate details: fingerprint (SHA-1) 3F55CBA53C83C24E921496DC72269B1E504EC80C fingerprint (SHA-256) D45D70EAC51AB03D26C0A28B3F899AD6EC42B4095B780F ↪3B9F9EC2125808139B issued by CN=metasploitable3-win2k8 public key algorithm RSA public key size (bits) 2048 serial 757792EA564BA5B84886807274D11CC3 signature algorithm sha1WithRSAEncryption subject CN=metasploitable3-win2k8
... continues on next page ...

...continued from previous page...	
subject alternative names (SAN)	None
valid from	2026-02-12 04:35:16 UTC
valid until	2026-08-14 04:35:16 UTC
Solution:	
Log Method Details: SSL/TLS: Collect and Report Certificate Details OID:1.3.6.1.4.1.25623.1.0.103692 Version used: 2026-03-13T11:24:58+05:30	

Log (CVSS: 0.0)
NVT: SSL/TLS: Version Detection
Summary Enumeration and reporting of SSL/TLS protocol versions supported by a remote service.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The remote SSL/TLS service supports the following SSL/TLS protocol version(s): TLSv1.0
Solution:
Log Method Sends multiple connection requests to the remote service and attempts to determine the SSL/TLS protocol versions supported by the service from the replies. Note: The supported SSL/TLS protocol versions included in the report of this VT are reported independently from the allowed / supported SSL/TLS ciphers. Details: SSL/TLS: Version Detection OID:1.3.6.1.4.1.25623.1.0.105782 Version used: 2026-03-13T11:24:58+05:30

Log (CVSS: 0.0)
NVT: Microsoft Remote Desktop Protocol (RDP) Detection
Summary A service supporting the Microsoft Remote Desktop Protocol (RDP) is running at this host.
... continues on next page ...

...continued from previous page ...
Quality of Detection (QoD): 80%
Vulnerability Detection Result Vulnerability was detected according to the Vulnerability Detection Method.
Solution:
Vulnerability Insight Remote Desktop Services, formerly known as Terminal Services, is one of the components of Microsoft Windows (both server and client versions) that allows a user to access applications and data on a remote computer over a network.
Log Method Details: Microsoft Remote Desktop Protocol (RDP) Detection OID:1.3.6.1.4.1.25623.1.0.100062 Version used: 2021-04-16T13:38:22+05:30

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A TLScustom server answered on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: SSL/TLS: Report Medium Cipher Suites
Product detection result cpe:/a:ietf:transport_layer_security Detected by SSL/TLS: Report Supported Cipher Suites (OID: 1.3.6.1.4.1.25623.1.0.↪802067)
Summary This routine reports all Medium SSL/TLS cipher suites accepted by a service.
Quality of Detection (QoD): 98%
Vulnerability Detection Result 'Medium' cipher suites accepted by this service via the TLSv1.0 protocol: TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA TLS_RSA_WITH_3DES_EDE_CBC_SHA TLS_RSA_WITH_AES_128_CBC_SHA TLS_RSA_WITH_AES_256_CBC_SHA
Solution:
Vulnerability Insight Any cipher suite considered to be secure for only the next 10 years is considered as medium.
Log Method Details: SSL/TLS: Report Medium Cipher Suites OID:1.3.6.1.4.1.25623.1.0.902816 Version used: 2024-09-27T10:35:23+05:30
Product Detection Result Product: cpe:/a:ietf:transport_layer_security Method: SSL/TLS: Report Supported Cipher Suites OID: 1.3.6.1.4.1.25623.1.0.802067)

[\[return to 192.168.56.6 \]](#)

2.1.71 Log 9200/tcp

Log (CVSS: 0.0)
NVT: Services
Summary This plugin performs service detection.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A web server is running on this port
Solution:
Vulnerability Insight This plugin attempts to guess which service is running on the remote port(s). For instance, it searches for a web server which could listen on another port than 80 or 443 and makes this information available for other check routines.
Log Method Details: Services OID:1.3.6.1.4.1.25623.1.0.10330 Version used: 2025-03-05T11:08:53+05:30

Log (CVSS: 0.0)
NVT: Allowed HTTP Methods Enumeration
Summary Enumerates which HTTP methods are allowed.
Quality of Detection (QoD): 70%
Vulnerability Detection Result The following list contains the URLs and corresponding supported HTTP methods. URL HTTP Methods ----- http://192.168.56.6:9200/ DELETE
Solution:
Vulnerability Insight - Basic HTTP methods: GET, HEAD, POST, PUT, DELETE, CONNECT, OPTIONS, TRACE ... continues on next page ...

...continued from previous page ...
- Extended HTTP methods: ACL, BASELINE-CONTROL, BIND, CHECKIN, CHECKOUT, COPY, LABEL, LINK, LOCK, MERGE, MKACTION, MKCALENDAR, MKCOL, MKREDIRECTREF, MKWORKSPACE, MOVE, ORDERPATCH, PATCH, PRI, PROPFIND, PROPPATCH, REBIND, REPORT, SEARCH, UNBIND, UNCHECKOUT, UNLINK, UNLOCK, UPDATE, UPDATEREDIRECTREF, VERSION-CONTROL
Log Method Sends multiple HTTP requests and checks the responses. Disclaimer: - This enumeration script is provided 'as is' (means no support is given) and only providing rudimentary information about the possible enabled methods - This script doesn't guarantee completeness or full reliability For more reliable determination of the enabled HTTP methods please inspect the configuration of the web server manually and directly on the target host. Details: Allowed HTTP Methods Enumeration OID:1.3.6.1.4.1.25623.1.0.153974 Version used: 2025-02-28T11:08:49+05:30

Log (CVSS: 0.0)
NVT: Web Application Scanning Consolidation / Info Reporting
Summary The script consolidates and reports various information for web application (formerly called 'CGI') scanning. This information is based on the following scripts / settings: - HTTP-Version Detection (OID: 1.3.6.1.4.1.25623.1.0.100034) - No 404 check (OID: 1.3.6.1.4.1.25623.1.0.10386) - Web mirroring / webmirror.nasl (OID: 1.3.6.1.4.1.25623.1.0.10662) - Directory Scanner / DDI_Directory_Scanner.nasl (OID: 1.3.6.1.4.1.25623.1.0.11032) - The configured 'cgi_path' within the 'Scanner Preferences' of the scan config in use - The configured 'Enable CGI scanning', 'Enable generic web application scanning' and 'Add historic /scripts and /cgi-bin to directories for CGI scanning' within the 'Global variable settings' of the scan config in use If you think any of this information is wrong please report it to the referenced community forum.
Quality of Detection (QoD): 80%
Vulnerability Detection Result The Hostname/IP "192.168.56.6" was used to access the remote host. Generic web application scanning is disabled for this host via the "Enable generic web application scanning" option within the "Global variable settings" of the scan config in use. Requests to this service are done via HTTP/1.1. This service seems to be able to host PHP scripts. This service seems to be able to host ASP scripts.
... continues on next page ...

...continued from previous page...
The User-Agent "Mozilla/5.0 [en] (X11, U; OpenVAS-VT <version replaced>)" was used to access the remote host. Historic /scripts and /cgi-bin are not added to the directories used for web application scanning. You can enable this again with the "Add historic /scripts and /cgi-bin to directories for CGI scanning" option within the "Global variable settings" of the scan config in use. The following directories were used for web application scanning: http://192.168.56.6:9200/ While this is not, in and of itself, a bug, you should manually inspect these directories to ensure that they are in compliance with company security standards
Solution:
Log Method Details: Web Application Scanning Consolidation / Info Reporting OID:1.3.6.1.4.1.25623.1.0.111038 Version used: 2026-02-24T11:27:09+05:30
References url: https://forum.greenbone.net/c/vulnerability-tests/7

Log (CVSS: 0.0)

NVT: HTTP Security Headers Detection

Summary

All known security headers are being checked on the remote web server.

On completion a report will hand back whether a specific security header has been implemented (including its value and if it is deprecated) or is missing on the target.

Quality of Detection (QoD): 80%

Vulnerability Detection Result

Missing Headers	More Information

↪-----	
↪-----	
Content-Security-Policy	https://owasp.org/www-project-secure-headers
↪/#content-security-policy	
Cross-Origin-Embedder-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Opener-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not
↪e: This is an upcoming header	
Cross-Origin-Resource-Policy	https://scotthelme.co.uk/coop-and-coep/ , Not

... continues on next page ...

...continued from previous page...

↪e: This is an upcoming header

Document-Policy | <https://w3c.github.io/webappsec-feature-policy/document-policy-http-header>

Feature-Policy | <https://owasp.org/www-project-secure-headers/#feature-policy>, Note: The Feature Policy header has been renamed to Permissions Policy

Permissions-Policy | <https://w3c.github.io/webappsec-feature-policy/#permissions-policy-http-header-field>

Referrer-Policy | <https://owasp.org/www-project-secure-headers/#referrer-policy>

Sec-Fetch-Dest | https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90

Sec-Fetch-Mode | https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90

Sec-Fetch-Site | https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90

Sec-Fetch-User | https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers#fetch_metadata_request_headers, Note: This is a new header supported only in newer browsers like e.g. Firefox 90

X-Content-Type-Options | <https://owasp.org/www-project-secure-headers/#x-content-type-options>

X-Frame-Options | <https://owasp.org/www-project-secure-headers/#x-frame-options>

X-Permitted-Cross-Domain-Policies | <https://owasp.org/www-project-secure-headers/#x-permitted-cross-domain-policies>

X-XSS-Protection | <https://owasp.org/www-project-secure-headers/#x-xss-protection>, Note: Most major browsers have dropped / deprecated support for this header in 2020.

Solution:**Log Method**

Details: HTTP Security Headers Detection

OID:1.3.6.1.4.1.25623.1.0.112081

Version used: 2025-03-21T21:10:43+05:30

Referencesurl: <https://owasp.org/www-project-secure-headers/>url: <https://owasp.org/www-project-secure-headers/#div-headers>url: <https://securityheaders.com/>[\[return to 192.168.56.6 \]](#)

2.1.72 Log 8009/tcp

Log (CVSS: 0.0)
NVT: Apache JServ Protocol (AJP) v1.3 Detection (TCP)
Summary TCP based detection of services supporting the Apache JServ Protocol (AJP) in version 1.3.
Quality of Detection (QoD): 80%
Vulnerability Detection Result A service supporting the Apache JServ Protocol (AJP) v1.3 seems to be running on ↪ this port.
Solution:
Vulnerability Insight The AJP protocol is used in various products like e.g. Apache Tomcat, JBoss or Wildfly.
Log Method Details: Apache JServ Protocol (AJP) v1.3 Detection (TCP) OID:1.3.6.1.4.1.25623.1.0.108082 Version used: 2025-07-11T11:12:17+05:30
References url: https://tomcat.apache.org/connectors-doc/ajp/ajpv13a.html

[[return to 192.168.56.6](#)]