

Cucumber Report

23-Aug-2023, 6:26:30 pm

Start : Aug 23, 6:26:17.143 pm

End : Aug 23, 6:26:29.326 pm

Duration : 12.183 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 19




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Interaction and Checkout</u>	12.183 s	1	0	1	0	21	1	1	19

#	Feature Name	Scenario Name
1	<u>User Interaction and Checkout</u>	<u>User goes through login, form submission, and checkout process</u>





#	Feature Name	T	P	F	S	Duration
1	<u>User Interaction and Checkout</u>	1	0	1	0	12.183 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Interaction and Checkout</u>	<u>User goes through login, form submission, and checkout process</u>	21	1	1	19	12.179 s

User Interaction and Checkout


FAILED	DURATION - 12.183 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 1 Fail - 1 Skip - 19	
/ 6:26:17.143 pm // 6:26:29.326 pm /					

User goes through login, form submission, and checkout process

<div><div>FAILED</div><div>DURATION - 12.179 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 19</div>	<div></div>
/ 6:26:17.147 pm // 6:26:29.326 pm /				
User Interaction and Checkout				

#	Step / Hook Details	Status	Duration
1	Given the user is on the login page	PASSED	2.955 s
2	When the user enters valid username and password	FAILED	6.464 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //input[@placeholder='PIN']6 because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//input[@placeholder='PIN']6' is not a valid XPath expression. (Session info: chrome=116.0.5845.97) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ed0abea6d53e3988394f2fd3500f42c, findElement {using=xpath, value="//input[@placeholder='PIN']6}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.97, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880..., userDataDir: C:\Users\admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51633}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51633/devtoo..., se:cdpVersion: 116.0.5845.97, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5ed0abea6d53e3988394f2fd3500f42c</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.AjaxElementLocator.access\$001(AjaxElementLocator.java:38) at org.openqa.selenium.support.pagefactory.AjaxElementLocator\$SlowLoadingElement.isLoaded(AjaxElementLocator.java:156) at org.openqa.selenium.support.ui.SlowLoadableComponent.get(SlowLoadableComponent.java:50) at org.openqa.selenium.support.pagefactory.AjaxElementLocator.findElement(AjaxElementLocator.java:86) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy40.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:1006) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:461) at com.pageobjects.BasePage.highlightElement(BasePage.java:55) at com.pageobjects.LoginPage.Enter_the_Pin(LoginPage.java:41) at steps.LoginPageSteps.Enter_the_Login_details(LoginPageSteps.java:18) at com.stepDefination.Testcase_001.the_user_enters_valid_username_and_password(Testcase_001.java:31) at ?.the user enters valid username and password(classpath:Features/Form_checkin_and_checkout.feature:5) </pre> <p>* Not displayable characters are replaced by '?'. errorscreen</p>	PASSED	0.153 s
	AFTER_STEP - com.stepDefination.common_steps.attachScreenshot(io.cucumber.java.Scenario)		

#	Step / Hook Details	Status	Duration
			
3	And the user clicks the login button	SKIPPED	0.001 s
4	When the user clicks the Check button	SKIPPED	0.000 s
5	Then the user should be navigated to the site list	SKIPPED	0.001 s
6	And the user clicks the Automation Bot site	SKIPPED	0.000 s
7	When the user enters data in the first form	SKIPPED	0.000 s
8	And submits the form	SKIPPED	0.000 s
9	Then the user should see a confirmation for the first form	SKIPPED	0.000 s
10	When the user enters data in the second form	SKIPPED	0.001 s
11	And submits the form	SKIPPED	0.000 s
12	Then the user should see a confirmation for the second form	SKIPPED	0.000 s
13	When the user enters data in the third form	SKIPPED	0.001 s
14	And submits the form	SKIPPED	0.000 s
15	Then the user should see a confirmation for the third form	SKIPPED	0.000 s
16	When the user clicks the Checkout button	SKIPPED	0.001 s
17	Then a confirmation pop-up should appear	SKIPPED	0.000 s
18	When the user confirms Yes	SKIPPED	0.000 s
19	Then the user should be checked out and see a checkout confirmation	SKIPPED	0.001 s
20	When the user clicks the Logout button	SKIPPED	0.000 s
21	Then the user should be logged out and redirected to the login page	SKIPPED	0.000 s