EXNO2DS

AIM:

To perform Exploratory Data Analysis on the given data set.

EXPLANATION:

The primary aim with exploratory analysis is to examine the data for distribution, outliers and anomalies to direct specific testing of your hypothesis.

ALGORITHM:

STEP 1: Import the required packages to perform Data Cleansing,Removing Outliers and Exploratory Data Analysis.
STEP 2: Replace the null value using any one of the method from mode,median and mean based on the dataset available.
STEP 3: Use boxplot method to analyze the outliers of the given dataset.
STEP 4: Remove the outliers using Inter Quantile Range method.
STEP 5: Use Countplot method to analyze in a graphical method for categorical data.
STEP 6: Use displot method to represent the univariate distribution of data.
STEP 7: Use cross tabulation method to quantitatively analyze the relationship between multiple variables.
STEP 8: Use heatmap method of representation to show relationships between two variables, one plotted on each axis.

CODING AND OUTPUT

In [ ]:
```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
```

In [ ]:
```
dt = pd.read_csv("/content/titanic_dataset.csv")

dt
```

Out[ ]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
...	...	...	...	...	...	...	...	...	...	...	...	...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	S
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	C
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	Q

891 rows × 12 columns

In [ ]:
```
dt.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   PassengerId  891 non-null    int64  
 1   Survived     891 non-null    int64  
 2   Pclass       891 non-null    int64  
 3   Name         891 non-null    object 
 4   Sex          891 non-null    object 
 5   Age          714 non-null    float64
 6   SibSp        891 non-null    int64  
 7   Parch        891 non-null    int64  
 8   Ticket       891 non-null    object 
 9   Fare         891 non-null    float64
 10  Cabin        204 non-null    object 
 11  Embarked     889 non-null    object 
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

In [ ]:
```
dt.describe()
```

Out[ ]:

	PassengerId	Survived	Pclass	Age	SibSp	Parch	Fare
count	891.000000	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	257.353842	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	1.000000	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	446.000000	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	668.500000	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000	6.000000	512.329200

In [ ]:
```
print("Number of rows:",dt.shape[0])
print("Number of columns:",dt.shape[1])
```

```
Number of rows: 891
Number of columns: 12
```

In [ ]:
```
dt
```

Out[ ]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
...	...	...	...	...	...	...	...	...	...	...	...	...
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	S
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	C
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	Q

891 rows × 12 columns

In [ ]:
```
dt.set_index('PassengerId',inplace=True)
dt
```

Out[ ]:

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
...	...	...	...	...	...	...	...	...	...	...	...
887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S
888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	S
889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	C
891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	Q

891 rows × 11 columns

In [ ]:
```
categorical_cols = dt.select_dtypes(include=['object']).columns
for col in categorical_cols:
  print(f"\nValue counts for {col}:\n{dt[col].value_counts()}")
```

```
Value counts for Name:
Name
Dooley, Mr. Patrick                                 1
Braund, Mr. Owen Harris                             1
Cumings, Mrs. John Bradley (Florence Briggs Thayer) 1
Heikkinen, Miss. Laina                              1
Futrelle, Mrs. Jacques Heath (Lily May Peel)        1
                                                   ..
Hewlett, Mrs. (Mary D Kingcome)                     1
Vestrom, Miss. Hulda Amanda Adolfina                1
Andersson, Mr. Anders Johan                         1
Saundercock, Mr. William Henry                      1
Bonnell, Miss. Elizabeth                            1
Name: count, Length: 891, dtype: int64

Value counts for Sex:
Sex
male      577
female    314
Name: count, dtype: int64

Value counts for Ticket:
Ticket
347082             7
1601               7
CA. 2343           7
3101295            6
CA 2144            6
                  ..
PC 17590           1
17463              1
330877             1
373450             1
STON/O2. 3101282   1
Name: count, Length: 681, dtype: int64

Value counts for Cabin:
Cabin
G6             4
C23 C25 C27    4
B96 B98        4
F2             3
D              3
              ..
E17            1
```

```
              ..
E17           1
A24           1
C50           1
B42           1
C148          1
Name: count, Length: 147, dtype: int64

Value counts for Embarked:
Embarked
S    644
C    168
Q     77
Name: count, dtype: int64
```

In [ ]:
```
sns.countplot(x='Survived', data=dt)
plt.show()
```



In [ ]:
```
print(dt['Pclass'].unique())
dt
```

```
[3 1 2]
```

Out[ ]:

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
...	...	...	...	...	...	...	...	...	...	...	...
887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S
888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	S
889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	C
891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	Q

891 rows × 11 columns

In [ ]:
```
dt.rename(columns= {'Sex':'Gender'}, inplace = True)
dt
```

Out[ ]:

PassengerId	Survived	Pclass	Name	Gender	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	S
2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C85	C
3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	S
4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	S
5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	S
...	...	...	...	...	...	...	...	...	...	...	...
887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	S
888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	S
889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	S
890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	C
891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	Q

891 rows × 11 columns

In [ ]:
```
sns.catplot(x= 'Survived', hue='Gender', kind='count', data=dt)

plt.show()
```



In [ ]:
```
sns.boxplot(x= 'Survived', y='Age', data=dt)

plt.show()
```



In [ ]:
```
sns.catplot(x='Survived', hue='Pclass', kind='count', data=dt)
plt.show()
```



In [ ]:
```
corr_matrix=dt.select_dtypes(include=np.number).corr()
sns.heatmap(corr_matrix, annot=True, cmap='coolwarm')
plt.show()
```



In [ ]:
```
sns.pairplot(dt, hue="Survived")
plt.show()
```



RESULT

The Exploratory Data Analysis on the given data set is executed successfully.