





Logical Physical X 652, Y: 178

[Root] 00:32:00



Time: 00:01:05

Realtime Simulation



2960-24TT

Physical Config Services Desktop Programming Attributes

FTP

Service ☒ On ☐ Off

User Setup

Username Password

☐ Write ☐ Read ☐ Delete ☐ Rename ☐ List

	Username	Password	Permission
1	cisco	cisco	RWDNL
2	x1	12345	RWDNL

Add Save Remove

File

1	asa842-k8 bin
2	asa923-k8 bin
3	c1841-advipservicesk9-mz.124-15.T1 bin
4	c1841-ipbase-mz.123-14.T7 bin
5	c1841-ipbasek9-mz.124-12 bin

Remove

SERVICES

HTTP DHCPv6 TFTP DNS SYSLOG AAA NTP EMAIL FTP IoT VM Management Radius EAP

☐ Top




Logical

Physical

x 610, y 133

[Root]

05:37:00



Time: 00:11:12



Automatically Choose Connection Type

Physical Config Services Desktop Programming Attributes

IP Configuration

IP Configuration

DHCP

Static

IP Address192.168.0.2

Subnet Mask255.255.255.0

Default Gateway192.168.0.1

DNS Server192.168.0.2

IPv6 Configuration

DHCP

Auto Config

Static

IPv6 Address

Link Local AddressFE80::2602:FFFF:FEA5:6482

IPv6 Gateway

IPv6 DNS Server

802.1X

Use 802.1X Security

AuthenticationMD5

Username

Password

Top



Physical Config Desktop Programming Attributes

IP Configuration

Interface FastEthernet0

IP Configuration

☐ DHCP

☒ Static

IP Address

192.168.0.3

Subnet Mask

255.255.255.0

Default Gateway

192.168.0.1

DNS Server

192.168.0.2

IPv6 Configuration

☐ DHCP

☐ Auto Config

☒ Static

IPv6 Address

Link Local Address

FE80::201:63FF:FED8:C538

IPv6 Gateway

IPv6 DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password