




Logical

Physical

x:1544 y:432

[Root]

02:45:00



Time: 00:05:30



Realtime

Simulation



2950-24

Physical Config Desktop Programming Attributes

### IP Configuration

Interface: FastEthernet0

☐ DHCP ☒ Static

IP Address: 192.168.10.131  
Subnet Mask: 255.255.255.128  
Default Gateway: 192.168.10.132  
DNS Server: 0.0.0.0


☐ DHCP ☒ Auto Config

IPv6 Address: /  
Link Local Address: FE80::205:5EFF:FE00:7199  
IPv6 Gateway:  
IPv6 DNS Server:

802.1X  
☐ Use 802.1X Security

Authentication: MD5  
Username:  
Password:

Top



Logical




Physical

x 2064 y 450

[Root]

07:19:00



Time: 00:14:33



Realtime

Simulation



Automatically Choose Connection Type

Physical Config Desktop Programming Attributes

Command Prompt

```
Packet Tracer PC Command Line 1.0
C:\>ping 192.168.10.131

Pinging 192.168.10.131 with 32 bytes of data:

Request timed out.
Reply from 192.168.10.131: bytes=32 time=1ms TTL=127
Reply from 192.168.10.131: bytes=32 time<1ms TTL=127
Reply from 192.168.10.131: bytes=32 time=1ms TTL=127

Ping statistics for 192.168.10.131:
    Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>
```

Top