i

Cafes & Wifi

An experiment on making your own API.

GET Get All Cafes

http://127.0.0.1:5000/all

GET all the Cafes

GET Get Random Cafe

http://127.0.0.1:5000/random

GET a Random Cafe

GET Search Cafes by Location

http://127.0.0.1:5000/search?loc=London Bridge

FIND a Cafe by location

P	Δ	R	Δ	М	S

POST Add Cafe

http://127.0.0.1:5000/add

POST an new Cafe

Body urlencoded

name Timberyard

map_url https://www.google.com/maps/place/TY+Seven+Dials/@51.512876

 $1, -0.1295574, 17z/data = !3m1!4b1!4m5!3m4!1s0 \times 487604cd0ed11587 \\ :0 \times 3feff9f93e76a986!8m2!3d51.5128761!4d - 0.1273687?hI = en-GB$

img_url https://cdn.venuescanner.com/photos/qiUqV/aad7dea72a6fb6f338

8ab27ba56b7740.jpg

loc Soho

sockets True

toilet True

wifi True

calls True

seats 20-30

PATCH Update A Cafe's Coffee Price

http://127.0.0.1:5000/update-price/25?new_price=\$1.50

UPDATE the coffee price of a Cafe

PARAMS

new_price

\$1.50

DELETE Delete Cafe

http://127.0.0.1:5000/report-closed/22?api-key=TopSecretAPIKey

DELETE a Cafe by id

PARAMS

api-key

TopSecretAPIKey