

HAEMOPHILIA INTELLIGENCE RADAR

MetaRadar From Scattered Signals to Strategic Intelligence

Novo Nordisk GBS Hackathon 2026 | Problem Statement #3 | Rare Disease Pilot

Institute	M. S. Ramaiah Institute of Technology	Team	Aura Pharmers
Faculty Sponsor	Dr. Basavaraj	Student Lead	Sanjana Rathore
Team Members	Omprakash Panda; Veerendra Desai; Usha Rathore; Ishaq Ahmed Khan; Sanjana Rathore		
Contact Email	sanjanarathore510@gmail.com	Contact Number	+91 8305734831

1. Problem, relevance, intended users, and differentiation

The haemophilia landscape generates signals across clinical trials, scientific publications, pharmaceutical/company news, regulatory updates, safety communications, congresses, and market-access developments. These sources are fragmented, making it difficult for teams to identify what materially changed and what deserves immediate attention.

Relevance to Novo Nordisk: As a global leader in haemophilia care with key therapies (such as Esperoct, Alprolix, NovoSeven, and investigational denecimig / Mim8) operating alongside evolving non-factor treatments and gene therapies, Novo Nordisk requires rapid, cross-functional intelligence synthesis to maintain clinical leadership, anticipate market shifts, and streamline internal risk review.

MetaRadar addresses this by converting scattered external information into **source-linked, prioritized, and actionable internal intelligence**. It differs from a standard news dashboard because it does not simply broadcast headlines; it frames every important development around four decision questions:

What changed?	→	Why does it matter?	→	Who should review it?	→	What action may be needed?
---------------	---	---------------------	---	-----------------------	---	----------------------------

Intended users: Medical Affairs, Regulatory, Safety/Pharmacovigilance, Market Access, and Leadership. The system is decision support for expert review, not a replacement for professional judgment.

2. Overall concept, key features, architecture, and decision improvement

MetaRadar is an AI-enabled intelligence radar that ingests relevant external updates, connects related evidence, summarizes developments, assigns priority, and routes signals to the functions most likely to need review.

Detect	Identify relevant haemophilia developments.
Classify	Categorize clinical, publication, news, regulatory, safety, congress, and access signals.
Normalize	Identify therapies, companies, diseases, modalities, trial phase/status, and relevant entities.
Connect	Associate related evidence across sources.
Summarize	Generate concise, evidence-grounded explanations.
Prioritize	Assess relevance and urgency using explicit criteria.
Route	Direct signals to the appropriate functional reviewers.
Calibrate	Use structured stakeholder feedback to improve routing and prioritization.

Technology Stack & Architecture:

- **Frontend:** Next.js 16 App Router, React 19, TailwindCSS, and Lucide Icons for high-density executive dashboards.
- **Backend API:** Python 3.11 with FastAPI, Pydantic v2 schemas, and AsyncSQLAlchemy ORM.
- **Database & Storage:** PostgreSQL 16 with pgvector for semantic retrieval, relational indexing, and evidence deduplication.
- **AI/LLM Engine:** Local Gemma 2 / Llama 3 for private, evidence-grounded summarization, entity extraction, and priority classification.

The dashboard is designed as an intelligence workflow: users can move from a priority signal to its supporting evidence, interpretation, responsible function, and suggested next step without searching multiple feeds independently.

3. Haemophilia focus, data boundary, signal types, and out of scope

Focus	Haemophilia A and Haemophilia B within Rare Disease.
Signal types	Clinical-trial updates and milestones; scientific publications; company/pharma developments; regulatory decisions; safety/PV signals; congress developments; market-access and reimbursement updates.
Data boundary	Public, mock, or synthetic data only. No confidential Novo Nordisk information and no patient-identifiable private health information.
Out of scope	Patient-specific medical advice; autonomous clinical, medical, or regulatory decisions; replacement of expert review; confidential company data; autonomous external business actions; production enterprise deployment during the hackathon.

4. Public, mock, and synthetic data sources

Clinical trials	ClinicalTrials.gov for study identifiers, phase/status, milestones, endpoints, and study information.
Publications	PubMed / NCBI scientific literature.
Industry/news	NewsAPI plus controlled public/mock news feeds.
Regulatory/safety	OpenFDA / EMA RSS feeds plus mock or synthetic demonstration records.
Congress	Public or controlled data representing ASH, ISTH, WFH, EHA and similar meetings.
Access	Public/mock/synthetic reimbursement and access events.

Clinical-trial context: the referenced Novo Nordisk material describes clinical trials as protocol-driven studies used to investigate whether an investigational medication works, its safety, and side effects, with development progressing through Phases I–IV.

5. Detection, classification, summarization, priority, and traceability

Ingest	→	Detect	→	Classify	→	Deduplicate	→	Link Evidence	→	Summarize	→	Prioritize	→	Route	→	Human Review
--------	---	--------	---	----------	---	-------------	---	---------------	---	-----------	---	------------	---	-------	---	--------------

Signals preserve stable source identifiers and provenance. Summaries remain linked to source evidence; the interface distinguishes source-supported facts from AI interpretation and forward-looking hypotheses. Sensitive medical, regulatory, and safety signals require human review.

6. Stakeholder input and AI calibration

Stakeholder input improves AI output by giving structured feedback on whether a signal was appropriately summarized, prioritized, and routed. The feedback informs later calibration without giving the AI autonomous decision authority.

AI Baseline → Expert Review → Structured Feedback → Calibrated Output

AI baseline	"A competing haemophilia therapy has generated significant clinical-trial activity."
Stakeholder-calibrated	Priority: High. Review by Medical Affairs and Competitive Intelligence; monitor subsequent efficacy, safety, and regulatory developments.

The example uses only public/mock information and demonstrates how expert feedback changes relevance and routing rather than authorizing autonomous action.

Radar Overview	High-priority developments, emerging clusters, and the current haemophilia landscape.
Signal Explorer	Search and filter by therapy, company, signal type, source, priority, date, and trial phase/status.
Signal Detail	"What changed?" "Why does it matter?" "Who should review?" "What action may be needed?" plus source evidence.
Evidence View	Supporting records, source links, timestamps, and provenance.
Calibration View	Stakeholder feedback on relevance, priority, routing, and summary quality.
Signal Card	Concise decision card combining summary, priority, reviewer, suggested next step, and evidence.

Role-based views

Medical Affairs	Clinical evidence, treatment landscape, efficacy, and safety developments.
Regulatory	Approvals, submissions, regulatory decisions, and regulatory/safety events.
Safety / PV	Safety signals, advisories, and emerging evidence requiring review.
Market Access	Access, reimbursement, affordability, and market-impact developments.
Leadership	High-priority developments, strategic context, and concise cross-source summaries.

7. Four-week prototype plan

Week	Focus	Deliverables & Milestone Scope
1	Foundation & Data Setup	Finalize haemophilia taxonomy, source mapping, database schema (PostgreSQL 16), FastAPI core setup, Next.js UI shell, and public/mock connectors.
2	Ingestion & AI Logic	Build source connectors (ClinicalTrials, PubMed, NewsAPI, OpenFDA), signal detection, entity normalization, deduplication, and evidence linking.
3	Prototype Building	Implement grounded summarization, priority scoring engine, functional routing logic, stakeholder calibration feedback loop, role views, and signal cards.
4	Testing & Demo Prep	End-to-end integration testing, source-link provenance verification, calibration tuning, UI polish, and final prototype demonstration.

8. Clarifications and stakeholder input requested from Novo Nordisk

1. Which haemophilia signal categories should receive the highest baseline priority?
2. Which criteria should most influence urgency: trial phase/status, efficacy, safety, regulatory action, competitive relevance, access impact, or another factor?
3. How should prioritization and routing differ across Medical, Regulatory, Safety, Market Access, and Leadership?
4. What feedback format would be most useful and least intrusive for busy pharma professionals?
5. Which dashboard views and workflows would provide the greatest immediate decision-making value?

9. Expected outcome

MetaRadar reduces the gap between **information availability** and **decision relevance**. It does not replace experts or make decisions; it organizes relevant developments into a traceable workflow so the right function can review the right evidence at the right time.

Scattered information → Connected evidence → Prioritized intelligence → Human review → Better-informed action