

03 September 2026 14:05

```
mysql> desc employees;
```

```
mysql> alter table company_staff drop phone_number;
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> alter table employees modify FNAME varchar(70);
Query OK, 0 rows affected (0.13 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(70)	YES		NULL	
LNAME	varchar(100)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	

7 rows in set (0.00 sec)

```
mysql> alter table employees modify FNAME varchar(100);
Query OK, 0 rows affected (0.08 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LNAME	varchar(100)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	

7 rows in set (0.00 sec)

```
mysql> -- add a new column names with location to employees table
mysql> alter table employees add location tinytext;
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LNAME	varchar(100)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	
location	tinytext	YES		NULL	

8 rows in set (0.00 sec)

```
mysql> alter table employees drop location tinytext;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'tinytext' at line 1
mysql> alter table employees drop location;
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LNAME	varchar(100)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	

7 rows in set (0.00 sec)

```
mysql> alter table employees add PFID int after ADDRESS;
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LNAME	varchar(100)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
PFID	int	YES		NULL	
DEPT	varchar(20)	YES		NULL	

8 rows in set (0.00 sec)

```
mysql> alter table employees add LOCATION tinytext;
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LNAME	varchar(100)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
PFID	int	YES		NULL	
DEPT	varchar(20)	YES		NULL	
LOCATION	tinytext	YES		NULL	

9 rows in set (0.00 sec)

15 rows in set (0.00 sec)

```
mysql> alter table company_staff drop phone_number;
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
```

Field	Type	Null	Key	Default	Extra
aompany_name	varchar(20)			YES	NULL
emp_id	int	YES		NULL	
age	tinyint	YES		NULL	
experience	smallint	YES		NULL	
gender	char(1)	YES		NULL	
employee_name	varchar(30)			YES	NULL
qualification	varchar(20)	YES		NULL	
address	tinytext	YES		NULL	
salary	decimal(8,2)	YES		NULL	
department	enum('HR','IT','SALES','FINANCE','SUPPORT')	YES		NULL	
status	enum('ACTIVE','PENDING','INACTIVE')	YES		NULL	
skills	set('JAVA','PYTHON','SQL','EXCEL','COMMUNICATION')	YES		NULL	
date_of_joining	date	YES		NULL	
email	varchar(25)	YES		NULL	

14 rows in set (0.00 sec)

```
mysql> alter table company_staff rename to staff_records;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> show tables;
```

Tables_in_cg_mysql
employees
staff_records

2 rows in set (0.00 sec)

```
mysql> alter table staff_records to company_staff;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'to company_staff' at line 1
mysql> alter table staff_records rename to company_staff;
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> show tables;
```

Tables_in_cg_mysql
company_staff
employees

2 rows in set (0.00 sec)

```
mysql> alter table company_staff add last_updated date;
Query OK, 0 rows affected (0.10 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
```

Field	Type	Null	Key	Default	Extra
aompany_name	varchar(20)			YES	NULL
emp_id	int	YES		NULL	
age	tinyint	YES		NULL	
experience	smallint	YES		NULL	
gender	char(1)	YES		NULL	
employee_name	varchar(30)			YES	NULL
qualification	varchar(20)	YES		NULL	
address	tinytext	YES		NULL	
salary	decimal(8,2)	YES		NULL	
department	enum('HR','IT','SALES','FINANCE','SUPPORT')	YES		NULL	
status	enum('ACTIVE','PENDING','INACTIVE')	YES		NULL	
skills	set('JAVA','PYTHON','SQL','EXCEL','COMMUNICATION')	YES		NULL	
date_of_joining	date	YES		NULL	
email	varchar(25)	YES		NULL	
last_updated	date	YES		NULL	

15 rows in set (0.00 sec)

```
mysql> alter table company_staff drop column last_updated date;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'date' at line 1
mysql> alter table company_staff drop column last_updated;
Query OK, 0 rows affected (0.09 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> alter table company_staff add last_updated date before date_of_joining;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your
MySQL server version for the right syntax to use near 'before date_of_joining' at line 1
mysql> alter table company_staff add last_updated date after skills;
Query OK, 0 rows affected (0.07 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc company_staff;
```

Field	Type	Null	Key	Default	Extra
aompany_name	varchar(20)			YES	NULL
emp_id	int	YES		NULL	
age	tinyint	YES		NULL	
experience	smallint	YES		NULL	
gender	char(1)	YES		NULL	
employee_name	varchar(30)			YES	NULL
qualification	varchar(20)	YES		NULL	
address	tinytext	YES		NULL	
salary	decimal(8,2)	YES		NULL	
department	enum('HR','IT','SALES','FINANCE','SUPPORT')	YES		NULL	
status	enum('ACTIVE','PENDING','INACTIVE')	YES		NULL	
skills	set('JAVA','PYTHON','SQL','EXCEL','COMMUNICATION')	YES		NULL	
last_updated	date	YES		NULL	
date_of_joining	date	YES		NULL	
email	varchar(25)	YES		NULL	

15 rows in set (0.00 sec)

```
mysql>
```

Field	Type	Null	Key	Default	Extra
PFID	int	YES		NULL	
DEPT	varchar(20)	YES		NULL	
LOCATION	tinytext	YES		NULL	

9 rows in set (0.00 sec)

```
mysql> alter table employees change LNAME LAST_NAME varchar(30);
Query OK, 0 rows affected (0.21 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LAST_NAME	varchar(30)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
PFID	int	YES		NULL	
DEPT	varchar(20)	YES		NULL	
LOCATION	tinytext	YES		NULL	

9 rows in set (0.00 sec)

```
mysql> alter table employees drop PFID;
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LAST_NAME	varchar(30)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	
LOCATION	tinytext	YES		NULL	

8 rows in set (0.00 sec)

```
mysql> alter table employees rename to codegnan_emp;
Query OK, 0 rows affected (0.09 sec)
```

```
mysql> desc codegnan_emp;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LAST_NAME	varchar(30)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	
LOCATION	tinytext	YES		NULL	

8 rows in set (0.00 sec)

```
mysql> alter table codegnan_emp rename to employees;
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> desc employees;
```

Field	Type	Null	Key	Default	Extra
EMPID	char(5)	YES		NULL	
FNAME	varchar(100)	YES		NULL	
LAST_NAME	varchar(30)	YES		NULL	
AGE	int	YES		NULL	
DOJ	date	YES		NULL	
ADDRESS	tinytext	YES		NULL	
DEPT	varchar(20)	YES		NULL	
LOCATION	tinytext	YES		NULL	

8 rows in set (0.00 sec)

Field	Type	Null	Key	Default	Extra
date_of_joining	date	YES		NULL	
email	varchar(25)	YES		NULL	

15 rows in set (0.00 sec)

```
mysql>
```