



Tax Invoice

Invoice number:	5015039027	5015039027	رقم المستند:
Issue date:	07/05/2026	07/05/2026	تاريخ الإصدار:
Delivery date:	28/04/2026	28/04/2026	تاريخ التوريد:
Due date:	07/05/2026	07/05/2026	تاريخ الاستحقاق:



References		المراجع	
Order n°:	Payment Receipt Date: 03 May-2026	Payment Receipt Date: 03 May-2026	رقم الطلب:

Supplier		المورد		Buyer		المشتري	
Name:	SGS Inspection Services Saudi Arabia Ltd	لبن جي لس لخدمات المعاينة - المملكة العربية السعودية المحدودة	الاسم:	Name:	CHINA ENERGY INTERNATIONAL GROUP COMPANY LIMITED	شركة تشاينا إنترنيشنال جروب كومباني ليميتد	الاسم:
Building n°:	3343		رقم المبنى:	Building n°:	7421	7421	رقم المبنى:
Street name:	Road 106	الطريق ١٠٦	اسم الشارع:	Street name:	King Fahad Branch	الملك فهد الفرعي	اسم الشارع:
Additional address:	Unit No - 2	وحدة رقم - 2	العنوان الإضافي:	Additional address:	Unit No - 2	وحدة رقم - 2	العنوان الإضافي:
District:	3rd Industrial Area	المنطقة الصناعية الثالثة	الحي:	District:	Central Province	المنطقة الوسطى	الحي:
City:	Jubail	الجبيل	المدينة:	City:	Riyadh	الرياض	المدينة:
Country Subdivision:	Eastern Province	المنطقة الشرقية	المطقة:	Country Subdivision:	Al Olaya Dist	حي العليا	المطقة:
Country:	SAUDI ARABIA	المملكة العربية السعودية	البلد:	Country:	SAUDI ARABIA	المملكة العربية السعودية	البلد:
Postcode:	35729	35729	الرمز البريدي:	Postcode:	12212	12212	الرمز البريدي:
Additional n°:	7591	٧٥٩١	الرقم الإضافي للعنوان:	Additional n°:	3143	3143	الرقم الإضافي للعنوان:
VAT number:	300209858900003	300209858900003	رقم تسجيل ضريبة القيمة المضافة:	VAT number:	311502140100003	311502140100003	رقم تسجيل ضريبة القيمة المضافة:
Additional ID:	122031083879	122031083879	معرف آخر:	Additional ID:			معرف آخر:
Contact:	Asad Abbas		معلومات الاتصال:	Contact:			
Telephone:	(+966) 13 3400044		هاتف:	Telephone:			
Mail:	Ext.Asad.Abbas@sgs.com		بريد إلكتروني:	Mail:			
Contact:	122031083879	122031083879	معرف آخر:	Contact:			معرف آخر:

Delivery data		معلومات التوصيل	
Delivery date:	28/04/2026	28/04/2026	تاريخ التسليم الفعلي:

Line details		فصائل السلع أو الخدمات					
Nature of goods or services		Unit price	Quantity	Taxable Amount	Tax percentage	Tax Value	Item Subtotal (Including VAT)
توصيف البضاعة أو الخدمة:		سعر الوحدة	الكمية	المبلغ الخاضع للضريبة	نسبة الضريبة	مبلغ الضريبة	المجموع (بما في ذلك ضريبة القيمة المضافة)
Analysis التحليلات		4,281.00 SAR	1 EA	4,281.00 SAR	15 %	642.15 SAR	4,923.15 SAR
Supplier identification: 42624						42624	تعريف البائع:

Taxes		الضرائب	
Taxable Amount	4,281.00 SAR	4,281.00 SAR	المبلغ الخاضع للضريبة
Tax Value	642.15 SAR (15%)	642.15 SAR (15%)	مبلغ الضريبة
Type:	S	S	نوع الضريبة

Total amounts		إجمالي المبلغ	
Total Lines (Excluding taxes)		الإجمالي (غير شامل ضريبة القيمة المضافة)	4,281.00 SAR
Total tax base		الإجمالي الخاضع للضريبة (غير شاملة ضريبة القيمة المضافة)	4,281.00 SAR
Total taxes		مجموع ضريبة القيمة المضافة	642.15 SAR
Total taxes (SAR)		إجمالي ضريبة القيمة المضافة	642.15 SAR
Total (with taxes)		الإجمالي (مع الضرائب)	4,923.15 SAR

	Amount due	إجمالي المبلغ المستحق	4,923.15 SAR
--	------------	-----------------------	--------------

Please use the following Bank Account for payment:

Saudi Awwal Bank PO Box 394, Al Khobar 31952, Kingdom of Saudi Arabia

Account Name and Number: SGS INSPECTION SERVICES SA LTD 042-015503-001 SAR

IBAN: SA4945000000042015503001 BIC/SWIFT: SABBSARI



VAT INVOICE

Invoice Number : 5015039027
Date : 07-MAY-26
Page : 1 / 1

Customer Number 7022154 / 1600004149
Currency Saudi Riyal
Payment Term Due immediately
Due Date 07-MAY-26
311502140100003

SGS Order No. 50042096
Purchase Order Ref. Payment Receipt Date: 03 May-2026

CHINA ENERGY INTERNATIONAL
GROUP COMPANY LIMITED
King Fahad Branch
Al Olaya Dist.
7421
3143
Riyadh Central Province Al Olaya Dist
12212
Saudi Arabia

Service / Item Description Analysis of Lube Oil Samples
Certificate(s) / Report(s) No(s) 26F93396
Execution Location SA_Jubail
Reference Order CHINA - IE - APR 26 - 2363092

Item	Description	Quantity	UoM	Unit Price	Net Amount	Tax Amount	Tax Rate %	Total Amount
42624	Analysis	1	Each	4,281.00	4,281.00	642.15	15	4,923.15
	External Execution Location	OCM LAB JUBAIL, KSA						
	Execution Date(s)	28-APR-2026						
	Customer Reference	Gas Turbine Lube Oil						
	Product Name	Lubricating Oil						

SA VAT STANDARD 15% 4,281.00

Net Amount Saudi Riyal 4,281.00
Total VAT Saudi Riyal 642.15

Total Amount Saudi Riyal 4,923.15

Contact Name: Abbas, Mr. Asad
E-mail: Ext.Asad.Abbas@sgs.com

For SGS Inspection Services S.A. Ltd

Please use the following Bank Account for payment :

Saudi Awwal Bank PO Box 394, Al Khobar 31952, Kingdom of Saudi Arabia
Account Number: 042-015503-001 SAR
IBAN: SA4945000000042015503001 BIC/SWIFT: SABBSARI
Issuing Affiliate: SA_F660101

Please use this reference with your payment :

5015039027 07-MAY-26 7022154 / 1600004149

اس جي اس لخدمات المعاينة
المملكة العربية السعودية
المحدودة SGS Inspection Services Saudi
Arabia Ltd

، المملكة العربية السعودية 31951 ، الجبيل 725 ب.ص.
t: (+966) 133 400 044, f: (+966) 133 420 212, e: me.ar.saudi@sgs.com
SGS VAT Reg. Number 300209858900003
رقم تسجيل الشركة Company Reg. No. 2055007410

Member of the SGS Group

All orders are accepted and all reports and certificates issued subject to the General Conditions for Inspection and Testing Services (available from www.sgs.com).

Pay SAB beneficiary

The status for payment 13087FR01AM2 is: Processed by bank

Debit account and beneficiary details

Pay from	QASSIM - 2 SA SASABBCA242-310704-003 SAR
Debit currency	SAR
Pay to	
Beneficiary name and address	SGS Inspection Services Saudi Arabia Ltd
Beneficiary bank	Saudi Arabia SAUDI AWWAL BANK (FORMERLY: THE SAU IBN MOSSAAD IBN JALAWI STREET, AL-AMIR ABDUL AZIZ RIYADH
IBAN	SA4945000000042015503001
SWIFT-BIC	SABBSARI

Payment details

Amount	SAR 4,923.15
Value date	Mon 04 May 2026
Charges	Share
Your reference	13087FR01AM2
Payment fees	SAR 0.00
VAT percentage	15%
VAT	SAR 0.00

Fees and VAT shown are for guidance only. To view the actual fees and VAT figures, please check your bank statement after the payment has been processed.

Additional details

Codeword and location	/BENEFRES/
-----------------------	------------

Saudi Arabia

Reason for payment

BRT - Business Related Payments

Time of report: 04 May 2026 05:51:26 GMT

Report Date : 04/05/2026

Oil, Gas & Chemicals

ISO/IEC 17025 / N-T-02580

SGS Inspection Services Saudi Arabia Ltd.
 OCM Laboratory
 P.O.Box: 725
 Al Jubail - 31951, Saudi Arabia
 Tel: +966 13 340 00 44
 Fax: +966 13 342 02 10
 me.ocmlab.jubail@sgs.com

CHINA ENERGY CONSTRUCTION GROUP

CEEC EPC JV OF QASSIM 2
 1980MW PROJECT

QASSIM SAUDI ARABIA
 SAUDI ARABIA

Analysis Report / Sample No 26F93396

PRODUCT DESCRIPTION :	LUBE OIL	CLIENT ID:	CHINA ENERGY CONSTRUCTION GROUP
SAMPLE SOURCE	LUBE OIL SAMPLE AFTER FLUSHING	DATE SAMPLED :	26/04/2026
SOURCE ID	LUBE OIL - BASE MODULE 12	SAMPLE RECEIVED :	01/05/2026
LOCATION	GAS TURBINE UNIT 12	END OF ANALYSIS :	04/05/2026
SAMPLE TYPE	NA	SAMPLED BY:	CLIENT

COMMENTS : The Analysis results are for reference only.

PROPERTY	METHOD	MIN	MAX	RESULT	Units
Viscosity 40°C-ASTM D445	ASTM D445				
Viscosity 40°C	ASTM D445	28.8	35.2	32.10	cSt
Viscosity 100°C-ASTM D445	ASTM D445				
Viscosity 100 °C	ASTM D445			6.04	cSt
Viscosity index ASTM D2270	ASTM D2270				
Viscosity Index	ASTM D2270	90		137	
Viscosity -20°C	By Calculation				
Viscosity -20°C	By Calculation		2000	1426	cSt
Air release at 50°C ASTM D3427	ASTM D3427				
Air release at 50°C	ASTM D3427		4	1.0	min
TAN ASTM D664	ASTM D664				
TAN	ASTM D664		0.3	0.08	mg KOH/g
Water Karl Fisher ASTM D6304C	ASTM D6304				
Water content	ASTM D6304		200	43	ppm

This laboratory is accredited under ISO/IEC 17025. The results reported herein have been performed in accordance with the laboratory's term of accreditation except calibrations/tests marked with an asterisk (*) in this report which are not within the scope of accreditation for our laboratory. Opinions and/or interpretations included in this report are not part of ISO/IEC 17025 accreditation of this laboratory.

Issued By Signatory



Mohammed Fazil

OG&C Lab Supervisor - I&E OCM Laboratory

Authorised Signatory



Twalib Mohamed A. Nasib Al-Tamimi

Lab Manager - I & E NR & OCM Laboratory



Precision parameters apply in the determination of the above results. Users of analytical results, when establishing conformance with commercial or regulatory requirements should note the full provisions of ASTM D3244, IP 367 and ISO 4259 in that context, the default confidence level of petroleum testing having been set at the 95% confidence level. Your attention is specifically drawn to Sections 7.3.6., 7.3.7 and 7.3.8 of ASTM D3244. This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. The results shown in this test report refer to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

Analysis Report / Sample No 26F93396

ISO/IEC 17025 / N-T-02580

PRODUCT DESCRIPTION :	LUBE OIL	CLIENT ID:	CHINA ENERGY CONSTRUCTION GROUP
SAMPLE SOURCE	LUBE OIL SAMPLE AFTER FLUSHING	DATE SAMPLED :	26/04/2026
SOURCE ID	LUBE OIL - BASE MODULE 12	SAMPLE RECEIVED :	01/05/2026
LOCATION	GAS TURBINE UNIT 12	SAMPLE ANALYSED :	04/05/2026
SAMPLE TYPE	NA	SAMPLED BY:	CLIENT

PROPERTY	METHOD	MIN	MAX	RESULT	Units
Foam test ASTM D892	ASTM D892				
Foaming I at 24°C	ASTM D892		450/0	60/0	ml
Foaming tendency	ASTM D892			60	ml
Foam stability	ASTM D892			0	ml
Water Separability ASTM D1401	ASTM D1401				
Ratio:Oil/Water/Emul.	ASTM D1401			40/40/0	ml
Water demulsibility	ASTM D1401			0	
Time for separation	ASTM D1401		30	<5	min
Test temperature	ASTM D1401			54	°C
Specific Gravity @ 60/60°F	ASTM D4052				
Specific Gravity @ 60/60°F	ASTM D4052			0.8277	
Density @ 15°C	ASTM D1298/D4052				
Density @ 15°C	ASTM D1298/D4052			0.8272	kg/L
Flash (COC) ASTM D92	ASTM D92				
Flash point	ASTM D92	200		230	°C
Pour point ASTM D97	ASTM D97				
Pour Point	ASTM D97	-20		<-42	°C
Particle count	ISO4406				
>4 µm	ISO4406			97	
>6 µm	ISO4406			60	
>14 µm	ISO4406			18	
>21 µm	ISO4406			7	
>38 µm	ISO4406			2	
>70 µm	ISO4406			0	
Particle Count ISO4406	ISO4406		20/17/14	14/13/11	
Copper corrosion ASTM D130	ASTM D130				
Copper corrosion	ASTM D130			NON CORROSIVE	
Rust Prevention Characteristic	ASTM D665				
Rust Prevention Characteristic	ASTM D665	PASS		Pass	
RPVOT ASTM D2272	ASTM D2272				
RPVOT	ASTM D2272	750		2130	min

This laboratory is accredited under ISO/IEC 17025. The results reported herein have been performed in accordance with the laboratory's term of accreditation except calibrations/tests marked with an asterisk (*) in this report which are not within the scope of accreditation for our laboratory. Opinions and/or interpretations included in this report are not part of ISO/IEC 17025 accreditation of this laboratory.

Issued By Signatory



Mohammed Fazil

OG&C Lab Supervisor - I&E OCM Laboratory

Authorised Signatory



Tawab Mohamed A. Nasib Al-Tamimi

Lab Manager - I & E NR & OCM Laboratory



Precision parameters apply in the determination of the above results. Users of analytical results, when establishing conformance with commercial or regulatory requirements should note the full provisions of ASTM D3244, IP 367 and ISO 4259 in that context, the default confidence level of petroleum testing having been set at the 95% confidence level. Your attention is specifically drawn to Sections 7.3.6., 7.3.7 and 7.3.8 of ASTM D3244. This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms_and_conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. The results shown in this test report refer to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.