

WEB programiranje PHP2

Dokumentacija

zBlueCar

Codeigniter

SADRZAJ

1.Uvod

1.1 Korisceni programski jezici

1.2 Opis funkcionalnost

1.3 Template

1.4 Korisceni CSS

2.Organizacija sajta

2.1 Organizaciona sema

2.1.1 Kontroleri

2.1.2 Modeli i Views

2.1.3 Sema baze

2.2 Mapa sajta

2.3 Stranice i opis funkcionalnosti

3.Kodovi

Kontroleri

Modeli

Views

1. UVOD

1.1 Korišćeni programski jezici

Za projekat korišćeni su sledeći programski jezici: HTML5, CSS3, JavaScript, Ajax, jQuery biblioteka, jQuery Bootstrap Notify biblioteka, PHP, MySQL . Projekat je rađen u NetBeans okruženju uz Codeigniter i Bootstrap ZeroGrid framework.

Postovani profesore, znam da nije preporučljivo pisati toliko internog JQuery-ja I Ajax-a uopste JS-a ali ja sam imao neki bag uopste nije htelo da 'include-uje' ni jedan fajl tj ni jednu srriptu pa sam bio prinudjen da pisem interno .Hvala na razumevanju!

1.2 Opis funkcionalnosti

Meni se dinamički učitava iz baze podataka. Na početnoj strani se nalazi slider koji je u sklopu template-a, ispod toga imamo dve drop down liste.

Prva lista se popunjava inicijalno po učitivanju strane preko AJAX-a a druga se popunjava takodje preko AJAX-a u zavisnosti od vrednosti prve drop down liste. Klikom na dugme pretražuje se baza podataka na osnovu izabranih filtera preko AJAX-a I rezultati se prikazuju u divu ispod. Pored toga na početnoj strani imamo anketu čiji rezultati se upisuju preko AJAX-a

, takodje je moguća paginacija između anketa koje administrator putem admin panela postavlja da su aktivne. Sve gore navedene funkcionalnosti može da radi neautorizovani korisnik .


Autorizovani korisnik nakon registracije ili logovanja (rad sa sesijom), koja je odvojena u posebnu stranu , dobija mogućnost da postavi svoj oglas tako što mu se u meniju pojavljuje link ka toj strani. Korisnik se onda opet pojavljuje dve drop down liste slične kao na početnoj strani iz koje bira model I brend automobile koji se AJAX-om izvlace iz baze podataka. Pored navedenog korisnik je obavezan da unese cenu automobile I godinu proizvodnje (regularni izrazi definisani pomoću form_validation biblioteke Codeignitera)

I selektovanje radio buttona .Korisnik takodje mora upload-ovati sliku automobile (provera extenzije I maksimalne velicine slike) koja se potom smanjuje I kao takve obe slike zajedno sa svim ostalim podacima se upisuju u bazu podataka.

Administrator u admin panelu može da edituje , briše I dodaje korisnike, oglase, meni, pitanja, odgovore, ankete, brendove automobile kai tip goriva. Omogućena paginacija na admin panelu. Admin panel je urađen preko

Grocery_CRUD-a .

1.3 Template



1.4 Korisceni CSS

Koriscen je free CSS template ,

Link: <http://www.zeroheme.com/1753/zbluecar-free-responsive-html5-template.html>

Pisan je I sopstveni CSS unutar ovih fajlova.

Css

Style.css

```
@import url(http://fonts.googleapis.com/css?family=Montserrat:400,700);
/* ----- */
/* -----Reset----- */
/* ----- */
a,abbr,acronym,address,applet,article,aside,audio,b,blockquote,big,body,center,canvas,caption,
cite,code,command,datalist,dd,del,details,dfn,dl,div,dt,em,embed,fieldset,figcaption,figure,
font,footer,form,h1,h2,h3,h4,h5,h6,header,hgroup,html,i,iframe,img,ins,kbd,keygen,label,legend,
li,meter,nav,object,ol,output,p,pre,progress,q,s,samp,section,small,span,source,strike,
strong,sub,sup,table,tbody,tfoot,thead,th,tr,tdvideo,tt,u,ul,var{ background:transparent;border:
0 none;font-size:100%;margin:0;padding:0;border:0;outline:0;vertical-align:top;}ol, ul
{list-style:none;}blockquote, q {quotes:none;}table, table td
{padding:0;border:none;border-collapse:collapse;}img {vertical-align:top;}embed {vertical-align:top;}
article, aside, audio, canvas, command, datalist, details, embed, figcaption, figure, footer,
header, hgroup, keygen, meter, nav, output, progress, section, source, video
{display:block;}
mark, rp, rt, ruby, summary, time {display:inline;}
input, textarea {border:0; padding:0; margin:0; outline: 0;}
iframe {border:0; margin:0; padding:0;}
input, textarea, select {margin:0; padding:0px; color: #0066cc;}
input[type="text"], textarea {

    background-color : #666666;

}
input[type="password"], textarea {

    background-color : #666666;

}
#pageul ul li{
    display: inline;
    margin-left: 10px;
}
.anketa {

    cursor: pointer;
```

```

display: inline-block;
height: 15px;
margin-left: 15px;

width: 20px;
}
.fuel {
  cursor: pointer;
  display: inline;
  height: 15px;
  padding-top: 50px;
  padding-left: 100px;
  width: 15px;
}
input[type=text]:focus { background-color: #2D88CF; }
input[type=password]:focus { background-color: #2D88CF; }

input[type="submit"]{
  background: #303030;
  padding: 16px;
  color: #ffffff;
  cursor: pointer;
  width: 110px;
  outline: none;
}

/* ----- */
/* ----- */
/* ----- */
* {
  -webkit-box-sizing: border-box;
  -moz-box-sizing: border-box;
  box-sizing: border-box;
}

/* ----- */
/* ----- */
/* ----- */

html { -webkit-text-size-adjust: none; }
.video embed,.video object,.video iframe { width: 100%; height: auto; }
img{max-width:100%; height: auto;width: auto\9; /* ie8 */}

a{color: #434343;text-decoration: none;}
a:hover {text-decoration: underline;}

h1, h2 {font-size: 25px;line-height: 25px;}
h3, h4 {font-size: 20px;line-height: 20px;}
h5, h6 {font-size: 16px;line-height: 16px;}

p{margin: 10px 0;}

```

```

.t-center{text-align: center;}
.t-left{text-align: left;}
.t-right{text-align: right;}
.f-right{float: right;}
.f-left{float: left;}

.post{ }
.post:after, .post:before, article:after, article:before, section:after, section:before{clear: both;
content: '\0020'; display: block; visibility: hidden; width: 0; height: 0;}

.clear{content: "\0020"; display: block; height: 0; clear: both; visibility: hidden; }
.clearfix:after, .clearfix:before{clear: both; content: '\0020'; display: block; visibility:
hidden; width: 0; height: 0;}

.bg-theme{background: #2D88CF;}
/* ----- */
/* -----Html-Body----- */
/* ----- */
html, body {width:100%; padding:0; margin:0;}
body {background: #F7F7F7;color: #3F3F3F;font: 14px/25px Arial, Helvetica, sans-
serif;font-family: Montserrat, sans-serif;letter-spacing: 1px;}
body .wrap-body{ }

/* ----- */
/* -----Header----- */
/* ----- */
header{ }
header .wrap-header{ }

header .logo img{display: inline-block;margin: auto;padding: 10px;max-width: 210px;}
@media all and (max-width: 768px){
    header .logo{text-align:center;width: 100%;}
    header .logo img{display:block;}
}
.filter{padding: 30px 0;color: #fff;}
.filter h2{font-size: 33px; margin-bottom: 25px;font-weight: 600;}
.filter select{width: 100%;padding: 9px;outline: none;box-shadow: none;margin-top: 5px;}
/* ----- */
/* -----Container----- */
/* ----- */
#container { }
#container .wrap-container{ }

.header { margin: 10px 0 ;}
.header h2{font-size: 27px;letter-spacing: 2px;}
.header h1 {font-size: 36px;letter-spacing: 2px;margin: 40px 5px 15px;line-height: 1.1;}

@media(max-width: 768px){
    .header h1 {font-size: 28px;letter-spacing: 1px;margin: 35px 5px 10px;line-height:
1.1;}
}

/* ---MainContent-Article--- */

```

```

#main-content{ }
#main-content .wrap-box{padding:30px 0px;position: relative;}

#main-content .wrap-box h2{margin: 10px 0 20px;}


article{margin-bottom: 50px;}
article:after, article:before{clear: both; content: '\0020'; display: block; visibility: hidden;
width: 0; height: 0;}
article .art-header{ }
article .info{margin: 20px 0;}
article .art-content{ }


.price { color: #1db185; font-size: 48px; line-height: 1; font-weight: bold; }
@media(max-width: 768px){
    .price { font-size: 30px;}
}
.specs { list-style: none; line-height: 30px; }
.specs li { overflow: hidden; }
.specs strong{ display: inline-block; min-width: 45%; color: #222423; font-weight: 500;
font-size: 15px;}
.specs span { display: inline-block; font-size: 16px; font-weight: 300; color: #717574; }


.info{padding-bottom: 40px;}
.info h3{margin-bottom: 10px;}


/* ---Sidebar-Widget--- */
#sidebar{ }
#sidebar .wrap-sidebar{margin: 0px 10px ;}

.widget {margin-bottom: 30px;padding: 0 20px;}
.widget ul li { line-height: 2.8;border-bottom: 2px solid #DDD;}
.widget:after, .widget:before{clear: both; content: '\0020'; display: block; visibility: hidden;
width: 0; height: 0;}

.widget .wid-header, .contact-header {background-color: #2D88CF;padding: 15px 20px;}
.widget .wid-header h5, .contact-header h5 {font-size: 17px;color: #fff;text-transform:
uppercase;}
.widget .wid-content{padding: 20px;background-color: #fff;}


.post:after, .post:before{clear: both; content: '\0020'; display: block; visibility: hidden;
width: 0; height: 0;}
.post img{float: left; margin: 15px 10px; width: 100px;}
.post .wrapper {vertical-align: middle;text-align: left;line-height: 1.4em;padding-bottom:
7px;margin-top: 20px;display: inline-block;}
.post .wrapper span{font-size: 17px; line-height: 3;}


/* ----- */
/* -----Footer----- */
/* ----- */
footer{background: #fff;box-shadow: 2px 2px 5px 0px rgba(0,0,0,0.3);margin-top:
40px;text-align: center;}
footer .wrap-footer{color: #666;font-size: 13px;padding: 40px 20px;}
footer .wrap-footer h3{margin-bottom: 10px;}

```



```

/* ----- */
/* -----Button----- */
/* ----- */
a.button{
    cursor: pointer;
    font-family: Arial, Helvetica, sans-serif;
    font-size: 13px;
    border: 1px solid #ffffff;
    display: inline-block;
    text-decoration: none;
    background: #303030;
    margin: 5px 0;
    text-transform: uppercase;
    color: #fff;
}

a.button:hover{opacity: 0.9;}
.dugme{background: #434343;color: #ffffff;padding: 5px 20px;width: 100%;text-align:
center;border: 1px solid #474747;font-family: Arial, Helvetica, sans-serif;
    font-size: 13px; display: inline-block;height: 35px;margin: 5px 0;}
a.button.bt1 {background: #434343;color: #ffffff;padding: 5px 20px;width: 100%;text-
align: center;border: 1px solid #474747; }
a.button.bt2 {background: #0000ff;color: #ffffff;}
.button233{

    background: #434343;color: #ffffff;padding: 5px 20px;text-align: center;border: 1px
solid #474747;font-family: Arial, Helvetica, sans-serif;
    font-size: 14px; display: inline-block;height: 50px;margin: 5px 0;}
/* ----- */
/* -----Contact----- */
/* ----- */
.contact h2{ }
#contact_form {padding: 10px 25px 25px;background: #fff;box-shadow: 2px 2px 5px 0px
rgba(0,0,0,0.3);}

label {cursor: pointer; display: block; font-weight: bold;}

input {display: block; width: 100%; border-radius: 4px; -webkit-border-radius: 4px; -moz-
border-radius: 4px; color: #000; border: 1px solid #AFAFAF; padding: 12px; margin: 5px
0 10px 0; font-size: 16px; max-height: 45px;}

textarea {display: block; width: 100%; height: 200px; border-radius: 4px; -webkit-border-
radius: 4px; -moz-border-radius: 4px; background-color: #fff; color: #000; border: 1px solid
#AFAFAF; padding: 10px; margin: 5px 0 25px 0;}

.sendButton {cursor: pointer; background-color: #AFAFAF; -webkit-border-radius: 3px; -
moz-border-radius: 3px; border-radius: 3px; width: 35%; color: #ffffff;}
.sendButton:hover {opacity: 0.8;}

.maps{margin: 10px 0 20px;}
/* ----- */
/* -----Subscribe----- */
/* ----- */
#subscribe {margin: 10px;}

```

```
#subscribe input[type="text"] {  
    background:#fff;  
    color: #867B6E;  
    width: 200px;  
    padding: 16px;  
}
```

```
#subscribe input[type="submit"]{  
    background: #303030;  
    padding: 16px;  
    color: #ffffff;  
    cursor: pointer;  
    width: 110px;  
    outline: none;  
}
```

```
/* ----- */  
/* -----Item-Effect----- */  
/* ----- */
```

```
.item{  
    background: #fff;  
    box-shadow: 0 0 5px 0 rgba(0, 0, 0, 0.2);  
    margin-bottom: 20px;  
}
```

```
.item .item-info{  
    margin-top: 30px;  
    padding-bottom: 20px;  
}
```

```
.item .item-info a{color:#444;}
```

```
.item .item-container {  
    vertical-align: middle;  
    -webkit-transform: translateZ(0);  
    transform: translateZ(0);  
    position: relative;  
    overflow: hidden;  
    display: inline-block;  
    text-align: center;  
    vertical-align: top;  
    box-sizing: border-box;  
    -moz-box-sizing: border-box;  
    -webkit-box-sizing: border-box;  
}
```

```
.item .item-container img {  
    display: block;  
    width: 100%;  
    height: auto;
```

```
}  
.item .item-container .item-caption {  
    position: absolute;  
    top: 0;  
    right: 0;  
    bottom: 0;  
    left: 0;  
    z-index: 10;
```

```

padding: 10px;
background: none;
width: 100%;
height: 100%;
-webkit-transition: all .5s ease; /* Safari and Chrome */
-moz-transition: all .5s ease; /* Firefox */
-ms-transition: all .5s ease; /* IE 9 */
-o-transition: all .5s ease; /* Opera */
transition: all .5s ease;
}
.item .item-caption-inner {
display: table;
width: 100%;
height: 100%;
}
.item .item-caption-inner1 {
display: block;
width: 100%;
height: 100%;
float: left;
}
.item-container .item-caption h3, .item-container .item-caption span{
display: block;
text-align: center;
text-transform: uppercase;
color: #fff;
display: none;
}
.item-container .item-caption h3{
font-size: 23px;
letter-spacing: 2px;
margin-bottom : 12px;
}
.item-container .item-caption span{
font-style: italic;
font-size: 12px;
}
.item .item-container:before{
content: "";
position: absolute;
z-index: 1;
top: 0;
left: 0;
right: 0;
bottom: 0;
background: rgba(32, 152, 209, 0.7);
-webkit-transform: scaleY(0);
transform: scaleY(0);
-webkit-transform-origin: 50% 100%;
transform-origin: 50% 100%;
-webkit-transition-property: transform;
transition-property: transform;
-webkit-transition-duration: 0.3s;
transition-duration: 0.3s;
}

```

```

        -webkit-transition-timing-function: ease-out;
        transition-timing-function: ease-out;
    }
    .item:hover{box-shadow: 2px 2px 5px 0px rgba(0,0,0,0.3);}
    .item:hover .item-container:before {
        -webkit-transform: scaleY(1);
        transform: scaleY(1);
    }
    .item:hover .item-container .item-caption span{
        display: block;
    }
    .stickit{
        width: 1250px;
        height: 450px;
    }

    .ajde {
        width: 380px;
        height: 230px;
        display: inline-block;
        float:left;
        margin-right:18px;
    }

    .ajde img {

        max-width:100%;
        max-height:100%;
    }
    /* ----- */
    /* -----Menu----- */
    /* ----- */
    #cssmenu,
    #cssmenu ul,
    #cssmenu ul li,
    #cssmenu ul li a,
    #cssmenu #menu-button {
        margin: 0;
        padding: 0;
        border: 0;
        list-style: none;
        line-height: 1;
        display: block;
        position: relative;
        -webkit-box-sizing: border-box;
        -moz-box-sizing: border-box;
        box-sizing: border-box;
    }
    #cssmenu:after,
    #cssmenu > ul:after {
        content: ".";
        display: block;
        clear: both;
        visibility: hidden;
        line-height: 0;

```

```

    height: 0;
}
#cssmenu #menu-button {
    display: none;
}
#cssmenu {
    z-index: 999;
    display: inline-block;
    float: right;

}
#cssmenu > ul > li {
    float: left;
}
#cssmenu.align-center > ul {
    font-size: 0;
    text-align: center;
}
#cssmenu.align-center > ul > li {
    display: inline-block;
    float: none;
}
#cssmenu.align-center ul ul {
    text-align: left;
}
#cssmenu.align-right > ul > li {
    float: right;
}
#cssmenu > ul > li > a {
    padding: 27px 17px;
    letter-spacing: 2px;
    text-decoration: none;
    color: #fff;
    font-weight: 500;
    text-transform: uppercase;
}
#cssmenu > ul > li:hover > a {
    background: #2672AD;
}
#cssmenu ul ul {
    position: absolute;
    left: -9999px;
}
#cssmenu.align-right ul ul {
    text-align: right;
}
#cssmenu ul ul li {
    height: 0;
    -webkit-transition: all .25s ease;
    -moz-transition: all .25s ease;
    -ms-transition: all .25s ease;
    -o-transition: all .25s ease;
    transition: all .25s ease;
}
#cssmenu li:hover > ul {

```

```

    left: auto;
}
#cssmenu.align-right li:hover > ul {
    left: auto;
    right: 0;
}
#cssmenu li:hover > ul > li {
    height: 35px;
}
#cssmenu ul ul ul {
    margin-left: 100%;
    top: 0;
}
#cssmenu.align-right ul ul ul {
    margin-left: 0;
    margin-right: 100%;
}
#cssmenu ul ul li a {
    border-bottom: 1px solid rgba(150, 150, 150, 0.15);
    padding: 11px 15px;
    width: 170px;
    font-size: 12px;
    text-decoration: none;
    color: #dddddd;
    font-weight: 400;
    background: #3B3B3B;
}
#cssmenu ul ul li:last-child > a,
#cssmenu ul ul li.last-item > a {
    border-bottom: 0;
}
#cssmenu ul ul li:hover > a,
#cssmenu ul ul li a:hover {
    color: #ffffff;
}

```

@media all and (max-width: 768px), only screen and (-webkit-min-device-pixel-ratio: 2) and (max-width: 1024px), only screen and (min--moz-device-pixel-ratio: 2) and (max-width: 1024px), only screen and (-o-min-device-pixel-ratio: 2/1) and (max-width: 1024px), only screen and (min-device-pixel-ratio: 2) and (max-width: 1024px), only screen and (min-resolution: 192dpi) and (max-width: 1024px), only screen and (min-resolution: 2dppx) and (max-width: 1024px) {

```

#cssmenu {
    width: 100%;
    background: #3b3b3b;
    margin: 0 0 50px;
}
#cssmenu ul {
    width: 100%;
    display: none;
}
#cssmenu.align-center > ul {
    text-align: left;
}
#cssmenu ul li {

```

```
width: 100%;
border-top: 1px solid rgba(120, 120, 120, 0.2);
}
#cssmenu ul ul li,
#cssmenu li:hover > ul > li {
height: auto;
}
#cssmenu ul li a,
#cssmenu ul ul li a {
width: 100%;
border-bottom: 0;
}
#cssmenu > ul > li {
float: none;
}
#cssmenu ul ul li a {
padding-left: 25px;
}
#cssmenu ul ul ul li a {
padding-left: 35px;
}
#cssmenu ul ul li a {
color: #dddddd;
background: none;
}
#cssmenu ul ul li:hover > a,
#cssmenu ul ul li.active > a {
color: #ffffff;
}
#cssmenu ul ul,
#cssmenu ul ul ul,
#cssmenu.align-right ul ul {
position: relative;
left: 0;
width: 100%;
margin: 0;
text-align: left;
}
#cssmenu #menu-button {
display: block;
padding: 17px;
color: #dddddd;
cursor: pointer;
font-size: 12px;
text-transform: uppercase;
font-weight: 700;
}
#cssmenu #menu-button:after {
position: absolute;
top: 22px;
right: 17px;
display: block;
height: 4px;
width: 20px;
border-top: 2px solid #dddddd;
```

```
border-bottom: 2px solid #dddddd;
content: "";
}
#cssmenu #menu-button:before {
position: absolute;
top: 16px;
right: 17px;
display: block;
height: 2px;
width: 20px;
background: #dddddd;
content: "";
}
#cssmenu #menu-button.menu-opened:after {
top: 23px;
border: 0;
height: 2px;
width: 15px;
background: #ffffff;
-webkit-transform: rotate(45deg);
-moz-transform: rotate(45deg);
-ms-transform: rotate(45deg);
-o-transform: rotate(45deg);
transform: rotate(45deg);
}
#cssmenu #menu-button.menu-opened:before {
top: 23px;
background: #ffffff;
width: 15px;
-webkit-transform: rotate(-45deg);
-moz-transform: rotate(-45deg);
-ms-transform: rotate(-45deg);
-o-transform: rotate(-45deg);
transform: rotate(-45deg);
}
#cssmenu .submenu-button {
position: absolute;
z-index: 99;
right: 0;
top: 0;
display: block;
border-left: 1px solid rgba(120, 120, 120, 0.2);
height: 46px;
width: 46px;
cursor: pointer;
}
#cssmenu .submenu-button.submenu-opened {
background: #262626;
}
#cssmenu ul ul .submenu-button {
height: 34px;
width: 34px;
}
#cssmenu .submenu-button:after {
position: absolute;
```



```

    top: 22px;
    right: 19px;
    width: 8px;
    height: 2px;
    display: block;
    background: #dddddd;
    content: "";
}
#cssmenu ul ul .submenu-button:after {
    top: 15px;
    right: 13px;
}
#cssmenu .submenu-button.submenu-opened:after {
    background: #ffffff;
}
#cssmenu .submenu-button:before {
    position: absolute;
    top: 19px;
    right: 22px;
    display: block;
    width: 2px;
    height: 8px;
    background: #dddddd;
    content: "";
}
#cssmenu ul ul .submenu-button:before {
    top: 12px;
    right: 16px;
}
#cssmenu .submenu-button.submenu-opened:before {
    display: none;
}
}

/* ----- */
/* -----Slider----- */
/* ----- */

.rslides{ }

.callbacks_container {
    z-index: 99;
    position: relative;
    float: left;
    width: 100%;
}

.callbacks {
    position: relative;
    list-style: none;
    overflow: hidden;
    width: 100%;
    padding: 0;
    margin: 0;
}

```

```

.callbacks li {
  position: absolute;
  width: 100%;
  left: 0;
  top: 0;
}

.callbacks img {
  display: block;
  position: relative;
  z-index: 1;
  height: auto;
  width: 100%;
  border: 0;
}

.callbacks .caption {
  display: block;
  position: absolute;
  z-index: 2;
  text-shadow: none;
  color: #fff;
  background: #000;
  background: rgba(0,0,0, .7);
  left: 0;
  right: 0;
  bottom: 0;
  padding: 30px 20px 10px;
  text-align: center;
  margin: 0;
  max-width: none;
}

.callbacks .caption h1 {font-size: 40px;margin-bottom: 20px;}
.callbacks .caption span {font-size: 24px;}

```

@media all and (max-width: 768px), only screen and (-webkit-min-device-pixel-ratio: 2) and (max-width: 1024px), only screen and (min--moz-device-pixel-ratio: 2) and (max-width: 1024px), only screen and (-o-min-device-pixel-ratio: 2/1) and (max-width: 1024px), only screen and (min-device-pixel-ratio: 2) and (max-width: 1024px), only screen and (min-resolution: 192dpi) and (max-width: 1024px), only screen and (min-resolution: 2dppx) and (max-width: 1024px){

```

    .callbacks .caption {padding: 12px 10px 5px;}
    .callbacks .caption h1 {font-size: 20px;margin-bottom: 0;line-height: 1.2;}
    .callbacks .caption span {font-size: 12px;line-height: 1.2;}
}

@media(max-width: 468px){
    .callbacks .caption {display:none;}
}

```

```

.callbacks_nav {
  position: absolute;
  -webkit-tap-highlight-color: rgba(0,0,0,0);
  top: 52%;
  left: 0;
  opacity: 0.7;
  z-index: 3;
}

```

```

text-indent: -9999px;
overflow: hidden;
text-decoration: none;
height: 61px;
width: 38px;
background: transparent url("../images/themes.gif") no-repeat left top;
margin-top: -45px;
}

.callbacks_nav:active {
  opacity: 1.0;
}

.callbacks_nav.next {
  left: auto;
  background-position: right top;
  right: 0;
}
/* .mica{
  display: inline-block;
  float:right;*/

/* }*/

```

ZeroGrid.css

```

/*
Zerotheme.com | Free Html5 Responsive Templates
ZeroGrid - A Single Grid System for Responsive Design
Author: Kimmy
Version : 3.0
Author URI: http://www.zerotheme.com/
*/
/* ----- */
/* -----Grid System----- */
.zerogrid{ width: 1200px; position: relative; margin: 0 auto; padding: 0px;}
.zerogrid:after { content: "\0020"; display: block; height: 0; clear: both; visibility: hidden; }

.zerogrid .f-right{float: right!important;}
.zerogrid .f-left{float: left!important;}

.zerogrid .row{ }
.zerogrid .row:before,.row:after { content: "\0020"; display: block; overflow: hidden;
visibility: hidden; width: 0; height: 0; }
.zerogrid .row:after{clear: both; }
.zerogrid .row{zoom: 1;}

.zerogrid .wrap-col{margin:10px;}

```

```
.zerogrid .col-1-2, .zerogrid .col-1-3, .zerogrid .col-2-3, .zerogrid .col-1-4, .zerogrid .col-2-4, .zerogrid .col-3-4, .zerogrid .col-1-5, .zerogrid .col-2-5, .zerogrid .col-3-5, .zerogrid .col-4-5, .zerogrid .col-1-6, .zerogrid .col-2-6, .zerogrid .col-3-6, .zerogrid .col-4-6, .zerogrid .col-5-6{float:left; display: inline-block;}
```

```
.zerogrid .col-full{width:100%;}
```

```
.zerogrid .col-1-2,.zerogrid .col-1-2-fixed{width:50%;}  
.zerogrid .offset-1-2{margin-left: 50%;}
```

```
.zerogrid .col-1-3,.zerogrid .col-1-3-fixed{width:33.33%;}  
.zerogrid .col-2-3,.zerogrid .col-2-3-fixed{width:66.66%;}  
.zerogrid .offset-1-3{margin-left: 33.33%;}  
.zerogrid .offset-2-3{margin-left: 66.66%;}
```

```
.zerogrid .col-1-4,.zerogrid .col-1-4-fixed{width:25%;}  
.zerogrid .col-2-4,.zerogrid .col-2-4-fixed{width:50%;}  
.zerogrid .col-3-4,.zerogrid .col-3-4-fixed{width:75%;}  
.zerogrid .offset-1-4{margin-left: 25%;}  
.zerogrid .offset-2-4{margin-left: 50%;}  
.zerogrid .offset-3-4{margin-left: 75%;}
```

```
.zerogrid .col-1-5,.zerogrid .col-1-5-fixed{width:20%;}  
.zerogrid .col-2-5,.zerogrid .col-2-5-fixed{width:40%;}  
.zerogrid .col-3-5,.zerogrid .col-3-5-fixed{width:60%;}  
.zerogrid .col-4-5,.zerogrid .col-4-5-fixed{width:80%;}  
.zerogrid .offset-1-5{margin-left: 20%;}  
.zerogrid .offset-2-5{margin-left: 40%;}  
.zerogrid .offset-3-5{margin-left: 60%;}  
.zerogrid .offset-4-5{margin-left: 80%;}
```

```
.zerogrid .col-1-6,.zerogrid .col-1-6-fixed{width:16.66%;}  
.zerogrid .col-2-6,.zerogrid .col-2-6-fixed{width:33.33%;}  
.zerogrid .col-3-6,.zerogrid .col-3-6-fixed{width:50%;}  
.zerogrid .col-4-6,.zerogrid .col-4-6-fixed{width:66.66%;}  
.zerogrid .col-5-6,.zerogrid .col-5-6-fixed{width:83.33%;}  
.zerogrid .offset-1-6{margin-left: 16.66%;}  
.zerogrid .offset-2-6{margin-left: 33.33%;}  
.zerogrid .offset-3-6{margin-left: 50%;}  
.zerogrid .offset-4-6{margin-left: 66.66%;}  
.zerogrid .offset-5-6{margin-left: 83.33%;}
```

```
@media only screen and (min-width: 960px) and (max-width: 1199px) {  
    .zerogrid{width:960px;}  
}
```

```
@media only screen and (min-width: 768px) and (max-width: 959px) {  
    .zerogrid{width:768px;}  
}
```

```
@media only screen and (max-width: 767px) {  
    .zerogrid, .zerogrid .col-1-2, .zerogrid .col-1-3, .zerogrid .col-2-3, .zerogrid .col-1-4,  
    .zerogrid .col-2-4, .zerogrid .col-3-4, .zerogrid .col-1-5, .zerogrid .col-2-5, .zerogrid .col-3-5,  
    .zerogrid .col-4-5, .zerogrid .col-1-6, .zerogrid .col-2-6, .zerogrid .col-3-6, .zerogrid .col-4-6, .zerogrid .col-5-6{width:100%;}
```

```
.zerogrid .offset-1-2, .zerogrid .offset-1-3, .zerogrid .offset-2-3, .zerogrid .offset-1-4,
.zerogrid .offset-2-4, .zerogrid .offset-3-4, .zerogrid .offset-1-5, .zerogrid .offset-2-5,
.zerogrid .offset-3-5, .zerogrid .offset-4-5, .zerogrid .offset-1-6, .zerogrid .offset-2-6,
.zerogrid .offset-3-6, .zerogrid .offset-4-6, .zerogrid .offset-5-6{margin-left:0;}
}
```

ResponsiveSlides

```
/*! http://responsiveslides.com v1.54 by @viljamis */
```

```
.rslides {
  position: relative;
  list-style: none;
  overflow: hidden;
  width: 100%;
  padding: 0;
  margin: 0;
  z-index: -1;
}
```

```
.rslides li {
  -webkit-backface-visibility: hidden;
  position: absolute;
  display: none;
  width: 100%;
  left: 0;
  top: 0;
}
```


```
.rslides li:first-child {
  position: relative;
  display: block;
  float: left;
}
```

```
.rslides img {
  display: block;
  height: auto;
  float: left;
  width: 100%;
  border: 0;
}
```


2. Organizacija sajta

2.1 Organizaciona sema

2.1.1 Kontroleri




2.2.2Modeli



2.1.2 Views

Views
Author
Content
Example
Footer
Header
Login
Meni
Place
Search
Sidebar
Slider

2.1.3 Sema baze




2.2 Mapa sajta

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9" xmlns:x
si="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://www.sitemaps.org/schemas/sitem
ap/0.9 http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
<loc>http://www.zbluecar.esy.es/</loc>
<changefreq>daily</changefreq>
<priority>1.00</priority>
</url>
<url>
<loc>http://www.zbluecar.esy.es/home</loc>
<changefreq>daily</changefreq>
<priority>0.85</priority>
</url>
<url>
<loc>http://www.zbluecar.esy.es/register</loc>
<changefreq>daily</changefreq>
<priority>0.85</priority>
</url>
<url>
<loc>http://www.zbluecar.esy.es/author</loc>
<changefreq>daily</changefreq>
<priority>0.85</priority>
</url>
<url>
<loc>http://www.zbluecar.esy.es/home/index/2</loc>
<changefreq>daily</changefreq>
<priority>0.85</priority>
</url>
<!-- Generated by www.web-site-map.com -->
</urlset>
```


2.3 Stranice i opis funkcionalnosti

Posto su funkcionalnosti vecinom iste na svim stranicama
ovde cu da objasnim skoro sve



Meni se dinamički učitava iz baze podataka. Na početnoj strani se nalazi slider koji je u sklopu template-a, ispod toga imamo dve drop down liste. Prva lista se popunjava inicijalno po učitivanju strane preko AJAX-a a druga se popunjava takođe preko AJAX-a u zavisnosti od vrednosti prve drop down liste. Klikom na dugme pretražuje se baza podataka na osnovu izabranih filtera preko AJAX-a i rezultati se prikazuju u divu ispod. Pored toga na početnoj strani imamo anketu čiji rezultati se upisuju preko AJAX-a, takođe je moguća paginacija između anketa koje administrator putem admin panela postavlja da su aktivne. Sve gore navedene funkcionalnosti može da radi neautorizovani korisnik. Autorizovani

korisnik vidi I link za stranu kako bi okacio svoj oglas I admin vidi link ka admin panelu.



The screenshot shows a web form titled "Place your ad" on a blue background. At the top left is the "zBlueCar" logo. At the top right are links for "HOME", "LOG IN / REGISTER", and "AUTHOR". The form fields are as follows:

- Brand:** A dropdown menu with "Select brand" and a small upward arrow icon.
- Model:** A dropdown menu with "Select model" and a small upward arrow icon.
- Price:** A text input field with the placeholder text "Price for your car".
- Years:** A text input field with the placeholder text "Year for your car example: 2014".
- Fuel:** A section with two radio buttons: "Petrol" (which is selected) and "Diesel".
- Upload your car picture:** A section containing a button that says "Choose file" next to the text "No file chosen", and a dark button labeled "Place your ad".

Na ovo strani korisnik popunjava formu za unos oglasa. Korisnik se pojavljuju dve drop down liste slicne kao na pocetnoj strani iz koje bira model I brend automobile koji se AJAX-om izvlace iz baze podataka. Pored navedenog korisnik je obavezan da unese cenu automobile I godinu proizvodnje (regularni izrazi definisani pomocu form_validation biblioteke Codeignitera) I selektovanje radio buttona .Korisnik takodje mora upload-ovati sliku automobile(provera extenzije I maximalne velicine slike) koja se potom smanjuje I kao takve obe slike zajedno sa svim ostalim podacima se upisuju u bazu podataka.



Vellbor Bogdanovic

Moj je ime Josip Velihoor Bogdanović. Rođen sam 17. novembra 1994. godine u Beogradu. Završio sam srednju električnu školu, školu "Nikola Tesla", smer električnik/par multimedija. Student sam završne godine Visoke ICT škole u Jasku sam završio jedan predmet na fakultetu organizacije nastave.


Contact

Phone / -80 993 99 9993

Email / info@domain.com

Studio / Mainline St. 1405 Light City

Na ovoj strani nema funkcionalnosti sem sto se učitava meni iz baze podataka.



[HOME](#)
[PAGES](#)
[PUBLISHED](#)
[PENDING](#)
[ADMIN](#)

[Add Model](#) | [Modify users](#) | [Modify ads](#) | [Modify brands](#) | [Modify tools](#) |

Add Record

Export

Print

id	Year	Price	Photo	Date	Approved photo	in hand	in hand	Actions
1	2010	2500	images/carx/followed/147.jpg	06/02/2015			1	Edit Delete
2	2010	5500	images/carx/followed/149.jpg	10/2/2015		2	1	Edit Delete
3	2012	3500	images/carx/followed/Cullanta.jpg	05/02/2015		2	1	Edit Delete
4	2010	6000	images/carx/followed/150.jpg	06/12/2015		2	1	Edit Delete
5	2010	7000	images/carx/Kudak3.jpg	04/01/2015			2	Edit Delete
6	2011	14500	images/carx/Kudak3.jpg	05/10/2015		4	4	Edit Delete
7	2011	15500	images/carx/Kudak3.jpg	11/12/2015		4	4	Edit Delete
8	1110	11000	images/carx/111001.jpg	11/12/2015		1	2	Edit Delete
9	1111	10000	images/carx/1110001.jpg	18/12/2015		1	2	Edit Delete
10	1110	11000	images/carx/1110001.jpg	18/12/2015		1	2	Edit Delete

Filter

Clear filter

Search

, Administrator u admin panelu moze da edituje ,brise I dodaje korisnike,oglase,meni,pitanja,odgovore,ankete,brendove automobile kao I tip goriva

Tabele za koje je moguca modifikacija su prizane u formi linkova ,jedan link jedna tabela.

.Omogucena paginacija na admin panelu.Admin panel je uradjen preko Grocery_CRUD-a .



The screenshot displays the user interface of the zBlueCar website. At the top, there is a blue header bar containing the zBlueCar logo on the left and navigation links (HOME, LOG IN, REGISTER, AUTHOR) on the right. Below the header, the page is divided into two main sections: REGISTER and LOG IN. The REGISTER section includes input fields for 'Your username:', 'Your password:', and 'Your email:', each with a placeholder text (Enter username, Enter password, Enter your email). A 'Register' button is located below these fields. The LOG IN section includes input fields for 'Your username:' and 'Your password:', with placeholder texts (Enter username, Enter password). A 'Log In' button is located below these fields.

Strana za registraciju I logovanje ,dakle ako korisnik nije registrovan registruje se ako jeste loguje se,podaci se odmah upisuju u sesiju nakon provere regularnim izrazima.Nakon registracije ili logovanja korisnik se redirektuje na pocetnu stranu I zavisnosti od uloge mu se prikazuje meni.

3. Kodovi

Kontroleri :

Home

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Home extends CI_Controller{

    function __construct()
    {
        parent::__construct();
    }

    public function index()
    {
        $data=array();
        $data['form']=array('class'=>'search_form','id'=>'searchForm'
, 'method'=>'post');

        $this->load->model('car_model','cm');
        $data['all_cars']=$this->cm->pretraga();
        $this->load->model('meni_model','mm');
        $rez= $this->mm->meni();
        $data['meni']=$rez;

        $this->load->view('header',$data);
        $this->load->view('meni',$data);
        $this->load->view('slider',$data);
        $this->load->view('search',$data);
        $this->load->view('content',$data);
        $this->load->library('../controllers/pole/',$data);
        $this->pole->index();
        $this->load->view('footer',$data);

    }

}

/* End of file welcome.php */
/* Location: ./application/controllers/welcome.php */
```

Register

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Register extends CI_Controller {

    public function index()
    {
        $this->load->model('meni_model','mm');
        $rez= $this->mm->meni();
        $data['meni']=$rez;
        $form=array('name'=>'form1','method'=>'post');
        $data['form']=$form;
        $form1=array('name'=>'form2','method'=>'post');
        $data['form1']=$form1;
        $username=array('name'=>'username','placeholder'=>'Enter username');
        $data['username']=$username;
        $username1=array('name'=>'name1','placeholder'=>'Enter username');
        $data['username1']=$username1;
        $password=array('name'=>'password','id'=>'password','placeholder'=>'Enter
password');
        $data['password']=$password;
        $password1=array('name'=>'password1','id'=>'password1','placeholder'=>'Enter
password');
        $data['password1']=$password1;
        $email=array('name'=>'email','id'=>'email','placeholder'=>'Enter your email');
        $data['email']=$email;

        $submit=array('name'=>'Submit','class'=>'button233','type'=>'submit','value'=>'Log in');
        $data['submit']=$submit;

        $submit1=array('name'=>'Submit','class'=>'button233','type'=>'submit','value'=>'Register');
        $data['submit1']=$submit1;

        $this->form_validation->set_rules('name','','required|min_length[3]');
        $this->form_validation->set_rules('password','','required|min_length[3]');
        $this->form_validation->set_rules('email','','required|valid_email');
        $this->form_validation->set_message('required','Field %s is required!!!');
        $this->form_validation->run();

        $this->load->view('header',$data);
        $this->load->view('meni',$data);
        $this->load->view('login',$data);
    }
    public function radi()
    {
        if($this->input->post('Submit')){

            $user=$this->input->post('username');
            $pass=$this->input->post('password');
            $mail=$this->input->post('email');

            $this->load->model('users_model','um');
            $res=$this->um->search_users($user,$pass,$mail);

            if($res==0)
            {
                $res1=$this->um->insert($user,$pass,$mail);
                $vraca=$this->um->logg_id($user,$pass);
                $podaci['vraca']=$vraca;

                foreach ($podaci['vraca'] as $v) {
                    $podaci['id']=$v->id_user;
                }
            }
        }
    }
}
```



```

$this->load->library('grocery_CRUD');
$crud=new Grocery_CRUD();
$crud->set_table('ads');
$output=$crud->render();

$this->load->view('meni',$data);
$this->load->view('header',$data);
$this->load->view('example.php',$output);

}
public function modifyMeni()
{

$this->load->library('grocery_CRUD');
$crud=new Grocery_CRUD();
$crud->set_table('meni');
$output=$crud->render();
$this->load->model('meni_model','mm');
    $rez= $this->mm->meni();
    $data['meni']=$rez;
    $this->load->view('header',$data);
$this->load->view('meni',$data);
$this->load->view('example.php',$output);

}
public function modifyBrands()
{
    $this->load->library('grocery_CRUD');
    $crud=new Grocery_CRUD();
    $crud->set_table('brands');
    $output=$crud->render();
    $this->load->model('meni_model','mm');
        $rez= $this->mm->meni();
        $data['meni']=$rez;
        $this->load->view('header',$data);
    $this->load->view('meni',$data);
    $this->load->view('example.php',$output);

}
public function modifyFuels()
{
    $this->load->library('grocery_CRUD');
    $crud=new Grocery_CRUD();
    $crud->set_table('fuels');
    $output=$crud->render();
    $this->load->model('meni_model','mm');
        $rez= $this->mm->meni();
        $data['meni']=$rez;
        $this->load->view('header',$data);
    $this->load->view('meni',$data);

```

```

$this->load->view('example.php',$output);

}
public function modifyUsers()
{
    $this->load->library('grocery_CRUD');
    $crud=new Grocery_CRUD();
    $crud->set_table('users');
    $output=$crud->render();
    $this->load->model('meni_model','mm');
    $rez= $this->mm->meni();
    $data['meni']=$rez;
    $this->load->view('header',$data);
    $this->load->view('meni',$data);
    $this->load->view('example.php',$output);

}

public function index()
{
    $this->load->model('meni_model','mm');
    $rez= $this->mm->meni();
    $data['meni']=$rez;
    $this->load->view('meni',$data);
    $this->load->view('header',$data);
    $this->_example_output((object)array('output' => " , 'js_files' => array() ,
'css_files' => array()));
}
public function polls()
{
    $this->load->model('meni_model','mm');
    $rez= $this->mm->meni();
    $data['meni']=$rez;

    $this->load->library('grocery_CRUD');
    $crud=new Grocery_CRUD();
    $crud->set_table('polls');
    $output=$crud->render();

    $this->load->view('meni',$data);
    $this->load->view('header',$data);
    $this->load->view('example.php',$output);

}
public function questions()
{
    $this->load->model('meni_model','mm');
    $rez= $this->mm->meni();
    $data['meni']=$rez;

```

```

$this->load->library('grocery_CRUD');
$crud=new Grocery_CRUD();
$crud->set_table('questions');
$output=$crud->render();

$this->load->view('meni',$data);
$this->load->view('header',$data);
$this->load->view('example.php',$output);

}
public function answers()
{
    $this->load->model('meni_model','mm');
    $rez= $this->mm->meni();
    $data['meni']=$rez;

    $this->load->library('grocery_CRUD');
    $crud=new Grocery_CRUD();
    $crud->set_table('questions');
    $output=$crud->render();

    $this->load->view('meni',$data);
    $this->load->view('header',$data);
    $this->load->view('example.php',$output);

}

}

```

Pole

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');
```

```
class Place_ad extends CI_Controller{
```

```

    function __construct()
    {
        parent::__construct();

    }

    public function index()
    {
        $this->load->helper('file');
    }
}

```

```

$this->load->helper('url');
$data=array();
$data['form']=array('class'=>'search_form','id'=>'searchForm','method'=>'post');

$this->load->model('car_model','cm');
$data['all_cars']=$this->cm->pretraga();
$this->load->model('meni_model','mm');
$rez= $this->mm->meni();
$data['meni']=$rez;
$data['price']=array('type'=>'text','id'=>'price','name'=>'price','placeholder'=>'Price for
you car');
$this->load->library('calendar');
$year=array('type'=>'text','id'=>'year','name'=>'year','placeholder'=>'Year for you car
examlpe:2014');
$data['year']=$year;
$fuel=array('type'=>'radio','id'=>'fuel','name'=>'fuel','value'=>'2','class'=>'fuel');
$data['fuel']=$fuel;
$fuel1=array('type'=>'radio','id'=>'fuel1','name'=>'fuel','value'=>'1','class'=>'fuel');
$data['fuel1']=$fuel1;
$pic=array('type'=>'file','id'=>'pic','name'=>'pic','value'=>'Upolad your car photo');
$data['pic']=$pic;
$submit=array('name'=>'Submit','class'=>'button233','type'=>'submit','value'=>'Place your
ad','id'=>'place_ad');
$data['submit1']=$submit;

if($this->input->post('Submit')){

$this->form_validation->set_rules('price','','required|min_length[3]|numeric');
$this->form_validation->set_rules('year','','required|exact_length[4]');
$this->form_validation->set_message('required','Field %s is requiried!!!');
$this->form_validation->run();

$brand=$this->input->post('brands1');
$model=$this->input->post('model1');
$price=$this->input->post('price');
$year=$this->input->post('year');
$fuels=$this->input->post('fuel');
$photo=$this->input->post('pic');

$config['upload_path'] = './images';

$config['allowed_types'] = 'gif|jpg|png|jpeg';
$config['max_size'] = '100';
$config['max_width'] = '2048';
$config['max_height'] = '1200';

$this->load->library('upload', $config);

$this->upload->set_allowed_types('gif|jpg|png|jpeg|zip|pdf|doc|docx');
if (!$this->upload->do_upload('pic'))
{
    echo("wfojpfwpof");
}
else
{
    $this->upload->do_upload('filename_in_html_input');
}
}

```

```

$data1=array('upload_data'=>$this->upload->data());
$picture="/images/".$data1['upload_data']['file_name'];
$file=$data1['upload_data']['file_name'];

$path=$data1['upload_data']['full_path'];
$config['image_library'] = 'gd2';
$config['source_image'] = $path;
$config['create_thumb'] = TRUE;
$config['maintain_ratio'] = TRUE;
$config['width']= 95;
$config['height']= 95;
$config['new_image']="/images/".$resized_.$file;
$this->load->library('image_lib');
$this->image_lib->initialize($config);
$this->image_lib->resize();
$resized=$config['new_image'];
$this->load->model('place_model','pl');
$id_usera=$this->session->userdata('id');
$date=date('Y-m-d');
$podaci['id_branda']=$this->pl->brand_id($brand);

foreach($podaci['id_branda'] as $v) {
    $podaci['brandID']= $v->id_brand;
}
$brandID=$podaci['brandID'];

$success=$this->pl->insert_ad($brandID,$model,$price,$year,$picture,$resized,$fuels,$id_usera,$date);

$useri= $this->pl->insert_user($id_usera,$success);
if($useri){
    $this->session->set_flashdata('place',"You have successfully posted your
ad");
}

}

}

$this->load->view('header',$data);
$this->load->view('meni',$data);

$this->load->view('place',$data);

# $this->load->view('content',$data);

# $this->load->view('footer',$data);

}

```

```
}

/* End of file welcome.php */
/* Location: ./application/controllers/welcome.php */
```

Logout

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Log_out extends CI_Controller {

    public function index()
    {
        $this->session->unset_userdata('username');
        redirect(base_url());
    }

}
```

```
/* End of file welcome.php */
/* Location: ./application/controllers/welcome.php */
```

Login

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Log_in extends CI_Controller {

    public function index()
```

```

{

if($this->input->post('Submit')){

    $user=$this->input->post('name1');
    $pass=$this->input->post('password1');

    $this->load->model('users_model','um');
    $res=$this->um->logg($user,$pass);
    $vraca=$this->um->logg_id($user,$pass);
    $podaci['vraca']=$vraca;

    foreach ($podaci['vraca'] as $v) {
        $podaci['id']= $v->id_user;
    }

    if($res!=0)
    {
        $newdata = array(
            'username' => $user,
            'role'=>2,
            'id' =>$podaci['id']
        );

        $this->session->set_userdata($newdata);
        $this->session->set_flashdata('message',$podaci['vraca']);
        redirect(base_url());
    }
    else {
        $this->session->set_flashdata('message',"Wrong username or password");
        redirect(base_url('/register'),'refresh');
    }
}

}

}
}

```

/* End of file welcome.php */

/* Location: ./application/controllers/welcome.php */

Author

```
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Author extends CI_Controller {

    public function index()
    {
        $this->load->model('meni_model','mm');
        $rez= $this->mm->meni();
        $data['meni']=$rez;

        $this->load->view("meni",$data);
        $this->load->view("header");
        $this->load->view("author");
        $this->load->view("footer");

    }

}

/* End of file welcome.php */
/* Location: ./application/controllers/welcome.php */
```

Modeli:

Users_model

```
<?php

class Users_model extends CI_Model{
```

```

public function __construct() {
    parent::__construct();
    $this->load->database();
}
public function search_users($user,$pass,$mail)
{
    $query = $this->db->get_where('users', array('username' => $user,'password'=>
md5($pass),'email'=>$mail));
    return $query->num_rows;
}
public function logg($user,$pass)
{
    $query = $this->db->get_where('users', array('username' => $user,'password'=>
md5($pass)));
    return $query->num_rows;
}
public function logg_id($user,$pass)
{
//
    $query = "SELECT id_user FROM users WHERE username='".$user.'"AND
password='".$md5($pass)."'";
    $sql= $this->db->query($query);
    return $sql->result();
}

public function insert($user,$pass,$mail)
{
    $pass= md5($pass);
    $data = array(
        'username' => $user ,
        'password' => $pass ,
        'email' => $mail,
        'id_role'=>2,
    );

    $res= $this->db->insert('users', $data);
    return $res;
}
}

```

Polls_model:

```
<?php
```

```

class Polls_model extends CI_Model{
    public function __construct() {
        parent::__construct();
    }
}

```

```

        $this->load->database();
    }
    public function poll($limit)
    {
        $offset=$this->uri->segment(3,0);

        $sql = "SELECT * FROM answers a inner JOIN questions_answers qa on
a.id_answer=qa.id_answer INNER JOIN questions q ON qa.id_question=q.id_question
JOIN polls p ON q.id_question=p.id_question WHERE p.acitve = 1\n"
        . "LIMIT ".$limit." OFFSET ".$offset."";
        $rez= $this->db->query($sql);
        return $rez->result();

    }
    public function count($limit)
    {
        $offset=0;
        $sql = "SELECT * FROM answers a inner JOIN questions_answers qa on
a.id_answer=qa.id_answer INNER JOIN questions q ON qa.id_question=q.id_question
JOIN polls p ON q.id_question=p.id_question WHERE p.acitve = 1\n"
        . "LIMIT ".$limit." OFFSET ".$offset."";
        $rez= $this->db->query($sql);
        return $rez->num_rows;
    }
    public function insert($id_a)
    {
        $sql="UPDATE answers SET votes=votes+1 WHERE id_answer=".$id_a."";
        $rez= $this->db->query($sql);
        return $rez;
    }
}

```

Place model:

```
<?php
```

```

class Place_model extends CI_Model{
    public function __construct() {
        parent::__construct();
        $this->load->database();
    }
}

```

```

public function brand_id($brand) {
    $sql="SELECT id_brand from brands WHERE brand='".$brand."'";
    return $this->db->query($sql)->result();
}

public function insert_ad($brand,$model,$price,$year,$picture,$resized,$fuels,$date)
{
    $sql1="INSERT INTO `ads` (`id_ad`,`model`,`year`,`price`,`photo`,`date`,`resized_photo`,`id_fuel`,`id_brand`) VALUES (NULL, '$model', '$year', '$price', '$picture', '".date('Y-m-d')."'.', '$resized', '$fuels', '$brand')";
    $this->db->query($sql1);
    return $this->db->insert_id();
}

public function insert_user($id,$id_ad){
    $sql="INSERT INTO ads_users VALUES('.$id_ad.', ".$id.")";
    return $this->db->query($sql);
}
}

```

Meni_model

```
<?php
```

```

class Meni_model extends CI_Model{
    public function __construct() {
        parent::__construct();
    }
}

```

```

        $this->load->database();
    }
    public function meni()
    {
        $query = $this->db->get('meni');
        return $query->result();
    }
}

```

Groucery_CRUD_model

```

<?php
/**
 * PHP grocery CRUD
 *
 * LICENSE
 *
 * Grocery CRUD is released with dual licensing, using the GPL v3 (license-gpl3.txt) and
the MIT license (license-mit.txt).
 * You don't have to do anything special to choose one license or the other and you don't
have to notify anyone which license you are using.
 * Please see the corresponding license file for details of these licenses.
 * You are free to use, modify and distribute this software, but all copyright information
must remain.
 *
 * @package      grocery CRUD
 * @copyright    Copyright (c) 2010 through 2012, John Skoumbourdis
 * @license      https://github.com/scoumbourdis/grocery-crud/blob/master/license-grocery-
crud.txt
 * @version     1.4.2
 * @author      John Skoumbourdis <scoumbourdisj@gmail.com>
 */

// -----

/**
 * Grocery CRUD Model
 *
 *
 * @package      grocery CRUD
 * @author      John Skoumbourdis <scoumbourdisj@gmail.com>
 * @version     1.5.4
 * @link         http://www.grocerycrud.com/documentation
 */
class Grocery_crud_model extends CI_Model {

    protected $primary_key = null;
    protected $table_name = null;

```

```

protected $relation = array();
protected $relation_n_n = array();
protected $primary_keys = array();

function __construct()
{
    parent::__construct();
    $this->load->database();
}

function db_table_exists($table_name = null)
{
    return $this->db->table_exists($table_name);
}

function get_list()
{
    if($this->table_name === null)
        return false;

    $select = "`{$this->table_name}`.*";

    //set_relation special queries
    if(!empty($this->relation))
    {
        foreach($this->relation as $relation)
        {
            list($field_name , $related_table , $related_field_title) = $relation;
            $unique_join_name = $this->_unique_join_name($field_name);
            $unique_field_name = $this->_unique_field_name($field_name);

            if(strpos($related_field_title,'{'))
            {
                $related_field_title = str_replace("
", "&nbsp;", $related_field_title);
                $select .= "
CONCAT('".str_replace(array('{','}'),array('',''),COALESCE({ $unique_join_name }.",",
"),"),str_replace('","','\\\"',$related_field_title))."') as $unique_field_name";
            }
            else
            {
                $select .= " $unique_join_name.$related_field_title AS
$unique_field_name";
            }

            if($this->field_exists($related_field_title))
                $select .= " `{$this->table_name}`.$related_field_title AS
'{$this->table_name}.$related_field_title'";
        }
    }

    //set_relation_n_n special queries. We prefer sub queries from a simple join for the
    relation_n_n as it is faster and more stable on big tables.
    if(!empty($this->relation_n_n))

```

```

        {
            $select = $this->relation_n_n_queries($select);
        }

        $this->db->select($select, false);

        $results = $this->db->get($this->table_name)->result();

        return $results;
    }

    public function get_row($table_name = null)
    {
        $table_name = $table_name === null ? $this->table_name : $table_name;

        return $this->db->get($table_name)->row();
    }

    public function set_primary_key($field_name, $table_name = null)
    {
        $table_name = $table_name === null ? $this->table_name : $table_name;

        $this->primary_keys[$table_name] = $field_name;
    }

    protected function relation_n_n_queries($select)
    {
        $this_table_primary_key = $this->get_primary_key();
        foreach($this->relation_n_n as $relation_n_n)
        {
            list($field_name, $relation_table, $selection_table,
$primary_key_alias_to_this_table,
                    $primary_key_alias_to_selection_table,
$title_field_selection_table, $priority_field_relation_table) =
array_values((array)$relation_n_n);

            $primary_key_selection_table = $this->get_primary_key($selection_table);

            $field = "";
            $use_template = strpos($title_field_selection_table, '{') !== false;
            $field_name_hash = $this->
>_unique_field_name($title_field_selection_table);
            if($use_template)
            {
                $title_field_selection_table = str_replace(" ", "&nbsp;",
$title_field_selection_table);
                $field .=
"CONCAT('".str_replace(array('{','}'),array('',''),COALESCE(" ",
"),"),str_replace('","\\\\"',$title_field_selection_table))."')";
            }
            else
            {
                $field .= "$selection_table.$title_field_selection_table";
            }
        }
    }

```

```

        //Sorry Codeigniter but you cannot help me with the subquery!
        $select .= ", (SELECT GROUP_CONCAT(DISTINCT $field) FROM
$select_table "
            ."LEFT JOIN $relation_table ON
$select_table.$primary_key_alias_to_selection_table =
$select_table.$primary_key_selection_table "
            ."WHERE $relation_table.$primary_key_alias_to_this_table =
`{$this->table_name}`.$this_table_primary_key GROUP BY
$select_table.$primary_key_alias_to_this_table) AS $field_name";
    }

    return $select;
}

function order_by($order_by , $direction)
{
    $this->db->order_by( $order_by , $direction );
}

function where($key, $value = NULL, $escape = TRUE)
{
    $this->db->where( $key, $value, $escape);
}

function or_where($key, $value = NULL, $escape = TRUE)
{
    $this->db->or_where( $key, $value, $escape);
}

function having($key, $value = NULL, $escape = TRUE)
{
    $this->db->having( $key, $value, $escape);
}

function or_having($key, $value = NULL, $escape = TRUE)
{
    $this->db->or_having( $key, $value, $escape);
}

function like($field, $match = "", $side = 'both')
{
    $this->db->like($field, $match, $side);
}

function or_like($field, $match = "", $side = 'both')
{
    $this->db->or_like($field, $match, $side);
}

function limit($value, $offset = "")
{
    $this->db->limit( $value , $offset );
}

```



```

function get_total_results()
{
    //set_relation_n_n special queries. We prefer sub queries from a simple join for the
    relation_n_n as it is faster and more stable on big tables.
    if(!empty($this->relation_n_n))
    {
        $select = "{ $this->table_name }. *";
        $select = $this->relation_n_n_queries($select);

        $this->db->select($select,false);
    }

    return $this->db->get($this->table_name)->num_rows();
}

function set_basic_table($table_name = null)
{
    if( !($this->db->table_exists($table_name)) )
        return false;

    $this->table_name = $table_name;

    return true;
}

function get_edit_values($primary_key_value)
{
    $primary_key_field = $this->get_primary_key();
    $this->db->where($primary_key_field,$primary_key_value);
    $result = $this->db->get($this->table_name)->row();
    return $result;
}

function join_relation($field_name , $related_table , $related_field_title)
{
    $related_primary_key = $this->get_primary_key($related_table);

    if($related_primary_key !== false)
    {
        $unique_name = $this->_unique_join_name($field_name);
        $this->db->join( $related_table.' as '.$unique_name ,
"$unique_name.$related_primary_key = { $this->table_name }. $field_name", 'left');

        $this->relation[$field_name] = array($field_name , $related_table ,
$related_field_title);

        return true;
    }

    return false;
}

function set_relation_n_n_field($field_info)

```

```

{
    $this->relation_n_n[$field_info->field_name] = $field_info;
}

protected function _unique_join_name($field_name)
{
    return 'j'.substr(md5($field_name),0,8); //This j is because is better for a string to
begin with a letter and not with a number
}

protected function _unique_field_name($field_name)
{
    return 's'.substr(md5($field_name),0,8); //This s is because is better for a string to
begin with a letter and not with a number
}

function get_relation_array($field_name , $related_table , $related_field_title,
$where_clause, $order_by, $limit = null, $search_like = null)
{
    $relation_array = array();
    $field_name_hash = $this->_unique_field_name($field_name);

    $related_primary_key = $this->get_primary_key($related_table);

    $select = "$related_table.$related_primary_key, ";

    if(strstr($related_field_title,'{'))
    {
        $related_field_title = str_replace(" ", "&nbsp;", $related_field_title);
        $select .= "CONCAT('".str_replace(array('{','}'),array("'",''),COALESCE(", ",
"),"),str_replace('","',"\'",$related_field_title))."' as $field_name_hash";
    }
    else
    {
        $select .= "$related_table.$related_field_title as $field_name_hash";
    }

    $this->db->select($select,false);
    if($where_clause !== null)
        $this->db->where($where_clause);

    if($where_clause !== null)
        $this->db->where($where_clause);

    if($limit !== null)
        $this->db->limit($limit);

    if($search_like !== null)
        $this->db->having("$field_name_hash LIKE '%".$this->db-
>escape_like_str($search_like)."%");

    $order_by !== null
        ? $this->db->order_by($order_by)
        : $this->db->order_by($field_name_hash);

```

```

$results = $this->db->get($related_table)->result();

foreach($results as $row)
{
    $relation_array[$row->$related_primary_key] = $row->$field_name_hash;
}

return $relation_array;
}

function get_ajax_relation_array($search, $field_name , $related_table ,
$related_field_title, $where_clause, $order_by)
{
    return $this->get_relation_array($field_name , $related_table , $related_field_title,
$where_clause, $order_by, 10 , $search);
}

function get_relation_total_rows($field_name , $related_table , $related_field_title,
$where_clause)
{
    if($where_clause !== null)
        $this->db->where($where_clause);

    return $this->db->count_all_results($related_table);
}

function get_relation_n_n_selection_array($primary_key_value, $field_info)
{
    $select = "";
    $related_field_title = $field_info->title_field_selection_table;
    $use_template = strpos($related_field_title,'{') !== false;;
    $field_name_hash = $this->_unique_field_name($related_field_title);
    if($use_template)
    {
        $related_field_title = str_replace(" ", "&nbsp;", $related_field_title);
        $select .= "CONCAT('".str_replace(array('{','}'),array("'",'COALESCE("',",",')',str_replace('","',"\\"',$related_field_title))."') as $field_name_hash";
    }
    else
    {
        $select .= "$related_field_title as $field_name_hash";
    }
    $this->db->select('*', '$select,false);

    $selection_primary_key = $this->get_primary_key($field_info->selection_table);

    if(empty($field_info->priority_field_relation_table))
    {
        if(!$use_template){
            $this->db->order_by("{ $field_info->selection_table }.{ $field_info->title_field_selection_table}");
        }
    }
}

```

```

else
{
    $this->db->order_by("{ $field_info->relation_table }. { $field_info-
>priority_field_relation_table}");
}
    $this->db->where($field_info->primary_key_alias_to_this_table,
$primary_key_value);
    $this->db->join(
        $field_info->selection_table,
        "{ $field_info->relation_table }. { $field_info-
>primary_key_alias_to_selection_table } = { $field_info-
>selection_table }. { $selection_primary_key }"
    );
    $results = $this->db->get($field_info->relation_table)->result();

    $results_array = array();
    foreach($results as $row)
    {
        $results_array[$row->{ $field_info-
>primary_key_alias_to_selection_table }] = $row->{ $field_name_hash };
    }

    return $results_array;
}

function get_relation_n_n_unselected_array($field_info, $selected_values)
{
    $use_where_clause = !empty($field_info->where_clause);

    $select = "";
    $related_field_title = $field_info->title_field_selection_table;
    $use_template = strpos($related_field_title, '{') !== false;
    $field_name_hash = $this->_unique_field_name($related_field_title);

    if($use_template)
    {
        $related_field_title = str_replace(" ", "&nbsp;", $related_field_title);
        $select .= "CONCAT('".str_replace(array('{','}'),array("'",'COALESCE("',",",
        "'),str_replace('","\\\\"',$related_field_title))."') as $field_name_hash";
    }
    else
    {
        $select .= "$related_field_title as $field_name_hash";
    }
    $this->db->select('*', '$select,false);

    if($use_where_clause){
        $this->db->where($field_info->where_clause);
    }

    $selection_primary_key = $this->get_primary_key($field_info->selection_table);
    if(!$use_template)
        $this->db->order_by("{ $field_info->selection_table }. { $field_info-
>title_field_selection_table}");

```

```

$results = $this->db->get($field_info->selection_table)->result();

$results_array = array();
foreach($results as $row)
{
    if(!isset($selected_values[$row->$selection_primary_key]))
        $results_array[$row->$selection_primary_key] = $row->{$field_name_hash};
}

return $results_array;
}

function db_relation_n_n_update($field_info, $post_data, $main_primary_key)
{
    $this->db->where($field_info->primary_key_alias_to_this_table,
    $main_primary_key);
    if(!empty($post_data))
        $this->db->where_not_in($field_info-
    >primary_key_alias_to_selection_table, $post_data);
    $this->db->delete($field_info->relation_table);

    $counter = 0;
    if(!empty($post_data))
    {
        foreach($post_data as $primary_key_value)
        {
            $where_array = array(
                $field_info->primary_key_alias_to_this_table =>
    $main_primary_key,
                $field_info->primary_key_alias_to_selection_table =>
    $primary_key_value,
            );

            $this->db->where($where_array);
            $count = $this->db->from($field_info->relation_table)-
    >count_all_results();

            if($count == 0)
            {
                if(!empty($field_info->priority_field_relation_table))
                    $where_array[$field_info-
    >priority_field_relation_table] = $counter;

                $this->db->insert($field_info->relation_table,
    $where_array);

            }elseif($count >= 1 && !empty($field_info-
    >priority_field_relation_table))
            {
                $this->db->update($field_info->relation_table,
    array($field_info->priority_field_relation_table => $counter), $where_array);
            }

            $counter++;
        }
    }
}

```

```

    }
}

function db_relation_n_n_delete($field_info, $main_primary_key)
{
    $this->db->where($field_info->primary_key_alias_to_this_table,
$main_primary_key);
    $this->db->delete($field_info->relation_table);
}

function get_field_types_basic_table()
{
    $db_field_types = array();
    foreach($this->db->query("SHOW COLUMNS FROM `{ $this->table_name }`")-
>result() as $db_field_type)
    {
        $type = explode("(", $db_field_type->Type);
        $db_type = $type[0];

        if(isset($type[1]))
        {
            if(substr($type[1],-1) == ')')
            {
                $length = substr($type[1],0,-1);
            }
            else
            {
                list($length) = explode(" ", $type[1]);
                $length = substr($length,0,-1);
            }
        }
        else
        {
            $length = "";
        }
        $db_field_types[$db_field_type->Field]['db_max_length'] = $length;
        $db_field_types[$db_field_type->Field]['db_type'] = $db_type;
        $db_field_types[$db_field_type->Field]['db_null'] = $db_field_type->Null
== 'YES' ? true : false;
        $db_field_types[$db_field_type->Field]['db_extra'] = $db_field_type-
>Extra;
    }

    $results = $this->db->field_data($this->table_name);
    foreach($results as $num => $row)
    {
        $row = (array)$row;
        $results[$num] = (object)( array_merge($row,
$db_field_types[$row['name']] ) );
    }

    return $results;
}

```

```

function get_field_types($table_name)
{
    $results = $this->db->field_data($table_name);

    return $results;
}

function db_update($post_array, $primary_key_value)
{
    $primary_key_field = $this->get_primary_key();
    return $this->db->update($this->table_name,$post_array, array(
$primary_key_field => $primary_key_value));
}

function db_insert($post_array)
{
    $insert = $this->db->insert($this->table_name,$post_array);
    if($insert)
    {
        return $this->db->insert_id();
    }
    return false;
}

function db_delete($primary_key_value)
{
    $primary_key_field = $this->get_primary_key();

    if($primary_key_field === false)
        return false;

    $this->db->limit(1);
    $this->db->delete($this->table_name,array( $primary_key_field =>
$primary_key_value));
    if( $this->db->affected_rows() != 1)
        return false;
    else
        return true;
}

function db_file_delete($field_name, $filename)
{
    if( $this->db->update($this->table_name,array($field_name =>
"),array($field_name => $filename)) )
    {
        return true;
    }
    else
    {
        return false;
    }
}

```

```

function field_exists($field,$table_name = null)
{
    if(empty($table_name))
    {
        $table_name = $this->table_name;
    }
    return $this->db->field_exists($field,$table_name);
}

function get_primary_key($table_name = null)
{
    if($table_name == null)
    {
        if(isset($this->primary_keys[$this->table_name]))
        {
            return $this->primary_keys[$this->table_name];
        }

        if(empty($this->primary_key))
        {
            $fields = $this->get_field_types_basic_table();

            foreach($fields as $field)
            {
                if($field->primary_key == 1)
                {
                    return $field->name;
                }
            }

            return false;
        }
        else
        {
            return $this->primary_key;
        }
    }
    else
    {
        if(isset($this->primary_keys[$table_name]))
        {
            return $this->primary_keys[$table_name];
        }

        $fields = $this->get_field_types($table_name);

        foreach($fields as $field)
        {
            if($field->primary_key == 1)
            {
                return $field->name;
            }
        }
    }
}

```



```

        return false;
    }

}

function escape_str($value)
{
    return $this->db->escape_str($value);
}
}

```

Car_model

<?php

```

class Car_model extends CI_Model{
    public function __construct() {
        parent::__construct();
        $this->load->database();
    }
    public function pretraga()
    {

        $upit="SELECT * FROM ads c JOIN brands b ON c.id_brand=b.id_brand
JOIN fuels f ON c.id_fuel=f.id_fuel GROUP BY c.id_brand";
        $rez=$this->db->query($upit);
        return $rez->result();
    }
    public function models_from_brands($brand)
    {

        $upit="SELECT * FROM ads c JOIN brands b ON c.id_brand=b.id_brand
JOIN fuels f ON c.id_fuel=f.id_fuel WHERE b.brand='".$brand.'" GROUP BY c.model ";
        $rez=$this->db->query($upit);
        return $rez->result();
    }
    public function all_data($brand,$model)
    {

        $upit="SELECT * FROM ads c JOIN brands b ON c.id_brand=b.id_brand
JOIN fuels f ON c.id_fuel=f.id_fuel JOIN ads_users au on c.id_ad=au.id_ad JOIN users u
ON au.id_user=u.id_user"

        . " WHERE b.brand='".$brand.'" AND c.model='".$model . "'";
        $rez=$this->db->query($upit);
        return $rez->result();
    }
}

```

```
}
```

Views:

Slider:

```
<div class="slider">
  <!-- Slideshow -->
  <div class="callbacks_container">
    <ul class="rslides" id="slider">
      <li>
        
        <div class="caption">
          <h1>zBlueCar</h1>
          <span>Best used cars just for you</span>
        </div>
      </li>
      <li>
        
        <div class="caption">
          <h1>zBlueCar</h1>
          <span>Best used cars just for you</span>
        </div>
      </li>
      <li>
        
        <div class="caption">
          <h1>zBlueCar</h1>
          <span>Best used cars just for you</span>
        </div>
      </li>
    </ul>
  </div>
  <div class="clear"></div>
</div>
```

Sidebar

```

<div id="sidebar" class="col-1-3">

    <div class="wrap-col">
        <!-- Start Widget -->
        <div class="widget">
            <div class="wid-header">
                <h5><?php echo $polls[0]->text ;?></h5>
            </div>
            <div class="wid-content" id="for_votes">
                <?php echo form_open('polls',$form); ?>
                <table>

                    <tbody>
                        <?php $offset=$this->uri->segment(3,0)+1?>
                        <?php foreach ($polls as $v) :?>
                        <tr>
                            <td><?php echo $offset++ ?></td>
                            <td><?php echo form_label($v->text_a,'q1');?></td>
                            <td><?php echo form_radio(array('name'=>'pole','id'=> $v-
>id_question,'value'=> $v->id_answer,'class'=>'anketa'));?></td>

                        </tr>

                        <?php endforeach;?>
                        <tr><td><?php echo form_input($submit);?></td></tr>
                    </tbody>

                </table>

                <?php echo form_close(); ?>

                <div id="pageul"> <?php echo $page_links ;?></div>
            </div>
        </div>
        <!-- Start Widget -->
        <div class="widget wid-post">
            <div class="wid-header">
                <h5>Latest Posts</h5>
            </div>
            <div class="wid-content">
                <div class="post">
                    <a href="#"></a>

                    <div class="wrapper">
                        <h5><a href="#">Lorem ipsum dolor</a></h5>
                        <span>$25 - $26</span>
                    </div>
                </div>
                <div class="post">
                    <a href="#"></a>

                    <div class="wrapper">

```

[illegible]

Search

```
<div class="bg-theme">
  <div class="filter zerogrid">
    <h2 class="t-center">FIND CAR THAT YOU LOVE</h2>
    <div class="row">
      <?php echo form_open('search_ajax/ajax2',$form); ?>
      <div class="col-1-4">
        <div class="wrap-col">
          <?php echo form_label('Brand ','brand'); ?>
          <select id="brands" >
            <option value="0">Select brand</option>
            <?php
              foreach ($all_cars as $car) {
                echo "<option value='".$car->brand.">".$car-
>brand."</option>";
              }
            ?>
          </select>
        </div>
      </div>
      <div class="col-1-4">
        <div class="wrap-col" id="wrap-col1">
          <label>Modal</label>
          <select id="modals">
```

```

        <option value="null">Select model</option>
    </select>
    </div>
</div id="modalilo"></div>
</div>

<div class="col-1-4">
    <div class="wrap-col" id="por">
        <br>

        <input type="button" class="dugme" id="dugme"
value="SEARCH "/>

    </div>
</div>
<?php echo form_close(); ?>
</div>
</div>

```

Place

```

<div class="bg-theme">
    <?php if($this->session->flashdata('fail'))
    {
        echo $this->session->flashdata('fail')."Uploud failed";

    }
    if($this->session->flashdata('place'))
    {
        echo $this->session->flashdata('place');

    }

?>
    <div class="filter zerogrid">
        <h2 class="t-center">Place you ad</h2>
        <div class="row">
            <?php echo form_open_multipart('/place_ad',$form); ?>
            <div class="col-2-1">
                <?php echo validation_errors('<div></div>'); ?>
                <div class="wrap-col">
                    <?php echo form_label('Brand: ','brand'); ?>
                    <select id="brands" name="brands1">
                        <option value="0">Select brand</option>
                        <?php
                            foreach ($all_cars as $scar) {
                                echo "<option value='".$scar->brand.">".$scar-
>brand."</option>";

                            }

```

```
?>
</select>

        </div>
    </div>
    <div class="col-2-1">
<div class="wrap-col" id="wrap-col1">
    <label>Model:</label>
    <select id="modals" name="model1">
        <option value="null">Select model</option>
    </select>
    </div>
<div id="modalilo"></div>
    </div>
    <div class="col-2-1">

<div class="wrap-col" id="wrap-col1">
    <label>Price:</label>
    <?php echo form_input($price) ?>
    </div>

    </div>
<div class="col-2-1">
    <div class="wrap-col" id="wrap-col1">
        <label>Year:</label>
        <?php echo form_input($year);

        ?>
    </div>

    </div>
<div class="col-2-1">
    <div class="wrap-col" id="wrap-col1">
        <fieldset style="border: 5px solid #2d67cf">
            <legend> &nbsp;   Fuel: &nbsp;   &nbsp;  &nbsp;  &nbsp;  </legend>
            &nbsp;   &nbsp;   Petrol <?php echo form_input($fuel); ?>
            <br>
            &nbsp;   &nbsp;   Diesel <?php echo form_input($fuel1); ?>
        </fieldset>
    </div>

    </div>
<div class="col-1-4">
    <div class="wrap-col" id="wrap-col1">
        <label>Upload your car picture</label>
        <?php echo form_input($pic); ?>

    </div>
<div id="modalilo"></div>
    </div>
    <div class="col-1-4">
        <div class="wrap-col" id="por">
            <br>
            <?php echo form_input($submit1); ?>
```

```

        </div>
    </div>
    <?php echo form_close(); ?>
</div>
</div>
</div>

```

Meni

```

<body>
<div class="wrap-body">

<!--////////////////////////////////Header-->
<header class="bg-theme">
    <div class="wrap-header zerogrid">
        <div class="row">
            <div id="cssmenu">

                <ul>
                    <li class='active'><?php echo anchor($meni[0]->path,
$meni[0]->meni_name); ?></li>
                    <li><?php
if( $this->session->userdata('username')){
echo anchor($meni[1]->path, $meni[1]->meni_name);
}
?></li>
                    <li><?php
if(! $this->session->userdata('username')){
echo anchor($meni[2]->path, $meni[2]->meni_name); }?></li>
                    <li><?php if( $this->session->userdata('username')){
echo anchor($meni[3]->path, $meni[3]->meni_name); }?></li>
                    <li><?php echo anchor($meni[4]->path, $meni[4]->meni_name);
?></li>

                    <li><?php if( $this->session->userdata('username')== 'site_admin' ){
echo anchor($meni[5]->path, $meni[5]->meni_name); } ?> </li>

                </ul>
            </div>
            <div>
                <a href='index.html' class="logo"></a>
            </div>
        </div>
    </div>
</header>

```

Login

```
<div class="zerogrid">
  <?php if($this->session->flashdata('message'))
  {
    echo "<p> Wrong username or password!</p>";
  }?>
<div class="wrap-box">
  <div class="wrap-box t-center" style="background: #fff; box-shadow: 2px 2px 5px 0px
  rgba(0,0,0,0.3);" ><!--Start Box-->
    <div class="zerogrid">
      <div class="header">
        <h4>REGISTER</h4>
      </div>
      <strong></strong>
      <p><p>
    </div>
  </div>
  <div class="wrap-box t-center" style="background: #fff; box-shadow: 2px 2px 5px 0px
  rgba(0,0,0,0.3);"><!--Start Box-->
    <div class="zerogrid">
      <div class="header">
        <div id="contact_form">
          <?php echo validation_errors('<div></div>'); ?>
          <?php print form_open('/register/radi',$form); ?>
        <div class="t-left">
          <label class="row">
            <div class="row_selected">
              <div class="wrap-col">
                <?php echo form_label('Your username:') ?>
                <?php echo form_input($username) ?>
              </div>
            </div>
          </label>
          <label class="row">
            <div class="row_selected">
              <div class="wrap-col">
                <?php echo form_label('Your password:') ?>
                <?php echo form_password($password) ?>
              </div>
            </div>
          </label>
          <label class="row">
            <div class="row_selected">
              <div class="wrap-col">
                <?php echo form_label('Your email:') ?>
                <?php echo form_input($email) ?>
              </div>
            </div>
          </label>
          <label class="row">
            <div class="row_selected">
              <div class="wrap-col">
```



```

        <?php echo form_input($submit1) ?>
    </div>
</div>
</label>

</div>
    <?php echo form_close(); ?> </div>
</div>
<strong></strong>
<p><p>
</div>
</div>
<div class="wrap-box t-center" style="background: #fff; box-shadow: 2px 2px 5px 0px
rgba(0,0,0,0.3);" ><!--Start Box-->
    <div class="zerogrid">
        <div class="header">
            <h4>LOG IN</h4>
        </div>
        <strong></strong>
        <p><p>
    </div>
</div>
<div class="wrap-box t-center" style="background: #fff; box-shadow: 2px 2px 5px 0px
rgba(0,0,0,0.3);" ><!--Start Box-->
    <div class="zerogrid">
        <div class="header">
            <div id="contact_form">
                <?php echo validation_errors('<div></div>'); ?>
                <?php print form_open('/log_in',$form); ?>
                <div class="t-left">
                    <label class="row">
                        <div class="row_selected">
                            <div class="wrap-col">
                                <?php echo form_label('Your username:') ?>
                                <?php echo form_input($username1) ?>
                            </div>
                        </div>
                    </label>
                    <label class="row">
                        <div class="row_selected">
                            <div class="wrap-col">
                                <?php echo form_label('Your password:') ?>
                                <?php echo form_password($password1) ?>
                            </div>
                        </div>
                    </label>

                    <label class="row">
                        <div class="row_selected">
                            <div class="wrap-col">
                                <?php echo form_input($submit) ?>
                            </div>
                        </div>
                    </label>

```

```

        </div>
    </div>
</div>
<strong></strong>
<p><p>
</div>
</div>
</div>
</div>

```

Header

```

<!DOCTYPE html>
<!--[if lt IE 7 ]><html class="ie ie6" lang="en"> <![endif]-->
<!--[if IE 7 ]><html class="ie ie7" lang="en"> <![endif]-->
<!--[if IE 8 ]><html class="ie ie8" lang="en"> <![endif]-->
<!--[if (gte IE 9)|(IE)]><!--><html lang="en"> <!--<![endif]-->
<head>

    <!-- Basic Page Needs
    ===== -->
    <meta charset="utf-8">
    <title>zBlueCar</title>
    <meta name="description" content="Free Responsive Html5 Css3 Templates |
zerotheme.com">
    <meta name="author" content="www.zerotheme.com">

    <!-- Mobile Specific Metas
    ===== -->
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-
scale=1">

    <!-- CSS
    ===== -->
    <link rel="stylesheet" href="<?php echo base_url()?>css/zerogrid.css">
    <link rel="stylesheet" href="<?php echo base_url()?>css/style.css">
    <link rel="stylesheet" href="<?php echo base_url()?>css/responsiveslides.css">

    <script src="<?php echo base_url()?>js/jquery-latest.min.js"></script>
    <script src="<?php echo base_url()?>js/script.js"></script>
    <script src="<?php echo base_url()?>js/jquery183.min.js"></script>
    <script src="<?php echo base_url()?>js/responsiveslides.min.js"></script>
    <script>
        // You can also use "$(window).load(function() { "
        $(function () {
            // Slideshow
            $("#slider").responsiveSlides({
                auto: true,
                pager: false,

```

```

        nav: true,
        speed: 500,
        namespace: "callbacks",
        before: function () {
            $('#events').append("<li>before event fired.</li>");
        },
        after: function () {
            $('#events').append("<li>after event fired.</li>");
        }
    });
});
</script>
<script type="text/javascript">
    $(document).ready(
        function (){

            $("#item").hide();
            $("#item1").hide();
            $("#h2").hide();
            $("#modals").prop("disabled", true);
            $('#brands').change(function (){
                var brand= $( "#brands" ).val();

                $.ajax({
                    type:'post',
                    data:{brand:brand},
                    url:'<?php echo base_url('/search_ajax/ajaxx/') ?>',
                    success:function (result)
                    {
                        $('#modals option').remove();
                        $("#modals").prop("disabled", false);
                        $('#modals').append(result);
                    }

                });
            });

        }

    );
</script>
<script type="text/javascript">
    $(document).ready(function (){
        $('#dugme').click(function()
        {

            var brand= $( "#brands" ).val();
            var model= $( "#modals" ).val();
            var price= $( "#price" ).val();

            if(brand!=='0'){
                $.ajax({
                    type:'post',
                    data:{brand:brand,model:model,price:price},

```

```

url:'<?php echo base_url('/search_ajax/ajax2/') ?>',
success:function (result)
{
    var res=result.split(",");
        $("#item").show();
        $("#h2").show();
        $('#trip').empty();
        $('#trip').append("<div class='stickit .t-center'>"+result+"</div");

}

}); }

});
});
</script>
<script type="text/javascript">
    $(document).ready(function (){
        $('#vote').click(function()
        {

            var id_answer=$('#input[name=pole]:checked').val();

            if(typeof id_answer!==undefined && typeof id_answer !=='undefined'){

                $.ajax({
                    type:'post',
                    data:{id_answer:id_answer},
                    url:'<?php echo base_url("pole/ajax") ?>',
                    success:function (result)
                    {
                        $('#for_votes').empty();
                        $('#for_votes').append("Thanks for voting");

                    }

                }); }

            });});

</script>
<!-- <script type="text/javascript">
    $(document).ready(function (){
        $.ajax({
            type:'post',
            url:'<?php echo base_url('/pole/ajax2') ?>',
            success:function (result)
            {

                $('#for_votes').append(result);

```

```

        //$('#for_links').prepend(offset);
    }

    });});
</script>-->
<!--    <script>
        $(document).ready(function (){
            $('#mica a').click(function(){
                var theUrl=$(this).attr('href') ;
                alert(theUrl);
                var rb=theUrl.split("/");
                var broj=rb[6];
                $.ajax({
                    type:'post',
                    url:'<?#php echo base_url('/pole/ajax2') ?>',
                    success:function (result)
                    {

                        $('#for_votes').append(result);
                        //$('#for_links').prepend(offset);
                    }
                });

            });

        });

    </script>
    -->
    <!--[if lt IE 8]>
    <div style=' clear: both; text-align:center; position: relative;'>
        <a href="http://windows.microsoft.com/en-US/internet-
explorer/products/ie/home?ocid=ie6_countdown_bannercode">
            
            </a>
        </div>
    <![endif]-->
    <!--[if lt IE 9]>
        <script src="js/html5.js"></script>
        <script src="js/css3-mediaqueries.js"></script>
    <![endif]-->

</head>

```

Footer

```

<!--////////////////////////////////////Footer-->
<footer>
    <div class="zerogrid">
        <div class="wrap-footer">
            <div class="row">

```

```

        <h3>Contact</h3>
        <span>Phone / +80 999 99 9999 </span></br>
        <span>Email / info@domain.com </span></br>
        <span>Studio / Moonshine St. 14/05 Light City

</span></br>

        <span><strong>Copyright 20xx - <a
href="http://www.zeroheme.com" rel="nofollow" target="_blank">Html5 Templates</a>
Designed by <a href="http://www.zeroheme.com" rel="nofollow"
target="_blank">ZEROTHEME</a></strong></span>

</div>
</div>
</div>
</footer>

</div>
</body></html>

```

Example

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<?php
foreach($css_files as $file): ?>
    <link type="text/css" rel="stylesheet" href="<?php echo $file; ?>" />
<?php endforeach; ?>
<?php foreach($js_files as $file): ?>
    <script src="<?php echo $file; ?>"></script>
<?php endforeach; ?>
<style type='text/css'>
body
{
    font-family: Arial;
    font-size: 14px;
}
a {
    color: blue;
    text-decoration: none;
    font-size: 14px;
}
a:hover
{
    text-decoration: underline;
}
</style>
</head>
<body>
    <div>

```

```

Meni</a> |
    <a href='<?php echo site_url('adminPanel/modifyMeni')?>'>Modify
users</a> |
    <a href='<?php echo site_url('adminPanel/modifyUsers')?>'>Modify
brands</a> |
    <a href='<?php echo site_url('adminPanel/modifyAds')?>'>Modify ads</a> |
    <a href='<?php echo site_url('adminPanel/modifyBrands')?>'>Modify
fuels</a> |
    <a href='<?php echo site_url('adminPanel/modifyFuels')?>'>Modify
polls</a> |
    <a href='<?php echo site_url('adminPanel/modifyFuels')?>'>Modify
questions</a> |
    <a href='<?php echo site_url('adminPanel/modifyFuels')?>'>Modify answers</a>
|

</div>
<div style='height:20px;'></div>
<div>
    <?php echo $output; ?>
</div>
</body>
</html>

```

Content

```

<!--////////////////////////////////////Container-->
<section id="container">
<div class="wrap-container clearfix">
    <div id="main-content">
        <div class="wrap-box"><!--Start Box-->
            <div class="zerogrid">
                <div class="header">
                    <h2 id="h2">FEATURED CARS</h2>
                </div>
                <div class="row">
<div class="col-1-3">
                    <div class="wrap-col">
                        <div class="item t-center" >

                            <div class="item-caption-inner1" >
                                <div id="trip"></div>

                            </div>
                        </div>
                    <div class="item t-center" id="item1">

```

```

<a href="single.html">
  <div class="item-caption-inner1">
    <span id="span3"> </span>
    <div id="forPhoto2"> </div>

  </a>
  <a href="single.html"><h3 id="h32"></h3></a>
  <p id="p_for_details2"></p>

</div>
</div>
</div>
</div>
<div class="wrap-box t-center" style="background: #fff; box-shadow: 2px 2px 5px 0px
rgba(0,0,0,0.3);"><!--Start Box-->
  <div class="zerogrid">
    <div class="header">
      <h2>WELCOME TO CAR DEALER WEBSITE</h2>
    </div>
    <strong>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod
tempor incididunt ut labore et dolore magna aliqua.</strong>
    <p>Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut
aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit
esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident,
sunt in culpa qui officia deserunt mollit anim id est laborum. Sed ut perspiciatis unde omnis
iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam,
eaque ipsa quae ab illo</p>
  </div>
</div>
<div class="wrap-box" ><!--Start Box-->
<div class="zerogrid">
  <div class="header">
    <h2>LATEST CARS</h2>
  </div>
  <div class="row">
    <div class="col-2-3">
      <div class="wrap-col">
        <div class="row">
          <div class="item">
            <div class="col-1-3">
              <div class="item-container">
                <a href="single.html">
                  <div class="item-caption">
                    <div class="item-caption-inner">
                      <div class="item-caption-inner1">
                        <span>2006 / 32,000 km / 250 HP / petrol / automatic / Sports
car/Coupe / Beige</span>
                      </div>
                    </div>
                  </div>
                
                </a>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>

```



```

</div>
<div class="col-2-3">
  <div class="wrap-col">
    <div class="item-info">
      <a href="single.html"><h3>LAMBORGHINI GALLARDO</h3></a>
      <p>32,000 km €78,400</p>
      <p>ABS, Leather seats, Power Assisted Steering, Electric heated seats,
New HU and AU, Xenon headlights</p>
    </div>
  </div>
</div>
<div class="clear"></div>
</div>
</div>
<div class="row">
  <div class="item">
    <div class="col-1-3">
      <div class="item-container">
        <a href="single.html">
          <div class="item-caption">
            <div class="item-caption-inner">
              <div class="item-caption-inner1">
                <span>2006 / 32,000 km / 250 HP /
petrol / automatic / Sports car/Coupe / Beige</span>
              </div>
            </div>
          </div>
          
        </a>
      </div>
    </div>
    <div class="col-2-3">
      <div class="wrap-col">
        <div class="item-info">
          <a href="single.html"><h3>LAMBORGHINI
GALLARDO</h3></a>
          <p>32,000 km €78,400</p>
          <p>ABS, Leather seats, Power Assisted Steering,
Electric heated seats, New HU and AU, Xenon headlights</p>
        </div>
      </div>
    </div>
    <div class="clear"></div>
  </div>
</div>
<div class="row">
  <div class="item">
    <div class="col-1-3">
      <div class="item-container">
        <a href="single.html">
          <div class="item-caption">
            <div class="item-caption-inner">
              <div class="item-caption-inner1">

```

```

                <span>2006 / 32,000 km / 250 HP /
petrol / automatic / Sports car/Coupe / Beige</span>
            </div>
        </div>
    </div>
    <div class="col-2-3">
        <div class="wrap-col">
            <div class="item-info">
                <a href="single.html"><h3>LAMBORGHINI
GALLARDO</h3></a>
                <p>32,000 km €78,400</p>
                <p>ABS, Leather seats, Power Assisted Steering,
Electric heated seats, New HU and AU, Xenon headlights</p>
            </div>
        </div>
    </div>
    <div class="clear"></div>
</div>
<div class="row">
    <div class="item">
        <div class="col-1-3">
            <div class="item-container">
                <a href="single.html">
                    <div class="item-caption">
                        <div class="item-caption-inner">
                            <div class="item-caption-inner1">
                                <span>2006 / 32,000 km / 250 HP /
petrol / automatic / Sports car/Coupe / Beige</span>
                            </div>
                        </div>
                    </div>
                </div>
                
            </a>
        </div>
    </div>
    <div class="col-2-3">
        <div class="wrap-col">
            <div class="item-info">
                <a href="single.html"><h3>LAMBORGHINI
GALLARDO</h3></a>
                <p>32,000 km €78,400</p>
                <p>ABS, Leather seats, Power Assisted Steering,
Electric heated seats, New HU and AU, Xenon headlights</p>
            </div>
        </div>
    </div>
    <div class="clear"></div>
</div>

```

```

</div>
<div class="row">
  <div class="item">
    <div class="col-1-3">
      <div class="item-container">
        <a href="single.html">
          <div class="item-caption">
            <div class="item-caption-inner">
              <div class="item-caption-inner1">
                <span>2006 / 32,000 km / 250 HP /
petrol / automatic / Sports car/Coupe / Beige</span>
              </div>
            </div>
          </div>
        
        </a>
      </div>
    </div>
    <div class="col-2-3">
      <div class="wrap-col">
        <div class="item-info">
          <a href="single.html"><h3>LAMBORGHINI
GALLARDO</h3></a>
          <p>32,000 km €78,400</p>
          <p>ABS, Leather seats, Power Assisted Steering,
Electric heated seats, New HU and AU, Xenon headlights</p>
        </div>
      </div>
    </div>
    <div class="clear"></div>
  </div>
</div>
</div>

```

Author

```

<div class="wrap-box t-center" style="background: #fff; box-shadow: 2px 2px 5px 0px
rgba(0,0,0,0.3);margin-top: 50px;"><!--Start Box-->
  <div class="zerogrid">
    <?php if($this->session->flashdata('message'))
    {
      $or="";
      $arr=$this->session->flashdata('message');
      foreach ($arr as $v) {
        echo $v->id_user;
      }
    }?>
    <div class="item">

```

```

<div class="col-1-3">

</div>
<div class="col-2-3">
    <div class="wrap-col">
        <div class="item-info">
            <a href="single.html"><h3>Velibor Bogdanovic</h3></a>
            <p>Moje ime je Velibor Bogdanovi rodjen sam 17 novembra 1994
godine u Beogradu.Završio sam srednju elektrotehni ku školu "Nikola Tesla",smer
elektrotehni ar multimedija.
                Student sam završne godine Visoke ICT škole i jako sam zadovoljan
predmetima i organizacijom nastave. </p></p>
        </div>
    </div>
</div>
<div class="clear"></div>
</div>
</div>s

```

Script .js

```

(function($) {

$.fn.menumaker = function(options) {

var cssmenu = $(this), settings = $.extend({
    title: "Menu",
    format: "dropdown",
    sticky: false
}, options);

return this.each(function() {
    cssmenu.prepend('<div id="menu-button">' + settings.title + '</div>');
    $(this).find("#menu-button").on('click', function(){
        $(this).toggleClass('menu-opened');
        var mainmenu = $(this).next('ul');
        if (mainmenu.hasClass('open')) {
            mainmenu.hide().removeClass('open');
        }
        else {
            mainmenu.show().addClass('open');
            if (settings.format === "dropdown") {
                mainmenu.find('ul').show();
            }
        }
    });
});

```

```

cssmenu.find('li ul').parent().addClass('has-sub');

multiTg = function() {
  cssmenu.find(".has-sub").prepend('<span class="submenu-button"></span>');
  cssmenu.find('.submenu-button').on('click', function() {
    $(this).toggleClass('submenu-opened');
    if ($(this).siblings('ul').hasClass('open')) {
      $(this).siblings('ul').removeClass('open').hide();
    }
    else {
      $(this).siblings('ul').addClass('open').show();
    }
  });
};

if (settings.format === 'multitoggle') multiTg();
else cssmenu.addClass('dropdown');

if (settings.sticky === true) cssmenu.css('position', 'fixed');

resizeFix = function() {
  if ($( window ).width() > 768) {
    cssmenu.find('ul').show();
  }

  if ($(window).width() <= 768) {
    cssmenu.find('ul').hide().removeClass('open');
  }
};
resizeFix();
return $(window).on('resize', resizeFix);

});
});
})(jQuery);

(function($){
$(document).ready(function(){

$("#cssmenu").menumaker({
  title: "Menu",
  format: "multitoggle"
});

});
})(jQuery);

```

ResponsiveSlides.js

```

/*! http://responsiveslides.com v1.54 by @viljamis */
(function(c,I,B){c.fn.responsiveSlides=function(l){var
a=c.extend({auto:!0,speed:500,timeout:4E3,pager:!1,nav:!1,random:!1,pause:!1,pauseCont

```

```

rol:!0,prevText:"Previous",nextText:"Next",maxwidth:"",navContainer:"",manualControls
: "",namespace:"rslides",before:c.noop,after:c.noop},l);return this.each(function(){B++;var
f=c(this),s,r,t,m,p,q,n=0,e=f.children(),C=e.size(),h=parseFloat(a.speed),D=parseFloat(a.ti
meout),u=parseFloat(a.maxwidth),g=a.namespace,d=g+B,E=g+"_nav
"+d+"_nav",v=g+"_here",j=d+"_on",
w=d+"_s",k=c("<ul class='"+g+"_tabs '+d+'_tabs'
/>"),x={ "float": "left",position:"relative",opacity:1,zIndex:2},y={ "float": "none",position:"a
bsolute",opacity:0,zIndex:1},F=function(){ var
b=(document.body||document.documentElement).style,a="transition";if("string"===typeof
b[a])return!0;s=["Moz","Webkit","Khtml","O","ms"];var
a=a.charAt(0).toUpperCase()+a.substr(1),c;for(c=0;c<s.length;c++)if("string"===typeof
b[s[c]+a])return!0;return!1}(),z=function(b){a.before(b);F?(e.removeClass(j).css(y).eq(b).a
ddClass(j).css(x),
n=b,setTimeout(function(){a.after(b)},h)):e.stop().fadeOut(h,function(){c(this).removeClas
s(j).css(y).css("opacity",1)).eq(b).fadeIn(h,function(){c(this).addClass(j).css(x);a.after(b);
n=b})});a.random&&(e.sort(function(){return Math.round(Math.random())-
0.5}),f.empty().append(e));e.each(function(a){this.id=w+a});f.addClass(g+"
"+d);l&&l.maxwidth&&f.css("max-
width",u);e.hide().css(y).eq(0).addClass(j).css(x).show();F&&e.show().css({ "-webkit-
transition": "opacity "+h+"ms ease-in-out", "-moz-transition": "opacity "+
h+"ms ease-in-out", "-o-transition": "opacity "+h+"ms ease-in-out", transition: "opacity
"+h+"ms ease-in-
out"});if(1<e.size()){if(D<h+100)return;if(a.pager&&!a.manualControls){ var
A=[];e.each(function(a){a+=1;A+= "<li><a href='#"
class='"+w+a+"'>"+a+"</a></li>"});k.append(A);l.navContainer?c(a.navContainer).appen
d(k):f.after(k)}a.manualControls&&(k=c(a.manualControls),k.addClass(g+"_tabs
"+d+"_tabs"));a.pager||a.manualControls&&k.find("li").each(function(a){c(this).addClass
(w+(a+1))});if(a.pager||a.manualControls)q=
k.find("a"),r=function(a){q.closest("li").removeClass(v).eq(a).addClass(v)};a.auto&&(t=fu
nction(){p=setInterval(function(){e.stop(!0,!0);var
b=n+1<C?n+1:0;(a.pager||a.manualControls)&&r(b);z(b)},D)},t());m=function(){a.auto&
&(clearInterval(p),t());a.pause&&f.hover(function(){clearInterval(p)},function(){m()});if(
a.pager||a.manualControls)q.bind("click",function(b){b.preventDefault();a.pauseControls||
m();b=q.index(this);n===b||c("." +j).queue("fx").length||(r(b),z(b))).eq(0).closest("li").add
Class(v),
a.pauseControls&&q.hover(function(){clearInterval(p)},function(){m()});if(a.nav){g="<a
href='#' class='"+E+" prev">"+a.prevText+"</a><a href='#' class='"+E+"
next">"+a.nextText+"</a>";l.navContainer?c(a.navContainer).append(g):f.after(g);var
d=c("." +d+"_nav"),G=d.filter(".prev");d.bind("click",function(b){b.preventDefault();b=c("."
+j);if(!b.queue("fx").length){var d=e.index(b);b=d-
1;d=d+1<C?n+1:0;z(c(this)[0]===G[0]?b:d);if(a.pager||a.manualControls)r(c(this)[0]===G
[0]?b:d);a.pauseControls||m()}});
a.pauseControls&&d.hover(function(){clearInterval(p)},function(){m()}})}if("undefined"
===typeof document.body.style.maxWidth&&l.maxwidth){ var
H=function(){f.css("width","100%");f.width()>u&&f.css("width",u)};H();c(I).bind("resize
",function(){H()}})})(jQuery,this,0);

```