



Problems (/problems) / basics (/problems/basics) / Character Patterns (Act 2)

My status (/status/CPTTRN2,npetrovic/) Status (/status/CPTTRN2/) Ranking (/ranks/CPTTRN2/)



CPTTRN2 - Character Patterns (Act 2)

#basics (/problems/tag/basics)

Using two characters: . (dot) and * (asterisk) print a frame-like pattern.

Input

You are given *t* - the number of test cases and for each of the test cases two positive integers: *I* - the number of lines and *c* - the number of columns of a frame.

Output

For each of the test cases output the requested pattern (please have a look at the example). Use one line break in between successive patterns.

Example

```
Input:
3
3 1
4 4
2 5

Output:
*
****

****


****

*****

*****
```

✓ Submit solution! (/submit/CPTTRN2/)

hide comments



..

..

exactly same as expected and also i added loop for '\n' in c what is mistake now?



ravikumargrk (/users/ravikumargrk): 2015-10-24 19:29:59



Last edit: 2015-10-24 19:38:51



kuszi (/users/kuszi): 2015-10-17 22:38:21

@akay97, @This is correct, you get the "wrong answer" is for the hidden test case (sorry for the font colors not appropriate for the default colors of the new SPOJ design).



akay97 (/users/akay97): 2015-10-17 20:15:34 my problem is same as gurkang... please resolve it asap thanku



akay97 (/users/akay97): 2015-10-17 20:13:24

- *
- *
- *
- ****
- "···
- ×..×
- ****
- ****

is this output correct??



gurkang (/users/gurkang): 2015-10-15 21:08:41 This is kind of stupid.

My output:

- *
- *
- *

- *..*
- *..*
- ****

expected output:

- *
- *

*

..

..

..

I have one less line break in between "4 4" and "2 5" than the expected output. I also have one extra line break after the lest "2 5" output. This hasn't been an issue on previous character pattern problems.



gupta833 (/users/gupta833): 2015-10-06 19:21:21

Every time the compiler is saying "Wrong Answer".

http://www.spoj.com/error/15305105

Please help me, where is my answer wrong..?



prasad pawar (/users/pwr_prsd): 2015-09-10 10:00:08

@kosi_mazaki : 2 line breaks between "4 4" & "2 5" frame doesn't give any error.

Please check your solution for second test case.

Leave a Comment

Publish

Notes:

- 1. Don't post any source code here.
- 2. Please be careful, leave short comments only. Don't spam here.
- 3. For more discussion (hints, ideas, solutions) please visit our forum (/forum).
- 4. Authors of the problems are allowed to delete the post and use html code here (e.g. to provide some useful links).

✓ Submit solution! (/submit/CPTTRN2/)

Added by: kuszi (/users/kuszi)

Date: 2012-09-03 Time limit: 0.469s Source limit: 50000B Memory limit: 1536MB

Cluster: Cube (Intel Pentium G860

3GHz) (/clusters/)

Languages: All

Engineering Consultants

ifp-beisch.com

Development of hardware a. software for military and industrial

Question And Answers

Vote requirements



(i)

- **x** user for 1 from 5 needed days
- **≭** solved 2 from 15 needed problems
- **≭** solve this problem



Own tags	
No tags	
Tag name	Add

About (/info) | Tutorial (/tutorials) | Tools (/tools) | Clusters (/clusters) | Credits (/credits) | Jobs (/jobs) | API (/sphereengine)

N RSS (/rss/)

© Spoj.com. All Rights Reserved. Spoj uses Sphere Engine (http://sphere-engine.com? utm_campaign=permanent&utm_medium=footer&utm_source=spoj)™ © by Sphere Research Labs (http://sphere-research.com?utm_campaign=permanent&utm_medium=footer&utm_source=spoj).