

Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Beograd

GM:S

Laravel projekat

Veljko Vulović

Smer: Internet tehnologije

Predmet: Web programiranje PHP 2

Sadržaj

1. Uvod	4
1.1. Korišćene tehnologije	4
1.3 Opis funkcionalnosti.....	4
1.3 Template	5
2. Organizacija.....	5
2.1 Baza podataka.....	5
2.2 Slike i opisi stranica	5
Home.....	5
Products	8
Product.....	10
Contact.....	11
Register	13
Login.....	14
Admin	15
3. Kodovi	17
3.1 Controllers.....	17
3.1.1 Home controller	17
3.1.2 Product controller	17
3.1.3 Auth controller.....	18
3.1.4 Admin controller	20
3.1.5 Contact controller	22
3.2 Models	22
3.2.1 User.....	22
3.2.2 Role	23
3.2.3 Product.....	23
3.2.4 Genre	24
3.2.5 Publisher	24
3.2.6 Category	24
3.3 Middlewares	25
3.3.1 IsGuest	25
3.3.2 IsLoggedIn	25
3.3.3 IsAdmin	26

3.4 Views	27
3.4.1 footer.blade.php	27
3.4.1 head.blade.php	28
3.4.3 header.blade.php	28
3.4.4 scripts.blade.php	29
3.4.5 layout.blade.php	30
3.4.6 about.blade.php	31
3.4.7 admin.blade.php	31
3.4.7 contact.blade.php	40
3.4.8 index.blade.php	44
3.4.9 login.blade.php	45
3.4.10 products.blade.php	47
3.4.11 register.blade.php	49
3.4.12 show.blade.php	51
3.4.13 product.blade.php	52
3.5 Routes	52
3.5.1 web.php	52
3.7 JavaScript	53
3.7.1 custom.js	53
3.7.2 main.js	57

1. Uvod

1.1. Korišćene tehnologije

- HTML5
- CSS3
- JavaScript
- jQuery
- PHP
- Laravel
- MySQL

1.3 Opis funkcionalnosti


GM:S sajt je web aplikacija namenjena za pregled i poručivanje video igara. Da bi se pristupilo sajtu potrebno je registrovati se, odnosno posedovati nalog. Kada se korisnik registruje, dobija status autorizovanog korisnika i dobija mogućnost pristupa svim pregledu sadržaja i poručivanju igara. Na home stranici se prikazuju osnovne informacije o firmi kao i prikaz najnovijih igara. Na stranici products sa desne strane se prikazuje stranica sa prvih 6 igara. Sa leve strane je forma za filtriranje, sortiranje i pretragu igara po različitim kriterijumima. U podnožju su dugmići za promenu strane. Na stranici contact korisnicima je forma kojom je moguće kontaktirati firmu sa bilo kojim pitanjem. Stranica admin je stranica kojoj pristup imaju isključivo korisnici sa administratorskim privilegijama. Na ovoj stranici moguće je pregledati najbitnije stavke iz baze podataka, kao i listu sa najnovijim proizvodima. Ispod se nalaze forme za upis, izmenu i brisanje proizvoda.

1.3 Template

Korišćen je gotov CSS template preuzet sa <https://templatemo.com/>.
Template je modifikovan za potrebe sajta.

2. Organizacija


2.1 Baza podataka



2.2 Slike i opisi stranica

Home

Na home stranici postoji meni sa linkovima, ispod se nalazi interaktivan baner sa tri slike. Ispod se nalazi lista od 6 najnovijih proizvoda. Klikom na proizvod otvara se nova stranica gde se prikazuju detalji izabranog proizvoda.



Latest Products

[VIEW ALL PRODUCTS](#)



Dying Light 2 Stay Human
7499 RSD

Release date: 2022-02-04

[Details](#)



Football Manager 2021
3999 RSD

Release date: 2021-11-24

[Details](#)



Battlefield 2042
7499 RSD

Release date: 2021-11-19

[Details](#)



FIFA 22
7499 RSD

Release date: 2021-10-01

[Details](#)



MotoGP 21
3999 RSD

Release date: 2021-04-22

[Details](#)



Hitman 3
3999 RSD

Release date: 2021-01-20

[Details](#)

About GM:S

Looking for the best products?

We are young perspective shop, leaded by team of enthusiasts which main goal is to provide access to games for more people.

Best prices
Fast delivery
Good deals
Return policy
Happy shopping!

[View Products](#)



Products

Na product stranici postoji lista od 6 proizvoda koji se prikazuju. Omogućena je promena stranice pritiskom na dugmiće u podnožju. Sa leve strane postoji forma kojom se omogućava filtriranje, sortiranje i pretraga proizvoda po imenu. Klikom na neki proizvod otvara se nova stranica sa detaljima izabranog proizvoda.

BRAND NEW GAMES

OUR PRODUCTS

Sort by

Default

Genres

- ☐ Action
☐ FPS
☐ Racing
☐ Sport

Genres

- ☐ 2K
☐ Activision
☐ Deep Silver
☐ EA
☐ Microsoft

Price from

0

Price to

10000

Search

Search

[Submit](#)

[Battlefield 2042](#)
7499 RSD

Release date: 2021-11-19

[Details](#)

[FIFA 22](#)
7499 RSD

Release date: 2021-10-01

[Details](#)

[Dying Light 2 Stay Human](#)
7499 RSD

Release date: 2022-02-04

[Details](#)

[Moto GP 21](#)
3999 RSD

Release date: 2021-04-22

[Details](#)

[Hitman 3](#)
3999 RSD

Release date: 2021-01-20

[Details](#)

[Tennis World Tour 2](#)
3999 RSD


Release date: 2020-09-14

[Details](#)

Showing 1 to 6 of 11 results

Product

Ispod se nalazi primer stranice pojedinačnog proizvoda sa detaljima.



Battlefield 2042


Publisher: EA
Genre: FPS
Price: 7499 RSD
Category: PC
Release date: 2021-11-19

Description:


Battlefield 2042 is a multiplayer first-person shooter developed by EA DICE. It is another release of one of the most popular shooter game franchises in the whole industry, that gathers millions of players from all over the world, battling each other on virtual battlefields.

Contact

Na ovoj stranici korisnik može kontaktirati firmu sa bilo kojim pitanjem.



Our Location on Maps



About our office

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed voluptate nihil eumester consectetur similique consectetur.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Et, consequuntur, modi mollitia corporis ipsa voluptate corrupti.



Send us a Message

Accordion Title One

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed voluptate nihil eumester consectetur similique consectetur.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Et, consequuntur, modi mollitia corporis ipsa voluptate corrupti elite.

Second Title Here

Accordion Title Three

Fourth Accordion Title

Our Happy Customers



Register

Na register stranici moguće je napraviti nalog kojim se može pristupati sajtu.

GM:S

[Home](#)

[Our Products](#)

[Contact Us](#)

[Register](#)

[Login](#)



First name

Last name

Email address

Password

☒ Remember me

Register

OR

Login

COPYRIGHT © 2022 VELJKO VULOVIĆ - DESIGN: [TEMPLATEMO](#)

[DOCUMENTATION](#)

[ABOUT AUTHOR](#)


[SITEMAP](#)

Login

Login stranica omogućava autentifikaciju korisnika. Nakon uspešnog logovanja korisnik će biti preusmeren na početnu stranicu.

GM:S

[Home](#)[Our Products](#)[Contact Us](#)[Register](#)[Login](#)



Email address

Password

☒ Remember me

Sign in

OR

Register

COPYRIGHT © 2022 VELJKO VULOVIC – DESIGN: [TEMPLATEMO](#)

[DOCUMENTATION](#)

[ABOUT AUTHOR](#)

[SITEMAP](#)

Admin

Ova stranica je namenjena korisnicima sa administratorskim privilegijama. Na njoj je moguće pregledati najbitnije podatke u bazi podataka kao i listu najnovijih proizvoda. Ispod postoje 3 forme, za upis, za izmenu, i za brisanje podataka.

Admin panel



Menu ▾

Veljko Vulovic
admin@gmail.com

Dashboard



Average price
5044 RSD



Nº of genres
4



Nº of publishers
5



Nº of products
11

Recent products

Number	Name	Price	Genre	Publisher	Category	Action
1	Dying Light 2 Stay Human	7499	FPS	Deep Silver	PC	Detail
2	PCG Football Manager 2021	3999	Sport	Activision	PC	Detail
3	Battlefield 2042	7499	FPS	EA	PC	Detail
4	FIFA 22	7499	Sport	EA	PC	Detail
5	Moto GP 21	3999	Racing	Deep Silver	PC	Detail



Add product

Product name

Price

Genre

Select genre ▾

Genre

Select publisher ▾

Genre

Select category ▾

Description

Image link

Release date

dd . mm . yyyy .

Add product

Update product

Select product to update ▾

Product name

Price

Genre

Select genre ▾

Genre

Select publisher ▾

Genre

Select category ▾

Description

Image link

Release date

dd . mm . yyyy .

Update product

Delete product

Select product to delete ▾

Delete product

3. Kodovi

3.1 Controllers

3.1.1 Home controller

```
1. <?php

namespace App\Http\Controllers;

use App\Models\Category;
use App\Models\Genre;
use App\Models\Product;
use App\Models\User;
use Illuminate\Database\Eloquent\Prunable;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\DB;

class HomeController extends Controller
{
    public $data;
    public function index() {
        $products=Product::take(6)->orderBy('release_date','desc')->get();
        $this->data["products"]=$products;
        return view('pages.index',$this->data);
    }
    public function about() {
        return view('pages.about');
    }
}
```

3.1.2 Product controller

```
<?php

namespace App\Http\Controllers;

use App\Models\Genre;
use App\Models\Product;
use App\Models\Publisher;
use Illuminate\Http\Request;

class ProductController extends Controller
{
    public $data;
    public function index(Request $request){
        $products=Product::with('genre')->with('publisher');
        $genres=Genre::all();
        $publishers=Publisher::all();
    }
}
```

```

        if($request->search){
            $products=$products->where('name','like','%'.$request->search.'%');
        }
        if($request->genres){
            $products = $products->whereHas('genre', function($query) use ($request){
                return $query->whereIn('genre_id', $request->genres);
            });
        }
        if($request->publishers){
            $products = $products->whereHas('publisher', function($query) use ($request){
                return $query->whereIn('publisher_id', $request->publishers);
            });
        }

        if($request->priceFrom){
            $products=$products->where('price','>=',$request->priceFrom);
        }
        if($request->priceTo){
            $products=$products->where('price','<=',$request->priceTo);
        }
        switch ($request->sort){
            case('priceAsc'):$products = $products->orderBy('price', 'asc');
            case('priceDesc'):$products = $products->orderBy('price', 'desc');
            case('nameAsc'):$products = $products->orderBy('name', 'asc');
            case('nameDesc'):$products = $products->orderBy('name', 'desc');
        }

        $this->data["products"] = $products->paginate(6);
        $this->data["genres"]=$genres;
        $this->data["publishers"]=$publishers;
        return view('pages.products',$this->data);
    }

    public function show(Product $product){
        $this->data["product"]=$product;
        return view('pages.show', $this->data);
    }
}

```

3.1.3 Auth controller

```

<?php

namespace App\Http\Controllers;

```

```

use App\Models\User;
use Exception;
use Illuminate\Http\Request;

class AuthController extends Controller
{
    public function register(){
        return view('pages.register');
    }

    public function doRegister(Request $request){
        try {
            $user = new User();

            $user->first_name = $request->firstname;
            $user->last_name = $request->lastname;
            $user->email = $request->email;
            $user->password = md5($request->password);
            $user->role_id = 1;

            $user->save();
            if($user->role->name=='user'){
                session()->put('user', $user);
                return redirect()->route('index');
            }
            else if($user->role->name=='admin'){
                session()->put('admin', $user);
                return redirect()->route('index');
            }
        }
        catch(Exception $ex) {
            return redirect()->route('register')->with('error', 'Error:
' . $ex->getMessage() . ', try again');
        }
    }

    public function login(){
        return view('pages.login');
    }

    public function doLogin(Request $request){
        $user = User::where('email', $request->email)->where('password',
md5($request->password))->first();

        if(!$user){
            return redirect()->route('login')->with('error', 'Invalid email
or password');
        }
        if($user->role->name=='user'){
            session()->put('user', $user);
            return redirect()->route('index');
        }
        else if($user->role->name=='admin'){
            session()->put('admin', $user);

```

```

        return redirect()->route('index');
    }
    return redirect()->route('login')->with('error', 'Something went
wrong, try again');
}

public function logout(){
    session()->forget(['user','admin']);
    return redirect()->route('login');
}
}

```

3.1.4 Admin controller

```

<?php

namespace App\Http\Controllers;

use App\Http\Requests\ProductStoreRequest;
use App\Http\Requests\ProductUpdateRequest;
use App\Models\Category;
use App\Models\Genre;
use App\Models\Product;
use App\Models\Publisher;
use App\Models\User;
use Exception;
use Illuminate\Http\Request;
use Illuminate\Http\Response;
use Psy\Util\Json;

class AdminController extends Controller
{
    public $data;

    public function index(){
        $products=Product::all();
        $genre=Genre::all();
        $publishers=Publisher::all();
        $categories=Category::all();

        $this->data["products"]=$products;
        $this->data["genres"]=$genre;
        $this->data["publishers"]=$publishers;
        $this->data["categories"]=$categories;

        $this->
>data["latestProducts"]=Product::orderBy('release_date','desc')->take(5)-
>get();
        $this->data["publisherNumber"]=$publishers->count();
        $this->data["productNumber"]=$products->count();
        $this->data["genreNumber"]=$genre->count();
        $this->data["avgPrice"]=round($products->average('price'));
        return view('pages.admin',$this->data);
    }
}

```

```

public function store(ProductStoreRequest $request) {

    try{
        $product=new Product();

        $product->name=$request->name;
        $product->price=$request->price;
        $product->description=$request->description;
        $product->imageLink=$request->imageLink;
        $product->release_date=$request->releaseDate;
        $product->genre_id=$request->genre;
        $product->publisher_id=$request->publisher;
        $product->category_id=$request->category;

        $product->save();

        return redirect()->route('admin')->with('success','Successfully
added product');
    }
    catch(Exception $ex){
        return redirect()->route('admin')->with('error', 'Error: '.$ex-
>getMessage().', try again');
    }
}

public function update() {
    $id=$_GET["id"];
    $product=Product::where('id',$id)->get();
    return $product;
}

public function updateStore(ProductUpdateRequest $request){

    try{
        $product=Product::find($request->productUpdate);
        $product->name=$request->nameUpdate;
        $product->price=$request->priceUpdate;
        $product->description=$request->descriptionUpdate;
        $product->imageLink=$request->imageLinkUpdate;
        $product->release_date=$request->releaseDateUpdate;
        $product->genre_id=$request->genreUpdate;
        $product->publisher_id=$request->publisherUpdate;
        $product->category_id=$request->categoryUpdate;

        $product->save();

        return redirect()->route('admin')->with('successUpdate','Successfully updated product');
    }
    catch(Exception $ex){
        return redirect()->route('admin')->with('errorUpdate', 'Error:
'.$ex->getMessage().', try again');
    }
}

public function deleteStore(Request $request){
    try {

```

```

        $product = Product::find($request->productDelete);
        $product->delete();

        return redirect()->route('admin')->with('successDelete','Successfully deleted product');
    }
    catch (Exception $ex){
        return redirect()->route('admin')->with('errorDelete', 'Error: '.$ex->getMessage().', try again');
    }
}
}

```

3.1.5 Contact controller

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class ContactController extends Controller
{
    public function index(){
        return view('pages.contact');
    }
}

```

3.2 Models

3.2.1 User

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class User extends Model
{
    use HasFactory;

    public function role(){
        return $this->belongsTo(Role::class);
    }
}

```

3.2.2 Role

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Role extends Model
{
    use HasFactory;

    public function users(){
        return $this->hasMany(User::class);
    }
}
```

3.2.3 Product

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Product extends Model
{
    use HasFactory;

    public function genre(){
        return $this->belongsTo(Genre::class);
    }

    public function category(){
        return $this->belongsTo(Category::class);
    }

    public function publisher(){
        return $this->belongsTo(Publisher::class);
    }

    public function images(){
        return $this->hasMany(Image::class);
    }
}
```

3.2.4 Genre

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Genre extends Model
{
    use HasFactory;

    public function products() {
        return $this->hasMany(Product::class);
    }
}
```

3.2.5 Publisher

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Publisher extends Model
{
    use HasFactory;

    public function products() {
        return $this->hasMany(Product::class);
    }
}
```

3.2.6 Category

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Category extends Model
{
    use HasFactory;

    public function products() {
        return $this->hasMany(Product::class);
    }
}
```


3.3 Middlewares

3.3.1 IsGuest

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class IsGuest
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure(\Illuminate\Http\Request): (\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)  $next
     * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
     */
    public function handle(Request $request, Closure $next)
    {
        if(session()->get('user')){
            return redirect()->route('index');
        }
        return $next($request);
    }
}
```

3.3.2 IsLoggedIn

```
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class IsLoggedIn
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure(\Illuminate\Http\Request): (\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)  $next
     * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
     */
    public function handle(Request $request, Closure $next)
    {
        if(session()->get('user') || session()->get('admin')){

```

```

        return $next($request);
    }
    return redirect()->route('login');
}
}

```

3.3.3 IsAdmin

```

<?php


namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;

class IsAdmin
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure(\Illuminate\Http\Request): (\Illuminate\Http\Response|\Illuminate\Http\RedirectResponse)  $next
     * @return \Illuminate\Http\Response|\Illuminate\Http\RedirectResponse
     */
    public function handle(Request $request, Closure $next)
    {
        if(session()->get('admin')){
            return $next($request);
        }
        return redirect()->route('index');
    }
}

```

3.4 Views



3.4.1 footer.blade.php

```
<footer>
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="inner-content">
          <p>Copyright &copy; 2022 Veljko Vulovic

          - Design: <a rel="nofollow noopener"
href="https://templatemo.com" target="_blank">TemplateMo</a></p>
          <p><a rel="nofollow noopener"
href="{{asset('assets/documentation.pdf')}}"
target="_blank">Documentation</a></p>
          <p><a rel="nofollow noopener"
href="{{route('about')}}">About author</a></p>
          <p><a rel="nofollow noopener"
href="{{asset('assets/documentation.pdf')}}" target="_blank">Sitemap</a>
        </div>
      </div>
    </div>
  </div>
</footer>
```

3.4.1 head.blade.php

```
<head>
    <!-- Bootstrap core JavaScript -->
    <script src="{{asset('vendor/jquery/jquery.min.js')}}"></script>
    <script
src="{{asset('vendor/bootstrap/js/bootstrap.bundle.min.js')}}"></script>
    <script type="text/javascript"
src="{{asset('assets/js/ajaxRequests.js')}}"></script>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <meta name="description" content="@yield('description')">
    <meta name="author" content="Veljko Vulovic">
    <link
href="https://fonts.googleapis.com/css?family=Poppins:100,200,300,400,500,600
,700,800,900&display=swap" rel="stylesheet">
    <link rel="icon" href="{{asset('assets/images/gms.ico')}}">

    <title>@yield('title')</title>

    <!-- Bootstrap core CSS -->
    <link href="{{asset('vendor/bootstrap/css/bootstrap.min.css')}}"
rel="stylesheet">
    <!--

TemplateMo 546 Sixteen Clothing

https://templatemo.com/tm-546-sixteen-clothing

-->

    <!-- Additional CSS Files -->
    <link rel="stylesheet" href="{{asset('assets/css/fontawesome.css')}}">
    <link rel="stylesheet" href="{{asset('assets/css/templatemo-
sixteen.css')}}">
    <link rel="stylesheet" href="{{asset('assets/css/owl.css')}}">

</head>
```

3.4.3 header.blade.php

```
<!-- Header -->
<header class="">
    <nav class="navbar navbar-expand-lg">
        <div class="container">
            <a class="navbar-brand" href="/"><h2>GM:<em>S</em></h2></a>
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarResponsive" aria-
controls="navbarResponsive" aria-expanded="false" aria-label="Toggle
navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarResponsive">
                <ul class="navbar-nav ml-auto">
```



```

<script src="{{asset('assets/js/accordions.js')}}"></script>

<script language = "text/Javascript">
    cleared[0] = cleared[1] = cleared[2] = 0; //set a cleared flag for each
field
    function clearField(t){                                //declaring the array outside
of the
    if(! cleared[t.id]){                                    // function makes it static
and global
        cleared[t.id] = 1;  // you could use true and false, but that's
more typing
        t.value='';      // with more chance of typos
        t.style.color='#fff';
    }
    }
</script>

```

3.4.5 layout.blade.php

```

<!DOCTYPE html>
<html lang="en">

@include('fixed.head')

<body>

<!-- ***** Preloader Start ***** -->
<div id="preloader">
    <div class="jumper">
        <div></div>
        <div></div>
        <div></div>
    </div>
</div>
<!-- ***** Preloader End ***** -->

@include('fixed.header')

@yield('content')

@include('fixed.footer')

@include('fixed.scripts')

</body>

</html>

```

3.4.6 about.blade.php

```
@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') About author @endsection

@section('content')
    <!-- Page Content -->
    <div class="page-heading about-heading header-text">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="text-content">
                        <h4>About author</h4>
                        <h2>Veljko Vulović</h2>
                    </div>
                </div>
            </div>
        </div>

        <div class="best-features about-features">
            <div class="container">
                <div class="row">
                    <div class="col-md-12">
                    </div>
                    <div class="col-md-6">
                        <div class="right-image">
                            
                        </div>
                    </div>
                    <div class="col-md-6">
                        <div class="left-content">
                            <h4>Veljko Vulović</h4>
                            <p>Author of this site is Veljko Vulović, a student of
Academy of Technical and Art Applied Studies Belgrade. Number of index:
282/18.</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

@endsection
```

3.4.7 admin.blade.php

```
<!DOCTYPE html>
<html lang="en">

<head>
```

```

<meta charset="utf-8">
<title>Admin panel</title>
<meta content="width=device-width, initial-scale=1.0" name="viewport">
<meta content="" name="keywords">
<meta content="" name="description">

<!-- Favicon -->
<link href="{{asset('assets/img/favicon.ico')}}" rel="icon">

<!-- Google Web Fonts -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link
href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600;700&dis
play=swap" rel="stylesheet">

<!-- Icon Font Stylesheet -->
<link href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.10.0/css/all.min.css" rel="stylesheet">
<link href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

<!-- Libraries Stylesheet -->
<link
href="{{asset('assets/lib/owlcarousel/assets/owl.carousel.min.css')}}"
rel="stylesheet">
<link href="{{asset('assets/lib/tempusdominus/css/tempusdominus-
bootstrap-4.min.css')}}" rel="stylesheet" />

<!-- Customized Bootstrap Stylesheet -->
<link href="{{asset('assets/css/bootstrap.min.css')}}" rel="stylesheet">

<!-- Template Stylesheet -->
<link href="{{asset('assets/css/style.css')}}" rel="stylesheet">
</head>

<body>
<div class="container-xxl position-relative bg-white d-flex p-0">
<!-- Spinner Start -->
<div id="spinner" class="show bg-white position-fixed translate-
middle w-100 vh-100 top-50 start-50 d-flex align-items-center justify-
content-center">
<div class="spinner-border text-primary" style="width: 3rem;
height: 3rem;" role="status">
<span class="sr-only">Loading...</span>
</div>
</div>
<!-- Spinner End -->

<!-- Sidebar Start -->
<div class="sidebar pe-4 pb-3">
<nav class="navbar bg-light navbar-light">
<a href="{{route('admin')}}" class="navbar-brand mx-4 mb-3">
<h3 class="text-primary"><i class="fa fa-hashtag me-
2"></i>Admin panel</h3>
</a>

```



```

        <div class="d-flex align-items-center ms-4 mb-4">
            <div class="ms-3">
                <h6 class="mb-0">{{session()->get('admin')->first_name.' '.session()->get('admin')->last_name}}</h6>
                <span>{{session()->get('admin')->email}}</span>
            </div>
        </div>
        <div class="navbar-nav w-100">
            <a href="{{route('admin')}}" class="nav-item nav-link active"><i class="fa fa-tachometer-alt me-2"></i>Dashboard</a>
        </div>
    </nav>
</div>
<!-- Sidebar End -->

<!-- Content Start -->
<div class="content">
    <!-- Navbar Start -->
    <nav class="navbar navbar-expand bg-light navbar-light sticky-top px-4 py-0">
        <a href="index.html" class="navbar-brand d-flex d-lg-none me-4">
            <h2 class="text-primary mb-0"><i class="fa fa-hashtag"></i></h2>
        </a>
        <a href="#" class="sidebar-toggler flex-shrink-0">
            <i class="fa fa-bars"></i>
        </a>
        <div class="navbar-nav align-items-center ms-auto">
            <div class="nav-item dropdown">
                <a href="#" class="nav-link dropdown-toggle" data-bs-toggle="dropdown">
                    <span class="d-none d-lg-inline-flex">Menu</span>
                </a>
                <div class="dropdown-menu dropdown-menu-end bg-light border-0 rounded-0 rounded-bottom m-0">
                    <a class="dropdown-item" href="{{route('index')}}">Home</a>
                    <a class="dropdown-item" href="{{route('products')}}">Our Products</a>
                    <a class="dropdown-item" href="{{route('about')}}">About Us</a>
                    <a class="dropdown-item" href="{{route('contact')}}">Contact Us</a>
                </div>
            </div>
        </div>
    </nav>
    <!-- Navbar End -->

    <!-- Sale & Revenue Start -->
    <div class="container-fluid pt-4 px-4">
        <div class="row g-4">
            <div class="col-sm-6 col-xl-3">
                <div class="bg-light rounded d-flex align-items-

```

```

center justify-content-between p-4">
    <i class="fa fa-chart-line fa-3x text-
primary"></i>

    <div class="ms-3">
        <p class="mb-2">Average price</p>
        <h6 class="mb-0">{{ $avgPrice }} RSD</h6>
    </div>
</div>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-light rounded d-flex align-items-
center justify-content-between p-4">
        <i class="fa fa-chart-bar fa-3x text-
primary"></i>

        <div class="ms-3">
            <p class="mb-2">№ of genres</p>
            <h6 class="mb-0">{{ $genreNumber }}</h6>
        </div>
    </div>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-light rounded d-flex align-items-
center justify-content-between p-4">
        <i class="fa fa-chart-area fa-3x text-
primary"></i>

        <div class="ms-3">
            <p class="mb-2">№ of publishers</p>
            <h6 class="mb-0">{{ $publisherNumber }}</h6>
        </div>
    </div>
</div>
<div class="col-sm-6 col-xl-3">
    <div class="bg-light rounded d-flex align-items-
center justify-content-between p-4">
        <i class="fa fa-chart-pie fa-3x text-
primary"></i>

        <div class="ms-3">
            <p class="mb-2">№ of products</p>
            <h6 class="mb-0">{{ $productNumber }}</h6>
        </div>
    </div>
</div>
</div>
</div>
<!-- Sale & Revenue End -->

<!-- Recent Sales Start -->
<div class="container-fluid pt-4 px-4">
    <div class="bg-light text-center rounded p-4">
        <div class="d-flex align-items-center justify-content-
between mb-4">
            <h6 class="mb-0">Recent products</h6>
        </div>
        <div class="table-responsive">
            <table class="table text-start align-middle table-
bordered table-hover mb-0">

```

```

        <thead>
        <tr class="text-dark">
            <th scope="col">Number</th>
            <th scope="col">Name</th>
            <th scope="col">Price</th>
            <th scope="col">Genre</th>
            <th scope="col">Publisher</th>
            <th scope="col">Category</th>
            <th scope="col">Action</th>
        </tr>
        </thead>
        <tbody>
        @foreach($latestProducts as $product)
            <tr>
                <td>{{ $loop->iteration }}</td>
                <td>{{ $product->name }}</td>
                <td>{{ $product->price }}</td>
                <td>{{ $product->genre->name }}</td>
                <td>{{ $product->publisher->name }}</td>
                <td>{{ $product->category->name }}</td>
                <td><a class="btn btn-sm btn-primary"
href="{{ route('product', ["product" => $product->id]) }}">Detail</a></td>
            </tr>
        @endforeach
        </tbody>
    </table>
</div>
</div>
</div>
<!-- Recent Sales End -->

<div class="container-fluid pt-4 px-4">
    <div class="row g-4">

        <!-- Add product form -->
        <div class="col-sm-12 col-xl-6">
            <div class="bg-light rounded h-100 p-4">
                <h6 class="mb-4">Add product</h6>
                @if(session()->get('error'))
                    <div class="alert alert-danger" role="alert">
                        {{session()->get('error')}}
                    </div>
                @endif
                @if(session()->get('success'))
                    <div class="alert alert-success"
role="alert">
                        {{session()->get('success')}}
                    </div>
                @endif

                <form action="{{ route('store') }}" method="POST">
                    @csrf
                    <div class="mb-3">
                        <label for="name" class="form-
label">Product name</label>

                        <input type="text" class="form-control"
id="name" name="name">

```

```

        </div>
        <div class="mb-3">
            <label for="price" class="form-
label">Price</label>
            <input type="text" class="form-control"
id="price" name="price">
        </div>
        <label for="genre" class="form-
label">Genre</label>
        <select class="form-select form-select-sm mb-
3" id="genre" name="genre">
            <option selected>Select genre</option>
            @foreach($genres as $genre)
            <option value="{{ $genre->id }}">{{ $genre->
name }}</option>
            @endforeach
        </select>
        <label for="publisher" class="form-
label">Genre</label>
        <select class="form-select form-select-sm mb-
3" id="publisher" name="publisher">
            <option selected>Select
publisher</option>
            @foreach($publishers as $publisher)
            <option value="{{ $publisher->
id }}">{{ $publisher->name }}</option>
            @endforeach
        </select>
        <label for="category" class="form-
label">Genre</label>
        <select class="form-select form-select-sm mb-
3" id="category" name="category">
            <option selected>Select category</option>
            @foreach($categories as $cat)
            <option value="{{ $cat->id }}">{{ $cat->
name }}</option>
            @endforeach
        </select>
        <label for="description" class="form-
label">Description</label>
        <textarea class="form-control"
id="description" name="description"></textarea>
        <div class="mb-3">
            <label for="imageLink" class="form-
label">Image link</label>
            <input type="text" class="form-control"
id="imageLink" name="imageLink">
        </div>
        <div class="mb-3">
            <label for="releaseDate" class="form-
label">Release date</label>
            <input type="date" class="form-control"
id="releaseDate" name="releaseDate">
        </div>
        <button type="submit" class="btn btn-
primary">Add product</button>
    </form>

```

```

        </div>
    </div>
    <!-- End of Add product form -->

    <!-- Update product form -->
    <div class="col-sm-12 col-xl-6">
        <div class="bg-light rounded h-100 p-4">
            <h6 class="mb-4">Update product</h6>
            @if(session()->get('errorUpdate'))
                <div class="alert alert-danger" role="alert">
                    {{session()->get('errorUpdate')}}
                </div>
            @endif
            @if(session()->get('successUpdate'))
                <div class="alert alert-success"
role="alert">
                    {{session()->get('successUpdate')}}
                </div>
            @endif

            <form action="{{route('updateStore')}}"
method="POST">
                @csrf
                <select class="form-select mb-3"
id="productUpdate" name="productUpdate">
                    <option selected value="0">Select product
to update</option>
                    @foreach($products as $product)
                        <option value="{{ $product->
>id }}" {{ $product->name }}</option>
                    @endforeach
                </select>
                <div class="mb-3">
                    <label for="name" class="form-
label">Product name</label>
                    <input type="text" class="form-control"
id="nameUpdate" name="nameUpdate">
                </div>
                <div class="mb-3">
                    <label for="price" class="form-
label">Price</label>
                    <input type="text" class="form-control"
id="priceUpdate" name="priceUpdate">
                </div>
                <label for="genre" class="form-
label">Genre</label>
                <select class="form-select form-select-sm mb-
3" id="genreUpdate" name="genreUpdate">
                    <option selected>Select genre</option>
                    @foreach($genres as $genre)
                        <option value="{{ $genre->
>id }}" {{ $genre->name }}</option>
                    @endforeach
                </select>
                <label for="publisher" class="form-
label">Genre</label>
                <select class="form-select form-select-sm mb-

```

```

3" id="publisherUpdate" name="publisherUpdate">
    <option selected>Select
publisher</option>
    @foreach($publishers as $publisher)
        <option value="{{ $publisher->
>id }}">{{ $publisher->name }}</option>
    @endforeach
    </select>
    <label for="category" class="form-
label">Genre</label>
    <select class="form-select form-select-sm mb-
3" id="categoryUpdate" name="categoryUpdate">
        <option selected>Select category</option>
        @foreach($categories as $cat)
            <option value="{{ $cat->id }}">{{ $cat->
>name }}</option>
        @endforeach
    </select>
    <label for="description" class="form-
label">Description</label>
    <textarea class="form-control"
id="descriptionUpdate" name="descriptionUpdate"></textarea>
    <div class="mb-3">
        <label for="imageLink" class="form-
label">Image link</label>
        <input type="text" class="form-control"
id="imageLinkUpdate" name="imageLinkUpdate">
    </div>
    <div class="mb-3">
        <label for="releaseDate" class="form-
label">Release date</label>
        <input type="date" class="form-control"
id="releaseDateUpdate" name="releaseDateUpdate">
    </div>
    <button type="submit" class="btn btn-
primary">Update product</button>
    </form>
</div>
</div>
<!-- End of Update product form -->

<!-- Delete product form -->
<div class="col-sm-12 col-xl-6">
    <div class="bg-light rounded h-100 p-4">
        <h6 class="mb-4">Delete product</h6>
        @if(session()->get('errorDelete'))
            <div class="alert alert-danger" role="alert">
                {{session()->get('errorDelete')}}
            </div>
        @endif
        @if(session()->get('successDelete'))
            <div class="alert alert-success"
role="alert">
                {{session()->get('successDelete')}}
            </div>
        @endif
    </div>
</div>

```

```

        <form action="{{route('deleteStore')}}"
method="POST">
            @csrf
            <select class="form-select mb-3"
id="productDelete" name="productDelete">
                <option selected value="0">Select product
to delete</option>
                @foreach($products as $product)
                    <option value="{{ $product->id }}">{{ $product->name }}</option>
                @endforeach
            </select>
            <button type="submit" class="btn btn-
danger">Delete product</button>
        </form>
    </div>
</div>
<!-- End of Delete product form -->
</div>
</div>

<!-- Footer Start -->
<div class="container-fluid pt-4 px-4">
    <div class="bg-light rounded-top p-4">
        <div class="row">
            <div class="col-12 col-sm-6 text-center text-sm-
start">
                &copy; <a href="#">Your Site Name</a>, All Right
Reserved.
            </div>
            <div class="col-12 col-sm-6 text-center text-sm-end">
                <!--/** This template is free as long as you
keep the footer author's credit link/attribution link/backlink. If you'd like
to use the template without the footer author's credit link/attribution
link/backlink, you can purchase the Credit Removal License from
"https://htmlcodex.com/credit-removal". Thank you for your support. ***/-->
                Designed By <a href="https://htmlcodex.com">HTML
Codex</a>
            </div>
            <div class="col-12 col-sm-6 text-center text-sm-end">
                Distributed By <a class="border-bottom"
href="https://themewagon.com" target="_blank">ThemeWagon</a>
            </div>
        </div>
    </div>
</div>
<!-- Footer End -->
</div>
<!-- Content End -->

<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-
top"><i class="bi bi-arrow-up"></i></a>
</div>

<!-- JavaScript Libraries -->

```

```

    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.mi
n.js"></script>
    <script src="{{asset('assets/lib/chart/chart.min.js')}}"></script>
    <script src="{{asset('assets/lib/easing/easing.min.js')}}"></script>
    <script
src="{{asset('assets/lib/waypoints/waypoints.min.js')}}"></script>
    <script
src="{{asset('assets/lib/owlcarousel/owl.carousel.min.js')}}"></script>
    <script
src="{{asset('assets/lib/tempusdominus/js/moment.min.js')}}"></script>
    <script src="{{asset('assets/lib/tempusdominus/js/moment-
timezone.min.js')}}"></script>
    <script src="{{asset('assets/lib/tempusdominus/js/tempusdominus-
bootstrap-4.min.js')}}"></script>

    <!-- Template Javascript -->
    <script src="{{asset('assets/js/main.js')}}"></script>
</body>

</html>

```

3.4.7 contact.blade.php

```

@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') Contact @endsection

@section('content')
    <!-- Page Content -->
    <div class="page-heading contact-heading header-text">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="text-content">
                        <h4>contact us</h4>
                        <h2>let's get in touch</h2>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <div class="find-us">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="section-heading">
                        <h2>Our Location on Maps</h2>

```



```

        </div>
    </div>
    <div class="col-md-8">
<!-- How to change your own map point
    1. Go to Google Maps
    2. Click on your location point
    3. Click "Share" and choose "Embed map" tab
    4. Copy only URL and paste it within the src="" field below
-->
        <div id="map">
            <iframe
src="https://maps.google.com/maps?q=Av.+L%C3%BAcio+Costa,+Rio+de+Janeiro+-
+RJ,+Brazil&t=&z=13&ie=UTF8&iwloc=&output=embed" width="100%" height="330px"
frameborder="0" style="border:0" allowfullscreen></iframe>
            </div>
        </div>
        <div class="col-md-4">
            <div class="left-content">
                <h4>About our office</h4>
                <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed
voluptate nihil eumester consectetur similique consectetur.<br><br>Lorem ipsum
dolor sit amet, consectetur adipiscing elit. Et, consequuntur, modi mollitia
corporis ipsa voluptate corrupti.</p>
                <ul class="social-icons">
                    <li><a href="#"><i class="fa fa-facebook"></i></a></li>
                    <li><a href="#"><i class="fa fa-twitter"></i></a></li>
                    <li><a href="#"><i class="fa fa-linkedin"></i></a></li>
                    <li><a href="#"><i class="fa fa-behance"></i></a></li>
                </ul>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>

<div class="send-message">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="section-heading">
                    <h2>Send us a Message</h2>
                </div>
            </div>
            <div class="col-md-8">
                <div class="contact-form">
                    <form id="contact" action="" method="post">
                        <div class="row">
                            <div class="col-lg-12 col-md-12 col-sm-12">
                                <fieldset>
                                    <input name="name" type="text" class="form-control"
id="name" placeholder="Full Name" required="">
                                </fieldset>
                            </div>
                            <div class="col-lg-12 col-md-12 col-sm-12">
                                <fieldset>
                                    <input name="email" type="text" class="form-control"

```

```

id="email" placeholder="E-Mail Address" required="">
    </fieldset>
</div>
<div class="col-lg-12 col-md-12 col-sm-12">
    <fieldset>
        <input name="subject" type="text" class="form-control"
id="subject" placeholder="Subject" required="">
    </fieldset>
</div>
<div class="col-lg-12">
    <fieldset>
        <textarea name="message" rows="6" class="form-control"
id="message" placeholder="Your Message" required=""></textarea>
    </fieldset>
</div>
<div class="col-lg-12">
    <fieldset>
        <button type="submit" id="form-submit" class="filled-
button">Send Message</button>
    </fieldset>
</div>
</div>
</form>
</div>
</div>
<div class="col-md-4">
    <ul class="accordion">
        <li>
            <a>Accordion Title One</a>
            <div class="content">
                <p>Lorem ipsum dolor sit amet, consectetur adipisic
elit. Sed voluptate nihil eumester consectetur similiqu
consectetur.<br><br>Lorem ipsum dolor sit amet, consectetur adipisic elit.
Et, consequuntur, modi mollitia corporis ipsa voluptate corrupti elite.</p>
            </div>
        </li>
        <li>
            <a>Second Title Here</a>
            <div class="content">
                <p>Lorem ipsum dolor sit amet, consectetur adipisic
elit. Sed voluptate nihil eumester consectetur similiqu
consectetur.<br><br>Lorem ipsum dolor sit amet, consectetur adipisic elit.
Et, consequuntur, modi mollitia corporis ipsa voluptate corrupti elite.</p>
            </div>
        </li>
        <li>
            <a>Accordion Title Three</a>
            <div class="content">
                <p>Lorem ipsum dolor sit amet, consectetur adipisic
elit. Sed voluptate nihil eumester consectetur similiqu
consectetur.<br><br>Lorem ipsum dolor sit amet, consectetur adipisic elit.
Et, consequuntur, modi mollitia corporis ipsa voluptate corrupti elite.</p>
            </div>
        </li>
        <li>
            <a>Fourth Accordion Title</a>
            <div class="content">

```

```
        <p>Lorem ipsum dolor sit amet, consectetur adipisic  
elit. Sed voluptate nihil eumester consectetur similiqu  
consectetur.<br><br>Lorem ipsum dolor sit amet, consectetur adipisic elit.  
Et, consequuntur, modi mollitia corporis ipsa voluptate corrupti elite.</p>
```

```
    </div>  
  </li>  
</ul>  
</div>  
</div>  
</div>  
</div>
```

```
<div class="happy-clients">  
  <div class="container">  
    <div class="row">  
      <div class="col-md-12">  
        <div class="section-heading">  
          <h2>Our Happy Customers</h2>  
        </div>  
      </div>  
      <div class="col-md-12">  
        <div class="owl-clients owl-carousel">  
          <div class="client-item">  
              
          </div>  
  
          <div class="client-item">  
              
          </div>  
  
          <div class="client-item">  
              
          </div>  
  
          <div class="client-item">  
              
          </div>  
  
          <div class="client-item">  
              
          </div>  
  
          <div class="client-item">  
              
          </div>  
        </div>  
      </div>  
    </div>  
  </div>  
</div>
```

```
@endsection
```

3.4.8 index.blade.php

```
@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') Home @endsection

@section('content')
    <!-- Page Content -->
    <!-- Banner Starts Here -->
    <div class="banner header-text">
        <div class="owl-banner owl-carousel">
            <div class="banner-item-01" style="background-image:
url('{{asset('assets/images/battlefieldbanner.png')}})">
                <div class="text-content">
                    <h4>Best Offer</h4>
                    <h2>New Arrivals On Sale</h2>
                </div>
            </div>
            <div class="banner-item-02" style="background-image:
url('{{asset('assets/images/fifabanner.png')}})">
                <div class="text-content" >
                    <h4>Flash Deals</h4>
                    <h2>Get your best products</h2>
                </div>
            </div>
            <div class="banner-item-03" style="background-image:
url('{{asset('assets/images/dyinglightbanner.png')}})">
                <div class="text-content">
                    <h4>Last Minute</h4>
                    <h2>Grab last minute deals</h2>
                </div>
            </div>
        </div>
    </div>
    <!-- Banner Ends Here -->

    <div class="latest-products">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="section-heading">
                        <h2>Latest Products</h2>
                        <a href="{{route('products')}}">View all products <i
class="fa fa-angle-right"></i></a>
                    </div>
                </div>
                @foreach($products as $product)
                    <div class="col-md-4">
                        @include('partials.product')
                    </div>
                @endforeach
            </div>
        </div>
    </div>
</div>
```

```

</div>

<div class="best-features">
  <div class="container">
    <div class="row">
      <div class="col-md-12">
        <div class="section-heading">
          <h2>About GM:S</h2>
        </div>
      </div>
      <div class="col-md-6">
        <div class="left-content">
          <h4>Looking for the best products?</h4>
          <p>We are young perspective shop, leaded by team of
entusiasists which main goal is to provide access to games for more
people.</p>
          <ul class="featured-list">
            <li>Best prices</li>
            <li>Fast delivery</li>
            <li>Good deals</li>
            <li>Return policy</li>
            <li>Happy shopping!</li>
          </ul>
          <a href="{{route('products')}}" class="filled-
button">View products</a>
        </div>
      </div>
      <div class="col-md-6">
        <div class="right-image">
          
        </div>
      </div>
    </div>
  </div>
</div>
@endsection

```

3.4.9 login.blade.php

```

@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') Home @endsection

@section('content')

<style>

```

```

        .divider:after,
        .divider:before {
            content: "";
            flex: 1;
            height: 1px;
            background: #eee;
        }
        .cont{
            margin-top:100px;
        }
    </style>
    <section class="vh-100">
        <div class="container py-5 h-100">
            <div class="row d-flex align-items-center justify-content-center
h-100 cont">
                <div class="col-md-8 col-lg-7 col-xl-6">
                    
                </div>
                <div class="col-md-7 col-lg-5 col-xl-5 offset-xl-1">
                    <form action="{{route('doLogin')}}" method="POST">
                        @csrf
                        <!-- Email input -->
                        <div class="form-outline mb-4">
                            <input type="email" id="tbEmail" name="email"
class="form-control form-control-lg" />
                            <label class="form-label" for="tbEmail">Email
address</label>
                        </div>

                        <!-- Password input -->
                        <div class="form-outline mb-4">
                            <input type="password" id="tbPassword"
name="password" class="form-control form-control-lg" />
                            <label class="form-label"
for="tbPassword">Password</label>
                        </div>
                        @if(session()->get('error'))
                            <div class="alert alert-danger" role="alert">
                                {{session()->get('error')}}
                            </div>
                        @endif

                        <div class="d-flex justify-content-around align-
items-center mb-4">
                            <!-- Checkbox -->
                            <div class="form-check">
                                <input class="form-check-input"
type="checkbox" value="" id="cbRemember" checked />
                                <label class="form-check-label"
for="cbRemember"> Remember me </label>
                            </div>
                        </div>

                        <!-- Submit button -->
                        <button type="submit" class="btn btn-primary btn-lg

```

```

btn-block">Sign in</button>
        </form>
        <div class="divider d-flex align-items-center my-4">
            <p class="text-center fw-bold mx-3 mb-0 text-
muted">OR</p>
        </div>
        <a class="btn btn-info btn-lg btn-block mt-4"
href="{{route('register')}}">Register</a>
        </div>
    </div>
</div>
</section>

@endsection

```

3.4.10 products.blade.php

```

@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') Products @endsection

@section('content')

    <!-- Page Content -->
    <div class="page-heading products-heading header-text">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="text-content">
                        <h4>Brand new games</h4>
                        <h2>Our products</h2>
                    </div>
                </div>
            </div>
        </div>
    </div>

    <div class="products">
        <div class="container">
            <div class="row">
                <div class="col-md-3">
                    <form action="" method="GET">
                        <h4>Sort by</h4>
                        <select class="form-control mb-3" id="sort"
name="sort">
                            <option value="">Default</option>
                            <option value="priceAsc" @if(request()->sort &&
request()->sort == 'priceAsc') selected @endif>Price: Low to High</option>
                            <option value="priceDesc" @if(request()->sort &&
request()->sort == 'priceDesc') selected @endif>Price: High to Low</option>

```

```

        <option value="nameAsc" @if(request()->sort &&
request()->sort == 'nameAsc') selected @endif>Name: A to Z</option>
        <option value="nameDesc" @if(request()->sort &&
request()->sort == 'nameDesc') selected @endif>Name: Z to A</option>
    </select>
    <h4>Genres</h4>
    @foreach($genres as $genre)
    <div class="form-check">
        <input class="form-check-input" id="gen-{{$genre-
>id}}" name="genres[]" type="checkbox" value="{{$genre->id}}" @if(request()-
>genres && in_array($genre->id, request()->genres)) checked @endif/>
        <label class="form-check-label" for="gen-{{$genre-
>id}}">
            {{$genre->name}}
        </label>
    </div>
    @endforeach
    <h4>Genres</h4>
    @foreach($publishers as $publisher)
    <div class="form-check">
        <input class="form-check-input" id="pub-
{{$publisher->id}}" name="publishers[]" type="checkbox" value="{{$publisher-
>id}}" @if(request()->publishers && in_array($publisher->id, request()-
>publishers)) checked @endif/>
        <label class="form-check-label" for="pub-
{{$publisher->id}}">
            {{$publisher->name}}
        </label>
    </div>
    @endforeach
    <h4>Price from</h4>
    <input type="range" name="priceFrom" step="100"
value="{{$request()->priceFrom ?? 0}}" min="0" max="10000"
oninput="this.nextElementSibling.value = this.value">
    <output>{{$request()->priceFrom ?? 0}}</output>
    <h4>Price to</h4>
    <input type="range" name="priceTo" step="100"
value="{{$request()->priceTo ?? 10000}}" min="0" max="10000"
oninput="this.nextElementSibling.value = this.value">
    <output>{{$request()->priceTo ?? 10000}}</output>
    <div class="mb-3">
        <h4>Search</h4>
        <input type="text" class="form-control mb-3"
name="search" placeholder="Search" value="{{$request()->search ?? ''}}">
    </div>
    <button class="btn btn-primary">Submit</button>
</form>
</div>
<div class="col-md-9">
    <div class="filters-content">
        <div class="row grid">
            @foreach($products as $product)
                <div class="col-lg-4 col-md-4 all des">
                    @include('partials.product')
                </div>
            @endforeach
        </div>
    </div>
</div>

```



```

        </div>
    </div>
</div>
    {{ $products->withQueryString()->links('pagination::bootstrap-5') }}
</div>
</div>
</div>
@endsection

```

3.4.11 register.blade.php

```

@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') Home @endsection

@section('content')

    <style>
        .divider:after,
        .divider:before {
            content: "";
            flex: 1;
            height: 1px;
            background: #eee;
        }
        .cont{
            margin-top:100px;
        }
    </style>
    <section class="vh-100">
        <div class="container py-5 h-100">
            <div class="row d-flex align-items-center justify-content-center
h-100 cont">
                <div class="col-md-8 col-lg-7 col-xl-6">
                    
                </div>
                <div class="col-md-7 col-lg-5 col-xl-5 offset-xl-1">
                    <form action="{{ route('doRegister') }}" method="POST">
                        @csrf
                        <!-- First name input -->
                        <div class="form-outline mb-4">
                            <input type="text" id="tbFirstName"
name="firstname" class="form-control form-control-lg" />
                            <label class="form-label" for="tbFirstName">First
name</label>
                        </div>

                        <!-- Last name input -->
                        <div class="form-outline mb-4">
                            <input type="text" id="tbLastName"

```

```

name="lastname" class="form-control form-control-lg" />
        <label class="form-label" for="tbLastName">Last
name</label>

        </div>

        <!-- Email input -->
        <div class="form-outline mb-4">
            <input type="email" id="tbEmail" name="email"
class="form-control form-control-lg" />
            <label class="form-label" for="tbEmail">Email
address</label>
        </div>

        <!-- Password input -->
        <div class="form-outline mb-4">
            <input type="password" id="tbPassword"
name="password" class="form-control form-control-lg" />
            <label class="form-label"
for="tbPassword">Password</label>
        </div>
        @if(session()->get('error'))
            <div class="alert alert-danger" role="alert">
                {{session()->get('error')}}
            </div>
        @endif

        <div class="d-flex justify-content-around align-
items-center mb-4">
            <!-- Checkbox -->
            <div class="form-check">
                <input class="form-check-input"
type="checkbox" value="" id="cbRemember" checked />
                <label class="form-check-label"
for="cbRemember"> Remember me </label>
            </div>
        </div>

        <!-- Submit button -->
        <button type="submit" class="btn btn-primary btn-lg
btn-block">Register</button>
    </form>
    <div class="divider d-flex align-items-center my-4">
        <p class="text-center fw-bold mx-3 mb-0 text-
muted">OR</p>
    </div>
    <a class="btn btn-info btn-lg btn-block mt-4"
href="{{route('login')}}">Login</a>
    </div>
</div>
</section>

@endsection

```

3.4.12 show.blade.php

```
@extends('layouts.layout')

@section('description') Sajt @endsection

@section('title') {{$product->name}} @endsection

@section('content')

    <!-- Page Content -->
    <div class="page-heading products-heading header-text">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="text-content">
                        <h4>From: {{$product->publisher->name}}</h4>
                        <h2>{{$product->name}}</h2>
                    </div>
                </div>
            </div>
        </div>

        <div class="products">
            <div class="container">
                <div class="row">
                    <div class="col-md-12">
                        <div class="filters-content">
                            <div class="row grid">
                                <div class="col-lg-4 col-md-4 all des">
                                    <div class="product-item">
                                        name}}">
                                        </div>
                                    </div>
                                <div class="col-lg-4 col-md-4 all des desc">
                                    <h1>{{$product->name}}</h1>
                                    <h6>Publisher: {{$product->publisher->name}}</h6>
                                    <h6>Genre: {{$product->genre->name}}</h6>
                                    <h6>Price: {{$product->price}} RSD</h6>
                                    <h6>Category: {{$product->category->name}}</h6>
                                    <h6>Release date: {{$product->release_date}}</h6>
                                    <h4>Description:</h4>
                                    <p>{{$product->description}}</p>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

endsection
```

```
</div>

@endsection
```

3.4.13 product.blade.php

```
<div class="product-item">
    <a href="{{ route('product', ["product" => $product->id]) }}">name }}"></a>
    <div class="down-content">
        <a href="{{ route('product', ["product" => $product->id]) }}">{{
$product->name }}</a>
        <h6>{{ $product->price }} RSD</h6>
        <p>Release date: {{ $product->release_date }}</p>
        <a href="{{ route('product', ["product" => $product->id])
}}"><span>Details</span></a>
    </div>
</div>
```

3.5 Routes

3.5.1 web.php

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\HomeController;
use App\Http\Controllers\ProductController;
use App\Http\Controllers>ContactController;
use App\Http\Controllers\AuthController;
use App\Http\Controllers\AdminController;

/*
|-----
| Web Routes
|-----
|
| Here is where you can register web routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| contains the "web" middleware group. Now create something great!
|
*/

Route::middleware('isGuest')->group(function() {
    Route::get('/register', [AuthController::class, 'register'])->
name('register');
    Route::post('/register', [AuthController::class, 'doRegister'])->
name('doRegister');
```

```

    Route::get('/login', [AuthController::class, 'login'])->name('login');
    Route::post('/login', [AuthController::class, 'doLogin'])->name('doLogin');
});

Route::middleware('isLoggedIn')->group(function() {
    Route::get('/', [HomeController::class, 'index'])->name('index');
    Route::get('/products', [ProductController::class, 'index'])->name('products');
    Route::get('/products/{product}', [ProductController::class, 'show'])->name('product');
    Route::get('/about', [HomeController::class, 'about'])->name('about');
    Route::get('/contact', [ContactController::class, 'index'])->name('contact');
    Route::post('/logout', [AuthController::class, 'logout'])->name('logout');
    Route::get('/contact', [ContactController::class, 'index'])->name('contact');
});

Route::middleware('isAdmin')->group(function() {
    Route::get('/admin', [AdminController::class, 'index'])->name('admin');
    Route::post('/admin', [AdminController::class, 'store'])->name('store');
    Route::get('/adminUpdate/{id}', [AdminController::class, 'update'])->name('update');
    Route::post('/adminUpdate', [AdminController::class, 'updateStore'])->name('updateStore');
    Route::post('/adminDelete', [AdminController::class, 'deleteStore'])->name('deleteStore');
});

```

3.7 JavaScript

3.7.1 custom.js

```

jQuery( document ).ready(function( $ ) {

    "use strict";

    $(function() {
        $( "#tabs" ).tabs();
    });

    // Page loading animation

```

```

$("#preloader").animate({
    'opacity': '0'
}, 600, function(){
    setTimeout(function(){
        $("#preloader").css("visibility", "hidden").fadeOut();
    }, 300);
});

$(window).scroll(function() {
    var scroll = $(window).scrollTop();
    var box = $('.header-text').height();
    var header = $('header').height();

    if (scroll >= box - header) {
        $("header").addClass("background-header");
    } else {
        $("header").removeClass("background-header");
    }
});
if ($('.owl-clients').length) {
    $('.owl-clients').owlCarousel({
        loop: true,
        nav: false,
        dots: true,
        items: 1,
        margin: 30,
        autoplay: false,
        smartSpeed: 700,
        autoplayTimeout: 6000,
        responsive: {
            0: {
                items: 1,
                margin: 0
            },
            460: {
                items: 1,
                margin: 0
            },
            576: {
                items: 3,
                margin: 20
            },
            992: {
                items: 5,
                margin: 30
            }
        }
    });
}
if ($('.owl-testimonials').length) {
    $('.owl-testimonials').owlCarousel({
        loop: true,
        nav: false,
        dots: true,
        items: 1,

```

```

        margin: 30,
        autoplay: false,
        smartSpeed: 700,
        autoplayTimeout: 6000,
        responsive: {
            0: {
                items: 1,
                margin: 0
            },
            460: {
                items: 1,
                margin: 0
            },
            576: {
                items: 2,
                margin: 20
            },
            992: {
                items: 2,
                margin: 30
            }
        }
    });
}

if ($('#owl-banner').length) {
    $('#owl-banner').owlCarousel({
        loop: true,
        nav: false,
        dots: true,
        items: 1,
        margin: 0,
        autoplay: false,
        smartSpeed: 700,
        autoplayTimeout: 6000,
        responsive: {
            0: {
                items: 1,
                margin: 0
            },
            460: {
                items: 1,
                margin: 0
            },
            576: {
                items: 1,
                margin: 20
            },
            992: {
                items: 1,
                margin: 30
            }
        }
    });
}

$(".Modern-Slider").slick({
    autoplay: true,

```

```

        autoplaySpeed:10000,
        speed:600,
        slidesToShow:1,
        slidesToScroll:1,
        pauseOnHover:false,
        dots:true,
        pauseOnDotsHover:true,
        cssEase:'linear',
        // fade:true,
        draggable:false,
        prevArrow:'<button class="PrevArrow"></button>',
        nextArrow:'<button class="NextArrow"></button>',
    });

$('.filters ul li').click(function(){
    $('.filters ul li').removeClass('active');
    $(this).addClass('active');

    var data = $(this).attr('data-filter');
    $grid.isotope({
        filter: data
    })
});

var $grid = $(".grid").isotope({
    itemSelector: ".all",
    percentPosition: true,
    masonry: {
        columnWidth: ".all"
    }
});
$('.accordion > li:eq(0) a').addClass('active').next().slideDown();

$('.accordion a').click(function(j) {
    var dropDown = $(this).closest('li').find('.content');

    $(this).closest('.accordion').find('.content').not(dropDown).slideUp();

    if ($(this).hasClass('active')) {
        $(this).removeClass('active');
    } else {
        $(this).closest('.accordion').find('a.active').removeClass('active');
        $(this).addClass('active');
    }

    dropDown.stop(false, true).slideToggle();

    j.preventDefault();
});
});

```


3.7.2 main.js

```
(function ($) {  
    "use strict";  
  
    // Spinner  
    var spinner = function () {  
        setTimeout(function () {  
            if ($('#spinner').length > 0) {  
                $('#spinner').removeClass('show');  
            }  
        }, 1);  
    };  
    spinner();  
  
    // Back to top button  
    $(window).scroll(function () {  
        if ($(this).scrollTop() > 300) {  
            $('.back-to-top').fadeIn('slow');  
        } else {  
            $('.back-to-top').fadeOut('slow');  
        }  
    });  
    $('.back-to-top').click(function () {  
        $('html, body').animate({scrollTop: 0}, 1500, 'easeInOutExpo');  
        return false;  
    });  
  
    // Sidebar Toggler  
    $('.sidebar-toggler').click(function () {  
        $('.sidebar, .content').toggleClass("open");  
        return false;  
    });  
  
    // Progress Bar  
    $('.pg-bar').waypoint(function () {  
        $('.progress .progress-bar').each(function () {  
            $(this).css("width", $(this).attr("aria-valuenow") + '%');  
        });  
    }, {offset: '80%'});  
  
    // Calender  
    $('#calender').datetimepicker({  
        inline: true,  
        format: 'L'  
    });  
  
    // Testimonials carousel  
    $(".testimonial-carousel").owlCarousel({  
        autoplay: true,  
        smartSpeed: 1000,  
        items: 1,
```

```

        dots: true,
        loop: true,
        nav : false
    });

    //Product update
    $("#productUpdate").change(function () {
        var id=this.value;
        if(id!=0) {
            $.ajax({
                type: 'GET',
                url: '/adminUpdate/{id}',
                data: {
                    id: id
                },
                success: function (data) {
                    data.forEach(el => {
                        $("#nameUpdate").val(el.name);
                        $("#priceUpdate").val(el.price);
                        $("#genreUpdate").val(el.genre_id);
                        $("#publisherUpdate").val(el.publisher_id);
                        $("#categoryUpdate").val(el.category_id);
                        $("#descriptionUpdate").val(el.description);
                        $("#imageLinkUpdate").val(el.imagelink);
                        $("#releaseDateUpdate").val(el.release_date);
                    });
                },
                error: function (xhr) {
                    console.log(xhr);
                }
            });
        }
    });
})(jQuery);

```