EXPERIMENT NO : 3 a) ROLL NO:240701581

NAME:VELVIZHI M

Prototype with Navigation using Proto.io

Aim :

The aim of this experiment is to design and develop a mobile application prototype that demonstrates both familiar navigation and unfamiliar navigation models using a prototyping tool.

This experiment helps to understand how different navigation techniques affect user interaction and usability in mobile applications.

Software Used :

Proto.io

Proto.io is an online prototyping tool used to design **interactive mobile and web application prototypes** without writing code.

It allows designers to create:

- Mobile app screens
- Interactive navigation
- Gesture-based interactions

- UI animations

Proto.io provides features like **drag-and-drop UI elements, screen linking, gesture interactions, and preview mode** to test the application prototype.

Using Proto.io, designers can simulate the behavior of a real mobile application before developing the actual software.

Procedure

Open Proto.io and create a new project.

1. Select the mobile device frame for designing the prototype.
2. Create the **Home Screen** of the application.
3. Add UI elements such as text, buttons, and icons.
4. Add a button labeled **Mark Attendance** on the Home Screen.
5. Create a second screen called **Mark Attendance Screen**.
6. Add student details with options to mark **Present or Absent**.
7. Implement **Familiar Navigation** by connecting the Home Screen and Mark Attendance Screen using a **Tap interaction**.
8. Implement **Unfamiliar Navigation** by adding a **Swipe gesture interaction** to navigate between screens.
9. Use the **Preview option** to test the navigation flow.
10. Capture screenshots of the prototype screens for documentation.

Familiar Navigation Model :

Explanation :

Familiar navigation refers to the **commonly used interaction methods** that users already understand when using mobile applications. These navigation techniques are simple, clear, and widely used in most apps.

In familiar navigation, users interact with the application through **buttons, icons, or menu options**. When a user taps a button, the system performs an action such as opening a new screen.

In this experiment, familiar navigation is implemented using a **Tap interaction**.

When the user taps the **"Mark Attendance"** button on the Home Screen, the system navigates to the **Mark Attendance Screen**. On this screen, the user can mark students as **Present or Absent**.

This method is easy to understand and provides a smooth user experience because it follows common design practices used in most mobile applications.

Example:

Mark Attendance Option

↓ Tap

Mark Attendance Screen

19:03
SMART ATTENDANCE
MARK ATTENDANCE
VIEW ATTENDANCE
REPORTS
Home
Attendance
Profile


19:03
<
MARK ATTENDANCE
Student Name
Roll Number
Date
Mark as :
PRESENT
ABSENT
SUBMIT
Home
Attendance
Profile

Unfamiliar Navigation Model :

Explanation :

Unfamiliar navigation refers to **interaction methods that are not commonly used or immediately obvious to users**.

In this experiment, unfamiliar navigation is demonstrated using a **gesture-based interaction**, specifically the **Swipe Left gesture**.

Instead of tapping an option, the user **swipes the screen to the left**, and the system navigates to the **Mark Attendance screen**.

This gesture-based navigation may require users to understand the interaction before using it effectively, which makes it an **unfamiliar navigation model**.

Gesture-based navigation provides a more interactive user experience but may not always be immediately recognizable to new users.

Unfamiliar navigation refers to interaction methods that are **not immediately obvious to the user** and may require exploration or guidance to understand. These navigation techniques often rely on **gestures or hidden actions** rather than visible buttons or menus.

Example:

Main Screen
  ← Swipe Left
Mark Attendance Screen





Result :

The prototype application demonstrating **familiar and unfamiliar navigation models** was successfully created using Proto.io. The application allows users to navigate between screens using both **button-based interaction and gesture-based interaction**.

Proto Link:

https://pr.to/3DN1I9/