

AMAZON DYNAMODB – TABLE AND ITAM OPERATIONS



LINUX -COPING FILES



DEPARTMENT-WISE SALARY RANKING

```sql
INSERT INTO employee (emp_id, emp_name, department, salary)
VALUES
(1, 'jabi', 'IT', 50000),
(2, 'sai', 'IT', 60000),
(3, 'Rahul', 'IT', 50000),
(4, 'Shiva', 'HR', 40000),
(5, 'loki', 'HR', 45000),
(6, 'reddy', 'HR', 40000),
(7, 'Vijay', 'Finance', 55000),
(8, 'uday', 'Finance', 60000),
(9, 'Ravi', 'Finance', 55000),
(10, 'kailash', 'Marketing', 35000);


SELECT * FROM employee;

SELECT * FROM employee
WHERE salary > 50000;
```

Output | Result #6

emp_id	emp_name	department	salary
2	sai	IT	60000
7	Vijay	Finance	55000
8	uday	Finance	60000
9	Ravi	Finance	55000

```sql
SELECT MAX(salary)
FROM employee;
```

Output | Result #7


MAX(salary)
60000


```sql
SELECT MAX(salary) AS second_highest_salary
FROM employee
WHERE salary < (
    SELECT MAX(salary)
    FROM employee
);
```

Output | Result #8


second_highest_salary
55000

AZURE DATABASE creation – Table operations





API GATEWAY


Search
[Alt+S]
Ask Amazon Q
Europe (Stockholm)
jabi
APIs
Resources - studentapi (twhhbx04s4)
Create resource
/
/students
GET
POST
/{student_id}
DELETE
PUT
Client
Method response
Integration response
Proxy integration
Lambda integration
Method request
Integration request
Integration response
Method response
Method request settings
Edit
Authorization
NONE
API key required
False
Request validator
None
SDK operation name
Generated based on method and path
Request paths (1)
Name
Caching
student_id
Inactive
URL query string parameters (0)
Name
Required
Caching