



ជាតិ សាសនា ព្រះមហាក្សត្រ

Institute of technology of Cambodia



Department of Information and communication

<<Report TP IP05>>

TP: INTERNET PROGRAM

Lecturer: HOK TIN

Student: VEN THON

ID: e20191250

Group: I4-GIC-C

Year: 2023-2024

URL GIT: VenThon/TP05-IP (github.com)

Contents

Ex1: Activity Suggestion	3
Ex2: Gender Guessing	
Ex3: Nationality Guessing	
Ex4: University List	
Ex5: Book Store	

Ex1: Activity Suggestion

```
Ex1 > 5 Ex1TP5.html > ♦ html > ♦ body > ♦ div.wrapper > ♦ div#content.content
       <html lang="en">
          k rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">
          <title>Activity Suggestion</title>
                  width: 600px;
                  height: 600px;
                  border: 2px solid □black;
                  background-color: ☐aqua;
              .emogy{
                  justify-content: center;
                  height: 50px;
                  border-radius: 5px;
                  padding-top: 40px;
                  height: 200px;
                   color: □black;
                  font-size: 20px;
```

```
Ex1 > 5 Ex1TP5.html > ♦ html > ♦ body > ♦ div.wrapper > ♦ div#content.content
                  color: □black;
                   font-size: 20px;
               #type{
                  padding-top: 30px;
               #participants{
                  padding-top: 10px;
                  padding-top: 10px;
                  padding-top: 10px;
                  background-color: ■whitesmoke;
                  width: 300px;
                  padding: 20px;
                  border: 1px solid □black;
                  border-radius: 5px;
           <div class="wrapper">
              <div class="emogy">
              <h1>Are you boring?</h1>
              <div id="loading-text" hidden>
                  Loading....
           <script src="./Sript.js"></script>
```

```
Ext > JS Snpty > © getAnActivity > © thenO callback

const loadingText - document.getElementById("loading-text");
const activityName = document.getElementById("activity-name");
const loadingText - document.getElementById("content");

activityName = innerHTML = "";
NewLontent = document.getElementById("content");

// symekame = innerHTML = "";
// symekame = innerHTML = "";
// participantsName = innerHTML = "";
// participantsName = innerHTML = "";
// innerHTML = "";
```



Ex2: Gender Guessing

```
Ex2 > 5 Ex2TP5.html > ♦ html > ♦ head > ♦ style > 😝 .sub-wrapper
      <html lang="en">
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
          <title>Gender Guessing</title>
                .wrapper{
                   width: 600px;
                   height: 600px;
                   border: 2px solid □black;
                   background-color: <a>royalblue</a>;
               .emogy{
                   display: flex;
                   justify-content: center;
                   justify-content: center;
               .sub-wrapper{
                   display: flex;
                   justify-content: center;
                   gap: 8px;
                   height: 30px;
                   background-color: ■whitesmoke;
                   border-radius: 4px;
                  height: 35px;
                   display: flex;
                   padding-top: 50px;
                   color: □black;
                   font-size: 1.5rem;
                   display: flex;
```

```
Ex2TP5.html > ♦ html > ♦ head > ♦ style > ६ sub-wrapper
          #gender{
               padding-top: 10px;
color: □orange;
               padding-top: 10px;
               color: ■yellowgreen;
               padding-top: 40px;
               height: 200px;
               background-color: ■whitesmoke;
               height: 200px;
               padding: 20px;
               border: 1px solid □black;
               border-radius: 5px;
      <div class="wrapper">
         <div class="emogy">
              9
         <h1>I know you Gender</h1>
<div class="sub-wrapper">
                   <button onclick="GetData()">Guess
               <div id="loading-text" hidden>
                   loading....
```


```
Ex2 > JS Sript.js > 🗘 GetData
      const loadingText = document.getElementById("loading-text");
               const finput = document.getElementById("input");
               const NewContent = document.getElementById("content");
               NewContent.innerHTML="";
               function GetData(){
                   loadingText.hidden=false;
                   fetch(`https://api.genderize.io?name=${finput.value}`)
                       .then(async (res) =>{
                           const data = await res.json();
                           NewContent.innerHTML=`
                           <div class="content">
                                   <div id="name">${data.name}</div>
                                   <div id="gender">${data.gender}</div>
                                   <div id="persent">${data.probability*100}%</div>
                               </div>
                           </div>
                           console.log(err);
                       }).finally(() =>{
                           loadingText.hidden = true;
```



Ex3: Nationality Guessing

```
Ex3TP5.html >  html >  head >  style
      <html lang="en">
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Nationality</title>
              .wrapper{
                  width: 600px;
                  height: 600px;
                  border: 2px solid □black;
                  background-color: aqua;
              .emogy{
                  display: flex;
                  font-size: 70px;
                  display: flex;
                  justify-content: center;
              .sub-wrapper{
                  display: flex;
                  justify-content: center;
                  gap: 8px;
                  height: 30px;
                  background-color: ■whitesmoke;
                  border-radius: 4px;
                  height: 35px;
                  display: flex;
                  margin-top: 10px;
                  display: flex;
                  justify-content: space-between;
                  color: □black;
```

```
justify-content: space-between;
color: Dlack;
         background-color: ☐gray;
         padding: 30px 10px 5px 10px;
         border: 1px solid □black;
<div class="wrapper">
    <div class="emogy">
    <h1>I know you Home</h1>
   <div class="sub-wrapper">
        <div id="loading-text" hidden>
            loading.....
   <div id="wrapper">
       loadingText.hidden=false;
            .then(async (res) =>{
   const data = await res.json();
                wrapperELe.innerHTML=
```



Ex4: University List


```
🥫 Ex4TP5.html > 쥥 html > 쥥 head > 쥥 style > ધ body .container
      <!DOCTYPE html>
      <html lang="en">
       <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1.0">
        <title>Document</title>
                  padding: 0;
                  margin: 0;
                  box-sizing: border-box;
                  height: 100vh;
                  display: flex;
                  justify-content: center;
                  align-items: center;
                  height: 90%;
                  background-color: ■gray;
                  border: 5px solid □black;
                  overflow-y: scroll;
                  overflow-x: hidden;
                  height: 14px;
                  background-color:  whitesmoke;
              body .container::-webkit-scrollbar-thumb {
                  background-color: ■#00bbff;
                  border-radius: 50px;
                  height: 50%;
                  width: 100%;
                  display: flex;
                  flex-direction: column;
                  align-items: center;
```

```
🥫 Ex4TP5.html > 🛇 html > 🛇 head > 🛇 style > ધ body .container
                   align-items: center;
                   height: 2rem;
                   border-radius: 8px;
                   display: grid;
                   grid-template-columns: repeat(3, 1fr);
                   row-gap: 10px;
                    -moz-column-gap: 10px;
                   column-gap: 10px;
                   height: 100%;
                   text-align: center;
background-color: ■rgb(244, 244, 244);
                   border: none;
                   border-radius: 9px;
               .lds-ring {
                   display: none;
                   align-items: center;
                   box-sizing: border-box;
                   width: 64px;
                   height: 64px;
```

```
<option value="Honduras">Honduras</option>
<option value="Hong Kong">Hong Kong</option>
<option value="Hungary">Hungary</option>
<option value="Iceland">Iceland</option>
<option value="India">India</option>
<option value="Indonesia">Indonesia</option>
<option value="Iran, Islamic Republic of">Iran, Islamic Republic of</option>
<option value="Iraq">Iraq</option>
<option value="Ireland">Ireland</option>
<option value="Isle of Man">Isle of Man</option>
<option value="Israel">Israel</option>
<option value="Italy">Italy</option>
<option value="Jamaica">Jamaica</option>
<option value="Japan">Japan</option>
<option value="Jersey">Jersey</option>
<option value="Jordan">Jordan</option>
<option value="Kazakhstan">Kazakhstan
<option value="Kenya">Kenya</option>
<option value="Kiribati">Kiribati</option>
<option value="Korea, Democratic People's Republic of">Korea, Democratic People's Republic of
<option value="Korea, Republic of">Korea, Republic of
<option value="Kuwait">Kuwait</option>
<option value="Kyrgyzstan">Kyrgyzstan</option>
<option value="Lao People's Democratic Republic">Lao People's Democratic Republic
<option value="Latvia">Latvia</option>
<option value="Lebanon">Lebanon
<option value="Lesotho">Lesotho</option>
<option value="Liberia">Liberia</option>
<option value="Libyan Arab Jamahiriya">Libyan Arab Jamahiriya</option>
<option value="Liechtenstein">Liechtenstein</option>
<option value="Lithuania">Lithuania
<option value="Luxembourg">Luxembourg</option>
<option value="Macao">Macao</option>
<option value="Macedonia, The Former Yugoslav Republic of" >Macedonia, The Former Yugoslav Republic of</option>
<option value="Madagascar">Madagascar
<option value="Malawi">Malawi</option>
<option value="Malaysia">Malaysia
<option value="Maldives">Maldives</option>
<option value="Mali">Mali</option>
<option value="Malta">Malta</option>
<option value="Marshall Islands">Marshall Islands
<option value="Martinique">Martinique</option>
<option value="Mauritania">Mauritania
<option value="Mauritius">Mauritius</option>
```

```
<option value="Mauritania">Mauritania
           <option value="Mayotte">Mayotte
           <option value="Mexico">Mexico</option>
           <option value="Moldova, Republic of">Moldova, Republic of
           <option value="Mongolia">Mongolia
           <option value="Montenegro">Montenegro</option>
           <option value="Morocco">Morocco</option>
           <option value="Namibia">Namibia
           <option value="Netherlands">Netherlands</option>
           <option value="Netherlands Antilles">Netherlands Antilles
           <option value="New Zealand">New Zealand
           <option value="Nicaragua">Nicaragua</option>
           <option value="Niger">Niger</option>
           <option value="Nigeria">Nigeria</option>
           <option value="Norfolk Island">Norfolk Island
           <option value="Venezuela">Venezuela</option>
           <option value="Virgin Islands, British">Virgin Islands, British
           <option value="Western Sahara">Western Sahara
           <coption value="Zambia">Zambia</option>
<div class="lds-ring"><div></div></div></div></div></div></div></div></div></div>
```

① 127.0.0.1:5501/Ex4TPS.html
企 ☆ 🛊 🗊



Ex5: Book Store


```
| Addition | Addition
```

```
.add input[type=text]:focus {
    border-color: ■dodgerBlue;
    box-shadow: 0 0 8px 0 ■dodgerBlue;
    height: auto;
    width: 800px;
    top: 0px;
    display: flex;
    flex-wrap: wrap;
    margin-left: 350px;
    border-radius: 10px;
    background-color: ■#ffffff;
    background-color: ■rgba(147, 196, 125, 1);
    text-align: center;
    height: 35px;
    font-size: large;
    color: ■#ffffff;
    position: sticky;
    width: 780px;
    margin: 10px 0 10px 10px;
    border-radius: 5px;
    text-align: center;
    margin: 1%;
    margin-left: 1%;
    box-shadow: ☐rgba(15, 15, 15, 0.3) 0px 7px 29px 0px;
    border-radius: 10px;
 .items>img {
    margin-top: 10px;
    margin-bottom: 10px;
.add input[type=text] {
   width: 100%;
   border: 2px solid ■#aaa;
   border-radius: 4px;
   margin: 8px 0;
   padding: 8px;
   box-sizing: border-box;
   transition: .3s;
```

```
margin-bottom: 10px;
.category {
   text-align: start;
   margin-left: 10px;
   padding-top: 10px;
    text-align: start;
.button {
   margin-top: 10px;
   margin-bottom: 5px;
.items>img {
  height: 90px;
.loading {
    justify-content: center;
    align-items: center;
    margin: 5px 0 15px 0;
    background-color: ■rgba(244, 67, 54, .9);
   color: ■white;
@import url(https://fonts.googleapis.com/css?family=Roboto:100);
    margin-bottom: 40px;
   display: inline-block;
```

```
Ex5 > JS ActionWebpage.js > ...
                  let header = document.getElementsByClassName("header-add")[0];
                  const getB = localStorage.getItem('books');
                  const dataB = JSON.parse(getB);
                  let output = '
                  var loading = (value) => {
                          setTimeout(() => {
                          document.getElementsByClassName('loading')[0].style.display = 'flex'
                          document.getElementsByClassName('loading')[0].style.display = 'none';
                  loading("true");
                  fetch('https://jsonplaceholder.typicode.com/photos').then(async(res) => {
                               `<div class="items">` +
                               `<img src="${results[result].url}" alt="#">` +
                               `<div class="name">Title : ${results[result].title.toString().substring(0, 10)}...</div>` +
                               `<div class="category">Album ID : ${results[result].albumId}</div>` +
                               `<a href="./OnclickWebpage.html?bookid=${parseInt(result)+1}">see more</a>` +
                               `</button>` +
                      document.getElementById("add_items").innerHTML += output;
                          loading("false");
```

```
Ex5 > 🗵 OnclickStyle.css > 😂 .home
          margin: 0px;
          padding: 0px;
          box-sizing: border-box;
          padding: 10px;
          margin: 10px;
        height: 10rem;
        display: flex;
          justify-content: center;
          align-items: center;
          flex-wrap: wrap;
          background-color: ☐rgba(88, 90, 84, 0.8);
         width: 100%;
          text-align: center;
          margin: 2rem 0 0 0;
        display: flex;
          justify-content: center;
          flex-wrap: wrap;
      margin-bottom: 1rem;
          width: 100%;
         text-align: center;
      .home>img {
         height: 100px;
```



accusamus beatae ad facilis cum similique qui sunt 24