

Console commands

Europa Universalis V offers a debug mode **(disabled by default)** that allows the inputting of console commands. This page lists the codes that may be input into the Console Window, a special debugging window that may be accessed in non-ironman games while in debug mode by pressing Shift+2, ALT+2+1, Shift+3, §, ~, ^, °, 2, or ` (key varies based upon keyboard layout). For QWERTY keyboards, the key is `. Otherwise, Alt + C or Shift + Alt + C may work if the prior combinations did not. Press the up or down arrow keys to traverse through previously executed commands. Press ⇧Tab after entering the beginning of a command to autocomplete it or display which commands contain the entered sequence. Many codes can be turned off by repeating the command, but sometimes reloading the save or exiting the game is necessary.

Please help with verifying or updating older sections of this article.
At least some were last verified for version pre-release.

İçindekiler

Debug mode

Enabling debug mode

Steam

Windows

Disabling debug mode

Debug info

List

References

Debug mode

Debug mode is a set of game tools that allows the modification of game behavior outside normal means. It includes:

- Console Window (accepts console commands)
- Debug Menus (including the GUI Editor, Script explorer and others)
- Debug Info
- Ctrl + clicking on a country on the map takes control of the country
- Ctrl + alt + clicking on a state on the map takes the state
- File watcher that automatically reloads changed files (including mods) into memory

Enabling debug mode

Debug mode can be enabled before launching the game and/or toggled in the game using mods. It can be disabled from the console, but can't be re-enabled after it's closed (unless with mods).





Steam

On Steam:

1. Right-click the game, open Properties
2. Add `-debug_mode` to the Launch Options at the bottom
3. Start the game

Windows

Without Steam, on Windows:

1. Go to your Europa Universalis V directory, "binaries" folder
2. Right-click eu5.exe and create a shortcut
3. Right-click the shortcut, open Properties
4. In the Target field, add `-debug_mode` at the end (so it looks like this "`... \eu5.exe`" `-debug_mode`)
5. Launch the game using the shortcut

Disabling debug mode

To activate achievements again, disable all active mods and remove `-debug_mode` from launch options. After launching the game, make sure you have the correct checksum. It can be found in the right corner in the Main Menu.

Debug info





List

Command	Aliases	Parameters	Effect
oos_prompt		[<local/dummy>]	Shows the oos_prompt window
oos_dump			Dumps OOS info
print_randomlog			Prints the current randomlog
force_oos			Force a desync, modifies the random count
force_resync			Host will force a resync in an MP game
event		[eventid] [target]	Trigger an event
Manpower			adds currency (Manpower)
Sailors			adds currency (Sailors)
cash			adds currency (cash)
Stability			adds currency (Stability)
WarExhaustion			adds currency (WarExhaustion)
Inflation			adds currency (Inflation)
Prestige			adds currency (Prestige)
ArmyTradition			adds currency (ArmyTradition)
NavyTradition			adds currency (NavyTradition)
GovernmentPower			adds currency (GovernmentPower)
Karma			adds currency (Karma)
ReligiousInfluence			adds currency (ReligiousInfluence)
Purity			adds currency (Purity)
Honor			adds currency (Honor)
Doom			adds currency (Doom)
RitePower			adds currency (RitePower)
Yanantin			adds currency (Yanantin)
Righteousness			adds currency (Righteousness)
Harmony			adds currency (Harmony)
SelfControl			adds currency (SelfControl)
YesMan			toggles the cheat mode YesMan
NoMan			toggles the cheat mode NoMan
WatchWindows			toggles the cheat mode WatchWindows
LoadingScreen			toggles the cheat mode LoadingScreen
InstantMove			toggles the cheat mode InstantMove
InstantSiege			toggles the cheat mode InstantSiege



FastDiplo			toggles the cheat mode FastDiplo
DelayDiploReply			toggles the cheat mode DelayDiploReply
InstantWar			toggles the cheat mode InstantWar
InstantConstruction			toggles the cheat mode InstantConstruction
InstantConquistadors			toggles the cheat mode InstantConquistadors
InstantCasusBelli			toggles the cheat mode InstantCasusBelli
InstantExploration			toggles the cheat mode InstantExploration
InstantMission			toggles the cheat mode InstantMission
FastRebels			toggles the cheat mode FastRebels
ByPassRequirements			toggles the cheat mode ByPassRequirements
RemoveFogOfWar			toggles the cheat mode RemoveFogOfWar
no_peace_deals			toggles the cheat mode no_peace_deals
recalc_cached_data			Recalculates the cached data in the gamestate which is not persisted in the savegame
update_pop_cache			Recalculates the cached data related to pops in the player country
form_union		[<junior partner>]	Form a union with another country
change_government	changeGov	[<Government Type>]	Change government of your country
parliament_issue		[<parliament_issue>]	Change parliament issue in your country
end_parliament_issue			Ends a parliament issue in your country with success
ignore_paused_time	ignore_pause	[<Bool Type>]	Make the time smoother to ignore that the game is paused so animation can run even when the game is paused.
discover	ti	[<location key> / all]	Discover one or all locations
discover_area	da	[<area key> / all]	Discover one or all areas
override_scale_time	overr_scale,	[<Bool Type> <Float Type>]	Override the scale for gfx time based on game speed
debug_animation_time			Ignores pause and overrides scale time setting it to 1.0.
change_devastation	chg_deva	[<location> <amount>]	Changes devastation, quantity is expected to be between 0.0 a 1.0f
tick_population		[<location>]	Montly tick for population in a location

Paradox Wikis

Ara



change_control	chg_ctrl	[<location> <amount>]	Changes control, quantity is expected to be between 0.0 a 1.0f
change_winter	chg_winter	[<location> <amount>]	Changes winter level, level is expected to be between 0 to 3
reload_terrain2_materials			Reload terrain2 textures
print_selected_illustration_info	prt_ill_info	[eventidverbose]	Prints debug info about selecting a illustration
print_selected_images_info	prt_img_info	[eventid] [verbose]	Prints debug info about image selection in the illustration of an event
trigger_flag_animation			
MapObjects.CheckLocators		[[optional] numbers of pixels to search for other location]	Checks what locators are inside the province that should contain them
PrintLocationBiome		[[optional] location id to print biome for]	Prints the biome of the hovered (or entered as argument) location
famine			Completely wipes food stockpiles in markets and provinces
build_everything	be	[<location> <id> / <country> <tag> / <region> <id> / all]	Build everything possible in a location / country or region
list_dhe_for			Lists what DHEs were fired for a tag
Cities.PrintUsedSchematics			Prints a list of all of the schematics used in city mesh lists
MapObjects.DebugDefaultLocatorTransforms			Generates debug lines for game object locator default placement
reload_pin_collections			Reload Pin Collections
spawn_in_every_location			Spawn an schematic of the desired type in every location. It can be limmited in fov, fow or player
event_probabilities		[<on_action key> [lean]]	dump in error log of breakdown of events (triggers, probabilities...) for the on_action in input. use 'lean' option for a simpler breakdown. limited to the following on_action: monthly_country_pulse yearly_country_pulse biyearly_country_pulse four_yearly_country_pulse
Map.SavePNGScaled		[<map mode>] [<file name>] [<yes/no> Should render flat (optional)]	Save a png of the map with a specific color mode with a selected size
inspect_player_country			Opens the inspector with the player country
y_mouse_pos			Copies the mouse position into the clipboard



			units on screen
start_location_gfx_test		[<Frames per Location>]	Starts gfx location tests
stop_location_gfx_test			Ends gfx location tests
ecs_scene_viewer_dockable			Ecs Scene Viewer Dockable
portrait_editor	pe		Open the portrait editor
Portrait.ClearCache			Clears the portrait cache. Forces all portraits to refresh
mesh_importer_browser			Mesh Importer Browser
mesh_importer			Mesh Importer
ecs_dependency_editor			ECS Dependency Graph Editor
init_flow_editor			Init Flow Dependency Editor
update_flow_editor			Update Flow Dependency Editor
Adjacencies.Rebuild			Rebuild all adjacencies
spawnline		[<line name>] [<start position 'x,y,z'> (no spaces)] [<end position x,y,z> (no spaces)]	Spawns specified line between 2 positions
clearlines			Clear lines
spawn_schematic		[schematic name]	Runs entity schematic with the specified parameters
clear_spawned_schematics			Removes all debug entities (spawned via spawn_schematic)
Ecs.RunRenderingBenchmark		[Schematic name] [Number of instances] [Duration (s)]	Executes the ecs rendering benchmark
spawnentity		[<entity name>] [<state> (optional)]	Spawns specified entity at cursor position
spawnentity_at		[<entity name>] [x] [y] [<state> (optional)]	Spawns specified entity at xy-position
list_entity_nodes		{{entity name}}	Shows a list with the names of the nodes of the specified entity
list_entity_submeshes		{{entity name}}	Shows a list with the names of the submeshes of the specified entity
clearspawnedentities			Clears entities spawned with spawnentity command
MapObjects.GenerateGameLocators		[<type>] [<filename> (optional)]	Generates locators for the game's map objects
MapObjects.Debug			Prints out map object debug information
Camera.Debug			Prints out camera debug information
Camera.Save			Save camera position
Camera.Load			Load camera position
Camera.SetTransform		[X] [Y] [Z] [Zoom] [Pitch] [Yaw]	Sets camera transform
.SavePNG		[<map mode>] [<file name>] [<yes/no> Should render flat (optional)]	Save a png of the map with a specific color mode

Paradox Wikis

Ara



terrain2.reload		[data source ('empty' or 'dataset')]	Reloads the terrain or terrain related assets
save_game_analyzer			Open the save game analyzer
entity_designer			Opens the Entity Designer Previewer
entity_designer_node_editor		[Name of the schematic to open]	Opens the Entity Designer Node Editor
update_graph_nodeeditor			Update Graph Editor
animation_editor			Opens the Animation Editor
scene_editor			Opens the Scene Editor
entity_editor			Entity Editor Dockable
gui_animation_curve_editor			GUI Animation Curve Editor Dockable
gui_animation_editor			GUI Animation Editor Dockable
tweak			Spawns a tweaker GUI
dump_tweakables			Dumps all available tweakables to the specified file in the user folder.
gui_data_profiler			Gui Data Profiler
log_viewer			Log Viewer Dockable
log_status			Log Status Dockable
Script.Profiling.Gui			Show script profiler gui
script_docs	script_documentation		Prints script documentation
Script.Profiling.Start			Starts capturing script profiling data
Script.Profiling.Stop			Stop capturing script profiling data
Script.Profiling.Restart			Stop and then restart capturing script profiling data
Session.GetEnabledDLCs			Gets the enabled DLCs for this session
shader_debug			
savegames.sync_cloud_files			Synchronize cloud saves (only needed for POPS/PDX SDK cloud saves)
dump_ref_lookup_memory_report			
particleeditor			Particle Editor
shader_editor			Shader Editor Dockable
compound_nodeeditor			Compound Node Editor
data_types_explorer			Opens the data types explorer dockable
drawcmdsviewer			Draw Cmds Viewer
tools.skins			Skin Editor
screenshot			Take screenshot
*tings			Spawns a settings GUI with an optional argument for an initially selected category



sdk.testloyaltyrefresh			Request new inventory status
sdk.inventorylist			List all items in inventory
sdk.testloyaltyinventory			Send campaign event to gain a test item in Marius
sdk.istelemetryenabled			Is telemetry enabled?
RandomLog			Toggles random logging
measure_frame_time		["start" or "stop" measuring]	Measures avg/min/max frame time and prints the result to debug.log once stopped
io_stats	iostats		Toggles IO Stats
io_stats.Reset	iostats.reset		Resets IO Stats
net_stats	netstats		Toggles Net Stats
net_stats.Reset	netstats.reset		Resets Net Stats
memory_stats	memstats		Toggles Memory Stats
memory_stats.Reset	memstats.reset		Resets Memory Stats
3dstats			Toggles 3D Stats
3dstats.EnableGfxZoneStats			Toggles 3D Gfx Zone Stats
3dstats.EnableTextureStats			Toggles Texture Stats
3dstats.EnableDescriptorStats			Toggles Descriptor Stats
MipLevelDebugTool			Toggles MipLevelDebugTool
Graphics.CapFramerate			
GUI.AnimationTimeline.LogStats			Dump stats of the GUI Animation Timeline system to the debug log.
audio.list_events			List audio events
audio.play_event		[Audio event]	Play audio event
audio.cpu_info			Shows current cpu usage
audio.set_rtpc		[RTPC name] [RTPC value]	Set Wwise RTPC
audio.set_state		[State name] [State value]	Set Wwise State
audio.set_switch		[Switch name] [Switch value]	Set Wwise Switch
SDL.EventLogging			
Localization.ToggleSkipDataSystemInLocOutput			Don't run the data system at all in loc
Localization.ToggleIncludeKeyInLocOutput			Includes the loc key in localization output
Localization.ToggleOnlyKeyInLocOutput			Shows only the loc key in localization output
rendertype			Reports what render backend is used
Debug.TextureMode		[Name of debug mode]	Enables a texture mode for debugging
vsync			Toggle main swapchains vsync
swapchain.buffers			Query/Set swapchain buffers

Paradox Wikis

Ara



Full Settings		Full Settings will be saved]	the options, even unmodified ones
Threading.TaskThreadCount		[The number of task threads]	Set or get the number of task threads
log		[Various, see below]	log list: Print a list of all log categories and sinks - log [on/off/level]: Turn all logs on/off or set global level - log "[Format Pattern]" Set global format pattern - log "[Category]" [on/off/level]: Turn all logs on/off or set level for Category - log "[Category]" "[Format Pattern]" Set format pattern for Category
Log.ClearErrorLog			Clears out error.log and resets the error count
Log.ClearAll			Clears all logs
log_ticktask_performance			Start outputting ticktask performance data to profiling.log
ai_currency_misses			Prints the missed ai currency modifiers to log file
TickTask.Graph			Open a graph view of the tick tasks
TickTask.List			Open a graph view of the tick tasks
write_execution_flow_graphs			Execution Flow Graphs
CrashReporter.SimulateCrash			Simulates a crash (resulting in the game exiting).
CrashReporter.DeleteCrashData			Delete local crash dumps older than X days.
minidump		[file path]	Creates a minidump
gfx.skin			select active gfx skin
Dockables.Create		[Dockable name]	Create dockable
Dockables.CreateUserLayout		[Dockable layout name]	Create a new user layout copy of current layout, with new name.
Dockables.SaveUserLayout		[Dockable layout name]	Save current layout to disk as user layout, optionally under a new name.
Dockables.DeleteUserLayout		[Dockable layout name]	Delete layout as user layout
Dockables.ShowLayout		[Dockable layout name]	Show an existing (user) layout, hide current layout
Dockables.HideLayout			Hide any shown dockable layout
Dockables.ShowManager			Show dockable layout manager
map_editor			Toggle map editor
ioPersistentObjectManager.PostAudioEvent			Runs an audio even on a "persistent" audio object

Paradox Wikis

Ara



Debug.Achievements.ListAll		[<value>]	Runs the achievements system in debug mode
Debug.Achievements.ResetAll			Locks all achievements again
switchlanguage		[language name]	Reload localization files and switch language
reload		[file name]	Reloads assets
time			What time is it?
crash			Cause the application to crash
debug_mode			Toggles debug mode
release_mode			Toggles release mode
GUI.CreateWidget	gui_test,test_gui	[File name] [Widget name]	Create dummy widget. With 0 arguments the file name will be gui/test_gui.gui, and the widget name will be test_window
GUI.CreateDockable		[File name] [Widget name] [Dockable id. If doesn't exist, it will be registered]	Create dummy dockable widget. With 0 arguments the file name will be gui/test_gui.gui, and the widget name will be test_window
GUI.ClearWidgets			Clear dummy widget
pseudoLoc			Enable/Disable Pseudo Localization on Text Widgets
dump_data_types	DumpDataTypes		dumps the registered data types
explorer			Shows an object explorer window
explorer_reset			Resets the object explorer position and defaults
Music.StopTrack			Stops the currently playing track
Music.PauseFactor			Shows or sets the current pause_factor of the music system
Music.PlayTrack		[<track name>]	Plays the specified track
Music.Reset			Resets the music system
Music.ListTracks			Lists all registered music tracks
helplog			Print out all console commands to game.log file.
help		[command name]	Print out all console commands or a specific command description.
version			Prints the version to the console and the game log.
endgame	gameover		Forces the endgame screen to appear.
tick_day		[number of days]	Ticks any number of days
load		[file name]	Load gamestate from savegame on disk
test_save			Check save and load persistence
		[file name]	Saves current gamestate to disk

Paradox Wikis

Ara



observe	ob		Start observing the game
watch	ww		Enables watch windows
error			Show errors in log
clear_pools			Clear UI pools
clear_map			Clear map (just for debugging)
gamelog			Show game log
action_timer			Dump times to process each action type
t		[<CountryNamePrefix>]	Change player to specific country name (only unique prefix needed)
tag		[<CountryTag>]	Change player to specific tag
ai		[<CountryTag>]	Create/disable AI for tag
braindeadai		[<CountryTag>]	Enable/disable brain dead AI for tag
clear_ai_objectives		[<CountryTag>]	Clears AI military and diplomatic objectives for tag
subject_stance		[<CountryTag>, <Stance>]	Set subject stance for tag
ai_recalc_strategy			Recalculate AI strategy for all countries
ai_tactical_dryrun		['hourly'/'daily', <CountryTag>]	Run tactical AI without executing
ai_tactical_print		['hourly'/'daily', <CountryTag>]	Run tactical AI and print results
ai_tactical_execute		['hourly'/'daily', <CountryTag>]	Run tactical AI for single country
ai_daily_dryrun		[<CountryTag>]	Run AI daily tick without executing
ai_daily_print		[<CountryTag>]	Run AI daily tick and print results
ai_daily_execute		[<CountryTag>]	Run AI daily tick
ai_monthly_dryrun		[<CountryTag>]	Run AI monthly tick without executing
ai_monthly_execute		[<CountryTag>]	Run AI monthly tick
ai_monthly_print		[<CountryTag>]	Run AI monthly tick and print results
ai_recalc_peace_deals			Recalculate AI peace deals
enable_all_commands		[<location_id>]	Be the QA you always dreamed to be
recalc_trade_path_cache			Recalculate all trade path caches
ai_currency		[<currency>, <amount>, <location/rebel>]	Evaluate additional currency for AI
ai_monthly_currency		[<currency>, <amount>, <location/rebel>]	Evaluate additional monthly currency for AI
mapmode		[<MapMode>]	Give select unit to target country
_units		[<CountryTag>]	Give select unit to target country

Paradox Wikis

Ara



Unit		[<Unit>]	selected unit when no id is supplied
resupply_all_units		[<CountryTag>]	max food for all units in target country
damage_all_units		[<CountryTag>]	damage all units in target country
world_levies			raise all levies in the world
debug_estate_logic			runs some estate logic for debug
start_annex		[<country-tag>]	starts an annexation of the given country
lose_to		[<country-tag>]	makes the player lose to the target country
cb	add_casus_belli,casus_belli	[<country-tag>]	add a cb on target country
lend		[<CountryTag> <amount> <interest> <months>]	lend money to target country
spy	spies	[<CountryTag> <amount>]	adds spies to your network in a target country
favor	favors	[<CountryTag> <amount>]	adds favors in a target country
trust		[<CountryTag> <amount>]	adds trust in a target country
rebel_progress		[<id> <progress>]	Adds rebel_progress to a rebel
set_societal_value		[<societal_value> <number>]	Sets the societal value
add_subunit		[<subunit_def>]	Adds a subunit
estate_satisfaction		[<estate_type> <progress>]	Adds satisfaction to an estate
estate_gold		[<estate_type> <gold>]	Adds gold to an estate
disease	spawn_disease	[<disease>]	Spawns a Disease
building	add_building	[<building_type> <location>]	Adds a building to a location
add_random_trait		[<id>]	Adds a ruler trait to a character
add_trait		[<trait>]	Adds a specific trait to the ruler
set_adm		[<id> <ability>]	Sets adm ability for a character
set_dip		[<id> <ability>]	Sets dip ability for a character
set_mil		[<id> <ability>]	Sets mil ability for a character
bankrupt		[<CountryTag>]	Bankrupts a nation
remove_bankruptcy		[<CountryTag>]	Removes the bankruptcy modifier from a nation
opinion		[<CountryTag> <amount>]	Adds Opinion for target country versus player
convert_character		[<religion> <id>]	changes religion of a character
kill_character		[<id>]	Kills a character
impregnate		[<id>]	Impregnate a character
give_birth		[<id>]	force a pregnant to give birth
		[<id>]	Kills a character

Paradox Wikis

Ara



colonize		[<location>]	creates a colony for target locations' province
colonize_and_finish		[<location>]	creates a colony for target locations' province and then finishes the colonial charter immediately
finish_colony		[<location>]	finishes a colony for target locations' colonial charter
finish_all_colonies			finishes a colony for target locations' colonial charter
move_random_pop		[<source location> <destination location>]	moves a random pop from source to destination
population		[<location>]	changes a location's population
finish_constructions		[<location>]	finish all constructions in a location
change_garrison		[<location>]	changes a location's garrison
freeze		[<location>]	freezes a sea location
thaw		[<location>]	thaws a sea location
recalc_loc		[<location>]	recalcs modifiers in a location
pirate		[<area>]	adds a pirate to the area
imperial_authority		[<amount>]	adds a imperial_authority to the hre
annex		[<CountryTag>]	Player annexes a tag
reset_agendas			Resets agendas in parliament
war_on_player		[<CountryTag>]	A declaring country optionally followed by the victim (defaults to player)
declarewar		[<CountryTag>]	A victim country optionally followed by attacker (defaults to player)
revolt		[<rebel_id>]	A revolt starts in target country
religion		[<religion>]	changes religion
culture		[<culture>]	changes culture
cultural_tradition		[<culture> <value>]	changes cultural Tradition
cultural_influence		[<culture> <value>]	changes cultural Influence
location_language_loc		[<language/dialect> <region/area>]	outputs missing location locs to the error log by language or dialect
dialect_override		[<language/dialect>]	overrides all dynasties, characters, locations display names with this dialect
convert		[<location>]	changes religion of all pops in location to state religion
win_siege		[<location>]	forces a siege to be won in the target location
economy			resets the pop demands and processes the markets
set_flag		[<flag_definition>]	overrides this country's flag
		[<country>]	dumps the country's COA representation to error log

Paradox Wikis

Ara



coa_export		[<string>]	generate 100 random CoA based on the current player country. If you leave the string empty it will output all CoA in the game!
no_owner_pops			dumps to the error log any locations that have no pops of the location's owner
buildings_over_limit			dumps to the error log any buildings that have a level set that is above the maximum
slavery			ticks the slavery process
raid		[<location_id>]	raids slaves from the target location
building_queue_stats		[<countrytag>]	Shows queue of buildings in AI memory
run_select_expand_objectives		[<countrytag>]	Runs the select expand objectives for the country
building_queue_buildings		[<countrytag>]	Shows which buildings are on the building queue
building_queue_top		[<countrytag>]	Shows the top 5 candidates in a building queue in AI memory
building_queue_clear		[<countrytag>]	Clears all candidates in a building queue in AI memory
number_of_buildings		[<countrytag>]	Shows building numbers
make_subject		[<subject_type> <countrytag>]	makes subject out of a country
occupy_location		[<location_tag>]	occupies a location
occupy_floodfill		[<location_id>]	occupies a location
occupy_country		[<countrytag>]	occupies a country
occupy_province		[<province>]	occupies a province, only locations belonging to nations at war with the player
occupy_area		[<area>]	occupies an area, only locations belonging to nations at war with the player
occupy_region		[<region>]	occupies a region, only locations belonging to nations at war with the player
conquer		[<location_tag>]	conquers an location
conquer_country		[<countrytag>]	conquers a country
conquer_province		[<province_definition>]	conquers a province definition
conquer_area		[<area>]	conquers an area
conquer_region		[<region>]	conquers a region
change_dynastic_name		[<countrytag>]	Changes dynastic name of a country
remove_location_from_all_ios		[<location_id>]	removes location from ios
age	change_age	[<age_tag>]	changes the age
situation	activate_situation	[<situation>]	activate situation
monthly_situation		[<situation>]	ticks a month for a situation
disaster	activate_disaster	[<disaster>]	activate disaster

Paradox Wikis

Ara



add_institution_progress	institution	location_tag <amount>]	add_institution_progress
dynasties_report			writes out the dynasty per country
formable_report			writes out the formables without advances
content_report	cr		writes out the amount of unique content per tag
seazone_report			checks if any seazone has any errors
building_report	br		reports the base upkeep cost for all buildings
area_report			checks if any areas has any problems
mapmode_report			checks if any mapmode is missing a tooltip
icon_report			checks if any icon database is missing a tooltip
bad_goods			checks if any locations has bad raw materials
overpopulation	op		writes out the locations with overpopulation
societal_values_report	svr		checks if all societal values have enough impact it
river_validation_report	rvr		checks if the river bitmap is valid
write_popdata	popdata		writes out pop information
print_location_list	location_list		Writes data about locations in a csv format
printmap		[<mapmode>] [<filename>] [<yes/no> Should render flat (optional)]	Writes out the current worldmap to file
setup_editor			Toggles the setup editor.
pop_editor			Toggles the pop editor.
cd_pop_editor			Toggles the CD pop editor.
war_viewer			Toggles the War Viewer.
ai_currency_viewer			Toggles the Ai Currency Viewer.
ai_diplomatic_objectives_viewer			Toggles the Ai Diplomatic Objectives Viewer.
ai_targets_viewer			Toggles the Ai Targets Viewer.
port_editor			Toggles the port editor.
institution_editor			Toggles the institution editor.
road_editor			Toggles the road editor.
players			Lists all players on server
kick		[<Player name>]	Kicks a player with the given name
new_culture		[<name>]	Makes a new culture for the player with the given name
merge_culture_group		[<name>]	Merges a culture group

Paradox Wikis

Ara



create_character		[<name/random>] [lowborn/random/new]	Create a Character
artist		[<artist_type>]	Create an artist
workofart		[<work_of_art_type> [<location> [<quality>]]]	Create a work of art
policy	add_policy	[<policy>]	changes a policy
border_distance		[<CountryTag>]	gets border distance between current and given country
diplomats		[<amount>]	Gain diplomatic actions
stockpile		[<market centre location index> <goods key> [<amount>]]	Stockpile goods
reform_desire		[<amount>]	players religion gets reform desire
add_core		[<amount>]	Add a core location
maritime_presence		[<amount>]	Add maritime presence to seazone
add_research	addresearch	[<amount>]	Gain Research Progress
list_bankruptcies			Shows a list of all bankrupt countries
list_high_debt_countries			Shows a list of all high debt countries
show_diplomacy_stats			Shows the diplomacy stats
run_economy_stats			Runs the economy stats gathering
show_economy_stats			Shows the economy stats
show_saving_mode		[<CountryTag>]	Shows the saving mode a country has
calc_threat_level		[<CountryTag> <CountryTag>]	Shows the threat level second nation poses to first nation 0-1
codetest			Command for easy code testing
research_all			Researched all advances in all trees
finish_current_religious_focus			Completed progress on current religious focus
integrate_all			Integrates all provinces
antagonism		[[<location>] <value>]	Gives antagonism centred on nations capital or location parameter if supplied
finalise_resolution		[<ResolutionID>]	Finalizes a resolution in an IO
create_pu		[<CountryTag>]	Creates a personal union with another country
research		[<advance>]	researches a specific advance
embrace_all			Embraces all active institutions
event_counts			Print event debug counts
trigger_animations			Trigger a named set of animations
effect		{{effect script}}	execute effect
		{{effect file}}	execute effect file in /run



Camera.Goto	goto	[<location>]	Moves the camera to a location
copy_dna		[<id>]	Copy/shows adn of a character

References

Modding

Return to top

Documentation

Defines • Effects • Scopes • Scope links • Triggers | Colors • Macros • Mean time to happen • Modifier types • On actions • Script value • Variables | GUI script • Localization

Scripted content

Actions • Disasters • Events • Missions • Modifiers • Scripted gui • Setup • Situations • Customizable localization

Scripted types

Advances • Art • Buildings • Bureaucracies • Casus belli • Characters • Concepts • Countries • Culture • Diplomacy • Diseases • Estates • Goods • Institutions • International organizations • Laws • Movements • Peace treaties • Pops • Religion • Subject types • Traits • Units • Wargoals

Map

Map • Map modes • Terrain

Graphics

3D Models • Interface • Graphical assets • Fonts • Flags

Audio

Music • Sound

Other

AI • Console commands • Checksum • Mods • Mod compatibility • Mod structure • Troubleshooting

Guides

Interface modding guide • Mod translation • Save-game editing • Settlement position modding guide

Tools

Arcanum • PDX DeepL • PDX Workshop Manager • Community Mod Toolkit • Add Your Tool to the Wiki

"https://eu5.paradoxwikis.com/index.php?title=Console_commands&oldid=33187" sayfasından alınmıştır

Sayfa en son 11.28, 21 Mart 2026 tarihinde değiştirildi.

Aksi belirtilmedikçe içeriğin kullanımı Attribution-ShareAlike 3.0 lisansı kapsamında uygundur.

GAMES

- Discover
- Our Brands
- Browse
- Play on Paradox technology

COMMUNITY

- Paradox Forums
- Paradox Wikis
- Support

ABOUT

- News
- About us
- Careers
- Join our playtests
- Media contact

SOCIAL MEDIA

Terms & Policies

Legal Information

EU Online Dispute Resolution

Report Illegal Content

Frequently Asked Questions

Paradox Interactive corporate website



