

Mod structure

Understanding of Europa Universalis V's mod structure is critical to modding the game.

This article is timeless and should be accurate for any version of the game.

İçindekiler

Mod folder location

Metadata

Mod folder structure

Top folders

General layout

Overriding files

Database entry modes

References

Mod folder location

By default, the folder for local mods is located at:

`%USERPROFILE%/Documents/Paradox Interactive/Europa Universalis V/mod`

Each local mod needs its own folder in there. It is also expected all of them have Metadata, otherwise the game will error.

Mods downloaded from the Steam workshop are located in `Steam/steamapps/workshop/content/3450310` directory.

Metadata

Mods require a `metadata.json` file within a `.metadata` folder to provide additional information for the launcher.

`.metadata` folder should also contain a `thumbnail.png` file that serves as the thumbnail



The basic structure for the metadata file looks like this:

```
{
  "name" : "Test",           # The display name of your mod
  "id" : "testmod",         # Id of the mod for recognition
  "version" : "1.2",        # Version of the Mod (x.x.x or x.x number format where x is integers)
  "supported_game_version" : "1.0.*", # Supported Game Version. The '*' is a wildcard which means any number
will be supported. 'x' also works here but is less common.
                                # Using it means that this mod is expected to work on this version
  regardless of hotfix
  "short_description" : "",  # Short Description to be used as initial description in Steam upload
  "tags" : [                # List of Tags that will be used in the uploaded mod
    "Situations",
    "Religions"
  ],
  "relationships" : [
    {
      "rel_type" : "dependency", # only available option. Makes this mod require the mod/dlc
      under the "id" of the mod
      "id" : "anothermod",      # the "id" field of the target mod/dlc
      "display_name" : "TestMod2", # If the mod under "id" cannot be found, this text will be
displayed as the mod name
      "resource_type" : "mod",   # either "mod" or "dlc"
      "version" : "1.2.*"       # version of the target dependency
    },
    {
      # Another relationship entry here.
    }
  ],
  "game_custom_data" : {      # Custom Data, only supports replace_paths right now
    "replace_paths" : [
      "events",               # Only gets rid of files in loading in events/, not in its
subfolders.
      "common/casus_belli"
    ]
  }
}
```

Mod folder structure

The mod folder is the counterpart of base Europa Universalis V's game folder. Thus, the structure within that folder must be maintained for the mod to function correctly.

This means, that the 3 top folders at the top should be `in_game`, `loading_screen` and `main_menu`.

Examples of correct paths:

- `mod/TestMod/in_game/events/event_file.txt`

Examples of incorrect paths, that often add an unnecessary level or omit one of the 3 top folder specifications:

- `mod/TestMod/game/in_game/events/event_file.txt` (Unnecessary addition of game)
- `mod/TestMod/events/event_file.txt` (Missing top folder)
- `mod/TestMod/in_game/on_action/on_action_file.txt` (Missing common folder inside `in_game`)

Be certain that you spelled the folders and paths correctly. Misspelled folders are not read correctly and will not generate errors.



Top folders

The three top folders are `in_game`, `loading_screen` and `main_menu`. Their purpose is to load game resources in certain batches, in order they are loaded:

- **loading_screen** - this is the first directory that is read and contains information required for the pre-menu loading screen. When this directory is being loaded, a black screen with Paradox Interactive and Paradox Tinto logo is visible.
- **main_menu** - files that are needed to display everything in the main menu (main menu, mod view, multiplayer view) are loaded. When this directory is being loaded, you can see a background with a "Loading" bar at the bottom. This is the loading screen before the main menu.
- **in_game** - the rest of the files needed for gameplay are loaded here. This is loaded while you are in the main menu and it is required to enter the game lobby (the lobby is where you can select which country to play, may view the map etc.)

Everything placed below the top folders shares the same general layout. The top folders are here **only** to decide load order.

General layout

Below the top folders, which load files in batches, are game folders. They all follow a specific, common layout, which compartmentalizes different aspects of the game.

There are many different subfolders, but the most notable are:

- `common` - this is the folder with the majority of interactable game concepts are and where most easily moddable types can be found.
- `events` - folder where events are made, one of the most basic and primary ways of delivering flavor to the end user.
- `gui` - folder where the GUI can be edited.
- `gfx` - folder that stores graphical assets for use in the UI.
- `localization` - folder where various game strings are localized into the respective languages.
- `setup` - folder that contains the script files that are responsible for creating the starting setup

Overriding files

A file in vanilla or in previously read mod can be entirely overridden by a file in the same directory and of the same name.

For instance a mod file like this:

```
mod/TestMod/in_game/common/vegetation/00_default.txt
```

will overwrite this:

```
Europa Universalis V/game/in_game/common/vegetation/00_default.txt
```

if it the mod's `00_default.txt` is empty.



Database entry modes

Database entry modes are certain "commands" that can be entered before a game database entry to allow for interaction with existing objects (e.g **INJECT**:sparse = { }).

They are **only** usable in the vast majority of subfolders in common with the notable exception of on_action(see [On actions#Modding on actions](#)) and defines(see [Defines#Define modding](#)).

Database entry modes permit easy injection into and replacement of existing game objects without the need to override those objects by tricking the game into loading mod files earlier/later with different naming schemes.

Here is a table of every database entry mode and what it does:

Entry Mode	Error if object missing	Description
INJECT :key	✓	Adds the insides into the original object
REPLACE :key	✓	Replaces the original with this definition
TRY_INJECT :key	✗	Adds the insides into the original object. If the object does not exist, ignores this.
TRY_REPLACE :key	✗	Replaces the original with this definition. If the object does not exist, ignores this.
INJECT_OR_CREATE :key	✗	Adds the insides into the original object. If no such object, exists, creates it
REPLACE_OR_CREATE :key	✗	Replaces the original with this definition. If no such object, exists, creates it

Note that INJECT does not work for scripted effects and scripted triggers. Using INJECT for either of these will result in the original effect/trigger getting overwritten.

References

Modding		Return to top
Documentation	Defines • Effects • Scopes • Scope links • Triggers Colors • Macros • Mean time to happen • Modifier types • On actions • Script value • Variables GUI script • Localization	
Scripted content	Actions • Disasters • Events • Missions • Modifiers • Scripted gui • Setup • Situations • Customizable localization	
Scripted types	Advances • Art • Buildings • Bureaucracies • Casus belli • Characters • Concepts • Countries • Culture • Diplomacy • Diseases • Estates • Goods • Institutions • International organizations • Laws • Movements • Peace treaties • Pops • Religion • Subject types • Traits • Units • Wargoals	
Map	Map • Map modes • Terrain	
Graphics	3D Models • Interface • Graphical assets • Fonts • Flags	
Audio	Music • Sound	
Other	AI • Console commands • Checksum • Mods • Mod compatibility • Mod structure • Troubleshooting	
Guides	Interface modding guide • Mod translation • Save-game editing • Settlement position modding guide	
Tools	Arcanum • PDX DeepL • PDX Workshop Manager • Community Mod Toolkit • Add Your Tool to the Wiki	

"https://eu5.paradoxwikis.com/index.php?title=Mod_structure&oldid=34659" sayfasından alınmıştır



GAMES

[Discover](#)

[Our Brands](#)

[Browse](#)

[Play on Paradox technology](#)

COMMUNITY

[Paradox Forums](#)

[Paradox Wikis](#)

[Support](#)

ABOUT

[News](#)

[About us](#)

[Careers](#)

[Join our playtests](#)

[Media contact](#)

SOCIAL MEDIA

[Terms & Policies](#)

[Legal Information](#)

[EU Online Dispute Resolution](#)

[Report Illegal Content](#)

[Frequently Asked Questions](#)

[Paradox Interactive corporate website](#)

