



Scripted gui

See also: [GUI script](#)

Scripted GUI covers the creation of custom GUI elements that execute script effects in Europa Universalis V. Scripted GUIs allow modders to add interactive buttons and elements to the interface.

Please help with verifying or updating older sections of this article.
At least some were last verified for [version 1.0](#).

Scripted GUI definitions are stored in `/Europa Universalis V/game/in_game/common/scripted_guis/` as `.txt` files. The actual GUI layout files are in `/Europa Universalis V/game/<top_folder>/gui/`.

İçindekiler

- [Scripted GUI structure](#)
- [Key attributes](#)
- [Scope types](#)
- [Connecting to GUI](#)
- [Saved scopes](#)
- [AI usage](#)
- [Example](#)
- [GUI file integration](#)
- [Common patterns](#)
 - [Toggle button](#)
 - [Cooldown button](#)
- [References](#)

Scripted GUI structure



```
scope = country                                # Scope type for the SGUI

is_shown = {
    # Trigger: when SGUI is visible
    trigger
}

is_valid = {
    # Trigger: when SGUI can be activated
    trigger
}

effect = {
    # Effect: what happens on activation
    effect
}

saved_scopes = { scopes }                     # Scopes to save for use in triggers/effects

notification_key = key                         # Notification when activated

confirm_title = { }                           # Confirmation window title
confirm_text = { }                             # Confirmation window text

ai_is_valid = {
    # Trigger: whether AI can use this
    trigger
}

ai_chance = {
    # MTTH value 1-100: AI activation chance
}

ai_frequency = {
    # Script value: months between AI evaluations
}
}
```

Key attributes

Attribute	Description
scope	Scope type: country, character, location, etc.
is_shown	Trigger block - when element is visible
is_valid	Trigger block - when element can be clicked
effect	Effect block - what happens on click
saved_scopes	List of scope names to make available in triggers/effects
notification_key	Notification key when activated
confirm_title	Localization for confirmation dialog title
confirm_text	Localization for confirmation dialog text
ai_is_valid	Whether AI can use this SGUI
ai_chance	AI probability of using (1-100)
ai_frequency	Months between AI checks

Scope types



See also: [Scope](#), [Scope link](#)

- location - Province/location scope
- war - War scope
- army - Army scope
- navy - Navy scope
- international_organization - Organization scope

Connecting to GUI

See also: [Interface modding](#)

Scripted GUIs are referenced in GUI files using `scripted_gui`:

```
button = {
    using = default_button
    onclick = "[ScriptedGui.Execute(GuiScope.SetRoot(GetScriptedGui('my_scripted_gui')).End)]"
    visible = "[ScriptedGui.IsShown(GuiScope.SetRoot(GetScriptedGui('my_scripted_gui')).End)]"
    enabled = "[ScriptedGui.IsValid(GuiScope.SetRoot(GetScriptedGui('my_scripted_gui')).End)]"
}
```

Saved scopes

Define scopes to use across `is_shown`, `is_valid`, and effect:

```
my_scripted_gui = {
    scope = country
    saved_scopes = { target_country target_character }

    is_valid = {
        scope:target_country = { is_at_war = no }
    }

    effect = {
        scope:target_character = {
            add_trait = rewarded
        }
    }
}
```

These additional scopes are then passed from the GUI definition file with `AddScope` :

```
onclick = "[GetScriptedGui('my_scripted_gui').Execute(GuiScope.SetRoot(Country.MakeScope).AddScope('target_country', ...).AddScope('target_character', ...).End)]"
```

AI usage

AI chance uses mean time to happen syntax.

```
my_ai_scripted_gui = {
    scope = country

    is_shown = { always = yes }
    is_valid = { gold >= 100 }

    effect = {
        add_gold = -100
    }
}
```

Paradox Wikis

Ara



```
    gold = 500    # he needs more gold than maximum
}

ai_chance = {
    base = 5

    modifier = {
        add = 60
        trigger = {
            OR = {
                NOT = { has_variable = tge_research }
                var:tge_research < 0.3
            }
            monthly_income_trade_and_tax > 5
        }
    }
}

ai_frequency = 6
}
```

Example

```
my_custom_button = {
    scope = country

    is_shown = {
        has_variable = custom_feature_enabled
    }

    is_valid = {
        gold >= 50
        stability >= 0
        is_at_war = no
    }

    effect = {
        add_gold = -50
        add_stability = 0.5
        add_country_modifier = {
            modifier = custom_modifier
            years = 5
        }
    }

    saved_scopes = { }

    notification_key = custom_button_notification

    confirm_title = {
        first_valid = {
            triggered_desc = {
                desc = "CUSTOM_BUTTON_CONFIRM_TITLE"
            }
        }
    }

    confirm_text = {
        first_valid = {
            triggered_desc = {
                desc = "CUSTOM_BUTTON_CONFIRM_TEXT"
            }
        }
    }

    ai_is_valid = {
        gold >= 200
    }

    ai_chance = {
        base = 25
    }
}
```



GUI file integration

Create a matching GUI file in `<mod>/gui/`:

```

types MyCustomTypes {
    type my_custom_button_widget = widget {
        size = { 200 50 }

        button = {
            using = default_button
            size = { 100% 100% }

            text = "MY_BUTTON_TEXT"

            onclick = "[ScriptedGui.Execute(GuiScope.SetRoot(GetScriptedGui('my_custom_button')).End)]"
            visible = "[ScriptedGui.IsShown(GuiScope.SetRoot(GetScriptedGui('my_custom_button')).End)]"
            enabled = "[ScriptedGui.IsValid(GuiScope.SetRoot(GetScriptedGui('my_custom_button')).End)]"

            tooltip = "MY_BUTTON_TOOLTIP"
        }
    }
}

```

Common patterns

Toggle button

```

toggle_feature = {
    scope = country

    is_shown = { always = yes }

    is_valid = { always = yes }

    effect = {
        if = {
            limit = { has_variable = feature_enabled }
            remove_variable = feature_enabled
        }
        else = {
            set_variable = feature_enabled
        }
    }
}

```

Cooldown button

```

cooldown_action = {
    scope = country

    is_shown = { always = yes }

    is_valid = {
        NOT = { has_variable = action_cooldown }
        gold >= 100
    }

    effect = {
        add_gold = -100
        set_variable = {
            name = action_cooldown

```



References

Modding		<u>Return to top</u>
Documentation	Defines • Effects • Scopes • Scope links • Triggers Colors • Macros • Mean time to happen • Modifier types • On actions • Script value • Variables GUI script • Localization	
Scripted content	Actions • Disasters • Events • Missions • Modifiers • Scripted gui • Setup • Situations • Customizable localization	
Scripted types	Advances • Art • Buildings • Bureaucracies • Casus belli • Characters • Concepts • Countries • Culture • Diplomacy • Diseases • Estates • Goods • Institutions • International organizations • Laws • Movements • Peace treaties • Pops • Religion • Subject types • Traits • Units • Wargoals	
Map	Map • Map modes • Terrain	
Graphics	3D Models • Interface • Graphical assets • Fonts • Flags	
Audio	Music • Sound	
Other	AI • Console commands • Checksum • Mods • Mod compatibility • Mod structure • Troubleshooting	
Guides	Interface modding guide • Mod translation • Save-game editing • Settlement position modding guide	
Tools	Arcanum • PDX DeepL • PDX Workshop Manager • Community Mod Toolkit • Add Your Tool to the Wiki	

"https://eu5.paradoxwikis.com/index.php?title=Scripted_gui&oldid=22209" sayfasından alınmıştır

Sayfa en son 15.00, 3 Ocak 2026 tarihinde değiştirildi.

Aksi belirtilmedikçe içeriğin kullanımı Attribution-ShareAlike 3.0 lisansı kapsamında uygundur.





GAMES

[Discover](#)

[Our Brands](#)

[Browse](#)

[Play on Paradox technology](#)

COMMUNITY

[Paradox Forums](#)

[Paradox Wikis](#)

[Support](#)

ABOUT

[News](#)

[About us](#)

[Careers](#)

[Join our playtests](#)

[Media contact](#)

SOCIAL MEDIA

[Terms & Policies](#)

[Legal Information](#)

[EU Online Dispute Resolution](#)

[Report Illegal Content](#)

[Frequently Asked Questions](#)

[Paradox Interactive corporate website](#)

