

Situation modding

Situations in Europa Universalis V represent complex political, economic and societal phenomena. They are visible to a certain subset of countries, are represented via an alert, and provide an interface for various interactions.

Please help with verifying or updating older sections of this article.
At least some were last verified for version pre-release.

İçindekiler

Technical details

Situation structure

- [Starting a situation](#)
- [Situation visibility](#)
- [Executing monthly effects](#)
- [Ending a situation](#)
- [Situation mapmode](#)
- [Graphical interface](#)
- [Creating events](#)
- [Additional parameters](#)
- [Creating hints](#)

References

Situation modding

Game folder: common/situations

Recommended top folder: in_game

File encoding: UTF-8 BOM

Icon folder: "gfx/interface/icons/situations"

Injectable: ?

Replaceable: ?

Technical details

Situation entries can hold variables and are a valid scope.

Though a situation may not be active at a time, any existing situation can be scoped to in script using the situation data scope link - one may therefore save variables on a situation before it is n active.



Situation structure

```

example_situation = {
    monthly_spawn_chance = 1

    can_start = {
        country_exists = c:FRA
        current_year >= 1400
    }

    can_end = {
        OR = {
            current_year > 1500
            NOT = { country_exists = c:FRA }
        }
    }

    visible = {
        exists = c:FRA
        knows_country = c:FRA
    }

    on_start = {
        set_variable = {
            name = targetted_country
            value = c:FRA
        }
    }

    on_monthly = {
        var:targetted_country = {
            random_list = {
                11 = { }
                1 = {
                    fire_example_situation_event = yes
                }
            }
        }
    }

    map_color = {
        if = {
            limit = {
                owner != c:FRA
            }
            value = map_FRA
        }
    }
}

```

Starting a situation

In order for a situation to start, the `can_start` field needs to be fulfilled and then every month, the game will have a chance equal to `monthly_spawn_chance` to activate the situation. Once a situation has naturally ended, it may not refire without being forcefully activated with a script effect or a console command. When a situation fires, it executes the effect provided in `on_start`.

Both `can_start` and `on_start` fields are on situation scope, so variables checked/saved on them are based on the situation:



```
}
```

monthly_spawn_chance as a field accepts any value between 0-1 representing a monthly percentage chance for the situation to begin. Moreover, it accepts a scripted value, so the chance can be made dynamic based on current game conditions:

```
monthly_spawn_chance = {
    value = 0
    if = {
        limit = {
            current_year >= 1338
        }
        value = 1
    }
}
```

Situation visibility

visible is a trigger field that determines which countries can see the situation at a given time. If a country fulfills the conditions, it will get the alert and will be able to interact with the situation.

```
visible = {
    knows_country = c:ULM
}
```

Executing monthly effects

on_monthly is an effect field that executes monthly. It is executed on the situation, so it can be easily used to calculate the internal variables as well as to affect every any country desired. Example:

```
on_monthly = {
    every_country = {
        limit = {
            can_see_situation = root      # ROOT is the situation.
        }
        random_list = {
            11 = { }
            1 = {
                trigger_event_silently = test_situation_events.1
            }
        }
    }
}
```

Ending a situation

The situation will end when the can_end trigger field is fulfilled. can_end is on the situation scope.





recommended to use `on_ended` to remove them from the situation to reduce savefile size.

Situation mapmode

Viewing a situation panel will bring up its own respective mapmode which can be customized in the situation script via `map_color`, `secondary_map_color` and `tooltip`. All 3 are evaluated in regards to the location, with `scope:target` provided as a scope to the situation.

`map_color` represents the main color on the map, `secondary_map_color` is used for whenever one wants to have striped color on a location. `tooltip` is used to fetch effects that will be shown when hovering over a location, usually `custom_tooltips` to display text! Both `map_color` and `secondary_map_color` use scripted color syntax.

Additionally, situations accept `legend_key` fields which allow adding entries to a legend for colors on the mapmode.

Example:

```
map_color = {
  if = {
    limit = {
      owner ?= c:CAS
    }
    value = map_CAS # Named Color from common/named_colors
  }
  # Game will automatically fallback to a "default" color.
}
secondary_map_color = {
  if = {
    limit = {
      exists = c:CAS
      owner ?= {
        is_allied_with = { who = c:CAS }
      }
    }
    value = rgb { 255 0 0 } # nations allied with Castile are striped red
  }
}
tooltip = {
  if = {
    limit = {
      owner ?= c:CAS
    }
    custom_tooltip = test_situation_cas_ownership
  }
  #change_development = 3 this can technically work and will not execute.
}

legend_key = {
  color = map_CAS # color for legend entry
  require_color_on_map = yes # no by default
  desc = cas_legend_key # localizable string to be displayed in the entry
}

legend_key = { # second entry example
  color = rgb { 255 0 0 }
  require_color_on_map = yes
  desc = cas_ally_key
}
```



Graphical interface

In order to add a GUI for our situation, we need to create a .gui file that is in the following folder and whose key corresponds to the situation key:

```
/Europa Universalis V/game/in_game/gui/panels/situation/<key>.gui
```

Within that file, we need to add a `situation_panel` widget within which we will add our UI elements. Within the panel, `SituationView` datacontext is available, allowing to fetch the Situation for the currently viewed panel with `SituationView.GetActiveSituation`.

Creating events

One can have a situation icon added at the top of an event window by using `category = situation` in the event. The icon is pulled according to the `namespace`: the namespace must be the same as the situation key.

Additional parameters

There are a few more fields used mainly for UI (`SituationView`):

- `international_organization_type` is a field that accepts an `international organization` key on the right. The IO must be unique.
- `resolution` must be a resolution key.
- `voters` represents the key of a global variable list for voting countries.

Creating hints

A `scriptable_hint` can be assigned to a situation with `hint_tag` field. It will be visible in the alert and the user will be able to open with the hint by shift-pressing the alert.

References

Modding		Return to top
Documentation	Defines • Effects • Scopes • Scope links • Triggers Colors • Macros • Mean time to happen • Modifier types • On actions • Script value • Variables GUI script • Localization	
Scripted content	Actions • Disasters • Events • Missions • Modifiers • Scripted gui • Setup • Situations • Customizable localization	
Scripted types	Advances • Art • Buildings • Bureaucracies • Casus belli • Characters • Concepts • Countries • Culture • Diplomacy • Diseases • Estates • Goods • Institutions • International organizations • Laws • Movements • Peace treaties • Pops • Religion • Subject types • Traits • Units • Wargoals	
Map	Map • Map modes • Terrain	
Graphics	3D Models • Interface • Graphical assets • Fonts • Flags	
Audio	Music • Sound	
Other	AI • Console commands • Checksum • Mods • Mod compatibility • Mod structure • Troubleshooting	
Guides	Interface modding guide • Mod translation • Save-game editing • Settlement position modding guide	
Tools	Arcanum • PDX DeepL • PDX Workshop Manager • Community Mod Toolkit • Add Your Tool to the Wiki	

Paradox Wikis

Ara



GAMES

Discover

Our Brands

Browse

Play on Paradox technology

COMMUNITY

Paradox Forums

Paradox Wikis

Support

ABOUT

News

About us

Careers

Join our playtests

Media contact

SOCIAL MEDIA

Terms & Policies

Legal Information

EU Online Dispute Resolution

Report Illegal Content

Frequently Asked Questions

Paradox Interactive corporate website

