

Cancer Sight: Illuminating the Hidden-Advancing Breast Cancer Detection with Machine Learning-based Image Processing Techniques

Ranga Swamy Sirisati,
Associate Professor &
HOD, Department of
CSE(AI&ML), Vignan's
Institute of Management
and Technology for
Women, Kondapur,
Ghatkesar, Hyderabad,
Telangana,
E-Mail:
sirisatiranga@gmail.com

C. Srinivasa Kumar,
Professor & Dean,
Department of CSE,
Vignan's Institute of
Management and
Technology for Women,
Kondapur, Ghatkesar,
Hyderabad, Telangana,
E-Mail:
drckumar41@gmail.com

**Pradeep
Venuthurumilli,**
Associate Professor,
Department of Computer
Science & Engineering,
Mallareddy Engineering
College for women,
Maisammagida, Hyderabad
d-500090,
Email:
pradeepvenuthuru@gmail
.com

J. Ranjith,
Assistant Professor,
Department of Information
Technology, Vignan's
Institute of Management
and Technology for
Women, Kondapur,
Ghatkesar, Hyderabad,
Telangana,
E-Mail:
ranjithsathiya07@gmail.co
m

Kanusu Srinivasa Rao,
Associate Professor,
Department of Computer
Science and Technology,
Yogi Vemana University,
Kadapa, India, E-Mail:
kanususrinivas@gmail.co
m

Abstract— Breast cancer is a significant global health concern, with early detection being critical for successful treatment and improved patient outcomes. In recent years, machine learning-based image processing techniques have emerged as powerful tools in the field of medical imaging, particularly in breast cancer detection and diagnosis. This research paper explores the application of machine learning algorithms to enhance the accuracy and efficiency of breast cancer detection using various medical imaging modalities, such as mammography, ultrasound, and magnetic resonance imaging (MRI). The study begins by reviewing the current state of breast cancer detection methodologies and highlighting their limitations. It then delves into the utilization of machine learning algorithms, including convolutional neural networks (CNNs), support vector machines (SVMs), and deep learning models, for the automated analysis and interpretation of breast cancer images. Various pre-processing steps, feature extraction techniques, and data augmentation methods are discussed to optimize the performance of these algorithms. Furthermore, the paper examines the integration of machine learning models with radiomics, genomics, and clinical data to create comprehensive breast cancer diagnostic systems. These integrated systems aim to provide more accurate risk assessment, personalized treatment recommendations, and improved patient management. The results of several case studies and clinical trials are presented to demonstrate the

effectiveness of machine learning-based image processing techniques in breast cancer detection. These studies illustrate how these techniques can improve sensitivity, specificity, and overall diagnostic accuracy compared to traditional methods. This research underscores the promising role of machine learning-based image processing techniques in advancing breast cancer detection. It highlights the potential for early diagnosis and improved patient care, paving the way for more accessible and effective breast cancer screening programs in the future. Moreover, it emphasizes the need for continued research and collaboration among healthcare professionals, computer scientists, and data scientists to harness the full potential of these innovative technologies in the fight against breast cancer.

Keywords: Breast cancer, Image processing, Machine learning, Magnetic resonance imaging (MRI), Support vector machines (SVMs), Convolutional neural networks (CNNs).

I. INTRODUCTION

Breast cancer continues to be a significant global health challenge, affecting millions of individuals and their families every year. Early detection remains the cornerstone of successful treatment and improved survival rates for breast cancer patients. Traditional screening and diagnostic methods have made substantial progress, yet they still face

inherent limitations in terms of accuracy and efficiency. In recent years, the integration of machine learning-based image processing techniques into breast cancer detection has opened up new horizons, offering the promise of enhanced precision and early diagnosis. Breast cancer remains a formidable global health challenge, affecting millions of individuals each year, with early detection being crucial for successful treatment. While medical imaging, such as mammography and ultrasound, has significantly improved breast cancer detection rates, these methods are not without limitations. False positives, false negatives, and human interpretative errors continue to be persistent issues. Consequently, there is a pressing need to advance breast cancer detection methods, and one promising avenue is the integration of machine learning-based image processing techniques. The goal of this research is to explore, develop, and assess the efficacy of machine learning-based image processing techniques in advancing breast cancer detection. By addressing the limitations of existing methods and leveraging the capabilities of machine learning, we aim to contribute to more accurate, efficient, and personalized breast cancer detection and diagnosis, ultimately improving patient outcomes and reducing the burden on healthcare systems.




Figure 1 illustrates the anatomical structure of the female breast.

Problem Statement:

False Positives and False Negatives: Existing breast cancer detection methods, particularly mammography, are prone to false positives (incorrectly identifying cancer when it is not present) and false negatives (missing actual cases of cancer). These errors can lead to unnecessary anxiety for patients and overburden healthcare systems or, more critically, delayed diagnosis and treatment for some individuals. **Interobserver Variability:** Interpretation of medical images often involves subjective judgment by radiologists, leading to variability in diagnoses. Different radiologists may arrive at different conclusions when assessing the same set of images, which can impact the consistency and reliability of breast cancer detection. **Data Overload:** The volume of medical imaging data generated daily is overwhelming, and radiologists face challenges in efficiently reviewing and interpreting these vast datasets. This leads to potential

fatigue and oversight, contributing to diagnostic errors. **Personalized Treatment:** Breast cancer is not a uniform disease; it exhibits various subtypes with distinct treatment approaches. Current methods often lack the ability to provide tailored treatment recommendations based on individual patient characteristics, including genomics, radiomics, and clinical data. **Resource Constraints:** Healthcare systems around the world face resource constraints, including shortages of specialized radiologists. The demand for breast cancer screening and diagnosis often exceeds the available workforce, necessitating more efficient and accurate detection methods.

II. THE ROLE OF MACHINE LEARNING

The integration of machine learning-based image processing techniques presents a potential solution to these challenges. Machine learning algorithms, particularly deep learning models like convolutional neural networks (CNNs), have demonstrated the ability to automatically analyze complex medical images, identify patterns, and make highly accurate diagnostic predictions. By harnessing the power of machine learning, there is an opportunity to: **Objectives of the Research:**

Enhancing Breast Cancer Detection Accuracy: The primary objective of this research is to improve the accuracy of breast cancer detection through the application of machine learning-based image processing techniques. This involves developing and fine-tuning algorithms capable of identifying subtle and complex patterns within medical images, leading to earlier and more reliable diagnoses. **Optimizing Sensitivity and Specificity:** The research aims to optimize sensitivity (the ability to correctly identify true positive cases) and specificity (the ability to correctly identify true negative cases) in breast cancer detection. By achieving a balance between these two metrics, the goal is to reduce both false positives and false negatives, ultimately improving the overall reliability of diagnostic outcomes. **Exploring Multiple Imaging Modalities:** The scope includes the investigation of various medical imaging modalities commonly used in breast cancer detection, such as mammography, ultrasound, and MRI. The objective is to assess the effectiveness of machine learning techniques across different imaging platforms and explore their potential for complementary use. **Algorithm Development and Optimization:** This research involves the development and optimization of machine learning algorithms, including convolutional neural networks (CNNs), support vector machines (SVMs), and deep learning models. The aim is to adapt and fine-tune these algorithms to the unique challenges and characteristics of breast cancer imaging data. **Integration with Multimodal Data:** The research explores the integration of machine learning with additional data sources, such as radiomics (extracting quantitative features from images), genomics (genetic data), and clinical information (patient history and demographics). The objective is to create comprehensive diagnostic systems that leverage multiple data types to improve accuracy and provide more

personalized treatment recommendations. Clinical Validation: To assess the real-world impact of machine learning-based techniques, the research may involve clinical validation through case studies and clinical trials. This objective aims to demonstrate the effectiveness of these techniques in actual healthcare settings and their potential to enhance clinical decision-making.

III. SCOPE OF THE RESEARCH

1. Medical Imaging: The scope encompasses various medical imaging techniques used in breast cancer detection, including mammography, ultrasound, and MRI. The research evaluates how machine learning can be applied to each of these modalities. 2. Machine Learning Algorithms: The research focuses on a range of machine learning algorithms, with an emphasis on deep learning models, such as CNNs. It explores the adaptation and optimization of these algorithms for breast cancer image analysis. 3. Data Sources: Beyond medical images, the research considers the integration of radiomics, genomics, and clinical data. The scope includes techniques for feature extraction, data fusion, and comprehensive analysis. 4. Performance Metrics: The research assesses the performance of machine learning models using metrics such as sensitivity, specificity, positive predictive value, negative predictive value, and diagnostic accuracy. 5. Clinical Application: While primarily oriented toward improving breast cancer detection, the research also considers the potential for personalized treatment recommendations based on the diagnostic results. 6. Future Prospects: The scope extends to discussing the broader implications of machine learning in breast cancer detection, including its potential to enhance screening programs, reduce healthcare costs, and improve patient outcomes. Advance breast cancer detection through the application of machine learning-based image processing techniques, considering various imaging modalities and data sources while exploring their potential clinical impact and future prospects.

IV. RELATED WORK

Breast cancer is an oncological condition originating in the breast tissue. The initiation of cancer occurs when cellular proliferation surpasses normal regulatory mechanisms. Breast cancer cells often give rise to a neoplasm that is frequently detectable by radiographic imaging or palpation as a discrete mass. Breast cancer mostly affects women, yet it is important to note that males are also susceptible to this condition [1]. It is crucial to comprehend that the majority of breast lumps are noncancerous (benign) rather than cancerous (malignant). Non-malignant breast tumours are characterised by atypical cellular proliferation, although they lack the capacity to metastasize beyond the confines of the breast tissue. Although not posing a direct danger to life, some forms of benign breast lumps may elevate the likelihood of developing breast cancer in women [2]. It is important to consult a healthcare specialist to assess any breast lump or alteration, in order to ascertain its nature as

either benign or malignant (cancerous), as well as its potential impact on future cancer susceptibility. Breast carcinomas may originate from many anatomical regions inside the breast [3]. The majority of breast cancers originate in the ducts responsible for transporting milk to the nipple, known as ductal cancers. Conversely, a subset of breast cancers begins in the glands responsible for producing breast milk, referred to as lobular cancers. Additionally, there are less prevalent forms of breast cancer, such as phyllodes tumour and angiosarcoma [4]. A limited subset of malignancies originates from non-glandular tissues inside the breast. The aforementioned malignancies, including sarcomas and lymphomas, are not often classified as breast cancers within the medical community. While a lump in the breast might be indicative of several forms of breast cancer, it is important to note that not all breast cancers manifest in this manner [5]. A significant number of breast cancers are also detected by the use of screening mammography, a diagnostic tool capable of identifying tumours at an earlier stage, often prior to their palpability and the onset of symptoms. Breast cancer has a diverse range of subtypes, with notable examples being ductal carcinoma in situ (DCIS) and invasive carcinoma. Less frequent types of tumours include phyllodes tumours and angiosarcoma [6]. Following the completion of a biopsy procedure, breast cancer cells undergo examination to determine the presence of certain proteins, including oestrogen receptors, progesterone receptors, and HER2. The tumour cells are subjected to thorough examination in the laboratory in order to determine their grade [7]. The identification of particular proteins and the determination of tumour grade play a crucial role in guiding the selection of appropriate treatment modalities. The metastasis of breast cancer occurs when malignant cells infiltrate the circulatory or lymphatic systems, facilitating its dissemination to distant anatomical sites [8]. The lymphatic system is an extensive network of lymph vessels distributed throughout the human body, serving as a conduit for lymph fluid. These channels facilitate the connection between lymph nodes, which are tiny, bean-shaped aggregations of immune system cells. The lymphatic tubes contain a transparent fluid known as lymph, which consists of cellular waste products, tissue byproducts, and various immune system cells [9]. The lymphatic vessels transport lymphatic fluid in an outward direction from the breast. In the context of breast cancer, neoplastic cells have the ability to infiltrate lymphatic arteries, thus initiating proliferation inside the lymph nodes. The majority of lymphatic veins in the breast direct their drainage into two main regions: the auxiliary nodes located under the arm, and the supraclavicular and infraclavicular lymph nodes situated around the collar bone. The internal mammary lymph nodes, located inside the chest in close proximity to the sternum, are a part of the lymphatic system [10]. In cases where cancer cells have metastasized to the lymph nodes, there exists an increased probability that these cells have disseminated through the lymphatic system and established secondary tumours in distant anatomical sites. There is a

positive correlation between the presence of breast cancer cells in lymph nodes and the likelihood of cancer metastasis to other organs. As a consequence of this, the detection of cancer in one or more lymph nodes often has an impact [11].

V. METHODOLOGY

This comprehensive methodology, researchers can contribute to the advancement of breast cancer detection using machine learning-based image processing techniques, ultimately benefiting patients, healthcare providers, and the field of oncology.

Data Collection: Medical Imaging Data: Gather a diverse and representative dataset of breast cancer images, including mammograms, ultrasound scans, and MRI images. Ensure that the dataset covers a range of breast cancer types, stages, and patient demographics.

Genomic and Clinical Data: Collect relevant genomic data (e.g., gene expression profiles) and clinical information (e.g., patient history, biopsy results) to complement the imaging data. Ensure privacy and ethics compliance in handling patient data.

Data Preprocessing: Image Preprocessing: Prepare the medical images by performing standardization, resizing, noise reduction, and contrast enhancement. Normalize pixel values to a consistent scale. **Feature Extraction:** Utilize radiomics techniques to extract quantitative features from the images, such as texture, shape, and intensity statistics. Combine these features with imaging data for analysis.

Data Augmentation: Apply data augmentation techniques to expand the dataset and improve model generalization. Augmentation methods may include rotation, flipping, zooming, and adding noise to images. **Model Selection:** Choose appropriate machine learning models for breast cancer detection. Consider deep learning architectures, such as CNNs, due to their ability to learn intricate features from images. **Model Training:** Divide the dataset into training, validation, and test sets. Train the selected machine learning models using the training data. Implement techniques such as cross-validation to optimize hyperparameters and prevent overfitting. Monitor model performance using validation data. **Integration of Multimodal Data:** Combine the extracted image features with genomic and clinical data to create a comprehensive dataset. Ensure proper alignment and preprocessing of these data sources. **Feature Selection and Fusion:** Select the most informative features from the multimodal dataset using feature selection methods. Determine how to effectively fuse information from different data types to improve model performance. **Model Evaluation:** Evaluate the trained models using the test dataset. Measure performance using relevant metrics, including sensitivity, specificity, accuracy, F1-score, and area under the receiver operating characteristic curve (AUC-ROC). **Clinical Validation:** Conduct clinical validation through collaboration with healthcare institutions. Apply the developed machine learning models to real-world clinical scenarios, including prospective studies and retrospective

case analyses. **Interpretability and Explainability:** Enhance model interpretability by employing techniques such as gradient-based visualization to identify which regions of an image contribute most to the predictions. Ensure that healthcare professionals can understand and trust the model's decisions.

Personalized Treatment Recommendations: Develop algorithms that provide personalized treatment recommendations based on the diagnosis. Consider patient-specific factors, treatment guidelines, and historical outcomes. **Ethical Considerations:** Address ethical concerns related to patient privacy, informed consent, and fairness in algorithmic decision-making. Ensure compliance with relevant regulations and guidelines, such as HIPAA (in the United States) and GDPR (in Europe). **Documentation and Reporting:** Document the entire research process, including data collection, preprocessing, model development, and evaluation. Prepare a comprehensive research report or manuscript for publication.

Future Prospects and Scalability: Discuss the scalability and potential deployment of the developed models in clinical settings. Consider how the technology can be integrated into existing healthcare infrastructure and screening programs. **Continued Research:** Emphasize the need for ongoing research in breast cancer detection, exploring new techniques and datasets, and staying updated with advancements in machine learning and medical imaging.

VI. CONVOLUTIONAL NEURAL NETWORKS (CNNs)

Convolutional Neural Networks (CNNs) play a pivotal role in advancing breast cancer detection with machine learning-based image processing techniques. CNNs have demonstrated remarkable success in analyzing medical images, including mammograms, ultrasound scans, and MRI images, to improve diagnostic accuracy. Below is an outline of how CNNs are utilized in this context:

Image Loading: Begin by loading the breast cancer image dataset, which should include a mix of benign and malignant cases. Ensure that the dataset is properly annotated with ground truth labels. **Data Augmentation:** Augment the dataset to increase its size and improve model generalization. Common augmentations include rotation, horizontal/vertical flipping, zooming, and adding random noise to images.




Figure 2 Process of Predicting Breast Cancer.

Data Splitting: Divide the dataset into training, validation, and test sets, typically following a 70-15-15 or 80-10-10 split. The training set is used for model training, the validation set for hyperparameter tuning, and the test set for final evaluation. **Preprocessing:** **Image Resizing:** Resize all images to a consistent resolution to ensure compatibility with the CNN architecture. **Normalization:** Normalize pixel values to a standardized scale (e.g., [0, 1] or [-1, 1]) to facilitate convergence during training. **Model Architecture:** **Convolutional Layers:** Design the CNN architecture with multiple convolutional layers. These layers are responsible for automatically learning features from the input images. Consider using different kernel sizes and filter depths to capture features of various scales. **Pooling Layers:** Incorporate pooling layers (e.g., max-pooling) to reduce spatial dimensions and retain essential features. **Fully Connected Layers:** Add one or more fully connected layers to perform the final classification. The output layer typically consists of one neuron for binary classification (benign or malignant) and may use sigmoid activation. **Dropout and Batch Normalization:** To prevent over fitting, introduce dropout layers and batch normalization at appropriate locations within the network. **Hyper parameter Tuning:** Experiment with different hyperparameters, including

learning rate, batch size, and the number of convolutional layers and neurons in fully connected layers. Utilize the validation set to fine-tune these hyperparameters. **Training:** Train the CNN model using the training dataset. Employ binary cross-entropy loss as the objective function for binary classification tasks. Utilize a suitable optimization algorithm, such as Adam or SGD, to update model weights during training. Monitor training progress by evaluating the model on the validation set. Stop training when performance on the validation set begins to plateau or degrade. **Model Evaluation:** Assess the CNN's performance on the test dataset to provide an unbiased estimate of its accuracy, sensitivity, specificity, F1-score, and ROC-AUC. Implement techniques to enhance model interpretability, such as gradient-based visualization or class activation maps, to identify which regions of the images contribute most to the model's predictions. If the CNN model achieves satisfactory performance, consider its integration into clinical workflows, possibly as a decision support tool for radiologists or in automated screening systems. CNNs are instrumental in advancing breast cancer detection by automatically learning and extracting informative features from medical images. They have the potential to improve diagnostic accuracy, reduce human interpretative errors, and enhance early detection of breast cancer, ultimately contributing to better patient outcomes.

VII.SUPPORT VECTOR MACHINES (SVMs)

Support Vector Machines (SVMs) can also be employed effectively for advancing breast cancer detection in the context of machine learning-based image processing techniques. SVMs are well-suited for binary classification tasks, making them a valuable tool for distinguishing between benign and malignant breast lesions in medical images. Here's how SVMs can be applied in this context:

Data Collection: Collect a dataset of breast cancer images, ensuring it is properly labeled with benign and malignant cases. **Data Augmentation:** Augment the dataset to enhance model generalization. Apply transformations such as rotation, flipping, and scaling to generate additional training examples. **Data Splitting:** Divide the dataset into training, validation, and test sets to facilitate model development and evaluation. **Feature Extraction:** Extract relevant features from the breast cancer images. These features might include texture features, shape descriptors, intensity statistics, or radiomic features. Consider domain-specific feature engineering to capture important characteristics of breast lesions. **Data Standardization:** Normalize or standardize the extracted features to ensure they have consistent scales across different features. Standardization helps SVMs perform optimally. **Model Selection:** Choose the appropriate SVM variant, such as a linear SVM or a kernel SVM (e.g., radial basis function kernel), based on the nature of the data and problem. Kernel SVMs are particularly useful when the data is not linearly separable. **Hyperparameter Tuning:** Tune SVM hyperparameters, including the regularization parameter (C) and kernel parameters (if applicable), using

cross-validation on the training set. The goal is to find the set of hyperparameters that maximize classification performance. **Model Training:** Train the selected SVM model on the training dataset using the optimized hyperparameters. SVMs aim to find the hyperplane that best separates the two classes while maximizing the margin between them. **Model Evaluation:** Assess the SVM's performance on the validation set to evaluate its accuracy, sensitivity, specificity, and other relevant metrics. Fine-tune hyperparameters if necessary based on validation performance. SVMs provide interpretability in terms of support vectors (data points closest to the decision boundary). Examine these support vectors to gain insights into which image features are most influential in making classification decisions. Evaluate the final SVM model on the test dataset to obtain an unbiased estimate of its performance. Calculate key metrics, including the ROC-AUC, to measure its effectiveness in breast cancer detection. Consider integrating the trained SVM model into clinical workflows, potentially as part of a computer-aided diagnosis (CAD) system to assist radiologists in making more accurate breast cancer diagnoses. SVMs offer a robust and interpretable approach to breast cancer detection when combined with appropriate feature extraction methods and careful tuning of hyperparameters. Their ability to handle high-dimensional data and nonlinear relationships makes them a valuable tool in the quest to improve breast cancer diagnosis and patient care.

VIII. RESULT ANALYSIS

The main purpose of preprocessing stage is to remove the noise and give high quality images to further processing. We used adaptive median filter to remove the noise from the image. The results are as follows:




Figure 3: Preprocessing of Images




Figure 4: Image Classifications

The filtered image is now segmented to extract the cancer part from the image. We used morphological area gradient method to extract the part which completely depends on the density based segmentation.

Table1: Performance Re

Data Set	LR	SVM	CNN
1	90	94	96
2	91	92	95
3	89	90	94
4	93	95	98.5
5	88	91	94.6
6	91	93.4	98.4
7	92	94	96.5
8	90	94	98.9




Figure 5: Performance Validation and Comparative Analysis

The above figure 5, it shows the comparative analysis of the performance by using Linear Regression, Support vector Machine and Convolutional Neural Networks (CNNs). In the given graph the Convolutional Neural Networks comparatively high Accuracy 98.9.

IX. CONCLUSION

The integration of machine learning-based image processing techniques into breast cancer detection represents a significant leap forward in our ability to combat this pervasive disease. It offers the potential for earlier, more accurate diagnoses, personalized treatment recommendations, and improved patient outcomes. As we continue to advance in this field, we must remain committed to the highest standards of ethics, collaboration, and ongoing research to ensure that the benefits of these technologies are realized for the benefit of patients and healthcare systems worldwide. Together, we can transform the landscape of breast cancer detection and bring hope to those affected by this challenging condition. Machine learning algorithms, particularly convolutional neural networks (CNNs) and support vector machines (SVMs), have demonstrated their remarkable ability to significantly enhance the precision of breast cancer detection. These algorithms can discern intricate patterns and features in medical images, thereby reducing both false positives and false negatives. Finally, in this research, the CNN algorithm gives highest accuracy for the prediction of Breast Cancer.

REFERENCES

1. Muhammet Fatih Ak "A Comparative Analysis of Breast Cancer Detection and Diagnosis Using Data Visualization and Machine Learning Applications" (2020)
2. Saleem Z. Ramadan "Methods Used in Computer- Aided Diagnosis for Breast Cancer Detection Using Mammograms: A Review" (2020)
3. Swamy, S. Ranga, et al. "Multi-features disease analysis based smart diagnosis for covid-19." *Computer Systems Science and Engineering* 45.1 (2023): 869-886.
4. Ram MurtiRawat ,Shivam Panchal ,Vivek Kumar Singh ,Yash Panchal "Breast Cancer Detection Using K-Nearest Neighbors, Logistic Regression and Ensemble Learning" (2020).
5. Sirisati R, Kumar CS, Latha AG, Kumar BN, Rao K. Identification of Mucormycosis in post Covid-19 case using Deep CNN. *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*. 2021 Oct 14;12(9):3441-50.
6. Mamatha Sai Yarabarla, Lakshmi Kavya Ravi and A. Sivasangari, "Breast cancer prediction via machine

- learning", *2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI)*, 2019.
7. Swamy, S. Ranga, et al. "Dimensionality reduction using machine learning and big data technologies." *Int. J. Innov. Technol. Explor. Eng. (IJITEE)* 9.2 (2019): 1740-1745.
8. Saira Charan, Muhammad Jaleed Khan and Khurram Khurshid, "Breast cancer detection in mammograms using convolutional neural network", *2018 International Conference on Computing Mathematics and Engineering Technologies (iCoMET)*, 2018.
9. Swamy RS, Kumar SC, Latha GA. An efficient skin cancer prognosis strategy using deep learning techniques. *Indian Journal of Computer Science and Engineering (IJCSE)*. 2021;12(1).
10. R Geetha Ramani and G Shivagami, "Identification of biomarkers for breast cancer detection through data mining methods", July 2019.
11. Sirisati, R.S., Kumar, C.S., Latha, A.G., Kumar, B.N. and a Rao, K.S., 2021, December. An Enhanced Multi Layer Neural Network to Detect Early Cardiac Arrests. In *2021 5th International Conference on Electronics, Communication and Aerospace Technology (ICECA)* (pp. 1514-1518). IEEE.