PYTHON MODULE END ASSIGNMENT

SURVEY FEEDBACK ANALYZER

TOOLS: Python / VS Code


PROJECT TITLE: Python Data Analysis – Survey Feedback Analyzer

PROJECT OBJECTIVE: Working with Dictionaries and Lists, collecting and cleaning textual feedback, applying Loops (while, for), Control Statements (break, continue, else), String Operations, and User-Defined Functions to analyze survey feedback and extract meaningful insights.

DATE OF SUBMISSION: 22/10/2026 – 3:30 PM


SURVEY FEEDBACK ANALYZER:

CREATE A NEW PYTHON FILE "PYTHON SURVEY FEEDBACK ANALYZER.PY" IN VS CODE.




1) PRELOADED FEEDBACK DATA:

PRELOADED DATA STORED IN THE "FEEDBACK_DATA" DICTIONARY (S_NO, NAME, FEEDBACK AND RATING).



2) ADDING MORE FEEDBACKS:

2.1) ASKING HOW MANY FEEDBACKS TO ADD.




```python
# SURVEY FEEDBACK ANALYZER

# 1) PRELOADED FEEDBACK DATA
feedback_data = {
    'S_No': [1, 2, 3, 4, 5, 6, 7, 8, 9, 10],
    'Name': [
        'Ravi', 'Meera', 'Sam', 'Anu', 'Raj',
        'Divya', 'Arjun', 'Kiran', 'Leela', 'Nisha'
    ],
    'Feedback': [
        ' Very GOOD Service!!!',
        'poor support, not happy ',
        'GREAT experience! will come again.',
        'okay okay...',
        ' not BAD',
        'Excellent care, excellent staff!',
        'good food and good ambience!',
        'Poor response and poor handling of issue',
        'Satisfied. But could be better.',
        'Good support... quick service.'
    ],
    'Rating': [5, 2, 5, 3, 2, 5, 4, 1, 3, 4]
}

# 2) ADDING MORE FEEDBACKS

# 2.1) ASKING HOW MANY FEEDBACKS TO ADD
n = int(input("How many more feedbacks do you want to add? "))
```

2.2) COLLECTING NEW FEEDBACKS.




```python
    'Rating': [5, 2, 5, 3, 2, 5, 4, 1, 3, 4]
}


# 2) ADDING MORE FEEDBACKS

# 2.1) ASKING HOW MANY FEEDBACKS TO ADD
n = int(input("How many more feedbacks do you want to add? "))
# 2.2) COLLECTING NEW FEEDBACKS
for i in range(n):
    print(f"\nEnter details for feedback {i + 1}")
```


2.3) COLLECTING NAME, FEEDBACK AND RATING.



2.4) VALIDATING RATING 1 TO 5 USING "WHILE" LOOP.



2.5) APPENDING DATA FOR NEW FEEDBACK TO THE "FEEDBACK_DATA" DICTIONARY.




3) TEXT CLEANING:

3.1) DEFINING "PUNCTUATION" TO REMOVE.




```
Python Survey Feedback Analyzer.py
Python Survey Feedback Analyzer.py > ...
35      feedback = input("Enter written feedback: ")
36      rating = int(input("Enter rating (1-5): "))
37  # 2.4) VALIDATING RATING 1 to 5
38      while rating < 1 or rating > 5:
39          print("Invalid rating! Please enter a rating between 1 and 5.")
40          rating = int(input("Enter rating (1-5): "))
41  # 2.5) APPENDING DATA for new feedback to the feedback_data dictionary
42      feedback_data['S_No'].append(len(feedback_data['S_No']) + 1)
43      feedback_data['Name'].append(name)
44      feedback_data['Feedback'].append(feedback)
45      feedback_data['Rating'].append(rating)
46
47  # 3) TEXT CLEANING
48
49  # 3.1) DEFINING PUNCTUATION TO REMOVE
50  punctuation = ['.', ',', '!', '?']
```

3.2) LOOPING THROUGH EACH FEEDBACK AND CLEANING IT.




```
Python Survey Feedback Analyzer.py
Python Survey Feedback Analyzer.py > ...
35      feedback = input("Enter written feedback: ")
36      rating = int(input("Enter rating (1-5): "))
37  # 2.4) VALIDATING RATING 1 to 5
38      while rating < 1 or rating > 5:
39          print("Invalid rating! Please enter a rating between 1 and 5.")
40          rating = int(input("Enter rating (1-5): "))
41  # 2.5) APPENDING DATA for new feedback to the feedback_data dictionary
42      feedback_data['S_No'].append(len(feedback_data['S_No']) + 1)
43      feedback_data['Name'].append(name)
44      feedback_data['Feedback'].append(feedback)
45      feedback_data['Rating'].append(rating)
46
47  # 3) TEXT CLEANING
48
49  # 3.1) DEFINING PUNCTUATION TO REMOVE
50  punctuation = ['.', ',', '!', '?']
51  # 3.2) LOOPING THROUGH EACH FEEDBACK AND CLEANING IT
52  for i in range(len(feedback_data['Feedback'])):
53      text = feedback_data['Feedback'][i]
54
```


3.3) REMOVING PUNCTUATION FROM THE FEEDBACK TEXT.



3.4) CONVERTING TO LOWERCASE USING "LOWER()".




3.5) REMOVING EXTRA SPACES AND JOINING WORDS USING "SPLIT()" AND "JOIN()".



```
Python Survey Feedback Analyzer.py > ...
43          feedback_data['Name'].append(name)
44          feedback_data['Feedback'].append(feedback)
45          feedback_data['Rating'].append(rating)
46
47      # 3) TEXT CLEANING
48
49      # 3.1) DEFINING PUNCTUATION TO REMOVE
50      punctuation = ['.', ',', '!', '?']
51      # 3.2) LOOPING THROUGH EACH FEEDBACK AND CLEANING IT
52      for i in range(len(feedback_data['Feedback'])):
53          text = feedback_data['Feedback'][i]
54      # 3.3) removing punctuation from the feedback text
55          for symbol in punctuation:
56              text = text.replace(symbol, '')
57      # 3.4) Converting to lowercase
58          text = text.lower()
59      # 3.5) Removing extra spaces and joining words
60          text = ' '.join(text.split())
```

3.6) UPDATING CLEANED FEEDBACK.



```
Python Survey Feedback Analyzer.py > ...
43          feedback_data['Name'].append(name)
44          feedback_data['Feedback'].append(feedback)
45          feedback_data['Rating'].append(rating)
46
47      # 3) TEXT CLEANING
48
49      # 3.1) DEFINING PUNCTUATION TO REMOVE
50      punctuation = ['.', ',', '!', '?']
51      # 3.2) LOOPING THROUGH EACH FEEDBACK AND CLEANING IT
52      for i in range(len(feedback_data['Feedback'])):
53          text = feedback_data['Feedback'][i]
54      # 3.3) removing punctuation from the feedback text
55          for symbol in punctuation:
56              text = text.replace(symbol, '')
57      # 3.4) Converting to lowercase
58          text = text.lower()
59      # 3.5) Removing extra spaces and joining words
60          text = ' '.join(text.split())
61      # 3.6) Updating cleaned feedback
62          feedback_data['Feedback'][i] = text
```

4) WORD COUNT INSIGHTS:

4.1) DEFINING THE FUNCTION "COUNT_WORD_IN_FEEDBACKS".

```
Python Survey Feedback Analyzer.py > ...
59          text = text.lower()
60      # 3.5) Removing extra spaces and joining words
61          text = ' '.join(text.split())
62      # 3.6) Updating cleaned feedback
63          feedback_data['Feedback'][i] = text
64
65      # 4) WORD COUNT INSIGHTS
66
67      # 4.1) DEFINING THE FUNCTION
68      def count_word_in_feedbacks(word):
```


4.2) INITIALIZING THE COUNT VARIABLE.

```
Python Survey Feedback Analyzer.py > count_word_in_feedbacks
59          text = text.lower()
60      # 3.5) Removing extra spaces and joining words
61          text = ' '.join(text.split())
62      # 3.6) Updating cleaned feedback
63          feedback_data['Feedback'][i] = text
64
65      # 4) WORD COUNT INSIGHTS
66
67      # 4.1) DEFINING THE FUNCTION
68      def count_word_in_feedbacks(word):
69      # 4.2) INITIALIZING COUNT
70          count = 0
71          word = word.lower()
```

4.3) COUNTING OCCURRENCES OF THE WORD IN ALL FEEDBACKS.


```
Python Survey Feedback Analyzer.py > count_word_in_feedbacks
64
65      # 4) WORD COUNT INSIGHTS
66
67      # 4.1) DEFINING THE FUNCTION
68      def count_word_in_feedbacks(word):
69      # 4.2) INITIALIZING THE COUNT VARIABLE
70          count = 0
71          word = word.lower()
72      # 4.2) COUNTING OCCURRENCES OF THE WORD IN ALL FEEDBACKS
73          for feedback in feedback_data['Feedback']:
74              words = feedback.split()
```

4.4) CHECKING IF THE WORD IS PRESENT IN THE FEEDBACK.



```
Python Survey Feedback Analyzer.py > count_word_in_feedbacks
64
65    # 4) WORD COUNT INSIGHTS
66
67    # 4.1) DEFINING THE FUNCTION
68    def count_word_in_feedbacks(word):
69    # 4.2) INITIALIZING THE COUNT VARIABLE
70        count = 0
71        word = word.lower()
72    # 4.2) COUNTING OCCURRENCES OF THE WORD IN ALL FEEDBACKS
73        for feedback in feedback_data['Feedback']:
74            words = feedback.split()
75    # 4.3) CHECKING IF THE WORD IS PRESENT IN THE FEEDBACK
76            if word in words:
77                count += 1
78        return count
```


4.5) DISPLAYING THE INSIGHTS: GOOD, POOR, EXCELLENT.




```
Python Survey Feedback Analyzer.py > ...
68    def count_word_in_feedbacks(word):
73        for feedback in feedback_data['Feedback']:
74            words = feedback.split()
75    # 4.4) CHECKING IF THE WORD IS PRESENT IN THE FEEDBACK
76            if word in words:
77                count += 1
78        return count
79    # 4.5) DISPLAYING THE INSIGHTS likes good, poor, excellent
80    print("\n--- WORD COUNT INSIGHTS ---")
81    print("Feedbacks containing 'good':", count_word_in_feedbacks("good"))
82    print("Feedbacks containing 'poor':", count_word_in_feedbacks("poor"))
83    print("Feedbacks containing 'excellent':", count_word_in_feedbacks("excellent"))
84
```

5) FINAL SURVEY FEEDBACK DATA AFTER CLEANING AND INSIGHTS:


5.1) DISPLAYING CLEANED FEEDBACK DATA.



5.2) CALCULATING AVERAGE RATING.



5.3) DISPLAYING AVERAGE RATING.



5.4) FINDING THE FEEDBACK WITH THE LONGEST WORD COUNT USING "MAX()".

```
Python Survey Feedback Analyzer.py > ...
83  print("Feedbacks containing 'excellent':", count_word_in_feedbacks("excellent"))
84
85
86  # 5) Final of survey feedback data after cleaning and insights
87
88  # 5.1) DISPLAYING CLEANED FEEDBACK DATA
89  print("\n--- CLEANED FEEDBACK DATA ---")
90  print(feedback_data)
91  # 5.2) CALCULATING AVERAGE RATING
92  average_rating = sum(feedback_data['Rating']) / len(feedback_data['Rating'])
93  # 5.3) DISPLAYING AVERAGE RATING
94  print("\nAverage Rating:", round(average_rating, 2))
95  # 5.4) FINDING THE FEEDBACK WITH THE LONGEST WORD COUNT
96  longest_feedback = max(
97      feedback_data['Feedback'],
98      key=lambda text: len(text.split())
99  )
```

5.5) DISPLAYING THE LONGEST FEEDBACK AND ITS WORD COUNT.

```
Python Survey Feedback Analyzer.py > ...
91  # 5.2) CALCULATING AVERAGE RATING
92  average_rating = sum(feedback_data['Rating']) / len(feedback_data['Rating'])
93  # 5.3) DISPLAYING AVERAGE RATING
94  print("\nAverage Rating:", round(average_rating, 2))
95  # 5.4) FINDING THE FEEDBACK WITH THE LONGEST WORD COUNT
96  longest_feedback = max(
97      feedback_data['Feedback'],
98      key=lambda text: len(text.split())
99  )
100 # 5.5) DISPLAYING THE LONGEST FEEDBACK AND ITS WORD COUNT
101 print("\n--- LONGEST FEEDBACK ---")
102 print("Feedback:", longest_feedback)
103 print("Word Count:", len(longest_feedback.split()))
104
```

5.6) FINDING UNIQUE WORDS IN ALL FEEDBACKS USING A "SET".

```
Python Survey Feedback Analyzer.py > ...
91  # 5.2) CALCULATING AVERAGE RATING
92  average_rating = sum(feedback_data['Rating']) / len(feedback_data['Rating'])
93  # 5.3) DISPLAYING AVERAGE RATING
94  print("\nAverage Rating:", round(average_rating, 2))
95  # 5.4) FINDING THE FEEDBACK WITH THE LONGEST WORD COUNT
96  longest_feedback = max(
97      feedback_data['Feedback'],
98      key=lambda text: len(text.split())
99  )
100 # 5.5) DISPLAYING THE LONGEST FEEDBACK AND ITS WORD COUNT
101 print("\n--- LONGEST FEEDBACK ---")
102 print("Feedback:", longest_feedback)
103 print("Word Count:", len(longest_feedback.split()))
104 # 5.6) FINDING UNIQUE WORDS IN ALL FEEDBACKS
105 unique_words = set()
```

5.7) LOOPING THROUGH EACH FEEDBACK TO EXTRACT UNIQUE WORDS.

```
Python Survey Feedback Analyzer.py > ...
96  longest_feedback = max(
97      feedback_data['Feedback'],
98      key=lambda text: len(text.split())
99  )
100 # 5.5) DISPLAYING THE LONGEST FEEDBACK AND ITS WORD COUNT
101 print("\n--- LONGEST FEEDBACK ---")
102 print("Feedback:", longest_feedback)
103 print("Word Count:", len(longest_feedback.split()))
104 # 5.6) FINDING UNIQUE WORDS IN ALL FEEDBACKS
105 unique_words = set()
106 # 5.7) LOOPING THROUGH EACH FEEDBACK TO EXTRACT UNIQUE WORDS
107 for feedback in feedback_data['Feedback']:
108     words = feedback.split()
109     unique_words.update(words)
```

5.8) DISPLAYING UNIQUE WORDS AND THEIR COUNT.

Python Survey Feedback Analyzer.py > ...

```
96    longest_feedback = max(
97        feedback_data['Feedback'],
98        key=lambda text: len(text.split())
99    )
100   # 5.5) DISPLAYING THE LONGEST FEEDBACK AND ITS WORD COUNT
101   print("\n--- LONGEST FEEDBACK ---")
102   print("Feedback:", longest_feedback)
103   print("Word Count:", len(longest_feedback.split()))
104   # 5.6) FINDING UNIQUE WORDS IN ALL FEEDBACKS
105   unique_words = set()
106   # 5.7) LOOPING THROUGH EACH FEEDBACK TO EXTRACT UNIQUE WORDS
107   for feedback in feedback_data['Feedback']:
108       words = feedback.split()
109       unique_words.update(words)
110   #5.8) DISPLAYING UNIQUE WORDS AND THEIR COUNT
111   print("\n--- UNIQUE WORDS ---")
112   print(sorted(unique_words))
113   print("Total Unique Words:", len(unique_words))
```

5.9) SORTING FEEDBACK DATA BY RATING IN DESCENDING ORDER USING "ZIP()" AND "SORTED()".

Python Survey Feedback Analyzer.py > ...

```
109       unique_words.update(words)
110   #5.8) DISPLAYING UNIQUE WORDS AND THEIR COUNT
111   print("\n--- UNIQUE WORDS ---")
112   print(sorted(unique_words))
113   print("Total Unique Words:", len(unique_words))
114   # 5.9) SORTING FEEDBACK DATA BASED ON RATING IN DESCENDING ORDER
115   sorted_feedbacks = sorted(
116       zip(
117           feedback_data['S_No'],
118           feedback_data['Name'],
119           feedback_data['Feedback'],
120           feedback_data['Rating']
121       ),
```

5.10) SORTING BASED ON RATING IN DESCENDING ORDER USING "KEY" AND "REVERSE=TRUE".

Python Survey Feedback Analyzer.py > ...

```
109       unique_words.update(words)
110   #5.8) DISPLAYING UNIQUE WORDS AND THEIR COUNT
111   print("\n--- UNIQUE WORDS ---")
112   print(sorted(unique_words))
113   print("Total Unique Words:", len(unique_words))
114   # 5.9) SORTING FEEDBACK DATA BASED ON RATING IN DESCENDING ORDER
115   sorted_feedbacks = sorted(
116       zip(
117           feedback_data['S_No'],
118           feedback_data['Name'],
119           feedback_data['Feedback'],
120           feedback_data['Rating']
121       ),
122   #5.10) SORTING BASED ON RATING IN DESCENDING ORDER
123       key=lambda item: item[3],
124       reverse=True
125   )
```

5.11) DISPLAYING SORTED FEEDBACKS BASED ON RATING.

```
Python Survey Feedback Analyzer.py > ...
109         unique_words.update(words)
110     #5.8) DISPLAYING UNIQUE WORDS AND THEIR COUNT
111     print("\n--- UNIQUE WORDS ---")
112     print(sorted(unique_words))
113     print("Total Unique Words:", len(unique_words))
114     # 5.9) SORTING FEEDBACK DATA BASED ON RATING IN DESCENDING ORDER
115     sorted_feedbacks = sorted(
116         zip(
117             feedback_data['S_No'],
118             feedback_data['Name'],
119             feedback_data['Feedback'],
120             feedback_data['Rating']
121         ),
122     #5.10) SORTING BASED ON RATING IN DESCENDING ORDER
123         key=lambda item: item[3],
124         reverse=True
125     )
126     # 5.11) DISPLAYING SORTED FEEDBACKS BASED ON RATING
127     print("\n--- FEEDBACKS SORTED BY RATING ---")
```

5.12) LOOPING THROUGH SORTED FEEDBACKS AND PRINTING DETAILS.

```
Python Survey Feedback Analyzer.py > ...
117             feedback_data['S_No'],
118             feedback_data['Name'],
119             feedback_data['Feedback'],
120             feedback_data['Rating']
121         ),
122     #5.10) SORTING BASED ON RATING IN DESCENDING ORDER
123         key=lambda item: item[3],
124         reverse=True
125     )
126     # 5.11) DISPLAYING SORTED FEEDBACKS BASED ON RATING
127     print("\n--- FEEDBACKS SORTED BY RATING ---")
128     # 5.12) LOOPING THROUGH SORTED FEEDBACKS AND PRINTING DETAILS
129     for s_no, name, feedback, rating in sorted_feedbacks:
130         print(s_no, name, feedback, rating)
```

SOURCE CODE – SURVEY FEEDBACK ANALYZER:

```
# SURVEY FEEDBACK ANALYZER

# 1) PRELOADED FEEDBACK DATA
feedback_data = {
    'S_No': [1, 2, 3, 4, 5, 6, 7, 8, 9, 10],
    'Name': [
        'Ravi', 'Meera', 'Sam', 'Anu', 'Raj',
        'Divya', 'Arjun', 'Kiran', 'Leela', 'Nisha'
    ],
    'Feedback': [
        ' Very GOOD Service!!!',
        'poor support, not happy ',
        'GREAT experience! will come again.',
        'okay okay...',
        ' not BAD',
        'Excellent care, excellent staff!',
        'good food and good ambience!',
        'Poor response and poor handling of issue',
        'Satisfied. But could be better.',
        'Good support... quick service.'
    ],
    'Rating': [5, 2, 5, 3, 2, 5, 4, 1, 3, 4]
}


# 2) ADDING MORE FEEDBACKS

# 2.1) ASKING HOW MANY FEEDBACKS TO ADD
n = int(input("How many more feedbacks do you want to add? "))
# 2.2) COLLECTING NEW FEEDBACKS
for i in range(n):
    print(f"\nEnter details for feedback {i + 1}")
# 2.3) COLLECTING NAME, FEEDBACK AND RATING
    name = input("Enter name: ")
    feedback = input("Enter written feedback: ")
    rating = int(input("Enter rating (1-5): "))
# 2.4) VALIDATING RATING 1 TO 5
    while rating < 1 or rating > 5:
        print("Invalid rating! Please enter a rating between 1 and 5.")
        rating = int(input("Enter rating (1-5): "))
# 2.5) APPENDING DATA FOR NEW FEEDBACK TO THE DICTIONARY
    feedback_data['S_No'].append(len(feedback_data['S_No']) + 1)
    feedback_data['Name'].append(name)
    feedback_data['Feedback'].append(feedback)
    feedback_data['Rating'].append(rating)
```

```python
# 3) TEXT CLEANING

# 3.1) DEFINING PUNCTUATION TO REMOVE
punctuation = ['.', ',', '!', '?']
# 3.2) LOOPING THROUGH EACH FEEDBACK AND CLEANING IT
for i in range(len(feedback_data['Feedback'])):
    text = feedback_data['Feedback'][i]
# 3.3) REMOVING PUNCTUATION FROM THE FEEDBACK TEXT
    for symbol in punctuation:
        text = text.replace(symbol, '')
# 3.4) CONVERTING TO LOWERCASE
    text = text.lower()
# 3.5) REMOVING EXTRA SPACES AND JOINING WORDS
    text = ' '.join(text.split())
# 3.6) UPDATING CLEANED FEEDBACK
    feedback_data['Feedback'][i] = text


# 4) WORD COUNT INSIGHTS

# 4.1) DEFINING THE FUNCTION
def count_word_in_feedbacks(word):
# 4.2) INITIALIZING THE COUNT VARIABLE
    count = 0
    word = word.lower()
# 4.3) COUNTING OCCURRENCES OF THE WORD IN ALL FEEDBACKS
    for feedback in feedback_data['Feedback']:
        words = feedback.split()
# 4.4) CHECKING IF THE WORD IS PRESENT IN THE FEEDBACK
        if word in words:
            count += 1

    return count
# 4.5) DISPLAYING THE INSIGHTS LIKE GOOD, POOR, EXCELLENT
print("\n--- WORD COUNT INSIGHTS ---")
print("Feedbacks containing 'good':", count_word_in_feedbacks("good"))
print("Feedbacks containing 'poor':", count_word_in_feedbacks("poor"))
print("Feedbacks containing 'excellent':",
count_word_in_feedbacks("excellent"))


# 5) FINAL SURVEY FEEDBACK DATA AFTER CLEANING AND INSIGHTS

# 5.1) DISPLAYING CLEANED FEEDBACK DATA
print("\n--- CLEANED FEEDBACK DATA ---")
print(feedback_data)
# 5.2) CALCULATING AVERAGE RATING
average_rating = sum(feedback_data['Rating']) / len(feedback_data['Rating'])
# 5.3) DISPLAYING AVERAGE RATING
```

```
print("\nAverage Rating:", round(average_rating, 2))
# 5.4) FINDING THE FEEDBACK WITH THE LONGEST WORD COUNT
longest_feedback = max(
    feedback_data['Feedback'],
    key=lambda text: len(text.split())
)
# 5.5) DISPLAYING THE LONGEST FEEDBACK AND ITS WORD COUNT
print("\n--- LONGEST FEEDBACK ---")
print("Feedback:", longest_feedback)
print("Word Count:", len(longest_feedback.split()))
# 5.6) FINDING UNIQUE WORDS IN ALL FEEDBACKS
unique_words = set()
# 5.7) LOOPING THROUGH EACH FEEDBACK TO EXTRACT UNIQUE WORDS
for feedback in feedback_data['Feedback']:
    words = feedback.split()
    unique_words.update(words)
# 5.8) DISPLAYING UNIQUE WORDS AND THEIR COUNT
print("\n--- UNIQUE WORDS ---")
print(sorted(unique_words))
print("Total Unique Words:", len(unique_words))
# 5.9) SORTING FEEDBACK DATA BASED ON RATING IN DESCENDING ORDER
sorted_feedbacks = sorted(
    zip(
        feedback_data['S_No'],
        feedback_data['Name'],
        feedback_data['Feedback'],
        feedback_data['Rating']
    ),
# 5.10) SORTING BASED ON RATING IN DESCENDING ORDER
    key=lambda item: item[3],
    reverse=True
)
# 5.11) DISPLAYING SORTED FEEDBACKS BASED ON RATING
print("\n--- FEEDBACKS SORTED BY RATING ---")
# 5.12) LOOPING THROUGH SORTED FEEDBACKS AND PRINTING DETAILS
for s_no, name, feedback, rating in sorted_feedbacks:
    print(s_no, name, feedback, rating)
```

OUTPUT – SURVEY FEEDBACK ANALYZER:

```
PS D:\ENTRI ELEVATE DOCUMENTS\PYTHON PROGRAM\Assignment\Assignment End> &
C:\Users\Venkadesh\AppData\Local\Programs\Python\Python314\python.exe
"d:/ENTRI ELEVATE DOCUMENTS/PYTHON PROGRAM/Assignment/Assignment End/Python
Survey Feedback Analyzer.py"
How many more feedbacks do you want to add? 1

Enter details for feedback 1
Enter name: Ravi
Enter written feedback: good
Enter rating (1-5): 4

--- WORD COUNT INSIGHTS ---
Feedbacks containing 'good': 4
Feedbacks containing 'poor': 2
Feedbacks containing 'excellent': 1

--- CLEANED FEEDBACK DATA ---
{'S_No': [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11], 'Name': ['Ravi', 'Meera', 'Sam',
'Anu', 'Raj', 'Divya', 'Arjun', 'Kiran', 'Leela', 'Nisha', 'Ravi'],
'Feedback': ['very good service', 'poor support not happy', 'great experience
will come again', 'okay okay', 'not bad', 'excellent care excellent staff',
'good food and good ambience', 'poor response and poor handling of issue',
'satisfied but could be better', 'good support quick service', 'good'],
'Rating': [5, 2, 5, 3, 2, 5, 4, 1, 3, 4, 4]}

Average Rating: 3.45

--- LONGEST FEEDBACK ---
Feedback: poor response and poor handling of issue
Word Count: 7

--- UNIQUE WORDS ---
['again', 'ambience', 'and', 'bad', 'be', 'better', 'but', 'care', 'come',
'could', 'excellent', 'experience', 'food', 'good', 'great', 'handling',
'happy', 'issue', 'not', 'of', 'okay', 'poor', 'quick', 'response',
'satisfied', 'service', 'staff', 'support', 'very', 'will']
Total Unique Words: 30

--- FEEDBACKS SORTED BY RATING ---
1 Ravi very good service 5
3 Sam great experience will come again 5
6 Divya excellent care excellent staff 5
7 Arjun good food and good ambience 4
10 Nisha good support quick service 4
11 Ravi good 4
4 Anu okay okay 3
9 Leela satisfied but could be better 3
```

```
2 Meera poor support not happy 2
5 Raj not bad 2
8 Kiran poor response and poor handling of issue 1
PS D:\ENTRI ELEVATE DOCUMENTS\PYTHON PROGRAM\Assignment\Assignment End>
```