2021 Virginia Construction Code

APPENDIX E SUPPLEMENTARY ACCESSIBILITY REQUIREMENTS

SECTION E107 SIGNAGE

E107.1 Signs.

Required accessible portable toilets and bathing facilities shall be identified by the International Symbol of Accessibility.

E107.2 Designations.

Interior and exterior signs identifying permanent rooms and spaces shall be visual characters, raised characters and braille complying with ICC A117.1. Where pictograms are provided as designations of interior rooms and spaces, the pictograms shall have visual characters, raised characters and braille complying with ICC A117.1.

Exceptions:

- 1. Exterior signs that are not located at the door to the space they serve are not required to comply.
- 2. Building directories, menus, seat and row designations in assembly areas, occupant names, building addresses and company names and logos are not required to comply.
- 3. Signs in parking facilities are not required to comply.
- 4. Temporary (seven days or less) signs are not required to comply.
- 5. In detention and correctional facilities, signs not located in public areas are not required to comply.

E107.3 Directional and informational signs.

Signs that provide direction to, or information about, permanent interior spaces of the site and facilities shall contain visual characters complying with ICC A117.1.

Exception: Building directories, personnel names, company or occupant names and logos, menus and temporary (seven days or less) signs are not required to comply with ICC A117.1.

E107.4 Other signs.

Signage indicating special accessibility provisions shall be provided as follows:

- 1. At bus stops and terminals, signage must be provided in accordance with Section E108.4.
- 2. At fixed facilities and stations, signage must be provided in accordance withSections E109.2.2 through E109.2.2.3.
- 3. At airports, terminal information systems must be provided in accordance with Section E110.3.