JAVA SCRIPT

USED TO PROGRAMME WEBPAGES

IS A SCRIPTING LANGUAGE CREATES
DYNAMIC
WEB PAGES

JavaScript was initially created by Brendan Eich of NetScape and was first announced in a press release by Netscape in 1995.


S


JavaScript can be run in the browser by including the external script file using the script tag, writing it within the HTML page using the script tag again, running it in the browser console or you can also use REPL

ECMAScript is the official language name

VERSIONS:

- **❖ ES1**
- **⇔** ES2
- **SES3**
- **⇔** ES4
- **❖ ES5**
- **⇔** ES6





DATA TYPES

String

Number

Boolean

Undefined

Bigint

Null

Symbol

Object

Indexed collections

DATA STRUCTURES

Arrays

Typed arrays

Keyed Collections

Мар

Weak map

Set

Weak set

EQUALITY COMPARISONS

Value Comparison Operators

===

Object.is

Equality algorithms

isLooselyEqual

isStrictlyEqual

Samevaluezero

Samevalue

Control Flow

Conditional Statements

If...Else

Switch

For statement

do...while statement

While statement

oops and iterations

for...in statement

for...of statement

break/contin

Expressions and operators

Assignment operators

Comparison operators

Arithmetic operators

Bitwise operators

Logical operators

Bigint operators


String operators

Conditional operators

Comma operators

Unary operators

Relational operators



USING KEYWORD

In a metthod

In a function

In arrow functions

Explicit binding #call #apply #bind In Event Handlers

Using It alone

Function Borrowing

