



Venkata Nageswara Bhadri <venkatanageswarabhadri12@gmail.com>

Project Mars submission update [Action Required]

2 messages

Shipd Notifications <notifications@shipd.datacurve.ai>
To: venkatanageswarabhadri12@gmail.com

7 November 2025 at 11:28

Shipd**Hello venkata_nageswara_bhadri,**

Congrats on your submission! A few changes are needed for it to become approveable 

Problem: Add Next.js App Router support with 'use client' directives and IconProvider component

Overall Result: 2/6 checks passed (33.3%)

Detailed Post Check Output**✖ Problem Test Execution**

Test execution failed: Failed to build Docker image: Build failed: "npm install" returned ERESOLVE (dependency conflict between react@19.2.0 and @testing-library/react@14.3.1 requiring react@^18), causing the container to exit with status 1 and the image build to fail. => Step 3: RUN npm install npm error code ERESOLVE npm error ERESOLVE unable to resolve dependency tree npm error While resolving: @phosphor-icons/react@2.1.10 npm error Found: react@19.2.0 npm error node_modules/react npm error dev react@"^19.1.0" from the root project npm error npm error Could not resolve dependency: npm error peer react@"^18.0.0" from @testing-library/react@14.3.1 npm error node_modules/@testing-library/react npm error dev @testing-library/react@"^14.1.2" from the root project npm error npm error Fix the upstream dependency conflict, or retry npm error this command with --force or --legacy-peer-deps npm error to accept an incorrect (and potentially broken) dependency resolution. npm error npm error npm error

For a full report see: npm error /root/.npm/_logs/2025-11-07T05_48_18_911Z-eresolve-report.txt npm notice npm notice New major version of npm available! 10.8.2 -> 11.6.2 npm notice Changelog: <https://github.com/npm/cli/releases/tag/v11.6.2> npm notice To update run: npm install -g npm@11.6.2 npm notice npm error A complete log of this run can be found in: /root/.npm/_logs/2025-11-07T05_48_18_911Z-debug-0.log Terminating task due to error: failed to run builder command "npm install": container exit status: 1 Building image im-pPiubnmFQPwkPiSfPec3Dr ... Error: Image build for im-pPiubnmFQPwkPiSfPec3Dr failed. See build logs for more details.

✖ Shipd.Contributing.Check.Mars.ProblemQualityCheck

Quality evaluation failed: Failed to build Docker image: Summary: Build failed — npm install encountered ERESOLVE dependency errors, the builder exited with status 1, and the image build failed. => Step 1: WORKDIR /app => Step 2: COPY . . => Step 3: RUN npm install npm error code ERESOLVE npm error ERESOLVE unable to resolve dependency tree npm error npm error While resolving: @phosphor-icons/react@2.1.10 npm error Found: react@19.2.0 npm error node_modules/react npm error dev react@"^19.1.0" from the root project npm error npm error Could not resolve dependency: npm error peer react@"^18.0.0" from @testing-library/react@14.3.1 npm error node_modules/@testing-library/react npm error dev @testing-library/react@"^14.1.2" from the root project npm error npm error Fix the upstream dependency conflict, or retry npm error this command with --force or --legacy-peer-deps npm error to accept an incorrect (and potentially broken) dependency resolution. npm error npm error npm error For a full report see: npm error /root/.npm/_logs/2025-11-07T05_55_02_681Z-eresolve-report.txt npm notice npm notice New major version of npm available! 10.8.2 -> 11.6.2 npm notice Changelog: <https://github.com/npm/cli/releases/tag/v11.6.2> npm notice To update run: npm install -g npm@11.6.2 npm notice npm error A complete log of this run can be found in: /root/.npm/_logs/2025-11-07T05_55_02_681Z-debug-0.log Terminating task due to error: failed to run builder command "npm install": container exit status: 1 Error: Image build for im-pPiubnmFQPwkPiSfPec3Dr failed. See build logs for more details.

✔ Shipd.Contributing.Check.Mars.DockerfileValid

⚠ Test Patch Format Check

warning: base and new modes are not distinct. Base mode pattern test/.*.test*.tsx? will also run the newly added test file test/icon-

provider.test.tsx, causing overlap with new mode and defeating the purpose of separate modes. Please ensure your test patch: 1. Is a valid git diff format 2. Includes a test.sh that supports both `base` and `new` modes 3. Contains only test code (no solution implementation) 4. Does not install packages in test.sh (use Dockerfile instead)

✖ Problem&Test Quality

Summary: Tests thoroughly cover IconProvider behavior but miss the major 'use client' requirements. Reasoning: The core mandate to mark icons and IconProvider for client execution and Next.js App Router compatibility is unverified, risking false positives. Details: 1. No Test Leakage [OK]: The problem description does not reference any new test files or test logic added in the patch and stays at the behavioral/interface level. 2. Tests Cover Required Behavior [ERROR]: While tests validate IconProvider export, context application (size, color, weight, mirrored), prop overrides, nesting, and backward compatibility with IconContext.Provider, they do not verify the critical requirement to embed 'use client' in all icon components or in IconProvider, nor do they validate Next.js App Router (server component) compatibility or that SSR exports remain unmodified. Tests need to change to cover at least the client-boundary requirement in some verifiable way. 3. Tests Focus on Behavior [OK]: Assertions focus on rendered SVG output and public exports. Even the weight difference check uses output differences (innerHTML), not internal implementation details. 4. Sanity Check [OK]: The test.sh script is sensible, tests are coherent and professional, and assumptions appear feasible given typical repo setups. No blatant parsing or runtime issues are evident in isolation. Please ensure: - No references to test files/functions or test logic - Tests cover required behavior - Tests focus on behavior, not implementation details - Tests are well-formed and coherent

✔ Test&Problem Alignment

[Edit Submission](#)

Best regards,
The Shipd Team

You're receiving this email because you have an account on Shipd. [Unsubscribe from all emails](#)
If the unsubscribe link doesn't work, simply reply to this email and we'll remove you from email notifications.

Shipd Notifications <notifications@shipd.datacurve.ai>
To: venkatanageswarabhadri12@gmail.com

7 November 2025 at 12:25

Shipd

Hello venkata_nageswara_bhadri,

Congrats on your submission! A few changes are needed for it to become approveable 

Problem: Fix Logger Interface Type Definition: Activity Method Return Type Mismatch

Overall Result: 3/6 checks passed (50.0%)

Detailed Post Check Output

Problem Test Execution

Test execution failed: Execution failed: ****Summary:**** The turbo run command failed because it received an unexpected argument "--passWithNoTests" (exit code 1). ****Relevant Logs:**** ``` [2/4] Running baseline tests... Expected: Should PASS (validates existing functionality works)  Baseline tests FAILED (exit code: 1) ERROR unexpected argument '--passWithNoTests' found tip: to pass '--passWithNoTests' as a value, use '-- --passWithNoTests' Usage: turbo run <--cache-dir |--concurrency |--continue|--single-package|--force []|--framework-inference []|--global-deps |--env-mode []|--filter |--scope |--ignore |--since |--include-dependencies|--no-deps|--output-logs |--log-order |--only|--pkg-inference-root |--remote-only []|--log-prefix |TASKS|PASS_THROUGH_ARGS> <--cache-workers |--dry-run []|--graph []|--no-cache|--[no-]daemon|--no-daemon|--profile |--anon-profile |--remote-cache-read-only []|--summarize []|--experimental-space-id |--parallel> <--[no-]daemon|--no-daemon> For more information, try '--help'. Exit code: 1 ``` ****Context:**** The flag is not

recognized by turbo itself — if you intend to pass it to the underlying test runner, put it after a double-dash (e.g. turbo run -- --passWithNoTests). Alternatively remove the flag or upgrade/change the CLI if you expected turbo to accept that option directly.

✖ Problem Quality Check

Problem quality evaluation failed: This problem fails evaluation primarily due to scope issues - the described bug does not exist in the current codebase as the Logger interface already correctly returns string from the activity method (packages/core/types/src/logger/index.ts:6). The repository contains comprehensive tests validating this behavior, and the documentation shows correct usage patterns. While the problem description itself is well-written with clear requirements (Quality: 3/3) and unambiguous specifications (Determinism: 3/3), it fails to represent authentic software engineering work since there is no actual issue to fix. Additionally, even if the bug existed, the difficulty (1/5 - Easy) falls well below the Medium target, as it would be a trivial one-line type change taking under 30 minutes. To pass evaluation, this problem needs to either address a real issue in the current codebase or be reframed as a more substantial task involving multiple components, migration work, or architectural decisions.

✔ Shipd.Contributing.Check.Mars.DockerfileValid

✔ Test Patch Format Check

✔ Problem&Test Quality

⚠ Test&Problem Alignment

Overall alignment is good; minor duplication in Test Assumptions: 1. Problem sections [WARNING]: Test Assumptions includes "Testing Requirements" that restate Success Criteria/expected behaviors already covered in Problem Description and Agent Instructions. While not harmful, it's redundant. 2. Interface information [OK]: The description specifies the key public interface needs (Logger.activity returns string; related methods accept the ID; expected file/module path). A developer can update the type definition to pass these tests. 3. Behaviors [OK]: Tests expect activity to return a string and that progress/success/failure accept it; this matches the Problem Description and Agent Instructions.

[Quoted text hidden]

