Updated – 2309.4

	Tracking ID	Product	Summary	Description
1.	451111	ANI/ALI	Ability to handle duplicate phone position numbers due to OnCall deployments where there is more than one phone system.	We have an OnCall deployment with more than one customer using the same OnCall instance but with more than one phone system. Each customer has phones with position numbers starting at 1. We need OnCall Dispatch to be able to handle it when the positions come into OnCall like the following: 1. Site 1 Pos 1, 2, 3, and so forth. 2. Site 2 Pos 1, 2, 3, and so forth. We should be able to specify a position offset or prefix to differentiate Site 1 Pos 1 from Site 2 Pos 1.
2.	514315	HxGN OnCall Dispatch | Administrator	The website is storing too much data in ApplicationDisplay for user preferences.	The website is storing too much data in the ApplicationDisplay database table for user preferences.
3.	622349	HxGN OnCall Dispatch | Administrator	Devices of vehicles are not synced with lineup upon update.	The customer has a vehicle in a lineup and would like to create a new device on the vehicle. They check Sync Lineups with Vehicle Data on the Vehicle Definition page in Administrator, but the new device does not display in the Advanced Unit Properties dialog box for the vehicle in the Lineup Management page. Steps to Reproduce: 1. Add a device to an existing vehicle in a lineup. 2. Check Sync Lineups with Vehicle Data. 3. Go to Lineup Management. 4. Select the unit in the lineup. 5. In the unit details, select Advanced Unit Properties. 6. Go to the Devices tab. Expected Result: The added device is automatically added to the unit.

	Tracking ID	Product	Summary	Description
				Actual Result: The added device does not display.
4.	667921	HxGN OnCall Dispatch | Administrator	Logging data gets purged in the serial queue.	While driving around using the mobile product in the Mobile Unit workspace, the program stopped updating the GPS location and appeared to not be receiving data anymore. The OnCall utilities service was still running, but an error was displayed in the log file. A third-party application confirmed GPS data was still being sent from the GPS source. The only way to reenable the stream into Mobile Unit was to manually restart the OnCall utilities service or restart the computer.
5.	690181	HxGN OnCall Dispatch | Administrator	Client script fails and not seeing updates and pull from cache from CustomViews.	When trying to build the CustomViews database table or upload client JS files, changes never get recognized after uploading new files/changes. The original upload always remains in the cache, even after an “empty cache and hard reload” and restart of the OnCall.Website. Additionally, the same problem happens when trying to refer to an uploaded JS file in the UI Editor. If changes are made, then we must upload a new file with a different name, because it always pulls the original from diskCache. Steps to Reproduce: 1. From OnCall Web Server, create a new folder called “CustomTestView5” in C:\Program Files\Intergraph\OnCall.Website\StaticFiles\CustomViews. 2. Add the following files to the new \CustomTestView5 folder: • CustomTestView5.js • Index.html • Setting.json 3. Add customView to a tag using Layout Manager. 4. On Web Server directly, change your index.html files to say “test6” in the body. 5. Reload OnCall Dispatch.

	Tracking ID	Product	Summary	Description
				Changes are grabbed, and the original content is still loaded from the disk cache. 6. Click Reload Configuration Files, and notice the same result. 7. Restart OnCall.Website and notice the same result. 8. Try running a hard reload and clear cache. The browser is still pulling continuously from diskCache.
6.	693985	HxGN OnCall Dispatch | Administrator	Creating a special address with a custom supplemental table causes events to not be created at the location.	Steps to Reproduce: 1. Define a special address that has data in a custom supplemental table. **2.** In OnCall Dispatch, create an event at the location of the address. Expected Result: The event is created, and the special address's supplemental table is added to the event. Actual Result: An error message displays stating the event cannot be created.
7.	694130	HxGN OnCall Dispatch | Administrator	The SituationFoundType option is missing from Message part(s) for this element type field in UI Editor.	Ther user is unable to select SituationFoundType or SituationFoundSubtype from the Message part(s) for this element type from the Messages drop-down list in UI Editor. The options are missing from the drop-down list completely.
8.	698035	HxGN OnCall Dispatch | Administrator	OneCaseNumFlag does not work with agency override, just OnCall override.	The OneCaseNumFlag parameter (cad set > GeneralDetails list) does not work with an agency override, just the OnCall override. Steps to Reproduce: 1. Run Administrator. 2. Go to Parameter Management and select the cad set, then the GeneralDetails list. 3. Set the OneCaseNumFlag parameter (with the agency override) to Y. 4. Save and reload your changes. 5. Log into Mobile Unit.

	Tracking ID	Product	Summary	Description
				6. Attach yourself to an event and manually assign a case number. 7. Attempt to manually assign a second case number. The second case number is assigned, but it should not be, because the user should get a message that the case number already exists.
9.	698186	HxGN OnCall Dispatch | Administrator	The Create Citation command was added to legacy command key parameter table but not new CommandLineKeyIn database table.	After going through the process to setup the "create citation" part of OnCall Dispatch/Mobile Unit, I discovered that the command key-in of "CRECITN" was added to the legacy CommandKeys parameter table (OnCall set). However, it was not added to the new "Command Line Key In" Table in the new "Command Line Definition" Administration area.
10.	698501	HxGN OnCall Dispatch | Administrator	User cannot select any station when creating a lineup.	Steps to Reproduce: 1. From the menu, select Data Management > Resources > Lineup Management. 2. Select a lineup. 3. Select the Station field. The drop-down list does not display any stations for the user to select.
11.	706538	HxGN OnCall Dispatch | Administrator	User experiences WAF related issues when attempting to unload dialog data using the Bulk Loader.	When the user attempts to unload dialog data from the Bulk Loader page, WAF errors occur .
12.	706541	HxGN OnCall Dispatch | Administrator	WAF errors occur when the user attempts to add a new overlay layer in Map Legend Management.	Steps to Reproduce: 1. Ensure that Rule 941330 is enabled for the WAF policy. 2. Ensure the CommandWrapper global exclusion is enabled in the WAF policy. 3. Login to OnCall Dispatch Administrator in a cloud environment. 4. From the menu, select UI Configuration > Map Legend Management. 5. Add a new overlay layer that is quarriable.

	Tracking ID	Product	Summary	Description
				6. Select Get Capabilities. 7. Select Add. Errors are logged, and the layer is not created.
13.	706545	HxGN OnCall Dispatch | Administrator	WAF issues occur when a new Overlay map layer is created in Map Legend Management.	Steps to Reproduce: 1. Ensure the Rule 941340 is enabled in the WAF policy 2. Ensure the CommandWrapper global exclusion is enabled in the WAF policy. 3. Log in to OnCall Administrator in a cloud environment. 4. Go to UI Configuration -> Map Legend Management. 5. Add a new overlay layer that is quarriable. 6. Click Get Capabilities. 7. Click Add. 8. Login to OnCall Dispatch. 9. Empty the cache and hard reload. 10. Turn on GetFeatureInfoTest in the Map tab's Layers section. 11. Right-click on the map and select What's This?. Neither one of these workflows should trigger a WAF error. The request should not be blocked if the WAF policy is in prevention mode. You should not see an error in the logs about this rule and request if the WAF policy is in detection mode.
14.	706958	HxGN OnCall Dispatch | Administrator	User is unable to add three-dimensional polygons.	When attempting to add a three-dimensional polygon using the Deployment Polygons tab on the Deployment Plans page, the upload fails. The loader fails to either accept the polygon or flatten it to meet the necessary standards.
15.	708353	HxGN OnCall Dispatch | Administrator	Change Publisher Service unable to connect to RabbitMQ on start-up.	The customer experienced a site failure this morning due to an overheated server room. After the servers came back up, all of the services in ISM were up and running, but Change Publisher kept failing, as it was unable to connect to RabbitMQ. After multiple attempts at restarts of the service, we eventually cleared out the ChangeRecord database table and that seemed to

	Tracking ID	Product	Summary	Description
				be the thing that got the service running. At the time of clearing out the database table, it had around 8,000 rows in it.
16.	711655	HxGN OnCall Dispatch | Administrator	Read FeatureFlags from database.	BaseApps can read the database directory for feature flag information. This needs to be done to address feature flags used in the message distributor. Reading from the feature flag service should be viable, but a database bypass can speed things up as long as it continues to use notifications to recognize updates.
17.	717171	HxGN OnCall Dispatch | Administrator	OcUtil command ResetParamStatus does not reset from the command line.	During a zero-downtime upgrade, we errored out during command line upgrades. The problem is, we have 521 records in the CommandLineKeyIn database table set to 0 (obsolete). Steps to Reproduce: 1. Run a zero-downtime upgrade. 2. Run the ConfigurationDataUpgrade script. The script should run correctly, but the upgrade errors out due to obsolete rows. The OcUtil command ResetParamStatus does not reset things from the command line.
18.	717337	HxGN OnCall Dispatch | Administrator	Verifying common place names created in OnCall Dispatch Administrator results in the longitude and latitude to not populate.	When creating common place names in the OnCall Dispatch Administrator, verifying the common place name results in the latitude, longitude, and boundary/point not populating. In OnCall Dispatch, the coordinates display as (0,0).
19.	718502	HxGN OnCall Dispatch | Administrator	AdminCommandsModule does not update CustomFieldDefinition database table.	Steps to Reproduce: 1. Add a new row to the CustomColumnDefinitions parameter table (OnCall set). 2. On the database, select the CustomFieldDefinition database table. The field appears in the table. 3. Remove the row from the CustomColumnDefinitions parameter table. 4. Save your changes.

	Tracking ID	Product	Summary	Description
				5. Check the CustomFieldDefinition database table, and notice the field is still there. Restarting AdminCommandsModule does not clean up the database table. AdminCommandsModule should update the CustomColumnDefinitions parameter table when restarted. This is necessary when using OcUtil to import parameter data. Another solution is to have AdminCommandsModule listen to the refresh parameter message and then handle the CustomColumnDefinitions parameter table.
20.	718724	HxGN OnCall Dispatch | Administrator	Highlight color defined for Dark Mode in OnCall Dispatch Administrator is not honored in OnCall Dispatch Advantage.	Steps to Reproduce: 1. In OnCall Dispatch Administrator, navigate to Parameter Management. 2. Set the UpdateHighlighColorInDarkMode parameter (OnCall set > UI Settings list) value to a new color. 3. Click Save. 4. In OnCall Dispatch Advantage, enable Dark Mode. 5. Select an event and open the Event Panel. 6. Select the Comments tab. The comments have changed to the new color. 7. Select the Caller Info tab. The new highlight color is not displayed.
21.	718735	HxGN OnCall Dispatch | Administrator	SQL injection attack detected using libinjection when the user tries to unload dialog box data.	The user is shown a 403 error when attempting to unload the dialog box date from Administrator.
22.	718765	HxGN OnCall Dispatch | Administrator	OnCall Identity does not support multiple External OIDC Configurations.	Steps to Reproduce: 1. Setup a solution with different OIDC login methods for OnCall Dispatch and OnCall Mobile Responder. What was used: Dispatch: ADFS in windows Mobile Responder: oncall.identity 2. Log in to Dispatch using ADFS. This works and DefinedEmployee.OIDCIssuer is updated to "/oncall.identity".

	Tracking ID	Product	Summary	Description
				3. Log in to OnCall Mobile Responder. This works and DefinedEmployee.OIDCIssuer is updated to "/oncall.identity". 4. Log in to OnCall Dispatch using ADFS. Expected result: Log in to OnCall Dispatch this works and DefinedEmployee.OIDCIssuer is updated to "/oncall.identity". Actual result: After ADFS login, "/oncall.identity" displays a "User is not authorized" message, and the user is not redirected to OnCall Dispatch website. The bad state can be removed by setting OIDCIssuer and OIDCSubject to
23.	719141	HxGN OnCall Dispatch | Administrator	User is shown a message stating that their changes made to a layer's visibility in Map Legend Management were successful, regardless of if it was.	Steps to Reproduce: 1. From the menu, select Ui Configuration > Map Legend Management. 2. Select the Layer Profile Configuration tab. 3. Select a profile. 4. Turn off the "Is visible by default?" toggle for the UserPins layer. 5. A notification displays stating "Display disabled successful. UserPins". **6.** Refresh the browser. The toggle for the User Pins layer is enabled again.
24.	719248	HxGN OnCall Dispatch | Administrator	Cannot define Event Board tab filter for multiple event type and subtype combinations.	The customer wants to configure a public Event Board that is filtered to show 32 event type and subtype combinations, but they cannot save the tab after configuring the filter. Steps to Reproduce: 1. In Layout Manager, define a new public tab for the Event Board. 2. While entering combinations of event type and subtype filters, the Update button is disabled after adding a second combination.

	Tracking ID	Product	Summary	Description
				Expected result: a tab with multiple event type/subtype filter combinations can be saved. Actual result: a tab with multiple event type/subtype filter combinations cannot be saved.
25.	719357	HxGN OnCall Dispatch | Administrator	When Keycloak is configured as the external OIDC provider, logging out of OnCall Dispatch cause an error message to display.	Steps to Reproduce: 1. Configure Keycloak as an external OIDC provider. 2. Login and logout of OnCall Dispatch. Expected Result: No error displays for Keycloak. Actual Result: An error message for Keycloak displays stating “We are sorry... Missing parameters: id_token_hint”.
26.	721409	HxGN OnCall Dispatch | Administrator	After upgrade, should check if older version of JavaScript file is cached.	After an upgrade, we should check if an older version of JavaScript (JS) files are cached. When we upgraded to 2309.1, there was a fix to make ProQA fields on the Call-Taker form to be Read only. After the upgrade, we noticed the ‘dialogProqaButtons’ was using disk cache instead of using the new JS file from the new software. A normal clear cache and reload from Developer Tools does not resolve this fetching for cache somewhere. We have to right-click the request in Network and select Clear browser cache to pull the new JS files. The software should see that we have new versions of the JS files and pull the instead of using the older cached version.
27.	721597	HxGN OnCall Dispatch | Administrator	SOP Location Radius trigger allows only imperial units.	Steps to Reproduce: **1.** On the SOPs page in Administrator, create a trigger using the Location Radius type. **2.** Try to specify meters as the unit of measurement for the location radius.

	Tracking ID	Product	Summary	Description
				Expected Result: Metric units such as meters and kilometers are supported. Actual Result: Only imperial units (miles, yards, and feet) are available.
28.	721970	HxGN OnCall Dispatch | Administrator	Administrator is unable to reset another user's password due to WAF issues.	Steps to Reproduce: 1. From the menu, navigate to Date Management > Personnel. 2. From the Users tab, select an ANI/ALI service account. 3. Update the password. 4. Click Save. Expected Result: The new password is saved. Actual Result: A password reset notification displays but the record does not save. The dialog box remains open for edits. This appears to be due to the WAF blocking the traffic as the request was too long due to avatar information being sent twice.
29.	721976	HxGN OnCall Dispatch | Administrator	Errors occur when user navigates to Map Legend Management.	When the user attempts to access the Map Legend Management page, a "403 (Forbidden)" error message displays in the log.
30.	721978	HxGN OnCall Dispatch | Administrator	Customer is experiencing issues when attempting to unload the dialog data from the Bulk Loader.	Steps to Reproduce: 1. In the WAF policy, ensure rule 932140 is enabled. 2. In the WAF policy, ensure the CommandWrapper and BulkLoaderRequestWrapper exclusions are in place. 3. Login to OnCall Dispatch Administrator. 4. From the menu, select Administration > BulkLoader. 5. Click on the Unload Data tab. 6. In the Table Name field, select CustomDialog. 7. Name it customDialog.csv. 8. Select columns from the Columns to Unload table. 9. Click Unload. The dialog data does not unload

	Tracking ID	Product	Summary	Description
31.	721980	HxGN OnCall Dispatch | Administrator	Errors occur when user attempts to update dialogs.	When the user attempts to update dialogs in UI Editor, a “403” error displays in the log.
32.	721987	HxGN OnCall Dispatch | Administrator	Errors occur when user attempts to access Layout Manager.	When the user attempts to use Layout Manager, a “403” error displays in the log.
33.	721994	HxGN OnCall Dispatch | Administrator	WAF issues with Administrator.	The user is unable to access the OnCall environment and receives a 403 forbidden error.
34.	721997	HxGN OnCall Dispatch | Administrator	There are issues with WAF that result in the user being unable to reset a user’s password.	When the user attempts to update another user’s password, they receive a ‘User Edit Failure’ ‘ Error Saving’ message.
35.	721999	HxGN OnCall Dispatch | Administrator	WAF issues occur when the user makes changes in UI Editor.	Steps to Reproduce: 1. Ensure the 942360 rule is enabled in the WAF policy. 2. Ensure that the global DialogWrapper exclusion is enabled in the WAF policy. 3. From the Administrator menu, select UI Configurations > UI Editor. 4. Locate a dialog that has a SITE override. 5. Update the Label field. 6. Click Save. Label update is not saved. In the Network tab in dev tools, the DialogDefinitions request does not show the correct status code.
36.	722166	HxGN OnCall Dispatch | Administrator	ERR_CACHE_WRITE_FAILURE when using layouts with more than two tabs.	When attempting to use a layout/workspace with more than two tabs, we are getting the the "ERR_CACHE_WRITE_FAILURE" error at multiple sites. The third tab does not load; neither to any other tabs after the third one.
37.	723007	HxGN OnCall Dispatch | Administrator	Locations are reverified every time a record is selected in Unit Definition and Station Definition.	In the Unit Definition and Station Definition pages, the location is reverified every time one is selected, causing two issues: 1. If the geocoder is not working or does not verify at that moment, recommendation issues can occur the next time the unit logs in until the unit is at a known, good location.

	Tracking ID	Product	Summary	Description
				2. If nothing is modified, the user receives an error about unsaved changes.
38.	723526	HxGN OnCall Dispatch | Administrator	User management lets agency administrators add users to groups with greater permissions than themselves.	An Administrator user with basic capabilities to create and edit users can add a user to a user group that allows full management of the entire system.
39.	725547	HxGN OnCall Dispatch | Administrator	Recommend Unit pods are crashing with the latest build.	The Recommend Unit pods are crashing with the latest build.
40.	726589	HxGN OnCall Dispatch | Administrator	Cannot delete configured definitions from UI Editor.	Steps to Reproduce: 1. Navigate to UI Editor in Administrator. 2. Override any dialog box with a configured override, such as SITE. 3. Click Save. The Delete Definition button is disabled, which prevents deleting the definition.
41.	728276	HxGN OnCall Dispatch | Administrator	WAF issues occur when user attempts to edit in the UI Editor.	Steps to Reproduce: 1. Ensure the Rule 942110 is enabled in the WAF policy and that the global exclusion for “DiaogWrappers” is in place. 2. In OnCall Dispatch Administrator, navigate to UI Configuration > UI Editor. 3. Make some changes to a dialog’s definition. 4. Click Save. The change is not saved.
42.	738196	HxGN OnCall Dispatch | Administrator	Deployment does not work with the event type-based dispatch groups.	Set up a deployment response to use dispatch groups based on event types, and when you verify the address and select the event type, the Agency Response does not show the correct dispatch group. Steps to Reproduce: 1. From Administrator, go to Deployment Records and add multiple records for the beat/ESZ for a specific event type and all subtypes/alarm levels and assign each to a specific dispatch group.

	Tracking ID	Product	Summary	Description
				Note: You have to create multiples, not just one example. 2. Create an event in OnCall Dispatch with that beat/ESZ with one of those event types. The Agency Response dispatch group is not the one specified in the response record. The Agency Response dispatch group should be the one specified in the response record.
43.	742336	HxGN OnCall Dispatch | Administrator	Upgrades need to load GroupRolesCommands.json.	The 2409 upgrade adds many new command permissions, and these must be loaded from the GroupsRolesCommands.josn and similar files. Updates to indicate this should be applied to CAD in a Box, development, and quality assurance deployments, as well as installation and configuration guides. The zero-downtime upgrade scripts must be updated to automate this at the right step in the process.
44.	433513	HxGN OnCall Dispatch | Advantage	Event Board list of unit – Compact view vs. regular view is different.	In the list of units in the Event Board, the compact view and regular view are different. These should be the same or that the regular view would be the side to show more information.
45.	523435	HxGN OnCall Dispatch | Advantage	Default Dashboard count mismatch.	If I open the default Dashboard from the OnCall Dispatch menu, the event totals shown on the Dashboard and the Event Board do not match, for example, because the P2 event totals differ.
46.	569808	HxGN OnCall Dispatch | Advantage	Enhance supplemental information "Create Broadcast" form to have a remarks entry area.	From an event, you have a supplemental person or vehicle entered. You then use the shortcut button to create a broadcast. The resulting form to create the broadcast does not include a way to enter any remarks/narrative about the broadcast. The customer would like to see an enhancement to allow for the adding of remarks from this form.
47.	582994	HxGN OnCall Dispatch | Advantage	Scheduled Events Board – Recurring events are displaying as one event.	Steps to Reproduce: 1. Create a recurring scheduled event. 2. Go to the Scheduled Events Board. 3. Only one event is shown (with recurring set to Yes). We would like to see all elements of the recurring event, the same as the agenda view of the calendar.

	Tracking ID	Product	Summary	Description
48.	653120	HxGN OnCall Dispatch | Advantage	Facility Board – Unable to deselect the check box and the placeholder text on the View/Hide Selected Facility Details button.	Steps to Reproduce: 1. Log on to OnCall Dispatch. 2. Navigate to the workspace where the Facility Board is configured. 3. Select the Facility Board. 4. Select a facility using the check box. 5. Try deselecting the checkbox. 6. Hover over Hide/View Facility Details. The user is unable to deselect the check box.
49.	662931	HxGN OnCall Dispatch | Advantage	Night mode – Add Remark dialog box – Text for Submit button should be white to be more visible.	Steps to Reproduce: 1. Set OnCall Dispatch to night mode. 2. Launch the Add Remark dialog box. 3. Confirm the Submit button text is difficult to read.
50.	669560	HxGN OnCall Dispatch | Advantage	OnCall Dispatch experiences freezes when operating with 16,000 units.	Our system received multiple upgrades from 2003 to 2309, and now OnCall Dispatch constantly freezes and becomes inoperable. Specifically, every few seconds the site freezes for several minutes. We observed that if we change to a group that has significantly fewer units (for example, closer to 3,000), the site works fine.
51.	674598	HxGN OnCall Dispatch | Advantage	Event Board - Create New Tab not working.	We are unable to create new tab in the Event Board. When Create Tab is clicked after furnishing all required details in the Create New Tab dialog box, no action is performed. The new tab is not created; it just spins continuously. Steps to Reproduce: 1. Login to OnCall Dispatch and switch to the Event Board. 2. Click on the '+' symbol to create a new tab, and then click Create New Tab. 3. Give the tab a name and switch to the columns section. 4. Create two columns, one with a priority filter and the other with an Event tag. 5. Click Create Tab, and observe no action is performed.

	Tracking ID	Product	Summary	Description
				Expected Result: When Create Tab is clicked after furnishing all required details in the Create New Tab dialog box, a new tab should be created successfully. Actual Result: The new tab is not created.
52.	680947	HxGN OnCall Dispatch | Advantage	Event type definition does not search on subtype descriptions properly.	When searching a list of event types for an agency, you are not able to fully search for a subtype description, only on the event type code and subtype code. Steps to Reproduce: 1. Create a new event type with the following information: • Type code: 01 • Subtype code: ABU • Type description: POLICE • Subtype description: Abuse/Abandonment 2. Try and search on “ABU.” This properly returns the item, and both the code and description are highlighted. 3. Try and search on “Abuse.” The item is not returned. You should be able to enter a word or phrase to search for eligible event types based on subtype descriptions.
53.	685522	HxGN OnCall Dispatch | Advantage	When in Advanced Options via Recommended Units, the scroll bar jumps to the top of the page when you select multiple units.	Steps to Reproduce: 1. Create event 2. Go to Recommended Units 3. Click on Advanced Options 4. Scroll down and select alternative units. If none are available, add additional requirements and then proceed to select. Expected Result: You can click multiple units in a row with no changes to the screen position.

	Tracking ID	Product	Summary	Description
				Actual Result: Clicking multiple units causes the scroll bar to jump to the top of the page.
54.	688012	HxGN OnCall Dispatch | Advantage	Comments lock lets comments continue to scroll.	Rather than locking the comments at the user's location, each time a new comment is added, the comments are nudged up/down by one line each time. Steps to Reproduce: 1. Log in to OnCall Dispatch. 2. Select an event. 3. Selecting Scrolling Off from the Overview tab. 4. Have someone else add comments to the selected event. With the lock in use, the comments should not move; however, each time a new comment is added, the comments are nudged up/down by one line each time.
55.	689041	HxGN OnCall Dispatch | Advantage	Lists produced by Recommended Units and Advanced Recommended Units do not match.	A customer reports that Recommended Units and Advanced Recommended Units do not provide the same results. Errors also occur when attempting to use the Recommended Units function.
56.	689195	HxGN OnCall Dispatch | Advantage	Event chronology requests fail after nulling custom field.	There are issues with event chronology on some events in our system. Nulling out one of the custom fields causes chronology to fail. Steps to Reproduce: 1. Define two custom fields in the AgencyEvent database table. 2. Create an event by populating both custom fields. 3. Edit the event by removing the value of one of the custom fields. 4. Open Event Chronology. It fails to open.
57.	689472	HxGN OnCall Dispatch | Advantage	OnCall Dispatch is locking up.	Multiple Dispatcher positions are experiencing this frequently. The Unit Board does not load until a refresh is performed. The bottom portion of the Event Panel also shows a spinning wheel.

	Tracking ID	Product	Summary	Description
				This occurs when users run multiple commands back-to-back quickly, specifically anywhere from 5-12 commands back-to-back. This also happens during busy times. Dispatchers are executing multiple commands and working through many calls, and OnCall Dispatch begins to lock up. After a moment, user can refresh or log out and back in, and OnCall Dispatch becomes functional again. Step to Reproduce: 1. Run multiple commands back-to-back against multiple calls and units (dispatching units, clearing units, closing events, and so forth). Actual Result: OnCall Dispatch locks up. Expected Result: OnCall Dispatch stays functional.
58.	689599	HxGN OnCall Dispatch | Advantage	Unit Properties error message does not indicate where a specific vehicle ID is in use.	When updating unit properties for the vehicle ID and the ID is already in use, the error message should indicate what unit the vehicle ID is associated with, which makes the error more meaningful and immediately actionable. Steps to Reproduce: 1. Select a unit. 2. Go to Edit Unit Properties. 3. Select the Vehicle tab. 4. Enter a vehicle ID and click Save. 5. Select a different unit. 6. Go to Edit Unit Properties. 7. Select the Vehicle tab. 8. Enter the same vehicle ID as Step 4 and click Save.

	Tracking ID	Product	Summary	Description
				Expected result: The error message indicates the unit ID for which the vehicle ID is logged on. Actual result: The error message indicates only that the vehicle is currently logged on.
59.	690164	HxGN OnCall Dispatch | Advantage	My Event History (event list) is not working.	The My Event History panel is no longer displaying previously created calls. Steps to Reproduce: 1. Using Layout Manager, for a workspace, add a tab that has three panels: • Call-taker 2.0 • Map • Events (My Event History) 2. Load the workspace. The Events (My Event History) panel is blank. This panel should be displaying previously created calls.
60.	690177	HxGN OnCall Dispatch | Advantage	Deployment plan overrides are not changing dispatch group when the alarm level is updated.	Steps to Reproduce: 1. Create a deployment record override for a chosen event type to go to a different dispatch group. 2. Create an event for that event type. 3. Observe the event is created as expected. 4. Upgrade the event to an alarm level of 2. 5. Observe the dispatch group did not change back to the dispatch group of the default deployment record. The event should be updated with its dispatch group as part of the default deployment record, but the event update does not change the dispatch group.
61.	690178	HxGN OnCall Dispatch | Advantage	Close Event command line arguments do not honor using selecting event.	Command line arguments for Close Event do not honor using the selected event. This is true for both versions of the command line. Expected result: arguments are carried over to the dialog box.

	Tracking ID	Product	Summary	Description
				Actual result: none of the enabled arguments are carried over to the dialog box.
62.	690185	HxGN OnCall Dispatch | Advantage	Cannot reset user grids using -A.	We cannot reset user grids. An error displays when using the command line to reset all grids for a user. Steps to Reproduce: 1. On the Event Board or Unit Board, open the command line. 2. Enter Grid Reset -Y <employee ID> -A. 3. Press ENTER. An error displays. Expected result: command succeeds without an error. Actual result: an error displays and the grids of the user do not reset.
63.	693632	HxGN OnCall Dispatch | Advantage	Picklist of available vehicle IDs displays when attempting to search for vehicle ID currently in use.	Using Unit History, a picklist of available vehicle IDs displays when attempting to search for a vehicle ID currently in use. The displayed list should show vehicle IDs currently in use, which would be more meaningful. Steps to Reproduce: 1. Assign a vehicle ID to a unit. 2. Open Unit History and search for a vehicle ID in use. Expected result: A picklist of in-use vehicle IDs displays. Actual result: A picklist of available vehicle IDs displays.
64.	694116	HxGN OnCall Dispatch | Advantage	Issues with migration of hardcoded key-in values during version upgrade.	When upgrading from version 2303 to 2309, hardcoded values for commands are migrated into the Translated Value field instead of the Default Value field. For example, consider the command CHANGE STATUS -U +S “AV.” After migrating to 2309, “AV” displays in Translated Value instead of Default Value. Also,

	Tracking ID	Product	Summary	Description
				unnecessary quotation marks are added despite no longer being required.
65.	694389	HxGN OnCall Dispatch | Advantage	Attachments included with special situations can be viewed by all users, despite them being restricted to specific agencies.	Even though attachments added to a special situation are limited to a specific agency, a user is still able to view those attachments, even when they are not a part of that agency.
66.	694391	HxGN OnCall Dispatch | Advantage	All the search criteria fields do not display when the Supplemental Information Search dialog box is opened.	After opening the Supplemental Information Search dialog box, not all the search criteria fields display.
67.	695926	HxGN OnCall Dispatch | Advantage	When you press ESC on a custom tab on the Event Board or Unit Board, OnCall Dispatch prompts you to delete the current tab.	Steps to Reproduce: 1. Log in to OnCall Dispatch. 2. Navigate to the Unit Board. 3. Select the plus icon to create a private tab. 4. After creating and selecting the private tab, press ESC. The Remove Tab dialog box displays. Expected result: pressing ESC does not display the Remove Tab dialog box. Actual result: pressing ESC displays the Remove Tab dialog box.
68.	698668	HxGN OnCall Dispatch | Advantage	The default Terminal ID column in the Who dialog box displays as blank.	Steps to Reproduce: 1. Enter Who on the command line. 2. Enter search criteria and click Submit. 3. Select View All Results. Expected Result: The Terminal ID column displays as blank. Actual Result: The Terminal ID column displays the terminal ID of the personnel.
69.	700047	HxGN OnCall Dispatch | Advantage	Users can create an event in a dispatch group that is uncovered.	Steps to Reproduce: 1. Log in to a system where you are the only user. 2. From the menu, select Coverage > Edit My Coverage.

	Tracking ID	Product	Summary	Description
				3. In the Edit Access Levels dialog box, change one of the dispatch groups to Invisible. 4. Click Submit. 5. Create an event that is a part of the dispatch group that is not visible. Expected Result: An error message displays, and the user is forced to create the event in a different dispatch group. Actual Result: The event is created in an uncovered dispatch group.
70.	700945	HxGN OnCall Dispatch | Advantage	Custom widget is in wrong position after starting another dialog box from menu.	A right-docked custom widget does not move to its original position after the main menu is open and closed. Steps to Reproduce: 1. Open a right-docked custom widget by clicking the appropriate icon. 2. Open the main menu. 3. Select a command from the menu that opens a dialog box, such as Create Event. The menu closes, and the new command dialog box displays, but the custom widget does not return to its original position. Expected result: The custom widget should return to its original position. Actual result: The custom widget does not return to its original position.
71.	701686	HxGN OnCall Dispatch | Advantage	When the user attempts to use the Create Event Here option on the map, the pin for the event is created at a different location.	Steps to Reproduce: 1. Right-click on a location on the map. 2. Select Create Event Here option from the menu.

	Tracking ID	Product	Summary	Description
				3. Fill in other necessary fields in the Create Event dialog box. 4. Select Submit. **5.** Observe the location on the map that you right-clicked. Expected Result: The event is created at the nearest address to the point on the map that was selected, but the pin remains at the exact location the user selected on the map. Actual Result: The event is created at the nearest address to the point on the map that was selected. The pin for the event is moved to that address.
72.	701688	HxGN OnCall Dispatch | Advantage	Subtype disappears in Field Event dialog box when using a special address.	When creating a field event, after I select the event type and subtype, the subtype disappears and must be reentered if using a special address. Expected result: The subtype is not cleared. Actual result: The subtype is cleared.
73.	702760	HxGN OnCall Dispatch | Advantage	Command line becomes unusable if you press the Down arrow key in the middle of a command.	Pressing the Down arrow key while entering a command freezes the command line and does not let you continue typing unless you select the original key-in. Steps to Reproduce: 1. Open the command line. 2. Start to dispatch a unit by entering D unit -E. 3. After entering -E, press Down arrow. The command line freezes. Expected result: the command line does not freeze or become unusable during command entry.

	Tracking ID	Product	Summary	Description
				Actual result: the command line freezes unless you select the original key-in.
74.	703043	HxGN OnCall Dispatch | Advantage	Issues with WAF results in new tabs that are added to the Unit Board to not be saved.	The customer cannot add multiple new tabs to the Unit Board due to WAF issues. When refreshing the browser, the new tabs do not display. Even logging out and logging back in does not the resolve the issue.
75.	703047	HxGN OnCall Dispatch | Advantage	IWAServer not working on load balancer environment with HTTP/2 enabled.	All systems previously set up on other customer environments with OIDC External (Windows Authentication integration) that are on single node worked fine. When we moved to production, which has two web servers and a load balancer on top of them, then we must disable HTTP/2 on IIS to let IWAServer to work, but this is causing slowness on all systems because all traffic is reduced to HTTP/1.1 instead of HTTP/2.
76.	705476	HxGN OnCall Dispatch | Advantage	WAF issues occur when the user attempts to add comments to an event in the Event Panel.	Steps to Reproduce: 1. In the WAF policy, ensure 941320 rule is enabled and that the CommandWrapper exclusion is in place. 2. Login to OnCall Dispatch. 3. Open the Event Panel for an active event. 4. In the Comments tab, add multiple comments with various priority levels. Expected Result: The comments are added. Actual Result: Errors occur due to the WAF policy, and the comments are not added.
77.	709141	HxGN OnCall Dispatch | Advantage	Clients receive UnitRecommendationNotification several times.	We are having UnitRecommendationService running multiple times. Clients receive the notification multiple times, as well, which yields one notification for every instance. UnitRecommendationService should support state support. When a client requests something from the RecommendUnit module, Recommend Unit acts on notifications. For example,

	Tracking ID	Product	Summary	Description
				when a unit is cleared, there is a notification that is sent to all users. All Recommend Unit instances need to process this; otherwise, we would have one instance having the unit as cleared while another instance does not process this and still considers the unit assigned. Both services are receiving the notification, and both update their respective caches. Unfortunately, both send out a changed notification. The client then receives the change notification twice and acts on both by re-requesting the current recommendation twice.
78.	709402	HxGN OnCall Dispatch | Advantage	Unable to use Follow Unit to center when trying to enroute a unit to an event.	Steps to Reproduce: 1. Use OnCall Mobile Unit access and log in with a Unit ID. 2. Assign the unit to an event. 3. Enroute the unit to an event. 4. Select Follow Unit. Actual Result: User is unable to follow unit. The route disappears and connection is lost. Expected Result: Ability to follow unit when smart button is clicked. Route does not disappear and connection is not lost.
79.	710383	HxGN OnCall Dispatch | Advantage	Scheduled event pin not retaining location.	Create a scheduled event at a location using a commonplace name, which is verified by the geocoder. The schedule icon shows at the correct location. Upon reaching a scheduled time, event pin is moved to a different location. Step to Reproduce: 1. Schedule an event at a commonplace. The location moves to a different address once the scheduled event begins. Note: This happens even at the commonplace name.

	Tracking ID	Product	Summary	Description
80.	713812	HxGN OnCall Dispatch | Advantage	Location of Interest queries take too long to return results.	When the user attempts to run a Location of Interest search, the results take over ten seconds to display. When the offset for pagination is taken out, the results display automatically.
81.	714174	HxGN OnCall Dispatch | Advantage	Issues with event board and unit board screens not loading sometimes due to missing JS files.	Sometimes when OnCall Dispatch opens, the unit and event boards will not load as it fails to find some JS files in OnCallPResentation. Steps to Reproduce: 1. Log into OnCall Dispatch. 2. Check that the Unit and Event boards are showing. Actual Result: Units and Events Boards are empty. Expected Result: Units and Events Boards show
82.	715091	HxGN OnCall Dispatch | Advantage	Created event not displaying for any user; Call-Taker does not go into update mode.	Created events sometimes do not display in the Pending column of the Event Board. The user must refresh the software to get it to accurately display. Steps to Reproduce: 1. Run OnCall Dispatch, and assign yourself a position ID. 2. From the Call-Taker form, enter a location, event type/subtype, remarks, and caller information (such as name, phone number, source, and so forth). 3. Create the event. All created events from the Call-Taker form should populate in the Pending column after being created, but instead the event is not populated and a refresh must be performed. Some additional notes about the issue include: • When the call-taker created the event, their Call-Taker form did not change to update mode.

	Tracking ID	Product	Summary	Description
				• Neither they nor anyone else could see the event that got created. • Once a refresh was performed, the event was there, but no recommendations were available. • Any further events created by the call-taker also had the same issue.
83.	716628	HxGN OnCall Dispatch | Advantage	The geocodersource is not added to the CommonEventLocation when a caller is added to an event.	Steps to Reproduce: 1. Create an event with a caller with an address. 2. Check the row in commoneventlocation and commoneventcall for this event using the CAD Query Tool. The geocodesource has been added. **3.** Add one or two more callers with addresses to the same event. Check the row in commoneventlocation and commoneventcall again. The geocodesource is missing for the other callers.
84.	716735	HxGN OnCall Dispatch | Advantage	A notification displays that the user does not have permission with an event, despite having access to all agencies and dispatch groups.	When a user with access to all dispatch groups and agencies attempts to open an Event Panel, a notification displays stating "No permission with event…". The Event Panel only opens after multiple attempts.
85.	717098	HxGN OnCall Dispatch | Advantage	Multiple context menus are opening in OCD.	Multiple context menus are opening in OCD.
86.	717153	HxGN OnCall Dispatch | Advantage	Comments separated into multiple strings when entered from the command line.	For example, if you enter a command using periods as delimiters, the commands are split into separate strings.
87.	717154	HxGN OnCall Dispatch | Advantage	Cannot put the unit first in the command line.	Many commands do not work and display a command line error if the unit is entered before the command. This is an issue because it slows down the command entry for the dispatcher.
88.	717196	HxGN OnCall Dispatch | Advantage	Cancel Event shows on Event Board menu when event is assigned.	The default MenuCommands entry for Cancel Event on the Event Board has Condition = Available, so it should only show when the event is pending.

	Tracking ID	Product	Summary	Description
				If you dispatch a unit to the event, the Cancel Event command is still available on the event board context menu. It should be disabled.
89.	717320	HxGN OnCall Dispatch | Advantage	When the status of a unit is changed, the localized string does not display on various boards unless the browser is refreshed.	Steps to Reproduce: 1. Login to OnCall Dispatch and select a language other than English. 2. In OnCall Dispatch Administrator, set a localized string for a unit status. 3. In OnCall Dispatch, set a unit to that status. Expected Result: The localized string for that status is displayed on the Unit Board, Unit Panel, etc.. Actual Result: The localized string is not displayed. The user must refresh their browser to view the localized string.
90.	717333	HxGN OnCall Dispatch | Advantage	Newly added map layers are removed when a user turns the layer on and off.	Steps to Reproduce: 1. In OnCall Administrator, add a new overlay layer in Map Legend management. 2. In OnCall Dispatch, turn the new map layer on and then back off. 3. Select the Units tab. 4. Select the Map tab. Expected Result: The newly added layer is still present. Actual Result: The layer has been removed and must be re-added to use.
91.	717386	HxGN OnCall Dispatch | Advantage	The Entrance Recommendation times out and does not show Facility Recommendations.	The Entrance Recommendation data is not displayed in the system. There is an error in returning information to the ARCGis API.
92.	717487	HxGN OnCall Dispatch | Advantage	Default strings are not loaded when using another language.	Default strings are not loaded when using another language, such as French or German. For example, select French or German as

	Tracking ID	Product	Summary	Description
				the user language, then navigate to the Localized Strings page in Administrator. Expected Result: OnCall Dispatch loads the strings based on the entries in the database. The Default strings should not be translated. Actual Result: No strings are loaded because OnCall Dispatch tries to get Standard strings instead of Default strings.
93.	717492	HxGN OnCall Dispatch | Advantage	Cannot log in if a single subgroup is invalid.	If a user has a subgroup that is invalid or has a wrong license, the user cannot log in, which could prevent users from logging in if a mistake is made before a shift change. Steps to Reproduce: 1. In Administrator, go to User & Group Management. 2. Select the Groups tab and select a group. 3. Select the Subgroup tab and add a subgroup. 4. Select Default API User Access group and add it as a subgroup. 5. Refresh the browser. An error displays. There is no way to fix this in Administrator if the user leaves the page or refreshes, as they cannot get back in either. Therefore, the fix must be made in the database. Expected result: the user can log in without the license or with the misconfigured subgroup. Actual result: the user cannot log in and the administrator cannot fix the problem.
94.	717494	HxGN OnCall Dispatch | Advantage	Error when changing unit status after clearing multiple units from same event.	After clearing multiple units from an event, if the user tries to update the unit status of one of the remaining units on the same event, they receive an error. If the user selects Back, the units

	Tracking ID	Product	Summary	Description
				listed in the dialog box are the unit which were already cleared. If the user clears each unit individually or closes and reopens the Event Panel after the clear has occurred, the issue does not occur. Steps to Reproduce: 1. Create an event in OnCall Dispatch and dispatch at least three units to an event. 2. Open the Event Panel and select two of the units in the Assigned Units tab. 3. Clear the units using the ellipsis menu. 4. Select one of the remaining assigned units and mark the unit enroute. An error is displayed. Expected Result: The unit status changes. Actual Result: An error is displayed and the unit status does not change.
95.	717496, 737448	HxGN OnCall Dispatch | Advantage	Field event at unverified address.	A field event created at unverified address uses the location of the unit instead of the location entered in the command line. Expected result: the location entered in the command is used. It does not automatically verify, and the Field Event dialog box displays to let you enter a verified location or specify the unverified location there. Actual result: the last location of the unit is used.
96.	717635	HxGN OnCall Dispatch | Advantage	Unit Board location is not updating to the event location when dispatched using Advanced Recommend Unit.	After upgrading to 2309.1, the Unit Board location is not updated to the event location after units are dispatched to an event using the Advanced Recommend Unit command. The Unit Board location remains the same as the permanent deployment location. Units dispatched using Dispatch Unit or Dispatch Recommended do update the location as expected, though.

	Tracking ID	Product	Summary	Description
				Steps to Reproduce: 1. Create an event. 2. Open the Advanced Recommend Unit dialog box. 3. Dispatch a unit using Advanced Recommend Unit. **4.** Observe that the Location field remains as the unit's permanent deployment location.
97.	717636	HxGN OnCall Dispatch | Advantage	Duplicate remarks entered into Create Event dialog box are removed.	When entering remarks in the Create Event dialog box, duplicate remarks are removed if the remark string is the same. Steps to Reproduce: 1. Open Create Event. 2. Enter remark "test" and click Send. 3. Enter remark "test2" and click Send. 4. Enter remark "test" and click Send. The original "test" remark is removed and replaced with the newest "test" remark. 5. Create the event. When you query CommonEventComment database table, the original remark "test" is not present.
98.	717637	HxGN OnCall Dispatch | Advantage	Updating an event's location does not update the Beat and/or Esz.	Steps to Reproduce: 1. Create an event. 2. Once created, update the event's location to a location in a different Beat and/or Esz but within the same Dispatch Group. 3. From the menu, select Actions > Inquiry > Event Chronology. 4. View the updated location of the event. Expected Result: Beat and/or Esz should be updated when the event location is updated. Actual Result: Beat and/or Esz are not updated when the event location is updated.

	Tracking ID	Product	Summary	Description
99.	718324	HxGN OnCall Dispatch | Advantage	The Close button missing from About screen in night mode.	The Close button is missing from About screen when user has night mode turned on. Steps to Reproduce: 1. Click on the Menu. 2. Navigate to Preferences / Settings > UI Settings > Turn on Night mode. 3. Click Hexagon logo to pull up the About screen. 4. Close button is missing in Edge and Chrome browsers. Actual Result: Missing Close button. Expected Result: A visible button should be there.
100.	718412	HxGN OnCall Dispatch | Advantage	Issues with short key-ins matching on other fields in the command line.	The customer has key-ins for Traffic Stop in the CDCMDKEY parameter table as Traffic Stop, TS, T, -U -L -TAG -S -Y -LT -C +T T. However, only Traffic Stop works. TS and T display an error. The issue is that there is a key-in defined for another command (Event Search), so OnCall Dispatch matches against that instead of T or S.
101.	718504	HxGN OnCall Dispatch | Advantage	When doing a transport from the command line, there is no address validation.	We would like some sort of pop-up that lets us know the address has not been validated. The following command example shows the results of using the command line and setting the unit location to THIS IS WHERE I AM. command,unit,location,mileage,comment TPU,D110,ITHIS IS WHERE I AM, 50, MY COMMENT If the address is not valid, request the user to validate the command key-ins or provide an override.
102.	718574	HxGN OnCall Dispatch | Advantage	When making an update to an event that would result in a change in the Agency Response, users are not alerted of this change.	When a user updates an event's type or sub-type that would result in a change in the Agency Response, the user is not shown what the change would be.

	Tracking ID	Product	Summary	Description
103.	718576	HxGN OnCall Dispatch | Advantage	User is unable to sort common place names in the Location Information section of the Create Event dialog box.	The results displayed after entering a common place name into the search of the Location Information section of the Create Event dialog box are not sorted into a proper sort order. User is unable to sort them alphabetically.
104.	719020	HxGN OnCall Dispatch | Advantage	After changing a unit status, the status displays in English instead of the configured language.	When I start OnCall Dispatch with the UI displaying a language other than English, the updated unit status is displayed in English. Steps to Reproduce: 1. Log In to OnCall Dispatch using a language other than English for the UI. 2. Change the status of a unit. The new status does not display in the language from Step 1. Expected Result: The new status displays in the selected language. Actual Result: The new status displays in English.
105.	719021	HxGN OnCall Dispatch | Advantage	Primary Unit should retrieve event ID based on provided unit.	In legacy I/CAD, the event ID was not required when defining or changing a primary unit. In OnCall Dispatch, the event number is required, but it should use the event number for the unit defined in the command line. For example, enter Primary Unit on the command line. Expected Result: the event ID associated with the unit is used and the primary assignment made based on the issued command. Actual Result: the Primary Unit dialog box displays and requests both the event ID and unit ID.
106.	719136	HxGN OnCall Dispatch | Advantage	Cannot dispatch units to new dispatch areas until after refresh.	We cannot dispatch units to new dispatch areas until after the system is refreshed. Steps to Reproduce: 1. Create a new staging area for an event. 2. Dispatch a unit to the staging area.

	Tracking ID	Product	Summary	Description
				The unit should be dispatched to the staging area, but no dispatching occurs, and no error displays to the user.
107.	719139	HxGN OnCall Dispatch | Advantage	User is not asked to verify which common place to use when there are multiple common places with the same name.	Steps to Reproduce: 1. Create two common places with the same name, such as a coffee shop. 2. Enter FIELD EVENT on the command line using the name of the common place as the location. 3. Click ENTER. Expected Result: The user is asked which common place to use as the location. Actual Result: One of the common places is chosen as the location. The user is not asked to verify which common place to use.
108.	719140	HxGN OnCall Dispatch | Advantage	Special address comments display as User comments, even when set to a System comment.	Steps to Reproduce: 1. Select an event. 2. Add a Special Address comment as a System comment. 3. Click Submit. **4.** Select the event, and select the Comments tab. Expected Result: The recently added comment displays as a system comment. Actual Result: The recently added comment displays as a user comment with the user's comment next to it.
109.	719170	HxGN OnCall Dispatch | Advantage	Logging on a group using a lineup logs on one hundred units.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, create a lineup with more than one hundred units. **2.** In OnCall Dispatch, select Unit > On / Off > Logon Group from the menu. **3.** From the Logon Group dialog box, logon the lineup.

	Tracking ID	Product	Summary	Description
				Expected Result: All the units are logged on. Actual Result: One hundred units are logged on. The user must repeat the process to have the other units logged on.
110.	719209	HxGN OnCall Dispatch | Advantage	All event tags populate underneath event tags column on Event Board.	All event tags populate underneath event tag column when none have been selected. If no event tag is selected, we need no event tags to show underneath this event tags column. Steps to Reproduce: **1.** Create an Event Tags column. **2.** Create several event tags that are available to select from the panel (we have three tags). **3.** Then, create an event from the Call-Taker form. **4.** The event populates with all tags underneath the Event Tags column, despite no event tags being selected. Actual Result: If no event tag is selected, event tags still show underneath this event tags column. Expected Result: If no event tag is selected, we need no event tags to show underneath this event tags column.
111.	719211	HxGN OnCall Dispatch | Advantage	The Event Board card is not reflecting correctly in OnCall Dispatch.	Configuration done in Administrator is not reflected in OnCall Dispatch. The data contained in region "PIC Times" is not shown in it but outside and above it. The same Event Board card configuration works fine in our production system on 2003.
112.	719212	HxGN OnCall Dispatch | Advantage	Unit Shift History shows event twice when unit is alarmed.	In the Unit Details panel, a unit timer alarm displays as a second entry of the same event. Steps to Reproduce: **1.** Create an event that has timers for the Dispatched status. **2.** Dispatch a unit to the event. **3.** Wait for the alarm to trigger.

	Tracking ID	Product	Summary	Description
				4. Open the Unit Details panel. The event has two entries, each showing Dispatched.
113.	719244	HxGN OnCall Dispatch | Advantage	Cannot define an empty or default command line.	Before 2309, you could define a command key with a blank key-in. This would let a customer define one command key that could be executed without typing the command, such as Select Event.
114.	719250	HxGN OnCall Dispatch | Advantage	Command line shortcut does not work.	The customer uses SHIFT+> as a shortcut. On the Unit Board or Event Board, the shortcut moves focus to the Search field and enters >. On the Map view, this shortcut does nothing. Expected result: the shortcut works as configured and moves focus to the command line, and tabs with Search fields should not automatically be given focus using the shortcut. Actual result: if the tab contains a Search field, the shortcut moves focus to the Search field and acts as a standard function key in a text field. If performed on a tab with no text field, nothing happens.
115.	719310	HxGN OnCall Dispatch | Advantage	Command line error.	We receive command line errors when canceling out of the disposition code field. For example, when the user edits the Event Panel, selecting the disposition code and then cancel displays a command line error.
116.	719590	HxGN OnCall Dispatch | Advantage	Primary unit indicator overlaps with event ID in tear-off window.	Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** Create an event. **3.** Dispatch a unit to the event. **4.** From the command line, run Primary Unit. **5.** Select the event and unit from Steps 2-3. **6.** Click Submit. **7.** Open the Unit Panel for the unit and verify the primary unit indicator aligns appropriately with the event ID. **8.** Open the tear-off panel.

	Tracking ID	Product	Summary	Description
				Expected result: the primary unit indicator aligns with the event ID. Actual result: the primary unit indicator overlaps the event ID.
117.	719756	HxGN OnCall Dispatch | Advantage	"Dispatch recommended" from Event Panel header is attempting to preempt all units not available (no units recommended).	"Dispatch recommended" from Event Panel header is attempting to preempt all units not available. This only occurs from the Dispatch Recommend in the context menu from the Event Panel header.
118.	720792	HxGN OnCall Dispatch | Advantage	Event Panel has a scroll bar enabled on the left that clips the tab counts.	The Event Panel has a scroll bar enabled on the left side of the interface that clips the tab counts. Steps to Reproduce: **1.** From the map, double-click any event icon to display the Event Panel. **2.** When the Event Panel is shown, notice there is a scroll bar enabled down the left side which clips the tab count. The Event Panel scroll bar is seen in the website but not in the client.
119.	721700	HxGN OnCall Dispatch | Advantage	A white screen issue occurs after using OnCall Dispatch for over 12 hours.	The customer reports that after consistently interacting with OnCall Dispatch for 12 or more hours, the event board experiences a white screen issue.
120.	722071	HxGN OnCall Dispatch | Advantage	OnCall Dispatch loses connection overnight and prevents logout.	If OnCall Dispatch is left logged in overnight, it loses connection and reports errors every 10 seconds. Attempts to return to the login page result in a 401 error.
121.	722664	HxGN OnCall Dispatch | Advantage	Command line override for Assist Unit not working.	If I create a command line override for Assist Unit that marks units Arrived or On Scene, the override does nothing when used in OnCall Dispatch. However, if I execute the default Assist Unit command with the same arguments, the unit is dispatched.
122.	722974	HxGN OnCall Dispatch | Advantage	When selecting a special address, the comments for the special address do not appear in the Event Panel.	When the user creates an event at a special address, the special address comments are not added to the event's Comments tab in the Event Panel.

	Tracking ID	Product	Summary	Description
123.	723447	HxGN OnCall Dispatch | Advantage	User can view restricted events when performing a Location of Interest search.	Steps to Reproduce: **1.** Have the Location of Interest search configured to match on the Supp Info field. **2.** Create two events with a match based on the configured LOI Supp Info field. One of the events should be restricted that the current user cannot view. **3.** Login as another user. **4.** Select the restricted event and update the location. **5.** Log back in as the first user and perform a LOI search that would include the restricted event. Expected Result: The first user is unable to view any details about the restricted event in the search results. Actual Result: The first user can view the restricted event's priority, location, and type.
124.	723636	HxGN OnCall Dispatch | Advantage	Event creation is slowed down by excessive memory usage.	The customer reports difficulty creating events and long response times. DefinitionCacheModule is using up to 22 GB of memory.
125.	724109	HxGN OnCall Dispatch | Advantage	OnCall Dispatch logo does not display on the browser tab.	When accessing OnCall Dispatch Advantage using Google Chrome, the product's logo does not display on the browser tab.
126.	724794	HxGN OnCall Dispatch | Advantage	Event Type and Subtype still display when units are cleared from an event.	Event Type and Subtype still display when units are cleared from an event. Event Type and Subtype is updated/removed upon refresh or tabbing out. Steps to Reproduce: **1.** Clear unit from call. **2.** View the Event Type and Subtype column. **3.** Tab out or refresh screen to update. Actual Result: Stale Event Type codes and Subtypes are persisting on screen.

	Tracking ID	Product	Summary	Description
				Expected Result: Event Type codes and Subtypes do not persist once unit is cleared. These columns update automatically.
127.	725006	HxGN OnCall Dispatch | Advantage	The distance displayed for recommended units in the Event Panel is incorrect.	Steps to Reproduce: **1.** For OnCall Routing, configure AzureMaps. **2.** Create an event. **3.** Open the Event Panel for the event. **4.** Select the Recommended Units tab. **5.** Observe the distance displayed for the recommended units in the Distance/Time column. Expected Result: The correct distance is displayed. Actual Result: The distance displayed is incorrect. When the unit is routed to the event, the distance is correct.
128.	725281	HxGN OnCall Dispatch | Advantage	Contact Unit and Transport Unit command lines do not work.	Steps to Reproduce: 1. Log in to OnCall Dispatch. 2. Create an event and dispatch a unit. 3. Execute the Contact Unit command from the command line. An error displays.
129.	726573	HxGN OnCall Dispatch | Advantage	User is unable to use the COPY EVENT command to create a multi-agency event.	Steps to Reproduce: **1.** Select an event on the map. **2.** Enter COPY EVENT onto the command line. **3.** Select an Event Type that would generate a multi-agency event. **4.** Click Submit. Expected Result: The form submits, and the event is copied. Actual Result: The dialog box glitches and does not submit.
130.	727173	HxGN OnCall Dispatch | Advantage	Unit Context Menu does not always list all commands.	In OnCall Dispatch, the context menu for units is not always listing all commands. In different workspaces and on unit board or event board, I am seeing 2 options that are greyed out. This

	Tracking ID	Product	Summary	Description
				behavior appears to be inconsistent on where it occurs but is typically reproducible. Steps to Reproduce: **1.** In OnCall Dispatch, right-click unit and menu commands are not always available. Actual Result: All context menu commands are not available. Expected Result: All context menu commands are available.
131.	727544	HxGN OnCall Dispatch | Advantage	Clicking on a suggested command in the command line drop-down causes the cursor to jump to the "Search Units" field.	Steps to Reproduce: 1. Turn on the Intelligent command line feature flag. 2. Type into the command line and select a suggested command. Expected Result: Cursor remains in command line. Actual Result: Cursor jumps to "Search Units" field after clicking on suggested command.
132.	727925	HxGN OnCall Dispatch | Advantage	Facilities – Cannot enter same name across different facilities.	Currently OnCall Dispatch lets users create facility entrances that are the same but used in another facility. However, facility entrances should be unique to each facility, not across all facilities. You should be able to create a facility entrance with the same name across facilities since a facility entrance is unique to each facility.
133.	728719	HxGN OnCall Dispatch | Advantage	Priority 0 events do not show the event priority icon correctly on the Unit Board.	Units dispatched to priority 0 events show only a 0 next to the event ID instead of the event icon as shown in the attached file. Steps to Reproduce: 1. Generate a priority 0 event and dispatch a unit. 2. Notice the difference between other priority events and the zero priority events on the unit board.

	Tracking ID	Product	Summary	Description
134.	728891	HxGN OnCall Dispatch | Advantage	Unit timer highlighting not updating properly.	When OnCall Dispatch sets a unit timer, after reaching 0 seconds, it turns light orange in color in both OnCall Dispatch and Mobile Unit. The following darker orange that is supposed to appear after 30 seconds or more does not change unless the user clicks the Unit Board. This is happening on both the OnCall Dispatch and Mobile Unit modules. In addition, if you are on the Unit Board and it is dark orange, then choose another tab and come back, and notice the color is missing, as well, on both OnCall Dispatch and Mobile Unit. Steps to Reproduce: **1.** Turn on the UnitAlarmHighlightWholeRow parameter (OnCall set > UISettings list). Note: We believe this problem only exists when this parameter is used. **2.** Run Unit Contact for a unit with a 1-minute timer. **3.** Wait for the time to expire. The light yellow color is delayed by 3-10 seconds in highlighting the row. **4.** Wait 30 more seconds. The row never turns to the dark orange color. **5.** Click on a unit in the row. Now the row turns orange. **6.** Change to a different tab and come back. The highlighting is missing. The highlight should be visible when the user navigates to the Unit Board or by refreshing OnCall Dispatch. The highlight should update properly. The initial lighter highlight should not be delayed.

	Tracking ID	Product	Summary	Description
135.	729098	HxGN OnCall Dispatch | Advantage	Caller information is incorrect in event chronology for field event.	After creating a field event and viewing the event chronology, the caller source is automatically set to Officer and the caller location is automatically set as well. However, the caller location is incorrect. It is neither the previous location of the unit nor the current location of the event. The location is not referenced in the unit definition, unit properties, and so forth. Expected result: the actual caller location is used. Actual result: an inaccurate caller location is used.
136.	729580	HxGN OnCall Dispatch | Advantage	Assigning multiple units to an event results in multiple Case Numbers being generated.	An event is assigned a Case Number upon first dispatch; however, when the user dispatches two units to the event for the first dispatch, multiple Case Numbers are given to the event.
137.	730107	HxGN OnCall Dispatch | Advantage	Special situation opacity after zooming out and back in does not match the opacity slider.	After zooming out so that the special situation layer is not displaying and then zooming back in, the special situation layer on the map looks to be at 100% instead of the defind value on the slider, for example, 40%.
138.	730109	HxGN OnCall Dispatch | Advantage	Recommended Units tab not refreshing after switching to another event.	When switching from one event to another without closing the Event Panel, the Recommended Units tab does not refresh the applied response plan if the new event has no response plan yet. As a result, the event without a response plan appears to have one. Only after closing and reopening the Event Panel does the Recommended Units tab refresh correctly. Steps to Reproduce: **1.** Prepare two events: one with an applied response plan, and one without a response plan. **2.** Open the event with a response plan. **3.** Switch to the event without a response plan, and without closing the Event Panel. The second event should not have an applied response plan, and the user interface should display it accordingly.

	Tracking ID	Product	Summary	Description
139.	730163	HxGN OnCall Dispatch | Advantage	Cannot set response plan to event without predefined response plan.	When trying to set a response plan to an event, which has no predefined response plan, nothing happens. No response plan gets set. Steps to Reproduce: **1.** Create an event with an event type without a predefined response plan. **2.** Open the Recommended Units tab and set a response plan to the event. Nothing happens. The response plan should be set, and recommended units should display.
140.	730163	HxGN OnCall Dispatch | Advantage	Cannot set response plan to event without predefined response plan.	When trying to set a response plan to an event, which has no predefined response plan, nothing happens. No response plan gets set. Steps to Reproduce: **1.** Create an event with an event type without a predefined response plan. **2.** Open the Recommended Units tab and set a response plan to the event. Nothing happens. The response plan should be set, and recommended units should display.
141.	730885	HxGN OnCall Dispatch | Advantage	Resizing Windows leaves whitespace on Unit and Event boards.	When changing size of the windows, after making it larger, it leaves blank white space. It does not adjust, but, instead, stays at the size CAD was opened in. Steps to Reproduce: **1.** Navigate to the Unit or Event Board. **2.** Make sure that you only have a few columns visible. I did this by right clicking the header and hiding some, but you could do this via GridColumns as well. **3.** Make the window smaller, then maximize it.

	Tracking ID	Product	Summary	Description
				4. Refresh the screen. **5.** Observe that the Unit Board displays correctly. **6.** Now make the screen wider. **7.** Observe that whitespace is now showing. Actual Result: Grid does not resize properly and shows whitespace at the edge where the screen was expanded. Expected Result: Grid resizes properly.
142.	732743	HxGN OnCall Dispatch | Advantage	The Unit Board is not scrolling properly.	When a dispatcher attempts to scroll up from the bottom of their Unit Board (even with the unit deselected), the scroll bar drops back to the bottom of the Unit Board like it is pinning it to the bottom of the list. Steps to Reproduce: **1.** In Unit Board settings, check "Scroll to unit when selected from another window" in Cross-tab Settings. **2.** Navigate to the Unit Board from the dispatcher screen. **3.** Locate a unit on the bottom of the Unit Board (preferably a long list of units). **4.** Scroll down to the bottom of the list. **5.** Scroll back to the top of the unit list. Actual Result: The scroll bar will jump back to the bottom of the unit list. Expected Result: The scroll bar should remain in position when the mouse click is released.
143.	734142	HxGN OnCall Dispatch | Advantage	Enhanced Verify does not display commonplace name alias.	Enhanced Verify does not work with common place aliases. Matches do display in the drop-down for Calltaker 2.0, Create Event dialog, and Field Event dialogs. This prevents users from using aliases in the command line.
144.	736331	HxGN OnCall Dispatch | Advantage	User is unable to configure the columns in the Location of Interest search results.	Location of Interest search results are not the same across multiple users. There is no way for the user to configure the

	Tracking ID	Product	Summary	Description
				search results. This capability is only available for Supplemental Info.
145.	738362	HxGN OnCall Dispatch | Advantage	Units still display as active even thought the event it is dispatched to has been closed.	Steps to Reproduce: 1. In OnCall Dispatch Administrator, navigate to Parameter Management. 2. Set the CancelEventAssigned parameter (cad set > GeneralDetails list) to true. 3. Log in to OnCall Dispatch Advantage. 4. Create an event. 5. Dispatch a unit to the event. 6. Cancel the event. The event is cancelled, but the unit is not cleared. It still states that the unit is in a dispatched state.
146.	738381	HxGN OnCall Dispatch | Advantage	Unit emergency event location uses lat/lon.	When I create a unit emergency, the created event uses lat/lon coordinates even though the unit is at a verified location. The result does not change for units with or without GPS. Expected result: event is created at the verified address of the unit and the Unit Board displays the unit location, not the lat/lon coordinates. Actual result: event is created at the lat/lon coordinates of the unit, which the Unit Board also displays.
147.	738786	HxGN OnCall Dispatch | Advantage	EnableFeatureGeometry parameter causes bad suggested location pins to show.	The Geocoder pin previews are showing in different locations than the actual geocoder return; if selected, OnCall Dispatch resolves to the correct location. Steps to Reproduce: 1. Turn on the EnableFeatureGeometry parameter (cad set > Geocoding list). 2. Turn on the DisplaySuggestLocators parameter (cad set > Geocoding list). 3. Reload the parameter data.

	Tracking ID	Product	Summary	Description
				4. Restart the Geomodule. 5. Refresh your screen. 6. Open the Create Event or -Call-Taker dialog box. 7. Type in an address. 8. Wait for the suggestion pins to show. 9. Wait again for some of them to change. Suggestion pins initially display correctly, but then after a moment or two, the pins change to different locations that do not match the list of addresses showing on the dialog box. The suggested pins should stay where they are supposed to and not change to a random address.
148.	740562	HxGN OnCall Dispatch | Advantage	Users must refresh console to see updated CAD events.	When dispatchers create events in OnCall Dispatch, the system is not synchronizing. Dispatchers are having to refresh every time a new call is entered. The only console on which this does not have to be done is the console that entered the call; every other console must refresh OnCall Dispatch to see new events.
149.	741105	HxGN OnCall Dispatch | Advantage	When the user's session is expired, they are not redirected to the login page.	Steps to Reproduce: 1. Login to OnCall Dispatch Administrator. 2. From the menu, navigate to the Parameter Management. 3. Ensure that the SessionExpiration parameter (oncall set > CoreConfiguration table) is set to 3600. 4. Switch to OnCall Dispatch. 5. Leave the workstation logged in for a few hours unattended. 6. Refresh the browser. Expected Result: The user is redirected to the login page. Actual Result: An error message displays stating that the page cannot be accessed.

	Tracking ID	Product	Summary	Description
150.	742336	HxGN OnCall Dispatch | Advantage	Upgrades need to load GroupsRolesCommands.json.	The 2409 upgrade adds many new command permissions, and these must be loaded from the GroupsRolesCommands.json and similar files. Updates to indicate this should be applied to CAD In a Box, development, and quality assurance deployments, as well as installation and configuration guides. The zero-downtime upgrade scripts must be updated to automate this at the right step in the process.
151.	742338	HxGN OnCall Dispatch | Advantage	Dialog Module – Error adding custom dialog definitions into cache.	An error is encountered when adding custom dialog definitions into the cache.
152.	743504	HxGN OnCall Dispatch | Advantage	Double-clicking on a unit ID on the Unit Board is not opening the Unit Panel when using the ShowAssignedEventPanel parameter.	When double-clicking on a unit ID in the environment on the Unit Board, no Unit Panel is opening. Steps to Reproduce: 1. Turn on the ShowAssignedEventPanel parameter (OnCall set > UISettings list). 2. Double-click a unit from the Unit Board. No Unit Panel displays.
153.	743753	HxGN OnCall Dispatch | Advantage	Command line without location does not bypass location and is unable to use unit location.	We configured a Field Event command with a key-in of CC. However, when we use this command such that the location of the unit is used if not otherwise specified, the dialog box still displays. The dialog box populates with the current unit location, but this should have processed the command without displaying the dialog box because all required data was provided.
154.	743943	HxGN OnCall Dispatch | Advantage	Overlapping icons dialog does not match unit's status icons on the map.	Overlapping icons dialog does not match unit's status icons on the map. Steps to Reproduce: 1. Pull up a unit that has multiple units/events in the same area to get the Overlapping Icons dialog to display. 2. While the dialog is up, change a unit's status. Once the unit's status changes, the overlapping icon dialog does not dynamically update.

	Tracking ID	Product	Summary	Description
155.	747045	HxGN OnCall Dispatch | Advantage	Unit Details panel sending LCL_UNIT_HISTORY_REQ requests as units update.	If you have a u nit selected in the Unit Board, the details panel sends history requests any time the board refreshes (frequently). This results in a flood of requests.
156.	747070	HxGN OnCall Dispatch | Advantage	Creating a field event for an already dispatched unit does not send an event update.	If you have a unit dispatched to an event and then you create a field event for that unit, the unit will be preempted from the first event, but that is not that reflected in the Event Board until you refresh. The new field event displays the unit assigned to it, and the prior event will show the unit assigned to it.
157.	717142	HxGN OnCall Dispatch | CAD Link Interface	CAD Link does not display all personnel on Arrived unit.	When we have long-running events where the unit is set to Arrive, we may need to reassign personnel as they come on and off shift. If you add an employee after the status is set to Arrive and remove them while still in that status, the CAD Link report does not display them. It seems like the updates are collected only at times when the unit status changes and so misses any interim data updates.
158.	570888	HxGN OnCall Dispatch | Call-Taker	AniAli Service is not populating CommonEvent.GeocoderResponse.	CommonEvent.Location is being populated but not the CommonEvent.GeocoderResponse. Values recorded in the CommonEvent.GeocoderResponse are required for passing information to USDD call announcing, the RMS, etc. To recreate, use the following lat/long values in an AniAli Phase 2 spill. {"column":"Latitude", "value":"34.81" }, { "column":"Longitude", "value":"-86.61" },
159.	669786	HxGN OnCall Dispatch | Call-Taker	Add additional event panels to Call-Taker.	For the regular Event Panel, we have added additional icons for anyshore products like "Alert Manager."
160.	671196	HxGN OnCall Dispatch | Call-Taker	Compact View Call-Taker Caller Information not being honored.	Description of problem: Compact View Calltaker Caller Information not being honored. Steps to Reproduce: **1.** In OnCall Administrator, have CompactView parameter (OnCall set, UISettings list) set to 1 with OnCall override.

	Tracking ID	Product	Summary	Description
				2. In Administrator, go to UI Editor, change SITE config for 'Call-Taker Event Information Call' (Add a TEST label). **3.** Open Call-Taker in Dispatch (Caller Information uses correct 'Compact Call-Taker Event Information Call'). **4.** Switch to a new Dispatch tab and back to Call-Taker tab. **5.** The Caller information section is now using the non-compact section (Call-Taker Event Information Call). Actual Result: The non compact section for 'Call-Taker Event Information Call' is being used after switching tabs in Dispatch. Expected Result: Caller information should always use the Compact version of the section with parameter is set to compact view.
161.	678075	HxGN OnCall Dispatch | Call-Taker	Blanking out field before populating removes the Agency Response on Assigned events.	Steps to Reproduce: **1.** Create an event in Call-Taker and assign a unit to it. **2.** In the Call-Taker screen, blank out the Address or Event Type (using the x). **3.** Agency response disappears. **4.** Type in a new address or now select: an Event type. Actual Result: Agency response does not repopulate. Expected Result: Agency response either remains or re-populates.
162.	685039	HxGN OnCall Dispatch | Call-Taker	Not seeing location history.	Steps to Reproduce: **1.** Add a location to Call-Taker . Actual Result: Location Flags do not appear. Expected Result: Location Flags should show up.
163.	686894	HxGN OnCall Dispatch | Call-Taker	AutoSubmitRemarks = 1 still NOT working when AutoSuggestRemarks = 2.	Steps to Reproduce: **1.** In Administrator, navigate to Parameter Management. **2.** Set OnCall > UISettings > AutoSubmitRemarks = 1. **3.** Go to Call-Taker and enter a remark in the remark field but do not submit it. When a user creates the event, that

	Tracking ID	Product	Summary	Description
				remark should be added. It is not. The same happens with the create event dialog. NOTE: This is working when AutoSuggestRemarks = 0 or 1. That was fixed with 567493.
164.	704541	HxGN OnCall Dispatch | Call-Taker	Caller Flags not restricted by Agency.	Steps to Reproduce: Known Callers **1.** In Administrator, create a Known Caller and restrict it to the Police Agency **2.** In Dispatch, log in as a Fire user (no access to police dgroups) and enter the caller details from 1. The caller flag shows for a Known Caller when it should not display at all. Recent Contact Events **1.** In Dispatch, as a Fire user, create an event with Caller details. **2.** Log in as Police user and create the same caller details as 1. **3.** Then Caller flag shows Recent Contact/Event for the Fire event when it should not display at all.
165.	707588	HxGN OnCall Dispatch | Call-Taker	Call-Taker - When timer expires, icon stays green with on 1 stacked event.	Steps to Reproduce: **1.** Log on to OnCall Dispatch **2.** In Call-Taker, enter a location, event type and subtype. **3.** Click middle icon to Clear form and stack event. **4.** Stacked Event expiration is set at default of 1 minute in parameters. **5.** When timer expires, stacked event icon still shows green with the 1 event. If you stack a 2nd event after the timer expires, the stacked event icon will immediately turn red. Actual Result: When timer expires, stacked event icon still shows green with the 1 event.

	Tracking ID	Product	Summary	Description
				Expected Result: Stacked event icon should immediately turn red when expires even with just a single stacked event.
166.	709673	HxGN OnCall Dispatch | Call-Taker	Call-Taker form is not showing the Update Event button.	Event information is inputted onto the Call-Taker form. End-user clicks the Create Event button, but the Call-Taker form does not dynamically update to show "Update Event" afterwards. Instead, the Create Event button persists, but it is grayed out. This causes the end-user to think that the event wasn't actually created. So, therefore, the end-user re-enters the event information onto a clean Call-Taker form. Steps to Reproduce: 1. Enter event information into the Call-Taker form. 2. Select Create Event. 3. Observe that the form will not show Update Event. 4. Observe that the Create Event button persists but is grayed out. Expected Result: The Create Event button on the Call-Taker form updates to Update Event, when an event is created. Actual Result: The Create Event button does not update to Update Event when the event is created.
167.	716127	HxGN OnCall Dispatch | Call-Taker	The Call-Taker form is slow to load elements / data.	The Call-Taker form is loading slowly. For example, it is taking longer times to select an address from the drop-down via Location field. It takes about 5 seconds to load. Upon manually selecting an event type and subtype, it takes 5 seconds for the Create Event button to light up. When clearing the form, it takes about 5 seconds to clear/load a new form. Appears to get fixed when refreshing, or changing layouts, etc.

	Tracking ID	Product	Summary	Description
				Steps to Reproduce: Our current best reproduction steps involve doing something to resize the screen at all: **1.** Open developer tools. **2.** Also resizing how much space dev tools takes up. **3.** Do not maximize the screen, and then resize it. Actual Result: The Call-Taker form is slow to load elements / data. Expected Result: The Call-Taker form is not slow to load elements / data.
168.	717367	HxGN OnCall Dispatch | Call-Taker	The Submit button doesn't display when the DisplayAgencyResponseInEditMode Parameter is set to Y.	Customer has the Calltaker-->DisplayAgencyResponseInEditMode parameter set to Y, which maintains the Agency Response section in Edit Mode, eliminating the need to click the edit button to add another agency. However, this configuration results in the submit button in the Create Event dialog being disabled until the done button is clicked. This issue only began occurring in 2309.
169.	717367	HxGN OnCall Dispatch | Call-Taker	The Submit button doesn't display when the DisplayAgencyResponseInEditMode Parameter is set to Y.	The Calltaker-->DisplayAgencyResponseInEditMode parameter is set to Y, which maintains the Agency Response section in Edit Mode, eliminating the need to click the edit button to add another agency. However, this configuration results in the submit button in the Create Event dialog being disabled until the done button is clicked. This issue only began occurring in 2309.
170.	717370	HxGN OnCall Dispatch | Call-Taker	CadGeocodingProviders not returning POI results in recent versions of Dispatch binaries	After upgrading to Cad binaries greater than 2109.1, we are not getting POI results in AzureMaps results. This is affecting our post-processing of results from commonplace name verification. There are code changes to skip the POI (point of interest) results as part of the fix for an RMSLink issue.
171.	718411	HxGN OnCall Dispatch | Call-Taker	Added Caller will be only displayed after mode change in Call-Taker.	The customer is adding caller information via an AniAli request. If Call-Taker is in the "Accept Closed Event" mode and an AniAli request will be sent, the user has to change the mode, to see the caller in the UI.

	Tracking ID	Product	Summary	Description
				Steps to Reproduce: **1.** Change mode of Call-Taker to "Accept Closed Event" --> send aniali request --> caller will not be displayed in UI. Actual Result: Caller will not be displayed in UI. Expected Result: Caller should be automatically displayed in UI without mode change.
172.	718472	HxGN OnCall Dispatch | Call-Taker	Lost data after switching between create event and accept closed event radio button in Call-Taker.	Steps to Reproduce: **1.** Create an event and get results for Nearby Events inside Location Flags. **2.** Select Accept Closed Event, then select Dispatch Event (just switch back). **3.** Observe that the counter of Nearby Events still displays the count of events, but all Nearby Events data are lost. Actual Result: Nearby Events data is lost. Expected Result: Display Nearby Events data.
173.	718473	HxGN OnCall Dispatch | Call-Taker	Caller name is failing to save.	Steps to Reproduce: **1.** From the Call-Taker form, type in an Event Location and Event Type. **2.** Enter the Caller Phone Number. Save the caller. **3.** Edit the caller, add a name. **4.** Create an event. **5.** Go to the Event Board and select the event to check the caller info. Actual Result: The Call-Taker form shows the name and number, but when the event is selected from the Event Board, only the number is present, no name. Expected Result: When the event is selected from the event board, both name and number should show up in the caller section.

	Tracking ID	Product	Summary	Description
174.	718474	HxGN OnCall Dispatch | Call-Taker	CommonEventCall custom fields are getting overwritten by new AniAli spills.	CommonEventCall custom fields are getting overwritten when a new spill comes in that does not include them. Steps to Reproduce: **1.** Send an initial AniAli Spill with only the phone number. **2.** Almost immediately after this send a second AniAli spill that contains the Caller Name plus two custom fields : Nationality and National ID. **3.** Then send a third AniAli spill that contains the Caller Location. Actual Result: In the database, the CommonEventCall record for this event shows CustomData = null. But in the CommonEventCallHistory table I can see that: - the first revision has CustomData = null, which is normal since no custom fields were present in the initial spill. - the second revision has valid CustomData. - the third revision has the CustomData set back to null. Expected Result: The custom data should not be erased from the database when a new AniAli spill comes that does not happen to include custom data.
175.	718475	HxGN OnCall Dispatch | Call-Taker	Updating a single agency event to a multi-agency event is not populating Agency Response correctly.	If you create an event for a single agency, and then update the event to a different event type to create a multi-agency event, the Agency Response box will add the additional agencies, but it will not populate the Beat value for each new agency correctly. It is using the beat value of the original agency assigned to the event. The same issue is seen when updating the event using the Event Card. Steps to Reproduce: **1.** Create an event using an event type for a single agency. **2.** Update the event using an event type to create events for additional agency(s).

	Tracking ID	Product	Summary	Description
				3. The Agency Response box will appear to be correct however, once the changes are saved by updating the event, the agency response box will show the original beat for all agencies. **4.** Looking at the event chronology, the esz value will be the same for all agencies regardless of how the deployment records are defined.
176.	719387	HxGN OnCall Dispatch | Call-Taker	Call-Taker and map content not resizing properly.	Customer is reporting when resizing the content in the browser it is not scaling properly. The problem is if you expand the window left and right, the application stops scaling at a certain px width. It is not consistent; you can drag the right edge left and lose 50% of the map when you try to expand it back out. The application edge is at the start of the white space, i.e., the map didn't render. Steps to Reproduce: **1.** Zoom in the browser. Actual Result: Content does not scale. Expected Result: Content should scale.
177.	719399	HxGN OnCall Dispatch | Call-Taker	Able to log off with Stacked events, no warning.	Steps to Reproduce: **1.** Log into OnCall Dispatch. **2.** On Call-Taker screen, start an event and Stack it. **3.** Log off of OnCall Dispatch. **4.** User receives no warning that stacked events exists. Actual Result: Users can log out of OnCall Dispatch with stacked events with no warning that stacked events exist. Expected Result: A warning to users when log off that stacked events still exist.
178.	725280	HxGN OnCall Dispatch | Call-Taker	After AniAli spill, the Location is not verified and does not update on the map.	Call-Taker users are seeing a problem after they receive an AniAli spill. They type location, that appears on the list, they select it, but the Location is not verified, and the icon for the Event Location does not appear on the map.

	Tracking ID	Product	Summary	Description
				If users copy and paste back to location it gets verified correctly and the map centers on that location. Steps to Reproduce: **1.** Make sure cad->Geocoding->EnableLocationMatchforAutoComplete =0. **2.** On the Call-Taker layout, have the map on the right hand side. **3.** Send an AniAli spill with just a Phone Number and CallID. **4.** The Event Location will be empty , but the Phone Number should spill. **5.** Now, input a valid location and select it from the list. Actual Result: Not that the green checkmark appears, but the Location does not center on the map. Expected Result: Location should get verified and center on the map.
179.	727658	HxGN OnCall Dispatch | Call-Taker	Stacked event after log off does not show up until you stack another event.	Stacked event after logging off does not show up until you stack another event. Steps to Reproduce: **1.** Log into OnCall Dispatch. **2.** On the Call-Taker 2.0 tab, start an event and stack it. **3.** Log out of OnCall Dispatch. **4.** Log back into OnCall Dispatch. **5.** The stacked event number shows 0 (even though there was at least 1 stacked event). **6.** Start another event on the Call-Taker screen and stack it.

	Tracking ID	Product	Summary	Description
				7. Now, you can see the original stacked vent in the listing. Actual Result: The original stacked event only shows back up to be completed in the stacked event listing after you stack another event. Expected Result: The original stacked event should show when user logs back into OnCall Dispatch.
180.	728432	HxGN OnCall Dispatch | Call-Taker	The second screen in OnCallClient does not register for AniAli.	When we are running OnCallClient then there is no registration for AniALi (SignalR) on the second screen. This works fine in the Browser. If there is no registration we cannot get the AniAli Spills on the second screen. Steps to Reproduce: **1.** Define a two Screen layout. **2.** Start OnCallClient using this layout. **3.** After OnCall is loaded, open DevTools with CRTL+i on both screens. **4.** Switch to Network tab and select "WS" to see the WebSockets. **5.** Reload screen 1 with CTRL+R. **6.** Reload screen 2 with CTRL+R. **7.** Select "ClientMessageHub" in both DevTools. **8.** In the Filter, type in AniAli. Actual Result: On the first screen you can see the registration request and response for AniAli, but on the second screen there is no such request and response. Expected Result: AniAli registration must be done on each screen.
181.	736578	HxGN OnCall Dispatch | Call-Taker	Custom Fields on Call-Taker Caller Card in wrong format.	Have custom fields for AniAliCallInfo/CommonEventCall that display on the Caller card in the Call-Taker dialog and the Event Panel.

	Tracking ID	Product	Summary	Description
				In the Event Panel they show correctly with the integer values, but in Call-Taker they show in datetime format. Steps to Reproduce: 1. Create custom fields for AniAliCallInfo and CommonEventCall. 2. Add them to the Call-Taker and Event Panel dialogs. 3. Update the UI Editor Callers section to include them. 4. In Dispatch, send an AniAli spill. Expected Result: Custom Fields show as integer/text. Actual Result: Custom Fields show in datetime format.
182.	703260	HxGN OnCall Dispatch | Informer	Unable to specify custom fields for WebRMS query.	After customizing Informer Person form, for example "name" being mapped to "custom_data.Name," the webrms template calls out what fields we are passing for Name, DOB, etc. It appears that this is decided and/or coded in the background. We need to be able to send what fields are for Name and so on. We need the ability to determine what data to send to OnCallRecords query service in the template.
183.	716693	HxGN OnCall Dispatch | Informer	Hit indicator not displaying on Informer response.	Informer Hit Keywords have been configured in the OnCall Highlighted Keyword area of parameters. HighlightKeywords include: • --FCIC HIT RESPONSE-- #NAME HIT (100)# IMMEDIATELY CONFIRM WARRANT AND EXTRADITION WITH ENTERING AGENCY WANTED PERSON • #NAME HIT (100)# • --FCIC HIT RESPONSE--

	Tracking ID	Product	Summary	Description
				When a hit is returned, hit indicator not displaying on Informer response (highlight does work) Actual Result: When a hit is returned, hit indicator not displaying on Informer response (highlight does work). Expected Result: When a hit is returned, hit indicator displays on Informer response.
184.	719225	HxGN OnCall Dispatch | Informer	Unable to loop through Response returned by ODBC provider when using a Stored Procedure.	When querying through an ODBC Provider, in our request template we call upon a stored procedure. The information is returned, and we transformed it in into an XML payload. However, when we try to loop through the data to build our JSON response, we do not get any data. Steps to Reproduce: **1.** Run an ODBC query using a Stored Procedure. Actual Result: The response that comes back is visible as xml in the CommsysProvider module log but cannot be formatted using the Response Template. Expected Result: Should be able to format the response that comes back using the Response Template.
185.	719226	HxGN OnCall Dispatch | Informer	Informer icon doesn’t turn green when new hit is added.	Intermittently the Informer icon doesn't turn green when a new hit/search is added to indicate that something new is shown in the tab. Steps to Reproduce: **1.** Add a few supp info to event that creates an Informer hit/search. Actual Result: The tab doesn't turn green intermittently. It stays grey even though the tab number goes up.

	Tracking ID	Product	Summary	Description
				Expected Result: Every time a new hit is generated in the Informer tab, the tab turns green to indicate that something new is added.
186.	719229	HxGN OnCall Dispatch | Informer	Informer converting DateTime to next day when adding response to supp info/Date not showing in supp info.	Steps to Reproduce: **1.** Add an Informer response to supp info. **2.** If the record has a DOB date falling on the last day of the month, the date will be converted to the next day when adding to supp info. **3.** When we map from the response to the supp info dialog request, we're just taking the values coming from the response object and setting them in the supp info object per the mapping. Expected Result: Same date on the Informer response is added over to supp info along with the correct date format. Actual Result: Date is wrong.
187.	727549	HxGN OnCall Dispatch | Informer	Prevent search request being submitted if no criteria are entered.	Informer supports configuring mandatory fields (via UI Editor) and custom rules (via on_blur). If the UI Editor is configured with no mandatory fields the Informer UI allows you to submit a query with no criteria. No mandatory fields should mean "you have to enter at least one field, but it can be any of the available fields.”
188.	730327	HxGN OnCall Dispatch | Informer	OnCallEventNotification has added an EventNotificationActionCodeLIst to be used instead of the single actioncode and OnCallUnitNotification has added a list of action codes as well.	OnCallEventNotification and OnCallUnitNotification have added a list of action codes that should be used now (10/31/2023) if set, instead of the single action code. Informer needs to change to use the list in its processing of OnCallEventNotification. This will fix a Create Advised event problem where informer was not sending a location query.

	Tracking ID	Product	Summary	Description
				Messages PR is needed to change the definition to include that the single action code is obsolete so that it will be clear that the list should be used and not the single action code. FSP consumes OnCallEventNotification.
189.	734601	HxGN OnCall Dispatch | Informer	Print is not working properly	Steps to Reproduce: 1. Send a query to generate responses. 2. Check responses to be printed. 3. Press the Grid Print icon. Expected: All response data from each checked response is included in the print preview. Actual: Not all response data is there.
190.	737767	HxGN OnCall Dispatch | Informer	Forwarded icon ToolTip only displays the date, but not the time.	After a result in Informer has been forwarded, a "forwarded" icon appears in the message line. When hovering over the icon, the ToolTip should be showing the date and time. It shows the date, but the time is blank. Steps to Reproduce: 1. Log on to OnCall Dispatch. 2. Open Informer. 3. Perform a query that gets a valid response and not an error. 4. Select a valid response, click the share icon, and send it to another logged in user. 5. Hover the mouse over the sent icon. 6. Observe that the time is blank. Expected Result: The Date and Time should both be displayed in the ToolTip. Actual Result: The Date only is displayed in the ToolTip.

	Tracking ID	Product	Summary	Description
191.	667925	HxGN OnCall Dispatch | Mobile Unit	Serial Read thread not running but FetchGPS is happening.	While driving around using the mobile product in the Mobile Unit workspace, the program stopped updating the GPS location and appeared to not be receiving data anymore. The OnCallUtilities service was still running, but an error was displayed in the log file. A third-party application confirmed GPS data was still being sent from the GPS source. The only way to re-enable the stream into Mobile Unit was to manually restart the OnCallUtilities service or restart the computer.
192.	675253	HxGN OnCall Dispatch | Mobile Unit	Using Mobile Unit de-authenticate button puts Mobile Unit into a constant loop.	When clicking the "de-authenticate" button on login, Mobile Unit goes into a loop. Closing the browser does not solve the issue -- a cache clear is required. Steps to Reproduce: **1.** Attempt to login to Mobile Unit with an undefined unit, click "De-authenticate," click "new session." Actual Result: Continuous white-screen loop, requiring a cache clear. Expected Result: Allow a new session successfully without a cache clear.
193.	689474	HxGN OnCall Dispatch | Mobile Unit	Cannot expanded assigned units in Mobile Unit Event Panel.	When attempting to look at a unit's assigned history in the Assigned Units section of the Event Panel, the dropdown expansion arrow is not showing any info. It does not seem to react to input. Steps to Reproduce: **1.** In Mobile Unit, open an assigned, dispatched, or closed event in the Event Panel **2.** Select Assigned Units tab on the left. **3.** Try to see unit's history with the dropdown expansion arrow.

	Tracking ID	Product	Summary	Description
				Actual Result: No feedback, no info is shown. Expected Result: Displays the assigned unit's history.
194.	694112	HxGN OnCall Dispatch | Mobile Unit	Mobile Unit logon is not restricted by Agency.	On a multi-agency system when I log in as a Fire only user, I can put in a Police Unit ID, and it doesn't stop me from logging on. Mobile Unit should check the Agency when logging in and restrict you from being added to the other Agency unit when you don't have access to it. My Fire users only have access to Fire Dispatch Groups, and vice versa for Police.
195.	709419	HxGN OnCall Dispatch | Mobile Unit	Recalculated generated route not updating with next street to turn on.	The Recalculated generated route is not updating with next street to turn on. It didn't give U-turn navigation to put unit in direction that is being displayed either (this is where unit just came from). Unit was actually going in the other direction and should've turned on another street. Steps to Reproduce: **1.** Go off route with unit that is enroute to a call. Actual Result: Unit does not intelligently pick up route that includes the next street to turn on--- no U-turn navigation. Expected Result: Unit intelligently picks up route that includes the next street to turn on--- w/ applicable U-turn navigation, if necessary.
196.	713135	HxGN OnCall Dispatch | Mobile Unit	Cannot clone Default OMU My Event tab in Mobile Unit.	When attempting to save a clone of the Default OMU My Event Tab, a 400 Bad Request error displays. Steps to Reproduce: **1.** Go to Layout Manager. **2.** Clone Default OMU My Event Tab. **3.** Click Save. An error displays.

	Tracking ID	Product	Summary	Description
197.	713299	HxGN OnCall Dispatch | Mobile Unit	OnCall Tracker UDP/Legacy mode won't track unit back to the officer in the OMU.	OnCall Tracker UDP/Legacy mode won't track unit back to the officer. Dispatch and all other OMU users can see the unit track, but the unit does not get its own tracking data. Steps to Reproduce: **1.** Set up Tracker with a Transport of UDP. **2.** Create a vehicle and associate a device with a type of GPSdevice and subtype of DefaultSystem. **3.** Make sure Devicetype 2 and subtype 0 are supported by the Tracker instance (in the Tracker parameters). **4.** Log on to the unit using OMU. **5.** Update unit Properties from OMU and add the vehicle. The device will not track till you modify Unit properties in OnCall Dispatch and make the GPS device the Unit Primary. (Even though it was already set when added to the vehicle). **6.** Now, send GPS data for the device in question (the one associated with the vehicle) using the API simulator. **7.** Tracker will send TRACKER_DEVICE_INFO updates for the device and the unit will start moving on the Dispatch map and other OMU maps, but the unit will not move on ITS OWN OMU MAP. Actual Result: Unit will track on map in Dispatch and for other units, but unit cannot see its own position updates in OMU. Expected Result: Unit will track for Dispatch, for other units and for itself.
198.	719213	HxGN OnCall Dispatch | Mobile Unit	When the Citation button is configured it displays on the Event Panel header for a closed event.	Steps to reproduce: **1.** Have the Create Citation button configured to display on the OMU Event Panel header.

	Tracking ID	Product	Summary	Description
				2. From OMU, create a field event with the configured event type. The event is created, and the Unit is placed in Arrived status. **3.** Now, clear the unit from the event. The event is closed. **4.** From Event Search, search for this event id and then from the search results click on the Event ID link to display the Event Panel. **5.** Notice that in the Event Panel header the Supp Info buttons are not shown but the Citation button is. Actual Results: When the Citation button is configured it displays on the OMU Event Panel header for a closed event. Expected Results: When Citation button is configured it is not shown on the OMU Event Panel header for a closed event.
199.	719437	HxGN OnCall Dispatch | Mobile Unit	Mobile Unit disconnecting from OnCallUtilities service.	Occasionally, there is a disconnection between the OnCallUtilities service and Mobile Unit causing the GPS indicator to go grey.
200.	722691	HxGN OnCall Dispatch | Mobile Unit	Follow Unit display issue.	Redraw issues are displaying because the unit is not following the provided route and the route keeps getting recalculated. When recalculated the software shows the entire new route, and then the Follow Unit functionality re-zooms in on the unit. This repeated zooming in and out is not helpful. The improvement could be to not have the software show the entire route after recalculating if Follow Unit is active.
201.	724877	HxGN OnCall Dispatch | Mobile Unit	Discrepancies in Unit Board info.	When assigning multiple units to a Type and Subtype for some units. It seems to be occurring after a unit is placed in an arrival status. Any units assigned after will not have the Event Type and Subtype displayed on their unit row. Steps to Reproduce: **1.** Create an event. **2.** Assign a unit to it, then assign another unit.

	Tracking ID	Product	Summary	Description
				3. If the bug isn't reproduced, change the primary unit to a Arrived status and attempt to put another unit on the call. That last unit will not have Event Type or Subtype info in their unit row on the Unit Board. Actual Result: Unit Board has discrepancies. Expected Result: No Unit Board discrepancies.
202.	728737	HxGN OnCall Dispatch | Mobile Unit	RouteGuidance is not working for AzureMaps.	RouteGuidance is not working for AzureMaps. Make sure the preferred should be AzureMaps. Steps to Reproduce: **1.** Login to OnCall Dispatch | Mobile Unit. **2.** Dispatch an Event to the OMU unit. **3.** Click on the 'Route to My Event' option. Expected Result: Route Summary and Route Guidance should be available. Actual Result: Only Route Summary is available.
203.	736745	HxGN OnCall Dispatch | Mobile Unit	A Unit Emergency/Field Event created by Dispatch shows the Call Source as Officer.	In OnCall Administrator, parameters and strings, Call Source officer has been overridden with OnCall override to MPD12. Steps to Reproduce: 1. Log into OnCall Mobile. 2. Create Unit Emergency. 3. Unit Emergency event shows Call Source as Officer. or 1. Log into OnCall Mobile. 2. From OnCall Dispatch, create a field event for OnCall Mobile Unit and dispatch it. 3. The Call Source shows as Officer. If you click Add Caller Info, it correctly shows MPD12 in the call source listing. If

	Tracking ID	Product	Summary	Description
				you click the arrow by Officer to Update Caller Information, it shows Caller Source correctly also as MPD12. Actual Result: The Unit Emergency/Field Event created by Dispatch shows Call Source as Officer. Expected Result: The Unit Emergency shows Call Source as override string value (MPD12).
204.	722687	HxGN OnCall Dispatch | Mobile Units	OMU Nearby Events not loading.	OMU nearby events screen does not load at all when a unit that the OMU user does not have access to is added to an event that the OMU user does have access to. Steps to Reproduce: **1.** Dispatch a unit from an agency that the OMU user does not have access to an event the OMU user does have access to. **2.** Observe that the entire Nearby Events will not load. Actual Result: Nearby Events do not load. Expected Result: Nearby Events load.
205.	677556	HxGN OnCall Dispatch | Operational Reports	Event Detail - Default report will not load, stays on loading report page.	Steps to reproduce: 1. Log into OnCall Dispatch. 2. From hamburger menu, under Reporting, select Open Reports. 3. Select Event Detail report. 4. Report page opens, but for default report selections will not load, page stays on loading report page. Expected result: Event Detail report loads Actual result: Report page opens, but default report selections will not load, and page stays on loading report page.

	Tracking ID	Product	Summary	Description
206.	699853	HxGN OnCall Dispatch | Operational Reports	All links to other reports display 502 error.	For all reports that have tabs or hyperlinks to other reports, when you select a tab or hyperlink, a 502 error displays and the report does not load. Expected result: the report loads successfully. Actual result: when you select a tab or hyperlink, a 502 error displays and the report does not load.
207.	700944	HxGN OnCall Dispatch | Operational Reports	Events Pending Dispatch report shows more than only Pending events.	Steps to Reproduce: 1. Log in to OnCall Dispatch. 2. From the main menu, select Reporting > Open Reports. 3. Select the Events Pending Dispatch Details report. The report loads, but it displays more than only Pending events. Expected Result: the report displays only Pending events. Actual Result: the report displays more than only Pending event.
208.	717495	HxGN OnCall Dispatch | Operational Reports	Operational Reports - Event Register - Caller Information: Street Number, Street Name, Street Type not populated in Event Register report	Steps to Reproduce: 1. Log into OnCall Dispatch 2. From the main menu, under Reporting, select Open Reports 3. Select Event Register report 4. Enter in Event number with Address information for Caller 5. Click View Report. Expected Result: Street Number, Street Name and Street Type are populated in report. Actual Result: Street Number, Street Name and Street Type is blank

	Tracking ID	Product	Summary	Description
209.	694115	HxGN OnCall Dispatch | RestAPI	Get v2/UnitEmployee error.	When using the above endpoint, if you use a filter like lastName.eq(name) the API test returns a 500 error stating there is an ambiguous column, IsActive. If you filter for something it cannot match, then it returns a 200 success. This is likely due to the fact there is no match. So it does not try to return any data, and so it succeeds.
210.	712453	HxGN OnCall Dispatch | Tracker	Two Tracker instances with different -v overrides have cross traffic.	Steps to Reproduce: 1. Set up two Tracker instances with -v overrides: one override using a device subtype of 2 (for MR) and the other using a device subtype of 0 (for OMU). Actual Result: Tracker instance with the OMU subtype override tries to process the MR device GPS data and vice versa. Expected Result: Each Tracker instance should service device subtypes from its own -v override.
211.	739702	HxGN OnCall Dispatch | Tracker	TrackerUDPProvider – need to use NMEA, but this is not possible due to port issues.	I have a cellphone sending NMEA data, but I can't use the the unit's device because the 49318 port changes dynamically. The cellphone has a static IP, but TrackerUDPProvider keeps displaying.
212.	744834	RMS Link	Dispatch event closure impacting link data going to OnCall Records.	Steps to Reproduce: 1. Create an event in OnCall Dispatch. 2. Send the data to OnCall Records through RMS Link. 3. Confirm the data is in OnCall Records and make no changes. 4. Close the event in OnCall Dispatch. 5. Confirm closure state in OnCall Records. 6. Add a remark to the event in OnCall Dispatch. 7. Check OnCall Records for the new remark. Actual Result: Remarks that are added to the closed event are not sent through RMS Link and so do not display in OnCall Records. Expected Result: Remarks that are added to the closed event should be sent through RMS Link and display in OnCall Records.

	Tracking ID	Product	Summary	Description
				Additional Information: If the event is reopened in OnCall Dispatch, the remarks are sent and display in OnCall Records.

Updated – 2309.3

	Tracking ID	Product	Summary	Description
1.	662874	HxGN OnCall Dispatch | Administrator	Issue when trying to use Referrer for Map Layers and Geocoding.	With the addition in 2309 for the ArcGISReferrer parameter for Geocoding, and the Referrer field for Map Legend Management, both map layers, What's This requests, and geocoding should be able to make use of the Referrer field instead of IP address when generating tokens for use with their ArcGIS Mapping and Geocoding Services. However, there is an issue 2309 preventing this from happening. Steps to Reproduce: **1.** Navigate to Map Legend Management. **2.** Add a new overlay layer by giving the following information: • URL – https://civeig-arcgis-server.oncallsuite.com/arcgis/rest/services/Dispatch/Layers/MapServer Token URL – https://civesig-arcgis-server.oncallsuite.com/arcgis/tokens • Referrer – (Optional) • Username – dispatch • Password - <Your password> **3.** Try and run Get Capabilities. **4.** Navigate back to OnCall Dispatch and turn on the layer. **5.** Try and run a What's This? command. If you are reproducing Geocoding issues, use the following steps for reproducing the problem. Steps to Reproduce: **1.** Navigate to Parameter Management. **2.** Go to the Geocoding list and provide the following parameters:

	Tracking ID	Product	Summary	Description
				• AggregatedProviders – ArcGIS • ArcGISUrl – XX • ArcGISLoginTokenUrl – XX • ArcGISLoginUsername – XX • ArcGISLoginPassword – XX • ArcGISUseTokens: 2 • UseSearchExtents: F **3.** Reload the parameter data and restart Geocoding Module. **4.** Try and verify an address.
2.	666867	HxGN OnCall Dispatch | Administrator	Cannot edit user accounts when going directly to the Administrator panel.	If I open the Administrator page directly (without first logging into OnCall Dispatch and then navigating to the panel), I can add a user, but I am not able to edit a user. If I am using OnCall Dispatch and open Administrator using the Admin View option, I can edit user accounts such as make inactive, edit fields, and so forth. Steps to Reproduce: **1.** Use the Administrator panel URL to access the Login screen. **2.** Log in. **3.** Attempt to edit a user. **4.** Change any field, and click Save. Changes should save, but nothing happens, and edited information is not saved.
3.	671442	HxGN OnCall Dispatch | Administrator	LOI information should be presented similarly (and easily) on both Call-Taker and Event Panel.	The UI for reviewing LOI information (special situation, location history, location comments) needs overhaul, and also needs to be made similar between Call-Taker and Event Panel.
4.	689541	HxGN OnCall Dispatch | Administrator	Cannot delete old dialog boxes in UI Editor after migration.	We have older dialog boxes that we want to delete, but the Delete button in the UI Editor is disabled. When a dialog box is selected from the list on the left, a message displays and states the dialog box failed to build and can be deleted.

	Tracking ID	Product	Summary	Description
				However, the Delete button is disabled because the dialog box is corrupt. Expected result: Broken dialog boxes can be deleted as needed. Actual result: Broken dialog boxes cannot be actioned.
5.	689827	HxGN OnCall Dispatch | Administrator	UI Editor – A random number of custom dialog boxes do not work after major upgrades.	"Dialog failed to build" errors are seen in the UI Editor for various dialog boxes after performing a major upgrade.
6.	694106	HxGN OnCall Dispatch | Administrator	RabbitMQ becomes unstable after putting queue in maintenance mode.	During a 2309.1 upgrade, when we put a queue in the cluster into maintenance mode, RabbitMQ becomes unstable. Unacknowledged messages spiked to over 400k. The cluster appeared to stay up. We continued and stopped this queue. Once we started the queue back up and it was running again, RabbitMQ began to level itself back out. Steps to Reproduce: **1.** Upgrade entire system to 2309.1. **2.** Finish the upgrade with upgrading RabbitMQ. **3.** Put first Rabbit Queue into Maintenance mode. RabbitMQ becomes unstable. **4.** Finish upgrading the first Queue and bring it back up. RabbitMQ leveled back out. (The same occurred when bringing down the other two queues.) RabbitMQ should stay stable and not get flooded with messages, but that is not what is happening.

	Tracking ID	Product	Summary	Description
7.	697915	HxGN OnCall Dispatch | Administrator	OcUtil needs to not load XML files from legacy I/CAD.	During our upgrade, the project team inadvertently pulled in a folder that had legacy I/CAD parameter files in it. OcUtil tries (and in some cases succeeds) in loading those files into the database. OcUtil needs to detect this and not try to load these old files.
8.	700115	HxGN OnCall Dispatch | Administrator	Command buttons disabled for closed events on Event Panel.	On the Event Panel of a closed event, the four standard supplemental information buttons (Person, and so forth), as well as our custom workflow buttons, are all disabled if the event is already closed. However, if the event is opened in a tear-off window, then the command buttons are enabled. This is an issue, because we have some custom workflow buttons that are supposed to be used after the event is closed (to send data to a third-party system).
9.	703898	HxGN OnCall Dispatch | Administrator	Error saving in Layout Manager.	We received an error after making changes in Layout Manager and attempting to save the layout.
10.	704078	HxGN OnCall Dispatch | Administrator	RabbitMQ federation does not pass over messages if all services on primary are turned off.	When we have RabbitMQ federation enabled across two sites, if all of the TimersModule on site 1 are turned off, none of those messages get transferred over to site 2 for those TimersModules to work. Steps to Reproduce: **1.** Set up a federated RabbitMQ system. **2.** Turn off all TimersModules on site 1. **3.** From site 1, make sure that FSA is running. **4.** From site 1, create a new event and dispatch a unit to it. FSA should, at this time, be sending a message to Timers to create a new timer for this dispatch, but the timer is never created and the message does

	Tracking ID	Product	Summary	Description
				not get across the federation link to be handled by the secondary site machines The secondary site should be able to handle messages if no service on the first site is available to do so.
11.	443153	HxGN OnCall Dispatch | Advantage	Advanced Recommend “special instructions” section: hyperlink support.	In legacy I/CAD, a customer was using the response plan comment (which was displayed in special instructions section of Recommend Unit) to include a hyperlink to a file on a shared drive (for example, Y:\responses\Station24Response.htm). In legacy I/CAD Recommend Unit, when they clicked on this hyperlink, it would open up the file in the appropriate application. The customer wants the same hyperlink function to be supported in the OnCall Dispatch Advanced Recommend "special instructions" section.
12.	580558	HxGN OnCall Dispatch | Advantage	An associated event is created at the wrong location when the event it is associated to is located at an intersection.	Steps to Reproduce: **1.** Create an event at an intersection. **2.** From the menu, select Event > Create > Create Associated to open the Create Associated Event dialog box. **3.** Enter the necessary information. **4.** Click Submit. Compare the addresses of the original event and the newly created associated event. The addresses are different.
13.	592042	HxGN OnCall Dispatch | Advantage	Submitting Unit Contact to reset times intermittently submits multiple commands.	The Unit Contact command causes confusion under certain conditions due to unit location changing before the command is submitted. If the Location value on the Contact Unit dialog box differs from the current unit location at the

	Tracking ID	Product	Summary	Description
				time of submission, the Unit Contact command executes the Change Location and Enroute Unit commands, as well. Steps to Reproduce: **1.** Unit 100 is located at 123 Main Street and assigned to an event, but not Enroute. **2.** Execute Unit Contact. **3.** Notice the Location field in the dialog box is 123 Main Street. **4.** Change the unit location through Tracker or similar, or change the value in the Location field. **5.** Submit the dialog box. **6.** Notice the unit now shows Enroute. **7.** Upon reviewing the unit history, notice that the CL, ER, and CU status changes were processed when Unit Contact was executed. Expected result: The Unit Contact command should not trigger additional status changes unless the user executing the command updates the value in the Location field on the dialog box. It may not be ideal to allow this without configuration. Actual result: If the unit location changes due to Tracker or an alternative source, the unit has status changes processed with the unit remaining in Enroute status after the command completes.
14.	592639	HxGN OnCall Dispatch | Advantage	Datetime conversion errors occur when an Advanced Search is performed.	Steps to Reproduce: **1.** From the menu, select Inquiry > Event Search. **2.** Select a date range for the search. **3.** Click Advanced Search. **4.** Select an event type. **5.** Click Submit.

	Tracking ID	Product	Summary	Description
				Expected Result: Results are displayed. Actual Result: An hourglass icon appears, and no results are ever displayed.
15.	613061	HxGN OnCall Dispatch | Advantage	Transport Arrive command not using the address entered in Transport Unit command.	Mark a unit Transport Enroute to a commonplace name with no issues, and the address verifies. When I go to mark the unit Transport Arrive, the address does not verify, even when clicking the Verify button. You have to remove the address and put it back in for it to verify. Steps to Reproduce: **1.** Create an event. **2.** Dispatch a unit to the event. **3.** Execute the Transport Unit command, and enter a transport location and have it verify. **4.** Make sure that this location is a common place name. **5.** In the Unit Board, the location is the transport location. **6.** Execute the Transport Arrive command, and it displays a different location compared to the location entered with the Transport command. The location for Transport Arrive should be the same as the location entered for Transport Unit command, but Transport Arrive is not considering that the location entered for the transport could be a commonplace, and just tries to reverify into whatever comes back from the main geocoding service.
16.	614256	HxGN OnCall Dispatch | Advantage	Users are unable to view comments related to a location in the Event Panel.	In the Location tab of the Event Panel, there is no option for the user to view comments related to the location.

	Tracking ID	Product	Summary	Description
17.	647531	HxGN OnCall Dispatch | Advantage	Single unit spamming Tracker with GPS updates.	While working with OnCall Dispatch, we noticed system performance was degrading. After checking RabbitMQ, we noticed that the Tracker queue had over 21k messages. After checking the Tracker logs, we observed the log being flooded with "Throttle DB Update" for a specific device.
18.	655159	HxGN OnCall Dispatch | Advantage	Events created using Create Associated Event using original event response plan.	Select an event and create associated events from that event. Select one of the new events and go to the Recommend Units section. The response plan does not match what is configured for the agency event type or the override record in the deployment records. Add a requirement, and the event updates to use the configured response plan for that event type and agency. If there is a deployment record override, it switches to that response plan. The response plan for the selected event should be the response plan configured for that agency and event type. If there is a deployment record override, it should use that response plan, but this is not happening.
19.	679251	HxGN OnCall Dispatch | Advantage	Location not verified message displayed on selecting Convert to Scheduled Event option and event created with invalid location.	A location not verified message displayed on selecting Convert to Scheduled Event option from Events tab. The user is able to create an invalid scheduled event by updating the location with an invalid address, as Deployment fields are populated when selecting Covert to Scheduled Event option from the Events tab. Steps to Reproduce: **1.** Log in to OnCall Dispatch with any operator. **2.** Navigate to the Events tab, select any unassigned event, and click on the menu and select the Convert to Scheduled Event option.

	Tracking ID	Product	Summary	Description
				The Create Scheduled Event dialog box is invoked, but the location displayed is not verified. On updating the location to an invalid location and clicking on Create Event, the scheduled event is created with an invalid location.
20.	683350	HxGN OnCall Dispatch | Advantage	When enabling map layers, a banner displays stating that 0/0 units are displayed, regardless of how many units are on the map.	When enabling map layers, a banner displays stating how many units out of all the units on the map are being displayed. This banner states that there are 0/0 units on the map, despite there being units on the map.
21.	684694	HxGN OnCall Dispatch | Advantage	Create Associated Event dialog box is not updating the type/subtype and not displaying the agency response.	Steps to Reproduce: **1.** Log into OnCall Dispatch. **2.** From the contact form, create a contact and send to OnCall Dispatch. **3.** From the OnCall Dispatch menu, invoke Actions > Event > Create > Create Associated Event. **4.** Change the event from the picklist. Observe the event type and subtype has not changed, and also the agency response is not updated. The event type and subtype are not changed, and the agency response is not displaying.
22.	688788	HxGN OnCall Dispatch | Advantage	ShowIconAssociations parameter override is not reflected in OnCall Dispatch.	The ShowIconAssociations parameter (OnCall set > MapDisplay list) is set to 0 to prevent line drawings in the map, but the command is always available and enabled. Lines, too. When you override the ShowIconAssociations parameter to 0, the toggle should be removed from the map preferences and disabled. However, nothing happens.
23.	689085	HxGN OnCall Dispatch | Advantage	The Broadcast list Forward button is active with no broadcasts.	Steps to Reproduce: **1.** Click on the Broadcasts tab.

	Tracking ID	Product	Summary	Description
				2. If there are any broadcasts, do not select any (using the check box). **3.** Notice at the bottom of the list are Delete, Close, and Forward buttons. The Delete and Close buttons are greyed out. The Forward button is not. Clicking on it does nothing. Actual Result: The Delete and Close buttons are greyed out whereas the Forward button is not when no broadcast exists, or none is selected. Expected Result: If there are no broadcasts in the list and/or no broadcast is selected, the Forward button should also be greyed out.
24.	689171	HxGN OnCall Dispatch | Advantage	Custom widget position changes when main menu is open.	The position of a custom widget is disturbed after opening and closing the main menu. For example, when the widget is docked left and you open and close the main menu, the widget moves to the middle of the screen and remains there. Expected result: The widget returns to its original position on the left. Actual result: The widget moves to the middle of the screen and remains there.
25.	689370	HxGN OnCall Dispatch | Advantage	When the user turns on Enable Person Level Tracking and enables the Show Employee Association Lines, the browser becomes unresponsive.	Steps to Reproduce: **1.** Create an employee with a tracking device. **2.** Login to Mobile Unit and add the previously created employee to the unit. **3.** Log back into OnCall Dispatch. **4.** Select the Unit Board. **5.** Locate the unit used in Step 2 and enable the Enable Person Level Tracking toggle.

	Tracking ID	Product	Summary	Description
				6. From the menu, navigate to Preferences / Settings > Map Preferences. **7.** Enable the Show Employee Association Lines option. **8.** Invoke the API Simulator and select the device that is assigned to the user. **9.** Upload the GPS replay file and check for the unit movement on the map. **10.** Pan the map for 10-15 seconds. Expected Result: The unit moves on the map based on the GPS relay. Actual Result: The page becomes unresponsive.
26.	690182	HxGN OnCall Dispatch | Advantage	The map overlay layers make constant requests for zoom levels that cannot be displayed.	Steps to Reproduce: **1.** In Administrator, navigate to Map Legend Management. **2.** Select the Overlay Layers tab and select Add New Layer. **3.** Enter 15 in the Minimum Tile Zoom Level field and 20 in the Maximum Tile Zoom Level field. **4.** Create the layer. **5.** In OnCall Dispatch, enable the map layer. **6.** Zoom in on the map to 20% to view the layer. **7.** Zoom out to 15%. Multiple requests are sent for that layer. All requests fail. It seems like the system knows it cannot request zoom levels lower than what is set, but still tries to anyway, causing the thousands of failed requests.

	Tracking ID	Product	Summary	Description
27.	690184	HxGN OnCall Dispatch | Advantage	Sometimes unable to access OnCall Dispatch system; stuck at signin-oidc in the browser.	Sometimes, when we are using a system and do something like a refresh, or even when first accessing it, the system gets stuck at a URL like https://dispatch-cive2303.oncallsuite.com/oncall/signin-oidc, and refreshing or doing anything keeps coming back to that same point. Normally, we have seen this issue happen if the user does something like leave a session open overnight and then they try and refresh. Sometimes, though, it is as simple as just logging into the system and then try and access Administrator. It seems like doing a Clear Site Data from Developer Tools works, depending on when you recognize the problem, or just waiting long enough clears the issue up, as well. Steps to Reproduce: (This is the most consistent method I have seen.) **1.** Open an OnCall Dispatch session. **2.** Leave your browser open and logged into OnCall Dispatch for a long time, like overnight with your computer asleep. **3.** Try and access it the next morning. **4.** Refresh the browser. The error appears. We should either get logged out properly, or the session should refresh properly and trigger no errors.
28.	692845	HxGN OnCall Dispatch | Advantage	Getting conflicts in adding two script files for CustomViews in Administrator.	We have two HTML applications (each has its application folder) in the “CustomViews” folder (C:\Program Files\Intergraph\OnCall.Website\StaticFiles) each having one folder named “Scripts” and in that there is a file called “kendo.all.min.js”. After placing it in the “CustomViews”

	Tracking ID	Product	Summary	Description
				folder, we want to upload it in Configuration Files in Administrator. After that, we are getting conflicts as there are two files with the “kendo.all.min.js” name.
29.	693171	HxGN OnCall Dispatch | Advantage	Command line is freezing.	When the user types in the command line and selects a suggestion, the user interface freezes for several seconds before presenting all options for that command in the command line. The entire user interface is unusable while frozen. Expected result: The user interface does not freeze when a command line suggestion is selected. Actual result: The user interface freezes for several seconds.
30.	694011	HxGN OnCall Dispatch | Advantage	Event Card for Hold Event is displaying extra rows with ////////////////.	When holding an event, the Event Card is showing extra rows of //////////////// below the //////////////// Hold Event ////////////////. Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** Navigate to the Event Board. **3.** Switch the Event Board to Column View (if not already). **4.** Select a Pending event (or create one if needed). **5.** Place the selected event in Hold status. **6.** View the event in the On Hold column and confirm the extra rows exist. Now, the expected result should have only one line of slashes, not 12 slashes on either side of where it says On Hold.

	Tracking ID	Product	Summary	Description
31.	696643	HxGN OnCall Dispatch | Advantage	User is unable to change role from AS Operator to Admin (ICF) without specifying a different position ID.	Steps to Reproduce: **1.** Login to OnCall Dispatch using a defined position ID. For this step, the user is logged in as the AS Operator using the DespASE workspace. **2.** Change role to Admin (ICF). Expected Result: After selecting Submit, the role is changed. Actual Result: A message displays stating that the "Call Position ID is already being use." When the user selects the drop-down list, the user's position ID displays as available, but a different position ID must be selected in order for the role to be changed.
32.	696680	HxGN OnCall Dispatch | Advantage	When primary unit is assigned at dispatch, the unit cannot be preempted to place the call in its queue.	When the AutoPrimaryUnit parameter (cad set > GeneralDetails list) is set to 2, there is a workflow that prevents a dispatched primary unit from being preempted to respond to a different event. For example, if a unit is dispatched and initiates a traffic stop while enroute to the first event, when the dispatcher submits the field event, they are prompted with a message stating the unit is the primary unit for the first event.
33.	697403	HxGN OnCall Dispatch | Advantage	Create Event – Comment not written when LOIRemarkEvWhenView parameter = 1.	Steps to Reproduce: **1.** Set the LOIRemarkEvWhenView parameter (cad set > GeneralDetails list) to 1. **2.** Run the Create Event command. **3.** Verify a location that returns an LOI match against a special situation. **4.** View the special situation by expanding the LOI flags and selecting the down arrow. A comment should be written to the event log (this is the comment written when the event is created using the contact panel).

	Tracking ID	Product	Summary	Description
				5. Open the comments panel. **6.** Notice there is no comment matching "viewed special situation." When the LOIRemarkEvWhenView parameter is set to 1, a comment should be written.
34.	697515	HxGN OnCall Dispatch | Advantage	The Change Role dialog box does not display when accessed through the product's menu.	Steps to Reproduce: **1.** Log in to OnCall Dispatch and select a role. **2.** From the menu, select Actions > Sessions > Change Role. Expected Result: The Change Role dialog box displays. Actual Result: The Change Role dialog box does not display. An error is logged in the console.
35.	698185	HxGN OnCall Dispatch | Advantage	LastSessionUserRole is not getting updated when user changes workspace from Workspace Settings menu.	Steps to Reproduce: **1.** Log in to OnCall Dispatch and change the role to Default Operator and choose the DispABC workspace from the Change Role dialog box. **2.** Verify in the OnCallConfiguration database table that the ItemData value is getting updated correctly for the "LastSessionUserRole" ItemType to the appropriate value. **3.** Now, change the user role to DispABC from Workspace Settings > Change Workspace menu. **4.** After the workspace is changed, verify the database and database table again. The workspace does not get updated to DispABC. It still shows the other workspace.
36.	698654	HxGN OnCall Dispatch | Advantage	Customer environment getting overloaded by GETEVENT_REQ messages at user login and role change.	The test team reported that the customer environment was running very slowly with actions such as Log In and Change Role taking several minutes or timing out.

	Tracking ID	Product	Summary	Description
				After investigation the root cause was found to be that the OnCall web client was generating a very large number of GETEVENT_REQ messages which overloaded the Azure app gateway causing 504 gateway timeouts.
37.	700525	HxGN OnCall Dispatch | Advantage	It is not possible to edit recipients when editing scheduled or recurring broadcasts.	Steps to Reproduce: **1.** Create a recurring or scheduled broadcast where you choose several recipients. **2.** Send the broadcast. **3.** Now edit the broadcast. **4.** Try and delete or add some recipients. Actual Result: It is not possible to delete/remove a recipient when editing a broadcast. Expected Result: It is possible to delete/remove a recipient when editing (like it is before you send the broadcast).
38.	702776	HxGN OnCall Dispatch | Advantage	Geocoder – Getting internal server error when getting a token.	The customer notified me that the geocoder was down. This was after some changes had been made to the Esri server and having to reinstall some software. After this was done, the ESRI REST endpoints seemed to be online and working as expected. The problem is ever since 1500 - 1515 hours on 8/10/2023, the geocoding stopped working. After some investigation, we can see the geocoding service is an "Internal Service Error" when trying to utilize the token URL. We have pinged the "internal" UWL and verified that it is resolving to the correct IP address. When we change back to the URL without "internal," this works without issue. These URLs lead to the same place so I can only conclude that there is something on the cloud side that needs to be checked.
39.	704023	HxGN OnCall Dispatch | Advantage	OnCall Dispatch white screen issue.	There are continued memory leaks related to a known issue in which clients intermittently lose connection on a screen,

	Tracking ID	Product	Summary	Description
				resulting in a white screen when this happens. While this happens, the other screen works fine.
40.	705453, 705549, 705550	HxGN OnCall Dispatch | Advantage	Customer environment getting overloaded by GETEVENT_REQ messages at user login and role change.	When running the load test simulator at the contractual load, the OnCall web client, when logged in as an operator, is generating large numbers of GETEVENT_REQ messages in the background even though the operator is not interacting with the web client. The total volume of these requests across 500 web clients is more than the back-end infrastructure can accommodate.
41.	706085	HxGN OnCall Dispatch | Advantage	Key presses logged to the console.	Steps to Reproduce: **1.** Open OnCall Dispatch. **2.** Open Console in Developer Tools (F12). **3.** Type in your Dispatch window. **4.** Observe the keys pressed being console logged. Expected Result: Every key press is not logged to the console. Actual Result: Key presses are logged to the console.
42.	707226	HxGN OnCall Dispatch | Advantage	Units with type “DC” are not being recommended.	Units with type “DC” are not being recommended for adhoc plans. We are getting a recommendation is incomplete error, despite having DC units available. The recommendation shows incomplete (missing DC unit). Even if you go into advanced and select DC Units, they do not show in the recommend list. Restarting the Recommend Unit service fixes it, but it is happening almost daily. Upon looking at an event log with the issue, DCs are not even found in the "within search area." We think we have been able to narrow this down to the Recommend Unit

	Tracking ID	Product	Summary	Description
				service not receiving the logon action code. I cannot determine why this would happen. Normally, we would expect the Recommend Unit Service log to let us know when a unit logs on. This is sometimes not happening for some units, though the rest of the system is seeing the unit logged on, including the dispatchers who see the unit on their boards.
43.	707670	HxGN OnCall Dispatch | Advantage	Issue with dispatching multiple units at once.	If a user is trying to dispatch all of the recommended units (5-7 units) at once for a specific event, they sometimes get a database transaction error when doing so, and only some of the units end up being dispatched.
44.	708046	HxGN OnCall Dispatch | Advantage	Unable to clear unit from a call with a disposition code the first time.	The user cannot execute Clear Unit from the right-click menu the first time when a disposition code is required. The user must close the dialog box and repeat these steps to clear the unit. This issue occurs frequently. For example, locate an assigned event that requires a disposition code, and right-click the unit on the Unit Board and select Clear Unit. Expected result: The unit clears the first time when the disposition code is submitted. Actual result: The unit does not clear the first time the disposition code is submitted.
45.	694552	HxGN OnCall Dispatch | CAD Link Interface	Not writing to AgencyEventExternalTransferTime.	CAD Link is not writing transfer time to the AgencyEventExternalTransferTime database table, which is causing the event to be written to a destination over and over.
46.	663311	HxGN OnCall Dispatch | Call-Taker	CTKCACHE -> CallCache GetById -> ERROR:	CTKCACHE -> CallCache GetById -> ERROR: System.ArgumentNullException: Value cannot be null.

	Tracking ID	Product	Summary	Description
			System.ArgumentNullException: Value cannot be null.	
47.	678461	HxGN OnCall Dispatch | Call-Taker	Wrong date/time format in Display Calltaker Event Panel Caller Data.	The DateTime format in Caller Data (Display Call-taker Event Panel) is wrong. Format is: YYYY-MM-DD hh:mm:ss +01:00. Format should be: DD.MM.YYYY hh:mm:ss (local time). It is correct on creation but displays incorrectly when opening it on the panel. Steps to Reproduce: **1.** Create an event with a caller. **2.** Open the Event Panel for this event (DisplayCalltakerAsEventPanel = Y). The caller-created time is in UTC and incorrect. Expected Result: Date and time are in local time format.
48.	689393	HxGN OnCall Dispatch | Call-Taker	Call-Taker remarks disappear once an event is created with data sent over from ProQA.	Steps to Reproduce: **1.** Input remarks on a new Call-Taker form. **2.** Press Enter to commit remarks. **3.** Send the information from ProQA to OnCall Dispatch. **4.** Observe that the remarks disappear. Actual Result: Committed remarks disappear. Expected Result: Remarks do not disappear.
49.	705466	HxGN OnCall Dispatch | Call-Taker	The RapidSOS Portal Access icon is not working.	Steps to Reproduce: **1.** Add caller information. **2.** Click Request RapidSOS Location. Actual Result: An error message displays.

	Tracking ID	Product	Summary	Description
				Expected Result: The RapidSOS portal opens.
50.	506766	HxGN OnCall Dispatch | Informer	Unable to send AM message from one ORI directly to another.	Currently, when someone sends an AM message from an ORI directly to another, Informer is not routing it that specific ORI (Destination ORI). I believe we have mistaken "unsolicited" messages for "broadcast" and treating them as such, which was by design but then causes problem when people are trying to send AM message directly to an ORI, which is how they are intended to work. Based on the documentation, an "unsolicited" message goes to everyone defined in the configured group. However, AM messages are made to be able to send to specific ORIs. Someone cannot send an AM message from one ORI directly to another without everyone in the group seeing it.
51.	630264	HxGN OnCall Dispatch | Informer	Informer notifications do not work unless notifications are also on for that screen.	Informer Audio and Display notifications do not work to display or play sound unless the screen that the Informer board is on is set to show notifications as well. Steps to Reproduce: **1.** Set up a multi-screen workspace, with notifications showing on one screen, and the Informer tab on another. **2.** In Notification Configuration, turn on all Informer Notifications and set them to play audio. **3.** In Dispatch, load your layout. **4.** Run an Informer query that returns an alert or a hit. **5.** No notifications or notification sounds display properly. If you instead turn notifications on for the

	Tracking ID	Product	Summary	Description
				same screen that you have Informer on, it works fine. Actual Result: Notifications and audio do not display for Informer. Expected Result: Notifications and audio should display everywhere regardless
52.	681325	HxGN OnCall Dispatch | Informer	Informer page not loading until restarting the pod after website pod.	Sometimes Informer is not loading completely.
53.	689170	HxGN OnCall Dispatch | Informer	There is no defined way for Informer to display PDF files.	Users need the ability to display fire escape floor plans in PDF. It is currently assumed that when querying their RMS, the PDFs are returned as base64 encoded strings which then would need to be stored either locally or in a database. Aside from the floor plans, the RMS returns other data, presumably in a more standard format like XML, JSON, and so forth. This means that the PDF would likely have to be displayed on the return screen as either an attachment, or a link to a new tab whereby the PDF can be retrieved from either the database or a location on the hard drive.
54.	689173	HxGN OnCall Dispatch | Informer	Adding a function key for Enter causes Enter to stop working on the Details view.	Steps to Reproduce: **1.** In Administrator, add Enter in the FunctionKeys parameter table (OnCall set) on map scope. **2.** In OnCall Dispatch, select a response on an event and try to use the Enter key to close the dialog box, collapse a region, or add/edit supplemental information. Expected: Enter works without issues, letting you perform interaction. Actual: Enter does nothing.

	Tracking ID	Product	Summary	Description
55.	696664	HxGN OnCall Dispatch | Informer	Keyword highlight/HITS are not always highlighting.	Steps to Reproduce: **1.** With keywords setup, run an Informer query and get multiple returns. **2.** Click on a return with a keyword. **3.** Observe that the keyword should be highlighted. **4.** Click the same record and the view of records goes away. **5.** Click on same records to view. **6.** Observe that the keyword is not highlighted. **7.** Click on another record. **8.** Click on a record with a keyword and notice that highlight returns. Actual Result: Clicking on a record with a highlight then deselecting and reselecting it makes the highlight go away. Expected Result: If you select a record, deselect it and then reselect, highlight should still be present.
56.	704502	HxGN OnCall Dispatch | Informer	Informer does not send notifications to OnCall Records when user is not logged into Dispatch.	Steps to Reproduce: **1.** Log on to OnCall Records with a valid user. **2.** Create an NCIC person query and transmit same. **3.** Observe in the RestAPI log the message is received. **4.** Observe in the Informer Module log the query and subsequent formatting of the query in the CommSys provider module log. **5.** Observe the response received from ConnectCIC. **6.** Make sure the OnCall Records user is not logged into OnCall Dispatch. Informer does not send a notification to CNS. Finally, note that no response is ever returned to OnCall Records even when a CNS packet is transmitted.

	Tracking ID	Product	Summary	Description
				Actual Result: No Informer responses notifications are sent to CNS. Expected Result: NOTIFY_INFORMER notification should get sent to CNS.
57.	705169	HxGN OnCall Dispatch | Informer	The Recent Requests tab shows string key instead of string value for column headers.	Actual Results: Recent Requests tab shows string key instead of string value for column headers. Expected Results: Recent Requests tab shows string value for column headers without having to make any change to the currently displayed tabs.
58.	687643	HxGN OnCall Dispatch | Mobile Unit	The InitialWorkspaceName parameter does not work for OMU.	The customer would like to be able to use the InitialWorkspaceName parameter (OnCall set > UISettings list) for their OMU users and groups, to set different initial workspaces, depending on which OMU group that the user is in. However, InitialWorkspaceName does not currently work for OMU; it only works for Dispatch users.
59.	687650	HxGN OnCall Dispatch | Mobile Unit	Unable to run Change Location for GPS enabled units.	If a unit is GPS enabled with a trackable device, in this case because they are logged in to OMU, neither they nor a dispatcher can change their location,; they get an error. Steps to Reproduce: **1.** Log in a unit with a device, either in OMU or manually with a physical device. **2.** Try and change that unit's location. Actual Result: An error comes up saying that you cannot do this. Expected Result: You should still be able to change this unit's location.

	Tracking ID	Product	Summary	Description
60.	687795	HxGN OnCall Dispatch | Mobile Unit	The location of the unit continues to update to match the reverse geocoded position of the GPS coordinate, despite the AllowChangeLocWhenPrimaryDevice parameter being set to Y.	Steps to Reproduce: **1.** In Administrator, set the AllowChangeLocWhenPrimaryDevice parameter (cad set > GeneralDetails list) to Y. **2.** Login to Mobile Unit. **3.** Run a GPS replay file or a Tracker unit and replay. **4.** In OnCall Dispatch, observe the unit moving on the map and the location string updating on the Unit Board. **5.** Use the Change Location command and change the location. Expected Result: The location string on the Unit Board remains as the location entered in previous step. Actual Result: The location string on the Unit Board continues to update to match the reverse geocoded position of the GPS coordinate.
61.	688639	HxGN OnCall Dispatch | Mobile Unit	GPS Status information not displaying in Unit Board column.	OMU units GPS is working fine and getting valid location updates, but the column for GPS Status in the Unit Board is not displaying properly. Actual Result: Column does not show information. Expected Result: Column shows information. Additional Information: Tried changing the column to show GPSTimestampMS and GPSAccuracy instead and both of those worked fine.
62.	708735	HxGN OnCall Dispatch | Mobile Unit	EQ Status tab (Unit Board) is crashing.	Steps to Reproduce: **1.** Log in to Mobile Unit. **2.** Keep Unit Board tab open. After some time has elapsed, an "Aw Snap!" error message displays.

	Tracking ID	Product	Summary	Description
				Note: Users are accessing Mobile Unit through PWA.
63.	597344	HxGN OnCall Dispatch | Operational Reports	Operational Reports does not display tab for added Reports Folder Names when using a custom override.	After following the steps, I am not seeing an additional tab when using a custom override, only when using the "OnCall" override. Steps to Reproduce: **1.** Log into SSRS portal. Create and configure a new folder and upload the stock-delivered reports to this folder. Create a new data source connecting to the Archive database. For each report uploaded, go to the manage option and set the data source to the newly created data source. **2.** Go to Administrator and, under OperationalReportSettings, override SsrsAdditionalReportsFolderName to enter the SSRS folder name. **3.** In OnCall Dispatch, go to Reporting > Open Reports. The Operational Reports page is opened. Now a new tab is displayed that is the name of the new SSRS folder. Users are able to generate reports connecting to the archive database. Expected Result: A new tab with the name of the SSRS folder. Actual Result: No additional tab.
64.	681645	HxGN OnCall Dispatch | ProQA Interface	When creating a new event, the ProQA comments for a new event are being sent to another event created earlier.	When creating a new event, the ProQA comments for a new event are being sent to another event created earlier. Steps to Reproduce: **1.** Use ANI/ALI to spill a phone number/location. **2.** Complete ProQA medical questions.

	Tracking ID	Product	Summary	Description
				3. Finish creating the event in OnCall Dispatch. **4.** Close the ProQA case. **5.** Clear the Call-taker form. Intermittently, the comments are going from newly created events to the closed event. ProQA comments for new events should not be sent to another event created earlier.
65.	706514	HxGN OnCall Dispatch | ProQA Interface	Intermittently, comments and type/subtype not transferring over; nothing is transferring.	Intermittently, nothing transfers over from ProQA. This includes both comments and codes (types and subtypes).
66.	604540	HxGN OnCall Dispatch | RestAPI	Realtime Web API pod becomes stuck if unable to reach config server.	We encountered an issue where incident updates were not being sent to the clients and traced it to an error in the Realtime Web API pod log file. It looks like the pod timed out when trying to reach the Config Server and tried to self-terminate but was unable to do so and became stuck. If the pod had been able to shut down it would have restarted automatically and the issue would have been resolved.
67.	681695	HxGN OnCall Dispatch | RestAPI	The v1/Lineup endpoint is throwing errors and exceptions.	The v1/Lineup endpoint is throwing errors and exceptions.
68.	690159	HxGN OnCall Dispatch | RestAPI	JWT token is logged by CADRestConnectorService in RestAPI.	The customer reports that this issue needs to be fixed in general in the RestAPI code. It is a general issue with the RestsAPI when connecting and starting a session. We also experience it with our custom backend, which connects to the RestAPI when we raise the log level.`

Updated – 2309.2

	Tracking #	Product	Summary	Description/How to Reproduce
1.	306979	HxGN OnCall Dispatch | Advantage	Unit emergency notifications should be configurable for sending scope.	When a unit emergency notification is sent, by default it displays to everyone. This should be configurable to specify who receives the notification, including everyone, those with visibility, or those with cover access only. This behavior is controlled by the GlobalBroadEmgEvent parameter, but the currently available options do not allow this level of control.
2.	547111	HxGN OnCall Dispatch | Advantage	When the user adds a Beat field to the Create Event dialog box, it does not behave the same as Agency and Dispatch fields.	When a Beat field is added to the Create Event dialog box, the field does not behave the same way as the Agency and Dispatch fields in the same dialog box. When the user enters an event type or location, these fields automatically fill with the correct information for the information entered. The Beat field does not do this and remains blank.
3.	553325	HxGN OnCall Dispatch | Advantage	Follow-up Event no search facility, no way to find the follow-up.	The Scheduled Event tab shows a view of scheduled events by Event Panel and by calendar view. If you create a contact and then create a follow-up event from that contact, there is no way to find it again. Steps to Reproduce: 1. Create a contact with a caller. 2. Create a follow-up event, and schedule it for the future. 3. Open the Scheduled Event Panel. This shows all the scheduled events. 4. There is no way to find the scheduled event. There is a search box on the calendar view, but it does not find the caller name (it only seems to hide things on the user interface).

	Tracking #	Product	Summary	Description/How to Reproduce
4.	603419	HxGN OnCall Dispatch | Advantage	Add device ID to Unit Emergency packet.	There is an issue with tracking individual devices assigned to a unit. We use a CRE workflow that monitors Unit Emergency messages and uses the EmployeeID to find the associated device and get the device location from ActiveUnitEmployeeDevice. This works for devices where an employee is signed in to OnCall Dispatch through Mobile Responder or Mobile Unit, but it does not work for devices assigned to the unit by the defined devices of the employee in Administrator. This is because the user does not need to sign on to the radio and there is no OnCall Dispatch session recorded for the employee: they are just an employee in a unit with a device. As a result, when an interface creates a Unit Emergency for the employee, the interface passes the employee and session for the interface, not the employee in the unit, as the SendingEmployeeID. This means the CAD_EMG_EVENT packet does not identify the SendingEmployeeID and the CRE workflow that checks which device created the emergency cannot determine which employee or device raised the emergency. The solution is to include DeviceID in CAD_EMG_EVENT so the CRE workflow can find the location of the device without having to use SendingEmployeeID.
5.	611767	HxGN OnCall Dispatch | Advantage	Chronology using excessive whitespace for representation.	Steps to Reproduce: **1.** Open Chronology for any event. Representation shows details of event created. **2.** Scroll down. **3.** Other changes use the same amount of whitespace as the Event Created entry, which means you can only view one entry at a time. You

	Tracking #	Product	Summary	Description/How to Reproduce
				have to use print to view a readable view of the event.
6.	616692	HxGN OnCall Dispatch | Advantage	After selecting an event and moving the cursor to the Command Line, the cursor will auto jump to the event search	If you click on an event in the Event Board and move the cursor to the Command Line, the cursor will lose focus from the Command Line and automatically focus on the Event Search field in the Event Board. The workaround is to wait until the delayed focus to the Event Search field is completed before moving the cursor to the Command Line. Note: I can only produce this issue when using two grid view Event Boards in the same Layout Tab.
7.	649413	HxGN OnCall Dispatch | Advantage	Exiting the browser without log out causes Correlation cookie expired error when the user next logs on.	Steps to Reproduce: **1.** Log on to OnCall. **2.** Close the chrome browser without logging out. **3.** Log on to OnCall again. **4.** The error "Correlation cookie expired" is displayed. **5.** This takes you back to step 1 and you can log on correctly. Issues • The error message is not meaningful to the user (e.g., what is a Correlation cookie?). • You have to log out, Create a New Session and log in again. • There is no option for the user to do something else, so why not do all those steps for the user?
8.	661550	HxGN OnCall Dispatch | Advantage	In Assigned Units tab on Event Panel, unit IDs and times cannot be read due to column width.	In a previous version, the Assigned Units tab displays the unit ID and, when expanded, the date and time of individual status changes. However, this changed in 2303. Steps to Reproduce: **1.** Select an event with assigned units.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. Select the Assigned Units tab on the Event Panel. You cannot read the unit ID. **3.** Expand the row by selecting the double-arrow icon. Unit times are displayed, but you cannot read the full timestamp because the last two digits are cut off. The columns cannot be resized, so there is no way to read the data, and the horizontal scrollbar does not allow viewing either. **4.** To view the data, you must view the unit history.
9.	666549	HxGN OnCall Dispatch | Advantage	Supplemental Information not getting saved when any data validation error is thrown from Create Scheduled Event.	Supplemental information not getting saved when any data validation error is thrown from Create Scheduled Event dialog box, whereas working fine from the Event Panel. Steps to Reproduce: **1.** Invoke the Create/Update Scheduled Event dialog box. **2.** Fill in all mandatory fields. **3.** Navigate to the Supplemental Information pane. **4.** Add the surname, maiden name, forename, nick name (optional) and click the TAB key to traverse through the fields. A validation error is thrown on traversing through Date of Birth. **5.** Without providing any value in the Date of Birth field, click OK on the pop up and then add the person. **6.** Click Save and Send Update buttons. Supplemental information has not been getting saved, when the validation error has been displayed.
10.	669723	HxGN OnCall Dispatch | Advantage	When changing a workspace, the user is switched to the wrong workspace.	Steps to Reproduce: **1.** Log in as any role.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. In the Change Role dialog box, change the role and workspace. **3.** Click Submit. The chosen workspace is not launched.
11.	669741	HxGN OnCall Dispatch | Advantage	Event Panel incorrect tag count shown.	Steps to Reproduce: **1.** Login to OnCall Dispatch. **2.** Create an event. **3.** Add any tag using the Add Tag dialog box on the created event. **4.** Open Event Panel. **5.** Observe the tag count on the Event Panel. **6.** Open another Event Panel and see the same count is displayed, even if the other event does not have any tags.
12.	669891	HxGN OnCall Dispatch | Advantage	Acknowledging all task alerts on the second page does not let the user view the remaining alerts.	Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** Navigate to the notifications. Make sure there is more than one page of task alerts. **3.** Navigate to the last page. **4.** Delete or acknowledge task alerts until only 10 remain. When all alerts on the last page are removed, the Task Alerts section in the Notifications Panel collapses. It says there are 10, but it does not expand when clicked. The user cannot view the 10 remaining task alerts until they refresh the browser.
13.	673587	HxGN OnCall Dispatch | Advantage	Cursor jumping from remarks field	When on large scale events, when users are trying to enter remarks the cursor will lose focus. This occurs in the Event Panel on the Overview tab. Multiple units assigned to call with timer. Multiple users inputting comments.

	Tracking #	Product	Summary	Description/How to Reproduce
14.	678938	HxGN OnCall Dispatch | Advantage	An event that has been placed on hold does not return to Pending status when the timer ends.	Steps to Reproduce: **1.** Select an event. **2.** From the command line, enter Hold Event. **3.** Select the default hold time (5 minutes). **4.** Click Submit. **5.** After 5 minutes, select the event again. The event still shows as on hold.
15.	683379	HxGN OnCall Dispatch | Advantage	When an event is created with an agency event type that has a non-default sub-type, issues can be seen in the Developer Tools tab.	Steps to Reproduce: **1.** In OnCall Administrator, create an agency event type that only has a non-default sub-type. **2.** In OnCall Dispatch, create an event with this event type. **3.** In Developer Tools, locate CAD_DEPLO_REQ. It states it is failing.
16.	685099	HxGN OnCall Dispatch | Advantage	The underlying provider failed on Open (EventCommands, RestAPI).	A customer is seeing errors in their EventCommandsModule log when they are testing with RestAPI to simulate and perform actions in their system, and the users are seeing that occasionally these commands will fail and not perform.
17.	686943	HxGN OnCall Dispatch | Advantage	Cannot set multiple time values for Unit Contact command line.	The command line merges time values in Unit Contact, which makes using the command for multiple units impossible. You cannot type multiple time values because neither spaces nor commas work and time values are being merged into a single number, causing only the first entered unit to have the Unit Contact response. Steps to Reproduce: **1.** Enable all Command Line Preferences in the main menu. **2.** Enter Unit Contact and add -U followed by two units separated by a space. **3.** Enter -T and add a time value.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Press SPACE and attempt to add a second time value. Expected result: the space between the two values remains and each unit is set according to its corresponding time. Actual result: the space between the two values is deleted and merged into a single time value.
18.	614567	HxGN OnCall Dispatch | Call-Taker	Despite having the date format configured to be in a ddmmyyyy format, the date displays in the mmddyyyy format.	Steps to Reproduce: **1.** In OnCall Administrator, override the DateFormat parameter (cads et > TimeUtilities list) and set the value to w8 (ddmmyyy). **2.** Click Save and select Reload the Parameter Data. **3.** In OnCall Dispatch, launch Call-Taker. **4.** Create a contact with Caller details and a date of birth. **5.** Click Schedule Follow-Up Event. **6.** Fill out the necessary fields and click Submit. **7.** Still in the contact dialog box, select View/Edit Follow-Up Event". Expected Result: The dates are displayed in ddmmyyyy format. Actual result: The dates are displayed in mmddyyyy format.
19.	628142	HxGN OnCall Dispatch | Call-Taker	When creating a contact, the Event Title field is overwritten.	Steps to Reproduce: **1.** Select the Contact Information form. **2.** Add information into the form, including an Event Title. **3.** Click Create Contact. **4.** View the recently created contact. The Event Title is overwritten with the address of the contact.

	Tracking #	Product	Summary	Description/How to Reproduce
20.	639137	HxGN OnCall Dispatch | Call-Taker	Supplemental information not saved when switching tabs and Informer searches icon is not displayed.	After creating a contact and adding supplementary information, which includes an Informer search, an Informer search result is added to the contact panel and the Informer Returns icon is added to the left side of the screen. (This icon can be used to access the detailed results returned from Informer.) Switch focus to another tab, then go back to the Create Contact tab. The Informer Returns icon is no longer displayed. Consequently, it is no longer possible to access the detailed results returned from Informer. Steps to Reproduce **1.** Create an event. **2.** Add supplemental information to the event that triggers an automatic informer search. **3.** Verify that a new tab (Informer Returns icon on the Navigation panel) is added to the contact form that displays the search results. **4.** Switch to another tab (events, units, and so forth.). **5.** Switch back to the Create Contact tab and verify that the contact form is reloaded and the results tab is not displayed. This is caused by the Supplemental Information being lost when the user switches to another tab. **6.** If you navigate to the Supplemental Information section, the Person record is not there.
21.	641696	HxGN OnCall Dispatch | Call-Taker	Call-Taker dock panels not working properly in Arabic.	Steps to Reproduce: **1.** With an Arabic language UI, navigate to Call-Taker. **2.** In the Call-Taker panel, click the >>> dock button.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Observe that it turns up blank spaces and no way to undock / bring it back. Only way is to reload. And that's bad because the call taker is in the middle of creating an event. Actual Result: Blank space and nothing is docked. Expected Result: Able to dock & undock in Call-Taker.
22.	676059	HxGN OnCall Dispatch | Call-Taker	Arabic UI Call-Taker form issues.	Issue 1: Not showing Event Priority Column header & the value in the Calltaker form in Arabic UI: The Event Priority column header not showing in the Calltaker form in Arabic UI. Also, the values are not showing complete, it seems it is showing only for 6 characters. But looking closely reveals that the priority text values are complete but the background (highlight) color is incomplete and the text color(white color) makes is not readable to the CT. However, if the Text is black in color the text is complete visible irrespective of the incomplete highlight color. See the attachment for details. Issue 2: Not showing the complete view of 'Map picker' dropdown. The "View on Map" & "Map Picker" not showing complete in the English & Arabic UI at customer environment. (However, when we test the same on our lab machine, English UI drop down menu seems fine, but Arabic UI still issue) . See attachment for more details. Steps to Reproduce: **1.** Switch to an Arabic UI. **2.** Navigate to Call-Taker.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: Call-Taker contents are not clearly visible in Arabic UI. Expected Result: Calltaker contents are clearly visible in Arabic UI.
23.	579179	HxGN OnCall Dispatch | Informer	Starting Informer after the website does not deliver new informer UX.	The website starts before the Informer module is running and fails to get informerUX.
24.	676899	HxGN OnCall Dispatch | Informer	Informer results navigation button disappears if the user navigates away from the Create Contact form.	If a user adds supplemental information to a contact record that triggers an Informer search, a new navigation button is automatically displayed on the Create Contact form to notify the user there are Informer results. If the user navigates away and returns to the Create Contact form, the Informer matches icon is not shown. Steps to Reproduce: **1.** Add a supplemental information record to a contact. You can view the Informer results at this point. **2.** Navigate to a different tab in the layout, such as the Event Board. **3.** Return to the tab containing the Create Contact form. Notice the Informer returns icon is missing. **4.** Send the event to dispatch. **5.** Select the event to open the Event Panel. The Informer results are displayed to the user.

HxGN OnCall® Dispatch 10.00.2309.4 Issues Resolved

Updated – 2309.1

	Tracking #	Product	Summary	Description/How to Reproduce
1.	580643	HxGN OnCall Dispatch | Administrator	Need a way to restrict Administrator to specific agency data.	We have created a "Manage Employees" user role and associated capability list that allows only for editing of users. We need a way to enforce agency restrictions on which users can be edited. We tried creating a capability list that lists only the appropriate agency with write permissions, but all users could still be edited.
2.	615491	HxGN OnCall Dispatch | Administrator	Errors occur when the user attempts to clone an Event Type.	Steps to Reproduce: **1.** Enable DevTools in the browser. **2.** In Administrator, from the menu navigate to Data Management > Type Codes Management > Event Types. **3.** Select Clone event type. **4.** Enter the appropriate information and then click Save. An error message displays stating that the Event Type has failed to be cloned.
3.	628627	HxGN OnCall Dispatch | Administrator	Need a way to restrict a user from modifying users and groups they do not have access to.	We need a way to restrict administrators from being able to modify users and groups outside of what they currently have access to. For example, we do not want a user from Agency A to be able to modify users from Agency B, and we do not want the user to be capable of giving themselves access to other agencies or commands they do not have already have.
4.	650519	HxGN OnCall Dispatch | Administrator	Users do not download the latest Administrator-created board tabs if they already have a user-created tab on the board.	We have tried deleting all cache items, using private browsing, and using the Grid Reset command from the command line and Layout Manager, but even deleting the user-created tabs did not let the system download the new Administrator-created tabs. The user initially thought this was limited to a single agency, but it appears to be a systemwide bug. Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
				1. Create private tabs. **2.** In Layout Manager, add public tabs. **3.** Log out and log in. **4.** Observe that the newly added tabs do not display. Expected result: user should receive the new tabs defined in Layout Manager even if they have private tabs already created. Actual result: the tabs do not display.
5.	663893	HxGN OnCall Dispatch | Administrator	Unable to execute CRE commands from OnCall Main Menu.	A customer is using CRE and CRE commands are used in Menu Items. The ID field has arguments along with the command name. OnCall is failing to split the command from its argument. The command key should be CREEXEC on its own, the -R argument should be split out into a different variable. This was working until 2303.1, but it is failing to work in 2309.
6.	667427	HxGN OnCall Dispatch | Administrator	Timer Service sending incorrect OnCallUnitNotification messages which is causing recommend issues.	We are seeing an issue where an event is created, and we get a response from Recommend Unit. The units get dispatched correctly, and then when the timer goes off, a different unit gets recommended for the event with a recommendation to preempt the previous unit. It appears that the timer update is removing information on the unit (attributes/equipment/and so forth) that Recommend Unit needs, so Recommend Unit then suggests a different unit that works.
7.	667519	HxGN OnCall Dispatch | Administrator	Layout Manager views are intermittently not immediately displayed on tab after saving.	Steps to Reproduce: **1.** Log in to Administrator and navigate to Layout Manager. **2.** Select an existing workspace and click Create New Tab.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Select a template and enter a name. **4.** Select a view for the tab and click Save Changes. **5.** On the Save Layout Manager Changes dialog box, click Save Changes. The new tab displays in the layout, but it is empty in the list and the editor. Notice the Changes Button is also disabled, meaning there is no new information or pending changes. **6.** Select a different workspace and return to the workspace containing the tab you added. **7.** Notice the views now display correctly. Expected result: after the changes are saved, the layout and editor show the views without you having to reselect the workspace. Actual result: there is an intermittent issue where the views are not immediately displayed on the tab after saving.
8.	633553	HxGN OnCall Dispatch | Advantage	Cannot dispatch units to new dispatch areas until after refresh.	Steps to Reproduce: **1.** Create a new staging area for an event. **2.** Dispatch a unit to the staging area. Actual result: no error is shown to the user, and no dispatching occurs. Expected result: the unit is dispatched to the staging area.
9.	637597	HxGN OnCall Dispatch | Advantage	OnCall Utilities Service cannot be upgraded.	Steps to Reproduce: **1.** From a workstation with an old version of OnCall utilities installed. **2.** Download the new installer. **3.** Execute the installer.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: at the last step of the utilities installer, the user is prompted that the service is already installed and due to a file in use, the user must click try again or continue. On Continue the installer proceeds and dies with a popup "The specified service already exists." Expected result: installing the new version would let the user do so without error and without uninstalling the previous version.
10.	641745	HxGN OnCall Dispatch | Advantage	Pop-up list in command line covers filters and other items automatically.	When I select the command line, the pop-up list covers filters and other items automatically. This behavior should be changed so the list does not automatically display by just selecting the command line. There should be a configurable option to control this behavior. Steps to Reproduce: **1.** In OnCall Dispatch, select a layout with a docked command line. **2.** Select the command line. Expected result: the command line history does not automatically display. Actual result: the command line history automatically displays.
11.	644389	HxGN OnCall Dispatch | Advantage	Event Chronology requests fails after nulling Custom Field.	Steps to Reproduce: **1.** Define two custom fields, for example, using AgencyEvent. **2.** Create an event populating both custom fields. **3.** Edit the event removing the value in one of the custom fields. **4.** Open Event Chronology.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: event Chronology fails. Expected Result: event Chronology doesn't fail.
12.	652043	HxGN OnCall Dispatch | Advantage	Customer wants to add additional employee information to WHO report	Add column to the WhoOperator type in the gridcolumns parameter table. For example, i added a column for Blood type. Ensure your user has a blood type defined in your personnel record in the admin portal. Within OnCall Dispatch, run a who report for that user. The blood type column header displays but no data is being displayed. This holds true for the other columns as well, except for the home phone. It is displaying.
13.	655941	HxGN OnCall Dispatch | Advantage	User is unable to copy or created an associated event.	To recreate the following steps, have cover access to one agency (Agency A) and read access to another agency (Agency B). Steps to Reproduce: **1.** Create an event that belongs to Agency B. **2.** Select the event and create a copy of the event for Agency A. A No Write Access message displays but no Agency/Dgroup is specified in the message. The user should be able to copy the event or create an associated event.
14.	656869	HxGN OnCall Dispatch | Advantage	Cannot delete single fields inside supp info.	Steps to Reproduce: **1.** Add a new supp info with more than one text field filled out. **2.** Try to delete one of the fields, by removing the text in the edit supp info part. Actual result: the user is getting an error. The supp info field is preserved after submitting. Expected result: the supp info field is deleted after submitting.

	Tracking #	Product	Summary	Description/How to Reproduce
15.	656886	HxGN OnCall Dispatch | Advantage	An error is displayed when selecting the Event.	Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** Select the Event board tab. Observe that Events appear correctly. **3.** Select the map tab. **4.** Create three random events on the map. **5.** Select the Event Board. Observe that an error displays.
16.	658631	HxGN OnCall Dispatch | Advantage	Unit Board Tabs show all units regardless of the filters.	Steps to Reproduce: **1.** Define multiple unit board tabs in Layout Manager. **2.** Open the Unit Board in Dispatch. **3.** All tabs will show the same count. **4.** Each tab will also have all of the units for the count Actual result: each public unit board tab has the same count on it, regardless of the filter. Expected Result: Each unit board tab properly shows the unit count and units in the list. Additional Information: The map and unit board filters are synced, and the map is respecting the filter correctly and only showing the right number of units. Checked on 2303.2, 2303.4, and 2309, and do not see the issue in any of those versions.
17.	658752	HxGN OnCall Dispatch | Advantage	Command line Help file does not open to correct location when ? is used.	When I use ? in the command line to open the Help file for the command, the Help file always opens to the landing page. Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
				1. Open the command line. **2.** Enter ? before any command key. **3.** Press ENTER. Expected result: Help file opens to the topic associated with the command key. Actual result: Help file opens to the landing page.
18.	659897	HxGN OnCall Dispatch | Advantage	Location of assigned unit does not change when event is updated.	Steps to Reproduce: **1.** Dispatch a unit. The current location of the unit is automatically updated to show the event location. **2.** Next, update the event and change its location. On the Unit Board, the previous location of the event is still shown for the unit.
19.	662067	HxGN OnCall Dispatch | Advantage	After uploading workspace data, loads of UPDATE_LAYOUT_TABS_REQ causing performance issues.	We have a tool to generate all our workspaces. After loading these workspaces/layouts into OnCall Dispatch, and then launching OnCall Dispatch, there are major performance issues, such as the spinning wheel, boards not loading, and so forth. We are seeing a lot of UPDATE_LAYOUT_TAB_REQ requests resulting in a high load (including memory) on the ISM server, and the user is unable to log in. Once we have one user logged on and refresh, all the updates have succeeded. The system is good, and the issue resolves. We should handle the updating of these badly formatted layout tabs better, and not cause performance problems when doing so. The issue seems to be being caused by when we are checking the view settings within each tab to see if they are the same set of settings as delivered in the new view

	Tracking #	Product	Summary	Description/How to Reproduce
				templates. If any need to be added/removed, we update the customer's view settings in the tab. This should be done during the upgrade process to minimize the impact on the users. Additionally, we need to consider the fact that this could be done for hot fix upgrades as well, not necessarily just Feature Release upgrades that would have a database upgrade script.
20.	662366	HxGN OnCall Dispatch | Advantage	Boards do not load on initial login and stay with Loading... message.	Steps to Reproduce: **1.** Create a workspace with 3 screens, and a unit or event board tab on the third screen. **2.** Log in with the 3-screen workspace. **3.** Navigate to the unit or event board tab on the third screen. **4.** Observe module is not loading and "Loading..." is displayed. **5.** Navigate to another tab. **6.** Navigate back to the unit or event board. **7.** Observe the module is now loading. Actual result: The Board does not load. Expected result: The Board loads.
21.	662952	HxGN OnCall Dispatch | Advantage	LiveEventErasure throws error in case of event with two staging areas.	LiveEventErasure throws an error when trying to delete AgencyEvent with two staging areas related to it. Steps to Reproduce: **1.** Create an event on OnCall Dispatch. **2.** Add two different staging areas to it. **3.** Close the event.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Search for the event in the OnCall Dispatch database. **5.** Search for the CommonEvent for the event's CommonEventId and change its EventErasureTime to be 5 minutes from now. **6.** Wait for 15 minutes. The event and the staging areas related to it still exist in the database and can still be found on OnCall Dispatch. DbArchive gives an error message. The event and the staging areas related to it should be deleted from the database and no longer found in OnCall Dispatch.
22.	663902	HxGN OnCall Dispatch | Advantage	Some commands are not being migrated during an upgrade.	Some commands are not being added to the new command line tables by the data migration when the upgrade file is run. The reason some are being migrated and some are not being properly migrated depends on how the command is defined in the original data set. This occurs with commands that have a possible key defined after some arguments are listed in Column3Value in ParameterTableRow. The key-in that is defined after the arguments is not recognized.
23.	663947	HxGN OnCall Dispatch | Advantage	LimitOneSessionAdvantage not working correctly	Steps to Reproduce: **1.** Set LimitOneSessionAdvantage to Y. **2.** Have a user log in to OnCall Dispatch from Terminal 1. **3.** Have the user log in to OnCall Dispatch from Terminal 2. The user will stay logged in to both terminals. Events can still be created from either terminal but will not display in the Event Board. OnCall Dispatch should remove the user

	Tracking #	Product	Summary	Description/How to Reproduce
				from Terminal 1 and display newly created events in Terminal 2.
24.	666289	HxGN OnCall Dispatch | Advantage	Unable to clear units (upgrade script issue).	In 2303 OnCall Dispatch, build overrides for UNCLR command key. Next, upgrade OnCall Dispatch 2303 to 2309. In the new OnCall Dispatch 2309, create an event and dispatch units. Then open the Event Panel and go to Unit > Clear All Units. You are unable to. Now go to the Event Board and right-click the event and try to clear all units on that event. You are unable to.
25.	666645	HxGN OnCall Dispatch |Advantage	The Updates column in the Unit Monitor does not show the icons correctly.	When adjusting the Failed to respond and Dispatch warning settings for a unit, the icons are not correctly showing themselves until a manual refresh is performed
26.	666783	HxGN OnCall Dispatch | Advantage	Recommend Unit does not always use accurate location when considering recommendations.	Though recommendations are being generated for units, Recommend Unit does not always use the accurate unit location, which causes problems. It uses an older location, not the most recent location from Tracker. It appears Recommend Unit was updated to look for a certain type of notification that Tracker does not send. This is why our last location update comes with a status change.
27.	667128	HxGN OnCall Dispatch | Advantage	When the user adds + switches on the command line, an error displays saying extra parameter is not supported.	When an argument with a + switch is entered on the command line, the switch automatically changes to a – switch and lets the user change the value. When trying to run the command, the user receives an error stating an extra parameter is not supported. Steps to Reproduce: 1. Enter a command that supports a + argument, such as Subject Pursuit. 2. Enter an argument with a + (for example, +SP).

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: +SP does not display and a notification about the parameter displays. Actual result: +SP changes to -SP and lets the user edit the value.
28.	667333	HxGN OnCall Dispatch | Advantage	Map layers do not always appear in the correct order.	Despite being configured in a specific order, map layers do not appear in the correct order on the map. A layer that should appear on top of other layers appear under other layers.
29.	667525	HxGN OnCall Dispatch | Advantage	Create Associated Event command line changes the address.	If I create an associated event from the command line, it changes the address that I enter. This should not happen.
30.	667843	HxGN OnCall Dispatch | Advantage	Advanced Recommend Unit - Excluding unit not reflecting in dialog box.	When using advanced recommendations to exclude a unit for the recommendation, it is acknowledging the exclusion but is not actually excluding the unit. Even after allowing the system to load for a couple of seconds and clicking the Exclude button 3 times, it still was not excluding. However, if you close advanced recommendations and reopen the event, the unit is finally excluded. Steps to Reproduce: **1.** Create an event (ensure response plan is built). **2.** Go to Advanced Recommended Units. **3.** Exclude the unit. **4.** Notice the Advanced Recommended Units dialog box does not reflect exclusion. **5.** Try excluding the unit again. **6.** Notice you can continue to exclude the unit multiple times. **7.** Close Advanced Recommended Units and reopen it. **8.** Notice the unit shows as excluded.

	Tracking #	Product	Summary	Description/How to Reproduce
				The unit should show excluded in the dialog box right away and not allow it to be excluded repeatedly.
31.	668065	HxGN OnCall Dispatch | Advantage	FirstUnitArrivedTime string is set to "null" when unit changes status to "Arrived."	When a unit changes its status to "Arrived," the FirstUnitArrivedTime string is set to "null." The time is only first set when the unit, after changing its status to "Arrived," is cleared from the event. Then the time is correctly set to the time of the status change to "Arrived." Steps to Reproduce: **1.** Create an event. **2.** Dispatch a unit to the event. **3.** Change the status on the unit to "Arrived." The unit should change its status to "Arrived" and the time for the status change should be added to the FirstUnitArrivedTime string; however, the unit changes its status to "Arrived," but the FirstUnitArrivedTime string is set to "null." The time is only set when the unit (after the change of the status to "Arrived") is cleared from the event. Then the time for the status change to "Arrived" is set.
32.	671364	HxGN OnCall Dispatch | Advantage	Correcting an invalid entry on the command line makes focus jump to the end.	If you enter the wrong string on the command line and then try to correct it, the first character is inserted correctly, but subsequent characters get added to the end of the command line.
33.	671372	HxGN OnCall Dispatch | Advantage	Unable to remove command line key-in arguments for custom key-ins.	Steps to Reproduce: **1.** Create a Change Status key-in with a custom status, such as AOA -U +S AOA. **2.** After updating to 2309, the new key-in is shown in the Command Line Definition page.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. The following arguments display: +S, -A, -S, -SA, and -U. **4.** We do not want the +S, -A, -S, and -SA arguments to display because the command is just used to change the status. Users should not be confused with -S because it is already hardcoded.
34.	671416	HxGN OnCall Dispatch | Advantage	OnCall Dispatch page (screen 2 or greater) becomes unresponsive.	After evaluating the users on the floor and working with OnCall Dispatch, my screen 2 (the second browser tab) eventually gets to a state where it becomes unresponsive. Things observed when in this state: • Can click on other browser tabs and browse and function without issue. • Can click on screen 1 browser tab (other dispatcher tab) and that tab can still navigate OnCall Dispatch without issue. • The tab that is frozen seems to be a tab with the Unit Board. • It has been reported that this happens with both the client and using the browser. • Was able to pull up DEV console but CONSLE and NETWORK tabs are empty and are not producing anything in this unresponsive state. • DEV Console was not able to do a performance recording. • DEV Console where the only thing I was able to grab was a HEAP_Snapshot.
35.	671884	HxGN OnCall Dispatch | Advantage	Deleting a key-in does not delete the removed key-in arguments.	Steps to Reproduce: **1.** Delete a custom key-in from the Command Line Definition page in Administrator. **2.** On the Command Line KeyIn Arguments tab, check if the custom key-in arguments still exist.

	Tracking #	Product	Summary	Description/How to Reproduce
36.	674634	HxGN OnCall Dispatch | Advantage	Right-click context menus are not working.	When command key-ins have overrides, the right-click menus do not work. Steps to Reproduce: **1.** Create a command key-in for a default command with a site-specific override, such as DISPUNIT. **2.** Right-click a unit on the Unit Board and try to dispatch it. Expected result: the command succeeds. Actual result: the command does not succeed.
37.	674678	HxGN OnCall Dispatch | Advantage	DialogsModule slow to start due to Addon delivery mechanism.	A customer has the RequestTimeout set to 2 minutes, and DialogsModule was waiting 2 times 2 minutes (4 minutes) to start. That caused Kubernetes to kill the pod. We worked around the issue by changing the K8s startup probe settings, but this needs to be fixed in the DialogsModule code.
38.	675150	HxGN OnCall Dispatch | Advantage	Exchange Units dialog box hangs.	The Exchange Unit command works, but there is a workflow that causes the dialog box to hang. Steps to Reproduce: **1.** Assign a unit to an event. **2.** Using the command line, run Exchange Unit for the assigned unit and a different unit. **3.** The Exchange Units dialog box displays and says the first unit is close to the end of its shift, asking for confirmation. Click OK. **4.** The Exchange Units dialog box displays and says the second unit is close to the end of its shift, asking for confirmation. Click Cancel.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: the command is executed when Submit is clicked. Actual result: the dialog box hangs and does not proceed.
39.	676068	HxGN OnCall Dispatch | Advantage	Create associated event – Custom fields do not update when using dialog box.	After review, I have been able to duplicate that if creating an associated event using the dialog box, and a user adds information into the "Additional Location Information" custom field which is "CommonEventCustom2", then the associated event that is created is created without the information typed into the custom field. Steps to Reproduce: **1.** From the command line type "CREATE ASSOCIATED EVENT". **2.** Select an event ID from drop-down list. **3.** Enter information into the custom field. **4.** Click Submit. **5.** Review the new associated event. **6.** Notice the data is not there.
40.	677515	HxGN OnCall Dispatch | Advantage	User is unable to print or save reports.	Steps to Reproduce: **1.** Log on to OnCall Dispatch **2.** From menu, navigate to Reporting > Open Reports. **3.** Run any report. **4.** Try to Save or Print the report. Expected result: the report can be saved and printed. Actual result: the user is unable to print or save the report.
41.	678081	HxGN OnCall Dispatch | Advantage	Users are not getting automatic updates for the system, losing websocket connection repeatedly	New events, changes of unit status and other updates are not appearing to multiple users on dispatch and regulation. We had a similar issue in 2209.5 regarding session lost and token problems.

	Tracking #	Product	Summary	Description/How to Reproduce
				There are filters on EventBoard to separete events by rules, any update that change an event between filters will decrease from the original filter but not increase on the new filter. New events also only appear after refreshing page
42.	678132	HxGN OnCall Dispatch | Advantage	Inconsistencies in the unit grid after log in.	Steps to Reproduce: **1.** Log in into OnCall Dispatch. **2.** Check the Unit Board. Actual result: inconsistencies in the unit grid information. Expected result: the number of vehicles should correspond to the actual number and the vehicle status filters should function properly.
43.	521700	HxGN OnCall Dispatch | Call-Taker	Frequent Locations does not automatically verify the location.	Steps to Reproduce: **1.** Open a dialog that uses the Frequent Locations picklist, like Transport Unit. **1.** Choose one of the Frequent Locations from the list. **2.** The string gets copied into the Location Field but does not get automatically verified. This adds another click for the user.
44.	572214	HxGN OnCall Dispatch | Call-Taker	Custom data on the Call-Taker form is not automatically saved unless incident type or location is updated when AutoSaveEventInfoField.	Steps to Reproduce: **1.** Create a contact using the Create Contact form. **2.** Update the Additional Info and Incident Title fields. **3.** Tab out of the fields **4.** Data is not saved. **5.** If you view the information view the Incident Panel, the data is not there. Title stills shows the default.

	Tracking #	Product	Summary	Description/How to Reproduce
				6. There is no Update button (because it is disabled by the Contact Management parameters ContactManagement : ButtonBehavior : EnableUpdateContactRecord=N. If you change the incident type. The updated data is applied.
45.	614554	HxGN OnCall Dispatch | Call-Taker	Unable to save caller without a Call Position ID.	Contact Management is enabled, but the Call Position ID is not required in the second login screen.
46.	652498	HxGN OnCall Dispatch | Call-Taker	Calltaker > Connectors defaults need to be disabled due to high amounts of connections.	Steps to Reproduce: **1.** Navigate to Parameter Management > Calltaker > Connectors. **2.** All the default rows need to be set to Disabled (Enable = N). **3.** These should be disabled by default and allow services teams to override and enable when needed. **4.** When all these connectors are enabled, a high amount of connections is happening in RabbitMQ.
47.	655176	HxGN OnCall Dispatch | Call-Taker	Ability to configure both ProQA & Premier Responder on single machine.	We need the ability to configure both ProQA & Premier Responder on a single machine.
48.	664516	HxGN OnCall Dispatch | Call-Taker	Message chat tab shows on Call-Taker, Cannot Remove	The Call-Taker tab for SMS Messaging is disabled, but it still displays. I tried adding overrides with ShowMessaging set to N as well, but it still shows. There is not an option to remove it via Calltaker Panel Settings in Layout Manager. (this is where you remove other tabs)
49.	635328	HxGN OnCall Dispatch | Informer	Informer Badge Icon count not in sync.	Multiple users adding supp info trigger informer response count updates. Expected result: Informer badge icon count is consistent for all users.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: Informer badge icon count shows different response counts for multiple users.
50.	656878	HxGN OnCall Dispatch | Informer	The Informer icon doesn't turn green when new hit is added.	The Informer icon doesn't turn green when a new hit/search is added to indicate that something new is shown in the tab. The icon stays grey. Steps to Reproduce: **1.** Add a few supp info to event that creates an Informer hit/search. Actual result: the tab doesn't turn green. It stays grey even though the tab number goes up. Expected result: every time a new hit is generated in the informer tab, the tab turns green to indicate that something new is added.
51.	664135	HxGN OnCall Dispatch | Informer	Copy and Paste stops working for Informer board after initial time	Steps to Reproduce: **1.** From the Informer Board in Mobile Unit, select a return. **2.** Highlight text to copy from the Details page. **3.** The cursor returns to the Query Subtype field on the Ad Hoc Query dialog after ~ 2 seconds. Actual result: unable to copy and paste after initial time. Expected result: be able to successfully copy and paste every time.
52.	675662	HxGN OnCall Dispatch | Informer	Unable to tab correctly.	Steps to Reproduce: **1.** In a workspace with Informer, open the AdHoc Query tab. **2.** Open any query type and start tabbing. Actual result: tab gets stuck at the Search gadget.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: User can tab through the query dialog successfully. If the Details pane is open, tabbing works correctly.
53.	675664	HxGN OnCall Dispatch | Informer	Enter key press ignoring required fields.	Steps to Reproduce: **1.** Pick a workspace with Informer tab. **2.** Go to the AdHocQuery dialog tab. **3.** Select Person or Administrative QueryType, that have more than one required field marked by the red asterisk. **4.** Enter value in only one required field and press enter. Deselecting one or more providers does not impact the result.
54.	676196	HxGN OnCall Dispatch | Informer	Informer results are not displaying in Tear Off panel.	Steps to Reproduce: **1.** Make sure Informer is configured. **2.** Log on to OnCall Dispatch. **3.** Go to Event Panel, click on Informer Panel tab, results are displayed. **4.** Open Tear Off panel. Expected result: Informer results should display on Tear Off Panel. Actual result: Informer results are not displaying in Tear Off panel, getting the below error.
55.	655282	HxGN OnCall Dispatch | Mobile Unit	If Geocoding Provider fails, too many Reverse Geocoding requests are being sent.	Steps to Reproduce: **1.** Log in to Mobile Unit and run a Mobile Unit Replay. **2.** Bring up Dev Tools and observe the log, you can filter on sendReverseGeocodeRequest (or to just see the frequency of failures after the next step refine it to filter on "g failed.”

	Tracking #	Product	Summary	Description/How to Reproduce
				3. In IsmAdmin "Stop Only" the GeoModule (if servers are paired, need to stop on both). Expected result: Mobile Unit should send requests no more often than to the number that the ReverseGeocodingMinimumTime is set. Actual result: Mobile Unit sends ReverseGeocodeRequest messages once every 2 seconds rather than once every 5 seconds if that is what ReverseGeocodingMinimumTime is set to.
56.	678480	HxGN OnCall Dispatch | Mobile Unit	Mobile Unit in PWA stopped receiving dynamic updates.	Steps to Reproduce: **1.** When a Mobile Unit websocket connection is in a failed state due to a disconnected network connection and the network connection is restored, make a unit status change from the reconnected unit. **2.** The status change will be reflected in other Mobile Unit units and OnCall Dispatch, but the originating unit will not see the status change. A reload of cache is required to fix this. Actual result: The Mobile Unit does not attempt to reconnect after the network connection is restored. Expected result: The Mobile Unit needs to reconnect after the network connection is restored and should receive dynamic updates.
57.	676172	HxGN OnCall Dispatch | Tracker	Significant delay in GPS Read by Tracker.	Steps to Reproduce: **1.** Make sure the Tracker parameter GeoLookup is enabled. **2.** Send GPS data with Pollingseconds set to 3 for about 125 to 150 units through Mobile Unit.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Tracker ReadPVT is severely delayed thus causing delays in sending location data to OnCall Dispatch. Actual result: GPS updates to OnCall Dispatch are not timely. Expected result: GPS updates to OnCall Dispatch should be timely.

Updated - 2309

	Tracking #	Product	Summary	Description/How to Reproduce
1.	347277	HxGN OnCall Dispatch | Administrator	The fields in the Contact Place section in the Contact Directory page are not aligned properly.	Steps to Reproduce: **1.** From the menu, navigate to Data Management > Personnel > Contact Directory. **2.** Click the Create Contact Place button. The fields Contact Place section do not align.
2.	355182	HxGN OnCall Dispatch | Administrator	When attempting to add a description for a device on the Unit Definition page, a drop-down displays containing text strings that were entered elsewhere in the Chrome browser.	Steps to Reproduce: **1.** From the menu, navigate to Data Management > Resources > Unit Definition. **2.** Select a unit and then go to the Devices tab. **3.** Click Add Row. **4.** Enter a Device ID. **5.** Attempt to add a description. Sometimes, when the user attempts to select the Description field, a drop-down list is displayed showing text strings that were entered elsewhere in the Chrome browser.
3.	463533	HxGN OnCall Dispatch | Administrator	When selecting a lineup that includes units from multiple	In Lineup Management, when selecting a migrated customer that has a lineup that includes units from multiple agencies, only one agency appears in the

	Tracking #	Product	Summary	Description/How to Reproduce
			agencies, only one agency is shown in the Agency drop-down list.	Agency drop-down list. None of the other agencies are displayed.
4.	467906	HxGN OnCall Dispatch | Administrator	The Audit Changes search displays SOP tasks results in JSON format.	Steps to Reproduce: **1.** From the menu, navigate to Data Management > SOPs. **2.** Select the Task Library tab. **3.** Create some tasks. **4.** From the menu, navigate to Administration > Audit Changes. **5.** Select SOPs for the Area field and perform a search. Information given in the Details column is not very user friendly and displays as the JSON format.
5.	504939	HxGN OnCall Dispatch | Administrator	The Supplemental Information Search dialog box does not make efficient use of available space.	Regardless of how many or few tabs are added to the Supplemental Information Search dialog box in UI Editor, the dialog box does not resize to efficiently use the available space.
6.	528356	HxGN OnCall Dispatch | Administrator	Error while importing MapGraphic table data using CAD Bulk Loader.	When trying to bulk load data into the MapGraphic table, there is a rule on the values of the GeometryType that is incorrectly preventing data from being uploaded. The rule is stating that only values 0 and 1 are allowed in this column, but it should be values 0 to 5.
7.	538999	HxGN OnCall Dispatch | Administrator	The Capability List tab on the User Group & Management page displays too much white space.	The Capability Lists tab on the User Group & Management page does not efficiently use screen space. It contains too much white space, an unneeded horizontal scroll bar, and a vertical scrollbar that is too small to click with the mouse cursor.
8.	548134	HxGN OnCall Dispatch | Administrator	Newly added commands do not display their localized string values.	In OnCall Dispatch Administrator, some of the newly added commands do not display their localized string values, such as the GETALLUSERS,

	Tracking #	Product	Summary	Description/How to Reproduce
				configurationFilesView, and GETUSERSIN GROUP commands.
9.	553252	HxGN OnCall Dispatch | Administrator	Improve purge where clauses for scheduled events.	Make sure all the related scheduled event data is retained for active scheduled events when purging.
10.	557268	HxGN OnCall Dispatch | Administrator	User is unable to delete a Special Address when the address is searched for in the Special Address page.	Steps to Reproduce: **1.** From the Special Address page, search for an address. **2.** Select the context menu by an address. Expected Result: There is an option for the user to delete the address. Actual Result: There is not option to delete the address.
11.	558531	HxGN OnCall Dispatch | Administrator	The Notifications Panel Settings page is not formatted correctly.	The Notifications Panel Settings page displays the following issues: • The Save and Cancel buttons are not always visible and sometimes require the user to scroll to view it. • User is not given warnings that data has or has not been saved. • The content of the page is not formatted correctly, and there is a lot of white space at the bottom of the page. Users must use scroll bars to view all the content when reformatting would erase this need. • The Default Notification Panel User Groups drop-down list is sorted by ID, even though the IDs are not displayed, and not alphabetically.
12.	562423	HxGN OnCall Dispatch | Administrator	Create New Tab and Edit Current Tab dialog boxes in Layout Manager let user define invalid filters.	The Layout Manager lets me create tabs for the Unit Board and Event Board and define filters that control which events and units are displayed on each tab by excluding or including particular criteria. If I add an

	Tracking #	Product	Summary	Description/How to Reproduce
				exclusion without providing any criteria, Layout Manager lets me save the filter, but the tab will never display any data because the empty exclusion clause filters out all events. The value in the exclusion clause should be required and provide visual feedback, or a warning should be displayed if I attempt to save a tab containing an empty exclusion clause.
13.	568661	HxGN OnCall Dispatch | Administrator	All delivered default Capability Lists are not read-only.	Users should not be able to edit the defaults provided in the Capability Lists.
14.	569800	HxGN OnCall Dispatch | Administrator	Exporting strings results in a CSV that cannot be imported.	Exporting strings from Administrator results in a CSV file, that OCUtil cannot import.
15.	570126	HxGN OnCall Dispatch | Administrator	Need to be able to filter by instance name in Administrator and display FromTime and ToTime.	The Archive Database Management tabs for Error History and Instance Table History are impossible to use because of too much information. We need to be able to filter by instance like you can on the Instance History tab. We also need to display the instance history FromTime and ToTime.
16.	573377	HxGN OnCall Dispatch | Administrator	When using the PasswordFirst parameter, the password is not encrypted.	Steps to Reproduce: **1.** In Parameter Management, locate the PasswordFirst parameter (cad set > Password list). **2.** Override the PasswordFirst parameter value to set the default password for new users. This password is not encrypted and displays in plain text.
17.	574831	HxGN OnCall Dispatch | Administrator	Configurations to the NameFormatter parameter (OnCall set > UISettings list) are not	Steps to Reproduce: **1.** In OnCall Administrator, set the Value of NameFormatter parameter (OnCall set > UISettings list) to empid.

	Tracking #	Product	Summary	Description/How to Reproduce
			consistently honored in OnCall Dispatch.	**2.** In OnCall Dispatch, add comments to an active event. The comments only display the employee ID. **3.** Close the event. The comments no longer just displays the employee ID, like configured.
18.	581751	HxGN OnCall Dispatch | Administrator	Uploading a file results in a 400 error message.	After uploading a new shape file, a 400 error message displays despite the file loading properly.
19.	585521	HxGN OnCall Dispatch | Administrator	UI for deleting workspaces in Layout Manager is not intuitive.	The UI for deleting workspaces is not intuitive and should be revisited. Steps to Reproduce: **1.** In Layout Manager, select Delete Workspaces and a dialog box displays. Each workspace has an X beside it, which suggests those are deleted if I select Delete Workspaces. **2.** Instead, selecting a workspace grays out the row, which makes it unclear if that row or all other rows will be deleted.
20.	587085	HxGN OnCall Dispatch | Administrator	User is unable to edit the code or description of an existing row in the Detailed Event Types list.	Steps to Reproduce: **1.** From the menu, navigate to Data Management > Type Codes Management > Event Types. **2.** Select an existing Event Type definition. **3.** Select the Detailed Event Type tab. A list of configured Detailed Event Types is displayed. Expected Result: The user can edit a row in the list by double-clicking the text box. Actual Result: there is no way for the user to edit the row.
21.	590114	HxGN OnCall Dispatch | Administrator	Even though the upload is successful, an error is shown when	When uploading a file into Bulk Loader that contains over 5,000 rows, an error message is shown stating

	Tracking #	Product	Summary	Description/How to Reproduce
			uploading a large data set into the Bulk Loader.	"Error: Request failed with status code 504." Despite this message, the upload is successful.
22.	590543	HxGN OnCall Dispatch | Administrator	Upgrade does not remove the old OnCall and OnCall.identity IIS websites.	After an upgrade from 2209 to 2303, the old IIS websites are still installed even though they are not needed anymore. Steps to Reproduce: **1.** Upgrade an environment from 2209 to 2303. **2.** Check IIS to see that the websites still exist. The upgrade to 2303 should remove all of the old IIS websites and files that were used; however, this does not happen.
23.	591337	HxGN OnCall Dispatch | Administrator	User cannot clear a preempt event when the DispNextQEOnClear parameter (cad set > GeneralDetails list) is enabled.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, navigate to Administration > Parameter Management. **2.** Select cad from the Set name drop-down list. **3.** Select the GeneralDetails list. **4.** Set the DispNextQEOnClear parameter to Y. **5.** In OnCall Dispatch, dispatch a unit to an event that does not have other units. **6.** Add another event to the unit's queue. **7.** From the Unit Board, right-click on the unit and select "Preempt." **8.** Select the last available option to clear the unit. Expected result: The event is set to Awaiting Closure. The unit is dispatched to the first event in its queue. Actual result: A notification displays indicating that the unit is already dispatched to the first event.
24.	591419	HxGN OnCall Dispatch | Administrator	Loop with refreshtoken requests causes system instability.	We experienced a system outage due to repeated calls to refresh token. The loop is caused by some

	Tracking #	Product	Summary	Description/How to Reproduce
				validation code in OnCall.WebApi, thus causing issues.
25.	591716	HxGN OnCall Dispatch | Administrator	Layout Manager should alert users of invalid workspace configurations.	When a workspace is saved in an invalid state, such as containing a screen with no layouts, a layout with no tabs, or some other state where data is missing or incorrect, that workspace is not shown to users in OnCall Dispatch and no prompt other than a console warning is given to the user to indicate they should fix the problem. Warnings should appear if a user tries to save a workspace in an invalid state, and invalid workspaces, screens, layouts, and tabs should be more easily identifiable within Layout Manager, for example, using a warning symbol beside the affected entries in the corresponding drop-down lists.
26.	592583	HxGN OnCall Dispatch | Administrator	Updating CustomData on an event or unit does not cause a notification to be sent to the front end.	If you have a piece of code that updates CustomData on either an event or unit, that change does not trigger an update to the front end, which means users do not see that change until they refresh or another change that reads the custom data comes down from the server. This is another by-product of the change to no longer rely on UnitEventModule to push changes to the front end.
27.	592698	HxGN OnCall Dispatch | Administrator	Access token should not be persisted in the browser (security issue).	The access token should be stored in memory and not in a cookie or local storage.
28.	592705	HxGN OnCall Dispatch | Administrator	Missing instructions for getting interfaces in OnCall Dispatch upgrade guide.	On page 12 of the 2209 version of the OnCall Dispatch Upgrade Guide, there are instructions on running a PowerShell script. Information is missing on how to unpack the individual interface packages into the Advantage package for this to work out. One example is here,

	Tracking #	Product	Summary	Description/How to Reproduce
				and this information could be included in the guide to be clearer: "I unpacked the interfaces into the following folder structure: C:\delivery\IPS1122 - HxGN OnCall Dispatch - Advantage\ ..\Advantage ..\IPS1186 - HxGN OnCall Dispatch - Tracker ..\IPS1195 - HxGN OnCall Dispatch - RestAPI ..\IPS1196 - HxGN OnCall Dispatch - Informer"
29.	593195	HxGN OnCall Dispatch | Administrator	The location string does not change to match the Special Address.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, define a special address with a polygon around the area. **2.** In OnCall Dispatch Advantage, create an event within the previously defined polygon with a location that does not exactly match the special address. The location string remains the same and does not change to match the special address.
30.	593255	HxGN OnCall Dispatch | Administrator	Custom fields display in dialog boxes that they were not configured for.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, create a custom field for the Event Search dialog box. **2.** In OnCall Dispatch, open the Search Event dialog box. Other custom fields display in the dialog box despite them not being configured.
31.	594487	HxGN OnCall Dispatch | Administrator	Remove ad-hoc timer from single-screen desktop in Layout Manager.	Steps to Reproduce: **1.** Navigate to Layout Manager. **2.** Select or create a single-screen workspace. **3.** In the screen, try to find the Show Ad Hoc Timers toggle. It is not present.

	Tracking #	Product	Summary	Description/How to Reproduce
				You can find this same toggle in multi-screen layouts, and it is possible to turn off this toggle for all screens. Since that is possible, single-screen layouts should have the same option. Alternatively, if the ad-hoc timers must always be present in at least one screen in a workspace, this capability should be fixed for multi-screen workspaces instead.
32.	596679	HxGN OnCall Dispatch | Administrator	DbArchive requests license every time it runs, increasing load on Logon module.	Every time the DbArchive service runs, it requests a license from the Logon module. For example, if we have two DbArchive service instances, running every 30 seconds, there are four license requests per minute (or 240 requests per hour). This is a burden on the Logon module and the Reprise license server. We do not want any unnecessary burden on the Logon module that could cause session issues.
33.	596682	HxGN OnCall Dispatch | Administrator	Fix incoming (and outgoing) packet performance issues.	Incoming messages are processed serially before MessageDistributor can process them on different threads. JSON parsing of large messages is blocking the receival of messages.
34.	596738	HxGN OnCall Dispatch | Administrator	Modify which tables are processed during event erasure.	Each of these changes needs to be validated before being made: • Stop processing MapGraphicSet. • Stop processing Broadcast. • Stop processing ScheduleComponent.
35.	596777	HxGN OnCall Dispatch | Administrator	DbArchive purges open events with the default PurgeWhere clause.	Upon installing the DbArchive service module, and after configuring it and testing its functionality, I found out that it seems to purge events that are still open, even if you use the default PurgeWhere clause as it is defined in the DatabaseArchiveInstanceTable table for AgencyEvent.

	Tracking #	Product	Summary	Description/How to Reproduce
				The default PurgeWhere clause looks like this: not (StatusCode = 21 and IsOpen = 0) and CommonEventId not in (select SecondaryCommonEventId from CrossReference) If the documentation for DBCopy applies here, too, then this statement, "DBCopy always adds the DatabaseInsertTime <= $EndTime restriction to your special WHERE clause," and the full PurgeWhere clause should be: not (StatusCode = 21 and IsOpen = 0) and CommonEventId not in (select SecondaryCommonEventId from CrossReference) and DatabaseInsertTime <= $EndTime In our first run on our reference environment, some events Awaiting Closure and some Pending were purged, as well. Looking at the PurgeWhere clause, nothing in it prevents purging closed events. On our reference environment, I added "and IsOpen = 0" to the PurgeWhere clause, so it now looks like this: not (StatusCode = 21 and IsOpen = 0) and CommonEventId not in (select SecondaryCommonEventId from CrossReference) and IsOpen = 0 We are not sure if this is all it takes or if we only need to do this for tables other than AgencyEvent, as well.
36.	598076	HxGN OnCall Dispatch | Administrator	New dialog boxes in UI Editor are not saved if Type is not set.	Steps to Reproduce: 1. Navigate to UI Editor in Administrator. 2. Click Create New Dialog.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Enter a title for the dialog box. 4. Set the Configuration to SITE. 5. Do not select a Type. 6. Add a region. 7. Add two controls to the region, such as a label and text box. 8. Save the dialog box. A green notification is displayed saying the dialog definition has been saved. Expected result: the new dialog box should be displayed in the list of dialog boxes under Workspaces. Actual result: the dialog box is not saved and is not added to the list of dialog box definitions under Workspaces.
37.	598349	HxGN OnCall Dispatch | Administrator	The WMTS map layer is not being cached.	Steps to Reproduce: **1.** From the Administrator menu, select UI Configuration > Map Legend Management. **2.** From the Base Layers tab, enable the WFS layer. **3.** Select Define Styles from the WFS Details panel. **4.** Make any necessary changes, and then click Add. **5.** Refresh the browser. **6.** Open Developer tools from the browser menu. Nothing is being saved to IndexedDB. **7.** Refresh the browser again. The same requests from before the refresh are sent.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected Result: The WMTS should be getting cached, which would result in reducing network traffic and slowdowns when displaying the Map. Actual Result: The WMTS is not getting cached.
38.	598559	HxGN OnCall Dispatch | Administrator	The message shown after successfully uploading a file into the Bulk Loader is not descriptive enough.	Steps to Reproduce: **1.** From the menu, navigate to Administration > Bulk Loader **2.** Load data from a data file. **3.** Select DefinedUnit **4.** Enter an error file or uncheck write errors to file. **5.** Select Load. A message appears stating that the load was successful but is not detailed and does not state what was loaded.
39.	598564	HxGN OnCall Dispatch | Administrator	The tabs on the Bulk Loader page do not sort the drop-down lists alphabetically and are not wide enough to display the table names without having to scroll.	Steps to Reproduce: **1.** From the menu, navigate to Administration > Bulk Loader. **2.** Select one of the tabs. The drop-down lists are not sorted alphabetically, and the user must use the horizontal scroll bar to view everything in the table. The same issues are seen in the other tabs.
40.	598760	HxGN OnCall Dispatch | Administrator	OIDC does not support Windows Authentication.	OIDC using Windows Active Directory does not currently work for this version of OnCall Dispatch. Previously, IIS was used to provide Windows Authentication, but with the removal of IIS, this functionality was not replaced.
41.	606462	HxGN OnCall Dispatch | Administrator	After upgrading to a newer version, 2209 to 2303, administrators must go back into Map Legend Management and re-add map layers.	Steps to Reproduce: **1.** Upgrade to the 2303 version of OnCall Dispatch. **2.** In OnCall Dispatch Administrator, navigate to UI Configuration > Map Legend

	Tracking #	Product	Summary	Description/How to Reproduce
				Management. Notice that all configured map layers are missing. Only the defaults are present. Administrators must click the "Add Existing Layer" button for each layer to get back to how the map was configured before the update.
42.	607147	HxGN OnCall Dispatch | Administrator	AreaMeasuringToolSecondaryAreaUnit parameter does not allow square kilometers as a unit of measurement.	Users are unable to enter square kilometers as a unit of measurement using the AreaMeasuringToolSecondaryAreaUnit parameter.
43.	608601	HxGN OnCall Dispatch | Administrator	Delete button active for default dialog boxes in UI Editor.	When viewing default dialog boxes in UI Editor, the Delete button is enabled, meaning a user can click to delete default dialog boxes. Steps to Reproduce: **1.** Navigate to UI Editor in Administrator. **2.** Select the default dialog box. **3.** Note the Delete button is enabled. **4.** Click Delete. The dialog box is deleted. Expected result: the Delete button is disabled for default dialog boxes. Actual result: the Delete button is enabled and lets users delete default dialog boxes.
44.	608607	HxGN OnCall Dispatch | Administrator	Layout Manager failing to load.	The Layout Manager starts and looks fine for about 30-45 seconds, and then a “Failed to load Layout Manager” page displays. It appears that this page displays as soon as an HTTP request returns a 400 error.

	Tracking #	Product	Summary	Description/How to Reproduce
				This may be related to the map not loading. That is also getting the same 400 error on CAD_GET_ONCALL_CONFIG_REQ for map configuration data.
45.	609254	HxGN OnCall Dispatch | Administrator	OpenPanelInTearOffWindow parameter does not work for some panels and boards.	Despite having the OpenPanelInTearOffWindow parameter enabled for specific panels and boards in UI Editor, the panels do not tear off.
46.	611557	HxGN OnCall Dispatch | Administrator	DeploymentResponseBackupBeat table is not working properly.	Steps to Reproduce: **1.** Using the Bulk Loader, unload data from the DeploymentResponseBackupBeat table so that it does not have known good data. **2.** Back up the table. **3.** Delete all records from the table. **4.** From Bulk Loader, load good data from the first step. Expected Result: The box does not turn green, meaning the load was unsuccessful. Actual Result: A green box is shown green telling the user that the load was successful, even though it was not.
47.	611937	HxGN OnCall Dispatch | Administrator	Default workspaces can be broken and they do not get fixed automatically.	In the 2303 version of OnCall Dispatch, if the default workspaces, layouts, and tabs are missing from the database when a user logs in, they are automatically generated. However, the checks performed to ensure those defaults are in place do not account for every table. For example, if the ScreenId gets mismatched between the WorkspaceScreen and WorkspaceScreenLayout tables for the Default Mobile Unit workspace, the system does not check that, and users are unable to use that layout until it is

	Tracking #	Product	Summary	Description/How to Reproduce
				manually fixed. This results in users who had it as their initial workspace receiving 500 errors at login because the workspace is invalid and cannot be used. Also, the workspace did not load properly in Layout Manager and could not be fixed there either. It is unclear what steps are needed to reproduce this issue.
48.	612379	HxGN OnCall Dispatch | Administrator	User is unable to disable an event tag.	In the EventTags parameter table (OnCall set), there is no way for the user to disable an event tag so that it no longer displays as available when selecting an event tag.
49.	613506	HxGN OnCall Dispatch | Administrator	SOP Location Radius trigger shows coordinates instead of the actual address in the SOP Builder tab.	Steps to Reproduce: **1.** On the SOPs page, go to the Trigger Definition Library tab. **2.** Create a trigger using Location Radius as the Trigger Group Type. **3.** Enter a specific address and click Save. **4.** Go to the SOP Builder tab and create a new SOP using the trigger created in Steps 2-3. Expected result: the address should display the same as it did in the Trigger Definition Library. Actual result: the location coordinates are shown instead of the street address, so the user cannot determine if the location is correct.
50.	613506	HxGN OnCall Dispatch | Administrator	SOP Location Radius trigger shows coordinates instead of the actual address in the SOP Builder tab.	Steps to Reproduce: **1.** On the SOPs page, go to the Trigger Definition Library tab. **2.** Create a trigger using Location Radius as the Trigger Group Type. **3.** Enter a specific address and click Save.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Go to the SOP Builder tab and create a new SOP using the trigger created in Steps 2-3. Expected result: the address should display the same as it did in the Trigger Definition Library. Actual result: the location coordinates are shown instead of the street address, so the user cannot determine if the location is correct.
51.	615561	HxGN OnCall Dispatch | Administrator	GET_LAYOUT_TABS_REQ times out during log in, resulting in a nonworking OnCall session.	After upgrading to 2303, it seems that the many layouts (approximately 800) that we have defined cause the GET_LAYOUT_TABS_REQ to time out, leaving the user with a blank screen.
52.	616744	HxGN OnCall Dispatch | Administrator	Vehicle ID data does not display in the ActiveUnitEquipment schema table.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, use the Vehicle Definition page to define a vehicle and equipment. **2.** In OnCall Dispatch, add the vehicle and its equipment to a unit. **3.** Check the ActiveUnitEquipment schema table. Expected Result: The vehicle ID displays in the table. Actual Result: The vehicle ID displays as null in the table.
53.	617538	HxGN OnCall Dispatch | Administrator	Delivering OnCall Administrator addons to the AddonViews\Administrator subdirectory.	We are trying to upgrade OnCall Customer Rules Engine to deliver the CRE widgets using the addon delivery mechanism where the widgets are retrieved by the OnCall website module as a ZIP file containing an AddonViews and a CustomCommands directory. This mechanism is working for OnCall Dispatcher widgets, but for OnCall Administrator widgets which need to be placed in the AddonViews\Administrator

	Tracking #	Product	Summary	Description/How to Reproduce
				subdirectory, only the last delivered widget is visible. It looks like the website module is deleting the entire AddonViews\Administrator subdirectory before loading the widget, so only the last widget is copied to the subdirectory. Is there a special way to deliver OnCall Administrator widgets that we need to accommodate in our ZIP file, or should the website pod be able to handle widgets which are placed in the AddonViews\Administrator subdirectory?
54.	617692	HxGN OnCall Dispatch | Administrator	No longer possible to restrict default workspace to only specific user groups.	It used to be possible to restrict access to the Default Dispatcher and Default Mobile Unit workspaces, then for some time it was not possible to restrict them. As of 2303, you can now restrict them, but you can restrict them only for all groups, not specific groups. Steps to Reproduce: **1.** Try to restrict the Default Dispatcher workspace and make it unavailable to specific user groups. This is not possible. **2.** Turn on the HideDefaultWorkspace parameter. The defaults are now restricted from all user groups. Expected result: you can restrict access to this workspace. Actual result: you cannot restrict access to this workspace only to specific user groups. It is all or nothing.

	Tracking #	Product	Summary	Description/How to Reproduce
55.	617692	HxGN OnCall Dispatch | Administrator	No longer possible to restrict default workspace to only specific user groups.	It used to be possible to restrict access to the Default Dispatcher and Default Mobile Unit workspaces, then for some time it was not possible to restrict them. As of 2303, you can now restrict them, but you can restrict them only for all groups, not specific groups. Steps to Reproduce: **1.** Try to restrict the Default Dispatcher workspace and make it unavailable to specific user groups. This is not possible. **2.** Turn on the HideDefaultWorkspace parameter. The defaults are now restricted from all user groups. Expected result: you can restrict access to this workspace. Actual result: you cannot restrict access to this workspace only to specific user groups. It is all or nothing.
56.	620005	HxGN OnCall Dispatch | Administrator	Unable to rename or edit layout tabs in Layout Manager.	I cannot rename layout tabs in Layout Manager because the restricted icon displays on the Rename option. The workaround is to clone the tab and rename it. This is an intermittent issue.
57.	623326	HxGN OnCall Dispatch | Administrator	Possible to add invalid layout to workspace.	It is possible in Layout Manager to create an invalid workspace by adding a deleted layout. This happens because the list of layouts is not updated following the deletion operation. Steps to Reproduce: **1.** Navigate to Layout Manager. **2.** Select a workspace. **3.** Delete a layout.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Select Use Existing Layout. **5.** Select the layout that was deleted in Step 3. **6.** Save the workspace. Note the workspace now contains an invalid layout. Expected result: no errors are displayed and you are prevented from adding an invalid layout. Actual result: errors suggesting corruption in the workspace-layout relationship are displayed.
58.	624793	HxGN OnCall Dispatch | Administrator	Adding an icon name to a Special Situation results in the image no longer displaying on the map.	Steps to Reproduce: **1.** From the Administrator menu, navigate to Data Management > Geographic > Special Situations. **2.** Add an image using this page. The image displays with the Special Situations boundary on the map. **3.** Add an image name using the Icon field. The Special Situations image no longer displays on the map.
59.	629522	HxGN OnCall Dispatch | Administrator	Unable to make changes in Notification Configuration.	We are trying to make changes in Notification Configuration so users can receive audio for unit timer alerts, but none of the changes we have made are saving or showing properly. Also, different users in Administrator are seeing different configurations of settings. When we save, the update is received by the database, but the change is not shown in Administrator. Steps to Reproduce: **1.** Log in to Notification Configuration. **2.** Try to make a change.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Everything succeeds, including the CAD_PUT_ONCALL_CONFIG_REQ that is sent. **4.** Refresh the browser. Expected result: changes should save and show properly. Actual result: none of the changes are saved or shown properly.
60.	629522	HxGN OnCall Dispatch | Administrator	Unable to make changes in Notification Configuration.	We are trying to make changes in Notification Configuration so users can receive audio for unit timer alerts, but none of the changes we have made are saving or showing properly. Also, different users in Administrator are seeing different configurations of settings. When we save, the update is received by the database, but the change is not shown in Administrator. Steps to Reproduce: **1.** Log in to Notification Configuration. **2.** Try to make a change. **3.** Everything succeeds, including the CAD_PUT_ONCALL_CONFIG_REQ that is sent. **4.** Refresh the browser. Expected result: changes should save and show properly. Actual result: none of the changes are saved or shown properly.
61.	632314	HxGN OnCall Dispatch | Administrator	After upgrading to a newer version, 2209 to 2303, administrators must	Steps to Reproduce: **1.** Upgrade a 2209 system to the 2303.1 version of OnCall Dispatch.

	Tracking #	Product	Summary	Description/How to Reproduce
			go back into Map Legend Management and re-add map layer.	**2.** In OnCall Dispatch Administrator, navigate to UI Configuration > Map Legend Management. Notice that all configured map layers are missing. Only the defaults are present. Administrators must click the Add Existing Layer for each layer to get back to how the map was configured before the update.
62.	636150	HxGN OnCall Dispatch | Administrator	Error when executing upgrade 09040000_to_10000000.xml file.	We are upgrading a site from I/CAD 9.1.1 to OnCall Dispatch. We have upgraded the database to 9.4 and are now executing the upgrade to OnCall Dispatch using the CAD Database Utility (to run the 09040000_to_10000000.xml file). The process generates an error when processing createTable AgencyEvent (invalid column name 'DatabaseUpdateTime'). The AgencyEvent table is created, but there are no triggers. We believe the issue lies with the creation of AgencyEvent_UTrigger, which we do not think it should be doing at this point in the upgrade. In the meta_objects.xml file, the procedure GenUpdateTriggerStmt appears to get called if the tables recovery type = UPDATE. Comparing to the previous version (OnCall Dispatch 2209) of the meta_objects.xml file, this procedure is called if recovery type = UPDATE and isUpgrade = no (so it does not get executed because the isUpgrade parameter is set to 'Yes').

	Tracking #	Product	Summary	Description/How to Reproduce
				It appears that because the parameter isUpgrade is not being checked in the 2303 version, the trigger creation executes and fails with an error message. We are blocked on performing the upgrade at this point, so we need advice on how to proceed.
63.	636428	HxGN OnCall Dispatch | Administrator	Administrator needs to refresh its access token so users are not logged out while still active.	Log in to Administrator directly. That is, do not first log in to OnCall Dispatch and then navigate to Administrator, but rather, go directly to the Administrator page and log in through there. Your session gets logged out even if you are actively using Administrator. In our case, we got logged out after 35 minutes. We did not know until we tried to navigate to another page, and we ran into loading issues, and there were 401s and 400s in the Network tab. Administrator needs to refresh tokens and to handle its session getting logged out more gracefully. Your session should be kept active, but it is not. In the LogonModule's Audit.txt, you do not see entries for Mark Session active. In our case, LogonModule logged us off after 35 minutes.
64.	638246	HxGN OnCall Dispatch | Administrator	Layouts get messed up after clearing cache.	After we clear the cache and log in again, certain dispatchers using multiple windows with custom layouts see on the first window the Default Dispatcher layout, even though they do not have access it. The main window fails to load. Steps to Reproduce: **1.** For a specific user group, configure a custom layout and remove access to the Default Dispatcher layout.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. In OnCall Dispatch, log in, log out, clear the cache, and then log in again. Expected result: all layouts load correctly. Actual result: one window shows the appropriate layout while the other window shows the Default Dispatcher layout.
65.	638246	HxGN OnCall Dispatch | Administrator	Layouts get messed up after clearing cache.	After we clear the cache and log in again, certain dispatchers using multiple windows with custom layouts see on the first window the Default Dispatcher layout, even though they do not have access it. The main window fails to load. Steps to Reproduce: **1.** For a specific user group, configure a custom layout and remove access to the Default Dispatcher layout. **2.** In OnCall Dispatch, log in, log out, clear the cache, and then log in again. Expected result: all layouts load correctly. Actual result: one window shows the appropriate layout while the other window shows the Default Dispatcher layout.
66.	638653	HxGN OnCall Dispatch | Administrator	First layout in list is loaded even if user is not using that role.	When we log in a user who belongs to multiple user groups, none of which have access to the default workspaces, it is possible for the system to initially load a workspace the current user role does not have access to. This results in a blank workspace entry in the main menu and primarily happens when the user

	Tracking #	Product	Summary	Description/How to Reproduce
				has not logged in before and therefore does not have any saved workspace preferences. Steps to Reproduce: **1.** Create a user with access to two roles and the corresponding layouts. When this user logs in for the first time, the first layout in the list is loaded. **2.** Make the role that does not have access to that layout the main role for the user. **3.** Log in for the first time as that user. Expected result: the first layout selected for the user role is loaded. Actual result: the layout for the wrong role is loaded.
67.	238393	HxGN OnCall Dispatch | Advantage	Unit Board search does not support comma delimiters as described in the HxGN OnCall Dispatch Help.	According to the HxGN OnCall Dispatch Help, the Unit Board should let you enter a comma-delimited string of values in the search bar to filter units by separate categories. For example, if you type PATROL, only units of that type are displayed. If the Help is accurate, you should be able to enter PATROL, D3, for example, to show units that are either that unit type or part of dgroup D3. Currently, this does not happen.
68.	293049	HxGN OnCall Dispatch | Advantage	Not able to use partial event numbers from command line.	We should be able to perform commands from the command line by using a partial event number, as long as we are specifying enough of the number for it to be unique. For example, we have an event (PE613). We cannot run “SEV 613” from the command line, but we can run “SEV PE613.” The only command I can get a

	Tracking #	Product	Summary	Description/How to Reproduce
				partial event number to work is with “DEV” (Display Event), as in “DEV 613.” We tried the following commands and none of them worked with the partial event number, but they did with the full event number: • Add Event Comments • Cancel Event • Cross Reference • Select Event • Update Event All event commands should be able to use the partial event number, as long as it is unique.
69.	358568	HxGN OnCall Dispatch | Advantage	About screen needs to display custom field showing local config version.	Users are unable to look at an environment and find out what the config is. About screen needs to display custom field showing local config version.
70.	386655	HxGN OnCall Dispatch | Advantage	Users can drag and drop restricted events.	Steps to Reproduce: **1.** Locate a restricted event on the Map. **2.** Drag and drop the event to a unit. The user is shown messages stating that the action is invalid. The action should not be allowed at all if not available.
71.	391627	HxGN OnCall Dispatch | Advantage	Tags should not be clickable.	Steps to Reproduce: **1.** Create an event and add some tags to it. **2.** Expand the card on the event board, observe that the tags section displays tags. **3.** It appears that the user can click on them here, which highlights the border in blue, but it doesn't actually do anything. Users shouldn't be able to click on them in this view. Or if you can, then it should actually do

	Tracking #	Product	Summary	Description/How to Reproduce
				something. In other parts of the UI clicking on the tag removes the tag.
72.	476138	HxGN OnCall Dispatch | Advantage	There are no restrictions on how small a user can resize a dialog box to.	There is not a minimum size value for how small a user can make a dialog box by using the drag controls.
73.	480110	HxGN OnCall Dispatch | Advantage	Facilities Board does not update dynamically after Add Diversion or Clear Diversion.	When the user runs the Add Diversion or Clear Diversion commands, the Facilities Board does not update automatically to reflect the change. The user must manually refresh to see the changes.
74.	485740	HxGN OnCall Dispatch | Advantage	Updated unit type details are not reflected in Transfer Personnel dialog box.	Steps to Reproduce: **1.** Open the Unit Board and select a unit. **2.** Run Edit Unit Properties and change the unit type. **3.** Select Save and Update. **4.** From the unit, select Unit > Transfer Employee from the context menu. **5.** Under Select Destination, select Existing Unit. **6.** Look for the previously selected unit type in the Type column filters. The column still shows the old type instead of showing the modified unit type, and logging out and in does not change this. Due to this, the Transfer Personnel dialog box displays an error.
75.	505477	HxGN OnCall Dispatch | Advantage	UnitAlarmHighlightWholeRow does not highlight the entire row.	I want the Unit Board to highlight the entire row when a unit timer is alarmed. However, setting the UnitAlarmHighlightWholeRow parameter to 1 does not control this as it should. This feature works on the Event Board, where it is available as a tab setting.
76.	508279	HxGN OnCall Dispatch | Advantage	Map Preference settings are not disabled for users that should not have access.	Steps to Reproduce: **1.** Login as a First Contact Operator that cannot view the location of units. **2.** Select an event on the Map.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Open the OnCall Dispatch Menu. **4.** Navigate to Preferences / Settings > Map Preferences. Expected Result: User cannot see the option to turn on Show Association Lines. Actual Result: User can see the option to turn on Show Association Lines despite the user not having access to units.
77.	509898	HxGN OnCall Dispatch | Advantage	Multiple unit options displayed while dispatching.	In Mobile Unit, multiple units with the same unit ID are displayed when I try to dispatch a unit to an event.
78.	510644	HxGN OnCall Dispatch | Advantage	Typing in command line and cursor gets moves down to Search bar on that board.	When typing in command line, the cursor gets moves down to Search bar on that board. This seems to happen on grid boards more than the card view. Also seems to happen more with horizontal layout of Event Board (Pending on top, Assigned on bottom) than with a vertical layout (Pending on left, Assigned on Right).
79.	510649	HxGN OnCall Dispatch | Advantage	Cannot Update Event from a Tear Off.	Can't seem to modify Event in a Tear Off. Steps to Reproduce: **1.** Drag a tear off to another monitor. **2.** Open it up in Edit. **3.** Click the Event Type **4.** Observe that the list is brought up on the other monitor.
80.	513134	HxGN OnCall Dispatch | Advantage	Multi-selection of units does not allow Acknowledge Staging.	Steps to Reproduce: **1.** Create an event. **2.** On the Unit Board, dispatch two units. **3.** Create two staging areas for those two units.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Dispatch Staging both units. **5.** After multi-selecting the units on the Unit Board and selecting Acknowledge Staging or Arrive Staging from the Unit Details panel, an error is displayed for one of the units.
81.	513836	HxGN OnCall Dispatch | Advantage	Text on the Event Search bar results is not fully visible.	When users search for events, there are certain text strings in the event type description that get chopped off in the results
82.	521261	HxGN OnCall Dispatch | Advantage	Archiving notifications near the bottom of the list navigates the user to the top of the list.	Steps to Reproduce: **1.** Navigate to the Notifications Panel. **2.** Scroll to the bottom of the list. **3.** Archive a notification near the bottom of the list. The user is taken back to the top of the list, but they should remain where they intended to continue working.
83.	530266	HxGN OnCall Dispatch | Advantage	Switching to Night Mode changes more than just the color of the dialog boxes.	Steps to Reproduce: **1.** Open a dialog box. **2.** From the menu, select Preferences / Settings > UI Settings. **3.** Turn on Night Mode. Instead of just the colors of the dialog box changing, the margins and button sizes change.
84.	531160	HxGN OnCall Dispatch | Advantage	Users cannot navigate into the information section to scroll in the chronology.	Users cannot navigate into the information section to scroll in the chronology.
85.	531234	HxGN OnCall Dispatch | Advantage	Mandatory fields in the Create Event and Create Scheduled Event dialog boxes are not indicated by a red asterisk.	In the Create Event and Create Scheduled Event dialog boxes, mandatory fields are indicated by having a red outline around the fields. Mandatory fields should be indicated by a red asterisk.
86.	531924	HxGN OnCall Dispatch | Advantage	Not all columns show column filters in the Unit Board.	In the Unit Board, the notification bar that displays active column filters shows certain filters (such as EventPriority and Event Type) but not others (such as Status and Agency). It is unclear what column

	Tracking #	Product	Summary	Description/How to Reproduce
				selections are being accounted for and shown in the filter text.
87.	532675	HxGN OnCall Dispatch | Advantage	Filtered events on the Event Board do not display after logging back in.	Steps to Reproduce: **1.** On the Event Board, filter events by priority. **2.** Click Select All. **3.** Log out of OnCall Dispatch. **4.** Go back to the Event Board. No events are displayed. Events only display after removing and then re-adding the filters.
88.	535854	HxGN OnCall Dispatch | Advantage	Unable to import ProQADispatchCodeMap.	Users dispatch emergency calls for police, fire and EMS. They use ProQA for all 3 disciplines. They have 53 EMS agencies, 127 Fire agencies and 55 police agencies. The agencyeventtype table has 47,855 rows. There are about 600 event types that are duplicated across these agencies. We are trying to import the ProQADispatchCodeMap which will map ProQA codes to a particular agency event type. There is a constraint on the database that in the ProQADispatchCodeMap table that prohibits duplicate ProQA codes. Need assistance in mapping these because the ProQA dispatch code won't be unique until you factor in the agency as well. Example: For agency EMS001, a ProQA code of 02E01 maps to a 02E01 event type for that agency. For EMS002, the same exists but I cannot add it for EMS002 in either the UI, bulk loader or direct in SQL. Currently, we are not allowing this because, mainly ProQA code has to identify the event type uniquely. We didn't think that the same ProQA code can be

	Tracking #	Product	Summary	Description/How to Reproduce
				added for different agencies. This needs a database schema change.
89.	535921	HxGN OnCall Dispatch | Advantage	When entering a special address, the Event Type and Subtype from the previously entered special address automatically populate in the fields.	When creating an event using RestAPI, fields automatically populate with the wrong information. When a special address is entered, the Event Type and Subtype from another event populate the fields and cannot be changed.
90.	536419	HxGN OnCall Dispatch | Advantage	Users are not given option to include Position ID in comments entered.	There is no option to have a user's Position ID display with the remarks they enter.
91.	537960	HxGN OnCall Dispatch | Advantage	Messages tab in 2209 issues with indexes.	Messages tab does not return any messages. Steps to Reproduce: **1.** Set RequestTimeout to 120 seconds. **2.** Observe that OCD successfully returned messages and the CAD_GET_CONVERSATION_LIST_REQ took 1.4 minutes. **3.** A subquery of CAD_GET_COVERSATION_LIST_REQ is trying to query a non-existent field as part of an "or" statement. There is no SendingEmployee column in the MessageReceive table.
92.	538195	HxGN OnCall Dispatch | Advantage	OnCall Dispatch ProQA summary icon displays inconsistently within the event panel	The ProQA summary icon (small flame for ProQA Fire) displays inconsistently within the event panel. The icon does not appear if the event panel is opened via double clicking on the event in the event board. If the same event is selected via the map the icon does display.
93.	539940	HxGN OnCall Dispatch | Advantage	Users get Recommend Unit preempt notifications for other agencies.	Layout Manager is configured so users receive notifications only for specific agency groups. However, users still receive Recommend Unit preempt notifications for other agencies.

	Tracking #	Product	Summary	Description/How to Reproduce
94.	541093	HxGN OnCall Dispatch | Advantage	Recurring Scheduled Event Edit Series overwrites previous changes.	Steps to Reproduce: **1.** Create Scheduled Recurring Events. **2.** Set the template for every day starting at 9 a.m. **3.** Select one of the events in calendar view and select edit occurrence to change the start time of one particular event to now be 11 a.m. **4.** Select another event from this series and select update series and change the start time to 1 p.m. The whole series is changed, including the individual occurrence from Step 3.
95.	544655	HxGN OnCall Dispatch | Advantage	Create Event dialog box randomly refreshes and moves mouse cursor.	When user attempts to fill out the Create Event dialog box, the dialog box refreshes and moves the mouse cursor back to the Location Information field.
96.	546481	HxGN OnCall Dispatch | Advantage	Assign Case Number command does not run with a unit and no event.	Steps to Reproduce: **1.** Define an override of the ASSCASE command in the CDCMDKEY parameter table (cad set) to let users enter unit and number table information, such as: • ASSC -U -N • ASSC -U -E -N Note: -N is the table number ID, and mine is 2 for this example. **2.** In OnCall Dispatch, execute the command for a unit that has an assigned event. In this case, the PosParamDelim parameter is set to let me skip the event ID. • ASSC P100,2 • ASSC P100,,2 **3.** This displays an error saying the event is not found, but if you click Back, the event ID is

	Tracking #	Product	Summary	Description/How to Reproduce
				displayed. It appears the dialog box can find the event ID based on the unit, but if you bypass the dialog box, the backend cannot handle the update. This is problematic for heavy command line users.
97.	549470	HxGN OnCall Dispatch | Advantage	Messages dialog box ignores any arguments added when using the Send Message command.	Steps to Reproduce: **1.** Access a layout that does not have a Messages tab. **2.** Enter SM and -S Test Message into the Command Line. The Messages dialog box appears, but the description defined in the Command Line is not auto filled into the dialog box.
98.	553704	HxGN OnCall Dispatch | Advantage	No way to localize SOP Search text from Event Panel.	Steps to Reproduce: **1.** Open the Event Panel. **2.** Go to the SOPs tab. **3.** Click the search icon. The SOP Search dialog box opens and displays the following text: "Search for SOP and Task Information Below." This text displays in English regardless of what language you select.
99.	554390	HxGN OnCall Dispatch | Advantage	The user's map layer choices are not remembered between sessions.	A user's map layer selections are not remembered after the user logs off and logs back in. The layer selection automatically goes back to the default selection.
100.	555202	HxGN OnCall Dispatch | Advantage	Multiple errors when logging with French/Portuguese languages in OCD after an AdminCommand module restart .	Steps to Reproduce: **1.** Connect in OCD in French. **2.** Restart AdminCommandModule in ISM. **3.** Refresh the browser. You can also restart AdminCommandModule in ISM and after login in French in OCD.

	Tracking #	Product	Summary	Description/How to Reproduce
				We struggled a long time with this error because we stopped our servers every night and we had this error every morning when we started up the server and connect in OCD in French language.
101.	556142	HxGN OnCall Dispatch | Advantage	Unit recommendations are including higher alarm levels	An event newly created at alarm level 1 is showing units in the list of recommended units to dispatch from the 2nd alarm. See two attached screenshots.
102.	558503	HxGN OnCall Dispatch | Advantage	The Status Column is displaying as a number.	Information in the Event Board Status Column is displaying as a number (from the parameter table) as opposed to a status. Clicking another tab and coming back to the tab in question causes it to update/refresh properly to the name of the status.
103.	558753	HxGN OnCall Dispatch | Advantage	Events still require disposition code when disposition code is already assigned.	When I clear a unit, a disposition code is required even though one is already assigned to the event. For example, in a scenario where two units are assigned to a traffic stop, if Unit A clears the event with a disposition code while Unit B remains on the event to wait for a tow truck, Unit B should not be required to provide an additional disposition code when clearing the event. Unit B should be able to clear and close the event since a disposition code is already provided. This occurs when the OneDispCodeFlag and IsDispositionCodeRequiredForAllUnits parameters are set to N.
104.	560801	HxGN OnCall Dispatch | Advantage	Notification scroll bar is barely visible on the Notifications Panel.	When I open the Notifications Panel, there is a scroll bar, but it is a different shade of gray from the background and barely visible.
105.	561060	HxGN OnCall Dispatch | Advantage	CasenumExistsWarn is set to Y (the default) but is not sending warning.	CasenumExistsWarn it set to Y (the default), but users are not getting a warning. New case numbers are getting added.

	Tracking #	Product	Summary	Description/How to Reproduce
106.	561304	HxGN OnCall Dispatch | Advantage	Users receive an error when going to /OnCall/Account/LogOff.	When getting forced off of the system, users will sometimes end up directed to /OnCall/Account/LogOff and get an error. This is because this URL doesn't support a GET operation.
107.	561304	HxGN OnCall Dispatch | Advantage	Users receive an error when going to /OnCall/Account/LogOff.	When getting forced off of the system, users will sometimes end up directed to /OnCall/Account/LogOff and get an error. This is because this URL doesn't support a GET operation.
108.	562708	HxGN OnCall Dispatch | Advantage	Night Mode is not considering the user preferences.	Local workspace settings (i.e., Night Mode) appear to be saved in the browser cache, like a cookie, instead of saving to the user profile on the server. When the cache is (repeatedly) cleared, night mode must be selected again.
109.	562782	HxGN OnCall Dispatch | Advantage	Add Copy & Paste to the Right Click to the pop-up context menus.	Users cannot right-click to copy from remarks in the event panel. Right-click now brings up a context menu to modify the priority of the remark.
110.	563273	HxGN OnCall Dispatch | Advantage	MenuConfiguration table does not honor the order of commands outside the default menus.	The MenuConfiguration table does not honor the order of commands outside the default menus. For example, I configured the Set Position ID command to display above the Actions menu section by setting Sort to 9. However, it gets placed under the General Ad-Hoc Timer menu section at the bottom of the menu. The other Sort values start with 10 and increase, but when you add a row with Sort as 9, it gets put at the bottom.
111.	566045	HxGN OnCall Dispatch | Advantage	Attempting to add a beat to the UPDATE EVENT command leads to a notification stating that the extra parameter is not supported.	Steps to Reproduce: **1.** Enter UPDATE EVENT on the command line. **2.** Add an event ID and a beat to the command by using -E and -B. **3.** Press ENTER. A notification displays stating that the -B and the beat code entered is not supported.

	Tracking #	Product	Summary	Description/How to Reproduce
112.	566392	HxGN OnCall Dispatch | Advantage	Event Board Column Edits cannot be done in smaller views.	In the event board, a user can configure a column setting. If the event board view is small, the user may not get to the Save button.
113.	566454	HxGN OnCall Dispatch | Advantage	Highlighted update for assigned units is hard to read in Night Mode.	Steps to Reproduce: **1.** Go to the Event Board. **2.** Make sure Night Mode is turned on. **3.** Make sure Update Highlights are turned on. When you assign a unit to an event, that UnitId is highlighted on the Event Board card. However, the text is still white, making it hard to see against the highlight color.
114.	566861	HxGN OnCall Dispatch | Advantage	When Map Route Guidance is enabled, it is not easy to see the street name.	When adding the Next Turn street name to the black directional box at the lower left corner (possibly replace the word “towards” with the street), the only way to know the next street to turn onto is by listening to the audio directions (which is turned off due to users needing to hear the radio) or by clicking on “route summary” that opens up a whole new screen.
115.	567417	HxGN OnCall Dispatch | Advantage	OnCall Dispatch does not display event colors by priority.	In the cad -> StatusDisplay parameter table there is a parameter called HowEventColor. If set to 0, the text color of the event line should be based on the priority of the event. This does not work. The color of the text is only based on status at this time. The built-in setting of Color Text Based on Status is not changed by this setting.
116.	567912	HxGN OnCall Dispatch | Advantage	Scheduler memory usage is very high, memory leak detected by internal monitoring.	The scheduler causes high CPU and memory on node akswpin00001g. A memory leak alert has also been detected on it.
117.	569101	HxGN OnCall Dispatch | Advantage	When a unit that was transferred on dispatch is clear, a user that is restricted from that dgroup still sees that unit icon on the map.	Steps to Reproduce: **1.** Log in to OnCall Dispatch with a user that has cover access to all POLICE dgroups. **2.** Open Administrator from the main menu.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. In Parameter Management, ensure the cad set > GeneralDetails list > auto_trans_on_disp parameter is set to 1. **4.** In User & Group Management, create an access list that covers only one agency/dgroup. For example, POLICE/NW. **5.** Create a group that uses the new access list. **6.** Add a user to the new group, making it the default group for the user. **7.** Refresh OnCall Dispatch to receive any parameter changes. **8.** Using an incognito window, log in to OnCall Dispatch as the user from Step 6. **9.** Create an event in the POLICE/NW dgroup. The event icon is displayed on the map for both users. **10.** From the user with cover access to all POLICE dgroups, dispatch a POLICE/NE unit to the POLICE/NW event. Because the unit was transferred on dispatch, the POLICE/NW user now sees that unit on the map. **11.** Open the Event Panel for both users. **12.** From the POLICE/NW user, clear the POLICE/NW unit from the event. Both users see the event close. The POLICE/NW user still sees the POLICE/NE unit on the map with a status icon showing Dispatched, and the user with cover access to all dgroups shows the unit in Available status. **13.** Open the Unit Panel for both users. The POLICE/NW user Unit Panel shows the unit is in the NW dgroup, and the other user correctly shows it in the NE dgroup.

	Tracking #	Product	Summary	Description/How to Reproduce
				14. Refresh the POLICE/NW session. The unit icon is removed from the map. Expected result: when a unit that was transferred on dispatch is cleared, the restricted user no longer sees that unit icon on the map. Actual result: when a unit that was transferred on dispatch is cleared, the restricted user still sees that unit icon on the map.
118.	569252	HxGN OnCall Dispatch | Advantage	Trying to transfer a unit to the same Dispatch Group gives incorrect error.	Steps to Reproduce: **1.** Log on a unit to a certain dispatch group, NORTH. **2.** Try and transfer that unit to dispatch group NORTH. **3.** The command will fail because the unit is already in that dispatch group. However, the error message will tell the user that there are "No Dispatchers for X/Y", but in this case there are covering dispatchers. The message should instead tell the user that they cannot do this because the unit is already in that dispatch group.
119.	569900	HxGN OnCall Dispatch | Advantage	The Event Board Card is shifting to right and pushing the context menu out of view.	The three dots to access the context menu are missing from Event Board Card. Right-clicking on the space where it should be brings up the menu, so this appears to be a display issue only. The issue occurs when using styled-text element, all text is one line. So, text shifts off the card, as well as the context menu icon shifting to the right.
120.	570754	HxGN OnCall Dispatch | Advantage	Accept Closed Event lets users select a time that has not occurred yet for the Time Control Data section.	Steps to Reproduce: **1.** Enter ACE into the Command Line. **2.** Fill in necessary fields.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. In the Time Control Section, use the calendar tool to select the Event Added time. User can select a time and date in the future.
121.	570873	HxGN OnCall Dispatch | Advantage	Read-access users not available in the Event Security options.	Currently, in the list of users and groups in the Event Security dialog box, only users and groups with at least Write access to the event are shown as options that can be given access when the event is secured. Any user or group that has only Read access to the event cannot be given access to continue to read the event information. This does not appear to be documented anywhere.
122.	572677	HxGN OnCall Dispatch | Advantage	'To' field - error message and name separator	Steps to Reproduce: **1.** Log on to application. **2.** Navigate to Messages tab. **3.** Click on Compose message button. **4.** In the 'TO' field, select the same contact multiple times. **5.** Provide the required fields. **6.** Click on Send Expected result: Either a proper error message conveying the user about the issue should be displayed or the user should be restricted from selecting the same contact multiple times. Actual result: An error message is displayed as "An invalid argument was supplied".
123.	572758	HxGN OnCall Dispatch | Advantage	Queue Event command on event card context menu is disabled for queued events.	I cannot queue units to already queued events. The command is always disabled for events in Queued status.
124.	574297	HxGN OnCall Dispatch | Advantage	Scroll bar for command line entry does not work.	When using the command line, a list of commands and a scroll bar are displayed if you enter a letter. If you select the scroll bar, it disappears and then

	Tracking #	Product	Summary	Description/How to Reproduce
				reappears. You must use the mouse scroll wheel or the UP and DOWN keys.
125.	574853	HxGN OnCall Dispatch | Advantage	Remove -T option from timer command lines.	In 2303, documented references to the -T option were removed based on feedback. The option should be removed from the product.
126.	575336	HxGN OnCall Dispatch | Advantage	Message Group Name label on General tab of Edit Unit Properties dialog box is misplaced.	On the General tab of the Edit Unit Properties dialog box, there is a Message Group Name label without clear purpose displayed at the top of tab.
127.	576712	HxGN OnCall Dispatch | Advantage	The user receives a Success notification when the About Box is launched from the command line.	Steps to Reproduce: **1.** From the Command line enter About Box and press ENTER. **2.** The About Box is displayed but you will also receive a Success notification. Expected Result: The About box should be displayed without generating a Success notification. Actual Result: The user receives a Success notification when the About Box is launched from the command line.
128.	576756	HxGN OnCall Dispatch | Advantage	The first time the user accesses the Create New Tab dialog box not all the tabs nor User Settings information loads	Steps to Reproduce: **1.** Login to OnCall Dispatch and select the Events tab. **2.** From the Event Board click on the + button and from the prompt select Create New Tab. **3.** When the Create New Tab dialog box is displayed it is missing the General Settings and Columns tabs along with some of the User Settings check box and radio button labels. **4.** Cancel out of the dialog box and then bring it back up again and everything will now load successfully.

	Tracking #	Product	Summary	Description/How to Reproduce
				5. This only happens the first time you bring up the Create New Tab dialog box. Actual Result: The first time you access the Create New Tab dialog box not all the tabs nor User Settings information loads. Expected Result: The first time the user accesses the Create New Tab dialog box all of the tabs and User Settings information loads.
129.	579246	HxGN OnCall Dispatch | Advantage	A custom widget dialog box does not display correctly when the Event Panel or Unit Panel is docked to the right of the user's screen.	Multiple issues occur when the Event Panel or Unit Panel is docked to the right of the screen and a custom widget is used. The custom widget does not display in some cases or the dialog box for the custom widget does not display correctly.
130.	580303	HxGN OnCall Dispatch | Advantage	AniAli packet is still printed with ForceLogPacket disabled.	Steps to Reproduce: 1. Set the parameter aniali -> ClientHost -> ForceLogPacket to 'F'. 2. From ISMAdmin, restart AniAliModule and RestfulCAD. 3. Change folders to c:\Program Files\Intergraph\AniAli\ClientHost. 4. Edit the log4net.config file and change the threshold value to 'All'. 5. Run AniAli ClientHost. 6. Run AniAli TestTool and spend a spill. Expected Result: Before processing data is displayed without the packet information. Actual Results: The packet is not printed with "Before processing data" but is still printed with "DataSource Sending to PacketProcessor."

	Tracking #	Product	Summary	Description/How to Reproduce
131.	581255	HxGN OnCall Dispatch | Advantage	EventCacheItem.MaxArriveTime and EventCacheItem.HoldTime are not being populated.	To be more performant, these values are needed by other applications so they do not have to be retrieved from the database.
132.	582363	HxGN OnCall Dispatch | Advantage	Newly added SOP not displayed in Event Panel until page is refreshed.	When the user creates an event and runs SOP Assign for it, the SOP icon does not display on the event. Closing and opening the event does not work. The icon is shown only when the user refreshes the page. I also tried this with two users having the event opened at the same time, and the icon is not displayed on either. This is an environment without load balancer running one server. When an SOP with a decision task is assigned to an event, and the user accepts the decision tasks and answers a question in the task, nothing happens. If the user then closes the event and reopens it, goes to the SOPs tab, and views the decision task, the previous user choice is now selected (the circle is blue). If the user then selects one of the other options, nothing happens. If the user closes and reopens the event, the new option is now selected. Steps to Reproduce: **1.** Assign an SOP with a decision task to an event. **2.** Accept the decision task and select one of the answers. Expected result: the answer is marked and selected. Actual result: nothing happens. The answer is not marked unless the event is closed and opened again.

	Tracking #	Product	Summary	Description/How to Reproduce
				When completing a task, the user sometimes gets an error notification stating the tasks failed to close. If I press F12 and review the Network tab, it states the same tasks cannot be closed twice. The task has been closed, but this is not shown in the front end. When the event is closed and opened again, the task is completed and closed correctly. Steps to Reproduce: **1.** Assign an SOP to an event. **2.** Complete/close an SOP task. Expected result: it is always possible to close a task. Actual result: sometimes it is not possible to close a task, and an error message is displayed stating an error occurred. When the event is closed and reopened, the task is closed. A refresh of the event is needed for the SOP task status update. When an SOP is assigned to an event and the tasks are closed, marking the SOP as completed, the same SOP is not shown in the event when being assigned again using SOP Assign, unless the event is closed and reopened. The SOP is then shown on the event. Steps to Reproduce: **1.** Assign an SOP to an event. **2.** Close the SOP by completing all the tasks. **3.** Assign the same SOP to the same event using SOP Assign. Expected result: the same SOP is assigned to the event.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: the same SOP does not appear on the event before closed and reopened.
133.	582979	HxGN OnCall Dispatch | Advantage	User can create a map graphic for an event even if access is restricted.	Steps to Reproduce: **1.** Locate a restricted event. **2.** Right-click on the event and select More Options > Draw Graphics. Expected Result: User is shown a message that states the event is restricted and the user does not have permission to view the event. This includes not being able to draw a map graphic. Actual Result: User can add a map graphic to the event despite the event being restricted.
134.	583284	HxGN OnCall Dispatch | Advantage	When tags are added to an event board, user only see numbers.	When tags are added to an event board, you only see numbers. Tags can be very helpful in allowing filtering of events, but when they are added to the event board, you only see the numbers (ids). This information has no meaning to the user. The name should show up.
135.	584275	HxGN OnCall Dispatch | Advantage	Queued event map tooltip does not appear to be localizable.	The queued event tooltip does not have a method to localize the text. Steps to Reproduce: **1.** Queue multiple events to a unit. **2.** Locate that unit on the Map and hover over it. Expected result: the text can be localized, for example, from event to incident. Actual result: the text cannot be localized.
136.	584477	HxGN OnCall Dispatch | Advantage	Load more tags/ load less tags button does not really have a function.	In the Tag tab on the event, there is a "Load more tags"/"Load less tags" button even though there are no more tags to load. The button should be inactive when there are no more tags to load, and then first

	Tracking #	Product	Summary	Description/How to Reproduce
				be active when there actually is more tags to load. Right now, the button really does not do anything or have a function other than the user can click on it.
137.	584619	HxGN OnCall Dispatch | Advantage	On the Unit Board, the Unit Status icons do not display until changing tabs.	Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** Select the Units tab and confirm the unit status icons are not displayed. **3.** Click Edit Current Tab in the upper-right corner of the screen. **4.** Under User Settings > Status Display, check Show Status by Icon. **5.** Click Update. **6.** Confirm the unit status icons do not display next to the unit statuses in the Status column on the Unit Board. **7.** Select the Events tab and then select the Units tab. **8.** Confirm the unit status icons display.
138.	584844	HxGN OnCall Dispatch | Advantage	Handle missing special characters in Event and Unit Board searches.	For customers using languages that have many special characters, when trying to search for a word on the event or unit board that uses one of these special characters, it can be possible for the user to search for the normal version of the character instead of the special one. This causes the search to be incorrect.
139.	584851	HxGN OnCall Dispatch | Advantage	Warning and error messages do not display consistently when creating a map graphic.	Error messages displayed when drawing graphics on the map are not consistent and display different messages.
140.	584855	HxGN OnCall Dispatch | Advantage	When drawing a line with Map Graphics Editor, the line disappears.	Steps to Reproduce: **1.** Right-click an event on the Map. **2.** Select More Options > Draw Graphics.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Click Create Shape in the Existing Shapes section. **4.** Enter a name in the Shape ID field. **5.** Click Add Shape and select Line. **6.** Create the shape and after adding a few more points, move the mouse cursor over the Map Graphics Editor dialog box. Expected Result: The line being drawn remains on the Map and can be added to after the mouse cursor is moved. Actual Result: The shape being drawn disappears and cannot be added to.
141.	585012	HxGN OnCall Dispatch | Advantage	Map does not sync correctly when the Restore Filters option is selected.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, ensure the Sync filters with event board toggle is on for the Map in the UI Editor. **2.** In OnCall Dispatch, arrange the browser windows so the Map, Event Board, and Unit Board can be seen. **3.** Select a tab on the Event Board and Unit Board. **4.** Select Show All from the map filter status ribbon shown at the top of the Map. **5.** Select Restore Filters from the map filter status ribbon. Expected Result: The Map syncs correctly with the filters applied and only shows events and units that are also currently being shown on the Event Board and Unit Board. Actual Result: The Map does not sync, and the Map does not show all the units.

	Tracking #	Product	Summary	Description/How to Reproduce
142.	585085	HxGN OnCall Dispatch | Advantage	After selecting users and groups on the Event Security Status dialog box, clicking the map clears the form.	Steps to Reproduce: **1.** Use a workspace that has at least two screens, placing the screens so that both can be seen simultaneously. **2.** Make sure one screen shows the Map view and one shows the Event Board, and make sure an event is not highlighted. **3.** Run the Event Security Access command. The dialog box is displayed and empty. **4.** Select on event on the Event Board. **5.** Select some users and groups to which to give access. **6.** Select the Map view on the other screen. Expected result: selecting another screen does not clear the form. Actual result: the dialog box is cleared.
143.	585291	HxGN OnCall Dispatch | Advantage	When the custom text field on Event Card is filled with text and no spaces, the More Options menu disappear.	Steps to Reproduce: **1.** Create a custom text field that displays on the Event Card. **2.** Add text to that field with no spaces. Actual result: The text is not fully displayed, and the More Options menu (ellipses) disappears. Expected result: The text is wrapped to fit on Card, and the menu is available.
144.	585951	HxGN OnCall Dispatch | Advantage	When filtering Columns, users cannot see left side of filter.	Steps to reproduce: **1.** Create an Event filter where one column has several group filter values - e.g., dispatch groups that varies in length. **2.** Save the filter. **3.** In the Event Board, go to the created filter, and click on the settings icon next to the column.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: The whole filter dialogue can be seen. Actual result: The left side of the filter dialogue is missing.
145.	585973	HxGN OnCall Dispatch | Advantage	Scrolling Comments cannot be pinned.	Steps to Reproduce: **1.** Have an event or call that has a bunch of comments. **2.** Hit the Scrolling Off/On pin in the Comments (or Overview) tab of the Event panel (or Call-Taker). **3.** Scroll down in the comments to a place of interest. **4.** Have another Dispatcher or OMU add a comment and that it jumps back to the top. Actual Result: The comment panel jumps back to the top of the list and shows the new comment. Expected Result: The comment panel should stay scrolled to where the user has it.
146.	586275	HxGN OnCall Dispatch | Advantage	Expensive SOP query is causing high CPU usage in EventCommandsModule.	After running a performance test, the top query involved SOPs and consumed 14.4% of the database CPU. It would help to try and simplify this query to speed it up.
147.	586746	HxGN OnCall Dispatch | Advantage	Shortcut definitions are not working correctly.	The Layout Manager offers the option to define shortcuts on docked views. Using the Command Line view, as an example, it seems that it is possible to define the shortcut for opening the command line to e.g., Shift+Alt+F11, which seems to work. The command line opens when clicking the combination of keys.

	Tracking #	Product	Summary	Description/How to Reproduce
148.	587894	HxGN OnCall Dispatch | Advantage	Map pins request fails when there are lots of devices, alarms, and cameras.	Map pins requests are failing when we have lots of devices, alarms, and cameras.
149.	587923	HxGN OnCall Dispatch | Advantage	OnCall Utilities service needs to accept the Comm port that is sending GPS data and not get stuck on a Comm port that is not sending any data.	Steps to Reproduce: **1.** Install the OnCall Utilities service. The install for this service is located on the About page for OnCall Dispatch. **2.** Define multiple comm ports in the Portname parameter name in the ClientServices Parameter list, OnCall set. The ports need to be comma separated, for example, COM3, COM4, COM5. **3.** Make sure the GPS data is coming in on port COM4. (This may be a challenge to test locally, especially when testing is done on VMs- there is no way to get GPS data on COM ports there). Actual Result: The service tries to connect to COM3 and gets stuck there. Expected Result: The service needs to move onto the port that is actually receiving the GPS data (COM4 for example).
150.	588389	HxGN OnCall Dispatch | Advantage	Unit Type drop-down list disappears from Edit Unit Properties dialog box when predefined unit type is selected.	Steps to Reproduce: **1.** Go to the Unit Board. **2.** Right-click a unit and select Edit Unit Properties. **3.** In the Unit Type drop-down list, enter a predefined unit type and see if the value changes. Expected result: the unit type should change.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: you cannot enter a predefined unit type. The drop-down list disappears and prevents the value from changing.
151.	588571	HxGN OnCall Dispatch | Advantage	Properties with a Boolean type is not saved in BroadcastUserDefinedSupplement when creating Broadcast from Custom SuppInfo.	In a Broadcast, the property with aBoolean type is always has value false, no matter what value is set in SuppInfo. The query database with "select * from BroadcastUserDefinedSupplement dis plays BroadcastId = <broadcast ID>". That property doesn't exist in CustomData.
152.	589113	HxGN OnCall Dispatch | Advantage	The Event Panel and Add Remark dialog box do not give the users the same options to restrict remarks.	Steps to Reproduce: **1.** Create a multi-agency event and open it in the Event Panel. **2.** In the Remarks section, select the Setting icon. **3.** Check the Restrict to Agency check box. **4.** In that section you can choose from a list of Security Groups (defined in Administrator) to restrict the remarks to. **5.** Open the Add Remark dialog box for one of the events you created. At the bottom of the dialog box, there is a Restrict to Agency check box. **6.** Check the Restrict Agency check box. Checking this makes it so that comments you add to that specific agency ID will not be visible to other events within the multi-agency. Actual Result: The Event Panel and Add Event Comments dialog box have different methods for restricting remark access.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected Result: The Event Panel and Add Event Comments dialog box both have the same method of restricting a remark.
153.	589116	HxGN OnCall Dispatch | Advantage	Transfer Event command line displays error when providing required arguments.	The following command line does not work and displays an error and the dialog box without an agency: TREV -E <EventId> -D <DG> If you use the dialog box to select an agency, the command works. Using the following command line also works: TREV -E <EventId> -A <Agency> -D <DG> If I dismiss the error, the dialog box goes back. If I then select an agency, the command submits successfully. The red borders around the To Agency and Dispatch Group drop-down lists suggest both are required, but the Help says only Dispatch Group is

	Tracking #	Product	Summary	Description/How to Reproduce
				required. If I add both -A and -D to the command line, the command works.
154.	589237	HxGN OnCall Dispatch | Advantage	Map does not zoom in when searching for locations.	Steps to Reproduce: **1.** Open an Event Panel for an event with only a small portion of the Map showing. **2.** Edit the event. **3.** Search for an address in the Location field. Expected Result: The Map zooms in to display all possible results for the address being entered. Actual Result: The Map zooms in to the max zoom level and does not display all the possible location results.
155.	590120	HxGN OnCall Dispatch | Advantage	Unit Board filter does not show which dispatch group belongs to which agency.	When multiple agencies in a system have the same dispatch group name, the Unit Board tab filtering does not distinguish which agency the dgroup belongs to. Steps to Reproduce: **1.** In Administrator, add a dgroup with the same name to multiple agencies. **2.** In OnCall Dispatch, start creating a private tab on the Unit Board. **3.** Add both agencies to the tab filters. **4.** Add dispatch groups to the tab filters. Notice the drop-down list shows two instances of the dgroup name, which is correct, but does not show enough information. Expected result: the filter text shows the dgroup-agency relationships for user recognition.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: in all cases of creating and displaying the filter, the dgroup does not show which agency it is for.
156.	590379	HxGN OnCall Dispatch | Advantage	Units take a very long time to appear on the map.	Units take a very long time to appear on the map.
157.	591362	HxGN OnCall Dispatch | Advantage	Filter options do not sync when viewing two locations in one tab.	Steps to Reproduce: **1.** Open a tab that has the selected event view and can show the Event Panel. **2.** Double-click an event to pull up the event in both locations. **3.** In one of the locations, turn on filtering. One of the two locations (it is random) will not show the filtering being turned on.
158.	591367	HxGN OnCall Dispatch | Advantage	When attempting to open the context menu for a unit, the context menu appears out of view.	Steps to Reproduce: **1.** Adjust the map so that a unit is at the bottom right of the screen. **2.** Select the unit. **3.** Select the context menu. The context menu appears partially off screen and out of view.
159.	591373	HxGN OnCall Dispatch | Advantage	Advanced Search still includes search criteria despite the criteria being removed prior to the search being performed.	Steps to Reproduce: **1.** From the menu, select Inquiry > Event Search. **2.** Select Advanced Search. **3.** Select the Common tab. **4.** Select an Event Status from the drop-down list. **5.** Remove the selected Event Status. **6.** Fill in other criteria. **7.** Click Submit. Expected Result: Results are displayed that do not include the criteria previously removed.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: The search results include results that fit the Event Status criteria that was removed.
160.	591374	HxGN OnCall Dispatch | Advantage	When including a date range when using Event Search, it searches for events based on their updated dates and not the created date.	Steps to Reproduce: **1.** Create an event. **2.** From the menu select Inquiry > Event Search. **3.** From the Range setting drop-down list, select any date range. **4.** The newly created event displays in the search results. **5.** Update the event. **6.** Perform another Event Search that has a date range that would exclude the time the event was created. The search results displays the event despite the time it was created not matching the time range given. The search bases the results on the time the event was updated and not the time the event was created.
161.	591427	HxGN OnCall Dispatch | Advantage HxGN OnCall Dispatch | Mobile Unit	Update Event command line must support -U.	The -U option is not available for Update Event command line. It should be available, allowing the user to identify the event for update by passing a currently assigned Unit ID.
162.	591464	HxGN OnCall Dispatch | Advantage	Certain fields on the Assign Unit dialog box are not aligned.	On the Assign Unit dialog box, certain fields are not aligned. The Comments, Unit, and Mileage fields should be the same height, and they should be aligned vertically.
163.	591633	HxGN OnCall Dispatch | Advantage	Web-View content is not displayed in Event board card section.	The customized Event board card on Event Board doesn't display the content of web-view.
164.	591677	HxGN OnCall Dispatch | Advantage	Right-click menu always opens on the top or leftmost view if multiple views of the same type are on a tab.	Steps to Reproduce: **1.** Create a tab containing multiple Event Board or Unit Board views. **2.** Right-click an event or unit in the bottom or rightmost view.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: right-click menu displays in the same view as the right-click action. Actual result: right-click menu displays in the leftmost or top view.
165.	592057	HxGN OnCall Dispatch | Advantage	Event is displayed in Assigned status after all assigned units are cleared using the Clear All Units context menu command.	Steps to Reproduce: **1.** Create an event. **2.** Assign three units to the event. **3.** Right-click the event card and select Clear Unit > Clear All Units from the context menu. The event remains in Assigned status even though it should be closed and not shown on the Event Board.
166.	592117	HxGN OnCall Dispatch | Advantage	Two messages use the same message type.	In 2309 and earlier, there is a message in OnCallMessages and a message in OnCallRealtimeWebApi that both use the identifier NOTIFY_UNIT_EMERGENCY as the message type. This could be problematic because of how the serializer lookup is done.
167.	592806	HxGN OnCall Dispatch | Advantage	When opening an event on the event panel, an error displays on Dev Tools Console.	Steps to Reproduce: **1.** Open an event with a double-click from the Event Board. Actual Result: The event is opened but an error displays on the Dev Tools Console. Expected Result: No errors are displayed on the console.
168.	592807	HxGN OnCall Dispatch | Advantage	When changing a unit location from the command line using a common place name, the system picks the first common place.	When I perform a unit location change, the command line does not display a list of common place names and instead picks the first entry. However, using a dialog box does display a list.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: performing this operation from the command line displays a list common place names to select from. Actual result: performing this operation selects the first common place name in the list.
169.	593101	HxGN OnCall Dispatch | Advantage	Dispatch Group drop-down list on the Event Board is not able to handle the same DG name in multiple agencies.	Steps to Reproduce: **1.** On the Event Board, select the Dispatch Group column. **2.** Filter the column by two different agencies. **3.** Select a Dispatch Group. Actual Result: When attempting to select a Dispatch Group that has the same name in multiple agencies, duplicate values are shown. This causes confusion and results in the wrong Dispatch Group being selected. Expected Result: User can select a Dispatch Group from all the selected agencies.
170.	593177	HxGN OnCall Dispatch | Advantage	The Event Search Query across Archive and Live DB only returns results from one database.	When doing an event search that goes across the Max Data Age for a Live Query setting, results for the event search are only returned from the Live database, not from both.
171.	593180	HxGN OnCall Dispatch | Advantage	Adding a Required keyword to a Special Address results in the Dispatch Group field not being filled.	Steps to Reproduce: **1.** Define a new Special Address outside of your deployment polygons. **2.** Assign that special address a Required Keyword. **3.** Assign that special address an Agency ESZ that is not being used. **4.** Log in to OnCall Records. **5.** Create a new beat in Deployment Records.

	Tracking #	Product	Summary	Description/How to Reproduce
				6. For the beat, give it a Deployment Record row for the ESZ and assign it a Dispatch Group. **7.** Log in to OnCall Dispatch. **8.** Create an event at the special address. The Dispatch Group does not fill properly.
172.	593204	HxGN OnCall Dispatch | Advantage	Schedule Events stores the wrong datetime in scheduleComponent-endtime.	When you create a scheduled event and set startTime and endTime, then endTime is not stored correctly in scheduleComponent table: endTime is stored equal to startTime.
173.	593221	HxGN OnCall Dispatch | Advantage	AgencyEvent and AgencyEventHistory not updated on queued events.	AgencyEvent and AgencyEventHistory are not updated when an event moves to Queued status. This makes it impossible to know if an event was in Queued status during its lifecycle. Steps to Reproduce: **1.** Queue an event to a unit. AgencyEvent changes StatusCode to 22. **2.** Remove all units from the queued event. AgencyEvent changes StatusCode to 7. **3.** In both cases: • AgencyEvent does not change the timestamp in LastStatusChangeTime. • No rows are added in AgencyEventHistory. Expected result: LastStatusChangeTime has the timestamp the event changed to Queued status (and/or to Pending from Queued) and AgencyEventHistory has rows for StatusCode where appropriate, such as 7 when the event is queued.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: LastStatusChangeTime and AgencyEventHistory are not updated.
174.	593253	HxGN OnCall Dispatch | Advantage	Preempt Unit option behaves differently when selected from the Event Board rather than from the Event Panel.	Steps to Reproduce: **1.** Dispatch a few units to an event. **2.** Open the Event Panel for the event. **3.** Select the context menu at the top of the Event Panel. **4.** Select Preempt Unit. All dispatched units are preempted. The user is not given a choice of which unit to preempt. This choice is given when Preempt Unit is selected from the Event Board.
175.	593257	HxGN OnCall Dispatch | Advantage	A comment is added to an event stating the unit was preempted when transferred to a new agency.	Steps to Reproduce: **1.** Create an event. **2.** Assign a unit to the event. **3.** Transfer the event to a new agency. **4.** Look at the comments on the event. A comment is added stating that the unit was preempted. This comment should not have been added.
176.	593262	HxGN OnCall Dispatch | Advantage	The Remarks field in various dialog boxes cannot be expanded depending on what the AutoSuggestRemarks parameter is set to.	Users are unable to expand or view the Remarks section of a dialog box depending on what they have set the AutoSuggestRemarks parameter to. The section should be able to be expanded regardless of what the parameter is set to.
177.	593265	HxGN OnCall Dispatch | Advantage	If two users are modifying or adding to existing supplemental information at the same time, some information will be overwritten.	Steps to Reproduce: **1.** Login as one user (User A) and modify supplemental information for an event by changing the Name. **2.** Have someone else login as another user (User B) and modify the same supplemental information for the same event and change the Date of Birth.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. The second user (User B) saves their change. **4.** The first user (User A) saves their change. Expected User: Both changes are seen and not overwritten. Actual User: User A's update overrides User B's change.
178.	593530	HxGN OnCall Dispatch | Advantage	Device ID and alias disappear from Edit Unit Properties dialog box when selected before the device type is selected.	It is not possible to choose an ID or alias before selecting a type of device. Therefore, if the user enters the serial number for a weapon and an alias before selecting the type, the entered serial number and alias disappear, requiring the user to enter the information again. Steps to Reproduce: **1.** Select a unit and open the Edit Unit Properties dialog box. **2.** Go to the Devices tab. **3.** Select a value from the Owner drop-down list, and then enter an ID and alias. **4.** Select a value from the Add Type drop-down list. Expected result: it is possible to enter an ID and alias before selecting a type. Actual result: when a type is elected after the ID or alias, the entered ID and alias values disappear.
179.	593544	HxGN OnCall Dispatch | Advantage	Transferring event to new beat is not captured in the event remarks.	Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** From the Event Board, transfer an event to a different dispatch group and beat. **3.** View the event in the Event Panel.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: as with other updates, the transfer of the event to a new dispatch group and beat is fully captured in the event remarks. Actual result: although the event transfer to a new dispatch group is mentioned in the event remarks, the new beat is not mentioned. However, this detail is present in the event chronology.
180.	594552	HxGN OnCall Dispatch | Advantage	The values for the Highlight Event filter group are not translated into the appropriate language.	Steps to Reproduce: **1.** Create a filter on the Event Board. **2.** Select the filter group Highlight Event. **3.** Select a value. Expected result: The values are in the customer's chosen language. Actual result: The values are in English and are not translated.
181.	594561	HxGN OnCall Dispatch | Advantage	Notifications deleted on one screen remain shown on other screens.	When the Notifications Panel is open in all three windows, screen notifications deleted in one window are still shown in the other two windows. It seems some types of notification synchronize between screens, but there are cases where there is no visual synchronization. Steps to Reproduce: **1.** Use a workspace that has the Notifications Panel in all three windows. **2.** Perform actions to display some notifications. **3.** Delete a screen notification in one window. **4.** Review the notifications in the other two windows.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: deleting the notification in one window removes it from all windows. Actual result: deleted notifications are still shown in the other windows after they are deleted from one window.
182.	594938	HxGN OnCall Dispatch | Advantage	User can view dispatch group(s) in the Transfer Event dialog box they do not have write access to.	Steps to Reproduce: **1.** Enter TRANSFER EVENT into the Command Line. **2.** Select an event from the Transfer Event dialog box. **3.** Select an agency. **4.** View the Dispatch Group drop-down list. Dispatch groups that the user does not have write access to are included in the list.
183.	597233	HxGN OnCall Dispatch | Advantage	The Clear Unit option does not behave the same when it is used from the Event Panel.	When selecting the Clear Unit option from the Event Panel, the action is performed with no other options being given. When Clear Unit is accessed from the Event Panel, the user is given the option to either clear one or several units. The Clear Unit option should work the same from both the Event Board and Event Panel.
184.	597361	HxGN OnCall Dispatch | Advantage	Event chronology does not feature geofence entry when creating P0 event within geofence.	Steps to Reproduce: **1.** Log onto OnCall Dispatch. **2.** Create a P0 event within a geofence area. **3.** Check Event Chronology. Expected Result: Chronology will show entry, which reads "Message:Sending Employee ID=0,Subject=Event [Event ID] added to the fence [Geofence ID]" Actual Result: Chronology item is not present. The entry is present for all other priorities
185.	598638	HxGN OnCall Dispatch | Advantage	Issues are noticed when either the Event Panel or Unit Panel is docked	When the Event Panel or Unit Panel is docked to the right of the screen, the custom widget cannot be

	Tracking #	Product	Summary	Description/How to Reproduce
			to the right of the screen and a custom widget is used.	accessed or when accessed, it appears in the middle of the screen.
186.	598792	HxGN OnCall Dispatch | Advantage	Unit Board and Event Board do not automatically resize data when column sizes change.	When I resize columns on the Unit Board or Event Board, I must select another unit or event for the data to adjust to the new column width. Steps to Reproduce: **1.** Open the Unit Board or the Event Board grid view. **2.** Resize a column. Expected result: the column data is automatically resized to fit the new column width. Actual result: the column data is not resized until another unit or event is selected.
187.	601516	HxGN OnCall Dispatch | Advantage	Multiple Docked CustomViews are not working.	Steps to Reproduce: **1.** Add multiple docked CustomViews to your layout. **2.** Open / close the custom views. Actual Result: Only the one most left is working, the others do not work properly. Expected Result: They should be displayed correctly. If a custom view is already open and another will be opened, then the first has to move to the left (if its docked right), so that both custom views are visible
188.	603559	HxGN OnCall Dispatch | Advantage	The What's This? Option does not work with newly added WMS map layer.	Steps to Reproduce: **1.** In OnCall Dispatch Administrator, navigate to UI Configuration > Map Legend Management. **2.** Define a new WMS layer. **3.** Save the new layer.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Refresh the browser. **5.** In OnCall Dispatch, turn on the new layer. **6.** Right-click on the map and select What's This?. Expected Result: The dialog box displays the appropriate information. Actual Result: The dialog box displays but there are no results.
189.	604598	HxGN OnCall Dispatch | Advantage	The SEND MESSAGE command only finds default messages tab.	Steps to Reproduce: **1.** In desired workspace, create new tab. **2.** Drag "messages" view/widget to new layout and save. **3.** Remove default "messages" tab from layout. **4.** Go back to OnCall Dispatch and from command line type "SEND MESSAGE" and press enter. Actual Result: NOTICE, new window opens instead of switching to tab. Expected Result: switches to messages tab and if "-U" parameter is supplied then it open compose with unit already to field.
190.	607162	HxGN OnCall Dispatch | Advantage	Event Board grid column filtering and searching not reflected in synchronized Map view.	The Event Board grid view filtering does not synchronize with the Map view even though they are configured to synchronize. Also, the tab header logic is different from the Unit Board. The tab header in the Event Board shows the entry total regardless of active filters, but the entry total in the Unit Board tab header reflects active filters. Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
				1. Apply a filter to a column in the Event Board grid view. **2.** Confirm if the number of entries in the grid view and the Map view is the same. **3.** Enter a value in the Event Board search field to display fewer entries. **4.** Compare the number of entries in the grid view and the Map view. They are different. Expected result: the number of entries in the Event Board grid view and the Map view is synchronized. Actual result: the number of entries in the Event Board grid view and the Map view is not synchronized.
191.	607162	HxGN OnCall Dispatch | Advantage	Event Board grid column filtering and searching not reflected in synchronized Map view.	The Event Board grid view filtering does not synchronize with the Map view even though they are configured to synchronize. Also, the tab header logic is different from the Unit Board. The tab header in the Event Board shows the entry total regardless of active filters, but the entry total in the Unit Board tab header reflects active filters. Steps to Reproduce: **1.** Apply a filter to a column in the Event Board grid view. **2.** Confirm if the number of entries in the grid view and the Map view is the same. **3.** Enter a value in the Event Board search field to display fewer entries. **4.** Compare the number of entries in the grid view and the Map view. They are different.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: the number of entries in the Event Board grid view and the Map view is synchronized. Actual result: the number of entries in the Event Board grid view and the Map view is not synchronized.
192.	607455	HxGN OnCall Dispatch | Advantage	Incorrect Unit Contact timers.	When creating Unit Contact timers, the timer sometimes appears to be set with an incorrect time. For example, when I set a one-minute timer for a unit, the timer value is sometimes greater or less than the specified one-minute duration. Steps to Reproduce: **1.** Dispatch a unit to an event. **2.** Arrive the unit. **3.** Confirm there are no active timers. **4.** Set a unit timer using the command string UNIT CONTACT -U <UNIT> -T 1. **5.** Note the timer value starts from one minute. **6.** Cancel the timer using the command string UNIT CONTACT -U <UNIT>. **7.** Set a new timer using the command string from Step 4, wait 10 seconds, and then cancel the timer using the command string from Step 6. **8.** Wait 10 seconds. **9.** Set a new timer using the command string from Step 4. **10.** Note the initial value of the timer. Expected result: setting a unit timer should set or reset the time to the value specified by the command.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual result: the unit timer starts with a greater value and sometimes a lesser value.
193.	607930	HxGN OnCall Dispatch | Advantage	Issues with Scheduled Events Calendar View when large number of Scheduled Events.	Steps to Reproduce: **1.** Define a tab with the Scheduled Event Calendar view. **2.** Open Create Scheduled Event **3.** Create a large number of scheduled events. **4.** Try to place the cursor in a field. **5.** The fields will become unusable and not work intermittently. Actual Result: The tab slows down and freezes. Expected Result: Things should work smoothly.
194.	608626	HxGN OnCall Dispatch | Advantage	Event type on Unit Board does not update properly.	When I update the event type for an assigned event, the event type does not update on the Unit Board until I switch to another tab and back. Steps to Reproduce: **1.** Dispatch a unit to an event. **2.** Update the event type. Expected result: the new event type is displayed on the Unit Board. Actual result: the previous event type is displayed on the Unit Board until you switch tabs.
195.	609058	HxGN OnCall Dispatch | Advantage	User is unable to add a priority to a comment using the command line.	Steps to Reproduce: **1.** Enter ADD EVENT COMMENTS into the command line. **2.** Use the -P option and add a priority number. **3.** Press ENTER.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected Result: A comment is created that has the priority entered. Actual Result: A notification displays stating that the priority option entered is not an accepted parameter.
196.	609139	HxGN OnCall Dispatch | Advantage	The Assigned Units tab on the Event Panel does not update when a unit is dispatched.	Steps to Reproduce: **1.** Dispatch a unit to the event. **2.** Add two other events to the unit's queue. **3.** Dispatch the unit to the second event by preempting from the first event. Expected Result: The unit dispatched to the event is shown in the Assigned Units tab of the Event Panel. Actual Result: The unit dispatched to the event is not reflected in the Assigned Units tab of the Event Panel.
197.	609245	HxGN OnCall Dispatch | Advantage	When using Area Zoom, the wrong tooltip displays.	The tooltip that displays after selecting the Area Zoom icon on the map seems to reference the localized string from the Draw functionality. The Area Zoom tooltip should reference the localized string from the Area Zoom functionality.
198.	610541	HxGN OnCall Dispatch | Advantage	Addition of a multi-line text field within the UI editor, that can be used on the UI dialogs.	Addition of a multi-line text field within the UI editor, that can be used on the UI dialogs.
199.	610888	HxGN OnCall Dispatch | Advantage	The Free text search in Event Search does not support searching for user friendly values.	The Free text search field in the Event Search dialog box does not return events based on the user-friendly values exposed to users in OnCall Dispatch. Instead, it returns the "code-values" stored in the database, which users have no chance of knowing anything about.
200.	611808	HxGN OnCall Dispatch | Advantage	The On Submit script is not triggered in the Create Cross Reference dialog box.	Customer has added a custom script to the On Submit field in UI Editor for the Create Cross

	Tracking #	Product	Summary	Description/How to Reproduce
				Reference dialog box. This script is not triggered after the dialog box is submitted.
201.	612334	HxGN OnCall Dispatch | Advantage	The Location History tab does not display locations from the Archive database.	When a Location of Interest search is performed, the Location History tab does not list event locations from the Archive database. The Location History only displays active records.
202.	612335	HxGN OnCall Dispatch | Advantage	There is no Archive database support for cross-referenced events.	When an active event is cross-referenced to an event that has been closed, the user should be able to select the closed event and view it in the Archive database.
203.	612941	HxGN OnCall Dispatch | Advantage	When AzureAD is used for authentication, OnCall Dispatch users are not logged off after selecting Log Out.	Steps to Reproduce: **1.** Launch OnCall Dispatch Advantage. **2.** Let the authentication process occur. **3.** From the menu, navigate to Actions > Session. **4.** Click Log Out. Expected Result: The user is successfully logged out and a dialog box appears thanking the user for using OnCall Dispatch. Actual Result: The Set Position ID dialog appears, and the user is not logged out.
204.	613004	HxGN OnCall Dispatch | Advantage	Icons are missing from the event panel context menu.	Steps to Reproduce: **1.** Open the event. **2.** Click on the three dots in the header to open the context menu. Actual Result: Icons are missing. Expected Result: Icons for each action in the context menu are visible.
205.	613072	HxGN OnCall Dispatch | Advantage	Changing workspaces causes performance degradation.	Steps to Reproduce: **1.** Switch between workspaces which have varying number of screens defined.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: Eventually, the load of the tabs is unresponsive. Expected Result: Immediate load of all tabs.
206.	613652	HxGN OnCall Dispatch | Advantage	Field event is created in wrong location.	Steps to Reproduce: **1.** Execute Field Event. The Field Event dialog box displays. **2.** Enter a unit, type, and valid location. **3.** Click Create. The event is created successfully. However, the event location is created in San Diego Zoo instead of the specified location. Expected result: the field event is created at the specified location. Actual result: the field event location is set to San Diego Zoo.
207.	613999	HxGN OnCall Dispatch | Advantage	Event map graphics do not display when the event is double-clicked.	Steps to Reproduce: **1.** Right-click on an event. **2.** Select More Options > Draw Graphics. **3.** Create a map graphic. **4.** Click Save. **5.** Double-click on the event. The graphic does not display, but it does display with a single click.
208.	614301	HxGN OnCall Dispatch | Advantage	The Unit Contact command seems to set the alarm time for the unit to the entered data with the current time in status.	The alarm time is being set incorrectly according to what the user enters. It appears the Active Unit History AlarmTimer field is being set to the entered time and the current time in status for the unit. Chronology then shows the wrong time in the response data.

	Tracking #	Product	Summary	Description/How to Reproduce
				Step to Reproduce: **1.** Use UNIT CONTACT to set an alarm time for a unit which is already in its current status for 5 minutes. The alarm expires 5 minutes later than it is set to, when the alarm should expire based on the entered time from the user.
209.	614334	HxGN OnCall Dispatch | Advantage	Pending alarm timer is not written to event chronology.	The Pending alarm timer is not being written to event chronology when it expires, but the unit status alarms and unit contact work as expected. Steps to Reproduce: **1.** Create an event using an event type with a Pending alarm timer. **2.** Let the timer expire. Expected result: there is an entry for the Pending alarm expiration. Actual result: there is not an entry in event chronology for this expired Pending alarm.
210.	614654	HxGN OnCall Dispatch | Advantage	No capability to display TimerHistory and ViewHistory in Chronology.	User needs to show the TimerHistory and ViewHistory for an incident in the Chronology forms. Currently there's a limitation to only show data for entities with CreatedTime, CreateEmployeeId and CreatedTerminal fields. These two entities do not have the last two elements and therefore do not show in Chronology. Please extend Chronology to support tables without this constraint. In browser-based systems, the CreatedTerminal is effectively not used, so optional in this instance. Tables without CreatedEmployeeId

	Tracking #	Product	Summary	Description/How to Reproduce
				should be defaulted to system employee id. The CreatedTime field should be mandatory for time based reporting.
211.	616104	HxGN OnCall Dispatch | Advantage	Location information of an event is null even when the event has location information.	Steps to Reproduce: **1.** Create an event. **2.** Fetch the location of the event using RestAPI: • GET v1/Event/${eventId}/CommonEvent • GET api/v1/Event/${eventId} • GET api/v2/Event/${eventId} Expected result: the event location information is returned. Actual result: the data for the event location is shown as null.
212.	616678	HxGN OnCall Dispatch | Advantage	Changing language strings causes issues in Administrator.	Steps to Reproduce: **1.** Open OnCall Dispatch, enter a username and password, and click Login. **2.** On the next screen, change the language from English to something else. **3.** Select Continue. **4.** In OnCall Dispatch, open Administrator from the main menu by clicking Admin View. **5.** Close the Administrator tab that opens. **6.** Log out of OnCall Dispatch and click New Session on the thank-you screen. **7.** Enter a username and password and click Login. **8.** Ensure English – US is selected from the Language drop-down list and click Continue. **9.** Once logged in to OnCall Dispatch, open Administrator.

	Tracking #	Product	Summary	Description/How to Reproduce
				10. Note the strings display using the previously selected language instead of English. Expected result: the strings should display in English. Actual result: the strings display in a different language.
213.	617148	HxGN OnCall Dispatch | Advantage	When creating a cross-reference, the notifications that display differ depending on if the command line is used.	The notification that displays after creating a cross-reference differs depending on how the cross-reference is created. For example, the notification that displays when creating a cross-reference from the Event Panel is different from the notification that displays when creating a cross-reference from the command line.
214.	617248	HxGN OnCall Dispatch | Advantage	If an address of one multi-agency event is updated, the address of the other events does not update.	Steps to Reproduce: **1.** Create a multi-agency event. **2.** Select one of the events and change the address. **3.** Navigate to the Event Board and search for all the multi-agency events. Expected Result: All the events display the new address. Actual Result: The new address is not displayed for all events. The user must refresh the browser. This appears to happen if the AutoDeploymentMod Parameter is set to F.
215.	619441	HxGN OnCall Dispatch | Advantage	Employee column on Unit Board displays [OBJECT OBJECT] in filter menu.	If you add the Employee column to the Unit Board, the filter menu for the column displays [OBJECT OBJECT] instead of the available employee names.
216.	620323	HxGN OnCall Dispatch | Advantage	OnCall Dispatch Extend Linux and .Net Core - String Server Module	Business Requirements (Scope of the Project/Customer Needs for Business Success). Continue migration to Linux and .net6 (core).

	Tracking #	Product	Summary	Description/How to Reproduce
				Reduces cost of worker node VMs as linux containers have less overhead. Also, .NET Framework is no longer being enhanced. .Net Framework is getting deprecated and being replace by Core and different permutations Windows containers are expensive, take longer to instantiate and impact DR times and Azure provides a subset of features for Windows containers
217.	620447	HxGN OnCall Dispatch | Advantage	Searching for employee keywords on Event Security Status dialog box displays employees from other secure events.	Steps to Reproduce: **1.** From the Unit Board, dispatch a unit. **2.** Select the assigned event, right-click it, and select Event Security from the context menu. **3.** Find an employee using the left search bar, click Add to restrict access to the event, and click Submit. **4.** Open the Event Security Status dialog box for a different event. **5.** In the left search bar, enter the name of the employee from Step 3. Note the employee displays in the list on the right. Expected result: searches for employee keywords does not display results for other events in Event Security Status dialog box. Actual result: searches for employee keywords displays employees for other events in Event Security Status dialog box.

	Tracking #	Product	Summary	Description/How to Reproduce
218.	620483	HxGN OnCall Dispatch | Advantage	Some Response Plan labels don't display in the Add Requirements drop down.	Some Response Plan labels don't display in the Add Requirements drop down.
219.	620909	HxGN OnCall Dispatch | Advantage	The notification that displays after successfully creating a map graphic take longer than expected to display.	Steps to Reproduce: **1.** Select an event from the map. **2.** Enter MAP DRAW in the command line. **3.** Create a map graphic. **4.** Click Save Shape. Expected Result: Success notification displays automatically. Actual Result: Success notification does not display automatically and takes a notable time to display.
220.	621086	HxGN OnCall Dispatch | Advantage	Queued event status is shown as undefined in Unit Board unless the page is reloaded.	Steps to Reproduce: **1.** On the Event Board, double-click an event to open the Event Panel. **2.** Queue the event and go to the Unit Board. **3.** Click the queue icon (for example, 1). The event status is shown as undefined. If I reload the page, the appropriate event status is shown. Expected result: queued event status is shown without reloading the page. Actual result: queued event status is not shown unless the page is reloaded.
221.	621915	HxGN OnCall Dispatch | Advantage	Unable to update an event that has been copied to non-geographic agency.	There is a use case in which an agency requests assistance from a nearby agency that does not cover the geographic area of the event address. The dispatcher copies their event to the requested agency and sets the dgroup manually because no ESZ exists. After working the event, the assisting agency

	Tracking #	Product	Summary	Description/How to Reproduce
				wants to change the event type to something different from the original, but OnCall Dispatch gives an error when you try to update the event type of the copied event. The error says there is no one covering the agency/dgroup, which is not the case; there are several users signed on with cover access. It appears OnCall Dispatch does not allow an update to a copied event that is not geographically for that agency. Steps to Reproduce: **1.** Create an event for an agency using an event type that is defined for multiple agencies but has deployment information for only one agency at the specified location. **2.** Copy that event to another agency that does not have an ESZ for that event. **3.** Select the copied event and try to update it, for example, by changing the event type. Expected result: the event is updated with the new event type. Actual result: the event is not updated and an insufficient cover error displays.
222.	622429	HxGN OnCall Dispatch | Advantage	The Create Associated Event command fails when a location is not entered.	Steps to Reproduce: **1.** Log in to an environment that has the Create Associated Event command defined as CAE with the options -E, -L, -T, and -ST. The command should use the address of the event identified for the location if one is not entered.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. Enter CAE with an event number, -E, into the command line followed by two commas to use the location of the event entered. **3.** Press Enter. Expected Result: The associated event is created at the same location of the event entered. Actual Result: The associated event is not created. An Exception of Type message displays.
223.	622446	HxGN OnCall Dispatch | Advantage	Unit Board context menu buttons does not align to right side.	If the columns do not take up the full screen, the ellipsis icon does not remain against the right end of the row and instead drifts toward the middle. Steps to Reproduce: **1.** Open a Unit Board that takes up the entire screen. **2.** Ensure a horizontal scroll bar is not displayed at the bottom of the board. **3.** Note the position of the ellipsis icons. **4.** Select multiple units. Notice the ellipsis icons move to the appropriate location. **5.** Select a single unit to open the Unit Properties panel. Deselect the unit and notice the ellipsis icons do not return completely. Expected result: the ellipsis icons should start and return to the right end of the rows. Actual result: the ellipsis icons are not shown in the correct position.

	Tracking #	Product	Summary	Description/How to Reproduce
224.	622446	HxGN OnCall Dispatch | Advantage	Unit Board context menu buttons does not align to right side.	If the columns do not take up the full screen, the ellipsis icon does not remain against the right end of the row and instead drifts toward the middle. Steps to Reproduce: **1.** Open a Unit Board that takes up the entire screen. **2.** Ensure a horizontal scroll bar is not displayed at the bottom of the board. **3.** Note the position of the ellipsis icons. **4.** Select multiple units. Notice the ellipsis icons move to the appropriate location. **5.** Select a single unit to open the Unit Properties panel. Deselect the unit and notice the ellipsis icons do not return completely. Expected result: the ellipsis icons should start and return to the right end of the rows. Actual result: the ellipsis icons are not shown in the correct position.
225.	622967	HxGN OnCall Dispatch | Advantage	Ellipsis icons overlap header options in Event Board and Unit Board.	I have the Move Ellipsis Menu to Left setting enabled in Layout Manager. When I right-click a column header, if I selected the corner, the ellipsis icon remains on top of the displayed column header menu.
226.	623725	HxGN OnCall Dispatch | Advantage	Tooltips on radial menu for event and unit icons initially display string key after logging in to OnCall Dispatch.	Steps to Reproduce: **1.** Open the Map view. **2.** Right-click an event icon to display the radial menu.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Hover over any of the radial menu options. The tooltip displays the localized string key instead of the label/string value. **4.** Repeat Step 2. **5.** Hover over any of the radial menu options. The tooltips now display the localized string value instead of the key. Expected result: localized string value is displayed. Actual result: localized string key is displayed.
227.	624265	HxGN OnCall Dispatch | Advantage	Unable to cancel scheduled event	Steps to Reproduce: **1.** Open the Schedule Event Calendar (view). **2.** Create recurring Scheduled Event. **3.** On the Calendar View, click on the event. **4.** Click on 'Edit Series' **5.** On the dialog, click the cancel series button. Observe that nothing happens.
228.	624282	HxGN OnCall Dispatch | Advantage	Advanced Recommend Unit Has No Effect.	After event is selected, we see the recommendation but want to change something. We click on the Advanced option button to change the requirements. Following happens: • Inserting ad-Hoc response plan change the recommendation – we see that new zip file is created on RecommendUnitInterface logfile directory. • All changes are done inside of recommendation mode.. It looks like nothing was provided to recommend unit interface or recommend unit interface is just doing nothing.

	Tracking #	Product	Summary	Description/How to Reproduce
				• Options like “If units are assigned” or “Which units to use are also without any functionality.” • Nothing changes on the dialog and there is no zip file for the event. • There is also no change after excluding unit or units from recommendation.
229.	624292	HxGN OnCall Dispatch | Advantage	ProQA keeps trying to relaunch itself.	Steps to Reproduce: **1.** Open Dispatch without ProQA licensing. **2.** OCUtil will attempt to continually reopen ProQA. Actual Result: OCUtil will attempt to continually reopen ProQA. Expected Result: OCUtil will not attempt to continually reopen ProQA.
230.	625125	HxGN OnCall Dispatch | Advantage	Unable to create Field Event.	The customer cannot create field events. After reviewing the issue, we found the command line definition includes a field attribute that is not needed. Steps to Reproduce: **1.** With no overrides defined for the FLDEVT command key in Parameter Management, execute FIELD EVENT from the command line in OnCall Dispatch. The Field Event dialog box displays. **2.** Open the Chrome DevTools Console and go to the Network tab. **3.** Populate the Field Event dialog box and click Submit. **4.** Note the field event packet fails and CommonFieldEventType has an object instead of the expected single value.

	Tracking #	Product	Summary	Description/How to Reproduce
231.	625732	HxGN OnCall Dispatch | Advantage	Transfer Event - Event shows "Pending" after transfer, even though unit is still assigned.	When transferring an event where a unit is already assigned, the event is changed to a pending status even though there is an assigned unit. Steps to Reproduce: **1.** Create a new event. **2.** Dispatch unit(s). **3.** Run the Transfer Event command. The event is in a “pending” status, even though a unit is still assigned.
232.	626952	HxGN OnCall Dispatch | Advantage	Error occurred when trying to build dialog member created-employee-information in Event Panel.	The Event Panel and Call-Taker do not load the created-employee-information dialog member. Steps to Reproduce: **1.** Open the Event Panel for any event. **2.** When the Event Panel finishes loading all elements, note the error in the header. Expected result: the Event Panel header loads the created-employee-information dialog member. Actual result: there is an issue with the created-employee-information dialog member.
233.	627703	HxGN OnCall Dispatch | Advantage	Randomly get a 500 error when using OnCall Dispatch.	During the use of OnCall Dispatch, sometimes after we randomly get back to the system, or after a refresh, the screen displays a 500 error.
234.	628567	HxGN OnCall Dispatch | Advantage	Advanced Recommend Unit dialog needs to be expanded to ensure staging area pick list is fully visible.	If you try to dispatch units to existing staging area, you are not able to see the staging area. The dialog box doesn't allow to see all definitions in the combox.
235.	628597	HxGN OnCall Dispatch | Advantage	Possible to get Event Board to not pick one of the Event Board Tabs.	When switching back and forth between tabs, if you go to the event board tab (seems maybe only with two event boards), one of them will not show any

	Tracking #	Product	Summary	Description/How to Reproduce
				events, because none of the event board tabs are selected by default. Steps to Reproduce: **1.** Define a workspace with double event board. **2.** Switch between the double event board tab and another tab with a different event board tab selected. This can also happen on initial load. Actual Result: At some point, one of the event boards will show the event board tabs properly, but one of them will not have a tab selected, so nothing will show in the list. Expected Result: Event board should always have a tab selected so that the list does not appear to be empty.
236.	629429	HxGN OnCall Dispatch | Advantage	Custom webapps are no longer loaded in OnCall webviews.	Custom webapps deployed under IIS are not loaded in OnCall webviews.
237.	629712	HxGN OnCall Dispatch | Advantage	The Cross-Reference dialog box cannot be accessed after already adding one cross-reference to the event.	Steps to Reproduce: **1.** Select an event from the Event Panel. **2.** Select the context menu. **3.** Select Create Cross-Reference. **4.** Enter the necessary information. **5.** Click Submit. **6.** Repeat steps 1-3 to add another cross-reference. The Cross-Reference dialog box does not appear.
238.	630138	HxGN OnCall Dispatch | Advantage	Additional Events don't show up when updating an event which changes it from a single agency to multiple agency.	Steps to Reproduce: 1. Make sure AllowDeploymentMod is set to 2 in cad -General Details. 2. Create a single agency event. 3. Update event type so it changes to multi agency and creates additional agency

	Tracking #	Product	Summary	Description/How to Reproduce
				events. Actual Result: Multi agency events are created, but do not show up in the Event board. A refresh is required to see the additional events. Expected Result: Multi agency events should be created and displayed on the Event board.
239.	630238	HxGN OnCall Dispatch | Advantage	In CompactView when showing the unit details on the Event Panel Assigned Units tab not all of the available space is used.	Steps to Reproduce: **1.** From Parameter Management>OnCall set>UISettings have the CompactView parameter set to 1. **2.** From dispatch find an event that has several assigned units. Each having had several status changes. **3.** Display the Event Panel and then select the Assigned Units tab. **4.** From the Assigned Units tab click on the show details arrows and notice that the information does not use all of the available space, instead scroll bars are enabled. Actual Results: In CompactView, when showing the unit details on the Event Panel Assigned Units tab, not all of the available space is used. Expected Results: In CompactView, when showing the unit details on the Event Panel Assigned Units tab, all of the available space is used.
240.	631163	HxGN OnCall Dispatch | Advantage	Cannot save a custom field in Administrator.	Steps to Reproduce: 1. Try to add a custom field. 2. Hit save. An error displays: "Failed to save custom field."

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: Custom field does not save. Expected Result: Custom field is saved.
241.	631472	HxGN OnCall Dispatch | Advantage	Event ID and status values do not display in Event Panel header.	Steps to Reproduce: **1.** Go to the Event Board. **2.** Create an event using the command line. The created event displays on the Event Board. **3.** Double-click the event to open the Event Panel. Note the Event Panel header does not display the event ID or event status. Other values (such as the case number, disposition codes, and so forth) are missing as well.
242.	631884	HxGN OnCall Dispatch | Advantage	Queue Event defaults to using an already dispatched unit in the Select Units list.	Assume a dispatched unit is selected in the Select Units list and that you have event 1 with unit A dispatched. If you want to queue unit B, when you attempt to queue it using the Add to Queue command, the Select Units list has unit A already selected, which preempts and queues unit A. This behavior is misleading and not always noticed by the user. The Add to Queue dialog box should not display dispatched units.
243.	631952	HxGN OnCall Dispatch | Advantage	Duplicate notifications in 2303.1.	As of 2303.1, duplicate notifications are displayed following certain actions, for example, when I cancel an event. Expected result: no duplicate notifications are displayed. Actual result: several duplicate notifications are displayed.
244.	631999	HxGN OnCall Dispatch | Advantage	An error message displays when user attempts to add a new contact using the Contact Directory.	Steps to Reproduce: **1.** Click the Contact Directory icon at the top of the screen.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. Click the green plus icon to open the New Contact dialog box. **3.** Fill in necessary fields. **4.** Click Save. Expected Result: The dialog box goes away and the new contact is created. Actual Result: The dialog box does not go away and after a notable amount of time, an error message displays on the New Contact dialog box
245.	632075	HxGN OnCall Dispatch | Advantage	Investigate larger number of ONCALL_SET_PARAM_REQ and ONCALL_SET_PARAM_RSP packets.	Investigate larger number of ONCALL_SET_PARAM_REQ and ONCALL_SET_PARAM_RSP packets.
246.	632488	HxGN OnCall Dispatch | Advantage	Alert and other notifications do not trigger in OnCall Dispatch client.	When using the OnCall Dispatch client, the unit and event timer alerts do not get the audio triggered, but an audio alert for event creation does work, even when using the same audio file. The display and animation of the alert is fine either way. Steps to Reproduce: **1.** Log in to the OnCall Dispatch client. **2.** Set the Notification Configuration for your user group to show and have audio alerts for event creation and event and unit alerts. **3.** Set an event type to have a one-minute time for pending and dispatched statuses. **4.** Refresh the client. **5.** Create an event of that type from Step 3. The audio alert plays, and the notification displays. **6.** Wait for the one-minute timer. The audio alert does not display, but the toast notification does display.

	Tracking #	Product	Summary	Description/How to Reproduce
				7. Dispatch a unit to that event. **8.** Wait for the one-minute timer to go off. The audio alert does not display, but the toast notification does display.
247.	632558	HxGN OnCall Dispatch | Advantage	The Unit History dialog box needs to let the user search for a unit ID that was used as a position ID.	For Mobile Unit and Mobile Responder, the unit ID specified at login is the position ID for that user, but in Unit History there is currently not a way to query for the unit ID as the position ID because the Position ID drop-down list does not include unit IDs. Steps to Reproduce: **1.** Have a Mobile Unit user make unit status changes, for example, by self-attaching to an event and then changing the unit status from Dispatched to Acknowledge to Enroute. The Mobile Unit unit is considered the position ID for that user. **2.** From OnCall Dispatch, run Unit History from the command line to display the dialog box. **3.** In the Unit History dialog box, there is a Position ID drop-down list that does not contain the unit IDs, meaning there is not a way to query for this from the dialog box. **4.** If you search based on the Unit ID field, this returns records for that unit ID regardless of which position ID created the history record. Expected result: the Position ID drop-down list on the Unit History dialog box allows unit IDs. Actual result: there is not a way on the dialog box to query for a unit ID as a position ID.

	Tracking #	Product	Summary	Description/How to Reproduce
248.	633509	HxGN OnCall Dispatch | Advantage	Cannot sort the Event Board by a custom data field.	Steps to Reproduce: **1.** Click on the Event Board tab. **2.** Click on custom column header to sort in Grid View. Actual Result: None of the custom columns are sortable. Expected Result: Custom columns should be sortable.
249.	634270	HxGN OnCall Dispatch | Advantage	Event Search View automatically clears the results when you step off the tab.	When you have a workspace with an Event Search View, execute a search and then step off the tab, when you return the results have been automatically cleared even though the Reset button was not selected. Steps to Reproduce: **1.** Have a workspace with an Event Search View configured. **2.** From OnCall Dispatch go to your workspace with the Event Search View, select the tab and execute a search. **3.** The results are returned and displayed on the View. **4.** Do not click on the Reset button, instead select another tab and then go back to the Event Search View tab. **5.** Even though the Reset button was not selected the Event Search View results have been automatically cleared. Actual Results: Event Search View results are automatically cleared when you step off the tab, even though the Reset button has not been selected.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected Results: The Event Search View should not be reset automatically but instead should be cleared when the user manually selects the Reset button.
250.	634625	HxGN OnCall Dispatch | Advantage	Cannot delete single fields inside Supp Info.	Steps to Reproduce: **1.** Add new Supp Info with more than one text field filled out. **2.** Try to delete one of the fields, by removing the text in the edit Supp Info part. **3.** Observe that an error displays and the Supp Info field is still there.
251.	634670	HxGN OnCall Dispatch | Advantage	Cannot sort, filter, or search by employee name in Unit Board.	Steps to Reproduce: **1.** Add a column for employee names to the Unit Board. **2.** Attempt to sort, filter, or search using this column. Expected result: the board lets you sort, filter, or search based on employee names. Actual result: the board does not let you sort, filter, or search based on employee names.
252.	634764	HxGN OnCall Dispatch | Advantage	Copy Event – Cannot copy event to same agency and different dispatch group.	Users cannot copy an event to the same agency but different dispatch group. Steps to Reproduce: **1.** Create an event. **2.** Run the Copy Event command. **3.** When copying the event, choose a different dispatch group and event. **4.** Click Submit. The dispatch group is still the same dispatch group of the original event that was copied.

	Tracking #	Product	Summary	Description/How to Reproduce
				Note: The Copy Event packet goes out correctly with the correct dispatch group chosen from the Copy Event dialog box.
253.	635213	HxGN OnCall Dispatch | Advantage	When copying an event to a new Agency/DGroup, the event will be copied correctly, but on the Event Board, it still shows the original event's Agency/DGroup.	Steps to Reproduce: **1.** Configure the Event Board to display Agency and DGroup for each event. **2.** Create an event. **3.** Copy the event to a new agency. **4.** Go to the Event Board and locate the event. Expected Result: The Agency and DGroup shown are automatically correct. Actual Result: The Agency and DGroup shown are incorrect. The user must refresh to see the update.
254.	635237	HxGN OnCall Dispatch | Advantage	Unable to Update Custom Fields in Administrator.	Steps to Reproduce: **1.** Open the Custom Field management page. **2.** Create a new custom field or find an existing one. **3.** Change the type of the field to something different. **4.** Click Save. Actual Result: An error saving the configuration occurs. Expected Result: The configuration would be saved.
255.	635335	HxGN OnCall Dispatch | Advantage	Map layers do not always display in the correct order.	When a user activates multiple map layer options, the layers do not always display in the correct order.
256.	635463	HxGN OnCall Dispatch | Advantage	Transfer Event – Arrived unit changes to dispatched on Unit Board.	When transferring an assigned event, the unit is in an arrived (anything but dispatched) status on the event; the unit changes to dispatched on the Unit Board after the event is transferred. Refreshing OnCall Dispatch resolves the issue. Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
				1. Assign a unit to an event, and set the unit status to arrive. **2.** Run Transfer Event for this event, and transfer to a new agency and dispatch group. **3.** Notice on the Unit Board, the unit's status is changed to dispatched. **4.** Refresh OnCall Dispatch, and the unit is correct (arrived).
257.	636132	HxGN OnCall Dispatch | Advantage	Event Board – Unit Status color not correct on queued event.	When a unit is arrived on one event and has other events in its queue, the event board shows the unit status color as arrived for all events even though the unit is only arrived at one event.
258.	636149	HxGN OnCall Dispatch | Advantage	Unit Board filter gives the illusion of no results by not scrolling up.	When there are a lot of units logged on, for example, more than 300, scroll toward the bottom of the Unit Board grid view to see the list of units. Type a unit to filter on (ABC1). The screen will blank out, appearing as though there are no units matching that filter. However, there is a visual indicator "Showing 1 results for ABC1."
259.	636481	HxGN OnCall Dispatch | Advantage	GETEVENT_REQ request count is high.	In the recent load test on 2309 observed GETEVENT_REQ request count is high.
260.	637028	HxGN OnCall Dispatch | Advantage	Primary employee indicator is not displayed properly.	Steps to Reproduce: **1.** Go to the Unit Board. **2.** Select a unit that is assigned a primary employee. **3.** From the Unit Board, execute SELECT UNIT. **4.** Review the primary employee indicator on the Unit Panel and Unit Details panel.
261.	637149	HxGN OnCall Dispatch | Advantage	Holding backspace causes Schedule Follow-up Incident window to go blank.	Steps to Reproduce: **1.** Log in as First Contact Operator **2.** Enter location, type and subtype and create an incident or contact.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Click Schedule follow-up button at the bottom. **4.** Click the Start Date input. **5.** Hold the backspace key. The window goes blank.
262.	637902	HxGN OnCall Dispatch | Advantage	Error displayed when selecting the Event board.	Steps to Reproduce: **1.** Log into OnCall Dispatch. **2.** Select the Event board tab (Events appear correctly). **3.** Select the map tab. **4.** Create three random events on the map. **5.** Select the Event Board. **6.** Observe that an error displays.
263.	638042	HxGN OnCall Dispatch | Advantage	Snoozing notifications does not work.	Steps to Reproduce: **1.** Log in to OnCall Dispatch. **2.** Change a unit status, for example, from Dispatched to Enroute. **3.** On the Map view, verify that this action generates notifications. **4.** Open the Notifications Panel, select Snooze Notifications, and specify a duration, such as five minutes. **5.** Close the Notifications Panel. **6.** Repeat Step 2. Expected result: no pop-up notifications are displayed. Actual result: pop-up notifications are displayed.
264.	638120	HxGN OnCall Dispatch | Advantage	Dispatched unit can be taken out of service and returned into service,	Steps to Reproduce: **1.** Have two users logged in to OnCall Dispatch.

	Tracking #	Product	Summary	Description/How to Reproduce
			which renders it incapable of being dispatched.	**2.** Logon a single unit, such as Unit 1. **3.** Create some events. **4.** As User 1, right-click Unit 1 on the Unit Board and select the Out of Service command. **5.** As User 2, right-click Unit 1 on the Unit Board and dispatch it to an event. **6.** After User 2 receives a notification that Unit 1 has been dispatched, have User 1 update the Out of Service dialog box to put Unit 1 on a meal break. The status of Unit 1 changes from Dispatched to Out of Service. **7.** If either user right-clicks Unit 1 and selects Into Service, the unit is returned into service in Available status. **8.** However, if either user tries to dispatch Unit 1 to an event, it cannot be dispatched. Despite the displayed Available status, the unit is still assigned to an event. **9.** Expected result: a dispatched unit cannot be taken out of service. Expected result: a dispatched unit cannot be taken out of service. Actual result: a dispatched unit can be taken out of service. If the unit is returned into service, it displays in Available status but cannot be dispatched because it is still assigned to the original event.

	Tracking #	Product	Summary	Description/How to Reproduce
265.	638165	HxGN OnCall Dispatch | Advantage	Unable to see Preempt and Clear Unit submenus (ellipsis menu) on Event Board in grid mode.	Steps to Reproduce: 4. Go to the Event Board. 5. Find an event with multiple assigned units; or assign multiple units to an event. 6. Click on the ellipsis menu control at the end of the row. 7. Click on Preempt or Clear Unit header. Actual Result: The submenu does not properly display. Expected Result: The submenu should display the Preempt or Clear submenu allowing the user to Preempt or Clear all or a single unit.
266.	638651	HxGN OnCall Dispatch | Advantage	Event Board list is empty.	While operating normally, the events suddenly do not show up in the Event Board. It gets populated back when refreshing the page.
267.	638692	HxGN OnCall Dispatch | Advantage	Migrated special address data.	The query to populate the special address data needs to be looked at. It is including data from co_pl and alarms that it should not. It looks like upgSpecialAddress should be changed.
268.	639367	HxGN OnCall Dispatch | Advantage	Context menu options are not properly displayed during unit emergency using ellipsis icon.	Steps to Reproduce: **1.** Go to the Unit Board. **2.** From the command line, execute UNIT EMERGENCY. After a few seconds, the unit updates to indicate the emergency. **3.** On the Unit Board, select the ellipsis icon for that unit row. Note the context menu options are not displayed properly and have visibility issues. The Event Board exhibits the same behavior.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: context menu options display properly during a unit emergency when the ellipsis icon is clicked on the Event Board or Unit Board. Actual result: context menu options do not display properly during a unit emergency when the ellipsis icon is clicked on the Event Board or Unit Board.
269.	639811	HxGN OnCall Dispatch | Advantage	Available Status drop-down list should be disabled or an error should be displayed when Save and Update is selected for an assigned unit.	Steps to Reproduce: **1.** Log in to OnCall Dispatch **2.** Go to the Unit Board. **3.** Create an event. **4.** Double-click a unit to open the Unit Panel. **5.** Dispatch the unit to the created event. **6.** On the Unit Board, right-click the unit and select Edit Unit Properties. **7.** Go to the Availability tab. **8.** Click Save and Update. Expected result: the Available Status drop-down list is disabled, or an error is displayed because the changes are applicable only for units in Available status. Actual result: when Save and Update is selected, the values are saved and subsequently removed when the dialog box is reopened.
270.	639868	HxGN OnCall Dispatch | Advantage	The selected event widget in Layout Manager is not displaying updates from Recommend Unit.	Steps to Reproduce: **1.** Create a new event. **2.** Select the event from an adjacent event board on the same window.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. With the event showing in the selected event widget, take the currently recommended unit and place them out of service. **4.** Notice the selected event does not reflect the new recommendation. Actual Result: The latest recommend unit information is now incorrect. Expected Result: The information on the widget would dynamically update.
271.	639953	HxGN OnCall Dispatch | Advantage	SOP not updating correctly for tasks with radio buttons.	Steps to Reproduce: **1.** In Administrator, create a layout containing the Selected Events view. **2.** Create an SOP containing a decision task, which has radio buttons. **3.** In OnCall Dispatch, select an event such that it is displayed in both the Event Panel and the Selected Events view. **4.** Select the radio buttons shown in both instances. Expected result: SOP radio buttons can be operated without errors. Actual result: updates to the radio buttons are not registered correctly in the UI.
272.	640500	HxGN OnCall Dispatch | Advantage	It is not possible to edit a name for a column in the event board.	Steps to Reproduce: **1.** Create your own filter in the event board with more than one column. **2.** Edit the column though the gears for the specific column. **3.** Try to edit the name.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: It is not possible to edit the column name. Expected Result: It is possible to edit the column name using the tab gears, NOTE: It is possible through the gears for the whole filter.
273.	640565	HxGN OnCall Dispatch | Advantage	Localized string in Event board tab column.	Localized string does not show the string value in every location for event board column names. Under the settings for the column it is not used, instead the string key is shown in the UI. Steps to Reproduce: **1.** In Administrator setup workspace with event board. **2.** Create filter with a custom column. **3.** Use localized string key for the custom column. **4.** Navigate to the Event Board and the filter. Actual Result: Localized string only partly works. Under the settings for the column, it is not used instead the string key is shown. Expected Result: Localized string is used.
274.	641980	HxGN OnCall Dispatch | Advantage	Scheduled Events Board does not populate.	Create a layout with Scheduled Events and Scheduled Events Calendar. The Scheduled Events Calendar will populate, but the Scheduled Events section remains blank.
275.	642478	HxGN OnCall Dispatch | Advantage	Message handlers are being rejected stating various messages.	The custom Geocoder addon that supports Aligned Assets uses pre and post message handlers for certain messages. These handlers are being rejected with various errors being shown.

	Tracking #	Product	Summary	Description/How to Reproduce
276.	643428	HxGN OnCall Dispatch | Advantage	Event column is empty in Unit History dialog box for queued event operation.	After I queue an event to a unit, the Unit History dialog box does not show the queued event ID for that unit.
277.	643655	HxGN OnCall Dispatch | Advantage	Unable to create Field Event.	The Create Field Event command fails using the -SS, -SP, or -FE options. Expected result: all of these options should display the Create Field Event dialog box, and selecting Submit should create the event. Actual result: when any of these options are used, selecting Submit does not create the event.
278.	644269	HxGN OnCall Dispatch | Advantage	Updating an event's subtype does not change the priority.	Steps to Reproduce: **1.** Create an event at a special address with the following criteria: **a.** Type: Armed Person **b.** Subtype: In Progress **2.** Create event. **3.** Update the event and change the subtype to NIP. Expected Result: The priority of the event changes to fit the subtype. Actual Result: The priority of the event is not updated to match the subtype chosen.
279.	646339	HxGN OnCall Dispatch | Advantage	EventBoardTabs gets reset in database.	The EventBoardTabs configuration is being overwritten or reset by a standard configuration originating from somewhere in OnCall. The customer reports that EventBoardTabs disappears from the database during testing of the system. For example, when a user performs standard

	Tracking #	Product	Summary	Description/How to Reproduce
				functionality, they suddenly cannot see any Event Board tabs. There is data in the OnCallConfiguration table indicating a user modified and reset the ItemData configuration file to the standard OnCall contents. The data was updated precisely at 12:00, which could indicate a scheduled task caused this. It should not be possible for a user to delete all EventBoardTabs data from the database and reenable the standard configuration.
280.	646771	HxGN OnCall Dispatch | Advantage	ProQA comments are not properly escaping '>' and '<' characters.	If the Breathing Diagnostic Tool within ProQA is used, you will not be able to Create the Event as the following error is displayed: Name cannot begin with the ' ' character, hexadecimal value 0x20. It's related when trying to convert AdornedEventComments. The issue is only coming in when trying to insert comments that have a '<' and '>' characters in them. We can see in the bad Create Event request, that the comment is not properly escaping those symbols, but if we copy that text and enter it normally and not from ProQA, then it is getting properly escaped.
281.	647022	HxGN OnCall Dispatch | Advantage	The Divert toggle on the Facilities Board does not work.	Steps to Reproduce: **1.** On the Facilities Board, select a facility to display the facility panel. **2.** Select the Divert toggle to enable or disable the diversion.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: the diversion should be enabled or disabled for that facility. Actual result: nothing happens when the toggle is selected.
282.	647268	HxGN OnCall Dispatch | Advantage	Additional Geocoding request is sent.	Steps to Reproduce: **1.** Set EnableLocationMatchForAutoComplete = 1. **2.** Type in the location and choose one from the suggestions. Additional LV request is sent despite the selected suggested location is already verified.
283.	647532	HxGN OnCall Dispatch | Advantage	Delta value not displaying when creating a scheduled event.	Steps to Reproduce: **1.** Check the value that is set for scheduler\ScheduledResourceDefaultDeltaValue. The default is 15, but it may have an override. **2.** Run Create Scheduled Event, either from the command line or from the calendar. **3.** The Delta field should show the default value as specified by that param. Actual Result: The Delta field is blank. Expected Result: It should show the defined value by default.
284.	648098	HxGN OnCall Dispatch | Advantage	Unit History – Shared Crew Unit set to AV instead of AQ.	When Unit 1 and Unit 2 are using shared crew, and Unit 1 is dispatched and then enters an AV status, Unit 2 remains in OS. Then, when Unit 1 enters AQ status, Unit 2 is changed to AV instead of AQ.
285.	651538	HxGN OnCall Dispatch | Advantage	Remarks being added to an event are lost if the user clicks away from the field without pressing ENTER first.	Steps to Reproduce: **1.** In Oncall Administrator, ensure that the AutoSuggestRemarks parameter (OnCall set > UI Settings list) in Parameter Management is set to 1.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. In OnCall Dispatch, open the Event Panel. **3.** Go to the Comments tab. **4.** Enter a comment but do not press ENTER. **5.** Click the mouse somewhere else in the Event Panel to shift the focus of the screen. Expected Result: The comment that has not yet been entered is still displayed in the field. Actual Result: The text entered has been deleted.
286.	651549	HxGN OnCall Dispatch | Advantage	ProQA not updated with new operator's employee ID.	Steps to Reproduce: **1.** Sign on to Windows as generic user **2.** Launch OnCall client. **3.** Login to OnCall as user 1. **4.** Observe user 1's employee ID in ProQA lower left corner. **5.** Launch XLerator and observe the employee ID matches. **6.** Log out of OnCall. **7.** Launch OnCall client. **8.** Login to OnCall as user 2. **9.** Observe user 1's employee ID continues to show in ProQA lower left corner. **10.** Observe in XLerator user 1's employee ID continues to be attributed to the session from your client. <u>Actual Result:</u> ProQA and XLerator show stale employee ID. <u>Expected Result:</u> ProQA and XLerator show current employee ID.
287.	653929	HxGN OnCall Dispatch | Advantage	Login page displays blank language strings.	The login page displays blank language strings.

	Tracking #	Product	Summary	Description/How to Reproduce
288.	577503	HxGN OnCall Dispatch | CAD Link Interface	Reverse geocoding fields data is not displays in CADLink XML.	CADLink won't process ReverseGeocoding if there are no entries in the GeocodingResponseConfiguration for the provider.
289.	638591	HxGN OnCall Dispatch | Call Taker	Additional caller info (e.g., city, state) is not getting saved in CommonEvent table.	Steps To Reproduce: **1.** Go to Call-Taker Form. **2.** Enter all the required fields like location, event type, etc. **3.** Populate caller information with all the Additional Caller info fields (Caller Name, Phone number, Source, Caller Location, DOB, DL, Sex, Race, City, Caller State, Middle Name, Height, Weight). **4.** Save caller. Caller info should be saved. **5.** Click Create Event. **6.** Get the CommonEventId using the query select CommonEventId from AgencyEvent where AgencyEventId = 'P4089'. **7.** Run the query select * from CommonEventCall where CommonEventId = '4911'. **8.** observe city,state info not saved to CommonEvent Table. Actual Result: city, state, location info not saved to CommonEvent Table. Expected Result: city, state, location info should be saved to CommonEvent Table.
290.	379983	HxGN OnCall Dispatch | Call-Taker	Add Closed Condition to Menu Commands	Users are unable to Reopen Event to Event States Menu Commands with Closed condition. Unless an event is Closed, users should be able to disable the event.
291.	514432	HxGN OnCall Dispatch | Call-Taker	Updating Event to Special Address location does not show the priority change	Steps to Reproduce: **1.** Create an event at a normal location. **2.** Open the Event Panel for that event.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Update the event location to a special address with a specific priority. Expected Result: Once the Update Event Panel is submitted, the priority changes as expected. Actual Result: The Update Event Panel still displays the original priority and not the new one.
292.	552169	HxGN OnCall Dispatch | Call-Taker	SOP instruction task displays outside of SOP section.	Steps to Reproduce: 1. Set Call-Taker to display expanded view of SOP. 2. In Call-Taker, create an event that would trigger SOP. 3. Send to dispatch. 4. In SOP expanded view, select Accept. 5. Observe that the task displays outside of the SOP section.
293.	558464	HxGN OnCall Dispatch | Call-Taker	User cannot verify a common address in the Location field.	When entering an address into the Location field, the user is unable to verify the address.
294.	559037	HxGN OnCall Dispatch | Call-Taker	Multi-Agency Response does not honor Advised Event setting	Customer has overlapping jurisdictions and agencies that share event-types. Agencies set to respond to the same event type and sub-type both respond to the same geographical area, regardless of Advised status. If two agencies are set to respond to event type 17, sub-type A, with one unit set to Advised, the system should create an advised event for the agency with the Advised status. However, both events are being created as Advised.
295.	562662	HxGN OnCall Dispatch | Call-Taker	Dismissing the Scheduled Event is not changing the form type to Dispatch Event.	Steps to Reproduce: 1. Open the Call-Taker Event Information form. 2. Select Schedule Event button. 3. Cancel/close the Create Schedule Event dialog.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Observe that the form type is not changing to default (Dispatch Event).
296.	564448	HxGN OnCall Dispatch | Call-Taker	The Call-Taker form doesn't stay within its bounds if it's stacked on top of another view.	User is considering using monitors in Portrait mode for OnCall and has designed a layout that has the Call-Taker module on top with an Event Board below. When the remarks flyout is open, it extends down over top of the lower view, as does the spine of the Call-Taker form. The Call-Taker form needs to stay within its own bounds. The event board behaves OK at first glance, however if the map is put there, the controls end up in odd locations.
297.	565345	HxGN OnCall Dispatch | Call-Taker	Call-Taker night mode issues.	Steps to Reproduce: **1.** Select the hamburger menu button and then go to Preferences / Settings and UI Settings. Set the Night Mode toggle to True. **2.** From the Menu go to Workspace Settings and select a workspace that has a Call-Taker view., **3.** From the Call-Taker Event Information form, Stack the event, and Switch to last Stacked Event buttons are not correct. **4.** The count on the Stacked buttons is not centered. **5.** the Event Form radio buttons do not have the correct select/not selected state. **6.** From the Address field enter a location that will enable the Location Flags area with Nearby Events and Special Situations **7.** On the Nearby Events the ellipsis context menu button is not in the correct enabled state. It is orange (also not sure if the View Event link text is the correct color).

	Tracking #	Product	Summary	Description/How to Reproduce
				8. Select Special Situations and then the show details down arrow. You cannot see the Description label. **9.** The Location History View Event and Merge options do not look correct. **10.** The Agency Response area is not in night mode. **11.** With Agency Response area populated click on Edit Response. Observe that the Save, Delete, and Add buttons are not correct.
298.	567493	HxGN OnCall Dispatch | Call-Taker	The AutoSubmitRemarks parameter is not working correctly.	Steps to Reproduce: **1.** Set the AutoSubmitRemarks parameter under OnCall -> UISettings to 1. **2.** Go to Call-Taker and enter a remark in the remark field but do not submit it. When a user creates the event, that remark should be added. It is not. The same happens with the create event dialog. It would be nice to also update the description of the parameter, so it doesn't mention only the create event dialog. This behavior should be the same across all remarks fields.
299.	570936	HxGN OnCall Dispatch | Call-Taker	Type ahead does not show all options for event type.	User has two type codes: 91C for cellphones and 91 for others. When typing 91 in the Type Code field, user is only presented with the 91C option.
300.	576723	HxGN OnCall Dispatch | Call-Taker	Location Flags in Call-Taker display inconsistently.	In the Location Flags section of the Call-Taker form, the Nearby Events list displays Event Type description instead of Nearby Events, and the Location History displays Event Type instead of Location History.
301.	577242	HxGN OnCall Dispatch | Call-Taker	Canceling a contact generates Event Closed notifications instead of Contact Closed notifications.	Canceling a contact should result in a Contact Closed notification, but instead generates an Event Closed notification.

	Tracking #	Product	Summary	Description/How to Reproduce
				Steps to Reproduce: **1.** Ensure ContactManagement -> General -> Enable = Y - save and reload parameters, if necessary. **2.** Refresh OnCall to pick up the parameter change, if necessary. **3.** Using a screen that has a Call-Taker 2.0 view, create a contact. **4.** Bring up the contact in the Event Panel - the status should be Pending Contact. **5.** From the ellipsis menu, select Cancel Contact. **6.** The Event Panel displays Contact Closed with Closed Contact as its status. **7.** An Event Closed notification is generated. Expected Result: A Contact Closed notification is generated. Actual Result: An Event Closed notification is generated.
302.	580947	HxGN OnCall Dispatch | Call-Taker	Special Situations and Location History records in the Location Flags should update based on Event Type/Subtype if Loi Radius is defined.	Steps to Reproduce: **1.** Log on to OnCall Dispatch. **2.** From the command line, run the CREATE EVENT command. **3.** Enter the location. **4.** Select the Event Type. **5.** Check for the result displayed in Special Situations and Location History records in the Location Flags. **6.** Change the Event Type which has Loi Radius defined in Event Types.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected result: The results displayed in Special Situations and Location History records in the Location Flags should be updated based on the Loi Radius. Actual result: The results are not updated with the change of Event Type.
303.	581258	HxGN OnCall Dispatch | Call-Taker	Agency ESZ Overrides not honored in Call-Taker.	If agency ESZ overrides are assigned to a special address, and special address is used in the Create Event dialogue, the agency response is set as desired. If the special address is used in the Call-Taker form, the agency response is incorrect.
304.	585310	HxGN OnCall Dispatch | Call-Taker	Sub-type does not show in Call-Taker upon Event Creation.	When an event is created and a sub-type is selected, the sub-type does not save to the event. Attempting to update the event to the same sub-type does not save it either. Updating the event to a different sub-type and then updating the event again to original sub-type will correctly save the sub-type. The sub-type does make it to the database and displays in the Event Board, but it is not visible in the event in Call-Taker, or in the Map tab when viewing the event.
305.	592480	HxGN OnCall Dispatch | Call-Taker	The Add Caller button does not work after removing text from the Caller Location field.	Steps to Reproduce: **1.** Click the Clear Form button. **2.** Enter the Caller name. **3.** Enter the Caller phone number. **4.** Start typing the Caller address. **5.** Remove the text from the Caller location field. **6.** Click the Add Caller button. Expected Result: Caller is added. Actual Result: Caller is not added

	Tracking #	Product	Summary	Description/How to Reproduce
306.	592522	HxGN OnCall Dispatch | Call-Taker	GetOnCallConfigBulkDataHandler in ConfigurationServerModule is slow	GetOnCallConfigBulkDataHandler is slow due to usage of IpsCadEntities.
307.	592962	HxGN OnCall Dispatch | Call-Taker	Deleting Supplemental Information from the Schedule Event Panel does not remove the added information.	Deleting Supplemental Information from the Schedule Event Panel does not remove the added information. Steps to Reproduce: **1.** From the Command Line, type "Create Scheduled Event" and then press ENTER. **2.** Go to the Supplemental Information tab, add details, and then save the data. **3.** Delete the Supplemental Information. Expected Result: Supplemental Information should be deleted successfully. Actual Result: Supplemental Information is not deleted.
308.	593643	HxGN OnCall Dispatch | Call-Taker	Call-Taker contains feature flags from previous releases	Call-Taker still contains feature flags from previous releases
309.	594533	HxGN OnCall Dispatch | Call-Taker	The Caller Info tab in the Event Panel does not update correctly after a Caller is deleted.	The Event Panel does not update after the Caller is deleted. The Caller is still displayed after the user has accepted the deletion. If the user closes the Event Panel and reopens it, it removes the Caller. Steps to Reproduce: **1.** Navigate to the Event Panel **2.** Delete the Caller from the Caller Info tab under the Event Panel. Expected result: The deleted Caller is no longer shown in the Event Panel. Actual result: The deleted Caller is still showing in the Event Panel.

	Tracking #	Product	Summary	Description/How to Reproduce
310.	595139	HxGN OnCall Dispatch | Call-Taker	Ani/Ali spill containing person data but no location data resets the LL values to 0 in the CommonEventCall table.	In the case where the person data packet arrives before the location packet there is no problem. The resulting CommonEventCall table contains all the data. However, if the location packet arrives before the person data packet, the latitude longitude values get overwritten and set back to 0 (because this packet does not contain any location info). Steps to Reproduce: **1.** Send Spill1 with Caller Location as Latitude and Longitude. **2.** Send Spill3 (actual location) with Latitude and Longitude. **3.** Send Spill2 removing Latitude and Longitude (explicitly removing the Latitude and Longitude values which are available by default). An ANI/ALI packet without location data should not overwrite the location data.
311.	603301	HxGN OnCall Dispatch | Call-Taker	ANI/ALI spills are not working due to clean up of obsoleted session message handler.	Steps to Reproduce: **1.** Send ANI/ALI spills. **2.** Spills are not received in Call-Taker form. **3.** Session message handler-related errors are logged in the AniAlimodule log.
312.	605841	HxGN OnCall Dispatch | Call-Taker	Expanded Remarks view is overlapped by Command Line.	When you expand the Remarks section of the Call-Taker tab, it aligns to the upper most portion of the layout. It does not account for an undocked Command Line and becomes unusable because the controls are hidden.

	Tracking #	Product	Summary	Description/How to Reproduce
				Steps to Reproduce: **1.** Create a new tab. **2.** Place Command View/Widget across the top spanning from the left to the right side of the screen. **3.** Place Call-Taker view below. **4.** Open Call-Taker tab in dispatcher. **5.** Go to the Remarks tab and click the arrow to open/expand the view. Expected Result: The expanded Remarks view should align below the other views. Actual Result: The top of the Remarks view is hidden under the Command Line view which makes it unable to be closed.
313.	605914	HxGN OnCall Dispatch | Call-Taker	Enter key doesn't create Event, but it does in Create Event dialog.	The 'Enter' key does not trigger 'Create Event' in the Call-Taker 2.0 view. It does work in the Create Event dialog. Steps to Reproduce: **1.** Create a layout with the Call-Taker 2.0 view. **2.** Enter location. **3.** Enter type. **4.** Press Enter. **5.** Event is not accepted. Expected Result: After pressing Enter, the Event is created. Actual Result: The down arrow next to the Event location is selected.
314.	609019	HxGN OnCall Dispatch | Call-Taker	Reload icon is displayed after clicking Create Contact.	Steps to Reproduce: **1.** Login to OnCall

	Tracking #	Product	Summary	Description/How to Reproduce
				2. Update below parameter: **a.** Contact Management set-> general-> enable to Y **b.** Contact management set-> contactrecords->AutoUpdateEventLocation -> " " **c.** Contact Management set-> contactrecords-> DefaultEventLocation-> 1340 Grandeview Blvd **d.** Contact Management set-> contactrecords-> DefaultEventType-> FIGHT **3.** Go back to Dispatch page and reload Call-Taker page. **4.** Set position ID by using the Command Line **5.** Click Create Contact to see if values are populating. Expected Result: Values should populate after clicking Create Contact. Actual Result: The reload icon is displayed after clicking Create Contact.
315.	611403	HxGN Oncall Dispatch | Call-Taker	Schedule Event is displayed as a button, not as radio option on Call-Taker form.	Steps to Reproduce: **1.** go to Call-Taker form **2.** Check Schedule Event option. Expected Result: Schedule Event should be displayed in radio option format. Actual Result: Schedule Event is displayed as a button.

	Tracking #	Product	Summary	Description/How to Reproduce
316.	619860	HxGN OnCall Dispatch | Call-Taker	Duplicate and Cancel (and Merge in Call-Taker) broken by CommonEventCall_Location_Trigger.	Where Events have caller information and caller locations, if you attempt to use the Merge function for nearby events in Call-Taker (or the Create Event dialog) or Duplicate and Cancel, the commands fail with a database error. Looking at the error it appears that the CommonEventCall_Location_Trigger is blocking the insert of details into CommonEventCall and causing the command to fail. Steps to Reproduce: **1.** Create two events with caller information including caller location. **2.** Run the Duplicate and Cancel command and attempt to merge the events. **3.** Alternatively, create an event (with caller information) close to another event and attempt to use the Merge command from the Nearby Events list. Expected Result: Details of the cancelled event are merged with the open event. Actual Result: An error processing the database transactions is reported.
317.	622004	HxGN OnCall Dispatch | Call-Taker	OnCall CM enabled scenario - AniAli is not spilling if the Address is non-verifiable.	ContactManagement is not doing a Geocoding request on the DefaultEventLocation in the ContactManagement set when it receives a spill from an unverifiable address. This results in AniAli not spilling. Steps to Reproduce: **1.** Make sure ContactManagement is enabled. **2.** Using the RestAPI, send a spill that has no verifiable addresses.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. AniAli does not spill and the ContactManagement log shows the following error- LogMessage 2023-08-07 13:57:22.349 Could not geocode address \"1340 Grandeview Blvd\". Verify value of parameter ContactManagement=>ContactRecords=>DefaultEventLocation {GetVerifiedOrDefaultEventLocation}C:\a\1\s\src\Hexagon.SI.ContactManagerModule\MessageHandlers\CreateContactRecordMessageHandler.cs (line: 301) Expected Result: AniAli should spill, and Contact Record should get created at the Default Event Location defined in the ContactManagement set. Actual Result: AniAli does not spill and the Geocoding log does not show a CAD_LV_REQ for the Default location defined in the CM set.
318.	624900	HxGN OnCall Dispatch | Call-Taker	ProQA & Premier Responder configuration causing endless loop	If the following parameters are enabled (Set Name: OnCall, Parameter List: ClientServices, Parameter Names: EnableGenericQA, EnableProQA), OCD gets stuck in an endless loop requesting parameters. This appears to have a performance impact on OCD client. Steps to Reproduce: **1.** Enable the following parameters (Set Name: OnCall, Parameter List: ClientServices, Parameter Names: EnableGenericQA, EnableProQA).

	Tracking #	Product	Summary	Description/How to Reproduce
				2. Login to OnCall Dispatch and open Developer Tools > Network to monitor activity. Expected Result: Client startup should only request parameters once. Actual Result: Client startup is continually requesting parameters.
319.	625066	HxGN OnCall Dispatch | Call-Taker	Caller card not being saved because of missing the EventID being created.	Sometimes when saving a caller and an event, the caller is not being saved as it misses the Event ID that is also being created.
320.	627626	HxGN OnCall Dispatch | Call-Taker	Merge Nearby Event in Call-Taker opens a new Event Panel rather than staying in Call-Taker.	When merging a call that you are currently entering into an already existing nearby event, the event panel opens and clears the Call-Taker form, when it would make more sense to just open up the already existing event into the Call-Taker form. Steps to Reproduce: 1. Open Event A. 2. Clear the Call-Taker form. 3. Choose a location at or nearby the first event. 4. The Call-Taker form shows the event as a nearby event. 5. Select the menu and click Merge. 6. Observe that the Call-Taker form is cleared, and the event panel of Event A opens. Actual Result: The Call-Taker form is cleared, and the event panel of Event A opens. Expected Result: The Call-Taker form gets Event A spilled into Edit Call-Taker.

	Tracking #	Product	Summary	Description/How to Reproduce
321.	628675	HxGN OnCall Dispatch | Call-Taker	OnCall CM enabled - Call-Taker transfer event fails	Steps to Reproduce: **1.** Ensure that contact management turned on. **2.** Have Aniali spill to Call-Taker, which auto creates event for GP911 agency and event type 911 Incoming call. **3.** Open ProQA and answer triage questions to update event type. **4.** Event type is updated but the event doesn't transfer to the relevant Fire agency for that type/location. Actual Result: Event type updates but the event doesn't transfer to the correct agency. Expected Result: Event should transfer to the correct agency
322.	628683	HxGN OnCall Dispatch | Call-Taker	New component displaying employee information on Call-Taker form persists after clicking Clear Form.	The new component that displays employee information on the Call-Taker form persists after I click Clear Form. This is problematic, for example, because the form does not display my new position ID after I change it using the Set Position ID command. Steps to Reproduce: **1.** Create an event using Call-Taker. **2.** After the event is created, click Clear Form. **3.** Note the component remains displayed on the cleared form. Expected result: the component does not persist after I click Clear Form. Actual result: the component persists after I click Clear Form.

	Tracking #	Product	Summary	Description/How to Reproduce
323.	629291	HxGN OnCall Dispatch | Call-Taker	Update Event functionality is broken.	Identified the following issues in call-taker functionality in the latest version. • Aren't to add supp Info for advised Event Type on selecting a Special address. • Create an event, add an attachment, and the update button is getting disabled. • Caller sync issues between Call-Taker and Event Panel. • Display the latest caller flags on the selection of caller cards. • The Location connector functionality, after the first request.
324.	629532	HxGN OnCall Dispatch | Call-Taker	The Middle scrollbar should not be displayed	Steps to Reproduce: **1.** Log into Dispatch. **2.** Display the Call-Taker dialog. **3.** Add remarks. Observe that there is an additional (middle) scroll bar that is displayed which doesn't really do anything. This scroll bar needs to be removed
325.	630124	HxGN OnCall Dispatch | Call-Taker	Call-Taker Screen > Drop-Down Menu Arrows Not Visible.	Steps to Reproduce: **1.** Launch OnCall Dispatch **2.** Navigate to Calltaker screen. **3.** While in "day mode", observe the arrows for all of the drop-down menus are visible. **4.** Switch to Night Mode **5.** While in night mode, observe the arrows for all of the drop-down menus are not visible. Actual Result: The arrows for all of the drop-down menus on the Calltaker screen are not visible when in night mode. Expected Result: The arrows for all of the drop-down menus on the Calltaker screen are visible when in night mode.

	Tracking #	Product	Summary	Description/How to Reproduce
326.	630126	HxGN OnCall Dispatch | Call-Taker	Call-Taker Screen > Location Field > Verify Button Label Not Centered	Steps to Reproduce: 1. Launch OnCall Dispatch. 2. Navigate to Call-Taker screen. 3. While in "day mode", observe the Verify button label is centered. 4. Switch to Night Mode. 5. While in night mode, observe the Verify button label is not centered. Actual Result: The Verify button label is not centered when displayed in night mode. Expected Result: The Verify button label will be centered when displayed in night mode.
327.	630140	HxGN OnCall Dispatch | Call-Taker	Call-Taker AniAli spill with no address causes replace of in Caller Card when user updates the Location.	Steps to Reproduce: **1.** Use the attached data to send an aniali spill with no location to Call-Taker. **2.** ContactManagement is disabled. **3.** The -- location spills to the Event location and the caller card. **4.** Now, backspace the -- and start typing in a valid location in the Event location field. **5.** Once that location verifies, the caller card location gets updated to that new location (it does not retain the original -- location). Actual Result: The caller card location gets updated to that new location (it does not retain the original -- location). Expected Result: The caller card location should remain the original location that was spilled via AniAli.
328.	632304	HxGN OnCall Dispatch | Call-Taker	Schedule event with a caller is not working.	Steps to Reproduce: **1.** Open the Call-Taker form. **2.** Add Location and event type details. **3.** Add a Caller.

	Tracking #	Product	Summary	Description/How to Reproduce
				4. Click on Create Event. **5.** Now, access Schedule Follow-up Event button and add schedule details. Observe than an error displays.
329.	633504	HxGN OnCall Dispatch | Call-Taker	Observed 28.05k Expected Property errors	Observed 28.05k Expected Property errors
330.	634053	HxGN OnCall Dispatch | Call-Taker	Supplemental Information is automatically getting added to Call-Taker Form.	Steps to Reproduce: 6. Login to OnCall Dispatch. 7. For clear Viewing dock Call-Taker Form to Left and Even Panel to Right. 8. Go to the Call-Taker form. 9. In Map double click on any active Event. The Event Panel will be opened. 10. Go to Supp info tab add Supp info. 11. In the Call-Taker form observe Supp info getting added. Actual Result: The added Supp info in the other Event Panel is getting automatically added Call-Taker Form SuppInfo Tab. Expected Result: SuppInfo should not automatically added to Call-Taker Form.
331.	634145	HxGN OnCall Dispatch | Call-Taker	The ReverseGeocodingHandler.PrepareResponse is failing, and the requesting employee is not logged on.	The ReverseGeocodingHandler.PrepareResponse is failing, and the requesting employee is not logged on.
332.	634150	HxGN OnCall Dispatch | Call-Taker	Could not read parameter from service.	Could not read parameter from service.
333.	634675	HxGN OnCall Dispatch | Call-Taker	The expanded tear off is overlapped by the command line (the command line is not across entire screen).	Steps to Reproduce: **1.** Create a Layout with Call-Taker on left and an Event Board on right. **2.** Put a docked command line, only above the Event Board portion.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Observe that the command line is not expanding across the entire screen. Actual Result: The command line covers part of expanded tab. Expected Result: The tab should go below command line.
334.	635139	HxGN OnCall Dispatch | Call-Taker	Caller Address is not verified for AniAliTester(GPC Tool) spill.	Steps to Reproduce: **1.** Log in to OnCall Dispatch with CallPositionId. **2.** Go to Call-Taker. **3.** Ensure that Contact Management is disabled. **4.** Using AniAliTester(GPC Tool) send initial AniAli packet. **5.** Using AniAliTester(GPC Tool) send Updated AniAli packet. **6.** In Call-Taker, go to the Caller Location in the Caller Card and click on Show Caller Location on Map. Observe that the Caller icon is not getting displayed to the current Location. It is still Pointing to Previous Location. Actual Result: When an AniAli spill occurs Caller icon is not getting displayed to the current Location. It is still Pointing to Previous Location. Expected Result: Caller icon should get point to the current location.
335.	638011	HxGN OnCall Dispatch | Call-Taker	Attachments and Supp Info details are not getting copied to Schedule Follow Up Event.	Steps to Reproduce: **1.** Go to Call-Taker. **2.** Enter all the required fields like Location, Event Type, Caller details. **3.** Add Comments, Attachments, Supp info details. **4.** Click on Create Contact button. **5.** Contact Should be created successfully.

	Tracking #	Product	Summary	Description/How to Reproduce
				6. Click on Schedule Follow Up Event button. In that dialog, observe that attachments and Supp Info details are not copied from Call-Taker Form.
336.	638581	HxGN OnCall Dispatch | Call-Taker	Issues with Supp Info, caller location in Call-Taker.	Steps to Reproduce: 1. Go to Call-Taker Form. 2. Key in all the required Fields like Location, Event Type, Attachments, caller data, Supp Info. 3. Click on Create Event Button. The event should be created. 4. Click on Convert to Schedule Event button beside to Update Event. 5. The Create Schedule Event dialog should be opened. 6. Check all the details should be copied from Call-Taker. 7. Observe that the Supp info data got removed.
337.	638998	HxGN OnCall Dispatch | Call-Taker	Using GetLastCall Address is not getting populated in Call-Taker.	Steps to Reproduce: 1. Go to Call-Taker Form. 2. Create a contact using AniAli spill. 3. Contact should be created. Note down the Contact ID. 4. Clear the form (you may use function key alt+N). 5. Press the key noted in step 1 to Get Last call(alt+L). Actual Result: Observe Address is not getting populated in Call-Taker. Expected Result: Address should be displayed in Call-Taker.

	Tracking #	Product	Summary	Description/How to Reproduce
338.	639511	HxGN OnCall Dispatch | Call-Taker	Calltaker Supp Info navigation icon disappears if user switches tabs.	Steps to Reproduce: **1.** Log on as FCO User. **2.** Create a contact. **3.** Add Supp Info PERSON record. **4.** Switch to Informer Tab. **5.** Switch back to the Create Contact tab. **6.** The Informer Results navigation button and the Supplemental Information navigation button is missing.
339.	639649	HxGN OnCall Dispatch | Call-Taker	The expanded tear off not able to perform horizontal scrolling	Steps to Reproduce: **1.** Create a Layout with Call-Taker on left and an Event Board on right. **2.** Put a docked command line, only above the Event Board portion. **3.** Expand the expanded collapsible section of Call-Taker tabs. **4.** Observe that you are not able to perform horizontal scrolling.
340.	640499	HxGN OnCall Dispatch | Call-Taker	If enter a value in Event Title of the Call taker screen, it changes when Update (sometimes when Create) the event.	Steps to Reproduce: **1.** Create a call using Call-Taker. Enter something into the Event Title field. **2.** Finish creating the event. **3.** If still have the event Call-Taker, click Update Event. If use the Event panel to Update the event, change something like Priority. View the field in the AgencyEvent table. Actual Result: The value of what was typed during call entry gets changed to the Location - Call Type - Sub Type (if specified) of the event. Expected Result: Value typed during call entry to remain unchanged.

	Tracking #	Product	Summary	Description/How to Reproduce
341.	640944	HxGN OnCall Dispatch | Call-Taker	The CallHandling popup doesn´t work after accepted the call via solidus and clicking in reject via Callhandling.	The CallHandling popup doesn´t work after accepted the call via solidus and clicking in reject via CallHandling.
342.	643294	HxGN OnCall Dispatch | Call-Taker	Special address Supp info not getting displayed in Call-Taker Form.	Steps to Reproduce: **1.** Go to Call-Taker Form. **2.** In Location Field Enter any Special Addresswhich has supp info associated with it. **3.** Observe Special address Supp info not getting copied to Call-Taker form. Actual Result: Supp info not getting copied to Call-Taker form. Expected Result: Supp info details should be added to Call-Taker form.
343.	643359	HxGN OnCall Dispatch | Call-Taker	OnCall Aniali spill containing person data, but no location, will reset to 0 the LL values in CommonEventCall.	Steps to Reproduce: **1.** Go to CallTaker Form. **2.** Using AniAliTester send initial spill. Spill is received on the Calltaker form. **3.** Send Updated spill (spill3). **4.** Send Spill2 with no lat/lon. **5.** Go to database and execute query select * from CommonEventCall. **6.** Observe that CallerLocationId is getting null. Actual Result: CallerLocationId is getting null. Expected Result: CallerLocationId should display an ID. By using that ID we have to search in CallLocation table if we send aniali spill with no location resetting to 0 or old lat/lon getting displayed.
344.	644077	HxGN OnCall Dispatch | Call-Taker	During tab switch Supp info is not getting displayed in the CallTaker Form.	Steps to Reproduce: 1. Go to CallTaker form. 2. Go to Supp info tab. Add supp info details.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Perform tab switch and then again come back to CallTaker form. 4. Observe added Supp info data got cleared. Actual Result: during tab switch supp info details getting cleared. Expected Result: during tab switch supp info details should not get cleared.
345.	644126	HxGN OnCall Dispatch | Call-Taker	Contact Management: Sometimes changing the event type will set the location back to the default.	This was fixed in 2102, but we reproduced this problem (more than once) in the 2209 tests in our test environment. It's not clear if the location revert back to the original location after changing the event type or something else is causing it. But it's a critical problem was causes events to be created to the wrong group or location
346.	647689	HxGN OnCall Dispatch | Call-Taker	Call-Taker as Event Panel is not closing (close button in footer component) when it is docked on right side.	Steps to Reproduce: **1.** Enable DisplayCalltakerAsEventPanel in OnCall (SET) -> UISettings(List). **2.** Open default dispatcher layout, Open either maps or Units Board. **3.** Click on any event on maps/Right Click on unit and click on select event. **4.** Calltaker as event panel is docked on right side of the application. **5.** Click on close in the footer component of the Call-Taker as event panel form. Actual result: Calltaker as event panel form is not closed. Expected result: Calltaker as event panel form should be closed on clicking close button on footer component.
347.	648478	HxGN OnCall Dispatch | Call-Taker	View Event/Merge Menu on Same Location Calls.	Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
				1. Create an event, create another event at the same location in Call-Taker, **2.** View Event/Merge menu does not display. **3.** Create an event at nearby by location, menu displays. **4.** Observe that the menu does not display for events at the same location or nearby events.
348.	613089	HxGN OnCall Dispatch | Fire Link Interface	Not generating INC02 reports/Incomplete INC02 reports.	When creating a fire event and after dispatching a unit, the unit enters both Enroute and Arrive statuses, but we are not seeing any INC02 reports. The INC02 reports being generated in our internal environments barely have data. The expectation is to see complete INC02 reports when a unit is dispatched, enroute, and arrived.
349.	628247	HxGN OnCall Dispatch | Fire Station Alerting	Does not send alert, gets error that unit is not in <Available in Quarters> even when the unit is AQ in OCD	Steps to Reproduce: 12. Make sure the AlertOnlyIfAQ parameter is set to 1 for Providername Locution in the ProviderDetails table in the FireStationAlerting Set in OnCall Admin. 13. Make sure the unit in question is alertable - has a valid station/bay and the station has a valid notification device. 14. Ensure unit is AQ in OnCall Dispatch, but DefaultAvailablestatus for the unit in OnCall Admin is something other than AQ. 15. Dispatch unit to an event in OCD. 16. Observe that an error message displays in log. Actual Result: Unit will not get alerted, and the FSA module log will show the following error -"Tone was not sent for Unit PU011. The unit's status is not <Available in Quarters> {ProcessUnitDispatchMsg}C:\a\24\s\src\FireStationAl

	Tracking #	Product	Summary	Description/How to Reproduce
				ertModule\FireStationAlertModule\OnCallPacketHandler.cs (line: 492). Expected Result: Expect FSA to pass alert message to RabbitMQ so XALT interface can pick it up.
350.	644843	HxGN OnCall Dispatch | Fire Station Alerting	FSA does not send out if it has a System Unit Status in between AQ and DP.	Unit gets ActiveUNitHistory set to AQ as they are in Available in Quarters. After that some System Unit Status changes happen like updated personnel UE. When they then get dispatched, FSA does not fire because it sees UE instead of AQ. We need to have FSA ignore the "System" unit statuses and only look for real Unit Status codes.
351.	432263	HxGN OnCall Dispatch | Informer	The CommSys MessageData at bottom of every return is difficult to read. The font needs to be changed.	Raw ComSys MessageData returned at the bottom of every return uses a font that gives users an unreadable view experience/difficult to read.
352.	536385	HxGN OnCall Dispatch | Informer	Informer AddOn Views import already existing components.	The four Informer custom views all import React, ReactDOM, Angular, Lodash, and other modules that are already imported into the global scope of OnCall Dispatch. This is a waste of bandwidth.
353.	541536	HxGN OnCall Dispatch | Informer	The Requestor Column should be on the Informer board.	The Requestor Column should be on the Informer board
354.	626736	HxGN OnCall Dispatch | Informer	Detailed viewing opens on top of Supp Info dialog, when adding Supp Info.	Steps to Reproduce: **1.** Create an Event **2.** Add person via Supplemental Information. **3.** Go to the Informer panel and open the search result. **4.** add the search result to existing person on the event. Actual Result: Supplemental information opens with the registered information, but the detailed view of information is on top of the supplemental information.

	Tracking #	Product	Summary	Description/How to Reproduce
				Expected Result: Supplemental information opens with the registered information and the detailed view of information is under supplemental information or closes.
355.	631311	HxGN OnCall Dispatch | Informer	Can't use keyboard to open Informer Response expandable sections.	Steps to Reproduce: 17. In Administrator UI Editor, add a new section in the Person Details View Card for a static collapsed region 18. In Dispatcher, navigate to a workspace with Map. 19. Create an Event. 20. Select the Event. 21. Add a supp info person. 22. Click on the Informer badge. 23. Keep pressing tab until you see a response highlighted. 24. Verify pressing tab will cycle through elements of the event panel until the tab index reaches an Informer response. 25. Press Enter with the response highlighted. 26. Verify the response details are displayed. 27. Using different keyboard keys try to go "inside" and navigate the Informer Response dialog. 28. Navigate through the responses and try to get to and expand the collapsed region. Actual Result: Not possible to enter the Informer Response dialog using the keyboard and expand collapsed sections. Expected Result: Possible to enter the Informer Response dialog using the keyboard.
356.	639104	HxGN OnCall Dispatch | Informer	When adding informer response to Supp Info, the response property	Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
			with character '&' gets converted to ampersand.	**1.** Have an Informer response with a '&' character in the response. **2.** Add the informer response to supp info with the returned property mapped to supp info field. **3.** Check the added data. Actual Result: The character gets URL encoded to '&.' Expected Result: The '&' character is preserved.
357.	639107	HxGN OnCall Dispatch | Informer	Unsolicited Messages in Informer has encountered an unexpected error.	Whenever user receives an "Unsolicited" message in their Informer inbox, and they click on it to view, the receive an error that states "Informer has encountered an unexpected error."
358.	553720	HxGN OnCall Dispatch | Mobile Unit	My Patrol Nearby missing priority.	Nearby Incidents does not display priority. Other OnCall Incident Boards show incident priority as a colored indicator (e.g., standard Incident Board in OnCall Dispatch). Priority should be displayed as the colored P<n> in OMU.
359.	572389	HxGN OnCall Dispatch | Mobile Unit	Additional Reverse Geocoding Control - Vehicle Stops/Starts Moving.	More Reverse Geocoding Requests happen at MinimumTime when the unit is driving in traffic than is desirable. OMU sends Reverse Geocoding Requests (CAD_REVERSE_GEOCODING_MSG_REQ), based on some parameters in the OnCall > GeoLocation list, when it receives a fresh GPS data point if: A minimum amount of time has passed (ReverseGeocodingMinimumTime) AND one of the following is true: **1.** A certain amount of time has passed which must be greater than or equal to

	Tracking #	Product	Summary	Description/How to Reproduce
				MinimumTime (ReverseGeocodingDeltaTime). **2.** A certain distance has been moved(ReverseGeocodingDeltaDistance). **3.** The unit has stopped moving or started moving* (no parameter controls this currently although the value of SpeedAsNotMoving is used in the calculation). A parameter should be added for item 3 so that it can be turned off, e.g., ReverseGeocodingUnitStopsStartsFlag. The default should be "Stops" (or 'Y' if we do the boolean, i.e., send the Request when the unit stops or starts moving. * Reverse Geocoding when the unit stops is good if the other parameters are set in certain ways, e.g., a short DeltaDistance but a long DeltaTime, then the unit's position will update and be correct for the officer to use at that stop.
360.	586748	HxGN OnCall Dispatch | Mobile Unit	Panel says only "Towards" when no street names in routing response.	Steps to Reproduce: **1.** On a system that uses an ArcGIS Routing Provider that leaves the streetName property empty **2.** In OMU run a Generate Route command with Route Guidance turned on. **3.** As you follow along the route (e.g., via a GPS replay of by driving the streets), notice that the Route Guidance Panel never shows the streetName, but only the move symbol (e.g. Turn Right) and the distance to the move.

	Tracking #	Product	Summary	Description/How to Reproduce
				Actual Result: Only the word "Towards" is seen on the routing panel. Expected Result: Routing panel should show the street name to turn on to.
361.	588573	HxGN OnCall Dispatch | Mobile Unit	The "Easy Access" Buttons are visible for non-Assigned Events	Steps to Reproduce: **1.** Log into OMU **2.** From the Events tab (or map), select an event that the mobile unit is not assigned to. Expected Result: The "easy access" buttons for adding Person, Vehicle, Contact and Property in Event Panel header should not be displayed. Actual Result: The "easy Access" buttons are visible for non-assigned Events.
362.	607315	HxGN OnCall Dispatch | Mobile Unit	Unit icon jumps back while moving on map.	When units are moving on the map, they move in the direction of travel, and then jump back slightly before jumping back forward at the next GPS update. This is happening to all Mobile Unit users. Note that we have our GPS update at every five seconds.
363.	622275	HxGN OnCall Dispatch | Mobile Unit	Traffic Stop button cannot pass Preempt code	Steps to Reproduce: **1.** Log into OMU. **2.** Put yourself on a call. **3.** While on a call, navigate back to "My Patrol" where traffic widget is. **4.** Open Dev tools and go to Network tab. **5.** Click on "Traffic Stop" Button. Observe that in Dev tools the packet receives a 400 response with Preempt Error.
364.	632338	HxGN OnCall Dispatch | Mobile Unit	Setting a unit's location as a latitude and longitude results in an error message when creating a field event.	Steps to Reproduce: **1.** Give a unit a location as only a longitude and latitude.

	Tracking #	Product	Summary	Description/How to Reproduce
				2. Enter FEV into the command line. The location displays as verified. **3.** Fill in the necessary fields and then click Submit. An error message displays stating the location must be valid. **4.** Click the back button for the browser. **5.** The dialog box displays again and shows the location as verified. **6.** Click Submit again. The Field Event is created successfully.
365.	644062	HxGN OnCall Dispatch | Mobile Unit	OMU Onscreen Keyboard Dialog Issue.	In OMU, when using the onscreen keyboard, dialogs will shift to the bottom right of the screen. These dialogs will become hidden and cannot be moved back with touch. Steps to Reproduce: 29. Open Unit Properties (or any dialog with a text field). 30. Tap into text field, launching onscreen keyboard. Actual Result: Dialog will shift the bottom right of the screen, eventually becoming hidden. Expected Result: Dialog stays and information can be entered normally.
366.	608726	HxGN OnCall Dispatch | Push To Talk	Unable to get PTT service to see configured module.	We are unable to get PTT service to see the configured module. We see an error that says "ERROR No Providers configured to run on this ModuleService.”
367.	579451	HxGN OnCall Dispatch | RestAPI	OnCall REST Api - v4/Event GET Filter=commonEventId.eq(123456) does not work.	In the OnCall RestApi description it says, "Note Only Fields that appear in the results can be used for queries." The property commonEventId is part of the result, so it should be possible to filter based on this column.

	Tracking #	Product	Summary	Description/How to Reproduce
				However, the filter "commonEventId.eq(14819744)" returns an HTTP 500 error with response content: {"errorMessage":"Ambiguous column name 'commonEventId'.","fullException":"Microsoft.Data.SqlClient.SqlException"}. It should be possible to filter for events based on CommonEventId and get the returned events in the response.
368.	588103	HxGN OnCall Dispatch | RestAPI	RestAPI to update unit location ignoring unitid and just using deviceid.	When updating a unit location, RestAPI is ignoring the unitid passed and is just using the deviceid, causing wrong unit to be updated. This happens when there are two devices with the same deviceid but different device types.
369.	620635	HxGN OnCall Dispatch | RestAPI	RestAPI does not send valid CORS allowed method during preflight check.	If the RestfulCad > General > CORS_AllowedMethods parameter is left on its default value (that is, "GET, POST, PUT, DELETE, OPTIONS"), any POST request to the /api/v1/CustomerRulesEngine endpoint will trigger a Chrome preflight check to ascertain what the CORS settings are on the API. RestAPI appears to treat this parameter as a single string rather than splitting it into each option. This is invalid and causes the API method call to fail. Clearing the parameter allows the API call to succeed. Ideally, this behavior should be resolved as clearing this parameter will reduce security of the solution. Setting to only a single option will equally reduce the solution's use.
370.	623402	HxGN OnCall Dispatch | RestAPI	Update Employee Device API call sets unit coordinates to 0,0	Steps to Reproduce: **3.** Log in to Mobile Responder. **4.** Select the unit in the Unit Board and then open the OnCall Map tab. **5.** Check the ActiveUnit table for the lat/long coordinates of the unit.

	Tracking #	Product	Summary	Description/How to Reproduce
				6. Use the Post /v1/UnitEmployee/{EmployeeId}/Devices/{DeviceId} endpoint. The unit is not on the map and the coordinates are set to 0,0.
371.	622397	HxGN OnCall Dispatch | Tracker	Changes to Tracker handling of logged out radio devices causing issue in workflow	We've managed to find a bug/difference with how Tracker handles defined radios which are not logged in for 2303 compared to how they were handled in 2205. Within 2205, sending an AVL message to Tracker for a logged-out radio would insert a row into the OtherDeviceLocationHistory DB table. On 2303, the update is dropped, and a log message written to the Tracker log file of: Filtered out unit and its status is . Check OnCall->DeviceLocationRates->Tracker configuration -> UnitStatus values for allowed statuses. {ProcessThread}C:\a\9\s\TrackerProcess\ProcessPvt.cs (line: 389) Looking a decompilation of the Tracker Process, it appears that the code makes an assumption that a unit will be logged in for a defined radio (if the radio is undefined, then a row is correctly written to the OtherDeviceLocationHistory DB table). Can we have the 2205 behavior reinstated (or a way to configure this behavior)? Actual results: Changes causing issue with workflow. Expected behavior: Previous behavior retained so workflow is maintained.
372.	642982	HxGN OnCall Dispatch | Tracker	Update location of devices assigned to an undefined unit does not work.	Steps to Reproduce: **1.** Use OnCall REST Api: v1/Unit/{unitId}/LogonUndefinedUnit. **2.** Add a trackable device to that unit (e.g. with CadCore) and set it as trackingdevice for unit.

	Tracking #	Product	Summary	Description/How to Reproduce
				3. Use OnCall REST Api: v2/Location/{deviceId}/UpdateLocation to change the position. Actual Result: The position of the unit is not updated. Expected Result: The position of the unit should be updated.
373.	593498	HxGN OnCall Dispatch RestAPI	RestAPI – Create Event: Supplemental data not getting added when there is CustomData present.	When creating an event through the RestAPI, Supplemental Information (person and vehicles) cannot be added if they have CustomData. Creating an event with supplemental persons and vehicles but no CustomData works correctly. All steps were done using the v2/CreateEvent endpoint from RestAPI. When creating an event with supplemental persons and vehicles and all have custom data, the event is created but with no supplemental information. We tried creating an event with only some custom data for the supplemental information such as follows: • Person 1 (no custom data) • Person 2 (custom data) • Vehicle 1 (no custom data) • Vehicle 2 (custom data) In this case, the event is created, but only Person 1 is added. All supplemental information after the first occurrence of custom data are ignored. RestAPI only allows for a list of name/value pairs, so we cannot work around it by sending serialized customData to the API.
374.	593507	HxGN OnCall Dispatch RestAPI	RestAPI – Updating a specific supplemental person/vehicle results	Steps to Reproduce:

	Tracking #	Product	Summary	Description/How to Reproduce
			in deletion of other supplemental information fields.	**1.** Create a new supplemental person or vehicle with data in a default column field (FIELD A) and optionally a custom_data column field (FIELD B). **2.** Update the individual supplemental information person with new data in another field (either a custom field or a default field, FIELD C) using the POST command in the RestAPI. Expected result: All data fields are now in the supplemental information person (FIELDs A, B, and C) with no data loss. Actual result: Data entered into custom data fields (FIELD B) is preserved, but the standard field (FIELD A) is deleted/lost after inserting FIELD C.
375.	593516	HxGN OnCall Dispatch RestAPI	RestAPI – Unit change location.	The RestAPI Change Location endpoint ignores data after the comma. For example, /v1/Unit/{UnitId}/Changelocation with Location = "SecretArea 9, 5791 Area51" results in the wrong location being set because everything after the comma is ignored.
376.	598211	HxGN OnCall Dispatch RestAPI	CNS is taking too long to deliver new events.	CNS gets further and further behind after a period of time when sending notifications to Rabbitmq subscribers. After a while, it takes two minutes between event creation and CNS notification.
377.	618479	HxGN OnCall Dispatch RestAPI	CNS – Marked for Logoff notification is not working.	When a unit (which has an assigned event) is logged off from OnCall Dispatch, a Logoff CNS notification is not coming to the Mobile Server, hence not getting any info to Mobile Responder.
378.	623933	HxGN OnCall Dispatch RestAPI	RestAPI - "Nullable object must have a value" and internal server errors.	Sometimes RestAPI gives a "Nullable object must have a value" error and returns an internal server error response. This is associated to the session

	Tracking #	Product	Summary	Description/How to Reproduce
				expiration. Previously, the error on session expiration was unauthorized.
379.	651274	OnCall Dispatch | Informer	The Informer icon doesn't turn green when a new hit is added.	Steps to Reproduce: **1.** Add a few supp info to event that creates an informer hit/search. Actual Result: The tab doesn't turn green. It stays grey even though the tab number goes up. Expected Result: Every time a new hit is generated in the informer tab, the tab turns green to indicate that something new is added.
380.	531217	RMS Link	RMSLink Module will not transfer data.	RMSLink module will not transfer data if there are overrides in the GeocodingResponseConfiguration parameter table that match the defaults exactly.

HxGN OnCall® Dispatch 10.00.2309.4 Issues Resolved