Assignment

January 5, 2024

CBSE 2019 Mathematics Questions

- 1. If A is a square matrix of order 3 with |A| = 4, then write the value of |-2A|.
- 2. If

$$y = \sin^{-1} x + \cos^{-1} x$$

find
$$\frac{dy}{dx}$$
.

3. Write the order and the degree of the differential equation

$$\left(\frac{d^4y}{dx^4}\right)^2 = \left(x + \left(\frac{dy}{dx}\right)^2\right)^3.$$

- 4. If a line has the direction ratios -18, 12, -4, then what are its direction cosines?
- 5. If $\mathbf{A} = \begin{bmatrix} 0 & 2 \\ 3 & -4 \end{bmatrix}$ and $k\mathbf{A} = \begin{bmatrix} 0 & 3a \\ 2b & 24 \end{bmatrix}$, then find the values of k, a and b.
- 6. Form the differential equation representing the family of curves $y^2 = m(a^2 x^2)$ by eliminating the arbitrary constants 'm' and 'a'.
- 7. Mother, father and son line up at random for a family photo. If A and B are two events given by A = Son on one end, B = Father in the middle, find $P(B \mid A)$.

- 8. A coin is tossed 5 times. Find the probability of getting
 - i. at least 4 heads
 - ii. at most 4 heads.
- 9. Show that the relation R on the set Z of all integers, given by $R = \{(a, b) : 2 \text{ divides } (a b)\}$ is an equivalence relation.
- 10. If $\tan^{-1} x \cot^{-1} x = \tan^{-1} \left(\frac{1}{\sqrt{3}}\right)$, x > 0, find the value of x and hence find the value of $\sec^{-1} \left(\frac{2}{x}\right)$.
- 11. Using properties of determinants, prove that

$$\begin{bmatrix} b+c & a & a \\ b & c+a & b \\ c & c & a+b \end{bmatrix} = 4abc.$$

12. If $\sin y = x \sin(a + y)$, prove that

$$\frac{dy}{dx} = \frac{\sin^2(a+y)}{\sin a}$$

- 13. If $(\sin x)^y = x + y$, find $\frac{dy}{dx}$.
- 14. If $y = (\sec^{-1} x^2)$, x > 0, show that

$$x^{2}(x^{2}-1)\frac{d^{2}y}{dx^{2}} + (2x^{3}-x)\frac{dy}{dx} - 2 = 0$$

15. Find the equations of the tangent and the normal to the curve

$$y = \frac{x - 7}{(x - 2)(x - 3)}$$

at the point where it cuts the x-axis.

16. Find

$$\int \frac{\sin 2x}{(\sin^2 x + 1)(\sin^2 x + 3)} dx$$

17. Prove that

$$\int_{a}^{b} f(x)dx = \int_{a}^{b} f(a+b-x)dx$$

and hence evaluate

$$\int_{\pi/6}^{\pi/3} \frac{dx}{1 + \sqrt{tanx}}.$$

18. Solve the differential equations

$$\frac{dy}{dx} = \frac{x+y}{x-y}$$

19. Solve the differential equations

$$(1+x)^2 dy + 2xydx = \cot x \ dx.$$

20. Find the value of λ for which the following lines are perpendicular to each other:

$$\frac{x-5}{5\lambda+2} = \frac{2-y}{5} = \frac{1-z}{-1}; \frac{x}{1} = \frac{y+\frac{1}{2}}{2\lambda} = \frac{z-1}{3}.$$

Hence, find whether the lines intersect or not.

21. Find the inverse of the following matrix, using elementary transformations:

$$A = \begin{bmatrix} 2 & 3 & 1 \\ 2 & 4 & 1 \\ 3 & 7 & 2 \end{bmatrix}.$$

22. Show that the height of a cylinder, which is open at the top, having a given surface area and greatest volume, is equal to the radius of its base.

- 23. Find the area of the triangle whose vertices are (-1, 1), (0, 5) and (3, 2), using integration.
- 24. Find the area of the region bounded by the curves

$$(x-1)^2 + y^2 = 1$$
$$x^2 + y^2 = 1$$

using integration.

- 25. Find the vector and Cartesian equations of the plane passing through the points (2, 5, -3), (-2, -3, 5), and (5, 3, -3). Also, find the point of intersection of this plane with the line passing through points (3, 1, 5) and (-1, -3, -1).
- 26. Find the equation of the plane passing through the intersection of the planes $\vec{r} \cdot (\hat{i} + \hat{j} + \hat{k}) = 1$ and $\vec{r} \cdot 2\hat{i} + 3\hat{j} \hat{k} + 4 = 0$ and parallel to x axis. Hence, find the distance of the plane from x axis.
- 27. Find the integrating factor of the differential equation

$$x\frac{dy}{dx} - 2y = 2x^2$$

- 28. Find $\frac{dy}{dx}$, if $xy^2 x^2 = 4$
- 29. Find the Cartesian equation of the line which passes through the point (-2, 4, -5) and is parallel to the line

$$\frac{x+3}{3} = \frac{4-y}{5} = \frac{z+8}{6}.$$

- 30. Let * be a binary operation on $R \{-1\}$ defined by $a * b = \frac{a}{b+1}$, for all $a, b \in R \{-1\}$. Show that * is neither commutative nor associative in $R \{-1\}$.
- 31. If $\mathbf{A} = \begin{bmatrix} -3 & 6 \\ -2 & 4 \end{bmatrix}$, then show that $A^3 = A$.
- 32. Find

$$\int \frac{\sin x - \cos x}{\sqrt{1 + 2x}} dx, 0 < x < \pi/2.$$

33. Find

$$\int \frac{\sin{(x-a)}}{\sin{(x+a)}} dx.$$

34. Find

$$\int (\log x)^2 dx.$$

35. Let X be a random variable which assumes values x1, x2, x3, x4 such that

$$2P(X = x1) = 3P(X = x2) = P(X = x3) = 5P(X = x4)$$
.

Find the probability distribution of *X*.

- 36. Find a unit vector perpendicular to both the vectors \overrightarrow{a} and \overrightarrow{b} , where $\overrightarrow{a} = \hat{i} 7\hat{j} + 7\hat{k}$ and $\overrightarrow{b} = 3\hat{i} 2\hat{j} + 2\hat{k}$.
- 37. Show that the vectors $\hat{i} 2\hat{j} + 3\hat{k}$, $-2\hat{i} + 3\hat{j} 4\hat{k}$ and $\hat{i} 3\hat{j} + 5\hat{k}$ are coplanar.
- 38. If $f(x) = \frac{4x+3}{6x-4}$, $x \ne \frac{2}{3}$, show that f(x) = x for all $x \ne \frac{2}{3}$. Also, find the inverse of f.

39. If

$$\sin^{-1}\left(\frac{3}{x}\right) + \sin^{-1}\left(\frac{4}{x}\right) = \frac{\pi}{2}$$

then find the value of x.

40. Using properties of determinants, prove that

$$\begin{bmatrix} a^2 + 1 & ab & ac \\ ab & b^2 + 1 & bc \\ ac & bc & c^2 + 1 \end{bmatrix} = 1 + a^2 + b^2 + c^2.$$

41. If $y = (\cot^{-1} x)^2$, show that

$$(x^2 + 1)^2 \frac{d^2y}{dx^2} + 2x(x^2 + 1)\frac{dy}{dx} = 2.$$

- 42. Let \overrightarrow{a} , \overrightarrow{b} and \overrightarrow{c} be three vectors such that $|\overrightarrow{a}| = 1$, $|\overrightarrow{b}| = 2$ and $|\overrightarrow{c}| = 3$. If the projection of \overrightarrow{b} along \overrightarrow{a} is equal to the projection of \overrightarrow{c} along \overrightarrow{a} ; and $|\overrightarrow{b}|$, $|\overrightarrow{c}|$ are perpendicular to each other, then find $|3\overrightarrow{a} 2\overrightarrow{b}| + 2\overrightarrow{c}|$.
- 43. Find the local maxima and local minima, if any, of the following function. Also find the local maximum and the local minimum values, as the case may be:

$$f(x) = \sin x + \frac{1}{2}\cos 2x, 0 \le x \le \frac{\pi}{2}$$
.

- 44. If $A = \begin{bmatrix} 1 & -1 & 1 \\ 2 & -1 & 0 \\ 1 & 0 & 0 \end{bmatrix}$, find A^2 and show that $A^2 = A^{-1}$.
- 45. Using matrix method, solve the following system of equations:

$$2x - 3y + 5z = 13$$

$$3x + 2y - 4z = -2$$

$$x + y - 2z = -2.$$

- 46. There are two boxes I and II. Box I contains 3 red and 6 black balls. Box II contains 5 red and 'n' black balls. One of the two boxes, box I and box I is selected at random and a ball is drawn at random. The ball drawn is found to be red. If the probability that this red ball comes out from box I is $\frac{3}{5}$, find the value of 'n'.
- 47. Find the area of the region bounded by the curves $(x-1)^2 + y^2 = 1$ and $x^2 + y^2 = 1$ using integration.
- 48. *A* company manufactures two types of novelty souvenirs made of plywood. Souvenirs of type *A* require 5 minutes each for cutting and 10 minutes each

for assembling. Souvenirs of type B require 8 minutes each for cutting and 8 minutes each for assembling. There are 3 hours and 20 minutes available for cutting and 4 hours available for assembling. The profit is \$50 each for type A and \$60 each for type B souvenirs. How many souvenirs of each type should the company manufacture in order to maximize profit? Formulate the above LPP and solve it graphically and also find the maximum profit.

- 49. Find the direction cosines of the line joining the points P(4, 3, -5) and Q(-2, 1, -8).
- 50. Find the value of p for which the following lines are perpendicular:

$$\frac{1-x}{3} = \frac{2y-14}{2p} = \frac{z-3}{2}; \frac{1-x}{3p} = \frac{y-5}{1} = \frac{6-z}{5}.$$

- 51. $y=\sin^{-1} + \cos^{-1}$, find $\frac{dy}{dx}$.
- 52. If $A = \begin{bmatrix} 3 & 9 & 0 \\ 1 & 8 & -2 \\ 7 & 5 & 4 \end{bmatrix}$ and $B = \begin{bmatrix} 4 & 0 & 2 \\ 7 & 1 & 4 \\ 2 & 2 & 6 \end{bmatrix}$, then find the matrix B'A'.
- 53. Find

$$\int_{a}^{b} \frac{\log x}{x} dx.$$

- 54. If * is defined on the set **R** of all real numbers by $:a*b = \sqrt{a^2 + b^2}$, find the identity element, if it exists in **R**with respect to *.
- 55. Find the value of x, if $\tan\left(\sec^{-1}\left(\frac{1}{x}\right)\right) = \sin\left(\tan^{-1}2\right)$, x > 0.
- 56. If $e^y(x+1) = 1$, then show that $\frac{d^2y}{dx^2} = \left(\frac{dy}{dx}\right)^2$.
- 57. Find $\frac{dy}{dx}$, if $y = \sin^{-1}\left(\frac{2^{x+1}}{1+4^x}\right)$.
- 58. Find the intervals in which the function f given by $f(x) = 4x^3 6x^2 72x + 30$ is

- (a) strictly increasing,
- (b) strictly decreasing.
- 59. Solve the differential equation:

$$\frac{dy}{dx} = \frac{x+y}{x-y}.$$

60. Solve the differential equation:

$$(1+x^2)dy + 2xydx = \cot x dx.$$

61. Find the area of the region

$$\left\{ (x,y) : 0 \le y \le x^2, 0 \le y \le x+2, -1 \le x \le 3 \right\}.$$

62. Evaluate

$$\int_{1}^{4} \left(1 + x + e^{2}x\right) dx$$

as limit of sums.

63. Find the mean and variance of the random variable *X* which denotes the number of doublets in four throws of a pair of dice.

64. If
$$\begin{bmatrix} A \end{bmatrix} = \begin{bmatrix} 1 & 1 & 1 \\ 0 & 1 & 3 \\ 1 & -2 & 1 \end{bmatrix}$$
, find A^{-1} . Hence, solve the system of equations:

$$x + y + z = 6,$$

$$y + 3z = 11$$

and
$$x - 2y + z = 0$$