





Making Request


This is an emulator for making demo HTTP requests, using what you've learnt from the above tasks you can use it to complete the below questions.





1Q) Make a GET request to /room page

Get Method , added room in url and pressed GO to send request





THM{YOU'RE_IN_THE_ROOM}

2Q) Make a GET request to /blog page and set the id parameter to 1

Note: Use the gear button on the right to manage URI parameters

- A) Get method and url add blog and gear icon press and add parameter id =1 and send the request





THM{YOU_FOUND_THE_BLOG}

3Q) Make a DELETE request to `/user/1` page

A) DELETE method and in url add `/user/1`

DELETE ▾

http://tryhackme.com/user/1

Go

DELETE /user/1 HTTP/1.1
Host: tryhackme.com
User-Agent: Mozilla/5.0 Firefox/87.0
Content-Length: 6
Content-Type: application/x-www-form-urlencoded

1=page

Response

HTTP/1.1 200 Ok
Server: nginx/1.15.8
Tue, 26 May 2026 10:24:9 GMT
Content-Type: text/html; charset=utf-8
Content-Length: 250
Last-Modified: Tue, 26 May 2026 10:24:9 GMT

```
<html>
<head>
  <title>TryHackMe</title>
</head>
<body>
  The user has been deleted THM{USER_IS_DELETED}
</body>
</html>
```

THM Browser

The user has been deleted THM{USER_IS_DELETED}

THM{USER_IS_DELETED}

4Q)Make a PUT request to /user/2 page with the username parameter set to admin

Note: Use the gear button on the right to manage body parameters

- A) PUT method and in url add /user/2 and gear icon add username and value admin and send the request (Go)

PUT

▼

http://tryhackme.com/user/2



Go

PUT /user/2 HTTP/1.1

Host: tryhackme.com

User-Agent: Mozilla/5.0 Firefox/87.0

Content-Length: 0

Response

HTTP/1.1 200 Ok

Server: nginx/1.15.8

Tue, 26 May 2026 10:24:9 GMT

Content-Type: text/html

Content-Length: 112

Last-Modified: Tue, 26 May 2026 10:24:9 GMT

<html>

<head>

<title>TryHackMe

</head>

<body>

The user has been created successfully.

</body>

</html>

Parameters

×

Here, you can add key-value pairs to customize your requests.

username

:

admin



+ Add Param

Save

PUT

http://tryhackme.com/user/2

Go

PUT /user/2 HTTP/1.1

Host: tryhackme.com

User-Agent: Mozilla/5.0 Firefox/87.0

Content-Length: 14

Content-Type: application/x-www-form-urlencoded

username=admin

Response

HTTP/1.1 200 Ok

Server: nginx/1.15.8

Tue, 26 May 2026 10:27:58 GMT

Content-Type: text/html; charset=utf-8

Content-Length: 251

Last-Modified: Tue, 26 May 2026 10:27:58 GMT

<html>

<head>

<title>TryHackMe</title>

</head>

<body>

Username changed to admin THM{USER_HAS_UPDATED}

</body>

</html>

THM Browser


Username changed to admin THM{USER_HAS_UPDATED}

THM{USER_HAS_UPDATED}

4Q)Make a POST request to /login page with the username of thm and a password of letmein

Note: Use the gear button on the right to manage body parameters

A)Post method and url add login and gear icon add 2 parameters username thm and password letmein and send request.



POST

http://tryhackme.com/login

⚙

Go

POST /login HTTP/1.1
Host: tryhackme.com
User-Agent: Mozilla/5.0 Firefox/87.0
Content-Length: 29
Content-Type: application/x-www-form-urlencoded

username=thm&password=letmein

Response

HTTP/1.1 200 Ok
Server: nginx/1.15.8
Tue, 26 May 2026 10:37:47 GMT
Content-Type: text/html; charset=utf-8
Content-Length: 256
Last-Modified: Tue, 26 May 2026 10:37:47 GMT

```
<html>
<head>
  <title>TryHackMe</title>
</head>
<body>
  You logged in! Welcome Back THM{HTTP_REQUEST_MASTER}
</body>
</html>
```

THM Browser

You logged in! Welcome Back THM{HTTP_REQUEST_MASTER}

THM{HTTP_REQUEST_MASTER}