

## MySQL Exercise 1 (31-8-20) Solutions -V Venkataraman (106118106)

```
1
-- 1a
CREATE USER 'dbuser'@'localhost' IDENTIFIED BY
'password';
-- 1b
CREATE DATABASE mysampldb;
use mysampldb;
-- 1c
GRANT ALL PRIVILEGES ON mysampldb.EMP TO
'dbuser'@'localhost';
FLUSH PRIVILEGES;
-- Question 3
-- 3a
CREATE TABLE EMP(
   EMPNO int(6),
   ENAME varchar(20) NOT NULL,
   JOB varchar(10) NOT NULL,
   DEPTNO int(3),
   SAL double(7,2)
 Export: Wrap Cell Content: IA
   EMPNO ENAME JOB DEPTNO SAL
EMD E AV
-- 3b
ALTER TABLE EMP ADD experience INT NULL;
 Export: Wrap Cell Conter
   EMPNO ENAME JOB DEPTNO SAL experience
```

## -- 3c ALTER TABLE EMP MODIFY COLUMN JOB varchar(30) NOT NULL;




## -- 3e ALTER TABLE EMP DROP COLUMN experience;




-- Question 4 -- 4a

INSERT INTO dept VALUES(106, "CSE", "East");



-- 4b

INSERT INTO EMP VALUES (1001, "Alice", "Manager", 2,
10000.00), (1002, "Bob", "Engineer", 8, 50000.00),
(1003, "Charlie", "Sales", 5, 5000.00);



-- 4c

SELECT ENAME, JOB from EMP;



```
-- Question 5
-- 5a
TRUNCATE TABLE EMP;
                                 Export: Wrap Cell Cor
  Result Grid # November 1
     EMPNO ENAME JOB DEPTNO
                                  SAL
   EMP 13 ×
-- 5b
DROP TABLE dept;
-- Question 6
-- 6a
REVOKE ALL PRIVILEGES on mysampldb.EMP FROM
'dbuser'@'localhost';
FLUSH PRIVILEGES;
-- 6b
CREATE USER 'dbuser1'@'localhost' IDENTIFIED BY
'password';
-- 6c
GRANT SELECT ON mysampldb.EMP TO 'dbuser1'@'localhost';
FLUSH PRIVILEGES;
-- 6d
REVOKE SELECT on mysampldb.EMP FROM
'dbuser1'@'localhost';
FLUSH PRIVILEGES;
```