

C:\WINDOWS\system32\cmd.exe

50.255.255.255	255.255.255.255	50.0.10.0	50.0.10.0	10
60.0.0.0	255.0.0.0	50.0.0.1	50.0.10.0	1
127.0.0.0	255.0.0.0	127.0.0.1	127.0.0.1	1
224.0.0.0	240.0.0.0	50.0.10.0	50.0.10.0	10
255.255.255.255	255.255.255.255	50.0.10.0	50.0.10.0	1

=====
Persistent Routes:

None

C:\Documents and Settings\user>

C:\Documents and Settings\user>ping 60.0.0.10

Pinging 60.0.0.10 with 32 bytes of data:

Reply from 60.0.0.10: bytes=32 time=2ms TTL=127

Reply from 60.0.0.10: bytes=32 time=1ms TTL=127

Reply from 60.0.0.10: bytes=32 time=1ms TTL=127

Reply from 60.0.0.10: bytes=32 time=1ms TTL=127

Ping statistics for 60.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 1ms, Maximum = 2ms, Average = 1ms

C:\Documents and Settings\user>

C:\WINDOWS\system32\cmd.exe

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\Documents and Settings\user>

C:\Documents and Settings\user>route print

=====

Interface List

0x1 MS TCP Loopback interface
0x2 ...50 86 5f 09 50 00 Intel(R) PRO/1000 MT Network Connection - Packet Scheduler Miniport

=====

Active Routes:

Network	Destination	Netmask	Gateway	Interface	Metric
	50.0.0.0	255.0.0.0	60.0.0.1	60.0.0.10	1
	60.0.0.0	255.0.0.0	60.0.0.10	60.0.0.10	10
	60.0.0.10	255.255.255.255	127.0.0.1	127.0.0.1	10
60.	255.255.255.255	255.255.255.255	60.0.0.10	60.0.0.10	10
	127.0.0.0	255.0.0.0	127.0.0.1	127.0.0.1	1
	224.0.0.0	240.0.0.0	60.0.0.10	60.0.0.10	10
255.	255.255.255.255	255.255.255.255	60.0.0.10	60.0.0.10	1

=====

Persistent Routes:

None

C:\Documents and Settings\user>

Network	Destination	Netmask	Gateway	Interface	Metric
	50.0.0.0	255.0.0.0	60.0.0.1	60.0.0.10	1
	60.0.0.0	255.0.0.0	60.0.0.10	60.0.0.10	10
	60.0.0.10	255.255.255.255	127.0.0.1	127.0.0.1	10
60.255.255.255	255.255.255.255	255.255.255.255	60.0.0.10	60.0.0.10	10
	127.0.0.0	255.0.0.0	127.0.0.1	127.0.0.1	1
	224.0.0.0	240.0.0.0	60.0.0.10	60.0.0.10	10
255.255.255.255	255.255.255.255	255.255.255.255	60.0.0.10	60.0.0.10	1

=====
 Persistent Routes:
 None

C:\Documents and Settings\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
IP Address	:	60.0.0.10
Subnet Mask	:	255.0.0.0
Default Gateway	:	:

C:\Documents and Settings\user>