
SQL-PRACTICE EXAMPLES


2520030071

G. Hemanth Venkatesh


STEP 1 : CREATE TABLE





STEP 2: INSERT DATA




WHERE CLAUSE



Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
Administration
Schemas
Information
No object selected
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
(70011,75.29,'2012-08-17',3003,5007),
(70013,3045.60,'2012-04-25',3002,5001);
SELECT *
FROM orders
WHERE purch_amt > 2000;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content
ord_no purch_amt ord_date customer_id salesman_id
70003 2480.40 2012-10-10 3009 5003
70005 2400.60 2012-07-27 3007 5001
70008 5760.00 2012-09-10 3002 5001
70013 3045.60 2012-04-25 3002 5001
orders 1
Apply
Output
Action Output
Time Action Message Duration / Fetch
1 11:25:11 CREATE DATABASE SQL_CLG 1 row(s) affected 0.000 sec
2 11:25:24 CREATE TABLE orders (ord_no INT PRI... Error Code: 1046. No database selected Sele... 0.000 sec
3 11:25:29 USE SQL_CLG 0 row(s) affected 0.000 sec
4 11:25:33 CREATE TABLE orders (ord_no INT PRI... 0 row(s) affected 0.046 sec
5 11:27:26 INSERT INTO orders VALUES (70001,150.5... 12 row(s) affected Records: 12 Duplicates: 0... 0.016 sec
6 11:28:08 SELECT * FROM orders WHERE purch_amt ... 4 row(s) returned 0.000 sec / 0.0


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1* ddl WEEK2 SQL File 5*
Limit to 1000 rows
24
25 SELECT *
26 FROM orders
27 WHERE purch_amt > 2000;
28 SELECT *
29 FROM orders
30 WHERE ord_date='2012-09-10';
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content
ord_no purch_amt ord_date customer_id salesman_id
70007 948.50 2012-09-10 3005 5002
70008 5760.00 2012-09-10 3002 5001
70009 270.65 2012-09-10 3001 5005
NULL NULL NULL NULL NULL
orders 2
Apply
Administration Schemas
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetc
2 11:25:24 CREATE TABLE orders (ord_no INT PR... Error Code: 1046. No database selected Se... 0.000 sec
3 11:25:29 USE SQL_CLG 0 row(s) affected 0.000 sec
4 11:25:33 CREATE TABLE orders (ord_no INT PR... 0 row(s) affected 0.046 sec
5 11:27:26 INSERT INTO orders VALUES (70001,150.... 12 row(s) affected Records: 12 Duplicates:... 0.016 sec
6 11:28:08 SELECT * FROM orders WHERE purch_a... 4 row(s) returned 0.000 sec / 0.(
7 11:30:10 SELECT * FROM orders WHERE ord_date... 3 row(s) returned 0.000 sec / 0.(



Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
Administration
Schemas
Information
No object selected
Object Info
Session
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
27 WHERE purch_amt > 2000;
28 SELECT *
29 FROM orders
30 WHERE ord_date='2012-09-10';
31 SELECT *
32 FROM orders
33 WHERE salesman_id=5001;
Result Grid
Filter Rows:
Edit:
Export/Import:
ord_no | purch_amt | ord_date | customer_id | salesman_id
70002 | 65.26 | 2012-10-05 | 3002 | 5001
70005 | 2400.60 | 2012-07-27 | 3007 | 5001
70008 | 5760.00 | 2012-09-10 | 3002 | 5001
70013 | 3045.60 | 2012-04-25 | 3002 | 5001
orders 3
Output
Action Output
| Time | Action | Message
3 | 11:25:29 | USE SQL_CLG | 0 row(s) affected
4 | 11:25:33 | CREATE TABLE orders (ord_no INT PR... | 0 row(s) affected
5 | 11:27:26 | INSERT INTO orders VALUES (70001,150.... | 12 row(s) affected Records: 12 Duplicate
6 | 11:28:08 | SELECT * FROM orders WHERE purch_a... | 4 row(s) returned
7 | 11:30:10 | SELECT * FROM orders WHERE ord_date... | 3 row(s) returned
8 | 11:30:29 | SELECT * FROM orders WHERE salesman... | 4 row(s) returned
AIRTELPP
-1.95%
Search

ORDER BY



Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
Administration
Schemas
Information
No object selected
Object Info
Session
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
30 WHERE ord_date='2012-09-10';
31 SELECT *
32 FROM orders
33 WHERE salesman_id=5001;
34 SELECT *
35 FROM orders
36 ORDER BY purch_amt DESC;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content
ord_no purch_amt ord_date customer_id salesman_id
70008 5760.00 2012-09-10 3002 5001
70013 3045.60 2012-04-25 3002 5001
70003 2480.40 2012-10-10 3009 5003
70005 2400.60 2012-07-27 3007 5001
70010 1983.43 2012-10-10 3004 5006
70007 948.50 2012-09-10 3005 5002
70009 270.65 2012-09-10 3001 5005
70012 250.45 2012-06-27 3008 5002
70001 150.50 2012-10-05 3005 5002
70004 110.50 2012-08-17 3009 5003
70011 75.29 2012-08-17 3003 5007
orders 4
Apply
Output
Action Output
Time Action Message Duration / Fetch
4 11:25:33 CREATE TABLE orders (ord_no INT PR... 0 row(s) affected 0.046 sec
5 11:27:26 INSERT INTO orders VALUES (70001,150.... 12 row(s) affected Records: 12 Duplicates:... 0.016 sec
6 11:28:08 SELECT * FROM orders WHERE purch_a... 4 row(s) returned 0.000 sec / 0.000 sec
7 11:30:10 SELECT * FROM orders WHERE ord_date... 3 row(s) returned 0.000 sec / 0.000 sec
8 11:30:29 SELECT * FROM orders WHERE salesman... 4 row(s) returned 0.016 sec / 0.000 sec
9 11:31:13 SELECT * FROM orders ORDER BY purch... 12 row(s) returned 0.000 sec / 0.000 sec


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
35 FROM orders
36 ORDER BY purch_amt DESC;
37
38
39 SELECT *
40 FROM orders
41 ORDER BY ord_date;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap
ord_no purch_amt ord_date customer_id salesman_id
70013 3045.60 2012-04-25 3002 5001
70012 250.45 2012-06-27 3008 5002
70005 2400.60 2012-07-27 3007 5001
70004 110.50 2012-08-17 3009 5003
70011 75.29 2012-08-17 3003 5007
70007 948.50 2012-09-10 3005 5002
70008 5760.00 2012-09-10 3002 5001
70009 270.65 2012-09-10 3001 5005
70001 150.50 2012-10-05 3005 5002
70002 65.26 2012-10-05 3002 5001
70003 2480.40 2012-10-10 3009 5003
orders 5
Administration Schemas
Information
No object selected
Object Info Session
Output
Action Output
Time Action Message
5 11:27:26 INSERT INTO orders VALUES (70001,150.... 12 row(s) affected Records: 12 Duplicates:...
6 11:28:08 SELECT * FROM orders WHERE purch_a... 4 row(s) returned
7 11:30:10 SELECT * FROM orders WHERE ord_date... 3 row(s) returned
8 11:30:29 SELECT * FROM orders WHERE salesman... 4 row(s) returned
9 11:31:13 SELECT * FROM orders ORDER BY purch... 12 row(s) returned
10 11:31:37 SELECT * FROM orders ORDER BY ord_d... 12 row(s) returned


SUM()


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
Administration Schemas
Information
No object selected
Object Info Session
WEEK1* ddl WEEK2 SQL File 5*
Limit to 1000 rows
38
39 SELECT *
40 FROM orders
41 ORDER BY ord_date;
42 SELECT SUM(purch_amt) AS total_revenue
43 FROM orders;
44
Result Grid Filter Rows: Export: Wrap Cell Content:
total_revenue
17541.18
Result 6
Output
Action Output
Time Action Message Durat
6 11:28:08 SELECT * FROM orders WHERE purch_a... 4 row(s) returned 0.000
7 11:30:10 SELECT * FROM orders WHERE ord_date... 3 row(s) returned 0.000
8 11:30:29 SELECT * FROM orders WHERE salesman... 4 row(s) returned 0.016
9 11:31:13 SELECT * FROM orders ORDER BY purch... 12 row(s) returned 0.000
10 11:31:37 SELECT * FROM orders ORDER BY ord_d... 12 row(s) returned 0.000
11 11:32:16 SELECT SUM(purch_amt) AS total_revenu... 1 row(s) returned 0.000


AVG


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
40 FROM orders
41 ORDER BY ord_date;
42 SELECT SUM(purch_amt) AS total_revenue
43 FROM orders;
44
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
average_order
1461.765000
Result 7
Administration
Schemas
Information
No object selected
Object Info
Session
Output
Action Output
Time Action Message
7 11:30:10 SELECT * FROM orders WHERE ord_date... 3 row(s) returned
8 11:30:29 SELECT * FROM orders WHERE salesman... 4 row(s) returned
9 11:31:13 SELECT * FROM orders ORDER BY purch... 12 row(s) returned
10 11:31:37 SELECT * FROM orders ORDER BY ord_d... 12 row(s) returned
11 11:32:16 SELECT SUM(purch_amt) AS total_revenu... 1 row(s) returned
12 11:32:58 SELECT AVG(purch_amt) AS average_ord... 1 row(s) returned


MAX()


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
42 SELECT SUM(purch_amt) AS total_revenue
43 FROM orders;
44
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
47 SELECT MAX(purch_amt) AS highest_order
48 FROM orders;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
highest_order
5760.00
Result 8
Read
Administration
Schemas
Information
No object selected
Output
Action Output
Time Action Message
8 11:30:29 SELECT * FROM orders WHERE salesman... 4 row(s) returned 0.016 s
9 11:31:13 SELECT * FROM orders ORDER BY purch... 12 row(s) returned 0.000 s
10 11:31:37 SELECT * FROM orders ORDER BY ord_d... 12 row(s) returned 0.000 s
11 11:32:16 SELECT SUM(purch_amt) AS total_revenu... 1 row(s) returned 0.000 s
12 11:32:58 SELECT AVG(purch_amt) AS average_ord... 1 row(s) returned 0.000 s
13 11:33:23 SELECT MAX(purch_amt) AS highest_orde... 1 row(s) returned 0.016 s


MIN()


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
44
45 SELECT AVG(purch_amt) AS average_order
46 FROM orders;
47 SELECT MAX(purch_amt) AS highest_order
48 FROM orders;
49 SELECT MIN(purch_amt) AS lowest_order
50 FROM orders;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
lowest_order
65.26
Result 9
Read Only
Administration
Schemas
Information
No object selected
Object Info
Session
Output
Action Output
Time Action Message Duration / Fetch
9 11:31:13 SELECT * FROM orders ORDER BY purch... 12 row(s) returned 0.000 sec / 0.000
10 11:31:37 SELECT * FROM orders ORDER BY ord_d... 12 row(s) returned 0.000 sec / 0.000
11 11:32:16 SELECT SUM(purch_amt) AS total_revenu... 1 row(s) returned 0.000 sec / 0.000
12 11:32:58 SELECT AVG(purch_amt) AS average_ord... 1 row(s) returned 0.000 sec / 0.000
13 11:33:23 SELECT MAX(purch_amt) AS highest_orde... 1 row(s) returned 0.016 sec / 0.000
14 11:33:45 SELECT MIN(purch_amt) AS lowest_order ... 1 row(s) returned 0.000 sec / 0.000

GROUP BY


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
50 FROM orders;
51
52 SELECT customer_id,
53 SUM(purch_amt) AS total_purchase
54 FROM orders
55 GROUP BY customer_id;
56
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
customer_id total_purchase
3005 1099.00
3002 8870.86
3009 2590.90
3007 2400.60
3001 270.65
3004 1983.43
3003 75.29
3008 250.45
Result 10
Read Only
Administration Schemas
Information
No object selected
Output
Action Output
Time Action Message Duration / Fetch
10 11:31:37 SELECT * FROM orders ORDER BY ord_d... 12 row(s) returned 0.000 sec / 0.0
11 11:32:16 SELECT SUM(purch_amt) AS total_revenu... 1 row(s) returned 0.000 sec / 0.0
12 11:32:58 SELECT AVG(purch_amt) AS average_ord... 1 row(s) returned 0.000 sec / 0.0
13 11:33:23 SELECT MAX(purch_amt) AS highest_orde... 1 row(s) returned 0.016 sec / 0.0
14 11:33:45 SELECT MIN(purch_amt) AS lowest_order ... 1 row(s) returned 0.000 sec / 0.0
15 11:34:13 SELECT customer_id, SUM(purch_amt... 8 row(s) returned 0.016 sec / 0.0

GROUP BY + MAX()


File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
bookflow_db
bookflow_week2_db
practice
sys
WEEK1*
ddl
WEEK2
SQL File 5*
Limit to 1000 rows
SUM(purch_amt) AS total_purchase
FROM orders
GROUP BY customer_id;
SELECT customer_id,
MAX(purch_amt) AS highest_purchase
FROM orders
GROUP BY customer_id;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
customer_id highest_purchase
3005 948.50
3002 5760.00
3009 2480.40
3007 2400.60
3001 270.65
3004 1983.43
3003 75.29
3008 250.45
Result 11
Administration Schemas
Information
No object selected
Output
Action Output
Time Action Message Duration
11 11:32:16 SELECT SUM(purch_amt) AS total_revenu... 1 row(s) returned 0.000 sec
12 11:32:58 SELECT AVG(purch_amt) AS average_ord... 1 row(s) returned 0.000 sec
13 11:33:23 SELECT MAX(purch_amt) AS highest_orde... 1 row(s) returned 0.016 sec
14 11:33:45 SELECT MIN(purch_amt) AS lowest_order ... 1 row(s) returned 0.000 sec
15 11:34:13 SELECT customer_id, SUM(purch_amt... 8 row(s) returned 0.016 sec
16 11:34:34 SELECT customer_id, MAX(purch_amt... 8 row(s) returned 0.000 sec

GROUP BY + HAVING

