```sql

SELECT name
FROM sqlite_master
WHERE type = 'table';


SELECT *
FROM customers, orders, Suppliers;


SELECT *
FROM Customers
ORDER BY Country;


SELECT *
FROM Orders;


SELECT *
FROM Products;


SELECT *
FROM Regions;


SELECT *
FROM CustomerCustomerDemo;


SELECT *
FROM Orders
ORDER BY OrderDate;


SELECT COUNT(OrderID) AS Orders_Total
FROM Orders
WHERE OrderDate BETWEEN '1997-01-01' AND '1997-12-31';


SELECT *
FROM Suppliers;


SELECT *
FROM Employees;


SELECT FirstName, LastName
FROM Employees
WHERE Title = 'Sales Manager';


SELECT *
FROM Orders
WHERE OrderDate BETWEEN '1997-05-01' AND '1997-05-31';


SELECT OrderDate
FROM Orders
ORDER BY OrderDate;

SELECT *
FROM Customers;


SELECT *
FROM Orders;


SELECT *
FROM Orders
```

```sql
WHERE OrderDate BETWEEN '1996-01-01' AND '1996-12-31';


SELECT
    o.OrderID,
    o.OrderDate,
    e.CustomerID,
    e.ContactName,
    e.City,
    e.Country
FROM Orders AS o
LEFT JOIN Customers AS e
    ON o.CustomerID = e.CustomerID
WHERE o.OrderDate BETWEEN '1996-01-01' AND '1996-12-31'
ORDER BY o.OrderDate;

SELECT * from Employees;

select * from customers;





Select
       e.City,
       count (distinct e.EmployeeID) as totalEmployees
       from Employees as e
        LEFT JOIN Customers as c
        on e.City = c.City
        group by e.City
        order by e.City;

SELECT
      e.City,
      count( distinct c.CustomerID) as Total_customers
      from Employees as e
      LEFT JOIN Customers as c
      on e.city = c.City
      GROUP by e.City
      order by e.city;


SELECT
      e.City,
      count( distinct c.CustomerID) as Total_customers,
      count (distinct e.EmployeeID) as totalEmployees
      from Employees as e
      LEFT JOIN Customers as c
      on e.city = c.City
      GROUP by e.City
      order by e.city;



SELECT * from Employees;
select * from Orders;

SELECT o.OrderID,
       o.CustomerID,
        o.RequiredDate,
        o.ShippedDate,
        o.EmployeeID,
        e.FirstName,
        e.LastName
    from Orders as o
    INNER JOIN Employees as e
    ON o.EmployeeID = e.EmployeeID
    where o.ShippedDate > o.RequiredDate
    order by o.EmployeeID;

ALTER TABLE "Order Details" RENAME TO OrderDetails;

```

```sql
SELECT * FROM OrderDetails;
select * from products;


select o.OrderID,
       P.ProductName,
       P.ProductID,
       od.Quantity
       FROM Orders as o
       INNER JOIN OrderDetails as od
       ON o.OrderID = od.OrderID
       INNER JOIN Products as p
       ON P.ProductID= od.ProductID
       group by o.OrderID, P.ProductID , P.ProductName
       having sum (Quantity) >200
       order by o.OrderID;


      SELECT * from Orders;
      SELECT * from Customers;

       SELECT  o.OrderID,
       count(o.orderId) as total_Orders,
       c.CustomerID
       from Orders as o
       INNER JOIN Customers as c
       on o.CustomerID = c.CustomerID
       GROUP BY c.CustomerID
       HAVING count(o.OrderID )> 15
        ORDER BY total_Orders DESC;


     INSERT INTO Employees
     (LastName, FirstName, Title, TitleOfCourtesy, BirthDate, HireDate, City, Region, PostalCode, Country, HomePhone, ReportsTo)
      VALUES
    ('Copilot', 'Microsoft', 'AI Companion', 'Mr.', '1990-01-01', '2026-03-14', 'Tambaram', 'TN', '600045', 'India', '123-456-7890', NULL),
    ('Doe', 'Jane', 'Sales Representative', 'Ms.', '1985-05-12', '2020-06-01', 'Chennai', 'TN', '600001', 'India', '987-654-3210', 1),
    ('Smith', 'John', 'Sales Manager', 'Mr.', '1978-09-20', '2015-02-15', 'Bangalore', 'KA', '560001', 'India', '555-111-2222', NULL);

    select * from Employees;

      INSERT INTO Orders
    (CustomerID, EmployeeID, OrderDate, RequiredDate)
     VALUES
    ('ALFKI', 11, '2026-03-14', '2026-03-21'),
    ('ANATR', 12, '2026-03-15', '2026-03-22'),
    ('BERGS', 13, '2026-03-16', '2026-03-23');

    select * from Orders;


     INSERT INTO OrderDetails
    (OrderID, ProductID, UnitPrice, Quantity, Discount)
     VALUES
    (11078, 42, 9.80, 250, 0.05),
    (11079, 14, 18.60, 120, 0.00),
    (11080, 28, 45.00, 300, 0.10);

    SELECT * from OrderDetails;

    SELECT * from Employees;
    UPDATE Employees
    SET HomePhone = '999-888-7777'
    WHERE EmployeeID =11;

    SELECT * FROM OrderDetails;
    UPDATE OrderDetails
    SET Quantity = Quantity*2
    WHERE OrderID =11078 AND ProductID=42;
```

```sql
    UPDATE OrderDetails
       SET Quantity = Quantity * 2
       WHERE OrderID IN (
        SELECT OrderID
            FROM Orders
        WHERE EmployeeID = 11
             );
    SELECT * FROM OrderDetails;


    DELETE FROM OrderDetails
    WHERE OrderID IN (11078, 11079, 11080);
    SELECT * FROM OrderDetails;


     DELETE FROM Orders
     WHERE OrderID IN (11078, 11079, 11080);
     SELECT * FROM Orders;


    SELECT SUM(UnitPrice * Quantity * (1 - Discount)) AS TotalRevenue1997
     FROM Orders AS o
    INNER JOIN OrderDetails AS od ON o.OrderID = od.OrderID
    WHERE strftime('%Y', o.OrderDate) = '1997';

    SELECT
    c.CustomerID,
    c.CompanyName,
    SUM(od.UnitPrice * od.Quantity * (1 - od.Discount)) AS TotalPaid
    FROM Customers AS c
    INNER JOIN Orders AS o ON c.CustomerID = o.CustomerID
    INNER JOIN OrderDetails AS od ON o.OrderID = od.OrderID
    GROUP BY c.CustomerID, c.CompanyName
     ORDER BY TotalPaid DESC;



     SELECT
    p.ProductID,
    p.ProductName,
    SUM(od.Quantity) AS TotalSold
    FROM Products AS p
    INNER JOIN OrderDetails AS od ON p.ProductID = od.ProductID
    GROUP BY p.ProductID, p.ProductName
    ORDER BY TotalSold DESC
    LIMIT 10;


    CREATE VIEW CustomerRevenuea AS
    SELECT
    c.CustomerID,
    c.CompanyName,
    SUM(od.UnitPrice * od.Quantity * (1 - od.Discount)) AS TotalRevenue
    FROM Customers AS c
   INNER JOIN Orders AS o ON c.CustomerID = o.CustomerID
   INNER JOIN OrderDetails AS od ON o.OrderID = od.OrderID
   GROUP BY c.CustomerID, c.CompanyName;



SELECT
    c.CustomerID,
    c.CompanyName,
    c.Country,
    SUM(od.UnitPrice * od.Quantity * (1 - od.Discount)) AS TotalPaid
   FROM Customers AS c
   INNER JOIN Orders AS o ON c.CustomerID = o.CustomerID
   INNER JOIN OrderDetails AS od ON o.OrderID = od.OrderID
    WHERE c.Country = 'UK'
    GROUP BY c.CustomerID, c.CompanyName, c.Country
    HAVING SUM(od.UnitPrice * od.Quantity * (1 - od.Discount)) > 1000;
```