Normalization Exercises

Convert each of the following schemas to 3NF, showing all intermediate stages, that is, 1NF and 2NF

1. BRANCH (Branch#, Branch_Addr, (ISBN, Title, Author, Publisher, Num_copies))

1NF:

BRANCH-1 (Branch#, Branch Addr)

STOCKS-1 (Branch#, ISBN, Title, Author, Publisher, Num copies)

2NF:

BRANCH-2(Branch#, Branch Addr) or OK

STOCKS-2 (Branch#, ISBN, Num copies)

BOOK-2 (ISBN, Title, Author, Publisher)

3NF:

BRANCH-3(Branch#, Branch_Addr) or OK

STOCK-3 (Branch#, ISBN, Num_copies) or OK

BOOK-3 (<u>ISBN</u>, Title, Author, Publisher) or OK

2. CLIENT (<u>Client#</u>, Name, Location, Manager#, Manager_name, Manager_location, (Contract#, Estimated_cost, Completion_date, (Staff#, Staff_name, Staff_location)))

1NF:

CLIENT-1 (Client#, Name, Location, Manager#, Manager name, Manager location)

(intermediate step)

CONTRACT (<u>Contract#</u>, Client#, Estimated_cost, Completion_date, (Staff#, Staff_name, Staff_location))

CONTRACT-1 (Contract#, Client#, Estimated_cost, Completion_date)

STAFF-1 (Staff#, Contract#, Staff_name, Staff_location)

2NF:

CLIENT-2 (Client#, Name, Location, Manager#, Manager_name, Manager_location) or OK

CONTRACT-2 (Contract#, Client#, Estimated cost, Completion date) or OK

STAFF-2 (Staff#, Staff name)

ASSIGNMENT-2 (Staff#, Contract#, Staff location)

3NF:

CLIENT-3 (Client#, Name, Location, Manager#)

MANAGER-3(Manager#, Manager name, Manager location)

CONTRACT-3 (Contract#, Client#, Estimated cost, Completion date) or OK

STAFF-3 (Staff#, Staff name) or OK

ASSIGNMENT-3 (Staff#, Contract#, Staff location) or OK

3. PATIENT (<u>Patient#</u>, Name, DOB, Address, (Prescription#, Drug, Date, Dosage, Doctor#, Doctor, Secretary))

1NF:

PATIENT-1 (Patient#, Name, DOB, Address)

PRESCRIPTION-1 (Prescription#, Drug, Date, Dosage, Doctor#, Doctor, Secretary, Patient#)

2NF:

PATIENT-2 (<u>Patient#</u>, Name, DOB, Address) or OK

PRESCRIPTION-2 (<u>Prescription#</u>, Drug, Date, Dosage, Doctor#, Doctor, Secretary, *Patient#*) or OK

3NF:

PATIENT-3 (Patient#, Name, DOB, Address) or OK

PRESCRIPTION-3 (Prescription#, Drug, Date, Dosage, Doctor#, Patient#)

DOCTOR-3 (<u>Doctor#</u>, Doctor, Secretary)

4. DOCTOR (<u>Doctor#</u>, DoctorName, Secretary, (Patient#, PatientName, PatientDOB, PatientAddress, (Prescription#, Drug, Date, Dosage)))

DOCTOR-1 (<u>Doctor#</u>, DoctorName, Secretary)

PATIENT-1a(<u>Patient#</u>, PatientName, PatientDOB, PatientAddress, (Prescription#, Drug, Date, Dosage), Doctor#)

PATIENT-1b(<u>Patient#</u>, PatientName, PatientDOB, PatientAddress, *Doctor*#)

PRESCRIPTION-1 (Prescription#, Drug, Date, Dosage, Patient#)

DOCTOR-2 (<u>Doctor#</u>, DoctorName, Secretary) or OK

PATIENT-2(Patient#, PatientName, PatientDOB, PatientAddress, Doctor#) or OK

PRESCRIPTION-2 (Prescription#, Drug, Date, Dosage, Patient#) or OK

DOCTOR-3 (Doctor#, DoctorName, Secretary) or OK

PATIENT-3(Patient#, PatientName, PatientDOB, PatientAddress, Doctor#) or OK

PRESCRIPTION-3 (Prescription#, Drug, Date, Dosage, Patient#) or OK