

Vehicle Insurance and Policy Claim Application

Customer Controller API testing

1. Register new Customer:

The screenshot displays a REST client interface for testing an API. The top section shows a POST request to `http://localhost:8099/customers/register`. The request body is a JSON object representing a new customer: `{ "name": "John Doe", "email": "john@example.com", "phone": "1234567890", "address": "123 Main St, City" }`. The response status is `201 Created` with a response time of `777 ms` and a content size of `386 B`. The response body is a JSON object: `{ "customerId": 3, "name": "John Doe", "email": "john@example.com", "phone": "1234567890", "address": "123 Main St, City", "vehicles": null }`.

Below the REST client, a "Result Grid" table shows the data returned by the API. The table has columns for `customerid`, `name`, `email`, `phone`, and `address`. The third row, corresponding to the newly registered customer, is highlighted with a red border.

	customerid	name	email	phone	address
1	1	John Smith	john.smith@email.com	555-0101	123 Main Street, Springfield, IL 62701
2	2	Sarah Johnson	sarah.j@email.com	555-0102	456 Oak Avenue, Portland, OR 97201
3	3	John Doe	john@example.com	1234567890	123 Main St, City
	total	total	total	total	total

2. Update Customer Profile

The screenshot shows a REST client interface for a "VehicleInsurance&PolicyClaim" project. The request is a PUT to `http://localhost:8099/customers/update/2`. The body is a JSON object representing the updated customer profile. The response is a 200 OK status with a JSON body containing the updated customer details.

```
PUT http://localhost:8099/customers/update/2
```

```
{
  "name": "John Doe Updated",
  "email": "john.updated@example.com",
  "phone": "9876543210",
  "address": "456 New St, City"
}
```

200 OK · 736 ms · 380 B

```
{
  "customerId": 2,
  "name": "John Doe Updated",
  "email": "john.updated@example.com",
  "phone": "9876543210",
  "address": "456 New St, City"
}
```

	customerid	name	email	phone	address
▶	1	John Smith	john.smith@email.com	555-0101	123 Main Street, Springfield, IL 62701
	2	John Doe Updated	john.updated@example.com	9876543210	456 New St, City
	3	John Doe	john@example.com	1234567890	123 Main St, City
*	NULL	NULL	NULL	NULL	NULL

3. Get Customer Details

The screenshot shows a REST client interface for a "VehicleInsurance&PolicyClaim" project. The request is a GET to `http://localhost:8099/customers/2`. The response is a 200 OK status with a JSON body containing the customer details.

```
GET http://localhost:8099/customers/2
```

200 OK · 25 ms · 380 B

```
{
  "customerId": 2,
  "name": "John Doe Updated",
  "email": "john.updated@example.com",
  "phone": "9876543210",
  "address": "456 New St, City"
}
```

4. Get all Customer details

VehicleInsurance&PolicyClaim / New Request

GET http://localhost:8099/customers/all

Send

Docs Params Authorization Headers (6) Body Scripts Settings Cookies

Query Params

Key	Value	Description
-----	-------	-------------

Body Cookies Headers (8) Test Results 200 OK 123 ms 633 B Save Response

JSON Preview Visualize

```
1 [
2   {
3     "customerId": 1,
4     "name": "John Smith",
5     "email": "john.smith@email.com",
6     "phone": "555-0101",
7     "address": "123 Main Street, Springfield, IL 62701"
8   },
9   {
10    "customerId": 2,
11    "name": "John Doe Updated",
12    "email": "john.updated@example.com",
13    "phone": "9876543210",
14    "address": "456 New St, City"
15  },
16  {
17    "customerId": 3,
18    "name": "John Doe",
19    "email": "john@example.com",
20    "phone": "1234567890",
21    "address": "123 Main St, City"
22  }
23 ]
```

5. Delete Customer

DELETE http://localhost:8099/customers/delete/2

Send

Docs Params Authorization Headers (6) Body Scripts Settings Cookies

Query Params

Key	Value	Description
-----	-------	-------------

Body Cookies Headers (8) Test Results 200 OK 178 ms 282 B Save Response

Raw Preview Visualize

1 Customer deleted successfully

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

	customerid	name	email	phone	address
▶	1	John Smith	john.smith@email.com	555-0101	123 Main Street, Springfield, IL 62701
	3	John Doe	john@example.com	1234567890	123 Main St, City
✱	NULL	NULL	NULL	NULL	NULL

Vehicle API- Testing

1. Add New Vehicle For Customer

The screenshot displays a REST client interface for testing an API. The top section shows the request configuration: a POST method to the endpoint `http://localhost:8099/vehicles/add/1`. The request body is in JSON format, containing vehicle details for a customer with ID 1.

The response section shows a successful status of 201 Created, with a response time of 67 ms and a body size of 516 B. The response body is also in JSON format, containing the created vehicle's details along with the customer's information.

At the bottom, a 'Result Grid' table summarizes the data:

	customerId	vehideId	yearOfManufacture	registrationNumber	make	model	vehideType
▶	1	1	2015	TS07EK0044	Maruthi Suzuki	Swift	CAR
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL

2. Get vehicle details

HTTP VehicleInsurance&PolicyClaim / Vehicles A... / **Get-Vehicle-Details**  Save  Share

GET  http://localhost:8099/vehicles/2 **Send** 

 Docs **Params** Auth Headers (6) Body Scripts Settings **Cookies**

Query Params

	Key	Value	Description	...	Bulk Edit
--	-----	-------	-------------	-----	-----------

Body   **200 OK** • 35 ms • 493 B •   Save Response ...

 JSON   Preview  Visualize      

```
1  {
2    "vehicleId": 2,
3    "customer": {
4      "customerId": 2,
5      "name": "Nani",
6      "email": "Nani@john.com",
7      "phone": "8326598898",
8      "address": "123 Main St, City"
9    },
10   "registrationNumber": "TG07R2249",
11   "make": "TVS",
12   "model": "Ronin",
13   "yearOfManufacture": 2024,
14   "vehicleType": "BIKE"
15 }
```

3. Update-vehicle Details



VehicleInsuranc... / ... / New Request



Save



Share



PUT



http://localhost:8099/vehicles/update/1

Send



Docs

Params

Auth

Headers (8)

Body

Scripts

Settings

Cookies

raw



JSON



Schema

Beautify

```
1 {
2   "registrationNumber": "TS07EK0044",
3   "make": "Suzuki",
4   "model": "Swift",
5   "yearOfManufacture": 2024,
6   "vehicleType": "CAR"
7 }
```

Body



200 OK

955 ms

503 B



{ } JSON



Preview



Visualize



```
1 {
2   "vehicleId": 1,
3   "customer": {
4     "customerId": 1,
5     "name": "John Doe",
6     "email": "john@example.com",
7     "phone": "1234567890",
8     "address": "123 Main St, City"
9   },
10  "registrationNumber": "TS07EK0044",
11  "make": "Suzuki",
12  "model": "Swift",
13  "yearOfManufacture": 2024,
14  "vehicleType": "CAR"
15 }
```

Result Grid

Filter Rows:

Edit:

Export/Import:

Wrap Cell Content:

	customerId	vehicleId	yearOfManufacture	registrationNumber	make	model	vehicleType
▶	1	1	2024	TS07EK0044	Suzuki	Swift	CAR
	2	2	2024	TG07R2249	TVS	Ronin	BIKE
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL

4. Get all vehicles for a customer

[HTTP](#)
Ve...
/ ... /
Get all vehicles for a customer
Save
Share

GET
http://localhost:8099/vehicles/customer/1
Send

Docs
Params
Auth
Headers (6)
Body
Scripts
Settings
Cookies

Query Params

	Key	Value	Descrip...	...	Bulk Edit
	Key	Value	Description		

Body
200 OK
1.71 s
505 B
Preview
Visualize


{}
JSON

```

1  [
2    {
3      "vehicleId": 1,
4      "customer": {
5        "customerId": 1,
6        "name": "John Doe",
7        "email": "john@example.com",
8        "phone": "1234567890",
9        "address": "123 Main St, City"
10     },
11     "registrationNumber": "TS07EK0044",
12     "make": "Suzuki",
13     "model": "Swift",
14     "yearOfManufacture": 2024,
15     "vehicleType": "CAR"
16   }
17 ]

```

5. Get all vehicles



VehicleInsurance&... / ... / **Get all vehicles** Save Share

GET ▼ `http://localhost:8099/vehicles/all` Send ▼

Docs Params Auth Headers (6) Body Scripts Settings Cookies

Query Params

	Key	Value	Descrip...	...	Bulk Edit
	Key	Value	Description		

Body ▼ 🕒 200 OK • 669 ms • 746 B • 🌐 📄 ...

{ } JSON ▼ ▶ Preview 🖼 Visualize ▼ 🔄 ☰ 🔍 📄 🔗

```
1  [
2    {
3      "vehicleId": 1,
4      "customer": {
5        "customerId": 1,
6        "name": "John Doe",
7        "email": "john@example.com",
8        "phone": "1234567890",
9        "address": "123 Main St, City"
10     },
11     "registrationNumber": "TS07EK0044",
12     "make": "Suzuki",
13     "model": "Swift",
14     "yearOfManufacture": 2024,
15     "vehicleType": "CAR"
16   },
17   {
18     "vehicleId": 2,
19     "customer": {
20       "customerId": 2,
21       "name": "Nani"
```

6. Deleting a vehicle

For Customer id 2 i have added 2 Vehicles

JSON

```
[
  {
    "vehicleId": 2,
    "customer": {
      "customerId": 2,
```



```
        "name": "Nani",
        "email": "Nani@john.com",
        "phone": "8326598898",
        "address": "123 Main St, City"
    },
    "registrationNumber": "TG07R2249",
    "make": "TVS",
    "model": "Ronin",
    "yearOfManufacture": 2024,
    "vehicleType": "BIKE"
},
{
    "vehicleId": 3,
    "customer": {
        "customerId": 2,
        "name": "Nani",
        "email": "Nani@john.com",
        "phone": "8326598898",
        "address": "123 Main St, City"
    },
    "registrationNumber": "TG07R2248",
    "make": "Honda",
    "model": "CB350",
    "yearOfManufacture": 2024,
    "vehicleType": "BIKE"
}
]
```

Lets delete 3

VehicleInsurance&Po... / ... / **New Request** Save Share

DELETE ▼ `http://localhost:8099/vehicles/delete/3` Send ▼

Docs **Params** Auth Headers (6) Body Scripts Settings Cookies

Query Params

	Key	Value	Descri...	...	Bulk Edit
--	-----	-------	-----------	-----	-----------

Body ▼ 🕒 200 OK • 256 ms • 281 B • 🌐 | e.g. ...

Raw ▼ ▶ Preview 🖼 Visualize ▼ 🔄 🔍 📄 🔗

1 Vehicle deleted successfully

3. Policy API-Testing

1. Create new Policy.

VehicleInsurance&PolicyClaim / Policy API / **Create new policy**

POST ▼ `http://localhost:8099/policies/create/2`

Docs Params Authorization Headers (8) **Body** Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON

```
1 {
2   "policyNumber": "PN-TS",
3   "coverageAmount": 50000.00,
4   "startDate": "2026-01-01",
5   "endDate": "2027-01-01"
6 }
```

Body Cookies Headers (8) Test Results 🕒

{} JSON ▼ ▶ Preview 🖼 Visualize ▼

```
7   "name": "Nani",
8   "email": "Nani@john.com",
9   "phone": "8326598898",
10  "address": "123 Main St, City"
11 },
12  "registrationNumber": "TG07R2249",
13  "make": "TVS",
14  "model": "Ronin",
15  "yearOfManufacture": 2024,
16  "vehicleType": "BIKE"
17 },
18  "policyNumber": "PN-TS",
19  "coverageAmount": 50000.00,
20  "premiumAmount": 1800.0000,
21  "startDate": "2026-01-01",
22  "endDate": "2027-01-01",
23  "policyStatus": "ACTIVE"
24 }
```

Result Grid								
	coverageAmount	endDate	policyId	premiumAmount	startDate	vehicleId	policyNumber	policyStatus
▶	50000.00	2027-01-01	1	1800.00	2026-01-01	2	PN-TS	ACTIVE
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

2. Get Policy Details

GET
http://localhost:8099/policies/1

Docs
Params
Authorization
Headers (6)
Body
Scripts
Se

Body
Cookies
Headers (8)
Test Results

JSON
Preview
Visualize

```

1  {
2    "policyId": 1,
3    "vehicle": {
4      "vehicleId": 2,
5      "customer": {
6        "customerId": 2,
7        "name": "Nani",
8        "email": "Nani@john.com",
9        "phone": "8326598898",
10       "address": "123 Main St, City"
11     },
12     "registrationNumber": "TG07R2249",
13     "make": "TVS",
14     "model": "Ronin",
15     "yearOfManufacture": 2024,
16     "vehicleType": "BIKE"
17   },
18   "policyNumber": "PN-TS",
19   "coverageAmount": 50000.00,
20   "premiumAmount": 1800.00,
21   "startDate": "2026-01-01",
22   "endDate": "2027-01-01",
23   "policyStatus": "ACTIVE"
24 }

```

3. Renew Policy

VehicleInsurance&PolicyClaim / Policy API / New Request

PUT http://localhost:8099/policies/renew/2?endDate=2029-01-01

Send

Docs Params Authorization Headers (7) Body Scripts Settings Cookies

Body Cookies Headers (8) Test Results 200 OK 55 ms 675 B Save Response

JSON Preview Visualize

```
1 {
2   "policyId": 2,
3   "vehicle": {
4     "vehicleId": 1,
5     "customer": {
6       "customerId": 1,
7       "name": "John Doe",
8       "email": "john@example.com",
9       "phone": "1234567890",
10      "address": "123 Main St, City"
11    },
12    "registrationNumber": "TS07EK0044",
13    "make": "Suzuki",
14    "model": "Swift",
15    "yearOfManufacture": 2024,
16    "vehicleType": "CAR"
17  },
18  "policyNumber": "PN-TG",
19  "coverageAmount": 80000.00,
20  "premiumAmount": 3100.0000,
21  "startDate": "2025-12-25",
22  "endDate": "2029-01-01",
23  "policyStatus": "ACTIVE"
24 }
```

	coverageAmount	endDate	policyId	premiumAmount	startDate	vehicleId	policyNumber	policyStatus
▶	50000.00	2027-01-01	1	1800.00	2026-01-01	2	PN-TS	ACTIVE
▶	80000.00	2029-01-01	2	3100.00	2025-12-25	1	PN-TG	ACTIVE

4. Get All Policies

VehicleInsurance&PolicyClaim / Policy API / Get all policies

GET http://localhost:8099/policies/all

Docs Params Authorization Headers (6) Body Scripts Settings

Body Cookies Headers (8) Test Results

JSON Preview Visualize

```
1 [
2   {
3     "policyId": 1,
4     "vehicle": {
5       "vehicleId": 2,
6       "customer": {
7         "customerId": 2,
8         "name": "Nani",
9         "email": "Nani@john.com",
10        "phone": "8326598890",
11        "address": "123 Main St, City"
12      },
13      "registrationNumber": "TG07R2249",
14      "make": "TVS",
15      "model": "Ronin",
16      "yearOfManufacture": 2024,
17      "vehicleType": "BIKE"
18    },
19    "policyNumber": "PN-TS",
20    "coverageAmount": 50000.00,
21    "premiumAmount": 1800.00,
22    "startDate": "2026-01-01",
23    "endDate": "2027-01-01",
24    "policyStatus": "ACTIVE"
25  },
26  {
27    "policyId": 2,
```

5. Get Policies By customer

VehicleInsurance&PolicyClaim / Policy API / Get policies by customer

GET http://localhost:8099/policies/customer/2

Docs Params Authorization Headers (6) Body Scripts Settings

Body Cookies Headers (8) Test Results

JSON Preview Visualize

```
1 [
2   {
3     "policyId": 1,
4     "vehicle": {
5       "vehicleId": 2,
6       "customer": {
7         "customerId": 2,
8         "name": "Nani",
9         "email": "Nani@john.com",
10        "phone": "8326598898",
11        "address": "123 Main St, City"
12      },
13      "registrationNumber": "TG07R2249",
14      "make": "TVS",
15      "model": "Ronin",
16      "yearOfManufacture": 2024,
17      "vehicleType": "BIKE"
18    },
19    "policyNumber": "PN-TS",
20    "coverageAmount": 50000.00,
21    "premiumAmount": 1800.00,
22    "startDate": "2026-01-01",
23    "endDate": "2027-01-01",
24    "policyStatus": "ACTIVE"
25  }
26 ]
```

6. Get active Policies

VehicleInsurance&PolicyClaim / Policy API / Active Policies

GET http://localhost:8099/policies/active


Docs Params Authorization Headers (6) Body Scripts Settings

Body Cookies Headers (8) Test Results

JSON Preview Visualize

```
1 [
2   {
3     "policyId": 1,
4     "vehicle": {
5       "vehicleId": 2,
6       "customer": {
7         "customerId": 2,
8         "name": "Nani",
9         "email": "Nani@john.com",
10        "phone": "8326598898",
11        "address": "123 Main St, City"
12      },
13      "registrationNumber": "TG07R2249",
14      "make": "TVS",
15      "model": "Ronin",
16      "yearOfManufacture": 2024,
17      "vehicleType": "BIKE"
18    },
19    "policyNumber": "PN-TS",
20    "coverageAmount": 50000.00,
21    "premiumAmount": 1800.00,
22    "startDate": "2026-01-01",
23    "endDate": "2027-01-01",
24    "policyStatus": "ACTIVE"
25  },
26  {
27    "policyId": 2,
```

7. Get Expired Policies



The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** http://localhost:8099/policies/expired
- Headers (6):** Params, Authorization, Headers (6), Body, Scripts, Settings
- Body:** JSON (selected), Preview, Visualize
- Response (JSON):**

```
[
  {
    "policyId": 3,
    "vehicle": {
      "vehicleId": 4,
      "customer": {
        "customerId": 2,
        "name": "Nani",
        "email": "Nani@john.com",
        "phone": "8326598898",
        "address": "123 Main St, City"
      },
      "registrationNumber": "TG07R2248",
      "make": "Honda",
      "model": "CB350",
      "yearOfManufacture": 2024,
      "vehicleType": "BIKE"
    },
    "policyNumber": "PN-TGX",
    "coverageAmount": 80000.00,
    "premiumAmount": 2400.00,
    "startDate": "2024-01-01",
    "endDate": "2025-01-01",
    "policyStatus": "ACTIVE"
  }
]
```

4. Claim API-Testing

1. File a new Claim

VehicleInsurance&PolicyClaim / Claim API / **New Request**

POST http://localhost:8099/claims/file/2

Docs Params Authorization Headers (8) **Body** Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON**

```
1 {
2   "claimAmount": 5000.00,
3   "claimReason": "Accident damage",
4   "claimDate": "2026-03-15"
5 }
```

Body Cookies Headers (8) Test Results

{ } **JSON** Preview Visualize

```
13 {
14   "registrationNumber": "TS07EK0044",
15   "make": "Suzuki",
16   "model": "Swift",
17   "yearOfManufacture": 2024,
18   "vehicleType": "CAR"
19 },
20 "policyNumber": "PN-TG",
21 "coverageAmount": 80000.00,
22 "premiumAmount": 3100.00,
23 "startDate": "2025-12-25",
24 "endDate": "2029-01-01",
25 "policyStatus": "ACTIVE"
26 },
27 "claimAmount": 5000.00,
28 "claimReason": "Accident damage",
29 "claimDate": "2026-03-15",
30 "claimStatus": "SUBMITTED"
31 }
```

Result Grid Filter Rows: Edit: Export/Import

	claimAmount	claimDate	claimId	policyId	claimReason	claimStatus
▶	5000.00	2026-03-15	1	2	Accident damage	SUBMITTED
•	NULL	NULL	NULL	NULL	NULL	NULL

2. Get Claim Status

VehicleInsurance&PolicyClaim / Claim API / **Get a claim status**

GET http://localhost:8099/claims/1

Docs Params Authorization Headers (6) **Body** Scripts Settings

Body Cookies Headers (8) Test Results

{ } **JSON** Preview Visualize

```
5 "vehicle": {
6   "vehicleId": 1,
7   "customer": {
8     "customerId": 1,
9     "name": "John Doe",
10    "email": "john@example.com",
11    "phone": "1234567890",
12    "address": "123 Main St, City"
13  },
14   "registrationNumber": "TS07EK0044",
15   "make": "Suzuki",
16   "model": "Swift",
17   "yearOfManufacture": 2024,
18   "vehicleType": "CAR"
19 },
20 "policyNumber": "PN-TG",
21 "coverageAmount": 80000.00,
22 "premiumAmount": 3100.00,
23 "startDate": "2025-12-25",
24 "endDate": "2029-01-01",
25 "policyStatus": "ACTIVE"
26 },
27 "claimAmount": 5000.00,
28 "claimReason": "Accident damage",
29 "claimDate": "2026-03-15",
30 "claimStatus": "SUBMITTED"
31 }
```

3. Process Claim

VehicleInsurance&PolicyClaim / Claim API / **New Request**

PUT ▼ http://localhost:8099/claims/process/1?status=APPROVED

Docs Params **Authorization** Headers (7) Body Scripts Settings

Query Params

☒	Key	Value
☒	status	APPROVED
	Key	Value

Body Cookies Headers (8) Test Results ↺

{ } JSON ▼ ▶ Preview 🖼 Visualize ▼

```
14      "registrationNumber": "TS07EK0044",
15      "make": "Suzuki",
16      "model": "Swift",
17      "yearOfManufacture": 2024,
18      "vehicleType": "CAR"
19    },
20    "policyNumber": "PN-TG",
21    "coverageAmount": 80000.00,
22    "premiumAmount": 3100.00,
23    "startDate": "2025-12-25",
24    "endDate": "2029-01-01",
25    "policyStatus": "ACTIVE"
26  },
27  "claimAmount": 5000.00,
28  "claimReason": "Accident damage",
29  "claimDate": "2026-03-15",
30  "claimStatus": "APPROVED"
31 }
```

	claimAmount	claimDate	claimId	policyId	claimReason	claimStatus
▶	5000.00	2026-03-15	1	2	Accident damage	APPROVED
•	NULL	NULL	NULL	NULL	NULL	NULL

4. Get all claims

Claim API GET Get all Claims • +

VehicleInsurance&PolicyClaim / Claim API / **Get all Claims**

GET ▼ http://localhost:8099/claims/all

Docs Params **Authorization** Headers (6) Body Scripts Settings


Body Cookies Headers (8) Test Results ↺

{ } JSON ▼ ▶ Preview 🖼 Visualize ▼

```
7      "vehicleId": 1,
8      "customer": {
9        "customerId": 1,
10       "name": "John Doe",
11       "email": "john@example.com",
12       "phone": "1234567890",
13       "address": "123 Main St, City"
14     },
15     "registrationNumber": "TS07EK0044",
16     "make": "Suzuki",
17     "model": "Swift",
18     "yearOfManufacture": 2024,
19     "vehicleType": "CAR"
20   },
21   "policyNumber": "PN-TG",
22   "coverageAmount": 80000.00,
23   "premiumAmount": 3100.00,
24   "startDate": "2025-12-25",
25   "endDate": "2029-01-01",
26   "policyStatus": "ACTIVE"
27 },
28 "claimAmount": 5000.00,
29 "claimReason": "Accident damage",
30 "claimDate": "2026-03-15",
31 "claimStatus": "APPROVED"
32 }
33 ]
```


5. Report generation API Testing

a. Generate claim Report



VehicleInsurance&PolicyClaim / Report API / **Generate Claim Report**

GET ▼ http://localhost:8099/reports/claims

Docs Params Authorization Headers (6) Body Scripts Se

Query Params


Key	Value
-----	-------

Body Cookies Headers (8) Test Results ↺

{ } JSON ▼ ▶ Preview 🖼 Visualize ▼

```
1 {
2   "rejectedClaimAmount": 0,
3   "submittedClaimAmount": 0,
4   "totalClaims": 1,
5   "pendingClaims": 0,
6   "approvedClaimAmount": 5000.00
7 }
```

b. Generate policy Report



VehicleInsurance&PolicyClaim / Report API / **Generate policy report**

GET ▼ http://localhost:8099/reports/policies

Docs Params Authorization Headers (6) Body Scripts Settings

Query Params

Key	Value
-----	-------

Body Cookies Headers (8) Test Results ↺

{ } JSON ▼ ▶ Preview 🖼 Visualize ▼

```
1 {
2   "expiredPolicies": 0,
3   "totalPremiumCollected": 7300.00,
4   "totalPolicies": 3,
5   "activePolicies": 3
6 }
```

c. Generate Customer Report

The screenshot shows a REST client interface with the following components:

- Header:** HTTP icon, breadcrumb: VehicleInsurance&PolicyClaim / Report API / **Generate Customer Report**
- Request Bar:** Method: GET, URL: http://localhost:8099/reports/customer/1
- Tab Bar:** Docs, Params, Authorization, Headers (6), Body, Scripts, Settings
- Body Tab:** Active tab, showing Cookies, Headers (8), and Test Results.
- Response Format:** A dropdown menu set to JSON, with buttons for Preview and Visualize.
- Response Body:** A JSON object displayed with line numbers 1 through 5:

```
1 {  
2   "totalPolicies": 1,  
3   "totalClaimAmount": 5000.00,  
4   "totalClaims": 1  
5 }
```