




LAB-1

Physical 01 : 00 : 00 START



QEMU (Win1)


Administrator: Command Prompt


```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::2ceb:ccb5:788:1e35%11  
IPv4 Address. . . . . : 50.0.2.1  
Subnet Mask . . . . . : 255.0.0.0  
Default Gateway . . . . . :  
  
Tunnel adapter isatap.{42a1f8b7-30a8-4ef7-81af-c694f5f3d81b}:  
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :  
  
Tunnel adapter 6T04 Adapter:  
Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2002:3200:201::3200:201  
Default Gateway . . . . . :  
  
C:\Users\user>ping 50.0.2.4  
  
Pinging 50.0.2.4 with 32 bytes of data:  
Reply from 50.0.2.4: bytes=32 time=2ms TTL=128  
Reply from 50.0.2.4: bytes=32 time=1ms TTL=128  
Reply from 50.0.2.4: bytes=32 time=1ms TTL=128  
Reply from 50.0.2.4: bytes=32 time=1ms TTL=128  
  
Ping statistics for 50.0.2.4:  
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 1ms, Maximum = 2ms, Average = 1ms  
  
C:\Users\user>
```

QEMU (Win2)

Ethernet adapter Local Area Connection:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::35fd:cc8:7b31:c87e%11  
IPv4 Address. . . . . : 50.0.2.4  
Subnet Mask . . . . . : 255.0.0.0  
Default Gateway . . . . . :  
  
Tunnel adapter 6T04 Adapter:  
Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2002:3200:204::3200:204  
Default Gateway . . . . . :  
  
C:\Users\user>ping 50.0.2.4  
  
Pinging 50.0.2.4 with 32 bytes of data:  
Reply from 50.0.2.4: bytes=32 time<1ms TTL=128  
Reply from 50.0.2.4: bytes=32 time<1ms TTL=128  
Reply from 50.0.2.4: bytes=32 time<1ms TTL=128  
Reply from 50.0.2.4: bytes=32 time<1ms TTL=128  
  
Ping statistics for 50.0.2.4:  
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 0ms, Maximum = 0ms, Average = 0ms  
  
C:\Users\user>
```









LAB-1

Physical + - 01 : 00 : 00 START







LAB-1

Physical [slider] 01 : 00 : 00 START