






PNETLab | Topology
Ask Gemini
labs.surennetwork.com/legacy/topology
Java
interview gitlink
How to Set up an S...
moving icons
List all Courses & Fr...
Notes/CCNA/SN-C...
hegdepavankumar/...
All Bookmarks
Notifications
PALOALTO REMOTE VPN
BRANCH OFFICE
SUREN NETWORK
PLAY WITH TECHNOLOGIES
192.168.1.10
Win
e0
e0/0
e0/1
SW
e0/2
192.168.1.1
eth1/1
PaloAlto
mgmt
e0
MGMT
eth0
VPC
20.0.0.1
eth1/2
20.0.0.2
e0/0
Net
e0/1
ACT
FIBERNET
ISP
e0/2
e0/0
Wireless Router
e0/1
e0
Win
HEAD OFFICE
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:48 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#device::vsys1::device/local-user-database/users
Update
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Local User
Name USER1
Mode Password Password Hash
Password
Confirm Password
Enable
OK
Cancel
Add
Delete
Clone
PDF/CSV
paloalto
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:48 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#device::vsys1::device/authentication-profile
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Setup
High Availability
Config Audit
Password Profiles
Administrators
Admin Roles
Authentication Profile
Authentication Sequence
User Identification
Data Redistribution
Device Quarantine
VM Information Sources
Troubleshooting
Certificate Management
Certificates
Certificate Profile
OCSP Responder
SSL/TLS Service Profile
SCEP
SSL Decryption Exclusi
SSH Service Profile
Response Pages
Log Settings
Server Profiles
SNMP Trap
Syslog
Email
HTTP
1 item
Lockout
NAME
LOCATION
FAILED ATTEMPTS (#)
LOCKOUT TIME (MIN)
ALLOW LIST
AUTHENTICATIO...
SERVER PROFILE
AUTHENTICATIO... FACTORS
OTHERS
LOCKED USERS
GP-AUTH-PROFILE
0
all
Local
none
Add
Delete
Clone
PDF/CSV
admin | Logout | Last Login Time: 10/13/2026 20:01:41 | Session Expire Time: 11/13/2026 00:08:29
Tasks
Language
paloalto
ENG US
8:19 AM
10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG IN
1:49 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#device::vsys1::device/certificate-management/ssl-tls-service-profile
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Setup
High Availability
Config Audit
Password Profiles
Administrators
Admin Roles
Authentication Profile
Authentication Sequence
User Identification
Data Redistribution
Device Quarantine
VM Information Sources
Troubleshooting
Certificate Management
Certificates
Certificate Profile
OCSP Responder
SSL/TLS Service Profile
SCEP
SSL Decryption Exclusi
SSH Service Profile
Response Pages
Log Settings
Server Profiles
SNMP Trap
Syslog
Email
HTTP
1 item
NAME
LOCATION
CERTIFICATE
PROTOCOL VERSIONS
ssl-profile
REMOTE VPN-CERT
Min Version: TLSv1.0
Max Version: Max
Add
Delete
Clone
PDF/CSV
admin | Logout | Last Login Time: 10/13/2026 20:01:41 | Session Expire Time: 11/13/2026 00:08:29
Tasks
Language
paloalto
ENG
US
8:19 AM
10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:49 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#device::vsys1::device/certificate-management/certificates
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Device Certificates
Default Trusted Certificate Authorities
NAME
SUBJECT
ISSUER
CA
KEY
EXPIRES
STATUS
ALGORITHM
USAGE
LOCAL-RO...
CN = sn.lan
CN = sn.lan
Oct 13 17:45:30 20...
valid
RSA
Trusted Root CA Ce...
REMOT...
CN = 20.0.0.1
CN = sn.lan
Oct 13 17:46:17 20...
valid
RSA
Delete
Revoke
Renew
Import
Generate
Export Certificate
Import HA Key
Export HA Key
PDF/CSV
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:49 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#network::vsys1::network/zones
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
3 items
NAME
TYPE
INTERFACES / VIRTUAL SYSTEMS
ZONE PROTECTION PROFILE
PACKET BUFFER PROTECTION
LOG SETTING
User-ID
Device-ID
ENABLED
INCLUDED NETWORKS
EXCLUDED NETWORKS
INSIDE layer3 ethernet1/1 any none any none
OUTSIDE layer3 ethernet1/2 any none any none
REMOTE layer3 tunnel.1 any none any none
Add
Delete
PDF/CSV
https://1.0.0.1/?#
Last Login Time: 10/13/2026 20:01:41
Session Expire Time: 11/13/2026 00:08:29
Tasks
Language
paloalto
ENG US 8:20 AM 10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG IN
1:50 PM 14-Oct-26



PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#network::vsys1::network/interfaces
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
Ethernet
VLAN
Loopback
Tunnel
SD-WAN
2 items
INTERFACE
MANAGEMENT PROFILE
IP ADDRESS
VIRTUAL ROUTER
SECURITY ZONE
FEATURES
COMMENT
tunnel
none
none
none
tunnel.1
172.16.0.1/16
default
REMOTE
Add
Delete
PDF/CSV
admin | Logout | Last Login Time: 10/13/2026 20:01:41 | Session Expire Time: 11/13/2026 00:08:29
Tasks
Language
paloalto
ENG
US
8:20 AM
10/14/2026
Notifications
192.16
HEA
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:50 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#network::vsys1::network/global-protect/portals
Update
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
GlobalProtect Portal Configuration
General
Authentication
Portal Data Collectio
Agent
Clientless VPN
Satellite
Name GP-PORTAL
Network Settings
Interface ethernet1/2
IP Address Type IPv4 Only
IPv4 Address 20.0.0.1/8
Appearance
Portal Login Page factory-default
Portal Landing Page factory-default
App Help Page None
Log Settings
Log Successful SSL Handshake
Log Unsuccessful SSL Handshake
Log Forwarding None
OK
Cancel
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#network::vsys1::network/global-protect/portals
Update
DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE
Commit
GlobalProtect Portal Configuration
General
Authentication
Portal Data Collectio
Agent
Clientless VPN
Satellite
Server Authentication
SSL/TLS Service Profile ssl-profile
Client Authentication
NAME OS AUTHENTIC... PROFILE AUTO RETRIEVE PASSCODE USERNAME LABEL PASSWORD LABEL AUTHENTI... MESSAGE ALLOW AUTHENTI... WITH USER CREDENTI... OR CLIENT CERTIFICA...
GP-CLIENT-AUTH Any GP-AUTH-PROFILE Username Password Enter login credentials Yes
Add Delete Clone Move Up Move Down
Certificate Profile None
OK Cancel
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG IN
1:50 PM 14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#network::vsys1::network/global-protect/portals
Update
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
GlobalProtect Portal Configuration
General
Authentication
Portal Data Collectio
Agent
Clientless VPN
Satellite
CONFIGS
USER/USER GROUP
OS
EXTERNAL GATEWAYS
CLIENT CERTIFICATE
GP-AUTH-CLIENT
any
any
GP-GATEWAY
Add
Delete
Clone
Move Up
Move Down
TRUSTED ROOT CA
INSTALL IN LOCAL ROOT CERTIFICATE STORE
LOCAL-ROOT-CERT
Agent User Override Key
Confirm Agent User Override Key
OK
Cancel
Add
Delete
Generate Ticket
PDF/CSV
paloalto
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:50 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#network::vsys1::network/global-protect/gateways
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
GlobalProtect Gateway Configuration
General
Authentication
Agent
Satellite
Name
GP-GATEWAY
Network Settings
Interface
ethernet1/2
IP Address Type
IPv4 Only
IPv4 Address
20.0.0.1/8
Log Settings
Log Successful SSL Handshake
Log Unsuccessful SSL Handshake
Log Forwarding
None
OK
Cancel
Interfaces
Zones
VLANs
Virtual Wires
Virtual Routers
IPSec Tunnels
GRE Tunnels
DHCP
DNS Proxy
GlobalProtect
Portals
Gateways
MDM
Clientless Apps
Clientless App Groups
QoS
LLDP
Network Profiles
IKE Gateways
IPSec Crypto
IKE Crypto
Monitor
Interface Mgmt
Zone Protection
QoS Profile
LLDP Profile
BFD Profile
Add
Delete
PDF/CSV
paloalto
ENG
US
8:21 AM
10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:51 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#network::vsys1::network/global-protect/gateways
Update
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
GlobalProtect Gateway Configuration
General
Authentication
Agent
Satellite
Server Authentication
SSL/TLS Service Profile
ssl-profile
Client Authentication
NAME
OS
AUTHENTICAT... PROFILE
AUTO RETRIEVE PASSCODE
USERNAME LABEL
PASSWORD LABEL
AUTHENTIC... MESSAGE
ALLOW AUTHENTIC... WITH USER CREDENTIALS OR CLIENT CERTIFICATE
GP-CLIENT
Any
GP-AUTH-PROFILE
Username
Password
Enter login credentials
Yes
Add
Delete
Clone
Move Up
Move Down
Certificate Profile
None
Block login for quarantined devices
OK
Cancel
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START



PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#network:vsys1::network/global-protect/gateways
Update
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
GlobalProtect Gateway Configuration
General
Authentication
Agent
Satellite
Tunnel Settings
Client Settings
Client IP Pool
Network Services
Connection Settings
Video Traffic
HIP Notifi
Tunnel Mode
Tunnel Interface
tunnel.1
Max User
[1 - 15]
Enable IPSec
GlobalProtect IPSec Crypto
default
OK
Cancel
Add
Delete
PDF/CSV
paloalto
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:51 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#network::vsys1::network/global-protect/gateways
Update
Notifications
Configs
Config Selection Criteria
Authentication Override
IP Pools
Split Tunnel
Network Services
Name
CLIENT-PROFILE
Config Selection Criteria
any
Any
SOURCE USER
OS
Add
Delete
Source Address
REGION
IP ADDRESS
The configuration must match User and OS and either Region or IP Address if specified.
OK
Cancel
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:51 PM
14-Oct-26



PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#network:vsys1::network/global-protect/gateways
Update
Configs
Config Selection Criteria
Authentication Override
IP Pools
Split Tunnel
Network Services
Retrieve Framed-IP-Address attribute from authentication server
AUTHENTICATION SERVER IP POOL
IP POOL
172.16.0.1-172.16.0.50
Add
Delete
Move Up
Move Down
These IPs will be added to the firewall's routing table
OK
Cancel
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:51 PM
14-Oct-26


PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#network:vsys1::network/global-protect/gateways
Update
PA-VM
Configs
Config Selection Criteria
Authentication Override
IP Pools
Split Tunnel
Network Services
Access Route
Domain and Application
No direct access to local network
No direct access to local network is applicable to Windows and Mac only
INCLUDE
EXCLUDE
LAN-NW
Enter subnets that clients should exclude (e.g. 172.16.1.0/24)
Add
Delete
These routes will be added to the client's routing table. More-specific routes take precedence over less-specific routes.
OK
Cancel
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
US
8:21 AM
10/14/2026
ENG
IN
1:52 PM
14-Oct-26


PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#objects::vsys1::objects/addresses
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Addresses
Address Groups
Regions
Dynamic User Groups
Applications
Application Groups
Application Filters
Services
Service Groups
Tags
Devices
GlobalProtect
HIP Objects
HIP Profiles
External Dynamic Lists
Custom Objects
Data Patterns
Spyware
Vulnerability
URL Category
Security Profiles
Antivirus
Anti-Spyware
Vulnerability Protection
URL Filtering
File Blocking
WildFire Analysis
Data Filtering
1 item
NAME
LOCATION
TYPE
ADDRESS
TAGS
LAN-NW
IP Netmask
192.168.1.0/24
Add
Delete
Clone
PDF/CSV
https://1.0.0.1/?#
11/13/2026 00:08:29
Tasks
Language
paloalto
ENG
US
8:22 AM
10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:52 PM
14-Oct-26


PNETLab | Topology
Ask Gemini
QEMU (MGMT)
PA-VM
Not secure https://1.0.0.1/?#policies::vsys1::policies/nat-rulebase
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Security
NAT
QoS
Policy Based Forwarding
Decryption
Tunnel Inspection
Application Override
Authentication
DoS Protection
SD-WAN
1 item
Original Packet
NAME
TAGS
SOURCE ZONE
DESTINATION ZONE
DESTINATION INTERFACE
SOURCE ADDRESS
DESTINATION ADDRESS
SERVICE
SOURCE TRANSLATION
1
IN-OUT
none
INSIDE
OUTSIDE
ethernet1/2
LAN-NW
any
any
dynamic-ip-and-port
ethernet1/2
20.0.0.1/8
Policy Optimizer
Rule Usage
Unused in 30 days
Unused in 90 days
Unused
Object : Addresses
Add
Delete
Clone
Enable
Disable
Move
PDF/CSV
Highlight Unused Rules
View Rulebase as Groups
Reset Rule Hit Counter
Group
Test Policy Match
https://1.0.0.1/?#
Last Login Time: 10/13/2026 20:01:41
Session Expire Time: 11/13/2026 00:08:29
Tasks
Language
paloalto
ENG
US
8:22 AM
10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG
IN
1:52 PM
14-Oct-26


PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (MGMT)
PA-VM
Not secure
https://1.0.0.1/?#policies::vsys1::policies/security-rulebase
Update
PA-VM
DASHBOARD
ACC
MONITOR
POLICIES
OBJECTS
NETWORK
DEVICE
Commit
Security
NAT
QoS
Policy Based Forwarding
Decryption
Tunnel Inspection
Application Override
Authentication
DoS Protection
SD-WAN
4 items
Source
Destination
NAME
TAGS
TYPE
ZONE
ADDRESS
USER
DEVICE
ZONE
ADDRESS
DEVICE
APPLICA
1 IN-OUT none universal INSIDE LAN-NW any any OUTSIDE any any any
2 Remote- none universal REMOTE any any any INSIDE any any any
3 intrazone-default none intrazone any any any any (intrazone) any any any
4 interzone-default none interzone any any any any any any any any
Policy Optimizer
No App Specified 2
Unused Apps 0
Rule Usage
Unused in 30 days 0
Unused in 90 days 0
Unused 0
Object : Addresses
Add
Delete
Clone
Override
Revert
Enable
Disable
Move
PDF/CSV
Highlight Unused Rules
View Rulebase as Groups
Reset Rule Hit Counter
admin | Logout | Last Login Time: 10/13/2026 20:01:41 | Session Expire Time: 11/13/2026 00:08:29
Tasks
Language
paloalto
ENG US 8:23 AM 10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG IN
1:53 PM 14-Oct-26


PNETLab | Topology
Ask Gemini
labs.surennetwo
Java
interview gitlink
All Bookmarks
QEMU (Win)
Recycle Bi
Google Chrome
Command Prompt
Microsoft Windows [Version 10.0.19045.2006]
(c) Microsoft Corporation. All rights reserved.
C:\Users\SN-NETWORK>ping 8.8.8.8
Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=3ms TTL=115
Reply from 8.8.8.8: bytes=32 time=3ms TTL=115
Reply from 8.8.8.8: bytes=32 time=2ms TTL=115
Ping statistics for 8.8.8.8:
Packets: Sent = 3, Received = 3, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 3ms, Average = 2ms
Control-C
^C
C:\Users\SN-NETWORK>ping 192.168.1.10
Pinging 192.168.1.10 with 32 bytes of data:
Reply from 192.168.1.10: bytes=32 time=9ms TTL=127
Reply from 192.168.1.10: bytes=32 time=8ms TTL=127
Reply from 192.168.1.10: bytes=32 time=5ms TTL=127
Reply from 192.168.1.10: bytes=32 time=5ms TTL=127
Ping statistics for 192.168.1.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 5ms, Maximum = 9ms, Average = 6ms
C:\Users\SN-NETWORK>
paloalto | GlobalProtect
Connected
GP-GATEWAY
Best Available Gateway
Disconnect
Type here to search
ENG IN 8:24 AM 10/14/2026
Notifications
INITIAL CONFIG
Physical
01 : 00 : 00
START
ENG IN
1:54 PM 14-Oct-26