

PA-VM

PA-VM

Not secure https://1.0.0.1/?#dashboard:vsys1

PA-VM

DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Commit

?

?

?

?

Layout 3 Columns Widgets Last updated 13:05:05 5 mins

High Availability

Mode Active-passive

Local Active

Peer 1.0.0.2 Passive

Running Config Synchronization in progress Sync to peer

App Version Match

Threat Version Match

Antivirus Version Match

PAN-OS Version Match

GlobalProtect Version Match

HA1 Up

HA2 Up

Plugin vm_series Match

General Information

Device Name PA-VM

MGT IP Address 1.0.0.1

MGT Netmask 255.0.0.0

MGT Default Gateway

MGT IPv6 Address unknown

MGT IPv6 Link Local Address fe80::52dc:4cfe:0000::64

MGT IPv6 Default Gateway

MGT MAC Address 50:dc:4e:09:a0:00

Model PA-VM

Logged In Admins

Admin	From	Client	Session Start	Idle For
admin	Console	CLI	09/28 05:09:13	00:54:08s
admin	1.0.0.10	Web	09/28 05:17:12	00:00:00s
admin	1.0.0.10	Web	09/28 05:16:59	00:48:35s
admin	Console	CLI	09/28 05:08:58	00:56:27s

Data Logs

No data available.

System Logs

Description	Time
running configuration synchronized with HA peer by admin	09/28 06:05:06
Connection to Update server closed: updates.paloaltonetworks.com, source: 1.0.0.1	09/28 06:05:04
Commit job succeeded. Completion time=2026/09/28 06:03:33. JobId=8. User=admin	09/28 06:03:33
KEYMGR sync all IPsec SA to HA peer exit.	09/28 06:03:31
KEYMGR sync all IPsec SA to HA peer started.	09/28 06:03:31
RASMGR daemon sync all user info to HA peer started.	09/28 06:03:31
FIB HA sync started when peer device becomes passive.	09/28 06:03:31
SATD daemon sync all gateway infos to HA peer started.	09/28 06:03:31
HA Group 1: Completed session synchronization with peer	09/28 06:03:26
HA Group 1: Starting session synchronization with peer on	09/28

Config Logs

Command	Path	Admin	Time
commit		admin	09/28 06:02:39
set	deviceconfig high-availability group state-synchronization	admin	09/28 06:01:45
set	deviceconfig high-availability interface ha1	admin	09/28 06:00:57
set	deviceconfig high-availability interface ha2	admin	09/28 06:00:39
set	deviceconfig high-availability group state-synchronization	admin	09/28 06:00:19
delete	deviceconfig high-availability interface ha2 netmask	admin	09/28 06:00:19
delete	deviceconfig high-availability interface ha2 ip-address	admin	09/28 06:00:19
commit		admin	09/28 05:58:47
delete	deviceconfig high-availability interface ha1 netmask	admin	09/28 05:58:36
delete	deviceconfig high-availability interface ha1 ip-address	admin	09/28 05:58:36

Locks

No locks found

ACC Risk Factor (Last 60 minutes)

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12

active Tasks Language paloalto

Win
192.168.1.10

Physical 01 : 00 : 00 START

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.1/?#policies::vsys1:policies/security-rulebase

PA-VM DASHBOARD ACC MONITOR **POLICIES** OBJECTS NETWORK DEVICE

Commit

Security

- NAT
- QoS
- Policy Based Forwarding
- Decryption
- Tunnel Inspection
- Application Override
- Authentication
- DoS Protection
- SD-WAN

Policy Optimizer

- No App Specified 1
- Unused Apps 0
- Rule Usage
 - Unused in 30 days 1
 - Unused in 90 days 1
 - Unused 1

	NAME	TAGS	TYPE	Source				Destination			APPLIC
				ZONE	ADDRESS	USER	DEVICE	ZONE	ADDRESS	DEVICE	
1	internet	none	universal	inside	inside-LAN	any	any	outside	any	any	any
2	intrazone-default	none	intrazone	any	any	any	any	(intrazone)	any	any	any
3	interzone-default	none	interzone	any	any	any	any	any	any	any	any

Object : Addresses + Add Delete Clone Override Revert Enable Disable Move PDF/CSV Highlight Unused Rules View Rulebase as Groups Reset Rule Hit Counter

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12

active Tasks Language paloalto

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.1/?#policies:vsys1:policies/nat-rulebase

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Security NAT QoS Policy Based Forwarding Decryption Tunnel Inspection Application Override Authentication DoS Protection SD-WAN

Policy Optimizer Rule Usage Unused in 30 days 0 Unused in 90 days 0 Unused 0

Object : Addresses Add Delete Clone Enable Disable Move PDF/CSV Highlight Unused Rules View Rulebase as Groups Reset Rule Hit Counter Group

https://1.0.0.1/?# 10/28/2024 05:17:12

1 item

		Original Packet								Trans
	NAME	TAGS	SOURCE ZONE	DESTINATION ZONE	DESTINATION INTERFACE	SOURCE ADDRESS	DESTINATION ADDRESS	SERVICE	SOURCE TRANSLATION	
1	IN_OUT	none	inside	outside	ethernet1/4	inside-LAN	any	any	dynamic-ip-and-port ethernet1/4 20.0.0.1/8	

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.1/?#objects:vsys1::objects/addresses

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Addresses

- Address Groups
- Regions
- Dynamic User Groups
- Applications
- Application Groups
- Application Filters
- Services
- Service Groups
- Tags
- Devices
- GlobalProtect
 - HIP Objects
 - HIP Profiles
- External Dynamic Lists
- Custom Objects
 - Data Patterns
 - Spyware
 - Vulnerability
 - URL Category
- Security Profiles
 - Antivirus
 - Anti-Spyware
 - Vulnerability Protection
 - URL Filtering
 - File Blocking
 - WildFire Analysis
 - Data Filtering
 - DoS Protection
- Security Profile Groups

NAME	LOCATION	TYPE	ADDRESS	TAGS
☐ inside-LAN		IP Netmask	192.168.10/24	

1 item

+ Add - Delete Clone PDF/CSV

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12

active Tasks Language paloalto

PA-VM

Not secure https://1.0.0.1/?#network:vsys1::network/interfaces

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Commit

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

Ethernet VLAN Loopback Tunnel SD-WAN

24 items

INTERFACE	INTERFACE TYPE	MANAGEMENT PROFILE	LINK STATE	IP ADDRESS	VIRTUAL ROUTER	TAG	VLAN / VIRTUAL WIRE	SECURITY ZONE	SD-WAN INTERFACE PROFILE
ethernet1/1	Layer3			192.168.1.1/24	default	Untagged	none	inside	
ethernet1/2	HA			none	none	Untagged	none	none	
ethernet1/3	HA			none	none	Untagged	none	none	
ethernet1/4	Layer3			20.0.0.1/8	default	Untagged	none	outside	
ethernet1/5				none	none	Untagged	none	none	
ethernet1/6				none	none	Untagged	none	none	
ethernet1/7				none	none	Untagged	none	none	
ethernet1/8				none	none	Untagged	none	none	
ethernet1/9				none	none	Untagged	none	none	
ethernet1/10				none	none	Untagged	none	none	
ethernet1/11				none	none	Untagged	none	none	
ethernet1/12				none	none	Untagged	none	none	
ethernet1/13				none	none	Untagged	none	none	
ethernet1/14				none	none	Untagged	none	none	
ethernet1/15				none	none	Untagged	none	none	

Add Subinterface Delete PDF/CSV

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12

active Tasks Language paloalto

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.1/?#network:sys1:network:zones

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Interaces Zones VLANs Virtual Wires Virtual Routers IPSec Tunnels GRE Tunnel's DHCP DNS Proxy GlobalProtect Portals Gateways VDM Clientless Apps Clientless App Groups QoS LLDP Network Profiles GlobalProtect IPSec Crypto IKE Gateways IPSec Crypto IKE Crypto Monitor Interface Mgmt Zone Protection QoS Profile LLDP Profile BFD Profile SD-WAN Interface Profile

2 items

							User-ID			Device-ID		
	NAME	TYPE	INTERFACES / VIRTUAL SYSTEMS	ZONE PROTECTION PROFILE	PACKET BUFFER PROTECTION	LOG SETTING	ENABLED	INCLUDED NETWORKS	EXCLUDED NETWORKS	ENABLED	INCLUDED NETWORKS	EXCLUDED NETWORKS
☐	inside	layer2	ethernet1/1		☒		☐	any	none	☐	any	none
☐	outside	layer3	ethernet1/4		☒		☐	any	none	☐	any	none

+ Add - Delete PDF/CSV

https://1.0.0.1/?# 10/28/2024 05:17:12 | active Tasks | Language paloalto

Notifications

>

Win 192.168.1.10

Physical 01 : 00 : 00 START

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.1/?#network:vsys1:network/virtual-routers

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Commit

1 item

NAME	INTERFACES	CONFIGURATION	RIP	OSPF	OSPFV3	BGP	MULTICAST	RUNTIME STATS
default	ethernet1/1 ethernet1/4	Static Routes: 1 ECMP status: Disabled						More Runtime Stats

Virtual Routers

GlobalProtect

Network Profiles

SD-WAN Interface Profile

10/28/2024 05:17:12

active Tasks Language paloalto

Win
192.168.1.10

Physical 01 : 00 : 00 START

PA-VM

Not secure https://1.0.0.1/?network:sys1:network/virtual-routers

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Virtual Router - default

Router Settings

Static Routes

Redistribution Profile

RIP

OSPF

OSPFv3

BGP

Multicast

IPv4 IPv6

1 item

	NAME	DESTINA...	INTERFA...	TYPE	VALUE	ADMIN DISTANCE	METRIC	BFD	ROUTE TABLE
☐	default	0.0.0.0/0	ethernet1...	ip-address	20.0.0.2	default	10	None	unicast

+ Add - Delete Clone

OK Cancel

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12

active Tasks | Language paloalto

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.1/?#device:vsys1::device/high-availability

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Setup High Availability Config Audit Password Profiles Administrators Admin Roles Authentication Profile Authentication Sequence User Identification Data Redistribution Device Quarantine VM Information Sources Troubleshooting Certificate Management Certificates Certificate Profile OSCP Responder SSL/TLS Service Profile SCEP SSL Decryption Exclusion SSH Service Profile Response Pages Log Settings Server Profiles SNMP Trap Syslog Email HTTP Netflow

General HA Communications Link and Path Monitoring Operational Commands

Setup

Enable HA ☒
Group ID 1
Description
Mode active-passive
Enable Config Sync ☒
Peer HA1 IP Address 10.0.0.2
Backup Peer HA1 IP Address

Active/Passive Settings

Passive Link State auto
Monitor Fail Hold Down Time (min) 1

Election Settings

Device Priority 50
Preemptive ☒
Heartbeat Backup ☐
HA Timer Settings Recommended

SSH HA Profile Setting

HA Profile

Remove All

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12 | active | Tasks | Language | paloalto

PA-VM

Not secure https://1.0.0.1/?device=vsys1:device/high-availability

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Setup High Availability Config Audit Password Profiles Administrators Admin Roles Authentication Profile Authentication Sequence User Identification Data Redistribution Device Quarantine VM Information Sources Troubleshooting Certificate Management Certificates Certificate Profile OSCP Responder SSL/TLS Service Profile SCEP SSL Decryption Exclud SSH Service Profile Response Pages Log Settings Server Profiles SNMP Trap Syslog Email HTTP Netflow

General HA Communications Link and Path Monitoring Operational Commands

Control Links

HA1

Port ethernet1/3

IPv4/IPv6 Address 10.0.0.1

Netmask 255.0.0.0

Gateway

Encryption Enabled ☐

HA1 Backup

Port

IPv4/IPv6 Address

Netmask

Gateway

Data Links

HA2

Enable Session Synchronization ☒

Port ethernet1/2

IPv4/IPv6 Address

Netmask

Gateway

Transport ethernet

Action log-only

Threshold (ms) 10000

HA2 Backup

Port

IPv4/IPv6 Address

Netmask

Gateway

Packet Forwarding

HA2 Interface

VR Sync ☐

Remove All

admin | Logout | Last Login Time: 09/28/2026 05:16:59 | Session Expire Time: 10/28/2026 05:17:12

active Tasks | Language paloalto

QEMU (MGMT)

PA-VM PA-VM

Not secure https://1.0.0.2/?#device:vsys1::device/high-availability

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Setup High Availability Config Audit Password Profiles Administrators Admin Roles Authentication Profile Authentication Sequence User Identification Data Redistribution Device Quarantine VM Information Sources Troubleshooting Certificate Management Certificates Certificate Profile OSCP Responder SSL/TLS Service Profile SCEP SSL Decryption Exclusion SSH Service Profile Response Pages Log Settings Server Profiles SNMP Trap Syslog Email HTTP Netflow

General HA Communications Link and Path Monitoring Operational Commands

Setup

Enable HA ☒
Group ID 1
Description
Mode active-passive
Enable Config Sync ☒
Peer HA1 IP Address 10.0.0.1
Backup Peer HA1 IP Address

Active/Passive Settings

Passive Link State auto
Monitor Fail Hold Down Time (min) 1

Election Settings

Device Priority 100
Preemptive ☒
Heartbeat Backup ☐
HA Timer Settings Recommended

SSH HA Profile Setting

HA Profile

Remove All

admin | Logout | Last Login Time: 09/28/2026 05:11:59 | Session Expire Time: 10/28/2026 05:45:07 | passive | Tasks | Language | paloalto

PA-VM DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Setup High Availability Config Audit Password Profiles Administrators Admin Roles Authentication Profile Authentication Sequence User Identification Data Redistribution Device Quarantine VM Information Sources Troubleshooting Certificate Management Certificates Certificate Profile OSCP Responder SSL/TLS Service Profile SCEP SSL Decryption Exclud SSH Service Profile Response Pages Log Settings Server Profiles SNMP Trap Syslog Email HTTP Netflow

General HA Communications Link and Path Monitoring Operational Commands

Control Links

HA1

Port ethernet1/3

IPv4/IPv6 Address 10.0.0.2

Netmask 255.0.0.0

Gateway

Encryption Enabled ☐

HA1 Backup

Port

IPv4/IPv6 Address

Netmask

Gateway

Data Links

HA2

Enable Session Synchronization ☒

Port ethernet1/2

IPv4/IPv6 Address

Netmask

Gateway

Transport ethernet

Action log-only

Threshold (ms) 10000

HA2 Backup

Port

IPv4/IPv6 Address

Netmask

Gateway

Packet Forwarding

HA2 Interface

VR Sync ☐

Remove All

admin | Logout | Last Login Time: 09/28/2026 05:11:59 | Session Expire Time: 10/28/2026 05:45:07

passive Tasks Language paloalto


QEMU (Win)

```
C:\WINDOWS\system32\cmd.exe - ping 8.8.8.8 -t
Pinging 8.8.8.8 with 32 bytes of data:
Reply from 8.8.8.8: bytes=32 time=6ms TTL=115
Reply from 8.8.8.8: bytes=32 time=6ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=4ms TTL=115
Reply from 8.8.8.8: bytes=32 time=4ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=4ms TTL=115
Reply from 8.8.8.8: bytes=32 time=3ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=4ms TTL=115
Reply from 8.8.8.8: bytes=32 time=6ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
Reply from 8.8.8.8: bytes=32 time=6ms TTL=115
Reply from 8.8.8.8: bytes=32 time=5ms TTL=115
```

Internet Explorer
Cisco ASDM-1...
Old Java ASDM
PUTTY
Tftp32

Start C:\WINDOWS\system32\cmd.exe 6:07 AM


Win
192.168.1.10



Notifications

PaloAlto1: stopped

Physical 01 : 00 : 00 START



192.168.1.10