


PALOALTO PORT-FORWARDING




PORT-FORWARDING

Physical

00 : 00 : 00

START



QEMU (Mgmt)

PA-VM

Not secure https://1.0.0.1/?#network:vsys1::network/zones

PA-VM

DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

3 Items

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

MDM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

NAME	TYPE	INTERFACES / VIRTUAL SYSTEMS	ZONE PROTECTION PROFILE	PACKET BUFFER PROTECTION	LOG SETTING	ENABLED	INCLUDED NETWORKS	EXCLUDED NETWORKS	ENABLED	INCLUDED NETWORKS	EXCLUDED NETWORKS
DB-1	layer3	ethernet1/2		☒		☐	any	none	☐	any	none
DB-2	layer3	ethernet1/3		☒		☐	any	none	☐	any	none
Sales	layer3	ethernet1/1		☒		☐	any	none	☐	any	none

+

-

PDF/CSV

https://1.0.0.1/#

11/06/2026 21:50:32

Tasks Language paloalto

6:19 AM

PNETLab | Topology

labs.surennetwork.com

Java interview gitlink DEV Ho

QEMU (Mgmt)

PA-VM

Not secure https://1.0.0.1/?#network:vsys1::network/interfaces

PA-VM

DASHBOARDACCMONITORPOLICIESOBJECTSNETWORKDEVICE

Interfaces

Ethernet | VLAN | Loopback | Tunnel | SD-WAN

24 items

INTERFACE	INTERFACE TYPE	MANAGEMENT PROFILE	LINK STATE	IP ADDRESS	VIRTUAL ROUTER	TAG	VLAN / VIRTUAL-WIRE	SECURITY ZONE	SD-WAN INTERFACE PROFILE
ethernet1/1	Layer3	ping service		10.0.0.1/8	default	Untagged	none	Sales	
ethernet1/2	Layer3	ping service		192.168.1.1/24	default	Untagged	none	DataCenter	
ethernet1/3	Layer3	ping service		20.0.0.1/8	default	Untagged	none	Outside	
ethernet1/4				none	none	Untagged	none	none	
ethernet1/5				none	none	Untagged	none	none	
ethernet1/6				none	none	Untagged	none	none	
ethernet1/7				none	none	Untagged	none	none	
ethernet1/8				none	none	Untagged	none	none	
ethernet1/9				none	none	Untagged	none	none	
ethernet1/10				none	none	Untagged	none	none	
ethernet1/11				none	none	Untagged	none	none	
ethernet1/12				none	none	Untagged	none	none	
ethernet1/13				none	none	Untagged	none	none	
ethernet1/14				none	none	Untagged	none	none	
ethernet1/15				none	none	Untagged	none	none	

admin | Logout | Last Login Time: 10/07/2026 22:31:00 | Session Expire Time: 11/06/2026 21:50:32

Tasks | Language | paloalto

6:19 AM

192.168.1.0/24

.10

.20

DB-1

DB-2

10.10

Win1

10.20

VPC

SW-1

HEAD-OFFICE

PORT-FORWARDING

Physical

00 : 00 : 00

START

12:19 PM 08-Oct-26

PNETLab | Topology

labs.surennetwork.co

Java interview gitlink DEV Ho

Ask Gemini

All Bookmarks

Notifications

QEMU (Mgmt)

PA-VM

Not secure https://1.0.0.1/?#network:vsys1::network/virtual-routers

PA-VM

DASHBOARDACCMONITORPOLICIESOBJECTSNETWORKDEVICE

Interfaces

Zones

VLANs

Virtual Wires

Virtual Routers

IPSec Tunnels

GRE Tunnels

DHCP

DNS Proxy

GlobalProtect

Portals

Gateways

NMOM

Clientless Apps

Clientless App Groups

QoS

LLDP

Network Profiles

GlobalProtect IPSec Crypto

IKE Gateways

IPSec Crypto

IKE Crypto

Monitor

Interface Mgmt

Zone Protection

QoS Profile

LLDP Profile

BFD Profile

SD-WAN Interface Profile

Virtual Router - default

Router Settings

Static Routes

Redistribution Profile

RIP

OSPF

OSPFv3

BGP

Multicast

IPv4

IPv6

1 item

	NAME	DESTINA...	INTERFA...	TYPE	VALUE	ADMIN DISTANCE	METRIC	BFD	ROUTE TABLE
☐	default	0.0.0.0/0	ethernet1...	ip-address	20.0.0.2	default	10	None	unicast

+ Add

- Delete

Clone

OK

Cancel

admin | Logout | Last Login Time: 10/07/2026 22:31:00 | Session Expire Time: 11/06/2026 21:40:32

Tasks

Language

paloalto

6:50 AM

192.168.1.0/24

.20

.10

DB-1

DB-2

10.10

Win1

SW-1

VPC

10.20

HEAD-OFFICE

PORT-FORWARDING


Physical

00 : 00 : 00

START

Windows Taskbar

12:20 PM 08-Oct-26



QEMU (Mgmt)

PA-VM

Not secure https://1.0.0.1/?#objects::vsys1::objects/addresses


DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Addresses

NAME	LOCATION	TYPE	ADDRESS	TAGS
☐ DataCenter-NAT		IP Netmask	192.168.1.0/24	
☐ Public-IP		IP Netmask	200.0.1	
☐ Sales-LAN		IP Netmask	10.0.0.0/8	

11/06/2026 21:50:32

Tasks Language paloalto 6:50 AM



QEMU (Mgmt)

PA-VM

Not secure https://1.0.0.1/?#objects::vsys1::objects/services


DASHBOARD ACC MONITOR POLICIES **OBJECTS** NETWORK DEVICE

5 Items

NAME	LOCATION	PROTOCOL	DESTINATION PORT	TAGS
☐ Service-ssh-3		TCP	224	
☐ service-http	Predefined	TCP	80,8080	
☐ service-https	Predefined	TCP	443	
☐ service-ssh-1		TCP	22	
☐ Service-ssl-2		TCP	223	

11/06/2026 21:50:32

6:50 AM



The screenshot displays the Palo Alto Networks PA-VM web interface, specifically the NAT rulebase configuration page. The interface is organized into a sidebar on the left, a main content area, and a bottom status bar.

Sidebar:

- Security:**
 - NAT (Selected)
 - QoS
 - Policy Based Forwarding
 - Decryption
 - Tunnel Inspection
 - Application Override
 - Authentication
 - DoS Protection
 - SD-WAN
- Policy Optimizer:**
 - Rule Usage
 - Unused in 30 days
 - Unused in 90 days
 - Unused

Main Content Area:

The main content area displays a table of NAT rules. The table has the following columns: NAME, TAGS, SOURCE ZONE, DESTINATION ZONE, DESTINATION INTERFACE, SOURCE ADDRESS, DESTINATION ADDRESS, SERVICE, and SOURCE TRANSLATION. There are 6 items in the table.

	NAME	TAGS	SOURCE ZONE	DESTINATION ZONE	DESTINATION INTERFACE	SOURCE ADDRESS	DESTINATION ADDRESS	SERVICE	SOURCE TRANSLATION
1	IN-OUT NAT	none	DataCenter Sales	Outside	ethernet1/3	DataCenter-N... Sales-LAN	any	any	dynamic-ip-and-port. ethernet1/3 20.0.0.1/8
2	WEB-1	none	Outside	Outside	ethernet1/3	any	Public-IP	service-http	none
3	SSH-1	none	Outside	Outside	ethernet1/3	any	Public-IP	service-ssh 1	none
4	SSH-2	none	Outside	Outside	ethernet1/3	any	Public-IP	Service-ssh-2	none
5	SSH-3	none	Outside	Outside	ethernet1/3	any	Public-IP	Service ssh 3	none
6	WEB-2	none	Outside	Outside	ethernet1/3	any	Public-IP	service-http	none


Bottom Status Bar:

Object : Addresses + Add Delete Clone Enable Disable Move PDF/CSV Highlight Unused Rules View Rulebase as Groups Reset Rule Hit Counter Group

admin | Logout | Last Login Time: 10/07/2026 22:31:00 | Session Expire Time: 11/06/2026 21:50:32

Tasks | Language | paloalto

6:30 AM



QEMU (Mgmt)

PA-VM

Not secure https://1.0.0.1/?#policies::vsys1::policies/security-rulebase

PA-VM

DASHBOARD ACC MONITOR POLICIES OBJECTS NETWORK DEVICE

Security

5 Items

	NAME	TAGS	TYPE	ZONE	Source	USER	DEVICE	Destination	APPLIC		
					ADDRESS			ZONE	ADDRESS	DEVICE	
1	IN-OUT	none	universal	DataCenter	DataCenter-N...	any	any	Outside	any	any	any
2	Intrazone	none	universal	DataCenter	DataCenter-N...	any	any	DataCenter	DataCenter-N...	any	any
3	OUT-IN	none	universal	Outside	any	any	any	DataCenter	any	any	any
4	intrazone-default	none	intrazone	any	any	any	any	(intrazone)	any	any	any
5	interzone-default	none	interzone	any	any	any	any	any	any	any	any

Policy Optimizer

No App Specified 0

Unused Apps 0

Rule Usage

Unused in 30 days 1

Unused in 90 days 1


Unused 1

Object: Addresses

11/06/2026 21:50:32

palto

6:50 AM



QEMU (Win2)

File Edit View History Bookmarks Tools Help

http://20.0.0.1/

20.0.0.1


Search

Hello World! This file is located in /home/httpd

Firefox: automatically sends some data to Mozilla so that we can improve your experience.

Choose What I Share

Start Mozilla Firefox 20.0.0.1 - PuTTY 20.0.0.1 - PuTTY 7:51 AM




QEMU (Win2)

```
20.0.0.1 - PuTTY
login as: root
root@20.0.0.1's password:

Chop wood, carry water.

# ifconfig
eth0    Link encap:Ethernet  HWaddr 00:50:00:00:05:00
        inet addr:192.168.1.10  Bcast:192.168.1.255  Mask:255.255.255.0
        UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
        RX packets:1930 errors:0 dropped:0 overruns:0 frame:0
        TX packets:510 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:1000
        RX bytes:612666 (598.3 KiB)  TX bytes:158213 (154.5 KiB)

lo      Link encap:Local Loopback
        inet addr:127.0.0.1  Mask:255.0.0.0
        UP LOOPBACK RUNNING  MTU:16436  Metric:1
        RX packets:0 errors:0 dropped:0 overruns:0 frame:0
        TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
        collisions:0 txqueuelen:0
        RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```



QEMU (Win2)

```
20.0.0.1 - PuTTY
login as: root
root@20.0.0.1's password:
Chop wood, carry water.
# ifconfig
eth0      Link encap:Ethernet  HWaddr 00:50:00:00:06:00
          inet addr:192.168.1.20  Bcast:192.168.1.255  Mask:255.255.255.0
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:2341 errors:0 dropped:0 overruns:0 frame:0
          TX packets:619 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:1000
          RX bytes:742448 (725.0 KiB)  TX bytes:191255 (186.7 KiB)

lo        Link encap:Local Loopback
          inet addr:127.0.0.1  Mask:255.0.0.0
          UP LOOPBACK RUNNING  MTU:16436  Metric:1
          RX packets:0 errors:0 dropped:0 overruns:0 frame:0
          TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
          collisions:0 txqueuelen:0
          RX bytes:0 (0.0 B)  TX bytes:0 (0.0 B)
```