

KUIS 1 PWL


STEVEN GYASI

TI-23-KA


232310025

BUKU


POST (<http://localhost:3000/api/buku>)



GET (<http://localhost:3000/api/buku/69fbed42679c21f8115e4c25>)



PUT (<http://localhost:3000/api/buku/69fbed42679c21f8115e4c25>)



DEL (<http://localhost:3000/api/buku/69fbbed42679c21f8115e4c25>)

DELETE

http://localhost:3000/api/buku/69fbbed42679c21f8115e4c25

Docs

Params

Authorization

Headers 7

Body

Scripts

Settings

Query Params

Key	Value
Key	Value

Body

Cookies

Headers 7

Test Results

200 OK

{ } JSON

Preview

Visualize

```
1 {
2   "success": true,
3   "message": "Buku berhasil dihapus"
4 }
```

PEMINJAMAN

POST: (http://localhost:3000/api/peminjaman)

The screenshot shows a REST client interface with a POST request to `http://localhost:3000/api/peminjaman`. The request body is a JSON object with the following fields: `id_buku`, `nama_peminjam`, `tanggal_pinjam`, and `is_return`. The response is a 201 Created status with a JSON body containing `success`, `data` (with the same fields as the request plus `_id`, `createdAt`, `updatedAt`, and `__v`), and `__v`.

```
1 {
2   "id_buku": "69fbefd0679c21f8115e4c28",
3   "nama_peminjam": "Steven Gyasi",
4   "tanggal_pinjam": "2026-05-07",
5   "is_return": false
6 }
```

```
1 {
2   "success": true,
3   "data": {
4     "id_buku": "69fbefd0679c21f8115e4c28",
5     "nama_peminjam": "Steven Gyasi",
6     "tanggal_pinjam": "2026-05-07T00:00:00.000Z",
7     "is_return": false,
8     "_id": "69fbf0cb679c21f8115e4c29",
9     "createdAt": "2026-05-07T01:54:19.207Z",
10    "updatedAt": "2026-05-07T01:54:19.207Z",
11    "__v": 0
12  }
13 }
```

Stok buku: 3

The screenshot shows a REST client interface with a GET request to `http://localhost:3000/api/buku/69fbefd0679c21f8115e4c28`. The response is a 200 OK status with a JSON body containing `success`, `data` (with fields `_id`, `judul`, `author`, `tahun_terbit`, `stok`, `createdAt`, `updatedAt`, and `__v`), and `__v`.

```
1 {
2   "success": true,
3   "data": {
4     "_id": "69fbefd0679c21f8115e4c28",
5     "judul": "Laskar Pelangi",
6     "author": "Andrea Hirata",
7     "tahun_terbit": 2005,
8     "stok": 3,
9     "createdAt": "2026-05-07T01:50:08.702Z",
10    "updatedAt": "2026-05-07T01:54:19.195Z",
11    "__v": 0
12  }
13 }
```

GET

(<http://localhost:3000/api/peminjaman/69fbf0cb679c21f8115e4c29>)

GET

http://localhost:3000/api/peminjaman/69fbf0cb679c21f8115e4c29

Docs

Params

Authorization

Headers 7

Body

Scripts

Settings

Query Params

Key	Value
Key	Value

Body

Cookies

Headers 7

Test Results

200 OK

{ } JSON


Preview

Visualize


```
1  {
2    "success": true,
3    "data": {
4      "_id": "69fbf0cb679c21f8115e4c29",
5      "id_buku": {
6        "_id": "69fbefd0679c21f8115e4c28",
7        "judul": "Laskar Pelangi",
8        "author": "Andrea Hirata",
9        "tahun_terbit": 2005,
10       "stok": 3,
11       "createdAt": "2026-05-07T01:50:08.702Z",
12       "updatedAt": "2026-05-07T01:54:19.195Z",
13       "__v": 0
14     },
15     "nama_peminjam": "Steven Gyasi",
16     "tanggal_pinjam": "2026-05-07T00:00:00.000Z",
17     "is_return": false,
18     "createdAt": "2026-05-07T01:54:19.207Z",
19     "updatedAt": "2026-05-07T01:54:19.207Z",
20     "__v": 0
21   }
22 }
```

PUT

(<http://localhost:3000/api/peminjaman/69fbf0cb679c21f8115e4c29>)



Stok buku: 4



DEL

(<http://localhost:3000/api/peminjaman/69fbf0cb679c21f8115e4c29>)

The screenshot shows a REST client interface with a dark theme. At the top, the method is set to **DELETE** and the URL is `http://localhost:3000/api/peminjaman/69fbf0cb679c21f8115e4c29`. Below the URL bar, there are tabs for **Docs**, **Params**, **Authorization**, **Headers**, **Body**, **Scripts**, and **Settings**. The **Params** tab is active, showing a table for Query Params with columns **Key** and **Value**. Below the table, there are tabs for **Body**, **Cookies**, **Headers**, **Test Results**, and a refresh icon. The **Body** tab is active, showing a JSON response. The response is displayed in a code editor with line numbers 1 through 4. The JSON object has two properties: `"success": true` and `"message": "Data peminjaman dihapus"`. A status code **200** is visible in a green box on the right side of the interface.

DELETE `http://localhost:3000/api/peminjaman/69fbf0cb679c21f8115e4c29`

Docs Params Authorization Headers 7 Body Scripts Settings

Query Params

Key	Value
Key	Value

Body Cookies Headers 7 Test Results 200

{ } JSON Preview Visualize

```
1 {
2   "success": true,
3   "message": "Data peminjaman dihapus"
4 }
```